


# APPENDIX D ENVIRONMENTAL ASSESSMENT REPORT (AS ENDORSED BY DIRD)



# Proposed Brisbane Airport Auto Mall

Environmental Assessment  
Report


**Brisbane Airport Corporation**

255492

17 August 2017

**aurecon**

*Bringing ideas  
to life*



# Document control record

Document prepared by:

**Aurecon Australasia Pty Ltd**

ABN 54 005 139 873

Level 14, 32 Turbot Street

Brisbane QLD 4000

Locked Bag 331

Brisbane QLD 4001

Australia

**T** +61 7 3173 8000

**F** +61 7 3173 8001



**E** brisbane@aurecongroup.com

**W** aurecongroup.com

A person using Aurecon documents or data accepts the risk of:

- a) Using the documents or data in electronic form without requesting and checking them for accuracy against the original hard copy version.
- b) Using the documents or data for any purpose not agreed to in writing by Aurecon.

Document control						aurecon
<b>Report title</b>		Environmental Assessment Report				
<b>Document ID</b>		<b>Project number</b>		255492		
<b>File path</b>		http://cs.au.aurecongroup.com/cs/cs.exe/properties/176989250				
<b>Client</b>		Brisbane Airport Corporation				
<b>Client contact</b>		Peter Boyle	<b>Client reference</b>		15/134	
<b>Rev</b>	<b>Date</b>	<b>Revision details/status</b>	<b>Author</b>	<b>Reviewer</b>	<b>Verifier (if required)</b>	<b>Approver</b>
0	21 April 2017	Draft for BAC review	GK	CR	CR	CR
1	31 May 2017	Updated with BAC comments	GK	CR	CR	CR
2	14 July 2017	Final	GK	CR	CR	CR
3	11 August 2017	Updated with AEO comments	GK	CR	CR	CR
4	17 August 2017	Updated with AEO comments	GK	CR	CR	CR
		<b>4</b>				

Approval			
<b>Author signature</b>		<b>Approver signature</b>	
			
<b>Name</b>		<b>Name</b>	
Georgina Kerr		Corey Roderick	
<b>Title</b>		<b>Title</b>	
Environmental Scientist		Technical Director	

# Executive summary

## Purpose

Aurecon Australasia Pty Ltd has been commissioned by Brisbane Airport Corporation (BAC) to prepare an Environmental Assessment Report for the land development of the proposed Brisbane Airport Auto Mall (the Project).

The objective of this Environmental Assessment Report is to identify potential environmental issues and impacts associated with the Project and recommend appropriate mitigation measures to ensure identified impacts are minimised and managed through the design and construction of the Project.

This Environmental Assessment Report also demonstrates that the Project can proceed in accordance with the relevant guidelines and legislation and ensure there is no significant impact on environment and heritage matters.

## Key findings

An assessment of potential environmental impacts from the Project has been conducted, including consideration of contaminated soils and groundwater, acid sulfate soils, ecology, hydrology, water quality, air quality, noise and vibration, cultural heritage and traffic and aviation safety matters. Mitigation measures have been developed to ensure these identified impacts are minimised and managed.

The presence of potentially contaminated and acid sulfate soils within the Project site is a key environmental consideration for the Project and will need to be managed during Project works, including the implementation of an Erosion and Sediment Control Plan and Acid Sulfate Soil Management Plan, as well as groundwater monitoring during fill placement and surcharging activities.

This environmental assessment has also found that dust generation from construction earthworks has the potential to impact on the Kingsford Smith Memorial and other nearby sensitive receptors. Appropriate dust suppression techniques will be employed to ensure impacts from dust generation are minimised. In addition, baseline and construction dust deposition monitoring at five nominated locations will be conducted throughout Project works.

Background noise and vibration monitoring will be required to provide a benchmark to assess construction noise and vibration associated with the Project. Mitigation measures to reduce noise and vibration impacts, particularly at the nearby Kingsford Smith Memorial, have been recommended to ensure construction activities do not have a detrimental impact on the Memorial. In addition, further mitigation will be achieved through implementation of management measures such as a building assessment on the Kingsford Smith Memorial and the Stop Work Procedure for unexpected cultural heritage finds.

This Environmental Assessment Report concludes that the Project will have minimal impact on the environment and heritage matters if the recommended mitigation and management measures are implemented.

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Background	1
1.2	Objectives	1
1.3	Report structure	1
1.4	Project proponent	3
<b>2</b>	<b>Project description</b>	<b>4</b>
2.1	Project justification and objectives	4
2.2	Project development phases	4
2.3	Location of proposed development	4
2.4	Proposed design/scope of works	5
<b>3</b>	<b>Legislative context</b>	<b>7</b>
3.1	Legislative requirements	7
3.2	Consistency with Commonwealth Legislation	7
3.3	Pre-existing Airport Land	18
3.4	Consistency with State and Local Government Planning	21
3.5	State planning provisions	27
3.6	Local government policy and planning documents	33
<b>4</b>	<b>Land use</b>	<b>34</b>
4.1	Introduction	34
4.2	Methodology	34
4.3	Relevant documents	34
4.4	Existing environment	35
4.5	Potential impacts	37
4.6	Mitigation measures	37
<b>5</b>	<b>Geology, soils, topography and contaminated land</b>	<b>39</b>
5.1	Introduction	39
5.2	Methodology	39
5.3	Relevant documents	39
5.4	Existing environment	40
5.5	Potential impacts	45
5.6	Mitigation measures	46
<b>6</b>	<b>Ecology</b>	<b>53</b>
6.1	Introduction	53
6.2	Methodology	53
6.3	Existing environment	55
6.4	Potential impacts	66
6.5	Mitigation measures	67
<b>7</b>	<b>Hydrology and water quality</b>	<b>74</b>
7.1	Introduction	74
7.2	Methodology	74
7.3	Relevant documents	74

7.4	Existing environment	77
7.5	Potential impacts	80
7.6	Mitigation measures	80
<b>8</b>	<b>Air quality, odour and dust management</b>	<b>87</b>
8.1	Introduction	87
8.2	Methodology	87
8.3	Legislative requirements	87
8.4	Air quality standards	88
8.5	Existing environment	89
8.6	Potential impacts	95
8.7	Mitigation measures	96
<b>9</b>	<b>Noise and vibration</b>	<b>101</b>
9.1	Introduction	101
9.2	Methodology	101
9.3	Relevant legislation	101
9.4	Existing environment	103
9.5	Potential impacts	105
9.6	Mitigation measures	107
<b>10</b>	<b>Social and economic issues</b>	<b>111</b>
10.1	Introduction	111
10.2	Methodology	111
10.3	Relevant documents	111
10.4	Existing environment	112
10.5	Potential impacts	113
10.6	Mitigation measures	113
<b>11</b>	<b>Cultural heritage</b>	<b>115</b>
11.1	Introduction	115
11.2	Methodology	115
11.3	Relevant documents	115
11.4	Existing environment	116
11.5	Potential impacts	117
11.6	Mitigation measures	117
<b>12</b>	<b>Waste and hazardous goods management</b>	<b>119</b>
12.1	Introduction	119
12.2	Methodology	119
12.3	Relevant documents	119
12.4	Existing environment	120
12.5	Potential impacts	120
12.6	Mitigation measures	121
<b>13</b>	<b>Traffic and aviation safety</b>	<b>124</b>
13.1	Introduction	124
13.2	Methodology	124
13.3	Relevant documents	124
13.4	Existing environment	125

13.5	Potential impacts	130
13.6	Mitigation measures	131
<b>14</b>	<b>Landscape and visual amenity</b>	<b>134</b>
14.1	Introduction	134
14.2	Methodology	134
14.3	Existing environment	134
14.4	Potential impacts	134
14.5	Mitigation measures	134
<b>15</b>	<b>Conclusions and recommendations</b>	<b>136</b>
	<b>References</b>	<b>139</b>

## Appendices

### Appendix A

Proposed program

### Appendix B

Project compliance tables

### Appendix C

Ecological desktop searches

### Appendix D

Acid sulfate soils investigations

### Appendix E

Contaminated land investigations

### Appendix F

Acid Sulfate Soil Management Plan

### Appendix G

Asbestos Containing Materials Management Plan

### Appendix H

Likelihood of occurrence assessment

### Appendix I

Flora and fauna species list

### Appendix J

Brisbane Airport Auto Mall Heritage Report

## Figures

Figure 1.1	Site locality
Figure 2.1	Stages of development
Figure 5.1	Acid sulfate soil sampling locations
Figure 5.2	Contamination above assessment criteria (soil and groundwater)
Figure 6.1	Vegetation communities
Figure 7.1	Proposed monitoring locations
Figure 7.2	EPP environmental values

Figure 7.3	BCC PD online – Waterway corridors	
Figure 7.4	BCC PD online – Brisbane River flood planning area	
Figure 8.1	Sensitive receptors	
Figure 8.2	December (summer) and July (winter) wind roses at 9 am for Brisbane Airport (040842) (based on data from 1 April 1994 to 30 September 2010) (BoM 2017)	
Figure 8.3	December (summer) and July (winter) wind roses at 3 pm for Brisbane Airport (based on data from 1 April 1994 to 30 September 2010) (BoM 2017)	
Figure 13.1	Streams traffic data locations provided by BAC	
Figure 13.2	Prescribed airspace covering the Project site (hatched area)	
Figure 13.3	Procedures for air navigation surfaces covering the Project site (hatched area)	
Figure 13.4	Lighting intensity overlay covering the Project site (hatched area)	

## Tables

Table 1.1	Report structure	1
Table 2.1	Development timing	4
Table 3.1	Matters of national environmental significance under the EPBC Act	13
Table 3.2	Self-assessment of significant impact of works	14
Table 3.3	Prohibited and restricted matter under the <i>Biosecurity Act 2014</i>	25
Table 3.4	Compliance against relevant matters of State interest under the SPP	29
Table 4.1	Current building applications and approvals within close proximity to the Project site (as at 9 June 2017)	36
Table 4.2	Land use potential impacts and mitigation measures	38
Table 5.1	Groundwater concentrations of PFHxS and PFOS above the laboratory limit of reporting	44
Table 5.2	Soils, topography, geology and contaminated land potential impacts and mitigation measures	47
Table 6.1	Suitably qualified personnel	54
Table 6.2	Regional Ecosystems identified within the Project site	55
Table 6.3	Essential habitat identified within the Project site	56
Table 6.4	Conservation significant flora species identified as potentially occurring within the Project site	56
Table 6.5	Conservation significant fauna species identified as potentially occurring within the Project site	57
Table 6.6	Vegetation communities	60
Table 6.7	Environmental weeds recorded within the Project site	64
Table 6.8	Flora and fauna potential impacts and mitigation measures	68
Table 7.1	Water quality objectives from CEMP Guidelines	75
Table 7.2	Water quality indicators for the Project	76
Table 7.3	Receiving waterways – environmental values and water quality objectives	76
Table 7.4	Landside SQMS pollutant load reduction requirements (BAC 2014c)	77
Table 7.5	Groundwater physical parameters	79
Table 7.6	Water quality potential impacts and mitigation measures	81
Table 8.1	Air quality goals relevant to this Project	88
Table 8.2	Emission sources within 3 km of Project site (based on 2014/2015 emissions)	90
Table 8.3	Air quality data from Wynnum air quality network December 2014 to November 2016	91
Table 8.4	Meteorological data for Brisbane Airport (040842)	92
Table 8.5	Potential air quality impacts and mitigation measures	97
Table 9.1	Applicable noise criteria for construction and road traffic noise	102



Table 9.2	Summary of measured noise levels	104
Table 9.3	Vibration results during Brisbane Airport Northern Access Road Project	105
Table 9.4	Noise level predictions	106
Table 9.5	Typical vibration levels at distances (mm/s peak)	107
Table 9.6	Noise and vibration potential impacts and mitigation measures	108
Table 10.1	Potential impacts and mitigation measures related to social and economic issues	114
Table 11.1	Heritage register and database search results	116
Table 11.2	Cultural heritage management measures	118
Table 12.1	Waste potential impacts and mitigation measures	122
Table 13.1	Existing traffic volume summary (based on 19 to 25 December 2016)	126
Table 13.2	Preliminary bulk earthwork requirements for the Project	130
Table 13.3	Traffic and aviation safety mitigation measures	132
Table 14.1	Landscape and visual amenity potential impacts and mitigation measures	135

# Acronyms

Acronyms	Definition
AADT	Average Annual Daily Traffic
AASS	Actual acid sulfate soil
ABC	Airport Building Controller
ACH Act	<i>Aboriginal Cultural Heritage Act 2003</i>
ACM	Asbestos containing material
AD	Aerodrome Datum
AEO	Airport Environment Officer
AEPR	<i>Airports (Environment Protection) Regulations 1997</i>
AES	Airport Environment Strategy
AHD	Australian Height Datum
Air NEPM	National Environment Protection (Ambient Air Quality) Measure
Air Toxics NEPM	National Environment Protection (Air Toxics) Measure
Airports Act	<i>Airports Act 1996</i>
ASRIS	Australian Soils Resource Information System
ASS	Acid sulfate soils
BAC	Brisbane Airport Corporation Pty Ltd
BCC	Brisbane City Council
BoM	Bureau of Meteorology
CASA	Civil Aviation Safety Authority
CEMP	Construction Environmental Management Plan
CLR	Contaminated Land Register
CPA	Central Parking Area
CPESC	Certified Professional in Erosion and Sediment Control
CRC Care	Cooperative Research Centre for Contamination Assessment and Remediation of the Environment
CSIRO	Commonwealth Scientific and Industrial Research Organisation
CSR	Contaminated Sites Register
DAF	Department of Agriculture and Fisheries
DCD	Development Control Document
DERM	Department of Environment and Resource Management
DIRD	Department of Infrastructure and Regional Development
DO	Dissolved oxygen
DoEE	Department of the Environment and Energy
EAR	Environmental Assessment Report
EHP	Department of Environment and Heritage Protection
EIL	Environmental investigation level
EIS	Environmental Impact Statement
EMP	Environmental Management Plan

Acronyms	Definition
EMR	Environmental Management Register
EMS	Environmental Management System
EP Act	<i>Environmental Protection Act 1994</i>
EP Reg	<i>Environmental Protection Regulation 2008</i>
EPBC Act	<i>Environment Protection and Biodiversity Conservation Act 1999</i>
EPP	Environmental protection policies
EPP (Air)	Environmental Protection (Air) Policy 2008
EPP (Noise)	Environmental Protection (Noise) Policy 2008
EPP (Water)	Environmental Protection (Water) Policy 2009
ERA	Environmentally relevant activities
ESA	Environmentally significant area
ESCP	Erosion and Sediment Control Plan
EV	Environmental values
Fisheries Act	<i>Fisheries Act 1994</i>
GEM	Guideline for Environmental Management (GEM-002)
GIL	Groundwater investigation level
HBGV	Health based guidance value
HSL	Health screening level
IECA	International Erosion Control Association
ISL	Interim screening level
Landside SQMS	Landside Stormwater Quality Management Strategy
MDP	Major development plan
MPN	Most probable number
MSES	Matter of State Environmental Significance
NATA	National Association of Testing Authorities
NC Act	<i>Nature Conservation Act 1992</i>
NC Reg	<i>Nature Conservation Regulation 2006</i>
NEPM 2013	National Environment Protection (Assessment of Site Contamination) Measure 1999 (Amendment 1, 2013)
NES	National Environmental Significance
NIAP	Noise Impact Assessment Policy
NPEC	National Environment Protection Council
NPEC Act	<i>National Environment Protection Council Act 1994</i>
OLS	Obstacle limitation surface
PANS-OPS	Procedures for Air Navigation Services Aircraft Operations
PASS	Potential acid sulfate soil
PFAS	Per- and poly- fluoroalkyl substances
PFHxS	Perfluorohexanesulfonic acid
PFOS	Perfluorooctanesulfonic acid
QH Act	<i>Queensland Heritage Act 1992</i>
RE	Regional Ecosystem
RMS	Roads and Maritime Services

Acronyms	Definition
RPEQ	Registered Professional Engineer of Queensland
RTA	Roads Traffic Authority
SPP	State Planning Policy
TN	Total nitrogen
TP	Total phosphate
TSP	Total suspended particulates
TSS	Total suspended solids
UCL	Upper Confidence Limit
VM Act	<i>Vegetation Management Act 1999</i>
Water Act	<i>Water Act 2000</i>
WHS Act	<i>Work Health and Safety Act 2011</i>
WoNS	Weeds of National Significance
WQO	Water quality objective
WSUD	Water Sensitive Urban Design

# 1 Introduction

## 1.1 Background

Aurecon Australasia Pty Ltd has been commissioned by Brisbane Airport Corporation Pty Ltd (BAC) to prepare an Environmental Assessment Report (EAR) for the land development of the proposed Brisbane Airport Auto Mall (the Project).

The proposed Project will involve the development of a multi-purpose automotive business precinct situated around a central 2.5 km test track. The proposed Auto Mall will include flagship dealerships, exhibition and conference activities, hotels, event areas, driver training schools and regional offices, designed around a multi-purpose test track. The Project construction has been divided into two distinct phases; Phase 1 includes the land clearing, ground improvement and bulk earthworks associated with developing the land, while Phase 2 includes site preparation and future infrastructure works.

The Project site is a 55.7 ha parcel of undeveloped low lying bushland and small mangrove communities enclosed by Moreton Drive, Airport Drive and Nancy Bird Way and located in close proximity to the Brisbane International Terminal (Airport Central Precinct) (refer Figure 1.1).

This report provides the findings of Aurecon's assessment of the baseline environmental conditions within the Project site and discusses mitigation measures to avoid any significant environmental impacts from the land development phase of the Project.

## 1.2 Objectives

The objectives of this EAR include:

- Review information from previous studies in the area
- Identify potential environmental issues and impacts associated with the Project
- Develop appropriate mitigation measures to be implemented during design and construction of the Project to ensure identified impacts are minimised and managed
- Demonstrate that the Project can proceed in accordance with the relevant guidelines and legislation to ensure no significant impact is caused

## 1.3 Report structure

The structure of this EAR is shown in Table 1.1.

Table 1.1 Report structure

Section number	Aspects addressed in this EAR	Overview of section
1	Introduction	<ul style="list-style-type: none"><li>■ A general overview of the Project background context</li><li>■ Details on the report structure</li><li>■ Objectives of the EAR</li><li>■ Details of the Project proponent</li></ul>

Section number	Aspects addressed in this EAR	Overview of section
2	Project description	<ul style="list-style-type: none"> <li>■ Project justification and objectives</li> <li>■ Design and scope of works</li> <li>■ Development phases</li> </ul>
3	Legislative requirements	<ul style="list-style-type: none"> <li>■ Consistency with Commonwealth legislation</li> <li>■ Consistency with Airport policies and planning documents</li> <li>■ Consistency with State and Local Government legislation and planning documents</li> </ul>
4	Land use	<ul style="list-style-type: none"> <li>■ A review of the existing land uses surrounding the Project site</li> <li>■ Identification of potential impacts and mitigation measures</li> </ul>
5	Geology, soils, topography and contaminated land	<ul style="list-style-type: none"> <li>■ An assessment of the existing geological, soils and topographic characteristics within and surrounding the Project site</li> <li>■ An assessment of contaminated land based on Golders (2016a; b) investigations</li> <li>■ An assessment of acid sulfate soils based on Golders (2016c; d) investigations</li> <li>■ Identification of potential impacts and mitigation measures</li> </ul>
6	Flora and fauna	<ul style="list-style-type: none"> <li>■ Assessment methodology including scope, documents reviewed and investigations undertaken</li> <li>■ Assessment of the existing ecological values within and directly adjacent to the Project</li> <li>■ Identification of potential impacts and mitigation measures</li> </ul>
7	Hydrology and water quality	<ul style="list-style-type: none"> <li>■ An assessment of water quality within and adjacent to the Project site</li> <li>■ Consideration of the water quality objectives and limits for watercourses downstream of the Project site to determine appropriate discharge limits for the Project during construction</li> <li>■ Identification of potential impacts and mitigation measures</li> </ul>
8	Air quality, odour and dust management	<ul style="list-style-type: none"> <li>■ A desktop assessment of the existing air quality and climatic conditions within and surrounding the Project site.</li> <li>■ Air quality criteria have been assessed to determine the most appropriate criteria to be applied to the Project during construction</li> <li>■ Identification of potential impacts and mitigation measures</li> </ul>
9	Noise and vibration	<ul style="list-style-type: none"> <li>■ An assessment of the existing noise environment within and surrounding the Project site</li> <li>■ Noise and vibration criteria have been assessed to determine the most appropriate criteria to be applied to the Project during construction</li> <li>■ Identification of potential impacts and mitigation measures</li> </ul>
10	Social and economic issues	<ul style="list-style-type: none"> <li>■ An assessment of the social environment issues within the Project site</li> <li>■ Identification of potential stakeholders within/surrounding the Project site</li> <li>■ Identification of potential impacts and mitigation measures</li> </ul>
11	Cultural heritage	<ul style="list-style-type: none"> <li>■ An assessment of the cultural heritage values within the vicinity of the Project</li> <li>■ Identification of potential impacts and mitigation measures</li> </ul>
12	Waste and hazardous goods management	<ul style="list-style-type: none"> <li>■ A desktop investigation of the possible types of waste generated during the construction phase of the Project</li> <li>■ Identification of potential impacts and mitigation measures</li> </ul>

Section number	Aspects addressed in this EAR	Overview of section
13	Traffic and aviation safety	<ul style="list-style-type: none"> <li>■ An assessment of the potential impacts to aviation safety as a result of the construction of the Project</li> <li>■ Identification of potential construction traffic impacts and mitigation measures</li> </ul>
14	Landscape and visual amenity	<ul style="list-style-type: none"> <li>■ An assessment of the existing landscape and visual amenity within and adjacent to the Project</li> <li>■ Identification of potential impacts and mitigation measures</li> </ul>
15	Conclusions and recommendations	<ul style="list-style-type: none"> <li>■ A summary of the key findings of the environmental assessment that will need to be considered throughout the design and construction of the Project</li> </ul>
-	References	<ul style="list-style-type: none"> <li>■ A list of reference material used during the preparation of this EAR</li> </ul>
-	Appendices	<ul style="list-style-type: none"> <li>■ The appendices include technical information and reports that support the discussion provided within the body of the EAR</li> </ul>

## 1.4 Project proponent

All works associated with the Project are on land within the existing boundary of Brisbane Airport. BAC is an “airport-lessee company” under the *Airports Act 1996*.

The proponent for this proposed Project is:

Brisbane Airport Corporation Limited  
11 The Circuit  
Number 1 Airport Drive  
Brisbane Airport QLD 4008

The contact in connection with this proposal is Peter Boyle, Civil Project Manager – Airport Construction Assets Group, BAC, telephone (07) 3406 3215.

# 2 Project description

## 2.1 Project justification and objectives

This EAR provides an assessment of the potential environmental impacts that may occur as a result of design and construction of the land development phase of the Project, including land clearing, ground improvement works and bulk earthworks.

Project construction has been divided into two distinct phases. Phase 1 includes the land clearing, ground improvement and bulk earthworks associated with developing the land while Phase 2 includes site preparation and future infrastructure works.

## 2.2 Project development phases

Phases 1 and 2 are envisaged to be delivered in three stages to provide BAC with suitably prepared land from 2021, as detailed in Table 2.1. The timing of the delivery of these stages is preliminary only and based on the program provided in Appendix A. These timings may be subject to change depending on the final earthworks and surcharging solution. The indicative staging configuration is illustrated in Figure 2.1.

Table 2.1 Development timing

Stage	Area (ha)	Planned start date	Bulk earthworks complete and surcharge removed
1	33.6	Quarter 3 2017	Quarter 3 2020
2	6.9 + 2.23 (flood storage)	Quarter 4 2018	Quarter 4 2020
3	12.0 + 1.01 (flood storage)	Quarter 1 2021	Quarter 4 2022

## 2.3 Location of proposed development

The site is a 55.7 ha parcel of undeveloped low lying bushland and small mangrove communities enclosed by Moreton Drive, Airport Drive and Nancy Bird Way and located in close proximity to the Brisbane International Terminal (Airport Central Precinct). The Project will also involve modification to several existing drainage structures under the surrounding roadways, including Moreton Drive, Airport Drive and Nancy Bird Way. In particular, the Banksia drainage backflow into the site will be bunded to prevent tidal water access. The bund will be fitted with a pipe and valve to allow release of any build-up of water from inside the Project site.

The Project site is moderately disturbed and predominately contains casuarina plantations with some mangrove communities and grasslands. The Project site is traversed by two main drainages lines that connect to Landers Pocket Drain, including two that flow from Banksia Place, under Nancy Bird Way and another that flows across the Project site from Moreton Drive. There are a number of existing fire trails and tracks that run through the Project site, which will be removed during Project works. Access to the Project site is currently via a number of security gates along Airport Drive as well as unsecured access from Nancy Bird Way. There is no site access from Moreton Drive.

Figure 1.1 shows the location the Brisbane Airport Auto Mall and surrounding area.



## 2.4 Proposed design/scope of works

The Project site is located in a vacant low lying area within the Airport Central (Airport Drive West) sub-precinct of the Brisbane Airport. Based on the Engineering Concept Design (Opus 2016), the approximate excavation and fill volumes (excluding requirements for surcharge) include:

- Excavation: 67,000 m<sup>3</sup> and 34,800 m<sup>3</sup> (flood storage basins)
- Fill: 380,000 m<sup>3</sup>
- Drainage layer: 8,400 m<sup>3</sup> (wick drains)

The Project may undertake a 24 hour earthwork operations as well as material processing, including sorting, crushing, processing and stockpiling. Site access may be obtained from Airport Drive (for Stages 1, 2 and 3), initially with a left in/left out arrangement, and also from Nancy Bird Way (for Stages 1 and 3). Access from Moreton Drive (left turn only) may also be required as an option. Site access arrangements will be confirmed during detailed design.

The following activities are required to prepare the site for the future Auto Mall:

- Site clearing and partial grubbing
- Bulk earthworks, including but not limited to:
  - Supply and place drainage layer
  - Supply and place settlement plates
  - Supply, place and compact imported fill material
  - Processing of material, including earth and rock, for use as fill material, including sorting, crushing and stockpiling
  - Undertake appropriate erosion and sediment control measures
  - Construct temporary drainage works and detention basins as required
  - Construct geogrid and slope stability measures
- Surcharge, including:
  - Supply, place and compact imported material (approximately 336,000 m<sup>3</sup>) suitable for use as surcharge fill on future stages as surcharge:
    - Roads and building areas: from 3.75 m Aerodrome Datum (AD) to 7.0 m AD
    - Track area: from 3.75 m AD to 6.0 m AD
  - Supply and install wick drains to parts of the Project site to speed up the consolidation process
  - Construct geogrid and slope stability measures
- Drainage works, including:
  - Existing drainage systems are intended to be retained for Stage 1 (refer Figure 1.1). In Stages 2 and 3, the majority of flows will be captured by a proposed drainage channel, which will be constructed around the perimeter of the Project site
  - Installation of bunds to prevent tidal water access from Banksia precinct. The bund will be fitted with a pipe and valve to allow release of any build-up of water from inside the Project site
  - The perimeter drain will act as a sediment control mechanism to enable runoff from earthworks to be captured and treated before being discharged off site
  - Progressive installation of storage basins/channels with a capacity of approximately 44,200 m<sup>3</sup> for flood storage during storm events
  - Future installation of flap/tidal gates major culverts under Moreton Drive and Nancy Bird Way to prevent back flow from the regional or storm tide flood events which would impact on the Project site's flood immunity, as part of the Phase 2 works. Installation of temporary earthen bunds and pipes with shut off valves will be installed to prevent tidal water ingress to the Project site, as part of Phase 1 works

- Acid sulfate soil (ASS) treatment, including:
  - Staged construction of a lime cut-off trench along the western, southern and eastern boundaries of the Project site prior to commencement of filling/surcharging, within 50 m of the end of the installed trench until fully completed (northern boundary already contains suitable buffering capacity)
  - Placement of a 10 m wide strip of surface lime 'guard layer' under the perimeter of each surcharge area prior to placement of the drainage blanket where wick drains are installed, to neutralise any seepage resulting from wick drains
  - Excavated ASS materials to be managed by stockpiling within a nominated section of the fill/surcharge platform and neutralising by lime treatment
  - Progressive construction of the perimeter drain in staged sections to monitor and treat groundwater discharges
  - Incorporation of lime into the walls and base of the perimeter drain to neutralise discharges to groundwater (higher lime application rates are required along the western site boundary to buffer acidic groundwater)
  - Isolation of drains from external discharge

# 3 Legislative context

## 3.1 Legislative requirements

The Project is located on Commonwealth owned Airport land and is governed by Commonwealth legislation, primarily the *Airports Act 1996* and the *Airports (Environment Protection) Regulations 1997*. Only Commonwealth legislation applies. However, if the Commonwealth legislation is silent about an aspect of the development, BAC representatives and/or the Airport Environment Officer (AEO) may choose to observe the requirements of State legislation.

## 3.2 Consistency with Commonwealth Legislation

Commonwealth legislation applicable to this Project includes:

- *Airports Act 1996* (Airports Act)
- *Airports (Environment Protection) Regulations 1997* (AEPR)
- *Airports (Protection of Airspace) Regulation 1996*
- *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act)
- *National Environment Protection Council Act 1994*

The relevance of each legislative instrument is assessed below.

### 3.2.1 Airports Act 1996

#### 3.2.1.1 Background

The Airports Act regulates all Commonwealth owned airports within Australia. The Act specifies that there must be an Airport Master Plan and an Airport Environmental Strategy for all privately leased Commonwealth owned airports within Australia. The Airports Act and associated regulations set out an Australian Government regime for land use planning and the regulation of building activities at airports. In particular:

- Section 70(2) states that a final master plan for an airport is to:
  - a) *Establish the strategic direction for efficient and economic development at the airport over the planning period of the plan*
  - b) *Provide for the development of additional uses of the airport site*
  - c) *Indicate to the public the intended uses of the airport site*
  - d) *Reduce potential conflicts between uses of the airport site, and to ensure that uses of the airport site are compatible with the areas surrounding the airport*
  - e) *Ensure that all operations at the airport are undertaken in accordance with relevant environmental legislation and standards*
  - f) *Establish a framework for assessing compliance at the airport with relevant environmental legislation and standards*

g) *Promote the continual improvement of environmental management at the airport*

- The Airports Act requires a 'major development plan (MDP)' for each major development at a regulated airport. Section 89 of the Airports Act prescribes those activities that are included as a 'major airport development'
- Section 112 specifically excludes State laws from applying in relation to land use planning and the regulation of building activities at airports
- Section 132 of the Airports Act provides that the regulations (eg the AEPR) may make standards and impose requirements that are to be complied with in relation to, or in relation to the prevention or minimisation of:
  - a) *Environmental pollution (including air, water or soil pollution) generated at airport sites; or*
  - b) *Impacts on biota or habitat; or*
  - c) *Interference with sites of heritage value; or*
  - d) *Interference with sites of significance to Aboriginal or Torres Strait Islander people; or*
  - e) *The emission of noise generated at airport sites (other than noise generated by aircraft in flight); or*
  - f) *The disposal or storage of waste at airport sites.*
- The Airports Act also provides for the monitoring, and remedying breaches of, environmental standards at airports
- Section 182 provides for the protection of airspace around airports and states that activities that result in intrusions into prescribed airspace are called 'controlled activities', which require approval

### 3.2.1.2 Relevance to the Project

#### **Section 70(2) – Master planning**

BAC prepares a Master Plan every five years in accordance with the requirements of the Airports Act. The applicability of the BAC Master Plan to the Project is discussed in Section 3.3.2 below, while the Project's compliance with the Airport Environment Strategy (BAC 2014a) is discussed in Section 3.3.4.

#### **Section 89 – Need for an MDP**

In reviewing the definitions contained in Section 89 of the Airports Act, it is considered that an MDP is not required for the Project. The bulk earthworks component of the Project is not considered to be building works as it relates to clearing, filling, surcharging and associated environmental management works only. With regards to environment and heritage matters, provided that the mitigation measures outlined in this EAR are implemented during construction, the Project is considered to:

- Not create a significant environmental or ecological impact
- Not impact on an area identified as environmentally significant in the Brisbane Airport Environment Strategy (AES)
- Not create a significant impact on the local or regional community

#### **Section 112 – Relationship to State regulations**

The Project is exempt from complying with State laws in relation to land use planning and building activities. It should be noted that BAC maintains that wherever reasonable and practicable, they will aim to comply with State legislation in relation to the protection of the environment (BAC 2014a).

#### **Section 132 – Environmental management requirements**

A discussion on the applicability of the AEPR to the Project is provided in Section 3.2.2.

#### **Section 182 – Approval for controlled activities**

Section 182 of the Airports Act outlines the following to be controlled activities:

- a) *“Constructing a building, or other structure, that intrudes into the prescribed airspace;*

- b) *Altering a building or other structure so as to cause the building or structure to intrude into the prescribed airspace*
- c) *Any other activity that causes a thing attached to, or in physical contact with, the ground to intrude into the prescribed airspace*
- d) *Operating a source of artificial light, where:*
  - i. *The intensity of the light emitted exceeds the level ascertained in accordance with the regulations; and*
  - ii. *The light is capable of blinding or confusing pilots of aircraft operating in the prescribed airspace*
- e) *Operating prescribed plant, or a prescribed facility, that reflects sunlight, where:*
  - i. *The intensity of the reflected sunlight exceeds the level ascertained in accordance with the regulations; and*
  - ii. *The reflected sunlight is capable of blinding pilots of aircraft operating in the prescribed airspace*
- f) *An activity that results in air turbulence, where:*
  - i. *The level of the turbulence exceeds the level ascertained in accordance with the regulations; and*
  - ii. *The turbulence is capable of affecting the normal flight of aircraft operating in the prescribed airspace*
- g) *An activity that results in the emission of smoke, dust or other particulate matter, where:*
  - i. *The emission exceeds the level ascertained in accordance with the regulations; and*
  - ii. *The smoke, dust or particulate matter is capable of affecting the ability of aircraft to operate in the prescribed airspace in accordance with Visual Flight Rules*
- h) *An activity that results in the emission of steam or other gas, where:*
  - i. *the emission exceeds the level ascertained in accordance with the regulations; and*
  - ii. *the steam or gas is capable of affecting the ability of aircraft to operate in the prescribed airspace in accordance with Visual Flight Rules."*

The Project may result in undertaking the controlled activities identified under item c), d), e) and g) in Section 182 of the Airports Act. If undertaking a controlled activity, an approval must be obtained. Section 7 of the *Airports (Protection of Airspace) Regulations 1996* outlines the requirements to obtain approval. The *Airports (Protection of Airspace) Regulations 1996* is discussed in Section 3.2.3.

Section 13 of this EAR provides an assessment of the existing aviation safety requirements for Brisbane Airport and identifies the potential impacts to aviation safety as a result of the Project. Mitigation measures are then provided to ensure that during the Project, BAC meets their duties with regards to managing impacts to aviation safety.

## **3.2.2 Airports (Environment Protection) Regulations 1997**

### **3.2.2.1 Background**

The AEPR ensures the environmental regulation of all Commonwealth owned airports within Australia. The objectives of the AEPR are:

- a) *"To establish, in conjunction with national environment protection measures made under section 14 of the National Environment Protection Council Act 1994, a Commonwealth system of regulation of, and accountability for, activities at airports that generate, or have potential to generate:*
  - i. *Pollution; or*
  - ii. *Excessive noise, and*

- b) *To promote improving environmental management practices for activities carried out at airport sites.*"

Section 4.01 of the AEPR states that:

*"the operator of an undertaking at an airport must take all reasonable and practicable measures:*

- a) *To prevent the generation of pollution from the undertaking; or*
- b) *If the prevention is not reasonable or practicable – to minimise the generation of pollution from the undertaking".*

The requirements for managing the following environmental aspects on Airport land are outlined in the following sections of the AEPR:

- Air quality – Section 2.01
- Surface and groundwater quality – Section 2.02
- Soils – Section 2.03
- Flora and fauna – Section 4.04
- Cultural heritage – Section 4.04 and 4.05
- Noise – Sections 4.06 to 4.09

In addition to the assessment of environmental aspects within the AEPR, baseline monitoring will be conducted within and surrounding the Project site for water, noise, air quality and vibration. Baseline criteria will be established to assess the Project's performance and be used to demonstrate environmental compliance with existing conditions. For contaminated land, procedures will be undertaken as per the *National Environment Protection (Assessment of Site Contamination) Measure 1999* (Amendment 1, 2013) (NEPM 2013) requirements (refer Section 3.2.5) and in consultation with the AEO.

### **3.2.2.2 Relevance to the Project**

The provisions of the AEPR are the overarching environmental requirements by which the Project shall be managed. The following sections state the requirements under the AEPR in relation to the environmental aspects and refer to the relevant sections of the EAR within which environmental aspects are further detailed. It is considered that the mitigation measures outlined for each environmental aspect will enable BAC to meet their duties with regards to the management of environmental impacts under the AEPR.

#### **Air quality**

Section 2.01 of the AEPR defines air pollution as:

*"when a pollutant is present in air in a quantity, way, or condition, or under a circumstance, in which:*

- a) *harm is likely to be caused to the environment; or*
- b) *unreasonable inconvenience is likely to be caused to a person:*
- i. *at a place other than the immediate vicinity of the source of the pollutant; or*
  - ii. *if the source is in a place to which members of the public have access – in that place".*

The indicators and goals which are relevant to Airport land include lead, photochemical oxidants, sulphur dioxide, total suspended particulates, nitrogen dioxide, sulphates and carbon monoxide. Schedule 1, Part 1, Table 1 of the AEPR outlines the accepted limits for air pollution by a substance derived from different sources, while Part 2, Table 2 outlines ambient air quality objectives.

Section 8 of the EAR identifies the potential air quality impacts that may occur as a result of the Project and outlines the mitigation measures to manage air quality. Air quality monitoring is recommended to be undertaken, with results being compared to the air quality objectives listed in Schedule 1 of the AEPR and other guidelines as relevant.

## Surface water and groundwater quality

Section 2.02 of the AEPR defines water pollution as:

*“when waters contain a substance or organism that causes or may cause the physical, chemical or biological condition of the waters to be adversely affected or that causes, or is reasonably likely to cause, an adverse effect on beneficial use of the waters”.*

Schedule 2 of the AEPR lists the acceptable limits of various physical-chemical, nutrients, metals and biological parameters.

Section 7 of the EAR identifies the potential water quality impacts that may occur as a result of the Project and outlines the mitigation measures to manage water quality. Water quality monitoring is recommended to be undertaken, with results being compared to the water quality objectives listed in Schedule 2 of the AEPR and other guidelines as relevant.

## Soils

Soil pollution is defined in Section 2.03 of the AEPR as being a substance which is likely to cause an adverse effect on the chemical or biological condition of soil or groundwater. Pollution of soil is also considered to have occurred when contamination by a substance is reasonably likely to have adverse effects on present or proposed land uses, including effects relating to odour, aesthetics, supporting human occupation and/or flora and fauna. Schedule 3 of the AEPR outlines accepted limits for soil pollution.

Section 5.5 of the EAR provides an assessment of impacts to soils, topography, geology and contamination as a result of the Project. Mitigation measures are outlined in Section 5.6 to manage these matters.

## Flora and fauna

Section 4.04 of the AEPR requires the preservation of the environment by ensuring the operator of an undertaking at an airport must take all reasonable and practicable measures to ensure:

- a) *“There are no adverse consequences for:*
  - i. *The local biota and the ecosystems and habitats of native species*
- b) *There are no adverse consequences for:*
  - ii. *Flora or fauna that is known to be endangered, or vulnerable, as a species; or*
  - iii. *An ecological community that is known to be an endangered ecological community”*

Section 6 of the EAR provides an assessment of the flora and fauna impacts that may occur as a result of the Project, and outlines mitigation measures to manage these potential impacts.

## Cultural heritage

Section 4.04 of the AEPR requires the preservation of heritage by ensuring the operator of an undertaking at an airport must take all reasonable and practicable measures to ensure:

- a) *“There are no adverse consequences for:*
  - ii. *Existing aesthetic, cultural, historical, social and scientific values of the local area*
- b) *There are no adverse consequences for:*
  - iii. *Sites of Indigenous significance on the airport site.”*

Section 4.05 states that an operator of an undertaking at an airport should give notice of cultural heritage discoveries made during an undertaking.

Section 11 of the EAR provides an assessment of the potential to encounter cultural heritage during construction of the Project. The Kingsford Smith Memorial, which contains the Southern Cross Aircraft, is located approximately 95 m from the Project site, and is potentially significant at a State or Commonwealth level for its historic significance, rarity, aesthetics, technical achievements and associative values. Mitigation measures, such as dust, noise and vibration monitoring, are proposed at the Kingsford Smith Memorial as detailed in Section 11.6.

While it is considered that impacts to cultural heritage are unlikely, the EAR identifies mitigation measures to be implemented in the event of a cultural heritage discovery.

### **Noise and vibration**

Section 4.06 of the AEPR states that:

*“The operator of an undertaking at an airport must take all reasonable and practicable measures:*

- a) To prevent the generation of offensive noise from the undertaking; or*
- b) If prevention is not reasonable or practicable – to minimise the generation of offensive noise from the undertaking”.*

Equipment used within the Project site is to be operated and maintained in a proper and efficient manner to minimise noise levels (Section 4.08 of the AEPR). Section 4.09 of the AEPR states that if using operating equipment, noise control equipment fitted to or supplied with the operating equipment shall be used, otherwise the works would be in contravention of Section 4.06.

No vibration related goals are discussed in the AEPR. The Australian Standard *AS 2436-2010 Guide to noise and vibration control on construction, demolition and maintenance sites* provides guidance on noise and vibration control in respect to construction, demolition and maintenance sites and for the preparation of noise and vibration management plans, work method statements and environmental impact studies.

Section 9 provides an assessment of the potential noise and vibration impacts that could occur during construction of the Project. A range of mitigation measures have been recommended to ensure that the Project can comply with the AEPR noise limits and other vibration guidelines.

## **3.2.3 Airports (Protection of Airspace) Regulations 1996**

### **3.2.3.1 Background**

Certain airspace around Brisbane Airport (known as ‘prescribed airspace’) is protected under the *Airports (Protection of Airspace) Regulations 1996*. The prescribed airspace is made up of:

- The obstacle limitation surface (OLS) which protects aircraft operating in visual meteorological conditions
- The Procedures for Air Navigation Services Aircraft Operations (PANS-OPS) surfaces, which protect aircraft operating in instrument meteorological conditions (eg in poor weather)
- Any additional airspace that has been declared under the regulations by the Secretary of the Department of Infrastructure and Regional Development (DIRD)

As discussed in Section 3.2.1 above, the Airports Act requires a person to obtain approval from the Secretary of the DIRD to undertake controlled activities within the prescribed airspace.

### **3.2.3.2 Relevance to the Project**

Section 13 within this EAR provides an assessment of the existing aviation safety requirements and the potential impacts due to the Project. Mitigation measures are provided to ensure that during the Project, BAC meets their duties with regards to potential impacts to aviation safety.

## **3.2.4 Environment Protection and Biodiversity Conservation Act 1999**

### **3.2.4.1 Background**

The EPBC Act provides that any action (ie a project, development, undertaking, activity or series of activities) which has, will have or is likely to have a significant impact on a matter of National Environmental Significance (NES), or other matter protected under the Act, such as the environment on Commonwealth land, requires approval from the Commonwealth Minister for the Environment (the Minister) through the Department of the Environment and Energy (DoEE).

Matters of NES include:



- World Heritage properties
- National Heritage properties
- Wetlands of international importance
- Listed threatened species and communities
- Listed migratory species
- Nuclear actions
- Marine environment
- Great Barrier Reef Marine Park
- Commonwealth land
- Actions taken by the Commonwealth
- Commonwealth heritage places outside of Australian jurisdiction

If the Minister decides that approval is required, the proposed action is termed a ‘controlled action’. The proposal will then have to go through a formal assessment and approval process before it can proceed.

### 3.2.4.2 Relevance to the Project

The EPBC Act protects the environment on Commonwealth land and regulates those actions of Commonwealth departments and agencies that may have a significant impact on the environment. Therefore, BAC should have due consideration to the EPBC Act to minimise environmental impacts when working within the Project site.

A fauna and flora assessment within the Project site was undertaken by a qualified senior ecologist and an environmental scientist on 6 March 2017. No flora or fauna species or communities listed under the EPBC Act were identified during the field investigation (refer Section 6.2.2). Given the low habitat values identified, it is considered unlikely that the proposed works will impact upon listed threatened species or ecological communities under the EPBC Act.

The *Significant impact guidelines 1.1 – Matters of National Environmental Significance* (Department of the Environment 2013a) are used to determine whether the Project is likely to have a significant impact on a matter of NES under the EPBC Act. Table 3.1 outlines the relevance of each matter of NES to the Project at Brisbane Airport.

Table 3.1 Matters of national environmental significance under the EPBC Act

Aspect	Relevance to Project	Significant impact
World Heritage properties	There are no World Heritage properties situated within or in the immediate vicinity of the Brisbane Airport.	Unlikely
National Heritage places	There are no National Heritage places situated within or in the immediate vicinity of the Brisbane Airport.	Unlikely
Wetlands of international importance	The nearest Ramsar wetland of international importance is Moreton Bay, located adjacent to Brisbane Airport and approximately 5 km downstream of the Project site.	Unlikely
Listed threatened species and ecological communities	No flora or fauna species or communities listed under the EPBC Act were identified during the field investigation (refer Section 6.3.2). Given the low habitat values identified, it is considered that the proposed works will not impact upon listed threatened species or ecological communities under the EPBC Act.	Unlikely
Listed migratory species	No listed migratory species listed under the EPBC Act were identified during the field investigation (refer Section 6.3.2). Given the low habitat values identified, it is considered that the proposed works will not impact upon listed migratory species under the EPBC Act.	Unlikely

Aspect	Relevance to Project	Significant impact
The Great Barrier Reef Marine Park	Brisbane Airport does not occur within or in the immediate vicinity of the Great Barrier Reef Marine Park.	Unlikely
Nuclear action	The Project does not constitute a nuclear action.	Unlikely
Commonwealth marine areas	Brisbane Airport does not occur within or in the immediate vicinity of a Commonwealth Marine Area.	Unlikely

Given the Project is located at Brisbane Airport, which is situated on Commonwealth land, the *Significant impact guidelines 1.2 – Actions on, or impacting upon, Commonwealth land, and actions by Commonwealth agencies* (Department of the Environment 2013b) were used to determine if the Project has a significant impact on the environment. A self-assessment of works against the criteria provided in the guidelines was conducted (refer Table 3.2) (Department of the Environment 2013b).

Table 3.2 Self-assessment of significant impact of works

Self-assessment criteria	Self-assessment
<p><b>Landscapes and soils</b></p> <p><i>Is there a real chance or possibility that the action will:</i></p> <ul style="list-style-type: none"> <li>■ Substantially alter natural landscape features?</li> <li>■ Cause subsidence, instability or substantial erosion?</li> <li>■ Involve medium or large-scale excavation or soil or minerals?</li> </ul>	<p>The majority of the Project site contains casuarina plantations, which are not considered to be natural landscapes. There are natural drainage lines and wetland areas, which will be modified as a result of the Project, however these are not considered to be substantial compared with the wider Brisbane Airport.</p> <p>As the site is low-lying, the works will generally comprise filling activities rather than excavation. In addition, all works will be managed by an Erosion and Sediment Control Plan (ESCP) to avoid substantial erosion or sediment loss.</p>
<p><b>Coastal landscapes and processes</b></p> <p><i>Is there a real chance or possibility that the action will:</i></p> <ul style="list-style-type: none"> <li>■ Alter coastal processes, including wave action, sediment movement or accretion, or water circulation patterns</li> <li>■ Permanently alter tidal patterns, water flows or water quality in estuaries</li> <li>■ Reduce biological diversity or change species composition in estuaries, or</li> <li>■ Extract large volumes of sand or substantially destabilise sand dunes?</li> </ul>	<p>The works do not involve any alteration of coastal processes or the excavation of sand.</p> <p>Existing estuarine drainage lines will be re-aligned into a single channel along the north western boundary of the site to retain water flow and quality and to reduce the potential for flooding.</p> <p>An ecological investigation was conducted on 6 March 2017 by a suitably qualified Aurecon senior ecologist. No species listed under the EPBC Act and/or the <i>Nature Conservation Act 1992</i> (NC Act) were identified (refer Section 6.3.2) and as such, the Project is not expected to reduce biological diversity of Brisbane Airport.</p>
<p><b>Ocean forms, ocean processes and ocean life</b></p> <p><i>Is there a real chance or possibility that the action will:</i></p> <ul style="list-style-type: none"> <li>■ Reduce biological diversity or change species composition on reefs, seamounts or in other sensitive marine environments</li> <li>■ Alter water circulation patterns by modification of existing landforms or the addition of artificial reefs or other large structures</li> <li>■ Substantially damage or modify large areas of the seafloor or ocean habitat, such as sea grass</li> <li>■ Release oil, fuel or other toxic substances into the marine environment in sufficient quantity to kill larger marine animals or alter ecosystem processes, or</li> <li>■ Release large quantities of sewage or other waste into the marine environment?</li> </ul>	<p>The works will not significantly impact ocean forms, ocean processes or ocean life as the nearest ocean is Moreton Bay, located approximately 5 km downstream. The Project will also adopt appropriate mitigation measures to minimise impacts to water quality (refer Section 7.6).</p> <p>In addition, as the works involve clearing and earthwork activities only, hazardous substances or waste material will not be generated in sufficient quantities and their storage and use will be managed under the Project Environmental Management Plan (EMP).</p>

Self-assessment criteria	Self-assessment
<p><b>Water resources</b></p> <p><i>Is there a real chance or possibility that the action will:</i></p> <ul style="list-style-type: none"> <li>■ <i>Measurably reduce the quantity, quality or availability of surface or ground water</i></li> <li>■ <i>Channelise, divert or impound rivers or creeks or substantially alter drainage patterns, or</i></li> <li>■ <i>Measurably alter water table levels?</i></li> </ul>	<p>The works will involve vegetation clearing and earthworks with potential to temporarily reduce surface water quality during construction activities. However, these impacts will be managed under an ESCP.</p> <p>There are two drainage lines that flow through the Project site from Landers Pocket Drain and minor drainage lines throughout. As part of the Project, these drainage lines will be realigned into a single channel along the north western boundary of the site, eventually feeding directly into the Kedron Brook Floodway Drain. As a result, the drainage patterns of the Brisbane Airport and surrounds will not be substantially altered.</p> <p>Surcharging activities will be managed through implementation of the EMP to avoid measurable alteration of water table levels.</p>
<p><b>Pollutant, chemicals, and toxic substances</b></p> <p><i>Is there a real chance or possibility that the action will:</i></p> <ul style="list-style-type: none"> <li>■ <i>Generate smoke, fumes, chemicals, nutrients, or other pollutants which will substantially reduce local air quality or water quality</i></li> <li>■ <i>Result in the release, leakage, spillage, or explosion of flammable, explosive, toxic, radioactive, carcinogenic, or mutagenic substances, through use, storage, transport, or disposal</i></li> <li>■ <i>Increase atmospheric concentrations of gases which will contribute to the greenhouse effect or ozone damage, or</i></li> <li>■ <i>Substantially disturb contaminated or acid-sulphate soils?</i></li> </ul>	<p>There is potential for contamination from minor spills or leaks of fuel or other chemicals during clearing and earthworks. This risk will be managed through the Project EMP.</p> <p>While the works will involve vegetation clearing and minor emissions from vehicles, it is not anticipated to substantially contribute to the greenhouse gases or ozone damage.</p> <p>Vegetation clearing and earthworks have the potential to generate dust, which may temporarily reduce the local air quality, however this will be managed through the Project EMP.</p> <p>A contaminated land investigation was conducted across the Project site and detected minor concentrations of heavy metals and per- and poly-fluoroalkyl substances (PFAS) widespread across the site. These concentrations were below relevant screening criteria and can be managed under the Project EMP (refer Section 5.4.4).</p> <p>Both actual and potential ASS were detected across the Project site and will be managed during construction through the implementation of an ASS Management Plan.</p>
<p><b>Plants</b></p> <p><i>Is there a real chance or possibility that the action will:</i></p> <ul style="list-style-type: none"> <li>■ <i>Involve medium or large-scale native vegetation clearance</i></li> <li>■ <i>Involve any clearance of any vegetation containing a listed threatened species which is likely to:</i> <ul style="list-style-type: none"> <li>– <i>Result in a long-term decline in a population or which threatens the viability of the species</i></li> <li>– <i>Introduce potentially invasive species</i></li> <li>– <i>Involve the use of chemicals which substantially stunt the growth of native vegetation, or</i></li> <li>– <i>Involve large-scale controlled burning or any controlled burning in sensitive areas, including areas which contain listed threatened species?</i></li> </ul> </li> </ul>	<p>The Project will involve approximately 55.9 ha of vegetation clearance of predominately casuarina plantations with some mangrove communities. This comprises approximately 3.5% of the total vegetation within Brisbane Airport.</p> <p>An ecological investigation was conducted on 6 March 2017 by a suitably qualified Aurecon senior ecologist. No conservation significant species listed under the EPBC Act and/or the NC Act were identified (refer Section 6.3.2).</p> <p>There is potential for weed species to be introduced by construction vehicles, machinery and/or personnel, however this will be managed under the Project EMP.</p> <p>The works will not involve the use of chemicals or controlled burning for the control/clearing of vegetation.</p>

Self-assessment criteria	Self-assessment
<p><b>Animals</b></p> <p><i>Is there a real chance or possibility that the action will:</i></p> <ul style="list-style-type: none"> <li>■ <i>Cause a long-term decrease in, or threaten the viability of, a native animal population or populations, through death, injury or other harm to individuals</i></li> <li>■ <i>Displace or substantially limit the movement or dispersal of native animal populations</i></li> <li>■ <i>Substantially reduce or fragment available habitat for native species;</i></li> <li>■ <i>Reduce or fragment available habitat for listed threatened species which is likely to displace a population, result in a long-term decline in a population, or threaten the viability of the species</i></li> <li>■ <i>Introduce exotic species which will substantially reduce habitat or resources for native species, or</i></li> <li>■ <i>Undertake large-scale controlled burning or any controlled burning in areas containing listed threatened species?</i></li> </ul>	<p>An ecological investigation was conducted on 6 March 2017 by a suitably qualified Aurecon senior ecologist. No conservation significant species listed under the EPBC Act and/or the NC Act were identified (refer Section 6.3.2).</p> <p>The Project site is bound by Airport Drive, Moreton Drive and Nancy Bird Way and as such, when considering ecological function, is already significantly fragmented. In addition, the majority of the site contains casuarina plantations, which are not considered to provide substantial habitat for native fauna populations.</p> <p>The works will not involve the introduction of exotic species or use controlled burning for vegetation clearing.</p>
<p><b>Impacts on people and communities</b></p> <p><i>Is there a real chance or possibility that the action will:</i></p> <ul style="list-style-type: none"> <li>■ <i>Substantially increase demand for, or reduce the availability of, community services or infrastructure which have direct or indirect impacts on the environment, including water supply, power supply, roads, waste disposal, and housing</i></li> <li>■ <i>Affect the health, safety, welfare or quality of life of the members of a community, through factors such as noise, odours, fumes, smoke, or other pollutants</i></li> <li>■ <i>Cause physical dislocation of individuals or communities, or</i></li> <li>■ <i>Substantially change or diminish cultural identity, social organisation or community resources?</i></li> </ul>	<p>A traffic assessment will be conducted as part of the Project. However, given traffic associated with the Project will be temporary in nature during the construction phase, traffic volumes generated by the Project will not constitute a significant impact (refer Section 13.4).</p> <p>The Project site is situated in the Brisbane Airport with predominately industrial activities located nearby. Sensitive receptors to the Project are discussed in Section 8.</p> <p>Impacts such as noise, odours, fumes, smoke or dust will not impact the local community.</p> <p>There will be no dislocation of individuals or communities as part of the Project.</p> <p>There is no change to cultural identity, social organisation or community resources as the Project is situated in the Airport Central (Airport Drive West) area and is zoned as Mixed Use under the Brisbane Airport Master Plan 2014.</p>

Self-assessment criteria	Self-assessment
<p><b>Heritage</b>  <i>Is there a real chance or possibility that the action will:</i></p> <ul style="list-style-type: none"> <li>■ Permanently destroy, remove or substantially alter the fabric (physical material including structural elements and other components, fixtures, contents, and objects) of a heritage place</li> <li>■ Involve extension, renovation, or substantial alteration of a heritage place in a manner which is inconsistent with the heritage values of the place</li> <li>■ Involve the erection of buildings or other structures adjacent to, or within important sight lines of, a heritage place which are inconsistent with the heritage values of the place</li> <li>■ Substantially diminish the heritage value of a heritage place for a community or group for which it is significant</li> <li>■ Substantially alter the setting of a heritage place in a manner which is inconsistent with the heritage values of the place, or</li> <li>■ Substantially restrict or inhibit the existing use of a heritage place as a cultural or ceremonial site?</li> </ul>	<p>One item with historic heritage significance has been identified within the vicinity of the Project site; the Kingsford Smith Memorial). However, no direct impacts are expected to occur to the Kingsford Smith Memorial (refer Section 11.5). The Project is located 95 m from the Kingsford Smith Memorial and it is understood that a buffer of vegetation will remain between the Kingsford Smith Memorial and the proposed development, which will provide a visual barrier.</p> <p>The amenity, use and setting of the Kingsford Smith Memorial will not significantly change as a result of the proposed development.</p> <p>Mitigation measures to be implemented for the protection of heritage, including incidental finds, are provided in Section 11.6.</p> <p>The existing Heritage Management Plan will be used to manage Aboriginal Cultural Heritage matters throughout Project activities.</p>

Given the results of the self-assessments, the Project does not need to be referred to the DoEE.

### 3.2.5 National Environment Protection Council Act 1994

#### 3.2.5.1 Background

The *National Environment Protection Council Act 1994* (NEPC Act) provides for the establishment of a National Environment Protection Council (NEPC) and that the Commonwealth, the States and territories will make joint legislative provision for the establishment of a body to determine national environment protection measures for air, water, soil and noise pollution.

#### **National Environment Protection (Ambient Air Quality) Measure (Air NEPM)**

National ambient air quality standards were set for carbon monoxide, ozone, sulphur dioxide, nitrogen dioxide, lead and particles under the Air NEPM. To comply with the requirements of the Air NEPM and the NEPC Act, the Queensland Department of Environment and Heritage Protection (EHP) have established a number of monitoring stations in Queensland to determine whether any exceedances of the national ambient air quality standards occur.

#### **National Environment Protection (Air Toxics) Measure (Air Toxics NEPM)**

In 2004, the NEPC developed the Air Toxics NEPM to provide a framework for monitoring, assessing and reporting on ambient levels of five air toxins including benzene, formaldehyde, benzo(a)pyrene as a marker for polycyclic aromatic hydrocarbons, toluene and xylenes. Schedule 3 of the Air Toxics NEPM outlines the monitoring investigation levels for these air toxins.

#### **National Environment Protection (Assessment of Site Contamination) Measure 1999 (Amendment 1, 2013) (NEPM 2013)**

NEPM 2013 establishes a nationally consistent approach to the assessment of site contamination to ensure sound environmental management practices are adopted. Schedule A identifies the recommended process for the assessment of site contamination, while Schedule B provides general guidelines, such as the use of investigation levels for soil and groundwater, to assess site contamination.

### **3.2.5.2 Relevance to the Project**

Air quality standards are discussed and addressed in further detail in Section 8. The section also provides an assessment of the existing air environment and potential impacts from the Project. Mitigation measures are provided to ensure that during the Project, BAC will meet their duties with regards to managing air quality during the Project in accordance with the relevant air quality standards.

Further discussion regarding contamination in relation to the Project site and the applicability of the NEPM 2013 is outlined in Section 5.4.4. The section also provides an assessment of the existing contamination within the Project site and the potential impacts to the Project. Mitigation measures are provided to ensure that during the Project, BAC meets their duties with regards to the NEPM 2013.

## **3.3 Pre-existing Airport Land**

### **3.3.1 General**

Relevant airport policy and planning documents applicable to this Project include:

- Brisbane Airport Master Plan
- Airport lease
- Brisbane Airport Environment Strategy
- Brisbane Airport Development Control Document
- Airport Technical Guidelines

The relevance of these policy and planning documents is assessed below.

### **3.3.2 Brisbane Airport Master Plan**

#### **3.3.2.1 Background**

The BAC Master Plan (BAC 2014b) sets out the vision for current and future airport land use and the development plan over the next 20 years. Under the Airports Act, BAC is required to review its Master Plan every five years. The Australian Government approved Brisbane Airport's 2014 Master Plan on 13 January 2015.

BAC's vision for Brisbane Airport is to be world class – a distinctive place that visitors keep coming back to, and the best possible partner for airlines and businesses (BAC 2014b).

#### **3.3.2.2 Assessment process**

The Master Plan sets out the land use planning and development intent on the airport site. Before BAC grants consent for any intended land use, it must have regard to the purpose outcomes of the relevant zoning, the overall outcome for the precinct or sub-precinct and the Master Plan's development objectives. The results of BAC's assessment are then passed onto the Airport Building Controller (ABC) and AEO for building approval. This is discussed further in Section 3.3.5.

#### **3.3.2.3 Master Plan precincts**

The 2014 Master Plan has consolidated development land into five sub-precincts (and nine distinct sub-precincts), which are intended to create and maintain clusters of businesses and operations to generate a sense of identity and community:

1. Airport South (Airport Industrial Park, Da Vinci and Export Park)
2. Airport East
3. Airport Central (Skygate, Airport Drive West, Domestic T2, International T1 and Moreton Drive West)

4. Airport West (Central Parking Area)
5. Airport North

In addition, a separate conservation area known as the Biodiversity Zone, accounts for Brisbane Airport's protection of high value environmental lands.

In each precinct, BAC has nominated land use zonings along with zoning statements, zoning outcomes and intended uses, with all developments subject to BAC's consent (BAC 2014b).

Some developments trigger the requirement for an MDP under the Airports Act before a building approval can be issued and a construction activity can commence. An MDP must be consistent with the approved Master Plan. Section 89 of the Airports Act prescribes those activities that require an MDP as 'major airport development'. Under the Act, the Project may trigger the following:

*(e) Constructing a new building, where:*

*(i) the building is not wholly or principally for use as a passenger terminal; and*

*(ii) the cost of construction exceeds \$20 million or such higher amount as is prescribed; or*

*(m) A development of a kind that is likely to have significant environmental or ecological impact; or*

*(n) A development which affects an area identified as environmentally significant in the environment strategy; or*

*(na) A development of a kind that is likely to have a significant impact on the local or regional community*

### **3.3.2.4 Relevance to the Project**

The Project site is located in the Airport Central (Airport Drive West) sub-precinct, and is zoned by BAC as "Mixed use". It is considered that the Project is consistent with intended uses under the 'Mixed use' zoning for the Project site. Further discussion on zoning and land use for the Project site is provided in Section 4 of this EAR.

The Project will not have a significant environmental or ecological impact as long as mitigation measures recommended in this EAR are implemented. In addition, the associated construction for the Project will be below \$20 million in value. Therefore, an MDP does not need to be prepared. This is further discussed in Section 3.2.1.2.

This EAR provides an assessment of the bulk earthworks and site preparation component of the Project only and does not assess future intended uses within the Project site. Assessment of the future use of the Project site will be undertaken separately to ensure compliance with the Airports Act.

### **3.3.3 Airport lease**

#### **3.3.3.1 Background**

BAC purchased the long-term lease (50 + 49 years) of Brisbane Airport from the Commonwealth and took over management and operations on 2 July 1997. The planning and development of Brisbane Airport is regulated by the DIRD under the Airports Act.

When BAC became the airport-lessee company for Brisbane Airport in July 1997, it assumed certain pre-existing lessor obligations under various leases. BAC also became the head-lessee under the airport lease subject to a number of other interests in the airport land (such as easements).

#### **3.3.3.2 Relevance to the Project**

Given that the Project is compliant with the intent of the BAC Master Plan, the Project is considered to fully comply with the requirements of the Airport lease. There are no known contractual or other rights affecting the Project site, which would constrain the development of the Project, with the exception of the Energex Lease EGXA on SP232747 for 110 kV cables and a permit for 33 kV cable installations.

### **3.3.4 Brisbane Airport Environmental Strategy (AES)**

#### **3.3.4.1 Background**

The AES (BAC 2014a) is the formal blueprint of BAC's commitment to world best practice environmental sustainability. The AES outlines a framework for environmental management at Brisbane Airport and responds to the requirements of the Airports Act and AEPR. The AES now forms part of the Master Plan.

The 2014 AES was prepared in accordance with the Airports Act and AEPR. It covers a wide range of issues including environmentally significant areas (ESAs), sources of environmental impact and environmental management. The environment and sustainability policy is seen as the foundation of the Environmental Management System (EMS) and AES and guides the implementation of both. The policy represents a formal undertaking by BAC to give due consideration to the potential environmental impacts of all aspects of BAC's activities and operations.

The AES covers all environmental matters arising from the operation and expansion at the Brisbane Airport site in accordance with the Airport Legislation. Each of the sections detailed in the AES are in direct response to the specific requirements listed in the Airport Legislation. The AES does not cover noise and air pollution from aircraft movements, which is regulated under separate legislation, the Commonwealth *Air Navigation (Aircraft Engine Emissions) Regulations* and *Air Navigation (Aircraft Noise) Regulations*.

The AES adopts relevant legislation that is applicable to environmental regulation or activities on airport (whether Commonwealth or State) where reasonable and practicable. The AES also identifies areas as ESAs.

#### **3.3.4.2 Relevance to the Project**

This EAR provides an assessment of the potential environmental impacts that may occur as a result of the Project and therefore complies with BAC's overall environmental policy as outlined within the AES.

The Project site is not located within an ESA, nor does it impact on an ESA.

### **3.3.5 Airport development and building approvals**

#### **3.3.5.1 Background**

All building and development works are subject to internal assessment which begins with BAC initially checking the proposed development for consistency and compliance with the development intent outlined in a range of documents including:

- The approved Master Plan
- The approved AES
- BAC's relevant Airport Precinct Plan and associated Development Control Documents
- BAC's Airport Technical Guidelines

Once the development has been evaluated against BAC's assessment criteria, the on site Australian Government representatives, the ABC and the AEO, undertake the regulatory assessment requirements that include consideration of planning, building and environment issues.

Building approvals are issued by the ABC, who is appointed by the DIRD. The AEO (employed by the DIRD) recommends to the ABC the conditions to be placed on approval for environmental management. Building approval is required for new buildings and structures (including runways, taxiways and aprons), earthworks, demolition, electrical and hydraulic works. The ABC assesses the proposal's design and compliance with the Australian Building Standards.

Building approvals cannot be issued by the ABC without written consent from BAC, confirming that the development is consistent with the development intent for the precinct.



### 3.3.5.2 Relevance to the Project

#### Master Plan and Airport Environment Strategy

Sections 3.3.2 and 3.3.4 summarise the consistency of the Project with the Master Plan and AES respectively.

#### Airport Precinct Plan and Development Control Documents

BAC has developed individual Precinct Plans that are consistent with the BAC Master Plan. Each Precinct Plan is guided by the Master Plan's development objectives, zoning and airport precinct overall outcomes to meet infrastructure demand, manage growth and facilitate business generation for the airport and region over the next 20 years. The Development Control Document (DCD) implements the Precinct Plan on the ground.

The DCD provides minimum development guidelines to be adopted when designing buildings and sites within the Airport Precincts. The DCD sets out performance criteria and associated controls to achieve the performance criteria.

The majority of the DCD focuses on the development guidelines to be adopted in the design of buildings and sites within the Airport Precincts. The assessment of buildings is outside of the scope of this EAR. However, where the DCD provides construction-related guidance, an assessment of the Project's compliance with the DCD has been undertaken in Table 1 in Appendix B.

For matters addressing detailed design of the Project, it has been assumed that the requirements are the responsibility of the Designer and/or Contractor to comply with. The Designer and Contractor will need to review their works to ensure compliance with the DCD.

#### Airport Technical Guidelines

The Airport Technical Guidelines were prepared by BAC to assist designers, contractors and other specialists involved in preparing design and contract documentation for works on Brisbane Airport. The Airport Technical Guidelines present a number of planning phase requirements to be considered.

The planning phase requirements outlined in the Airport Technical Guidelines have been reviewed as part of this EAR and the Project is consistent with these guidelines where relevant (refer Table 2 in Appendix B).

During the next phase of the Project, the Designer and Contractor will need to review their works to ensure compliance with the Airport Technical Guidelines.

#### Register of building applications

Section 4 provides a review of BAC's register of building applications to determine whether any current building applications and approvals are applicable to land within close proximity to the Project site.

## 3.4 Consistency with State and Local Government Planning

While the environment is principally administered by Commonwealth legislation when on airport land, State legislation may be applicable in certain circumstances where no Commonwealth legislation exists or where State legislation can operate concurrently. The BAC 2014 AES refers to State legislation and guidelines where required.

BAC is required by the Master Plan and Airports Act (and associated regulations) to address the extent, if any, of consistency with relevant State planning instruments. BAC is committed to consultative processes with relevant State Government agencies and the Brisbane City Council (BCC) regarding the strategic planning of key infrastructure. Accordingly, BAC seeks to ensure that development at Brisbane Airport, where possible, is compatible with State planning strategies (BAC 2014b). This section evaluates the consistency of the Project with State legislation that would apply if the Project was not under the jurisdiction of the Commonwealth.

The following legislation is considered to be relevant to the Project for environmental management purposes and is assessed below:

- *Environmental Protection Act 1994*
- *Aboriginal Cultural Heritage Act 2003*
- *Queensland Heritage Act 1992*
- *Fisheries Act 1994*
- *Biosecurity Act 2014*
- *Nature Conservation Act 1992*
- *Water Act 2000*

### **3.4.1 Environmental Protection Act 1994**

#### **3.4.1.1 Background**

The *Environmental Protection Act 1994* (EP Act) and the *Environmental Protection Regulation 2008* (EP Reg) provide a framework for managing Queensland's environment within the principles of ecologically sustainable development.

A key feature of the EP Act is the consideration of a general environmental duty. Individuals undertaking any activity must take all reasonable and practical measures to prevent or minimise environmental harm.

#### **Prescribed ERAs**

The EP Act, together with the *Planning Act 2016*, provides a licensing and approval regime for a range of prescribed environmentally relevant activities (ERAs), which are activities with the potential to cause environmental harm through the release of contaminants. Prescribed ERAs are defined under Schedule 2 of the EP Reg. To conduct a prescribed ERA, an environmental authority is required. If the prescribed ERA is also listed as a concurrence activity, a development approval is also required. Codes of environmental compliance can be used to carry out certain ERAs in accordance with well established, standard practices.

#### **Environmental Protection Policies**

The EP Act outlines the responsibility and the duty of care all persons have to the environment and the scope and content for preparing environmental protection policies (EPPs). EPPs identify particular environmental values to be enhanced or protected and generally state the objectives to be achieved and maintained.

#### **Disposal of contaminated soil from land**

Section 424 of the EP Act contains requirements for the lawful disposal of contaminated soil, including asbestos containing material (ACM). A person proposing to remove and dispose of contaminated soil from land which is recorded on either the Environmental Management Register (EMR) or the Contaminated Land Register (CLR) to an off-site location must obtain a disposal permit from EHP in order to lawfully undertake the works. Disposal permits enable appropriate and legal disposal and tracking of contaminated soil or materials.

#### **3.4.1.2 Relevance to the Project**

The Project does not need to comply with the requirements of the EP Act. However, the Project can still demonstrate that it complies with the intent of the EP Act (ie the general environmental duty) as BAC will undertake Project activities in accordance with the measures recommended in this EAR, and as listed in the Environmental Management Plan (EMP) to be prepared for the Project.

#### **Environmentally relevant activities (ERAs)**

The Project will consist of screening and rock crushing activities. These activities are listed as ERAs under the EP Act. Screening activities are covered by ERA 16, while crushing activities are covered by ERA 33. Eligibility criteria and standard conditions have been developed for ERA 16, but not for ERA 33.

While BAC is not required to comply with the *Eligibility criteria and standards conditions for screening (more than 100,000 tonnes but not more than 1 million tonnes of material in a year) (ERA 16)* when

undertaking activities covered by ERA 16, the criteria provide guidance on good practice management to ensure environmental risks associated with the operation of an ERA are able to be managed with standard conditions.

Eligibility criteria relate to the following matters:

- Activity size (ie how much material will be screened)
- Activity location relative to sensitive receptors
- The volume of fuel used
- The release of aqueous waste from the activity to water

The standard conditions for the Eligibility Criteria (ERA 16) (and the sections of the EAR that address these issues) are:

- Identifying environmental risks for the Project (throughout the EAR)
- Establishing control measures that minimise the potential for environmental harm (throughout the EAR)
- Ensuring plant and equipment is maintained (refer Sections 8 and 9)
- Air quality (refer Section 8)
- Fuels and chemicals (refer Section 12)
- Noise and vibration (refer Section 9)
- Land including contamination and ASS (refer Section 5)
- Water (refer Section 7)
- Waste (refer Section 12)

No eligibility criteria or standard conditions have been developed for ERA 33 (crushing, milling, grinding or screening). Notwithstanding, should the Project adopt the management measures outlined within this EAR, it is considered that the risks associated with undertaking the crushing and screening activities can be appropriately managed.

### **Environment Protection Policies (EPPs)**

EPPs cover air, noise and water through the following policies:

- *Environmental Protection (Air) Policy 2008* (EPP (Air))
- *Environmental Protection (Water) Policy 2009* (EPP (Water))
- *Environmental Protection (Noise) Policy 2008* (EPP (Noise))

With regards to air quality, water quality and noise, there are both Commonwealth and State requirements. BAC believes that it is more appropriate to adopt the Commonwealth requirements, rather than State requirements, except in instances where the Commonwealth legislation is silent on certain aspects.

In relation to air quality, the AEPR, Air NEPM, Air Toxics NEPM and the EPP (Air) do not provide dust deposition levels. However, it is noted that EHP published the *Guideline: Application requirements for activities with impacts to air* (EHP 2014) that recommends assessment of dust nuisance against a dust deposition limit value of 120 mg/m<sup>2</sup>/day averaged over a month. According to AS/NZS 3580.10.1:2003, dust deposition monitoring results should be normalised to a 30-day month, meaning that the 120 mg/m<sup>2</sup>/day equates to 3.6 g/m<sup>2</sup>/month. Accordingly, this dust deposition limit can be applied to this Project (refer Section 8).

For water quality, the AEPR criteria are the most applicable to the Project. Accordingly, the AEPR is used for this Project to characterise the receiving waters, rather than the EPP (Water) (refer Section 7).

In relation to noise, the AEPR construction noise criteria have been adopted for the Project rather than the criteria listed in the EPP (Noise) (refer Section 9).

### **3.4.2 Aboriginal Cultural Heritage Act 2003 and Queensland Heritage Act 1992**

#### **3.4.2.1 Background**

The *Aboriginal Cultural Heritage Act 2003* (ACH Act) requires all persons undertaking an activity to “take all reasonable and practicable measures to ensure the activity does not harm Aboriginal cultural heritage (the ‘cultural heritage duty of care’)”.

The *Queensland Heritage Act 1992* (QH Act) provides for the conservation of Queensland’s historical cultural heritage, including places, trees, natural formations and buildings of cultural heritage significance.

#### **3.4.2.2 Relevance to the Project**

To comply with the duty of care under the ACH Act, mitigation measures will need to be included in the EMP.

Section 11 within this report provides an assessment of the existing environment for cultural heritage and potential impacts from the Project. Mitigation measures are then provided to ensure that during the Project, BAC meets their duties with respect to the ‘cultural heritage duty of care’ under the ACH Act and QH Act.

### **3.4.3 Fisheries Act 1994**

#### **3.4.3.1 Background**

The *Fisheries Act 1994* (Fisheries Act) provides for the management, use, development and protection of fisheries resources and fish habitats, and the management of aquaculture activities. The Act holds provisions for:

- Removal, destruction and/or damage to marine plants, including mangroves
- Works in a declared fish habitat
- Waterway barrier works

#### **3.4.3.2 Relevance to the Project**

Outside of Brisbane Airport, works for the above activities would be assessable development according to Schedule 7, Part 3, Sections 6 – 8 of the *Planning Regulation 2017*. Self-assessable codes may be used for low-impact development involving disturbance to marine fish habitats and water barriers. However, given State legislation does not apply to the Project, a development approval will not need to be sought for these activities. BAC, wherever possible, may seek to comply with policy intents of the relevant fisheries codes.

It should be noted that BAC has a designated offset area of 285 ha, which equates to approximately 10% of airport land. This area allows for offsetting for previously cleared areas, as well as for future clearing activities, such as the Project subject to this EAR.

The ecological survey undertaken for the Project involved identifying the vegetation communities located within the Project site (refer Section 6). Two vegetation communities were identified within the Project site that constitute marine areas under the provisions of the Fisheries Act, including:

- Mangrove (*Avicennia marina*) tidal community
- Marine wetland with mangroves

Mitigation measures are provided to ensure that during the Project, BAC meets their duties with regards to the management of flora and fauna within the Project site.

### 3.4.4 Biosecurity Act 2014

#### 3.4.4.1 Background

The purpose of the *Biosecurity Act 2014* is to provide measures to safeguard the economy, agriculture and tourism industries and environment from:

- Weed and pest species
- Diseases
- Contaminants

Under the Act, individuals and organisations (eg landholders, developers etc) whose activities pose a biosecurity risk have a general biosecurity obligation meaning they must:

- Take all reasonable and practical steps to prevent or minimise a biosecurity risk
- Minimise the likelihood of causing a biosecurity event and limit the consequences of such an event
- Prevent or minimise the adverse effects the risk could have and refrain from doing anything that might exacerbate the adverse effects

A biosecurity event is caused by a weed/pest, disease or contaminant that is or is likely to cause a significant impact on human health, social amenity, the economy or the environment.

Schedules 1 and 2 of the Act lists prohibited matter and restricted matter respectively, which are detailed in Table 3.3.

Table 3.3 Prohibited and restricted matter under the *Biosecurity Act 2014*

Biosecurity matter	Description	Actions required
Prohibited matter	Prohibited matter is biosecurity matter that is not found in Queensland but would have a significant adverse impact if it entered the State.	If prohibited matter is present, the following actions must be taken: <ul style="list-style-type: none"> <li>■ Report to Biosecurity Queensland within 24 hours</li> <li>■ Minimise the risk of the prohibited matter</li> </ul>
Restricted matter	Restricted matter is biosecurity matter that is already present in Queensland but requires specific actions to control the spread and impact. There are seven categories of restricted matter.	<p>Categories 1 and 2 restricted matter must be reported to an inspector within 24 hours.</p> <p>Category 3 restricted matter must not be given as a gift, sold, traded or released into the environment unless under a Restricted Matter Permit.</p> <p>Category 4 restricted matter must not be moved this restricted matter to ensure that it does not spread into other areas of the state.</p> <p>Category 5 restricted matter must not be kept or possessed unless under a permit of the <i>Biosecurity Act 2014</i> or another Act.</p> <p>Category 6 restricted matter must not be fed as feeding this restricted matter may cause their numbers to increase and negatively impact the economy or the environment.</p> <p>Category 7 restricted matter includes noxious fish that must be killed and disposed appropriately.</p>

Source: Department of Agriculture and Fisheries 2016a

#### 3.4.4.2 Relevance to the Project

The ecological survey undertaken for the Project site assessed the presence of weeds and pests and identified their classifications according to the *Biosecurity Act 2014* (refer Section 6). Eight flora species were identified as Schedule 2 plants under the *Biosecurity Act 2014*. These weed species consisted of the following:

- *Ambrosia artemisiifolia*
- *Celtis sinensis*
- *Asparagus aethiopicu*
- *Dolichandra unguis-cati*

- *Asparagus plumosus*
- *Baccharis halimifolia*
- *Lantana camara*
- *Schinus terebinthifolius*

Section 6 assesses the potential impacts to the Project due to weeds and pests and recommends mitigation measures to ensure that during the Project, BAC can manage declared weeds and pests within the Project site in accordance with the *Biosecurity Act 2014*.

### 3.4.5 Nature Conservation Act 1992

#### 3.4.5.1 Background

The *Nature Conservation Act 1992* (NC Act) provides a comprehensive strategy for the conservation and management of Queensland's native animals and plants. Sections 88 and 89 of the NC Act make it an offence for a person to 'take' a listed species without a licence, permit, authorisation granted under a regulation, an exemption under a regulation or under a conservation plan applicable to the species. The *Nature Conservation Regulation 2006* (NC Reg) applies to the clearing of protected plants in the wild. All native plants in Queensland are protected plants.

Wildlife (animals and plants) can be declared under the Act within the following classes:

- Extinct in the wild wildlife
- Endangered wildlife
- Vulnerable wildlife
- Near threatened wildlife
- Least concern wildlife
- International wildlife
- Prohibited wildlife

#### 3.4.5.2 Relevance to the Project

Section 6 of this EAR provides an assessment of the existing flora and fauna within the Project site and identifies potential impacts from the Project. Mitigation measures are then provided to ensure that during the Project, BAC meets their duties with regards to the management of flora and fauna within the Project site and are consistent with the requirements of the NC Act.

The Protected Plants Flora Survey Trigger Map (refer Appendix C) indicates that the Project site is not located within a high risk area and as such, provisions of the NC Act do not apply to the clearing of protected plants.

The ecological survey undertaken for the Project involved identifying the flora and fauna species located within the Project site (refer Section 6). The classification of these species under the NC Act was also identified. No conservation significant flora species were identified during the ecological survey. Fourteen bird species and one reptile were recorded during the survey, all of which were least concern species under the NC Act, with the exception of one species (ie Rainbow Bee-eater *Merops ornatus*), which is listed as Marine.

### 3.4.6 Water Act 2000

#### 3.4.6.1 Background

The *Water Act 2000* (Water Act) provides a legislative base for the sustainable planning of Queensland's non tidal waters. The Water Act requires the preparation of a Water Resource Plan, and when necessary, resource operation plans, which ensure that water is equitably managed to preserve the existing quality of life and aquatic ecosystems.

A Water Resource Plan details what the government aims to achieve for a catchments social, economic and environmental needs. The *Water Resource (Moreton) Plan 2007* covers the location of the Project site.

#### 3.4.6.2 Relevance to the Project

The following ecological outcomes of the plan are relevant to the management of the Project site:

- For estuarine reaches, to minimise changes to brackish water habitats

- For Moreton Bay and Pumicestone Channel, to minimise changes to the natural movement and delivery of sediment, and the delivery of fresh water, natural nutrients and organic matter

Water quality monitoring and management should be undertaken in accordance with relevant guides such as BAC's *Landside Stormwater Quality Management Strategy* (BAC 2014c) and BAC's *Construction Environmental Management Plan (CEMP) Guidelines* (BAC 2014d) during construction of the Project to ensure that water discharging from the Project site does not adversely impact on the ecological outcomes for Moreton Bay.

## 3.5 State planning provisions

The following state planning provisions have been assessed in relation to the Project:

- ShapingSEQ
- State Planning Policy

### 3.5.1 ShapingSEQ

#### 3.5.1.1 Background

ShapingSEQ is the draft statutory South East Queensland regional plan (Department of Infrastructure, Local Government and Planning 2016). ShapingSEQ allocates all land in the SEQ region into one of the following regional land use categories:

- a) Regional Landscape and Rural Production Area
- b) Urban Footprint
- c) Rural Living Area

Brisbane Airport is mapped within the Urban Footprint. ShapingSEQ recognises the Australia TradeCoast, which includes the Port of Brisbane and Brisbane Airport, as one of the essential drivers of the SEQ region's economic growth and a significant employment generator.

#### 3.5.1.2 Relevance to the Project

While ShapingSEQ recognises the importance of Brisbane Airport in the development of the South East Queensland region, ShapingSEQ does not regulate development activities on Brisbane Airport land.

BAC's development objectives and land use planning outcomes for Brisbane Airport, as outlined in the BAC Master Plan, are consistent with ShapingSEQ's planning outcomes. It is envisaged that the Project will enable further economic development within the Airport Central (Airport Drive West) sub precinct.

### 3.5.2 State Planning Policy

#### 3.5.2.1 Background

The State Planning Policy (SPP) defines the Queensland Government's approach to matters of state interest in land use planning and development. The SPP identifies the state's interests in planning and development and how they must be dealt with in planning schemes, council development assessment processes and in designating land for infrastructure (Department of Infrastructure, Local Government and Planning 2017).

The SPP, effective 3 July 2017, identifies 17 state interests across five broad themes as follows:

- Liveable communities and housing
- Economic growth
- Environment and heritage
- Safety and resilience to hazards

- Infrastructure

The SPP applies, to the extent relevant, when:

1. Making or amending a local planning instrument
2. Making or amending a regional plan
3. Designating premises for infrastructure
4. Local government is assessing a development application, if its planning scheme has not yet appropriately integrated the relevant SPP state interest policies
5. An assessment manager or referral agency other than local government is assessing a development application.

In relation to the Project, an assessment of the Project's compliance with the state interest policies and assessment benchmarks as outlined in Part E of the SPP has been undertaken in Table 3.4.

### **3.5.2.2 Relevance to the Project**

BAC seeks to ensure that Brisbane Airport development, where possible, is compatible with State planning provisions. An assessment of the Project's compliance with the SPP in relation to matters of State interest is provided in Table 3.4 below. The matters listed in Table 3.4 are those matters that were triggered by the SPP mapping or other Queensland Government mapping for the Project site.



Table 3.4 Compliance against relevant matters of State interest under the SPP

Matter of State Interest triggered under the SPP mapping within the Project site	Mitigation measure	Project compliance with State interest requirement
<b>State interest – biodiversity</b>		
<ol style="list-style-type: none"> <li>1) Development is located in areas to avoid significant impacts on matters of national environmental significance and considers the requirements of the <i>Environment Protection and Biodiversity Conservation Act 1999</i>.</li> <li>2) Matters of state environmental significance are identified and development is located in areas that avoid adverse impacts; where adverse impacts cannot be reasonably avoided, they are minimised.</li> <li>3) Matters of local environmental significance are identified and development is located in areas that avoid adverse impacts; where adverse impacts cannot be reasonably avoided, they are minimised.</li> <li>4) Ecological processes and connectivity is maintained or enhanced by avoiding fragmentation of matters of environmental significance</li> <li>5) Viable koala populations in South East Queensland are protected by conserving and enhancing koala habitat extent and condition.</li> </ol>	<p>The SPP mapping identifies “<i>regulated vegetation (intersecting a watercourse)</i>”, “<i>regulated vegetation</i>”, “<i>Matter of State Environmental Significance (MSES) - High Ecological Significance wetlands</i>” and “<i>MSES – Wildlife habitat</i>” within the Project site. However, the area in which the Project is to be located is highly modified with existing and future development proposed as part of the Brisbane Airport 2014 Master Plan. Appropriate environmental mitigation measures will be implemented to reduce any potential negative impacts on the receiving environment, as discussed throughout this EAR.</p>	<p>Achieved</p>

Matter of State Interest triggered under the SPP mapping within the Project site	Mitigation measure	Project compliance with State interest requirement
<b>State interest – water quality</b>		
<p>The following requirements are assessment benchmarks for the development:</p> <ol style="list-style-type: none"> <li>1) Development is located, designed, constructed and operated to avoid or minimise adverse impacts on environmental values arising from: <ol style="list-style-type: none"> <li>a) altered stormwater quality and hydrology</li> <li>b) wastewater</li> <li>c) the creation or expansion of non-tidal artificial waterways</li> <li>d) the release and mobilisation of nutrients and sediments.</li> </ol> </li> <li>2) Development achieves the applicable stormwater management design objectives outlined in tables A and B (appendix 2)</li> <li>3) Development in a water supply buffer area avoids adverse impacts on drinking water supply environmental values.</li> </ol>	<p>Section 7 provides an assessment of the Project in relation to the environmental values of receiving waters, in particular an assessment of the potential impacts to stormwater quality and flow.</p> <p>While an assessment of the Project against the SPP Code: Water Quality is not strictly necessary, the performance outcomes and acceptable outcomes of the Code provide guidance on best practice environmental management for the Project. The following guidance should be considered for the Project:</p> <ul style="list-style-type: none"> <li>■ Planning to avoid/minimise new impacts, such as: <ul style="list-style-type: none"> <li>– Preparation of stormwater quality management measures for the site that is consistent with any existing stormwater management planning for the area, and meeting appropriate design objectives</li> <li>– Wastewater (including septic waste and contaminated stormwater captured within spill containment bunds) is to be managed through the implementation of a waste management plan during construction (refer Section 12)</li> </ul> </li> <li>■ Construction to avoid/minimise new impacts: <ul style="list-style-type: none"> <li>– Preparation of an ESCP</li> </ul> </li> </ul>	<p>Achieved</p>
	<ul style="list-style-type: none"> <li>■ Operate to avoid/minimise impacts: <ul style="list-style-type: none"> <li>– Development incorporates stormwater flow control measures to achieve design objectives outlined in the SPP Code, or current best practice environmental management, including management of frequent flows, peak flows, and construction phase hydrological impacts using Water Sensitive Urban Design (WSUD) treatments</li> <li>– Manages wastewater discharges to non-tidal artificial waterways</li> </ul> </li> <li>■ Avoids lowering groundwater levels where potential and actual ASS are present</li> </ul>	

Matter of State Interest triggered under the SPP mapping within the Project site	Mitigation measure	Project compliance with State interest requirement
<b>State interest – natural hazards</b>		
<p>Development:</p> <p>1) Development avoids natural hazard areas, or where it is not possible to avoid the natural hazard area, development mitigates the risks to people and property to an acceptable or tolerable level.</p>	<p>The Project site is located within a mapped bushfire hazard area – “<i>High Potential Bushfire Intensity</i>”. However, the Project site will be cleared of vegetation upon commencement of Project works, thereby removing the risk from bushfires.</p> <p>The Project site is also located in a high and medium storm tide coastal hazard area, and an erosion prone area. Appropriate mitigation measures will need to be adopted to address erosion and sediment control as described in Section 5.</p> <p>Flood immunity of the Project site will be achieved through protection by the higher levels of the enclosing road embankments of Moreton Drive, Nancy Bird Way and Airport Drive. To achieve 1:100 year flood immunity, the Airport Drive median would need to be raised by up to 200 mm in some areas through landscaping. These road systems combined with potential flap gates installed on a number of major culvert crossings will prevent backwater from regional flood events and storm surge/tidal events entering the Project site.</p>	Achieved
<p>2) Development supports and does not hinder disaster management response or recovery capacity and capabilities.</p>	<p>The road access network around the Project site provides efficient access to surrounding areas. The Project site will not inhibit disaster management response or recovery capacity and capabilities.</p>	Achieved
<p>3) Development directly, indirectly and cumulatively avoids an increase in the severity of the natural hazard and the potential for damage on the site to other properties.</p>	<p>Previous development on the majority of nearby lots has involved extensive clearing, thereby significantly reducing the risk of bushfire hazards. The Project site will also be cleared of vegetation and is bounded by major roads, which will act as a firebreak in the event of a bushfire.</p>	Achieved
<p>4) Risks to public safety and the environment from the location of hazardous materials and the release of these materials as a result of a natural hazard are avoided.</p>	<p>During construction, hazardous material will be contained within appropriately sized bunds in accordance with AS1940.</p>	Achieved
<p>5) Natural processes and the protective function of landforms and the vegetation that can mitigate risks associated with the natural hazard are maintained or enhanced.</p>	<p>Flap/tidal gates may be installed at the major culverts into the Project site to prevent impacts from storm or tidal surges or regional flooding. A perimeter drain will be installed in accordance with the recommended mitigation measures in this EAR.</p>	Achieved

Matter of State Interest triggered under the SPP mapping within the Project site	Mitigation measure	Project compliance with State interest requirement
<b>State interest – strategic airports and aviation facilities</b>		
<ol style="list-style-type: none"> <li>1) Development and associated activities do not create a permanent or temporary physical or transient intrusion into a strategic airport's operational airspace, unless the intrusion is approved in accordance with the relevant federal legislation.</li> <li>2) Development and associated activities do not include light sources or reflective surfaces that could distract or confuse pilots within a light restriction zone or lighting area buffer.</li> <li>3) Emissions do not significantly increase air turbulence, reduce visibility or compromise the operation of aircraft engines in a strategic airport's operational airspace.</li> <li>4) Development and associated activities do not attract wildlife or increase wildlife hazards within a wildlife hazard buffer zone.</li> <li>5) Development and associated activities within a building restricted area do not interfere with the function of aviation facilities.</li> <li>6) Development does not increase the risk to public safety within a public safety area.</li> <li>7) Development within the 20 ANEF contour or greater is appropriately located and designed to prevent adverse impacts from aircraft noise.</li> </ol>	<p>The Project site is within the 35 to 47.5 OLS contour. Project plant and equipment will not exceed this height and as such, an approval from the Secretary of the DIRD under the Airports Act is not required.</p> <p>The Project site will not adversely impact on the safety, efficiency and operational integrity of the airport and aviation facilities, as described below:</p> <ul style="list-style-type: none"> <li>■ As 24 hour operations may be required, lighting may be used during construction of the Project and consideration will need to be given to appropriate night lighting, in accordance with Civil Aviation Safety Authority's (CASA) <i>Manual of Standards Part 139 – Aerodromes (Lighting in the Vicinity of Aerodromes)</i> (refer Section 13).</li> <li>■ During construction, appropriate mitigation measures will be put in place to ensure emissions do not impact on air turbulence, visibility or compromise the operation of aircraft engines.</li> <li>■ Project activities are unlikely to result in safety hazards associated with wildlife, however, mitigation measures to protect wildlife are provided in Section 6.5</li> <li>■ Project activities will not interfere with the function of aviation facilities.</li> <li>■ The Project site is not located within the airport's public safety area</li> <li>■ Project activities do not constitute a sensitive land use and are therefore not sensitive to impacts from aircraft noise</li> </ul>	<p>Achieved</p>

## **3.6 Local government policy and planning documents**

### **3.6.1 Brisbane City Council City Plan 2014**

#### **3.6.1.1 Background**

BCC's City Plan 2014 designates Brisbane Airport as 'Special Purpose (Airport)'. BCC's Strategic Plan within the City Plan acknowledges that major industry areas have grown around the Brisbane Airport as part of the Australia TradeCoast region that supports business growth.

Under the 'Airport Precinct' of the Australia TradeCoast Neighbourhood Plan, the City Plan states that:

*“Appropriate land use activities are identified in the Brisbane Airport Master Plan under the control of the Brisbane Airport Corporation.”*

Accordingly, the BAC Master Plan guides the intended land uses on airport land, permitting a broad range of appropriate land use activities that are consistent with BAC's development objectives for the airport.

#### **3.6.1.2 Relevance to the Project**

BAC has ensured Brisbane Airport development, where possible, is compatible with local planning strategies. The Project is located within the Airport Precinct under the Australia TradeCoast Neighbourhood Plan. Land use activities in this precinct are regulated by the BAC Master Plan.

# 4 Land use

## 4.1 Introduction

This section provides an explanation of the land uses within and surrounding the Project site. It also assesses consistency with the intent of the BAC 2014 Master Plan. Consideration is given to any existing building approvals obtained since 2014 that are within close proximity to the Project site. An assessment of any potential impacts to these land uses has been undertaken and mitigation measures have been recommended.

## 4.2 Methodology

A review of aerial photography has identified existing land uses within the Project site. The BAC 2014 Master Plan and Building Approvals Register were also reviewed to determine what the intended uses are for the Project site.

## 4.3 Relevant documents

### 4.3.1 BAC Master Plan

A summary of the contents of the BAC 2014 Master Plan is provided in Section 3.3.2. The Project site is located within the Airport Central (Airport Drive West) sub-precinct within the 'Mixed use' zone.

It is considered that the Project is consistent with intended uses under the 'Mixed use' zoning for the Project site. The Master Plan outcomes for this zoning are to:

- i) *Provide for a diverse mix of uses tailored to the role and function of Brisbane Airport and its surrounding area and to enable a level of economic and social activity to serve the intended mix of visitors, workers and residents.*
- ii) *Provide premises to accommodate firms seeking to combine their corporate office and manufacturing and distribution industry functions.*
- iii) *Provide for a mix of industrial activities, commercial enterprises and workshops, facilitated and supported by office activities set in a business park environment.*
- iv) *Development provides for a wide range of industry and business uses, including clean low impact industry, research and technology facilities, knowledge creation and entrepreneurial activities and service industries that are more compatible with urban areas.*
- v) *Development results in a use that activates the Mixed Use zone at different times of the day and week to create a vital and vibrant environment.*
- vi) *Ensure a high quality commercial environment with an intensity and form of development that is tailored to the location.*
- vii) *Provide for development that capitalises on proximity to Australia TradeCoast and Brisbane Airport commercial environment.*
- viii) *Development of buildings is of a height, bulk, scale and form tailored to its specific location and to the characteristics of the site.*

- ix) *Development provides a built form that creates a consistent and cohesive streetscape and aligns with pedestrian connections and shelter.*
- x) *Development provides consistent and cohesive landscape and streetscape treatments.*
- xi) *Development is sensitively designed and operated to avoid or mitigate any potential adverse impact on an adjoining use.*
- xii) *Enables interim uses within the zone prior to land being needed for development activities.*

A range of intended uses for this zone are listed in the BAC 2014 Master Plan and includes hotels, outdoor sales, recreation and sport facility and showroom. Given that this Project is for the earthworks component of a test track, car dealerships, hotels and exhibition and conference activities, it is considered that the Project is consistent with the intended use of the land.

## 4.4 Existing environment

### 4.4.1 Aerial photograph review

The Project site is moderately disturbed and predominately contains casuarina plantations with some mangrove communities and grasslands. There are two main drainages lines that traverse the Project site, which are connected to Landers Pocket Drain, including one that flows from Nancy Bird Way in the north and another than flows across the Project site from Moreton Drive. There are a number of existing fire trails and tracks that run through the Project site, which will be removed during Project works.

The Project site is surrounded by a combination of airport activities, car parking, new developments and casuarina plantations, including:

- Central Parking Area (CPA), including the remote public car park (located along Nancy Bird Way and Ivy May Way)
- Brisbane Airport Services Centre (located on the corner of Moreton Drive and Nancy Bird Way)
- Kingsford Smith Memorial and the Southern Cross Aircraft (located on the corner of Airport Drive and Nancy Bird Way)
- International Terminal, including car parking and hire cars
- Airtrain (International Terminal) Station
- Warehouses and commercial tenancies (located along on Qantas Drive)

Beyond the immediate proximity of the Project site and north of the Kedron Brook is the Nudgee Golf Course, Banyo industrial and residential areas, the North Brisbane Junior Motorcycle Club, St Paul's Theological College, and the Earnshaw State College. Located to the south of the Project site are the Eagle Farm and Pinkenba industrial areas, the Pinkenba residential community and port facilities. The nearest sensitive residential receptors to the Project site include:

- Northgate State School (2.6 km west)
- Hendra State School (2.75 km south west)
- Novotel Hotel (1.8 km south west)
- Tadpoles and Joey Club Childcare Centre (2.1 km south west)
- Pullman and Ibis Hotel (1.5 km north) (under construction)

### 4.4.2 Current development activity

A search of BAC's Register of Building Applications (2017) identified a number of current building applications and approvals within close proximity to the Project site (refer Table 4.1).

Table 4.1 Current building applications and approvals within close proximity to the Project site (as at 9 June 2017)

Application Ref No.	Details	BAC Determination	ABC Determination
2014/032	Landers Pocket Drain Relocation	Consent Issued – 17/10/2014	Building Approval Issued – 28/10/2014, 26/11/2014
2014/045	CPA Staff Car Park Stage 3 & 4 – 8 Bert Hinkler Drive	Consent Issued – 13/07/2015	Building Approval Issued – 27/07/2015, 11/11/2015
2014/046	Banksia Place Car Park	Consent Issued – 23/10/2014	Building Approval Issued – 10/11/2014
2014/054	Hertz CPA Shade Sail – 22 Ivy May Way	Consent Issued – 27/03/2014	Building Approval Issued – 11/04/2014
2014/069	Modification of Advertising Sign 4001-06-I – Airport Drive	Consent Issued – 14/05/2014	-
2014/112	Phase 2 NPR Project	Consent Issued – 05/02/2016 03/08/2016	Building Approval Issued – 01/03/2016, 05/09/2016
2014/116	CPA Rental Overflow Facility – 7 Ivy May Way	Consent Issued – 26/06/2015	Building Approval Issued – 21/07/2015
2014/178	ITB to Service Centre Shared Path – Nancy Bird Way & Great Barrier Road	Consent Issued – 19/11/2015	Building Approval Issued – 21/01/2016
2015/046	Banksia Place Amenities Upgrade	Consent Issued – 07/05/2015	Building Approval Issued – 17/06/2015
2015/057	CPA Remote Public Car Park – Nancy Bird Way	-	-
2015/063	Airservices Onesky Project – Airport Drive, ATSC Centre	Consent Issued – 22/03/2016	Building Approval Issued – 31/03/2016, 01/05/2016
2015/101	Fitout for Repco at Building 212 – 51-57 Qantas Drive	Consent Issued – 08/09/2015	Building Approval Issued – 08/09/2015
2015/137	Installation of Pylon Sign for KFC – Corner of Moreton Drive and Nancy Bird Way	Consent Issued – 06/10/2015	Building Approval Issued – 13/11/2015
2015/188	CPA Fibre Link – South West Corner of Moreton Drive and Nancy Bird Way	Consent Issued – 16/02/2016	Building Approval Issued – 08/03/2016
2016/016	Direct Couriers – 20-24 Qantas Drive	Consent Issued – 27/06/2016	Building Approval Issued – 15/08/2016
2016/021	Department of Agriculture and Water Resources Stage 2 Alterations – 42-44 Qantas Drive	Consent Issued – 26/05/2016	Building Approval Issued – 03/06/2016
2016/044	Department of Agriculture and Water Resources Stage 3 Alterations – 42-44 Qantas Drive	Consent Issued – 05/09/2016	Building Approval Issued – 05/09/2016
2016/068	Brisbane Control Tower Complex Life Extension Project	Consent Issued – 20/10/2016	Building Approval Issued – 08/11/2016
2016/088	Sandvik Fire Panel Replacement – 60-62 Qantas Drive	Consent Issued – 07/09/2016	Building Approval Issued – 22/09/2016
2016/150	Fit Out of Australian Federal Police – Qantas Drive	Consent Issued – 22/11/2016	Building Approval Issued – 13/12/2016
2017/008	FedEx Building Hardstand Extension – Qantas Drive	Consent Issued – 31/01/2017	Building Approval Issued – 24/02/2017

Source: BAC 2017



### 4.4.3 Current services

A number of existing services are located within the Project site. An underground Energex high voltage cable runs through the site from Airport Drive to Moreton Drive and a substation is present in the southern portion of the Project site. An underground high voltage cable also runs across the north corner of the Project site from the Service Centre on Nancy Bird Way to the CPA.

An underground gas pipe also runs across the north western boundary of the Project site.

Drainage lines also run across the Project site connecting two culverts underneath Nancy Bird Way, one culvert underneath the southern section of Airport Drive, and two culverts underneath Moreton Drive.

## 4.5 Potential impacts

Given the existing condition of the Project site, site preparation works will be required prior to the commencement of construction, including vegetation clearing, ground improvement works, filling, crushing, surcharging and realignment of the drainage channels. As such, there is the potential for the Project to cause minor impacts to the surrounding land uses.

The Kingsford Smith Memorial, which houses the Southern Cross Aircraft, is located approximately 95 m from the north eastern corner of the Project site and is a publically accessible heritage place listed on the Brisbane Airport Heritage Register.

Potential dust and noise emissions may occur during construction of the Project. Assessment and mitigation of dust and noise issues is discussed in Sections 8 and 9 respectively.

During construction, the Project may impact on the existing municipal services located within the Project site, particularly the underground Energex high voltage cable. Once confirmation of the type, depth and location of these services is confirmed, any potential impacts will be managed during the Project design.

The construction of the Project will not result in significant impacts to traffic circulation in the surrounding area, although temporary disruption may occur for short periods (refer Section 13). Minor impacts to accesses of surrounding properties and tenancies may be experienced.

Overall it is considered that there would be minimal impacts to surrounding land uses, however, any ecological and social impacts will be managed in accordance with the mitigation measures outlined in Sections 6.5 and 10.6, respectively.

## 4.6 Mitigation measures

Table 4.2 recommends management measures to mitigate the potential impacts identified above.

Table 4.2 Land use potential impacts and mitigation measures

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
Access restrictions and impacts to traffic circulation during construction the Project	Minimise impacts to adjacent tenancies and airport users access during construction	<ul style="list-style-type: none"> <li>■ Undertake consultation with adjacent tenancies to notify them of the Project</li> <li>■ Implement the traffic management measures as recommended in Section 13.6</li> </ul>	Pre-construction/ construction	Requirement to be included in the EMP
Disturbance to Energex and BAC services	Undertake consultation with service providers to determine appropriate relocation procedures	<ul style="list-style-type: none"> <li>■ Energex and BAC services will need to be protected in consultation with Energex and asset managers in BAC to determine the need for any consent and access arrangements</li> </ul>	Detailed design/ pre-construction	BAC to address
Dust, noise and vibration impacts to adjacent land uses	Minimise dust and noise impacts to adjacent tenancies and residents through the implementation of dust and noise monitoring programs	<ul style="list-style-type: none"> <li>■ Implement dust, noise and vibration monitoring programs and mitigation measures as outlined in Sections 8.7 and 9.6 respectively</li> </ul>	Detailed design/ construction	Requirement to be included in the EMP

# 5 Geology, soils, topography and contaminated land

## 5.1 Introduction

This section outlines the issues relating to geology, soils, topography and land contamination associated with the Project and discusses appropriate mitigation measures to be undertaken during the construction phase.

## 5.2 Methodology

A desktop review of the background information, mapping, databases and existing reports has been undertaken, as well as a review of relevant legislation and guidelines, to identify the existing conditions within the Project site.

Aurecon has undertaken a review of reports detailing the topography, geology, soils and site history within the Project site. In particular, Golders (2016a; b) have undertaken a contamination assessment of soil and groundwater, including a risk assessment for per- and poly- fluoroalkyl substances (PFAS), in addition to an acid sulfate soil (ASS) assessment (Golders 2016c; d). Findings from these reports have been incorporated into the EAR with the full investigations provided in Appendices D and E respectively. Golders have prepared an ASS Management Plan for the Project which is provided in Appendix F.

PSK Environmental prepared an Asbestos Containing Materials (ACM) Management Plan to be implemented should any ACM be identified on the surface or in the soil recovered during clearing and excavation works. The ACM Management Plan has been provided in Appendix G.

Potential impacts were able to be identified based on a review of this information, and mitigation measures to address these potential impacts have been recommended.

## 5.3 Relevant documents

### 5.3.1 Airports (Environment Protection) Regulations 1997

Schedule 3 of the AEPR outlines accepted limits for soil pollution. Baseline data collected as per the Golder Contamination Assessment, and Acid Sulfate Soil Assessment Reports for the Auto Mall project, in addition to NEPM procedures, are to be incorporated as part of the project assessment framework.

### 5.3.2 National Environment Protection (Assessment of Site Contamination) Measure 1999 (Amendment 1, 2013)

Schedule B1 of *National Environment Protection (Assessment of Site Contamination) Measure 1999 (Amendment 1, 2013)* (NEPM 2013) provides a framework for the use of investigation and screening levels. The framework is based on a matrix of human health and ecological soil and groundwater investigation and screening levels and guidance for specific contaminants. These measures are more up to date criteria than the AEPR soil pollution limits and as a consequence should be adopted where relevant and approved by the AEO.

### **5.3.3 Health Based Guidance Values for PFAS for Use in Site Investigations in Australia**

In April 2017, the Department of Health released final health based guidance values (HBGVs) for PFAS in drinking water and recreational water based on a tolerable daily intake produced by Food Standards Australia and New Zealand.

### **5.3.4 CRC Care Assessment management and remediation for PFOS and PFOA**

The Cooperative Research Centre for Contamination Assessment and Remediation of the Environment (CRC Care) (2017) released Technical Report No. 38, which provides screening levels for PFAS in soil and water for the protection of human health and the environment.

CRC Care (2017) has derived health screening levels (HSLs) for PFAS in soil for low density residential (HSL (A)), high-density residential (HSL (B)), open space/recreational (HSL (C)) and commercial/industrial (HSL (D)). The Project site is considered to be commercial/industrial and as such, HSL (D) will apply.

For PFAS in marine water, the 95% species protection value for slightly to moderately disturbed marine systems will be adopted.

### **5.3.5 Managing PFC Contamination at Airports – Interim Contamination Management Strategy and Decision Framework (GHD 2015)**

GHD prepared the guideline *Managing PFC Contamination at Airports – Interim Contamination Management Strategy and Decision Framework* for Airservices Australia and DIRD for the management of PFAS on Airport Land.

This guideline provides interim screening levels (ISLs) in soil, groundwater and surface water for the protection of human health and the environment.

## **5.4 Existing environment**

This section provides an overview of the existing condition of the Project site in regards to topography and erosion potential, geology and soil landscape, ASS and contaminated land.

### **5.4.1 Geology and soils assessment**

#### **5.4.1.1 Topography**

As reported in Golders (2016a; b), the Project site is typically flat and low-lying with a surface elevation of approximately 2.4 m AD. The Project site is heavily dominated by planted casuarina forest and mangroves. Man-made drainage channels cross the southern and northern portions of the site. Low lying areas are present in multiple areas across the site, accumulating water during periods of high rainfall, and also potentially during high tide events. Landers Pocket Drain is the closet major surface water body feature, located approximately 100 m west of the Project site (across Moreton Drive). Surface water in Landers Pocket Drain flows into the Kedron Brook Floodway Drain. The ultimate receiving environment of surface water is Moreton Bay. Further detail on the site hydrology is provided in Section 7.

#### **5.4.1.2 Geology and soil landscape**

##### **5.4.1.2.1 Desktop assessment**

A summary of the geology and soils of the Project site has been provided based upon a review of existing mapping information and the ASS investigations undertaken by Golders (2016c; d). *The Soil Landscapes of Brisbane and South-Eastern Environs, Queensland* (CSIRO 1987) indicates that the Project site is situated within an alluvial landscape likely to feature the *Woongoolba* landscape comprising:

- Dominant Soil Group – humic gleys, peaty gleys and solonchaks

- Landscape and Parent Geology – low (coastal) plains of alluvium and narrow depressions

These soil profiles are young alluvium that frequently contains moderate to high concentrations of pyritic material and fine organic matter. This soil unit is generally associated with ASS.

The Brisbane Queensland Geological Series Map (Department of Mines, Sheet 9543, 1986, scale: 1:100,000) indicates that the Project site is located on alluvial deposits of Holocene age.

A search of the Australian Soils Resource Information System (ASRIS) online mapping (CSIRO 2017) on 15 March 2017 indicates that the Project site has an Anthroposol soil profile which comprises sand, loamy sand or clayey sand horizon (<10%) underlain by a light to light medium clay horizon (35-45%) with a surface and subsurface pH level of approximately 3.0 to 4.8.

#### 5.4.1.2.2 Results from fieldwork

Soil profiles encountered by Golders (2016c; 2016d; 2016e) during their investigations comprised:

- Crust (Topsoil) – A desiccated layer generally comprising loose silty sand and sandy clay generally between 0.1 to 0.3 m bgl
- Recent Alluvium (Holocene) – Compressible, inter-bedded sandy clays and clayey sands (Upper Holocene) from approximately 0.0 to 9.0 m bgl
- Younger Alluvium (Holocene) – Highly compressible, inter-bedded sandy clays and clayey sands (Upper Holocene) and silty clays (Lower Holocene) extending to depths up to 30 m bgl in some areas
- Older Alluvium (Pleistocene) – Stiff to very stiff clays, medium dense sands, and firm to hard clayey silt up to a depth of 30 m bgl.
- Bedrock – Fine to medium grained with low to medium strength (either basalt or sandstone).

These findings are consistent with the literature detailed in Section 5.4.1.2.1.

## 5.4.2 Site history

### 5.4.2.1 Site history findings

A historical title search confirms that the Commonwealth of Australia has owned the Project site since 1994.

Contaminated sites on Brisbane Airport land are listed on a Contaminated Sites Register (CSR) which BAC maintains. Upon review of the AES (BAC 2014a), one site was listed on the CSR as occurring within the Project site (Site 28). Two additional sites (Sites 36 and 47), which are thought to have contained commercial service stations, were located within close proximity to the Project site but are not likely to impact the proposed works.

Site 28 is located within the Project site and is listed as low risk according to the Brisbane Airport CSR. Golders (2016a; 2016b) identified Site 28 as black sands, which is '*located at the southern end of the Auto Mall Precinct within the Stage 2 investigation area, on the boundary with the Stage 1 investigation area*'. Potential contaminants of concern associated with the black sands include heavy metals, minerals and radioactivity (Golders 2016b).

No additional sites listed on the CSR are located within the Project site.

During the construction of the Brisbane Airport precinct, mineral sands may have been placed on the Project site. The mineral sands were likely to be sourced from the mining activities on North Stradbroke Island where rutile, zircon and ilmenite are mined. These minerals contain titanium and zirconium metals as well as associated naturally occurring radioactive materials (Golders 2016a).

A review of historical aerial photographs indicates that the Project site itself has also been used for agricultural purposes from 1946 (the earliest historical aerial photograph available) until the early 1980s.

Filling of the Project site occurred in the 1980s with the fill material likely to have been excess sand sourced from Moreton Bay or North Stradbroke Island for the development of Brisbane Airport (Erskine 1990). In 1983, during filling of the Project site, surface water drains were also installed.

The historical aerial photographs also indicate the following:

- 1987 – Kingsford Smith Memorial erected at the intersection of Nancy Bird Way and Airport Drive
- 2007 – Energex substation constructed within the Project site
- 2009 – Southern portion of the Project site used as an asphalt batching plant and for stockpiling for the Moreton Drive construction

### 5.4.3 Acid sulfate soils assessment

#### 5.4.3.1 Findings

This section provides a summary of the findings from the ASS investigations undertaken by Golders (2016c; 2016d). For the ASS investigations, the site was divided into stages; Stage 1 (north of the Energex cable) and Stage 2 (south of the Energex cable). Sampling locations are provided in Figure 5.1.

The Department of Natural Resources and Mines, 1:100,000 scale Map 1 “Acid Sulfate Soils – Tweed Heads to Redcliffe” indicates that the site is situated in an area mapped as:

*“Acid Sulfate on Disturbed Land - disturbed land (eg canal estates, marinas, aquaculture, quarry, urban, and industrial likely to contain ASS In some cases partial or full treatment may have been undertaken). Limited field investigation.”*

A search of the ASRIS online mapping (CSIRO 2017) on 14 March 2017 indicates that the Project site is classed as A2, which is a high probability of ASS occurring with moderate confidence.

Based on previous ASS investigations undertaken by Golders (2016c; d), medium to high levels of actual acid sulfate soil (AASS) and potential acid sulfate soil (PASS) occur within the proposed Project site.

The Stage 1 ASS investigation determined that AASS materials are present from the ground surface to depths approximately 0.8 m AD and 1.2 m AD and deeper in isolated pockets where previous localised ground disturbances may have occurred (Golders 2016c). AASS was detected in materials below the water table which indicated that the groundwater table had been historically lower in this area (Golders 2016c). Calculated liming rates to neutralise net acidity in the identified AASS materials range from about 5 kg/m<sup>3</sup> to 30 kg/m<sup>3</sup>. PASS materials underlie the AASS materials across the Stage 1 site, however net acidity varies considerably. Calculated liming rates to neutralise net acidity in the identified PASS materials include:

- 15 kg/m<sup>3</sup> to 60 kg/m<sup>3</sup> (northern and southern ends of Stage 1 area)
- 90 kg/m<sup>3</sup> to 150 kg/m<sup>3</sup> and up to 320 kg/m<sup>3</sup> (centre of the Stage 1 area)

The Stage 2 ASS investigation by Golders (2016d) indicated that AASS materials are present from the ground surface to depths of approximately -0.13 m AD. AASS has been detected in materials below the water table which indicates that the groundwater table has been historically lower (Golders 2016d). Calculated liming rates to neutralise existing acidity in the identified AASS materials range from about 3 kg/m<sup>3</sup> to 13 kg/m<sup>3</sup>. PASS materials are present from approximately 3.33 m AD to -0.33 m AD and throughout the majority of the sampling locations. Calculated liming rates to neutralise net acidity in the identified PASS materials includes:

- 3.0 kg/m<sup>3</sup> to 14.2 kg/m<sup>3</sup> (southwestern quadrant of the Stage 2 area)
- 12.9 kg/m<sup>3</sup> (centre of the Stage 2 area)
- Up to 284 kg/m<sup>3</sup> (north western boundary of Stage 2 area)

Groundwater samples collected from the Project site suggest a variable or historically disturbed environment. At the northern end of the Stage 1 area, the groundwater had adequate buffering capacity to maintain an acceptable pH level in the presence of minor acid generation. However, groundwater samples from the remainder of the Stage 1 area and across the Stage 2 area indicated a buffering capacity inadequate to maintain stable, acceptable pH level in areas vulnerable to acidification.

Full copies of the investigations are provided in Appendix D.

#### **5.4.3.2 Relevance to the Project**

Medium to high levels of AASS and PASS occur within the Project site and as such, an ASS Management Plan has been prepared for the Project, which incorporates a number of measures to mitigate and control potential impacts relating to the disturbance of ASS and groundwater during earthworks (refer Appendix F).

### **5.4.4 Contaminated land assessment**

#### **5.4.4.1 General contaminants**

##### **5.4.4.1.1 General**

Golder (2016a; b) conducted a contamination assessment of the soil and groundwater within the Project site from December 2015 to October 2016. For the contaminated land investigations, the site was divided into stages; Stage 1 (north of the Energex cable) and Stage 2 (south of the Energex cable). Findings are summarised below.

Golders (2016a; b) identified a known contaminated site (Site 28 – black sands) which is '*located at the southern end of the Auto Mall Precinct within the Stage 2 investigation area, on the boundary with the Stage 1 investigation area*'. Potential contaminants of concern associated with the black sands include heavy metals, minerals and radioactivity (Golders 2016b). No additional CSR listed sites were identified within the Project site.

Golders (2016a; b) identified an asphalt batching plant in the southern portion of the Project site (utilised in 2009), which was associated with the construction of Moreton Drive. This potential contamination source includes potential contaminants of concern including polycyclic aromatic hydrocarbons, phenols and total recoverable hydrocarbons (Golders 2016a; b).

Full copies of the investigations are provided in Appendix E.

##### **5.4.4.1.2 Soils**

No exceedances of the AEPR guidelines were detected for heavy metals. Exceedances were detected above the NEPM 2013 environmental investigation levels (EILs) for nickel and zinc in four shallow soil samples collected from the western and eastern portions of the Project site. However, the 95% Upper Confidence Limit (UCL) for nickel and zinc in the soil is below the EILs (Golders 2016b). Titanium concentrations are present in the eastern portion, potentially relating to the historical placement of mineral sands (Golders 2016b).

Results from the subsurface boreholes found layers of material possibly associated with mineral sand deposition at five borehole locations, generally between 0.0-0.1 m bgl, with one layer being detected between 0.5-0.6 m bgl and another being detected at 1.75-2.0 m bgl. These samples were tested for the presence of naturally occurring radioactive materials using a Thermo Scientific *Radeye*<sup>TM</sup> radioactivity meter. No levels were reported higher than the background radiation levels for these samples, nor during a site walk over measuring radioactivity levels at ground level.

##### **5.4.4.1.3 Groundwater**

Five groundwater wells were sampled and analysed for filtered metals and metalloids in October 2016 (Golders 2016a; b). Concentrations of nickel and zinc above the AEPR Marine Water guidelines and NEPM 2013 Marine Water groundwater investigation levels (GILs) were detected in all samples collected.

#### 5.4.4.1.4 Relevance to the Project

Despite minor elevated metal and metalloid concentrations detected, Golders (2016a; b) concluded that a Contamination Management Plan for the two areas of the Project site (Stage 1 and Stage 2) is not required.

#### 5.4.4.2 PFAS

##### 5.4.4.2.1 Findings

It is understood that PFAS are present in the groundwater across Brisbane Airport. No known or potential PFAS contaminating activities were identified within or in the vicinity of the Project site. Known PFAS source areas at Brisbane Airport include the fire rescue training facilities and fire stations. Golders (2016a; b) have identified the nearest potential sources of PFAS to be:

- Satellite Fire Station, located approximately 3.9 km north of the Project site
- Fire Rescue Training Area, located approximately 4.8 km north of the Project site
- Main Fire Station, located approximately 2.3 km north east of the Project site
- JUHI facility along Hakea Street, located approximately 780 m north-east of the Project site
- Former JUHI facility along Lomandra Drive, located approximately 1.3 km south of the Project site

Golders (2016a; b) conducted an assessment of potential impacts and risks relating to soils, groundwater and potential off site migration of groundwater impacted with PFAS within the Project site during December 2015, with supplementary investigations completed during October 2016. Sampling locations targeted areas with potential contamination (ie locations with historical use of firefighting foams and at the CSR site).

Results from the soil sampling were analysed for PFAS. Concentrations of perfluorooctanesulfonic acid (PFOS) and/or perfluorohexanesulfonic acid (PFHxS) were present within the soil at four locations and were below the ISLs (GHD 2015) and HSL (D) (CRC Care 2017).

Results from the groundwater assessment also detected PFAS concentrations above the laboratory limit of reporting in the majority of samples but below the HBGV for drinking water (0.07 µg/L) in all instances except AM-MW14 and AM-MW16 in October 2016. All groundwater samples are below the HBGV for recreational water (0.7 µg/L).

Concentrations of PFAS were detected above the laboratory limit of reporting at the groundwater monitoring wells detailed in Table 5.1 and Figure 5.2.

Table 5.1 Groundwater concentrations of PFHxS and PFOS above the laboratory limit of reporting

Monitoring well	Concentration of PFHxS and PFOS (µg/L)
AM-BH08	0.004 (January 2016) 0.015 (October 2016)
AM-BH19	0.007 (January 2016) 0.007 (October 2016)
BIP/MW1	0.006 (January 2016) 0.019 (October 2016)
BIP/MW2	0.002 (January 2016) 0.002 (October 2016)
AM-MW10	0.066 (October 2016)
AM-MW14	0.405 (October 2016)
AM-MW15	0.054 (October 2016)
AM-MW16	0.314 (October 2016)

All groundwater samples had concentrations of PFOS exceeding the surface water ISL for human consumption of fish/aquatic species (0.65 ng/L) under the *Managing PFC Contamination at Airports – Interim Contamination Management Strategy and Decision Framework* (GHD 2015). However, it is



noted that this ISL is three times lower than the laboratory limit of reporting, using laboratory ultratrace methods, and therefore even non-detects will exceed this ISL.

Full copies of the investigations are provided in Appendix E.

#### **5.4.4.2.2 Relevance to the Project**

Despite minor elevated PFAS concentrations detected in the soil and groundwater, the risk to aquatic ecosystems and human health is considered low and Golders (2016a; b) concluded that a Contamination Management Plan for the two areas of the Project site (Stage 1 and Stage 2) is not required.

## **5.5 Potential impacts**

### **5.5.1 Geology and soils impacts**

During construction, existing soils and vegetation will be disturbed and there is potential for erosion and sedimentation to occur due to stockpiling and removal of vegetation if suitable control measures are not implemented. There is also the potential for erosion and sedimentation to occur due to crushing, screening and stockpiling of materials if suitable control measures are not implemented.

The Project site may also be susceptible to minor soil contamination during construction in instances where hydrocarbon or chemical leaks and small scale spills from construction vehicles and machinery occur.

### **5.5.2 Acid sulfate soils impacts**

Golders (2016c; d) provided a summary of potential impacts that could occur as a result of ASS within the Project site:

- Any site excavations will disturb ASS and will require management measures including lime treatment of excavated spoil. Excavation of the proposed perimeter drains to RL 0.2 m AD will result in AASS spoil and oxidation of PASS, which may require separate management measures.
- Filling and surcharging/preloading of the site will result in further AASS being “pushed” below the water table. Surcharging/preloading will also cause a slight mounding of the local water table, resulting in the temporary saturation of AASS. These will result in the release of acid to the groundwater and the subsequent stripping and mobilisation of metals. Groundwater impacted by acidity and metals may discharge to the surface and/or shallow drains immediately surrounding the Project site, but cannot discharge into Landers Pocket Drain as the site is bunded from external drains.

### **5.5.3 Contaminated land impacts**

There is the potential for ground disturbance associated with the construction of the Project to disturb and/or mobilise contamination in soil and groundwater. Aquatic ecosystems and persons who consume fish or other aquatic species downstream from where groundwater discharges into the receiving environment may be impacted from groundwater contamination.

In addition, if contaminated soils and groundwater are encountered during Project works, there is the potential for construction contractors to be exposed to contamination.

Based on Golders (2016a; b) investigations, concentrations of PFAS and metal/metalloids (nickel and zinc) were detected in the groundwater at the Project site. However, these contaminant concentrations are considered to be low and as such, the qualitative risk to human and aquatic ecosystem receptors is a low risk and can be mitigated through implementation of the measures outlined in Section 5.6.

## **5.6 Mitigation measures**

A range of mitigation measures have been recommended to address the potential impacts listed in Section 5.5 to geology, soils, topography and contamination are provided in Table 5.2 below.

An ASS Management Plan and an ACM Management have been prepared and are provided in Appendices F and G respectively.

Table 5.2 Soils, topography, geology and contaminated land potential impacts and mitigation measures

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
<b>Soil erosion and soil stability</b>				
Soil erosion and sedimentation of exposed soils Importation of fill may result in erosion and sedimentation	Implement an Erosion and Sediment Control Plan during construction	<ul style="list-style-type: none"> <li>■ Develop and implement an ESCP in accordance with relevant standards and guidelines, following these general requirements:                             <ul style="list-style-type: none"> <li>– All erosion and sediment control measures shall be constructed and maintained as per International Erosion Control Association (IECA) (2008) standard drawings</li> <li>– All erosion and sediment control devices shall remain in place until site stabilisation has been achieved, as directed by the BAC Environmental Advisor</li> <li>– Any potentially sediment-laden stormwater runoff shall pass through a sediment control device prior to discharging from the Project site</li> <li>– All materials received for crushing at the Project site must be stockpiled and crushed within the Project site with erosion and sediment control in place, in consultation with the BAC Environmental Advisor</li> </ul> </li> <li>■ The ESCP is to be prepared by a suitably qualified and experienced professional in accordance with the requirements of the IECA Guidelines (2008) (eg a Certified Professional in Erosion and Sediment Control (CPESC) or a Registered Professional Engineer of Queensland (RPEQ) with at least two years' experience in the management of erosion and sediment control that can be verified by an independent third party)</li> </ul>	Detailed design/ construction	Requirement to be included in the EMP
Soil erosion and sediment entering watercourses after vegetation removal and/or during bulk earthworks	Adopt erosion controls to minimise the erosion potential of the Project site	<ul style="list-style-type: none"> <li>■ For any completed earthworks or disturbed areas where construction is likely to be suspended, cover requirements are to be determined in consultation with the BAC Environmental Advisor and be in accordance with the IECA Guidelines (2008). The types of cover considered should include hydromulch, soil stabilising polymers, grasses, erosion control blankets etc.</li> <li>■ A perimeter drain to be installed on site for collection of runoff for treatment prior to discharge or for use as a dust suppressant during construction where necessary</li> <li>■ Staged land disturbance is to be completed where possible and include progressive stabilisation to minimise the duration of exposed soils</li> </ul>	During construction	Requirement to be included the EMP

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
Sediment being tracked onto paved areas	Avoid tracking sediment onto paved road areas	<ul style="list-style-type: none"> <li>■ Prior to leaving site, all construction plant in contact with site flora are to be inspected and cleaned as necessary to prevent the transport of fire ants, weeds and seeds</li> <li>■ All vehicles leaving the site will exit via the following sediment control measures: <ul style="list-style-type: none"> <li>– Primary treatment across rock surfaced roadways of nominally 120 m for trucks and plant and a minimum 50 m for light vehicles</li> <li>– All vehicles will traverse a minimum of three rumble/ shaker grids (approximately 7.5 m in length). All vehicles will then traverse over a two part (7 m plus 13 m) mass concrete driveway separated by rock</li> <li>– As a final tertiary measure, all vehicles will travel north on Airport Drive on an existing asphalt pavement (one lane of Airport Drive, which form part of the Project site) for a minimum of 340 m allowing "within site" control of sediment</li> </ul> </li> </ul>	During construction	Requirement to be included the EMP

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
Inadequate maintenance of ESC measures	Adopt proven maintenance principles across the Project site	<ul style="list-style-type: none"> <li>■ The following maintenance principles should be adopted on site: <ul style="list-style-type: none"> <li>– Maintenance of erosion and sediment control measures should continue until the Project site has been suitably stabilised and further disturbance of soil by erosion is prevented</li> <li>– Sufficient stockpiles of mulch, geotextile and/or other materials required for erosion and sediment control must be maintained on site to enable ongoing erosion control</li> <li>– Uncontaminated sediment removed from erosion and sediment control devices may be stockpiled and reused in landscaping or other fill projects, otherwise must be disposed of in an approved environmentally safe manner</li> <li>– Maintenance must be undertaken in accordance with requirements of IECA (2008) including standard drawings</li> </ul> </li> <li>■ Review the erosion and sediment control measures for effectiveness and check maintenance records</li> <li>■ Ensure all external drains are bunded from the Project site prior to undertaking earthworks within 50 m of inlets</li> <li>■ Consider the use of bunds and containment areas to be adopted as corrective actions in the event of a non-conformance</li> <li>■ The Construction Contractor is required to notify the site Superintendent immediately of any incidents with the potential to impact on water quality</li> <li>■ An incident/accident report form is to be filled out if any non-conformances are found</li> </ul>	During construction	Details to be provided in the detailed ESCP

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
<b>Disturbance of ASS due to excavation and filling areas</b>				
Adverse impacts arising from disturbance and treatment of ASS (fill and natural) on site	Avoid adverse impacts on the local receiving waters due to the placement of fill material	<ul style="list-style-type: none"> <li>■ Comply with the requirements of the ASS Management Plan, including: <ul style="list-style-type: none"> <li>– Staged construction of a lime cut-off trench along the western, southern and eastern boundaries of the Project site prior to commencement of filling/surcharging, within 50 m of the end of the installed trench until fully completed (northern boundary already contains suitable buffering capacity)</li> <li>– Placement of a 10 m wide strip of surface lime ‘guard layer’ under the perimeter of each surcharge area prior to placement of the drainage blanket, where wick drains are installed, to neutralise any seepage resulting from wick drains</li> <li>– Excavated ASS materials to be managed by stockpiling within nominated section of fill/surcharge platform and neutralising by lime treatment</li> <li>– Progressive construction of the perimeter drain in staged sections to monitor and treat groundwater discharges</li> <li>– Incorporation of lime into the walls and base of the perimeter drain to neutralise discharges to groundwater (higher lime application rates along the western site boundary to buffer acidic groundwater)</li> <li>– Isolation of drains from external discharge</li> </ul> </li> <li>■ During periods of earthworks, a weekly inspection will be undertaken by the BAC Environmental Advisor with the AEO invited to attend. Following completion of earthworks, inspections will be reduced in frequency, in consultation with the AEO</li> </ul>	Detailed design/ construction	Review and comply with ASS Management Plan during detailed design and construction
<b>Disturbance of contaminated land</b>				
Unexpected finds of contaminated soil during earthworks	Minimise exposure to potentially contaminated soil and manage unexpected finds of contaminated soil	<ul style="list-style-type: none"> <li>■ Immediately cease works in the event that odours, staining or any other signs of contamination are observed</li> <li>■ Commission a suitably qualified person to investigate potential contamination and provide recommended management measures</li> </ul>	Detailed design / construction	Requirement to be included in the EMP

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
Ground disturbance has the potential to disturb and/or mobilise contamination in soil and groundwater	Minimise soil disturbance in contaminated areas	<ul style="list-style-type: none"> <li>■ Comply with the following: <ul style="list-style-type: none"> <li>– For any existing material that requires removal from Airport land, testing of the excavated material should be undertaken in accordance with the legislative requirements for landfill disposal. The material could be tested immediately prior to excavating, or could be excavated and placed in a suitably bunded area for testing.</li> <li>– For any potentially contaminated material to be taken off Airport land, appropriate approvals and a Soil Disposal Permit should be obtained under the EP Act.</li> <li>– Implement the ACM Management Plan for the Project</li> <li>– For unexpected contamination finds such as odours, staining or other signs of contamination which are encountered during construction activities (eg if any deep excavations are required below the level of the clean imported fill), a suitably qualified consultant should be commissioned to assess the potential impact and recommend additional management strategies if required.</li> </ul> </li> <li>■ Details on the proposed groundwater monitoring for potential contamination issues are outlined in Section 7.6</li> </ul>	Construction	Review and comply with recommendations during construction
Ground disturbance has the potential to disturb and/or mobilise contamination at CSR Site 28 (Black sands)	Minimise soil disturbance at CSR Site 28	<ul style="list-style-type: none"> <li>■ Should potential contaminated materials (black sands) be observed during excavation within the CSR Site 28, material is to be stockpiled and the BAC Environmental Advisor is to be consulted for approval of investigation and management measures (in consultation with the AEO)</li> <li>■ These soils are to be stockpiled separately from other excavated soils or imported fill and are not to be placed in direct contact with the ground</li> <li>■ All personnel involved in identifying and handling contaminated material are to be appropriately trained and possess/use appropriate PPE as required</li> <li>■ During surcharging activities at CSR Site 28, groundwater monitoring is to be conducted on a monthly basis with groundwater samples analysed for metals/metalloids (including titanium) (refer Section 7.6 for further information regarding groundwater monitoring)</li> </ul>	Construction	Review and comply with recommendations during construction

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
<b>Waste soils</b>				
Storage and disposal of waste soil material including soil placement may result in sediment runoff and/or degradation of waterways	Minimise construction wastes and prevent impacts	<ul style="list-style-type: none"> <li>■ Design material stockpile areas and diversion drains to ensure protection from erosion and mobilisation of sediment resulting from runoff</li> <li>■ Locate material stockpile areas away from drainage pathways and waterways (with appropriate erosion and sediment control devices installed)</li> <li>■ Provide adequate disposal facilities for all types of construction wastes (refer Section 12 for further information), noting that the Project site will be isolated from external waterways during earthworks construction.</li> </ul>	Detailed design/ construction	Requirement to be included in the EMP
<b>Soil, surface water and groundwater contamination</b>				
Establishment and operation of construction sites may result in contamination of site soils, surface water and groundwater	Minimise on site sources of soil and water contamination	<ul style="list-style-type: none"> <li>■ Design to locate construction carpark, laydown areas and construction site compounds away from drainage pathways and waterways</li> <li>■ Drainage channels/storage basins constructed to prevent the escape of potential contaminants to groundwater</li> <li>■ Identify “no go” zones and restricted access and haul routes</li> <li>■ Manage waste spills on site to prevent soil contamination with the use of spill kits and user training</li> <li>■ Store materials and hazardous substances in accordance with AS1940-2004: The storage and handling of flammable and combustible liquids</li> <li>■ All waste generated on site is to be appropriately handled and disposed (refer Section 12)</li> </ul>	Detailed design/ construction	To be addressed during detailed design by BAC and requirements to be included in the EMP.



# 6 Ecology

## 6.1 Introduction

This section assesses the potential impacts of the Project upon flora and fauna. Suitable management and mitigation measures are proposed, where necessary.

As discussed in Section 3.1, the Project site is located on Commonwealth owned Airport land, therefore State Government legislation is not strictly applicable. Notwithstanding, this section addresses legislative requirements of both Commonwealth and State Governments, where applicable, for the benefit of decision-makers wishing to show due consideration to both State and Commonwealth ecological matters.

## 6.2 Methodology

The following tasks were undertaken to assess the ecological value of the Project site.

### 6.2.1 Desktop review

Relevant environmental databases and maps were reviewed to identify potential ecological constraints as well as significant flora and fauna species that may occur within the Project site. The following databases, maps and documents were reviewed:

- Aerial photographic images
- EPBC Protected Matters Database (3 km search-radius around the Project site) provided by DoEE (March 2017) (refer Appendix C)
- Wildlife Online (3 km search-radius around the Project site) provided by EHP (2017a) (refer Appendix C)
- Regional Ecosystem (RE) mapping provided by EHP (2017b)
- Regrowth Vegetation mapping provided by EHP (2017c)
- Essential Habitat mapping provided by EHP (2017d)
- Protected Plants Flora Survey Trigger mapping provided by EHP (2016a)
- The National Red Imported Fire Ant Eradication Program: Fire and biosecurity zones mapping provided by the Department of Agriculture and Fisheries (DAF) (March 2017) (DAF 2016b)
- Brisbane Airport Fauna Study (Lambert & Rehbein 2004)
- Chapter B5, New Parallel Runway Environmental Impact Statement (EIS)/MDP (BAC 2006)

### 6.2.2 Field survey

#### 6.2.2.1 General

A fauna and flora assessment within the Project site was undertaken by a qualified senior ecologist and an environmental scientist on 6 March 2017, as indicated in Table 6.1.

Table 6.1 Suitably qualified personnel

Name	Qualification	Experience
Dr Chris Schell (Senior Ecologist)	PhD Bachelor of Applied Science (Honours)	15 years
Georgina Kerr (Environmental Scientist)	Bachelor of Science (Environment) (Honours)	6 years

### 6.2.2.2 Flora

The flora assessment within the Project site included the following activities:

- Verify the extent, floristic structure and composition of vegetation communities
- Verify the mapping and classification of REs and Regrowth Vegetation
- Search for conservation significant plant species
- Identify the ecological values associated with the vegetation of the Project site

Given that the Project site is located outside of a “high risk area” as indicated on the Protected Plant Flora Survey Trigger Mapping (EHP 2016a), flora survey techniques as identified in the *Flora Survey Guidelines – Protected Plants Nature Conservation Act 1992* (EHP 2016b) were not required. However, to assess the diversity of flora species located within the Project site, random meander sampling (prescribed by Cropper 1993) was undertaken, listing all vascular flora species encountered. This included areas of disturbance and areas considered to support the highest habitat values. A broader sweep of individual communities was also undertaken to identify any significant flora species, and further refine community definitions.

The flora survey was conducted continuously during field investigations, to provide an incidental list of flora species present. Plant identifications were carried out utilising available flora and botanical reference material, where necessary.

### 6.2.2.3 Fauna

The fauna survey undertaken within the Project site included the following:

- Targeted searches for conservation significant fauna species and associated critical habitats (ie Wallum Froglet (*Crinia tinnula*))
- Incidental records of fauna species encountered

The random meander survey technique was adopted for all identified habitat types. Fauna species observed within or flying over the Project site during the fauna survey were identified to species level, where possible.

Fauna species within the Project site were identified through direct observation and/or vocal calls.

### 6.2.2.4 Habitat

Habitats within the Project site were assessed to determine their value for native flora and fauna species. The assessment focussed on identifying habitat features associated with conservation significant species. Particular attention was paid to habitat features including:

- Mangrove and tidal habitats
- The presence of mature trees with hollows
- Fissures and/or other suitable roosting/nesting places
- Areas of dense vegetation and leaf litter
- The presence of Koala (*Phascolarctos cinereus*) food trees
- Areas of dense vegetation and leaf litter
- Presence of hollow logs/debris

- Presence of fruiting/blooming flora species
- Vegetation connectivity and proximity to neighbouring areas of intact vegetation

### 6.2.2.5 Survey limitations

It should be noted that the detectability of plants and the ability to accurately identify plants to species level may vary greatly with the time of year, prevailing climate conditions, and the presence of reproductive material (flowers, fruit, seed capsules). However, every reasonable effort has been made to detect and accurately identify all such species.

Fauna surveys are also subject to inherent limitations in the detection success of target species. These limitations often result in a degree of false-absence records (a species is present, but not detected). It is therefore important that the fauna survey limitations are identified, and the fauna survey results are viewed with these constraints in mind. The limitations to the fauna surveys conducted include:

- The survey period not coinciding with the period that some migratory or nomadic species occur in the locality
- Species with a large home range (eg owls, raptors etc) not present at the time of survey
- The difficulty in detecting certain species during the survey period (ie cryptic species, species present within the survey location at very low densities etc)
- Biological features such as sex, age-class, and breeding biology that may influence habitat use and detectability during different times of the year
- The lack of suitable climatic conditions necessary for the presence and/or detectability of certain species (eg amphibians following heavy rainfall)

Consequently, the results of the flora survey should not be regarded as conclusive evidence that certain conservation significant flora species do not occur within the Project site. However, every reasonable effort has been made to detect and accurately identify all such species, given the disturbed nature of the site.

## 6.3 Existing environment

### 6.3.1 Desktop review

#### 6.3.1.1 Regional Ecosystems

Analysis of the EHP RE mapping for the Project site (refer Appendix C) indicates that three REs are present within the south-western portion of the Project site. The following REs are mapped as occurring on site: RE12.1.3, RE12.3.6 and RE12.3.5a. These REs are described in Table 6.2 below.

Table 6.2 Regional Ecosystems identified within the Project site

Regional Ecosystem	Management status		Description (adapted from the RE Description Database)
	VM Act status	Biodiversity status	
12.1.3	Least concern	No concern at present	Mangrove shrubland to low closed forest. Occurs on Quaternary estuarine deposits
12.3.6	Least concern	No concern at present	<i>Melaleuca quinquenervia</i> +/- <i>Eucalyptus tereticornis</i> , <i>Lophostemon suaveolens</i> , <i>Corymbia intermedia</i> open forest to woodland with a grassy ground layer dominated by species such as <i>Imperata cylindrica</i> . <i>Eucalyptus tereticornis</i> may be present as an emergent layer. <i>Eucalyptus seeana</i> may also occur in this ecosystem to the south and east of Brisbane. Occurs on Quaternary floodplains and fringing drainage lines in coastal areas

Regional Ecosystem	Management status		Description (adapted from the RE Description Database)
	VM Act status	Biodiversity status	
12.3.5a	Least concern	No concern at present	<p><i>Melaleuca quinquenervia</i>, <i>Casuarina glauca</i> +/- <i>Eucalyptus tereticornis</i>, <i>E. siderophloia</i> open forest. Occurs on lowest terraces of Quaternary alluvial plains in coastal areas. Palustrine wetland</p> <p><b>Note:</b> This RE has been identified as providing Essential Habitat for the Wallum froglet (<i>Crinia tinnula</i>) within the Project site.</p>

**Table note:**

VM Act = *Vegetation Management Act 1999* (Qld)

### 6.3.1.2 Essential Habitat

Analysis of the EHP Essential Habitat mapping for the Project site (refer Appendix C) indicates that essential habitat associated with a single species (ie Wallum froglet (*Crinia tinnula*)) is located within the Project site, in association with RE 12.3.5a. A description of RE 12.3.5a is provided in Table 6.2 and a description of the essential habitat mapped within the Project site is provided in Table 6.3 below.

Table 6.3 Essential habitat identified within the Project site

Essential habitat code	Scientific name	Common name	Conservation status of species (NC Act)	Vegetation community
686	<i>Crinia tinnula</i>	Wallum froglet	Vulnerable	Vegetation community is a mandatory essential habitat factor for this species. Permanent to ephemeral acidic (pH 4.3 - 5.2), soft freshwater in <i>Melaleuca</i> (eg <i>M. quinquenervia</i> ) swamps, sedgeland, wet and dry heathland (eg <i>Banksia robur</i> , <i>Xanthorrhoea</i> sp.) and wallum ( <i>Banksia aemula</i> shrubland/woodland) areas coastal lowlands on sand or sandstone, occasionally in adjacent open forest/woodland (eg <i>Eucalyptus racemosa</i> , <i>Corymbia citriodora</i> ) with heathy understorey; known to persist in small remnants (<10ha); may be found well away from water.

### 6.3.1.3 Flora

Analysis of State and Commonwealth databases indicates that nine conservation significant flora species have been identified, or have the potential to occur, within 3 km of the Project site. These species are listed in Table 6.4 below. An assessment of the likelihood of occurrence for these species was conducted and it was determined that no conservation significant flora species were likely to occur within the Project site. The assessment of the likelihood of occurrence of these species is provided in Appendix H.

Table 6.4 Conservation significant flora species identified as potentially occurring within the Project site

Scientific name	Common name	Conservation status		Source of record
		NC Act	EPBC Act	
<i>Arthraxon hispidus</i>	Hairy-joint Grass	Vulnerable	Vulnerable	EPBC Protected Matters Search
<i>Bosistoa transversa</i>	Three-leaved Bosistoa, Yellow Satinheart	Least concern	Vulnerable	EPBC Protected Matters Search
<i>Cryptocarya foetida</i>	Stinking Cryptocarya, Stinking Laurel	Vulnerable	Vulnerable	EPBC Protected Matters Search
<i>Dichanthium setosum</i>	Bluegrass	Least concern	Vulnerable	EPBC Protected Matters Search

Scientific name	Common name	Conservation status		Source of record
		NC Act	EPBC Act	
<i>Macadamia integrifolia</i>	Macadamia Nut, Queensland Nut Tree, Smooth-shelled Macadamia, Bush Nut, Nut Oak	Vulnerable	Vulnerable	EPBC Protected Matters Search
<i>Macadamia tetraphylla</i>	Rough-shelled Bush Nut, Macadamia Nut, Rough-shelled Macadamia, Rough-leaved Queensland Nut	Vulnerable	Vulnerable	EPBC Protected Matters Search
<i>Phaius australis</i>	Lesser Swamp-orchid	Endangered	Endangered	EPBC Protected Matters Search
<i>Samadera bidwillii</i>	Quassia	Vulnerable	Vulnerable	EPBC Protected Matters Search
<i>Thesium australe</i>	Austral Toadflax, Toadflax	Vulnerable	Vulnerable	EPBC Protected Matters Search

#### 6.3.1.4 Fauna

Analysis of State and Commonwealth databases indicates that 24 conservation significant fauna species have been identified, or have the potential to occur, within 3 km of the Project site. These species are listed in Table 6.5 below. An assessment of the likelihood of occurrence for these species was conducted and it was determined that no conservation significant fauna species were likely to occur within the Project site. The assessment of the likelihood of occurrence of these species is provided in Appendix H.

Table 6.5 Conservation significant fauna species identified as potentially occurring within the Project site

Scientific Name	Common Name	Conservation status		Source of record
		NC Act	EPBC Act	
<b>Birds</b>				
<i>Anthochaera phrygia</i>	Regent honeyeater	Endangered	Critically endangered	EPBC Protected Matters Search
<i>Botaurus poiciloptilus</i>	Australasian bittern	Least concern	Endangered	EPBC Protected Matters Search
<i>Charadrius mongolus</i>	Lesser sand plover	Special least concern	Endangered	Wildlife Online
<i>Calidris ferruginea</i>	Curlew sandpiper	Special least concern	Critically endangered	Wildlife Online, EPBC Protected Matters Search
<i>Calidris canutus</i>	Red knot	Special least concern	Endangered	Wildlife Online
<i>Dasyornis brachypterus</i>	Eastern bristlebird	Endangered	Endangered	EPBC Protected Matters Search
<i>Erythrotriorchis radiatus</i>	Red goshawk	Vulnerable	Vulnerable	EPBC Protected Matters Search
<i>Geophaps scripta</i>	Squatter pigeon (southern)	Vulnerable	Vulnerable	EPBC Protected Matters Search
<i>Lathamus discolor</i>	Swift parrot	Endangered	Critically endangered	EPBC Protected Matters Search
<i>Limosa lapponica baueri</i>	Western Alaskan bar-tailed godwit	Special least concern	Vulnerable	Wildlife Online, EPBC Protected Matters Search

Scientific Name	Common Name	Conservation status		Source of record
		NC Act	EPBC Act	
<i>Numenius madagascariensis</i>	Eastern curlew	Vulnerable	Critically endangered	Wildlife Online, EPBC Protected Matters Search
<i>Pachyptila turtur sub-antarctica</i>	Fairy prion (southern)	Least concern	Vulnerable	EPBC Protected Matters Search
<i>Poephila cincta cincta</i>	Southern black-throated finch	Endangered	Endangered	EPBC Protected Matters Search
<i>Rostratula australis</i>	Australian painted snipe	Vulnerable	Endangered	EPBC Protected Matters Search
<i>Turnix melanogaster</i>	Black-breasted button-quail	Vulnerable	Vulnerable	EPBC Protected Matters Search
<b>Reptiles</b>				
<i>Delma torquata</i>	Adorned delma, Collared delma	Vulnerable	Vulnerable	EPBC Protected Matters Search
<i>Saiphos reticulatus</i>	Three-toed Snake-tooth Skink	Least concern	Vulnerable	EPBC Protected Matters Search
<b>Mammals</b>				
<i>Chalinolobus dwyeri</i>	Large-eared Pied Bat, Large Pied Bat	Vulnerable	Vulnerable	EPBC Protected Matters Search
<i>Dasyurus hallucatus</i>	Northern Quoll, Digul	Least concern	Vulnerable	EPBC Protected Matters Search
<i>Dasyurus maculatus maculatus</i> (SE mainland population)	Spot-tailed quoll, Spotted-tail quoll, Tiger quoll (south-eastern mainland population)	Vulnerable	Endangered	EPBC Protected Matters Search
<i>Petauroides volans</i>	Greater glider	Least concern	Vulnerable	EPBC Protected Matters Search
<i>Phascolarctos cinereus</i>	Koala	Vulnerable	Vulnerable	Wildlife Online, EPBC Protected Matters Search
<i>Pteropus poliocephalus</i>	Grey-headed flying-fox	Least concern	Vulnerable	Wildlife Online, EPBC Protected Matters Search
<i>Xeromys myoides</i>	Water mouse, False water rat, Yirrkoo	Vulnerable	Vulnerable	EPBC Protected Matters Search

## 6.3.2 Site based assessment

### 6.3.2.1 Flora

#### 6.3.2.1.1 Regional Ecosystems

As indicated in Section 6.3.1, three REs have been identified as potentially occurring within the Project site. Site investigations indicate that only a single RE (ie RE 12.1.3) is present within the Project site.

Areas currently mapped as RE 12.3.6 and 12.3.5a on the EHP certified RE map contained neither the species diversity nor abundance that would render them eligible for mapping as a RE. Areas mapped as RE 12.3.6 and 12.3.5a were found to be dominated by Swamp oak (*Casuarina glauca*) which is typical of areas subject to historic planting of the species at this location. In addition, modification of the land surface into furrows (refer Photo 6.1) confirms that trees within areas mapped as RE 12.3.6 and RE 12.3.5a have been planted.



Photo 6.1 Vegetation contained within areas mapped as Remnant RE 12.3.5a and 12.3.6

#### 6.3.2.1.2 Vegetation communities

Four broad vegetation communities (refer Figure 6.1) have been identified as occurring within the Project site, including:


- Community 1: *Casuarina glauca* plantation (non-remnant)
- Community 2: Grassland with isolated trees (non-remnant)
- Community 3: Mangrove (primarily *Avicenna marina*) tidal community (non-remnant and RE 12.1.3)
- Community 4: Marine wetland with isolated mangroves (non-remnant and RE 12.1.3)

With the exception of Community 2, all vegetation communities identified on site contain species considered to be marine. This has resulted from marine hydrological processes and dispersal of marine flora seeds with tidal flows and historic plantings (ie establishment of *Casuarina glauca* on site).


While the Project site is not located in a Wetland Protection Area, as defined under the EP Reg and the *State Development Assessment Provisions, Module 11: Wetlands and wild rivers*, a portion of the Project site (on the north west boundary) is mapped as a wetland of High Ecological Significance (refer Appendix C). While field investigations have confirmed that a portion of the Project site exhibits the characteristics of a wetland, the Project site is located within a highly modified area with existing and future development proposed under the Brisbane Airport 2014 Master Plan. In addition, appropriate mitigation measures will be implemented to reduce any potential impacts on the receiving environment (refer Section 6.5).


A brief description of the dominant species assemblages encountered within each vegetation community is provided in Table 6.6. A flora species list for the Project site is included in Appendix I.


Table 6.6 Vegetation communities

Vegetation community	Description	Photograph
<p>Vegetation community 1 – <i>Casuarina glauca</i> plantation</p>	<p>This vegetation community dominates most of the Project site. Swamp She-oak (<i>Casuarina glauca</i>) dominates the canopy stratum (18 – 20 m). These species have been planted in rows over the majority of the Project site.</p> <p>A sub-canopy is absent within this community, however, a clearly defined shrub stratum of Lantana (<i>Lantana camara</i>) occurs, with an average height of 1 – 3 m and an approximate cover of 70%.</p> <p>The ground cover in this community contains exotic grasses such as Elastic grass (<i>Eragrostis tenuifolia</i>), Couch grass (<i>Cynodon dactylon</i>) and Salt couch (<i>Sporobolus virginicus</i>), Rhodes grass (<i>Chloris gayana</i>), Green panic (<i>Megathyrsus maximus</i>), Red natal grass (<i>Melinis repens</i>) and Common reed (<i>Phragmites australis</i>), particularly in areas subject to tidal inundation.</p>	



Vegetation community	Description	Photograph
<p>Vegetation community 2 - Grassland with isolated trees</p>	<p>Vegetation Community 2 is largely devoid of canopy and shrub species as a result from historic clearing activities.</p> <p>Although little structural complexity exists in the form of an upper, or shrub stratum, dense grass grown has resulted in a structurally complex ground stratum in areas that have not been subject to recent slashing. In areas that are maintained (ie regularly slashed) structural complexity of the ground stratum is relatively poor.</p> <p>The ground stratum within this area is dominated by exotic species including Elastic grass (<i>Eragrostis tenuifolia</i>), Couch grass (<i>Cynodon dactylon</i>), Rhodes grass (<i>Chloris gayana</i>), Green panic (<i>Megathyrsus maximus</i>) and Red natal grass (<i>Melinis repens</i>).</p> <p>A small area to the north east, adjacent to the marine wetland with mangroves appears to be an artificial wetland. The area is dominated by Broad-leaved cumbungi (<i>Typha orientalis</i>), Common reed (<i>Phragmites australis</i>) and other freshwater aquatic macrophytes such as Reeds (<i>Baumea</i> spp) and <i>Persicaria</i> spp. Due to the dense vegetation, this area provides good habitat for cryptic bird species such as Lewin's rail (<i>Lewinia pectoralis</i>), Australian painted snipe (<i>Rostratula australis</i>) and the Australasian Bittern (<i>Botaurus poiciloptilus</i>).</p>	

Vegetation community	Description	Photograph
<p>Vegetation community 3 – Mangrove (<i>Avicennia marina</i>) tidal community</p>	<p>Vegetation Community 3 is located in the middle of the site and follows the Grey mangroves (<i>Avicennia marina</i>) tidal creek line across the site.</p> <p>Grey Mangroves (<i>Avicennia marina</i>) dominate the canopy stratum (85% cover) with a height of approximately 18 – 20 m.</p> <p>The sub-canopy was also dominated by Grey mangroves which approximated 3 – 5 m in height and 10% cover. Along the drainage lines, Yellow mangroves (<i>Ceriops tagal</i>) dominated the understory, forming thickets approximating 1-2 m in height and a cover of 40%.</p> <p>The ground stratum within this vegetation community was dominated by Salt couch (<i>Sporobolus virginicus</i>) although other salt tolerant species such as <i>Tetragonia tetragonoides</i> (New Zealand spinach), <i>Einadia hastate</i> (Berry saltbush), <i>Enchylaena tomentosa</i> (Ruby saltbush) and <i>Suaeda arbusculoides</i> (Jelly-bean plant) were also present</p> <p>Spring tides are expected to inundate areas of this vegetation community several times a year. Accordingly, this vegetation community is defined as a Wetland under the definition provided in the <i>Strategy for Conservation and Management for Queensland's Wetlands</i> (EHP 2009): “areas of permanent or periodic/intermittent inundation, whether natural or artificial, with water that is static or flowing, fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed 6 m”.</p> <p>This area is typical of a vegetation community that constitutes a marine area under the provisions of the Fisheries Act.</p>	

Vegetation community	Description	Photograph
<p>Vegetation community 4 – Marine wetland with mangroves</p>	<p>Vegetation Community 4 are two small pockets of vegetation located in southern portion of the site. The vegetation community is dominated by marine species including the Grey mangrove (<i>Avicenna marina</i>) and Swamp she-oak (<i>Casuarina glauca</i>) with large areas containing open water largely devoid of terrestrial vegetation.</p> <p>The ground stratum within this vegetation community, surrounding marine waters was dominated by Salt couch (<i>Sporobolus virginicus</i>) although other salt tolerant species such as <i>Tetragonia tetragonoides</i> (New Zealand spinach), <i>Einadia hastate</i> (Berry saltbush), <i>Enchylaena tomentosa</i> (Ruby saltbush) and <i>Suaeda arbusculoides</i> (Jelly-bean plant).</p> <p>This area is typical of a vegetation community that constitutes a marine area under the provisions of the Fisheries Act.</p>	

### 6.3.2.1.3 Species diversity and conservation significant species

In total, 67 flora species were identified within the Project site, with 36 native flora species (53.7%). Nine flora species are considered to be obligatory marine species (eg grey and yellow mangroves). However, no conservation significant flora species, as listed under the provisions of the NC Act and/or the EPBC Act, were identified within the Project site. A complete list of flora species identified within the Project site is provided in Appendix I.

A likelihood of assessment was undertaken for conservation significant species potentially occurring within the Project site (refer Appendix H). Based on this assessment, it is considered unlikely that any conservation significant flora species (as identified within Table 6.4) occur within the Project site (refer Appendix H).

### 6.3.2.1.4 Weeds

No Weeds of National Significance (WoNS; as listed under the provisions of the EPBC Act) were detected within the Project site during field investigations. Eight weeds listed under Schedule 2 of the Biosecurity Act were recorded within the Project site (refer Table 6.7). Numerous other weed species which are not declared under Commonwealth or State legislation, but are generally considered to be environmental weeds also occur within the Project site (refer Appendix I).

Table 6.7 Environmental weeds recorded within the Project site

Botanical name	Common name	EPBC WoNS	Biosecurity Act
<i>Ambrosia artemisiifolia</i>	Annual ragweed	×	Schedule 2
<i>Asparagus aethiopicu</i>	Basket asparagus fern	✓	Schedule 2
<i>Asparagus plumosus</i>	Feathered asparagus fern	✓	Schedule 2
<i>Baccharis halimifolia</i>	Groundsel bush	×	Schedule 2
<i>Celtis sinensis</i>	Chinese elm	×	Schedule 2
<i>Dolichandra unguis-cati</i>	Cat's claw creeper	✓	Schedule 2
<i>Lantana camara</i>	Lantana	✓	Schedule 2
<i>Schinus terebinthifolius</i>	Broadleaf pepper tree	×	Schedule 2

### 6.3.2.2 Fauna

#### 6.3.2.2.1 Fauna species observed on site

Fifteen fauna species were recorded during field investigations of the Project site. Of these species, 14 were birds and one was a reptile. No mammals or amphibians were observed. With the exception of one species (ie Rainbow bee-eater *Merops ornatus*), all species observed as listed are least concern species under the provisions of the NC Act. A complete list of all fauna observed during the field survey is provided in Appendix I.

#### 6.3.2.2.2 Conservation significant species

A review of environmental databases identified 24 conservation significant fauna species (listed under the provisions of the EPBC Act and NC Act) as potentially occurring within 3 km of the Project site (refer Appendix I). In addition to these species, correspondence with BAC and a previous fauna study (Lambert & Rehbein 2004) has indicated that Illidge's ant-blue butterfly (*Acrodipsas illidgei*), listed as Vulnerable under the NC Act, has potential to occur within the Project site, although it is noted that this species was not returned as part of the desktop review (ie not included within the Wildlife online records).

One Special Least Concern bird species (Rainbow bee-eater) as listed under the NC Act and listed as Marine under the provisions of the EPBC Act was observed during field investigations of the Project site. No other conservation significant fauna species were identified during the incidental fauna survey. Despite this, the likelihood of their occurrence within the Project site was assessed based on the suitability of habitat present (refer Appendix H). Given the geographic location of the Project site, entirely marine and/or pelagic species have been omitted from this assessment.

Based on the likelihood of occurrence assessment (refer Appendix H), the following conservation significant species have potential to occur within the Project site:

- Australasian bittern (*Botaurus poiciloptilus*)
- Red knot (*Calidris canutus*)
- Western Alaskan bar-tailed godwit (*Limosa lapponica baueri*)
- Eastern curlew (*Numenius madagascariensis*)
- Australian painted snipe (*Rostratula australis*)
- Grey-headed flying-fox (*Pteropus poliocephalus*)
- Water mouse (*Xeromys myoides*)

In addition, suitable habitat in the form of mature mangroves exists on site for the Illidge's ant-blue butterfly (*Acrodipsas illidgei*).

All species identified as having potential to occur within the Project site are associated with marine wetlands or mangrove communities and environments directly associated with wetlands (ie grassy areas).

#### **6.3.2.2.3 Pests**

No fauna species declared under the *Biosecurity Act 2014* were recorded in the Project site during field investigations.

According to the Fire ant biosecurity map (DAF 2016), the Project site is located within Fire ant biosecurity zone 3. As such, there are restrictions on fire ant carriers (eg soil, mulch, turf, potted plants etc) movements. Under the *Biosecurity Act 2014*, all individuals and organisations have a general biosecurity obligation to take all reasonable steps to ensure they do not spread fire ants.

#### **6.3.2.2.4 Habitat values**

The Project site and its surrounds are considered to be highly disturbed and modified environments, which has resulted in habitat fragmentation and a reduction in the quantity and quality of fauna habitat resources. Despite this, tidal inundation within the Project site facilitates the formation of food-rich environments for fish, crabs, molluscs and birds that utilise marine wetlands.

Mangroves typically provide large amounts of organic matter, which is consumed by many small aquatic animals. Subsequently, these animals are consumed by larger fish and other animals.

Spring tides are expected to effect a portion of the Project site several times a year. During this time, salt couch provides suitable shelter for fish and invertebrates, and foraging opportunities for wader birds.

A portion of the Project site is mapped as Essential Habitat for Wallum froglet (*Crinia tinnula*) (refer Appendix C). This mapping is noted as being erroneous as habitat for this species does not exist within the Project site. Further, the Wallum froglet is not a salt tolerant species and therefore is not expected to occur at this location.

Existing habitat within the Project site is considered fragmented in the regional landscape as a result of historical agricultural land use, planting activities, existing airport infrastructure, and current airport operations. Mangrove communities, associated with the Project site's artificial drainage systems, offer limited fauna movement opportunities to small coastal habitats to the east of the Project site and it is expected that only highly agile species (eg birds) are likely to utilise the Project site.

## 6.4 Potential impacts

The Project has potential to impact on the habitat and native biodiversity of the Project site. Potential impacts associated with the Project are discussed in the following sections.

### 6.4.1 Flora

As discussed in Section 6.3.2.1, there are no significant flora species identified within the Project site. Therefore, it is considered that the Project will not have any adverse consequences to significant flora as per clause 4.04 of the AEPR.

Removal of vegetation within the Project site is not expected to result in regional or sub-regional affects to the conservation status of any conservation significant flora species.

Mangroves and salt couch are considered marine plants under the provisions of the Fisheries Act. Marine plants are an integral feature of coastal environments that provide food-rich environments for fish, crabs, molluscs and birds. Disturbances to marine plants, even of a minor nature, can lead to a long term decline in fish production and overall aquatic health. However, the current fragmented and disturbed nature of the Project site provides limited habitat value and, combined with the absence of conservation significant species, it is considered that removal of these marine plants will not constitute a significant impact. In addition, mitigation measures will ensure that potential impacts to the receiving environment associated with removal of marine plants are minimised.

The machinery and equipment used during the construction phase may facilitate the proliferation of weed species to adjacent areas, if control measures are not appropriately implemented to avoid dispersal of seeds. Weeds declared under the provisions of the Biosecurity Act were identified on site. These weeds will be destroyed as part of the Project to prevent proliferation of these weeds in areas adjacent the Project site that might otherwise occur if left unattended.

Dust generation, resulting from construction earthworks (ie vegetation clearing, traffic movement over bare surfaces, and rock crushing activities), has the potential to impact upon neighbouring mangroves and other native vegetation. Dust accumulation has the potential to adversely affect the photosynthetic processes of vegetation by reducing the leaves' exposure to direct sunlight, and by causing blockages of the leaf stomata, thereby preventing adequate uptake of oxygen and carbon dioxide, causing an overall decline in plant health. Dust suppression measures during the construction phase will be important to minimising the impact to vegetation and are discussed in Section 8.

### 6.4.2 Fauna

As discussed in Section 6.3.2.2, there were no conservation significant fauna species identified within the Project site. Therefore, it is considered that the Project will not have any adverse consequences to significant fauna as per clause 4.04 of the AEPR.

Removal of fauna habitat within the Project site is not expected to result in regional or sub-regional affects to the conservation status of any conservation significant fauna species.

The removal of marine plants (mangroves and salt couch), in particular, can lead to a long term decline in fish production and overall aquatic health. Furthermore, clearing activities may lead to significant fish losses and decline in water quality, if appropriate mitigation measures for ASS are not implemented. Mitigation measures will be implemented in order to minimise the impact associated with fauna habitat removal.

Direct fauna mortality has the potential to occur within the construction phase of the Project as a result of vegetation clearing, potential ASS exposure and runoff. Mitigation measures (including those outlined in Section 6.5) will be required in order to minimise the risk of direct fauna mortality.

Fauna mortality could also potentially occur to marine species during filling of existing drains. This includes fish, crabs and molluscs which may be unable to relocate from the drains to be filled without assistance. Mitigation measures have been provided in Section 6.5 to assist with the management of this potential impact.

Introduction and encouragement of pest fauna species (under the provisions of the EPBC Act and Biosecurity Act) is considered possible during the construction phase of the Project. However, mitigation measures will be implemented in order to decrease the likelihood of proliferation.

As discussed in Section 6.3.2.2.4, mangrove communities (associated with the Project site's manmade drainage systems) offer limited fauna movement opportunities, by forming linkages to small coastal habitats to the east of the Project site. Potential impacts to fauna movement corridors are considered negligible, as a result of the fragmented nature of the broader landscape resulting from historic and present land use.

Displacement of fauna within, and adjacent to, the Project site is expected as a result of noise and possible artificial lighting during the construction phase. However, given the proximity of the Project site to the Brisbane Airport, and the exposure of noise generated from the flight path, it is likely that local bird populations are familiar with artificial lighting and high levels of background noise. As such, artificial lighting and noise are not considered to pose a significant impact to fauna within the vicinity of the Project site.

Dust is expected to be generated as a result of construction earthworks (ie vegetation clearing, traffic movement over bare surfaces, rock crushing activities, and stock piling). Dust impacts on fauna that forage on mangrove leaves (eg invertebrates) are not well known, however, the risks associated with dust deposition are considered to be negligible provided that appropriate dust suppression measures are applied.

## **6.5 Mitigation measures**

Table 6.8 provides recommended management measures to mitigate the potential impacts identified above.

Table 6.8 Flora and fauna potential impacts and mitigation measures

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
<b>Loss of native vegetation</b>				
<p>Removal of marine plants listed under the provisions of the Fisheries Act resulting in possible decline in fish production and overall aquatic health</p> <p>Removal of native vegetation protected under the provisions of the NC Act</p> <p>Clearing of trees (ie mangroves) that provide habitat values for terrestrial and aquatic species</p> <p>Decrease in floral diversity within the Project site as a result of clearing activities</p> <p>Loss of native vegetation caused by clearing beyond that which is required for construction</p>	<p>The lawful clearing of native vegetation (particularly marine plants) will be offset within the Brisbane Airport's Biodiversity Zone</p> <p>Implement control measures to ensure that clearing limits during construction are clearly identified and adhered to</p>	<ul style="list-style-type: none"> <li>■ Ensure all necessary permits/approvals are in place before construction commences</li> <li>■ The Contractor shall ensure vegetation for retention (including on adjacent land) is protected by exclusion fences in appropriate locations</li> <li>■ The exact location of vegetation to be retained shall be verified on site in consultation with the BAC Environmental Advisor</li> </ul>	Detailed design and construction	<p>Vegetation to be retained is protected from damage/ destruction.</p> <p>Requirement to be included in the EMP.</p>



Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
<b>Impact on flora and fauna as a result of ASS exposure</b>				
<p>Acidification of waterways, wetlands, and estuaries which leads to fish kills</p> <p>Degradation of ecology through loss of water quality, degradation of habitat and decline in dependent ecosystems</p> <p>Negative impact on macrophytes and other aquatic vegetation that aquatic animals depend on for food, shelter and reproduction.</p> <p>Potential impact on downstream habitats for various waterbirds, including federally listed migratory species and those listed under international agreements</p>	<p>Avoid disturbance of ASS</p> <p>Construction activities do not result in the exposure of ASS</p>	<ul style="list-style-type: none"> <li>All site works are to be conducted in accordance with the ASS Management Plan (refer Appendix F)</li> </ul>	<p>Detailed design and construction</p>	<p>Requirement to be included in the EMP</p>

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
<b>Introduction and proliferation of pest and weed species</b>				
<p>Proliferation of pest and weed species within and adjacent to the Project site</p> <p>Beneficial removal of weeds and pests from the Project site</p>	<p>There are no net increase in declared weeds and pests within the Project site and surrounding environments as a result of construction activities</p>	<p>The Contractor shall prepare and implement a pest and weed management plan as part of the CEMP, incorporating the following measures:</p> <ul style="list-style-type: none"> <li>■ Ensure that declared species are removed in accordance with the EPBC Act and Biosecurity Act requirements, and the material disposed of in a manner that ensures proliferation does not occur – appropriate measures may include weed treatment prior to construction works, disposal at a green waste facility, while ensuring it is transported safely, buried or added to on site mulching</li> <li>■ Report suspected outbreaks of declared weed species to the BAC Environmental Advisor</li> <li>■ Report sightings of declared pest animals (as listed under the provisions of the EPBC Act and NC Act) to the BAC Environmental Advisor and implement appropriate management measures</li> <li>■ Do not deliberately introduce declared weed and/or pest species as listed under the provisions of the EPBC Act and/or Biosecurity Act</li> <li>■ Implement measures to ensure that all plant and materials brought into the Project site are certified free of declared pests</li> <li>■ Implement waste management measures to avoid increased abundance of pests and opportunistic native fauna</li> <li>■ Any excess fill leaving Brisbane Airport and 'Fire ant biosecurity Zone 3' must be accompanied by a biosecurity instrument permit from DAF</li> </ul>	<p>Detailed design and construction</p>	<p>Requirement to be included in the EMP</p>

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
<b>Loss of fauna and/or habitat</b>				
<p>Unnecessary clearing of fauna habitat within the Project site</p> <p>Net loss of fauna habitat area, quality, and diversity, within the broader region</p> <p>Unnecessary clearing of fauna habitat</p> <p>Unnecessary removal/displacement/translocation of fauna species</p> <p>Fauna injury/death as a result of construction activities</p> <p>Adjoining habitat is adversely affected by secondary impacts</p>	<p>Aim to minimise net loss of habitat area, quality and diversity within the broader region where practicable</p> <p>Avoid fauna injury and/or death resulting from construction activities</p> <p>Ensure that secondary impacts associated with the proposed development are considered, and avoided, where possible</p>	<p>Staged and sequential clearing measures shall be implemented to enable fauna to disperse to adjoining habitats.</p> <p>Implement the fauna management measures provided in the EMP, which includes, but is not limited to the following:</p> <ul style="list-style-type: none"> <li>■ A pre-clearing habitat assessment is to be conducted by a licenced and suitably qualified spotter catcher immediately prior to construction works commencing. The spotter catcher shall remain on call during all vegetation clearing activities</li> <li>■ All native wildlife (including snakes) are protected and shall not be intentionally harmed as a result of works or workers' actions</li> <li>■ Relocate potential habitat features (eg hollow logs) to adjacent areas if identified by the fauna spotter catcher</li> <li>■ Outline procedures to be undertaken if an animal (healthy or injured) is encountered during construction</li> <li>■ Check culverts, trenches and other excavations (that have been constructed in accordance with the ASS Management Plan) for fauna species (to be checked each morning and after periods of inactivity to ensure no animal is trapped or likely to be harmed by construction activities)</li> <li>■ Install trench ramps at 15 degree slopes every 30 m or place branches or suitable material for fauna to climb and escape from trenches</li> <li>■ Workers are to be made aware of fauna management on site during the site induction</li> <li>■ Include details of fauna protection measures in the site induction for all construction personnel</li> <li>■ Contact the BAC Environmental Advisor in the event that an animal is injured during construction, followed by 1300 Animal (1300 264 625)</li> </ul>	Detailed design and construction	Requirement to be included in the EMP
		<ul style="list-style-type: none"> <li>■ The Contractor shall implement actions recommended in all other sections of this EAR relevant to the following: <ul style="list-style-type: none"> <li>– Erosion and sediment control</li> <li>– Water quality management</li> <li>– Waste management</li> <li>– Adhere to the mitigation measures stipulated in the ASS Management Plan</li> </ul> </li> </ul>		

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
Marine fauna death as a result of the filling and realignment of existing drains	Ensure marine fauna within the drains to be filled are appropriately relocated	<p>All external drains are to be bunded to prevent tidal ingress.</p> <p>Drains to be filled should be filled during low or no flow condition using the following sequence of works:</p> <ol style="list-style-type: none"> <li>1) Construct the new section of the drain, where required</li> <li>2) Install marine fauna exclusion fencing upstream and downstream of the sections of drain to be filled prior to marine fauna load reduction trapping to prevent re-entry of marine fauna into the section of drain to be filled</li> <li>3) A suitably qualified spotter catcher should undertake pre-realignment marine fauna load reduction trapping within the section of the drain to be filled</li> <li>4) Captured marine fauna should be relocated to another section of the drain not being impacted by the works</li> <li>5) Undertake drain alignment change over at low tide, where required</li> <li>6) Undertake a post-realignment spotter catcher survey and relocate any remaining fauna, where required</li> </ol> <p>It should be noted that experience during previous projects involving the realignment of drains has identified a large number of fauna within the existing drain to be realigned. The Contractor is to ensure they have a suitable number of spotter catchers on site to undertake the work successfully.</p>	Construction	Requirement to be included in the EMP
<b>Impact of dust on the health of vegetation</b>				
Dust deposition on adjacent vegetation during construction activities (vegetation clearing, traffic movement over bare surfaces, rock crushing activities, and stock piling)	Ensure the health of adjacent vegetation communities are not affected by dust generated during construction	Manage dust in accordance with the mitigation measures identified in Section 8.7	Detailed design and construction	Requirement to be included in the EMP
<b>Noise</b>				
Generation of both intermittent and continuous loud noise as a result of construction activities	Minimise the effects of excessive noise on fauna, where possible	Manage noise in accordance with the measures identified in Section 9.6	Detailed design and construction	Requirements to be included in the EMP

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
<b>Lighting</b>				
Generation of additional lighting during construction of the Project	Minimise the effects of lighting on fauna in and adjacent to the Project site	<p>Position lighting, and use light fittings which will results in the minimal dispersion of light (eg LED lighting) outside of the Project site during construction while ensuring that it is consistent with aviation safety requirements discussed in Section 13.6</p> <p>Avoid the use of mercury lamps, where possible, as these have a tendency to attract fauna, particularly insects</p>	Detailed design and construction	Requirements to be included in the EMP

# 7 Hydrology and water quality

## 7.1 Introduction

This section provides a summary of the hydrology (surface water) and hydrogeology (groundwater) water quality issues associated with the Project.

## 7.2 Methodology

A desktop review of the Project information and data as well as current legislation, guidelines and water quality objectives that apply to the construction of the Project has been undertaken. A review of the existing surface water and groundwater quality is provided. This has been used to provide an indication of the baseline quality of the environment from which potential impacts from the construction and operation of the Project were able to be identified. Mitigation measures addressing the identified potential impacts have been recommended in Section 7.6.

## 7.3 Relevant documents

### 7.3.1 Airports (Environment Protection) Regulations 1997

Schedule 2 of the AEPR lists the acceptable limits of various physical-chemical, nutrients, metals and biological parameters. These limits assist in assessing the baseline water quality for the Project site.

### 7.3.2 Environmental Protection (Water) Policy 2009

Under the EPP (Water), EHP has developed environmental values (EVs) and water quality objectives (WQOs) for the surface water in the areas surrounding the Project site. The purpose of the EPP (Water) is to identify EVs and develop management goals to assess whether EVs are maintained. The EVs and WQOs are detailed in the following documents:

- Environmental Protection (Water) Policy 2009, Brisbane Creeks – Bramble Bay environmental values and water quality objectives No. 142 (part), including Bald Hills, Cabbage Tree, Downfall, Kedron Brook, Nudgee and Nundah creeks (Department of Environment and Resource Management (DERM) 2010a)
- Environmental Protection (Water) Policy 2009, South-east Queensland Map Series PLAN WQ1423 (DERM 2010b)

The catchment is subdivided into a number of sub catchment waterways and the most relevant to the Project site is **Kedron Brook Floodway**. Existing drainage channels on the Project site all flow to Landers Pocket Drain, which discharges to Kedron Brook Floodway.

The identified EV for the Kedron Brook Floodway, as defined in Figure 7.2, are aquatic ecosystems, secondary recreation, visual recreation and cultural and spiritual values.













	Environmental values <sup>1, 2, 3, 4</sup>											
	Aquatic ecosystems	Irrigation	Farm Supply/use	Stock water	Aquaculture	Human consumer	Primary recreation	Secondary recreation	Visual recreation	Drinking water	Industrial use	Cultural and spiritual values
<b>Water</b>												
<b>Cabbage Tree Creek</b> - including Little Cabbage Tree Creek - freshwater	✓	✓		✓			✓	✓	✓			✓
<b>Cabbage Tree Creek</b> – estuarine and enclosed coastal	✓					✓	✓	✓	✓			✓
<b>Jubilee Creek</b> – estuarine and enclosed coastal	✓							✓	✓			✓
<b>Kedron Brook – Cedar Creek</b> - in Brisbane Forest Park - freshwater	✓						✓	✓	✓			✓
<b>Kedron Brook – Cedar Creek</b> - downstream of Brisbane Forest Park - freshwater	✓	✓		✓			✓	✓	✓			✓
<b>Kedron Brook – Urban reach</b> – including Sandy Creek - freshwater	✓							✓	✓			✓
<b>Kedron Brook – Schultz Canal</b> - freshwater	✓							✓	✓			✓
<b>Kedron Brook – Schultz Canal</b> - estuarine	✓							✓	✓			✓
<b>Kedron Brook – Pound Drain and Cannery Creek</b> - freshwater	✓							✓	✓			✓
<b>Kedron Brook Floodway</b> – including Boondall Wetlands – estuarine and enclosed coastal	✓							✓	✓			✓
<b>Nudgee Creek</b> – estuarine and enclosed coastal	✓					✓	✓	✓	✓			✓

Figure 7.2 EPP environmental values

The WQOs relevant to the Kedron Brook Floodway (tidal canals, constructed estuaries, marinas and boat harbours) to protect aquatic ecosystem EVs include:

- Turbidity: <8 NTU
- Suspended solids: <20 mg/l
- Chlorophyll a: <4 µg/l
- Total nitrogen: <300 µg/l
- Oxidised N: <10 µg/l
- Ammonia N: <10 µg/l
- Organic N: <280 µg/l
- Total phosphorus: <25 µg/l
- Filterable reactive phosphorus: <6 µg/l
- Dissolved oxygen: 85 – 105% saturation
- pH: 7.0 – 8.4
- Secchi depth: >1.0 m

### 7.3.3 Construction Environmental Management Plan (CEMP) Guidelines

During the construction phase, WQOs are defined by the CEMP Guidelines (BAC 2014d). These WQOs are applicable to discharges from the perimeter drain or any other discharges from the Project site during construction and are summarised in Table 7.1.

Table 7.1 Water quality objectives from CEMP Guidelines

Parameter	Water quality target for rivers	Water quality target for lakes	Water quality target for estuaries	Water quality target for coastal waters
pH	6.5-9.0	6.5-9.0	<0.2 pH unit rise	<0.2 pH unit rise
Total suspended solids (TSS) <sup>1</sup>	<10% increase from the seasonal mean TSS			
Dissolved oxygen (DO)	DO must be greater than 6 mg/l or 80% saturation for a normal 24 hour period			
Temperature	Temperature of receiving water must not rise more than 2°C above the seasonal mean temperature			

**Table note:**

<sup>1</sup>Where this cannot be achieved for turbidity, the water to be discharged is to be at least 10% less than the receiving environment

### 7.3.4 Landside Stormwater Quality Management Strategy

BAC has prepared the *Landside Stormwater Quality Management Strategy* (Landside SQMS) (BAC 2014c), which provides guidelines for achieving BAC’s desired water quality outcomes across Brisbane Airport. The Landside SQMS refers to the CEMP Guidelines to provide guidance on water quality objectives for the construction phase of the Project.

The Landside SQMS (BAC 2014c) identifies in stream water quality indicators from the AEPR, to ensure the protection of ecological functions. Accepted limits from Schedule 2 of the AEPR are detailed in Table 7.2 for receiving waters around Brisbane Airport.

Table 7.2 Water quality indicators for the Project

Key indicator	Water quality target for rivers	Water quality target for lakes	Water quality target for estuaries	Water quality target for coastal waters
pH	6.5-9.0	6.5-9.0	<0.2 pH unit rise	<0.2 pH unit rise
TSS	<10% increase from the seasonal mean TSS	<10% increase from the seasonal mean TSS	<10% increase from the seasonal mean TSS	<10% increase from the seasonal mean TSS
Total nitrogen (TN)	0.1 mg/L	0.1 mg/L	No guidance provided on TN <sup>1</sup>	No guidance provided on TN <sup>1</sup>
Total phosphate (TP)	0.01 mg/L	0.005 mg/L	No guidance provided on TP <sup>2</sup>	No guidance provided on TP <sup>3</sup>

**Table notes:**

<sup>1</sup>Nitrates, expressed as N: 0.01 mg/L, Ammonia, expressed as N: 0.005 mg/L

<sup>2</sup>Phosphates, expressed as P: 0.005 mg/L

<sup>3</sup>Phosphates, expressed as P: 0.001 mg/L

Appendix C of the Landside SQMS also identifies the EVs and WQOs of Brisbane Airport’s receiving waterways. WQOs are numerical concentration levels or narrative statements of indicators established for receiving water to support and protect the designated EVs of those waters. They are based on scientific criteria or water quality guidelines but may be modified by other (social, cultural, economic) inputs. EVs and WQOs for the relevant receiving waters are identified in the Landside SQMS (BAC 2014c) and are outlined in Table 7.3.

Table 7.3 Receiving waterways – environmental values and water quality objectives

WQOs	Kedron Brook <sup>1,2</sup>	Moreton Bay <sup>1,2</sup>
pH	6.5-8.5	6.5-8.5
DO (%)	80-100 saturation	90-105 saturation
TP (mg/L)	<0.06	<0.03
TN (mg/L)	<0.45	<0.2
Turbidity (NTU)	20	5
Total suspended solids (mg/L)	30	<15
Median faecal coliforms	<14 organisms per 100 ml most probable number (MPN), with no more than 10% of samples exceeding 43 organisms per 100 ml MPN	<14 organisms per 100 ml MPN, with no more than 10% of samples exceeding 43 organisms per 100 ml MPN
Helminths	<10 mg per 100 mL	<10 mg per 100 mL



WQOs	Kedron Brook <sup>1,2</sup>	Moreton Bay <sup>1,2</sup>
EVs	<ul style="list-style-type: none"> <li>■ Aquatic ecosystems</li> <li>■ Secondary recreation</li> <li>■ Visual recreation</li> <li>■ Cultural and spiritual values</li> </ul>	<ul style="list-style-type: none"> <li>■ Aquatic ecosystems</li> <li>■ Human consumer</li> <li>■ Primary recreation</li> <li>■ Secondary recreation</li> <li>■ Visual recreation</li> <li>■ Cultural and spiritual values</li> <li>■ Seagrasses</li> </ul>

**Table notes:**

<sup>1</sup> Brisbane River Environmental Values and Water Quality Objectives 2007

<sup>2</sup> Brisbane Creeks – Bramble Bay Environmental Values and Water Quality Objectives 2007

It should be noted that the EVs and WQOs relate to the water quality within the receiving waters of the Project site and are not directly applicable to stormwater discharges from the Project. The CEMP Guidelines (BAC 2014d) provide site stormwater WQOs during construction, which are outlined in Table 7.1. Typically, concentration based criteria such as that described in the AEPR are unachievable using the current best practice stormwater treatment devices. Whilst these should continue to be viewed as acceptable limits of pollution, pollutant loads reductions objectives provide tangible, transparent and measureable targets that are achievable and ensure a consistent approach to stormwater quality management.

The pollutant load reduction requirements adopted by BAC are summarised within the Landside SQMS (BAC 2014c). These targets have been adopted for the initial identification of potential mitigation options of stormwater quality impacts from the Project and are included in Table 7.4.

**Table 7.4** Landside SQMS pollutant load reduction requirements (BAC 2014c)

Stormwater pollutant	Pollutant reduction targets
TSS	80%
TN	60%
TP	45%
Gross Pollutants	90%
Hydrocarbons	No visible sheen or odour

## 7.4 Existing environment

### 7.4.1 Surface water

The historical drainage channels of Brisbane Airport generally consist of meandering tidal inlets. The surface hydrology in the area has been highly modified to redirect surface water flow through drains and canals forming a network of low-lying waterways. Based on historical aerial photography, the surface hydrology of the Project site has been modified from its original configuration, as described in Section 5.4.2. During a phase of development in the 1980s, the Project site has been re-contoured and filled with drainage lines reconfigured.

Two surface water courses are identified as present within the Project site, located in the northeast and southwest (refer Figure 1.1). The northern channel drains north through a culvert towards Nancy Bird Way and discharges to Landers Pocket Drain. The southern channel flows north west through a culvert under Moreton Drive and also discharges to Landers Pocket Drain. Both unnamed watercourses are likely to be ephemeral.

To the north-west, the Project site is bound by Moreton Drive and Landers Pocket Drain (approximately 100 m from the site boundary). Landers Pocket Drain is a canalised watercourse and discharges to the Kedron Brook Floodway Drain.

The Kedron Brook Floodway Drain intercepts regional overland flow that moves through the floodplain area of Brisbane Airport and discharges to Bramble Bay, north east of Brisbane Airport. Bramble Bay is classified as high ecological value (marine) under the *Bramble Bay environmental values and water quality objectives No. 142 (part)* (DERM 2010).

Flood mapping indicates that localised flooding is likely to occur in the immediate vicinity of both watercourses on the Project site, with some additional flooding on the north west and south east boundaries (refer Figures 7.3 and 7.4). Based on aerial photography, low lying areas inundated with surface water are also present on the Project site. These are noted by zones of vegetation die back and iron staining on the surface, likely to be associated with potential ASS.




Figure 7.3 BCC PD online – Waterway corridors




Figure 7.4 BCC PD online – Brisbane River flood planning area

## 7.4.2 Groundwater

### 7.4.2.1 Groundwater aquifers

While there are no discrete aquifers present at Brisbane Airport, the geology can be divided into two distinct layers; Upper Holocene alluvia and Lower Holocene alluvia. The shallow aquifer is present in the Upper Holocene, which comprises interlayered clays, silts and sands with low permeability (BAC 2006). The shallow aquifer fluctuates significantly with tidal and rainfall events and discharges to creeks and drains within Brisbane Airport. The Lower Holocene alluvia comprises homogenous clays and silts and contains a deeper groundwater aquifer (BAC 2006). Permeability of the deeper aquifer is very low and groundwater movement is negligible.

It is considered that the Project will not impact on the deeper aquifer given the very low permeability, limited connectivity between the upper and lower aquifers and the ability of the shallow aquifer to discharge into surface water. As such, a shallow groundwater assessment of the Project site was undertaken in two stages by Golders in December 2015 and October 2016. The investigations included the installation of monitoring wells, as well as the monitoring of existing groundwater monitoring wells. The groundwater investigation was detailed in the following reports:

- Golders (2016a) Auto Mall Precinct Stage 1 Contamination report
- Golders (2016b) Auto Mall Precinct Stage 2 Contamination report

Groundwater monitoring locations are indicated in Figure 7.1. Ten boreholes were gauged across two events (4 January 2016 and on 25 October 2016).

### 7.4.2.2 Groundwater depth

Measured groundwater depths ranged between 0.71 to 2.57 m bgl (0.87 to 2.13 m AD). Boreholes are generally installed within sandy clays and clayey sands.

However, it is noted that groundwater depths are affected by climatic conditions and soil permeability, and potentially tidal influences, and will therefore vary with time. Groundwater monitoring for the proposed parallel runway at Brisbane Airport, in the same floodplain, indicated that during the wet season, the groundwater table height can be expected to be up to 1.0 m higher, and can vary locally with both rainfall and tidal influence (BAC 2006).

#### 7.4.2.3 Groundwater direction

The flow direction was assessed to be towards the west to north west towards Landers Pocket Drain. However, the likely presence of paleo channels within the shallow soils may also exert an influence on groundwater flow direction. The groundwater was found to preferentially follow the course of the historic surface water channels. It was also noted that the geology and soils will have variable hydraulic permeability based on differences between natural ground and fill material used to infill channels and raise ground levels.

#### 7.4.2.4 Groundwater quality

Field physical parameters were measured during the groundwater monitoring events and are summarised in Table 7.5 below.

Table 7.5 Groundwater physical parameters

Parameter	Result	Comment
pH	3.65 – 6.99	Neutral to slightly acidic conditions
Conductivity	1.953 – 51.4 mS/cm	Brackish to saline conditions
Redox	-40.2 to 100.0 mV	Generally anoxic with localised area of anoxic conditions
DO	0.8 – 1.83 mg/L	Low levels of dissolved oxygen in groundwater
Temperature	20.9 – 22.7°C	-

During the ASS investigation, groundwater monitoring results indicated:

- Electrical conductivity ranged from 1,953 to 51,400  $\mu$ S/cm indicating brackish to saline water conditions
- pH levels ranged from 3.65 to 6.99 indicating acidic to neutral conditions (with the lowest pH levels occurring along the western boundary)
- The buffering capacity of the groundwater varied across the Project site as follows:
  - Groundwater within the northern section of the Project site contained very high alkalinity with a buffering capacity that is adequate to maintain an acceptable pH level
  - Groundwater within the central and southern section of the Project site contained moderate alkalinity with a buffering capacity that is inadequate to maintain a stable, acceptable pH level in areas vulnerable to acidification
  - Groundwater within the southernmost portion of the Project site contained a total acidity that exceeded total alkalinity in the majority of samples indicating a very low buffering capacity that is inadequate to maintain a stable, acceptable pH level in areas vulnerable to acidification
- Dissolved aluminium concentrations of greater than about 1 mg/L in groundwater may be an indicator of AASS. Concentrations were below the laboratory detection limit, with the exception of:
  - AM-BH01 (3.59 mg/L)
  - AM-BH19 (0.06 mg/L)
  - AM-BH14 (0.08 mg/L)
- Dissolved iron concentrations ranged from <0.05 to 294 mg/L
- The chloride:sulfate ratio indicates that past oxidation of PASS has occurred within the Project site

## 7.5 Potential impacts

### 7.5.1 Surface water quality

A range of surface water quality impacts have potential to occur during Project works, such as:

- Sedimentation of drainage lines and watercourses from construction activities including clearing of vegetation and earthworks activities due to inadequate erosion and sediment control measures and high rainfall incidence
- Potential disturbance of AASS and PASS, resulting in a decline in water quality
- Hydrocarbon and chemical spills from construction plant and vehicles
- Release of weed seeds and pathogens into drainage lines from vehicles and machinery traversing the Project site
- Discharges from temporary sewerage and site facilities
- Storage and disposal of waste material including spoil placement resulting in the potential leaching of any contaminants
- Litter and rubbish from occupation by construction workers

While there is currently potential for localised flooding to occur within the Project site, Phase 2 works involve raising the Airport Drive median by up to 200 mm in lower areas through landscaping to achieve 1:100 year flood immunity around the Project site. In addition, the existing major culvert crossings will be installed with permanent tidal gates to prevent backwater from regional flood events and storm surge/tidal events entering the Project site once developed.

During Phase 1 earthworks, the existing major culvert crossings entering the Project site will be bunded to prevent tidal water ingress.

Storage basins/channels with a capacity of 44,200 m<sup>3</sup> will be installed for flood storage during storm events.

### 7.5.2 Groundwater

Potential groundwater impacts during the Project works include:

- The potential for groundwater contamination from fuel and chemical storage and use
- Contamination of exposed groundwater through spills, leaks and surface runoff entering the excavations
- Infiltration of impacted leachate from stockpiled soil originating from the excavations
- The intersection or interaction with the groundwater table of cut and fill earthworks and embankments
- Interference to existing groundwater monitoring bores during construction such that damage to well head infrastructure compromises the seals protecting the groundwater aquifer
- Acid drainage from ASS disturbance potentially impacting groundwater quality
- The production of acid leachate through groundwater fluctuations/disturbances
- Movement of groundwater containing PFAS from the Project site due to surcharge activities

The construction of cuttings and structures can often require dewatering and the intersection of the water table through excavation may lead to passive dewatering of the surrounding groundwater table. In addition, removal of vegetation may result in the rising of the local groundwater table, increasing the likelihood of encountering groundwater during excavation works.

## 7.6 Mitigation measures

Table 7.6 provides a summary of the management measures for surface water and groundwater to address the potential impacts identified above.

Table 7.6 Water quality potential impacts and mitigation measures

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
<b>Surface water</b>				
Inadequate fuel and chemical storage and usage areas allowing runoff to watercourses	Provide adequate facilities for the refuelling of plant and machinery and storage of chemicals and fuels in locations at least 50 m, or where practicable, away from watercourses	<ul style="list-style-type: none"> <li>■ Planning of specific refuelling sites, maintenance bays, concrete or bitumen waste containment areas, noting that the Project site will be isolated from external waterways during earthworks construction</li> </ul>	Detailed design and construction	To be included in the EMP
		<ul style="list-style-type: none"> <li>■ Storage of all chemicals and refuelling of vehicles should be within a suitably sized bund (110% capacity). This should occur away from watercourses and drainage lines, noting that the Project site will be isolated from external waterways during earthworks construction</li> <li>■ Ensure appropriately sized and located spill kits are available on site</li> <li>■ Ensure spills are cleaned up and disposed of, or remedied immediately, with the necessary equipment and methods</li> </ul>	Construction	To be included in the EMP
	Develop and implement emergency control plans to account for fuel, chemical and hydrocarbon spills	<ul style="list-style-type: none"> <li>■ Implement emergency control plans in the event of any fuel, chemical or hydrocarbon spills. These plans should be developed prior to construction with actions in place to deal with potentially hazardous releases especially when releases could reach receiving waters.</li> </ul>	Detailed design/ construction	To be addressed during detailed design, and requirements to be included in the EMP
	Ensure plant and equipment is maintained adequately	<ul style="list-style-type: none"> <li>■ Undertake regular inspections of equipment</li> <li>■ Undertake preventative maintenance of equipment</li> </ul>	Construction	To be included in the EMP
Soil erosion and sediment entering watercourses after vegetation removal and/or earthworks	Ensure that site inductions cover off on erosion and sediment control and water quality management procedures	<ul style="list-style-type: none"> <li>■ During the site induction for all personnel working on site, the Contractor's Environmental Officer should be introduced and Project-related environmental concerns identified and discussed. All site personnel should be taught to recognise erosion and sediment and water quality concerns and understand what needs to be done and who needs to be contacted in the event of an erosion and sediment control failure</li> <li>■ All site personnel have a responsibility to contact the BAC Environmental Advisor if any erosion and sediment control failures are identified or when maintenance is required</li> </ul>	Pre-construction and as required during construction	To be included in the EMP

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
	Consider the timing of construction and limiting construction to only the areas necessary to be disturbed	<ul style="list-style-type: none"> <li>■ Development of a construction ESCP which adopts the measures outlined within this table and in Section 5</li> <li>■ All materials received for crushing at the Project site must be stockpiled and crushed within the Project site where stormwater is captured and directed to the perimeter drain prior to discharging to the adjacent waterways</li> </ul>	Detailed design and construction	Review and comply with the requirements of the measures outlined within this table
Stormwater runoff does not meet WQOs with the potential to impact downstream environments	Implement drainage controls to manage site stormwater runoff	<ul style="list-style-type: none"> <li>■ A combination of clean water diversion drains/ banks and dirty water (ie sediment-laden) catch drains/banks to be employed on site to manage stormwater runoff. Construction methods and maintenance of clean water diversions and dirty water flow diversion banks and catch drains to be completed as per the IECA (2008) requirements</li> <li>■ Upon commencement of works, drains will be bunded externally to prevent tidal water ingress for the duration of earthworks construction</li> <li>■ During Phase 1 works, temporary earthen bunds and temporary pipes with shut off valves will be used to prevent tidal water ingress to the Project site. During Phase 2 works, flap/tidal gates will be installed at the major culverts under Moreton Drive and Nancy Bird Way to prevent backwater from tidal events, storm surges and regional flood events entering the Project site.</li> <li>■ A perimeter drain will be installed temporarily during construction around the boundary of the Project site and will be developed to its full profile during and after Phase 1 works are completed</li> <li>■ Storage basins/channels will be progressively installed for flood storage during Stages 2 and 3 of the Phase 1 works.</li> <li>■ Catch drains to be installed to capture any sediment-laden runoff from disturbed land due to construction works and direct stormwater towards end-of-line sediment control devices</li> <li>■ Sediment treatment systems and velocity control structures should be installed within the drainage systems</li> <li>■ Runoff flow velocity should be controlled through the use of a velocity control structure (eg rock check dams)</li> <li>■ Regularly monitor and maintain drainage control measures</li> <li>■ Where captured water has a pH less than 6.0, the water is to be treated prior to release and additional lime added to the base and walls of the excavation, as per the ASS Management Plan (refer Appendix F)</li> </ul>	Detailed design/ construction	To be included in the EMP

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome																			
		<ul style="list-style-type: none"> <li>Adopt recommended drainage design standards outlined below:</li> </ul> <table border="1"> <thead> <tr> <th rowspan="2">Drainage structure</th> <th colspan="3">Anticipated design life</th> </tr> <tr> <th>&lt; 12 months</th> <th>12 – 24 months</th> <th>&gt; 24 months</th> </tr> </thead> <tbody> <tr> <td>Temporary drainage structures<sup>1</sup></td> <td>1 in 2 year ARI</td> <td>1 in 5 year ARI</td> <td>1 in 10 year ARI</td> </tr> <tr> <td>Temporary drainage structures (eg catch drain, flow diversion bank) located immediately up-slope of an occupied property that would be adversely affected by the failure or overtopping of the structure<sup>1,2</sup></td> <td>1 in 10 year ARI</td> <td>1 in 10 year ARI</td> <td>1 in 10 year ARI</td> </tr> <tr> <td>Temporary culvert crossing</td> <td colspan="3">Minimum 1 in 1 year ARI hydraulic capacity wherever reasonable and practicable</td> </tr> </tbody> </table> <p><b>Notes:</b> <sup>1</sup>Design capacity excludes minimum 150 mm freeboard  <sup>2</sup>Design flow rate based on up-slope drainage structures operating in accordance with their design capacity excluding freeboard, ie any constructed freeboard is assumed to have been washed away or otherwise deactivated</p> <ul style="list-style-type: none"> <li>Drain sizes will be sized to carry flows up to a 1 in 100 year ARI, as well as accommodating detention as required</li> <li>Erosion controls and sediment controls are detailed further in Section 5.6</li> </ul>	Drainage structure	Anticipated design life			< 12 months	12 – 24 months	> 24 months	Temporary drainage structures <sup>1</sup>	1 in 2 year ARI	1 in 5 year ARI	1 in 10 year ARI	Temporary drainage structures (eg catch drain, flow diversion bank) located immediately up-slope of an occupied property that would be adversely affected by the failure or overtopping of the structure <sup>1,2</sup>	1 in 10 year ARI	1 in 10 year ARI	1 in 10 year ARI	Temporary culvert crossing	Minimum 1 in 1 year ARI hydraulic capacity wherever reasonable and practicable				
Drainage structure	Anticipated design life																						
	< 12 months	12 – 24 months	> 24 months																				
Temporary drainage structures <sup>1</sup>	1 in 2 year ARI	1 in 5 year ARI	1 in 10 year ARI																				
Temporary drainage structures (eg catch drain, flow diversion bank) located immediately up-slope of an occupied property that would be adversely affected by the failure or overtopping of the structure <sup>1,2</sup>	1 in 10 year ARI	1 in 10 year ARI	1 in 10 year ARI																				
Temporary culvert crossing	Minimum 1 in 1 year ARI hydraulic capacity wherever reasonable and practicable																						
Runoff entering watercourses from storage and disposal areas including waste material and soil placement	Prevent construction wastes from entering any watercourse	<ul style="list-style-type: none"> <li>Provide adequate disposal facilities for all types of construction waste (refer Section 12)</li> <li>Stockpile materials away from drainage lines and watercourses</li> </ul>	Construction	Requirements to be included in the EMP																			
Litter and rubbish from construction workers and road users entering watercourses	Prevent litter and rubbish from road users entering watercourses	<ul style="list-style-type: none"> <li>Conduct routine checks and removal for litter and rubbish on the road side within the Project site</li> <li>Provide lidded bins at the site compound</li> </ul>	Construction	Requirements to be included in the EMP																			
The use of herbicides for weed control and its impact on runoff and local watercourses	Avoid excess application of herbicides	<ul style="list-style-type: none"> <li>If using herbicides, only apply in accordance with manufacturer's guidelines and avoid the use of persistent herbicides</li> </ul>	Construction	Requirements to be included in the EMP																			

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
<b>Groundwater</b>				
The potential for groundwater contamination from fuel and chemical storage and use, and contamination of exposed groundwater through spills, leaks and surface runoff entering the excavations	Store chemicals according to environmental best practices Avoid leaks and spills of fuels and chemicals and runoff from exposed soil stockpiles	<ul style="list-style-type: none"> <li>Storage of all chemicals and refuelling of vehicles should be within a suitably sized bund (110% capacity), noting that the Project site will be isolated from external waterways during earthworks construction. This should occur away from waterways and drainage lines</li> <li>Ensure appropriately sized and located spill kits are available on site</li> <li>Implement emergency control plans. These should be developed prior to construction with actions in place to deal with potentially hazardous releases especially when releases could reach receiving waters</li> <li>Ensure spills are cleaned up and disposed of, or remedied immediately, with the necessary equipment and methods</li> <li>Soil stockpiles bunds are recommended in addition to those for fuel and chemical storage</li> </ul>	Construction	Requirements to be included in the EMP
Reduction of recharge areas by the construction of hard surfaces	Avoid infiltration and groundwater recharge impedance where possible	<ul style="list-style-type: none"> <li>Direct surface water run-off to specifically designed permeable surfaces. Follow the principles of WSUD to promote infiltration of rainfall</li> </ul>	Detailed design	To be addressed during detailed design
Infiltration of leachate into local watercourses from stockpiled soil originating from excavations	Avoid leachate generation from exposed soil stockpiles	<ul style="list-style-type: none"> <li>Staging of works to minimise areas of exposed and disturbed soils. Stage vegetation removal and excavation to minimise exposed areas, where possible</li> <li>Collect stormwater runoff from the Project site for treatment and reuse for activities such as damping down exposed surfaces or landscape irrigation where possible</li> <li>Ensure key construction staff are properly trained in sediment and erosion control and groundwater quality protection</li> </ul>	Detailed design/ construction	To be addressed during detailed design, and requirements to be included in the EMP



Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
The intersection or interaction with the groundwater table and potential impacts to water quality through construction activities, including construction of embankments, or migration of potential contaminants in groundwater	Establish the underlying hydrogeological conditions at points of intersection, particularly in areas of unconsolidated material	<ul style="list-style-type: none"> <li>■ Construction groundwater monitoring (to assess potential ASS impacts) will need to be undertaken in accordance with the ASS Management Plan (refer Appendix F) and compared to the established baseline monitoring reported by Golders (2016c; d) (refer Appendix D).</li> <li>■ Groundwater monitoring will be undertaken during filling and until excess surcharge material is removed within the monitoring wells indicated in Figure 7.1</li> <li>■ Only wells located adjacent to, or within 50 m laterally of, filling and surcharging activities need to be monitored</li> <li>■ New groundwater monitoring wells (as shown on Figure 7.1) will be installed progressively around the outer edge of the proposed perimeter drain or flood storage by an appropriately licensed driller in accordance with the requirements of the <i>Minimum Construction Requirements for Water Bores in Australia</i> (National Uniform Drillers Licensing Committee 2012)</li> <li>■ Internal groundwater monitoring wells will be progressively decommissioned as each encroaching earthworks stage progresses</li> <li>■ Groundwater shall be monitored for PFAS and dissolved metals/metalloids (aluminium, arsenic, cadmium, chromium, copper, iron, lead, mercury, nickel, zinc and titanium (if required)): <ul style="list-style-type: none"> <li>– Monthly during placement of fill and surcharge activities for a period of six months or until results of monitoring stabilise over a three month period (and provided that performance limits have been met, and continue to be met)</li> <li>– Once every six months for the remainder of fill placement and surcharge activities (provided that performance limits continue to be met)</li> <li>– Once every six months for removal of surcharge and completion of earthworks (provided performance limits remain to be met)</li> </ul> </li> <li>■ Upon completion of surcharging and earthworks, groundwater monitoring will cease with no further actions required</li> <li>■ Should potential contamination be identified during groundwater monitoring, an investigation must be undertaken to determine the potential source and extent of the contamination of the groundwater in consultation with the BAC Environment Advisor</li> </ul>	Construction	Requirements to be included in the EMP

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
		<ul style="list-style-type: none"> <li>■ Groundwater shall be monitored for ASS:               <ul style="list-style-type: none"> <li>– For one round of baseline data upon installation of any new groundwater wells prior to construction commencing</li> <li>– Monthly during placement of fill and surcharge earthworks for field measurements and every two months for laboratory analysis</li> <li>– Monthly during surcharging activities for field measurements for the initial two months and monthly until groundwater level has stabilised, and every two months for laboratory analysis for at least six months and until results of monitoring stabilise over a four month period</li> </ul> </li> <li>■ For assessment of potential ASS impacts, samples should be analysed for:               <ul style="list-style-type: none"> <li>– Field measurements: water level, pH, electrical conductivity, redox potential, total alkalinity</li> <li>– Laboratory analysis: pH, electrical conductivity, total titratable acidity, total alkalinity, dissolved iron and aluminium, dissolved ions (chloride and sulphate)</li> </ul> </li> </ul>		

# 8 Air quality, odour and dust management

## 8.1 Introduction

This section investigates the potential impacts of the Project on local air quality and discusses appropriate mitigation measures for management of these potential impacts.

## 8.2 Methodology

A review of the legislative requirements in relation to air quality and dust management was undertaken. This review identified the relevant air quality goals for the Project site.

Existing air quality data relevant to the Project site was sourced from the EHP air quality monitoring site at Wynnum, approximately 6 km south east of the Project site. Climate data relevant to the Project site was sourced from the Bureau of Meteorology's (BoM) Brisbane Airport site to identify climatic conditions currently experienced within and surrounding the Project site.

This data has been used to assist with the assessment of the potential impacts to air quality as a result of the Project during construction and operation.

## 8.3 Legislative requirements

A review of the legislative requirements for air quality and dust management was undertaken. This identified the relevant air quality goals for the Project site.

The following legislation related to air quality is potentially relevant to the Project:

- AEPR – Schedule 1, Part 2 of the AEPR outlines the ambient air quality objectives for airport land. The indicators relevant to airport land include lead, photochemical oxidants, sulphur dioxide, total suspended particulates, nitrogen dioxide, sulfates and carbon monoxide.
- Air NEPM – Schedule 2 of the Air NEPM outlines national ambient air quality standards for carbon monoxide, ozone, sulphur dioxide, nitrogen dioxide, lead and particles. The standards were designed to give an 'average' representation of general air quality. That is, the NEPM monitoring protocol was not designed to apply to the monitoring or modelling of peak concentrations from major emissions sources (NEPC 2003).
- Air Toxics NEPM – Schedule 3 of the Air Toxics NEPM outlines monitoring investigation levels for five air toxins including benzene, formaldehyde, benzo(a)pyrene as a marker for polycyclic aromatic hydrocarbons, toluene and xylenes
- EPP (Air) – Schedule 1 of the EPP (Air) specifies air quality indicators and goals for Queensland to protect environmental values. The EPP (Air) provides a more comprehensive list of air quality goals compared with the AEPR and Air NEPM.

## 8.4 Air quality standards

The applicable air quality goals are provided in Table 8.1 below. For the purposes of this Project, the most stringent air quality standards and goals for each pollutant have been highlighted in bold font.

Table 8.1 Air quality goals relevant to this Project

Pollutant	Goal	Averaging period	Legislative instrument
Carbon monoxide (CO)	<b>10 mg/m<sup>3</sup> or 9 ppm</b>	8 hours	AEPR
	9 ppm	8 hours <sup>1</sup>	Air NEPM
	11 mg/m <sup>3</sup> or 9 ppm	8 hours <sup>1</sup>	EPP (Air)
Nitrogen dioxide (NO <sub>2</sub> )	320 µg/m <sup>3</sup> or 0.16 ppm	1 hour	AEPR
	<b>0.12 ppm</b>	1 hour <sup>1</sup>	Air NEPM
	<b>0.03 ppm</b>	1 year	
	<b>250 µg/m<sup>3</sup> or 0.12 ppm</b>	1 hour <sup>1</sup>	EPP (Air)
	<b>62 µg/m<sup>3</sup> or 0.03 ppm</b>	1 year	
Photochemical oxidants (as ozone)	<b>210 µg/m<sup>3</sup> or 0.10 ppm</b>	1 hour	AEPR
	170 µg/m <sup>3</sup> or 0.08 ppm	4 hours	
	<b>0.10 ppm</b>	1 hour <sup>1</sup>	Air NEPM
	0.08 ppm	4 hours <sup>1</sup>	
	<b>210 µg/m<sup>3</sup> or 0.10 ppm</b>	1 hour <sup>1</sup>	EPP (Air)
	<b>160 µg/m<sup>3</sup> or 0.08 ppm</b>	4 hours <sup>1</sup>	
Particulate matter less than 10 µm (PM <sub>10</sub> )	N/A	N/A	AEPR
	<b>50 µg/m<sup>3</sup></b>	1 day <sup>2</sup>	Air NEPM
	<b>50 µg/m<sup>3</sup></b>	24 hours <sup>2</sup>	EPP (Air)
Particulate matter less than 2.5 µm (PM <sub>2.5</sub> ) (advisory* only)	N/A	N/A	AEPR
	<b>25 µg/m<sup>3</sup></b>	1 day	Air NEPM
	<b>8 µg/m<sup>3</sup></b>	1 year	
	<b>25 µg/m<sup>3</sup></b>	24 hours	EPP (Air)
	<b>8 µg/m<sup>3</sup></b>	1 year	
Total suspended particulates	<b>90 µg/m<sup>3</sup></b>	1 year	AEPR
	N/A	N/A	Air NEPM
	<b>90 µg/m<sup>3</sup></b>	1 year	EPP (Air)
Sulfur dioxide (SO <sub>2</sub> )	<b>700 µg/m<sup>3</sup> or 0.25 ppm</b>	10 minutes	AEPR
	<b>570 µg/m<sup>3</sup> or 0.20 ppm</b>	1 hour	
	60 µg/m <sup>3</sup> or 0.02 ppm	1 year	
	<b>0.20 ppm</b>	1 hour <sup>1</sup>	Air NEPM
	<b>0.08 ppm</b>	1 day <sup>1</sup>	
	0.02 ppm	1 year	
	<b>570 µg/m<sup>3</sup> or 0.20 ppm</b>	1 hour <sup>1</sup>	EPP (Air)
	<b>230 µg/m<sup>3</sup> or 0.08 ppm</b>	1 day <sup>1</sup>	
<b>57 µg/m<sup>3</sup> or 0.02 ppm</b>	1 year		
Lead	1.5 ppm	3 months	AEPR
	<b>0.50 µg/m<sup>3</sup></b>	1 year	Air NEPM
	<b>0.50 µg/m<sup>3</sup></b>	1 year	EPP (Air)

Pollutant	Goal	Averaging period	Legislative instrument
Benzene	N/A	N/A	AEPR
	<b>0.003 ppm<sup>^</sup></b>	1 year <sup>#</sup>	Air Toxics NEPM
	<b>10 µg/m<sup>3</sup> or 0.003 ppm</b>	1 year	EPP (Air)
Benzo(a)pyrene as a marker for Polycyclic Aromatic Hydrocarbons	N/A	N/A	AEPR
	<b>0.3 ng/m<sup>3</sup><sup>^</sup></b>	1 year <sup>#</sup>	Air Toxics NEPM
	<b>0.3 ng/m<sup>3</sup></b>	1 year	EPP (Air)
Formaldehyde	N/A	N/A	AEPR
	<b>0.04 ppm<sup>^</sup></b>	24 hours	Air Toxics NEPM
	<b>54 µg/m<sup>3</sup> or 0.04 ppm</b>	24 hours	EPP (Air)
Toluene	N/A	N/A	AEPR
	<b>1 ppm</b>	24 hours	Air Toxics NEPM
	<b>0.1 ppm</b>	1 year <sup>#</sup>	
	<b>4.1 mg/m<sup>3</sup> or 1 ppm</b>	24 hours	EPP (Air)
	<b>410 µg/m<sup>3</sup> or 0.1 ppm</b>	1 year	
Xylene (as total of ortho, meta and para isomers)	N/A	N/A	AEPR
	<b>0.25 ppm</b>	24 hours	Air Toxics NEPM
	<b>0.2 ppm</b>	1 year <sup>#</sup>	
	<b>1.2 mg/m<sup>3</sup> or 0.25 ppm</b>	24 hours	EPP (Air)
	<b>950 µg/m<sup>3</sup> or 0.2 ppm</b>	1 year	

**Table notes:**

<sup>1</sup> One day per year maximum allowable exceedance

<sup>2</sup> Five days per year maximum allowable exceedances

<sup>#</sup> For the purposes of this Air Toxics NEPM, the annual average concentrations in the “Goal” column are the arithmetic mean concentrations for 24-hour monitoring results.

<sup>^</sup> 8-year goal is to gather sufficient data nationally to facilitate development of a standard.

\* An Advisory Reporting Standard means a health-based standard to assess the results of monitoring for particles as PM<sub>2.5</sub>. These standards do not have a timeframe for compliance associated with them.

There are no national air quality guideline values for nuisance dust deposition to assess the impact of dust on the receiving environment. However, as per the *Guideline: Application requirements for activities within impacts to air* (EHP 2017e), a dust deposition limit of 120 mg/m<sup>2</sup>/day is typically used in Queensland, when monitored in accordance with AS3580.10.1:2003. This can be normalised to a 30 day month to give a monthly dust deposition limit of 3.6 g/m<sup>2</sup>/month.

## 8.5 Existing environment

### 8.5.1 Review of existing data

The Project site is located in close proximity to major road corridors such as the Gateway Motorway, Airportlink M7 tunnel, and Moreton Drive as well as some of Brisbane’s major industrial precincts which include oil refineries, chemical manufacturers and the Port of Brisbane (BAC 2014b). Based on reporting from the National Pollutant Inventory, Table 8.2 details sources of air quality emissions that are located within 3 km of the Project site.

Given that these industrial facilities and road corridors discharge various pollutants into Brisbane’s airshed and are in close proximity to the Project site, the air quality at Brisbane Airport would be influenced by these adjacent industries and activities as well as by emission sources associated with the operation of Brisbane Airport.

**Table 8.2 Emission sources within 3 km of Project site (based on 2014/2015 emissions)**

Facility name	Suburb
Bradken CMS Northgate	Northgate
Qantas Airways, Brisbane Airport	Brisbane
Brisbane Airport Corporation	Brisbane Airport
BOC Limited, Bulwer Island	Pinkenba
GE Water & Process Technologies	Northgate
James Hardie Concrete Pipes	Meeandah
Pinkenba Malthouse	Pinkenba
Shell Service Station, Brisbane Airport	Eagle Farm
Pinkenba Terminal, Viva Energy	Pinkenba

**Source:** Department of the Environment 2015

### 8.5.2 Receptors potentially sensitive to air quality changes

Figure 8.1 shows the location of receptors that are in close proximity to the Project site and would have the potential to be sensitive to changes in air quality.

The closest commercial receptors are:

- Kingsford Smith Memorial and Southern Cross Aircraft (95 m north east)
- Tenancies along Nancy Bird Way, such as:
  - Brisbane Airport Services Centre (directly across Nancy Bird Way), including:
    - Shell Coles Express
    - McDonalds and other food outlets
    - Vehicle servicing precinct – Ultra Tune, Sparkles Car Wash
  - Thrifty Car Rental and Hire
  - CPA Remote Public Car Park (directly across Moreton Drive)
- Tenancies along Bert Hinkler Drive, such as:
  - CPA Staff Car Park Stages 1 and 2
  - CPA Staff Car Park Stages 3 and 4 (under construction)
  - Taxi, bus and limousine parking
- Tenancies along Ivy May Way such as:
  - Europcar Car Rental
  - Avis Car Rental
  - Budget Car Rental
  - Hertz Car Rental
  - Qantas Valet Storage Facility
- Tenancies within the International Terminal (across Airport Drive), such as:
  - Airtrain services
  - Secure car parking
  - International Terminal lounge, food and shopping outlets
- Commercial tenancies along Qantas Drive (across Airport Drive)

The nearest residential suburbs are Eagle Farm (1.25 km south west of the Project site) and Hendra, Nundah, Northgate and Banyo, which are located more than 2 km west and north of the Project site. The nearest sensitive receptors to the Project site include:

- Northgate State School (2.6 km west)
- Hendra State School (2.75 km south west)
- Novotel Hotel (1.8 km south west)
- Tadpoles and Joey Club Childcare Centre (2.1 km south west)
- Pullman and Ibis Hotel (1.5 km north) (under construction)

### 8.5.3 Air quality data

As indicated in Section 8.5.2 above, the Project is located in the vicinity of areas currently used or under development for general industry and commercial uses. The local airshed is influenced predominantly by the road network connecting these activities and by the operation of the airport itself.

Caltex Refineries (Qld) Ltd operate three air quality monitoring sites in Wynnum to assess the impact of refinery emissions on nearby sensitive receptors. The oldest of the air quality sites commenced operation in 2004 and the two additional sites were added to the network in March 2014. This air quality monitoring network is located approximately 5 km south east of the Project site.

Air quality indicators monitored at the Wynnum sites include nitrogen oxides, sulphur dioxide, PM<sub>10</sub> and PM<sub>2.5</sub>. A summary of the monitored pollutant concentrations from Wynnum between December 2014 and November 2016 is presented in Table 8.3, together with the AEPR, Air NEPM and EPP (Air) guidelines and indicators.

Table 8.3 Air quality data from Wynnum air quality network December 2014 to November 2016

Parameter	AEPR	Air NEPM	EPP (Air)	Averaging period	Maximum pollutant concentration at Wynnum network	Exceedances at Wynnum network
Nitrogen dioxide	0.12 ppm	0.12 ppm	250 µg/m <sup>3</sup> 0.12 ppm	1 hour	0.041 ppm (July 2016)	0
	0.03 ppm	0.03 ppm	62 µg/m <sup>3</sup> 0.03 ppm	1 year	-	N/A
Sulfur dioxide	0.20 ppm	0.20 ppm	570 µg/m <sup>3</sup> 0.2 ppm	1 hour	0.134 ppm (April 2015)	0
	0.08 ppm	0.08 ppm	230 µg/m <sup>3</sup> 0.08 ppm	1 day	0.049 ppm (December 2014)	0
	0.02 ppm	0.020 ppm	57 µg/m <sup>3</sup> * 0.02 ppm	1 year	-	N/A
PM <sub>10</sub>	50 µg/m <sup>3</sup>	50 µg/m <sup>3</sup>	50 µg/m <sup>3</sup>	1 day	44.6 µg/m <sup>3</sup> (April 2015)	0
PM <sub>2.5</sub>	-	25 µg/m <sup>3</sup>	25 µg/m <sup>3</sup>	1 day	19.6 µg/m <sup>3</sup> (September 2016)	0
	-	8 µg/m <sup>3</sup>	8 µg/m <sup>3</sup>	1 year	-	N/A

**Table notes:**

\* Health and biodiversity of ecosystems

Source: Department of Science, Information Technology and Innovation 2017

According to the results in Table 8.3, the existing air quality adjacent to the Brisbane Airport at Wynnum is considered acceptable and within nominated standards. However, it should be noted that the recorded maximum pollutant concentration for PM<sub>10</sub> (44.6 µg/m<sup>3</sup>) was close to the PM<sub>10</sub> standard of 50 µg/m<sup>3</sup>.

## 8.5.4 Climatic conditions

BoM operates a meteorological site at Brisbane Airport (040842). This meteorological site is located approximately 2.3 km north east of the Project site. Table 8.4 summarises the long term average climate data recorded for the meteorological site.

Table 8.4 Meteorological data for Brisbane Airport (040842)

Parameter	January	February	March	April	May	June	July	August	September	October	November	December	Annual average
Max temp (°C)	29.0	29.0	28.0	26.0	23.6	21.2	20.9	21.9	24.2	25.5	26.9	28.1	25.4
Min temp (°C)	21.3	21.1	19.6	16.4	12.9	10.7	9.1	9.8	12.8	15.6	18.3	20.1	15.6
Rainfall (mm)	136.4	118.4	98.5	79.2	104.2	69.7	28.9	40.1	34.7	69.5	97.7	126.3	1049
9am wind speed (km/hr)	15.5	14.3	14.3	14.5	15.7	15.6	16.3	15.3	15.0	15.5	16.2	16.2	15.4
3pm wind speed (km/hr)	23.3	21.2	20.8	18.8	16.7	16.5	17.8	20.4	24.0	25.3	24.8	24.7	21.2

Source: Bureau of Meteorology 2017

The data in Table 8.4 indicates that rainfall within the Project site and surrounding areas occurs predominantly during summer (December to February), with the highest average occurring during January. The lowest rainfall months are June to September, with July having the lowest monthly average of 28.9 mm. The highest average monthly maximum temperature was 29.0°C (recorded in January and February) while the lowest average monthly maximum temperature was 20.9°C (recorded in July). The highest average monthly minimum temperature was 21.3°C (recorded in January), while the lowest average monthly minimum temperature was 9.1°C (recorded in July).

The average wind speeds at 9.00 am are approximately:

- 15.3 km/hr during summer months (December – February)
- 14.8 km/hr during autumn months (March – May)
- 15.7 km/hr during winter months (June – August)
- 15.6 km/hr during spring months (September – November)

The average wind speeds at 3.00 pm are approximately:


- 23.1 km/hr during summer months (December – February)
- 18.8 km/hr during autumn months (March – May)
- 18.2 km/hr during winter months (June – August)
- 24.7 km/hr during spring months (September – November)

Wind rose data was obtained from the BoM at Brisbane Airport (040842) and is presented in Figures 8.2 and 8.3. The predominant wind direction at 9.00 am during summer is northerly and then south-easterly and predominantly south-westerly during winter (refer Figure 8.2). At 3.00 pm, the winds are predominantly northerly/north-easterly, with some south-easterly winds in summer, while winds are predominantly north-easterly to south-easterly during winter (refer Figure 8.3).



9 am Dec  
489 Total Observations

Calm \*



9 am Jul  
509 Total Observations

Calm 1%







Figure 8.2 December (summer) and July (winter) wind roses at 9 am for Brisbane Airport (040842) (based on data from 1 April 1994 to 30 September 2010) (BoM 2017)




3 pm Dec  
490 Total Observations

Calm \*



3 pm Jul  
512 Total Observations

Calm \*



**Figure 8.3** December (summer) and July (winter) wind roses at 3 pm for Brisbane Airport (based on data from 1 April 1994 to 30 September 2010) (BoM 2017)

## 8.6 Potential impacts

Construction activities will potentially generate dust impacts. Activities with the potential to generate dust include:

- Transporting of fill material to site
- Processing of fill (crushing and screening)
- Stockpiling of fill
- Loading of fill onto trucks for placement
- Transport of fill around the site for placement
- Placing of fill on site
- Minor excavation works
- Removal of vegetation
- Construction of embankments
- Drain upgrade and realignment earthworks

Dust generation, resulting from construction earthworks (eg vegetation clearing, traffic movement over bare surfaces and rock crushing activities), has the potential to impact on the Kingsford Smith Memorial, neighbouring commercial businesses, car rentals and parking and the International Terminal if mitigation measures are not implemented. It is considered that the car rental, valet tenancies and car wash are likely to be sensitive to air quality changes, given their proximity to the Project site and the nature of their business (ie supplying cars that customers expect to be clean).

Wind speeds are noticeably higher during the afternoon in both spring and summer, with the potential to cause airborne dust from stockpiles and exposed areas during construction and to carry dust generated from rock crushing and screening. Dust suppression measures would need to be applied, particularly in high wind conditions.

Wind direction at Brisbane Airport is generally from the north, north-east and south-east at speeds between 20 and 30 km/h but up to 40 km/h, particularly in the afternoon. However, between April and September, wind direction at 9am at Brisbane Airport is predominately from the south west (20 to 30 km/h). Morning activities during these months may have an increased risk from dust deposition on the Kingsford Smith Memorial, which is located north-east of the Project site.

During settlement, there is the potential for dust to be generated if fill areas are not adequately covered.

Monitoring was undertaken monthly on a similar project at the CPA Staff Carpark, including the Western Drain upgrade and Stage 3 bulk earthworks from October 2015 until October 2016. Dust deposition rates during this period ranged from 0.8 to 6.4 g/m<sup>2</sup>/month, with an average of 2.19 g/m<sup>2</sup>/month (PSK 2016). There was only one instance of dust deposition above the Queensland dust deposition limit of 3.6 g/m<sup>2</sup>/month, which occurred in October/November 2015 (PSK 2016). These results indicate that these types of Projects can be managed to comply with the Queensland dust deposition limit.

Dust deposition monitoring was conducted at the Kingsford Smith Memorial from October 2008 to September 2009 during the Brisbane Airport Northern Access Road Project (eg Nancy Bird Way), which is directly adjacent to the Memorial. Dust deposition results from inside the Kingsford Smith Memorial ranged from 0.8 to 4.6 g/m<sup>2</sup>/month while results collected from outside the Kingsford Smith Memorial ranged from 1.7 to 8.9 g/m<sup>2</sup>/month. No complaints were received during the Northern Access Road Project regarding the Kingsford Smith Memorial.

There is the potential for construction and operation-related traffic to contribute towards minor local air quality issues (other than dust impacts). The impact on local air quality during construction traffic will not be significant given the temporary nature of construction and the existing emissions from the high volume of vehicles currently using nearby roads such as Moreton Drive, Airport Drive and Nancy Bird Way.

It is considered that residential areas and sensitive receptors are a sufficient distance away from the Project site and will not experience any air quality impacts as a result of the Project.

It is envisaged that minimal impacts associated with climatic patterns will occur during the operation of the Project.

## **8.7 Mitigation measures**

Table 8.5 provides management measures that are recommended to mitigate the potential impacts identified above.

Table 8.5 Potential air quality impacts and mitigation measures

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
Reduced air quality at nearby commercial premises (dust and particulate generation) from construction related activities	Undertake baseline dust monitoring program for the Project	<ul style="list-style-type: none"> <li>■ Undertake baseline dust deposition monitoring prior to construction, involving the following:                             <ul style="list-style-type: none"> <li>– Install dust deposition gauges at five locations (refer Figure 7.1):                                     <ul style="list-style-type: none"> <li>■ Kingsford Smith Memorial</li> <li>■ International Terminal car park</li> <li>■ North of Qantas Engineering on Qantas Drive</li> <li>■ Along the south eastern boundary of the CPA Remote Car Park</li> <li>■ Brisbane Airport Services Centre</li> </ul> </li> <li>– Collect and replace dust deposition gauge sample bottles on a monthly basis for three months starting no less than two weeks before construction.</li> <li>– Dust deposition gauge preparation, sample collection and sample analysis should be conducted in accordance with:                                     <ul style="list-style-type: none"> <li>■ AS/NZ 3580.10.1:2003 – Methods for Sampling and Analysis of Ambient Air, Method 10.1 Determination of Particulate Matter – Deposited Matter – Gravimetric Method</li> <li>■ Monitoring and Sampling Manual 2009 (EHP 2009)</li> </ul> </li> </ul> </li> <li>■ Dust deposition samples are to be analysed by a National Association of Testing Authorities (NATA) accredited laboratory. Results are to be recorded.</li> </ul>	Prior to construction	To be included in the EMP

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
	Undertake construction dust monitoring program for the Project	<ul style="list-style-type: none"> <li>■ Undertake construction dust deposition monitoring, involving the following:               <ul style="list-style-type: none"> <li>– Install dust deposition gauges at five locations (refer Figure 7.1):                   <ul style="list-style-type: none"> <li>■ Kingsford Smith Memorial</li> <li>■ International Terminal car park</li> <li>■ North of Qantas Engineering on Qantas Drive</li> <li>■ Along the south eastern boundary of the CPA Remote Car Park</li> <li>■ Brisbane Airport Services Centre (for half of Stage 1 works only, if no validated complaints are received)</li> </ul> </li> <li>– Collect and replace dust deposition gauge sample bottles on a monthly basis throughout construction</li> <li>– Dust deposition gauge preparation, sample collection and sample analysis should be conducted in accordance with:                   <ul style="list-style-type: none"> <li>■ AS/NZ 3580.10.1:2003 – Methods for Sampling and Analysis of Ambient Air, Method 10.1 Determination of Particulate Matter – Deposited Matter – Gravimetric Method</li> <li>■ Monitoring and Sampling Manual 2009 (EHP 2009)</li> </ul> </li> </ul> </li> <li>■ Dust deposition samples are to be analysed by a NATA accredited laboratory. Results should be assessed against the advisory limit of 3.6 g/m<sup>2</sup>/month, and results provided in a monthly report.</li> <li>■ If the samples reveal an exceedance of the 3.6 g/m<sup>2</sup>/month advisory level, the cause of the exceedance should be investigated. Additional mitigation measures should be investigated and implemented to manage future dust impacts generated by the project if needed</li> </ul>	Construction	To be included in the EMP

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
Dust and pollutants generated by vehicles travelling on unpaved areas	Minimise local air quality impacts as a result of construction related traffic	<ul style="list-style-type: none"> <li>■ To minimise the tracking of sediment off site, the Contractor will specify appropriate measures in the ESCP in consultation with the BAC Environmental Advisor</li> <li>■ Maintain sealed vehicle access points from existing roads to the Project site where possible</li> <li>■ Cover loads on haulage trucks</li> <li>■ Stabilisation and regular watering of haul routes and traffic areas within the Project site using water carts to minimise the generation of dust. To further minimise dust generation, chemical dust suppressants, and increased utilisation of water carts and/or fixed irrigation can be used on selected roads to maintain high moisture levels</li> <li>■ Restrict construction vehicle speed to a speed suitable to avoid the generation of dust</li> <li>■ Ensure all construction vehicles, plant and machinery are maintained and operated in accordance with design standards and specifications</li> <li>■ Ensure construction vehicles are switched off when not in use</li> </ul>	Construction	To be included in the EMP
Dust generated from exposed areas disturbed by removal of vegetation	Stage clearing of vegetation to minimise the area of exposed ground at any one time	<ul style="list-style-type: none"> <li>■ Disturb only the minimum area necessary. Reshape, topsoil and rehabilitate completed areas as soon as practicable after the completion of works</li> </ul>	Construction	To be included in the EMP
Dust generated by uncovered fill and surcharge material during settlement	Appropriately cover areas that are in the process of settlement	<ul style="list-style-type: none"> <li>■ Semi-permanent cover (eg hydromulch etc) should be used on areas that are in the process of settlement if considered necessary in consultation with the BAC Environmental Advisor</li> </ul>	Construction	To be included in the EMP

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
Reduced air quality within surrounding areas (including adjacent tenancies and Kingsford Smith Memorial) due to dust and particulate generated from construction activities	Implement dust suppression/ control measures during construction	<ul style="list-style-type: none"> <li>■ Use dust suppression techniques on stockpiles (eg water carts) to reduce the risk of airborne dust as required</li> <li>■ If necessary, use a dust suppressant such as Vital Bon-Matt where practical, in consultation with the BAC Environmental Advisor</li> <li>■ Use temporary cover (ie black plastic, turf, jute matting etc) where necessary to avoid the potential for wind-blown dust during construction, in consultation with the BAC Environmental Advisor</li> <li>■ Monitor prevailing meteorological conditions, including wind speed and direction during construction, excavation and fill works and postpone works if dust impacts on sensitive receptors cannot be appropriately managed</li> <li>■ Undertake daily visual inspections for airborne dust</li> </ul>	Construction	To be included in the EMP
	Adoption of management measures to reduce fire-related dust generation	<ul style="list-style-type: none"> <li>■ No fires on site</li> <li>■ In accordance with the ESCP, cleared vegetation may be reused as mulch on site for erosion and sediment control. Cleared vegetation is not to be burned</li> </ul>	Construction	To be included in the EMP
Complaints from adjacent tenants regarding air quality	Implement a complaints register system	<p>In the event of an air quality complaint, undertake the following measures:</p> <ul style="list-style-type: none"> <li>■ Investigate the cause of the complaint through consultation with the complainant. Review and log the type, location and duration of site activity and meteorological conditions at the time of the complaint</li> <li>■ Where the complaint is validated, analyse the results of the air quality monitoring and use this data to assist with the assessment of the impacts and in the development and implementation of appropriate work procedures or mitigation measures to minimise further impacts</li> <li>■ Within 14 days of the receipt of a validated air quality complaint, report the results of the investigation and the actions taken to 'close out' the complaint to the complainant and BAC Environmental Advisor</li> </ul>	Construction	Requirement to be included in the EMP



# 9 Noise and vibration

## 9.1 Introduction

This section outlines the potential issues relating to noise and vibration associated with the Project and discusses appropriate mitigation measures to be undertaken during the construction stages.

## 9.2 Methodology

A review of the relevant legislative and policy instruments relating to noise and vibration control during construction was undertaken, identifying the applicable standards to be applied to the Project. An assessment of the existing environment was based on a desktop review of nearby sensitive receptors and previous noise and vibration studies for similar projects. Potential noise and vibration impacts were identified and mitigation measures recommended.

## 9.3 Relevant legislation

Legislation relevant to the Project is summarised in Section 3 of this EAR. The specific provisions relating to noise and vibration management are discussed in the section below.

### 9.3.1 Airports (Environment Protection) Regulations 1997

#### 9.3.1.1 Noise sources

Ground-based noise on the airport site other than noise generated by an aircraft in flight, when landing, taking off or taxiing at an airport, is regulated by the AEPR. The ground-based noise sources surrounding the Project site have been identified in the AES as the following:

- Road traffic and rail
- Construction and development sites
- Operation of plant or machinery
- Operation of alarm or warning systems
- Aircraft engine ground running

#### 9.3.1.2 Sensitive receptors

Part 2, Division 2, Regulation 2.04 of the AEPR defines sensitive receptors as follows:

(a) *Dwelling*

(b) *An impermanent dwelling in a place designed, or reserved, for impermanent dwellings (for example, a caravan park or residential marina)*

(c) *A hotel, motel or hostel*

(d) *A child care institution, kindergarten, school, college, university or other educational institution*

(e) *A hospital, medical centre or nursing home*

(f) *A building that is a church or similar place of worship*

Schedule 4, Part 3 of the AEPR also makes reference to commercial receptors, and states that the indicators of noise for sensitive receptors are the same for commercial receptors except for considerations of the following factors:

- *The nature of the business conducted at the site*
- *The time of day when the noise occurs*
- *The duration of the noise*
- *The nature and characteristics (if any) of the noise*
- *The background noise level*

### 9.3.1.3 Construction noise criteria

Applicable standards to be applied to the Project have been identified. The applicable noise criteria for road traffic and construction noise are found in the AEPR and are summarised in Table 9.1.

Table 9.1 Applicable noise criteria for construction and road traffic noise

Noise source	Noise criteria	Note
Construction (construction, maintenance or demolition of a building or other structure at an airport)	L <sub>A10(15 minute)</sub> 75 dBA	Assessed at the site of a sensitive receptor Adjusted for tonal character or impulsiveness
Road traffic (generated from road traffic on the site of an operator of an undertaking at an airport)	L <sub>Aeq(24 hour)</sub> 60 dBA	Assessed at the site of a sensitive receptor
	L <sub>Aeq(8 hour)</sub> 55 dBA	Assessed at the site of a sensitive receptor Assessed between 22:00 and 06:00 hours

### 9.3.2 BAC's Noise Impact Assessment Policy

BAC's *Noise Impact Assessment Policy* (NIAP) (2009) sets out how various noise impacts should be considered when determining the level of noise assessment and any suitable mitigation measures required for new developments.

BAC is committed to applying this policy to ensure each proposed development on-airport is appropriately assessed for potential noise impacts. The NIAP applies to new development sites on airport land, and takes account of potential noise generated during construction and operation phases, as well as the way existing noise sources impact on those proposed new developments.

The NIAP recommends that an historical examination of noise levels and its effect on its neighbours can be used as an appropriate assessment mechanism where a proposed development is:

- Consistent with other existing land uses in the precinct and will not affect sensitive receptors, or
- Not consistent with other existing land uses in the precinct but the likely noise impacts would not be significantly greater than existing precinct noise levels and would not impact on sensitive receptors

In all other cases, a noise assessment study (prepared by qualified noise consultants) is to be undertaken.

The Project is considered to be consistent with other existing land uses in the precinct and will not affect sensitive receptors during operation. The bulk earthworks phase of the Project will generate noise from material processing (eg earth, rock), including sorting, crushing, processing and stockpiling. An assessment of noise related impacts from these activities is provided in Section 9.5.

### 9.3.3 Vibration

No vibration related goals are discussed in the AEPR. The Australian Standard *AS 2436-2010 Guide to noise and vibration control on construction, demolition and maintenance sites* also does not provide vibration goals. However, it provides guidance on how vibration control should be undertaken on construction sites.

AS 2436-2010 recommends implementing time restrictions on processes involving exposure to potentially hazardous vibration, low-vibration plant and equipment, and signposting of vibration hazardous areas. Monitoring is identified in AS 2436-2010 as an essential component in the effective control of vibration from construction sites.

The *Guideline: Noise and vibration from blasting* (EHP 2016c) provides vibration criteria for construction blasting with a peak velocity for ground vibration set at 5 mm/s. Whilst no blasting will be conducted as part of Project works, the vibration criteria provide a vibration limit that can be implemented at the nearest sensitive structure (Kingsford Smith Memorial). This criteria is well below levels at which structural damage will occur. Vibrations below this criteria are unlikely to cause cosmetic cracking, including minor non-structural effects such as superficial cracking in cement render or plaster.

## 9.4 Existing environment

### 9.4.1 Noise

#### 9.4.1.1 Regional context and sensitive receptors

The Project site is a high noise environment and is exposed to high levels of daytime background noise from the following sources:

- Vehicular traffic on Moreton Drive, Airport Drive and Nancy Bird Way
- Low-flying aircraft during the land-take-off cycle
- Intermittent noise from surrounding construction activities (eg CPA)

The closest commercial receptors include:

- Kingsford Smith Memorial and Southern Cross Aircraft (95 m north east)
- Tenancies along Nancy Bird Way, such as:
  - Brisbane Airport Services Centre (approximately 50 m north, directly across Nancy Bird Way), including:
    - Shell Coles Express
    - McDonalds and other food outlets
    - Vehicle servicing precinct – Ultra Tune, Sparkles Car Wash
  - Thrifty Car Rental and Hire
  - CPA Remote Public Car Park (approximately 120 m north west, directly across Moreton Drive)
- Tenancies along Bert Hinkler Drive, such as:
  - CPA Staff Car Park Stages 1 and 2
  - CPA Staff Car Park Stages 3 and 4 (under construction)
  - Taxi, bus and limousine parking
- Tenancies along Ivy May Way such as:
  - Europcar Car Rental
  - Avis Car Rental
  - Budget Car Rental
  - Hertz Car Rental
  - Qantas Valet Storage Facility
- Tenancies within the International Terminal (across Airport Drive), such as:
  - Airtrain services

- Secure car parking
- International Terminal lounge, food and shopping outlets
- Commercial tenancies along Qantas Drive (across Airport Drive)

The nearest residential suburbs are Eagle Farm (1.25 km south west of the Project site) and Hendra, Nundah, Northgate and Banyo, which are located than 2 km west and north of the Project site. The nearest sensitive receptors to the Project site include:

- Northgate State School (2.6 km west)
- Hendra State School (2.75 km south west)
- Novotel Hotel (1.8 km south west)
- Tadpoles and Joey Club Childcare Centre (2.1 km south west)
- Pullman and Ibis Hotel (1.5 km north) (under construction)

Figure 8.1 identifies the location of these potentially sensitive receptors.

#### 9.4.1.2 Review of existing data

Existing background noise data from the Parallel Runway EIS/MDP (BAC 2006) has been used as an indication of the current background noise levels within proximity to the Project site. Ambient noise levels at a number of locations surrounding the airport site in November 2005 were recorded.

The nearest locations with background noise data to the Project site are:

- St Paul's Theological College (2.5 km north west) – recorded distant traffic and birds
- 33 Franklin Street, Nundah (2.45 km west) – recorded distant traffic, insects, birds and occasional local traffic
- 17 McBride Road, Pinkenba (2.6 km south east) – recorded birds, insects, children, animals and aircraft noise

The ambient noise levels recorded as part of studies for the Parallel Runway EIS/MDP relevant to the current Project site are outlined in Table 9.2.

It is noted that the Parallel Runway EIS/MDP considered these noise levels to be typical for these areas (BAC 2006).

Table 9.2 Summary of measured noise levels

Site	minL <sub>A90,1hr</sub> (dBA)			L <sub>Aeq,Period</sub> (dBA)		
	Daytime 7 am-6 pm	Evening 6-10pm	Nighttime 10 pm-7 am	Daytime 7 am-6 pm	Evening 6-10 pm	Nighttime 10 pm-7 am
St Paul's Theological College (Educational facility)	36	33	30	56	51	44
33 Franklin Street, Nundah (residential property)	44	42	36	57	50	49
17 McBride Road, Pinkenba (residential property)	42	37	34	57	52	51

Source: BAC 2006

## 9.4.2 Vibration

Vibration monitoring inside the Kingsford Smith Memorial was conducted during the construction works at the Brisbane Airport Northern Access Road Project (eg Nancy Bird Way) during various vibration inducing works (eg roller operation, pile driving). Table 9.3 details the results from the vibration monitoring. The maximum vibration result was detected at -1.1 mm/s, significantly below the recommended vibration criteria (5 mm/s). This maximum result was detected during setup of the vibration monitor and is likely to be attributed to the set up process as it is unusually high (Leighton Contractors 2009).

Table 9.3 Vibration results during Brisbane Airport Northern Access Road Project

Monitoring period	Maximum vibration detected (mm/s)
24 March to 5 April 2009	0.4
17 to 19 April 2009	0.4
28 to 30 April 2009	Not detected
25 to 26 May 2009	0.05
7 to 15 July 2009 and 20 to 26 July 2009	-1.1

## 9.5 Potential impacts

### 9.5.1 Potential noise impacts

The Project may undertake a 24 hour earthwork operations as well as material processing, including sorting, crushing, screening and stockpiling.

Sources of construction noise during the Project will comprise a range of heavy vehicles, plant and equipment, and typically occurs intermittently and varies depending upon the nature or phase of construction (ie land clearing, excavation etc). In general, the site clearance and earthworks activities can be viewed as an intense activity of work over a short timescale in the Project site. These works are unlikely to be in the same vicinity for more than a few days at a time.

Rock crushing may be undertaken during the bulk earthworks. The location for rock crushing would be chosen based on distance to material, accessibility of trucks and location of neighbouring receptors, such as the Kingsford Smith Memorial.

Based on the typical sound power levels for construction sources, noise level predictions have been undertaken assuming all listed equipment is operating simultaneously at 100% capacity (ie worst case scenario). This conservative assessment is shown in Table 9.4 below.

Table 9.4 Noise level predictions

Activity	Equipment	No. of items in one 15 min period	Typical Sound Power Level (mid-point) (dBA)		Calculated construction noise levels, $L_{Aeq,15 mins}$ dB(A) at distance:							
			Individual item	Total item	25m	50m	100m	200m	400m	500m	800m	1km
Bulk earthworks with rock crushing	Rock breaker	1	118	118	82	76	70	64	58	56	52	50
	Bulldozers/tracked loaders	2	108	111	75	69	63	57	51	49	45	43
	Excavators	3	107	112	76	70	64	58	52	50	46	44
	Dump trucks	4	117	123	87	81	75	69	63	61	57	55
	Drum rollers	3	108	113	77	71	65	59	53	51	47	45
	Articulated truck	1	107	107	71	65	59	53	47	45	41	39
	Water trucks	2	107	110	74	68	62	56	50	48	44	42
Cumulative noise from all equipment in dB(A)					89	83	77	71	65	63	59	57
<b>Overall noise level (+10 dB penalty for annoying characteristics) in dB(A)</b>					99	93	87	81	75	73	69	67
<b>Expected noise exceedance (against 75 dBA*):</b>					<b>24</b>	<b>18</b>	<b>12</b>	<b>6</b>	0	-2	-6	-8

**Table notes:**

The *Guideline: Planning for noise control* (EHP 2016c) states that 5 dBA penalty each should be applied for impulsiveness and reverse beeping

\*As per the AEPR, noise generated from construction of a structure at an airport should not exceed 75 dBA at the site of a sensitive receptor (refer Table 9.1)

The closest receptors to the Project site, where the most noise is likely to be experienced given the combination of activities and potential for rock processing, are outlined in Section 9.4.1 and include the Kingsford Smith Memorial, the Brisbane Airport Services Centre and the CPA. While there is potential for the Project to exceed the AEPR criteria at these locations, as they are all located within 100 m of the Project site (refer Table 9.4), this information is conservative and peak noise levels would occur only sporadically since not all equipment would be operating at all times and mitigation measures will be put in place. Based on this, it is likely that potential impacts to these receptors from Project works can be managed with appropriate mitigation measures outlined in Table 9.6.

It is considered that the residential areas (Eagle Farm, Hendra, Nundah, Northgate and Banyo) are a sufficient distance away from the Project site and will not experience any noise impacts as a result of the Project.

Noise impacts may also be associated with construction vehicle traffic. Traffic due to workforce movements and delivery of materials will increase the ambient noise levels on site and adjoining access routes. However it is not expected that any change in noise will be noticeable given that access routes are currently busy road corridors.

### 9.5.2 Potential vibration impacts

Ground vibration resulting from the construction works will mainly be associated with the excavation/compacting for earthworks and rock crushing activities. The major vibration sources will include the operation of bulldozers, excavators, vibratory rollers (if used) and the rock crushing equipment.

The ground vibration levels due to construction work are difficult to be predicted accurately due to the dependence of vibration transmissibility on soil type (soft or hard), intervening geology (ie the coupling loss between the soil and the building foundation), the nature of the building foundations and the location of the construction equipment.

The nearest potential affected properties are outlined in Section 9.4.1 and include the Kingsford Smith Memorial, the Brisbane Airport Services Centre and the CPA. At these receptors, there may be occasions when vibration is perceptible during intensive earthworks.

An example of predicted ground vibrations at various distances was made by GHD and the Roads Traffic Authority (RTA) (now Roads and Maritime Services [RMS]) (GHD and RTA 2014) using data from the Environmental Noise Management Manual (RTA 2001). This data, shown in Table 9.5 below, provides an example of the levels of ground vibration that could be expected during construction of the Project.

Table 9.5 Typical vibration levels at distances (mm/s peak)

Plant item	Distance from source			
	10 m	20 m	50 m	100 m
15 t roller	7 to 8	3.8	1.5	0.8
7 t compactor	5 to 7	3.0	1.2	0.6
Dozer	2.5 to 4	1.6	0.7	0.3
Backhoe	1.0	0.5	0.2	0.1

Source: GHD and RTA 2014

As discussed in Section 9.5.1, the Kingsford Smith Memorial, Brisbane Airport Services Centre and Central Parking Area are located within approximately 100 m of the Project site boundary. At a distance of 20 m, construction vibration levels for a 15 t roller and a dozer are in the order of 3.8 mm/s and 1.6 mm/s peak respectively, which are below the 5 mm/s limit recommended in Section 9.3.3.

Vibration monitoring was conducted at the Kingsford Smith Memorial during the Northern Access Road Project and detected a maximum vibration result of -1.1 mm/s (Leighton Contractors 2009). This result is significantly below the recommended vibration criteria (5 mm/s). Piling activities and vibratory rollers were used in closer vicinity of the Kingsford Smith Memorial during the Northern Access Road Project. However, the Project will not involve piling, vibratory rollers will be avoided where possible and the Project site is located a further distance from the Kingsford Smith Memorial (approximately 95 m). Based on this, it is considered unlikely that there will be any construction related vibration impacts on these neighbouring receptors as a result of the Project.

It is considered that the residential areas (Eagle Farm, Hendra, Nundah, Northgate and Banyo) are a sufficient distance away from the Project site and will not be impacted as a result of vibration generated by the Project.

## 9.6 Mitigation measures

A summary of each of the predicted impacts related to noise and vibration and the environmental management measures for the earthworks phase of the Project is provided in Table 9.6.

Table 9.6 Noise and vibration potential impacts and mitigation measures

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
<b>Noise</b>				
Generation of noise during construction of the Project	Advise adjacent tenants of the potential noise impacts that may occur during construction	<ul style="list-style-type: none"> <li>■ Provide advance notice to, and regular communication with, existing potential affected tenants before and throughout the construction period</li> </ul>	Prior to and during construction	To be addressed during detailed design phase and construction
	Undertake a background noise monitoring program for the Project	<ul style="list-style-type: none"> <li>■ Noise monitoring to be undertaken to collect information that can inform consultation with neighbouring tenants, if required, and to provide a benchmark to assess construction noise monitoring results against. Undertake baseline noise monitoring at the Kingsford Smith Memorial and the Brisbane Airport Services Centre at least two weeks prior to the commencement of construction (refer Figure 7.1). The following should be undertaken:                             <ul style="list-style-type: none"> <li>– A battery powered noise logger should be used</li> <li>– Noise data collection and analysis to be done in accordance with AS 1055.1 Acoustics – Description and measurement of environmental noise</li> <li>– To be undertaken in accordance with the <i>Noise Measurement Manual</i> (EHP 2013)</li> </ul> </li> </ul>	Prior to construction	Requirement to be included in the EMP



Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
	Implement a range of techniques to minimise noise impacts as a result of bulk earthworks activities, including rock crushing	<ul style="list-style-type: none"> <li>■ If required, (eg a validated complaint is received or an exceedance of the limits set out in this EAR are confirmed), an investigation will be undertaken to determine the source of the exceedance/complaint.</li> <li>■ Where possible and practicable, noise machinery should have appropriate mufflers, silencers and/or enclosures fitted to reduce noise transmission</li> <li>■ Avoid noisy plant/machines working simultaneously close together and adjacent to sensitive receivers</li> <li>■ Ensure all equipment is limited to an instantaneous sound pressure level at 15 m of <math>L_{max}</math> 85 dBA (under worst case operating mode), either by fitting silencers/shrouds to existing equipment or by using updated equipment</li> <li>■ Where possible, locate and operate any constant noise sources (ie generators) as far as possible from adjacent or nearby premises and the Kingsford Smith Memorial</li> <li>■ Excessively noisy machinery should preferably not operate during sensitive night time hours (ie between 10 pm and 7 am), and should be located as far as possible from the noise-sensitive premises. Wherever possible, restrict usage to daytime hours</li> <li>■ Equipment used during Project works are to be operated and maintained in a proper and efficient manner to minimise noise levels</li> <li>■ Equipment/machinery should be shut down when not in use</li> </ul>	Construction	Requirement to be included in the EMP
Potential community complaints regarding noise	Manage and monitor noise at sensitive receptors who experience noise related impacts during the construction phase	<ul style="list-style-type: none"> <li>■ Keep a register of noise related complaints and record the time and nature of the alleged incident to aid in complaint verification</li> <li>■ Investigate the source of substantiated noise complaints</li> <li>■ Within seven days of the noise complaint, report the results of the investigation and the actions taken to 'close out' the complaint to the complainant and BAC Environmental Advisor</li> <li>■ Where noise complaints persist, undertake noise monitoring 1.0 m from the façade of affected properties to assess noise levels against the EPP (Noise) criteria and to assist with future management of noise complaints. Outside the hours of 7am to 7pm Monday to Saturday (excluding public holidays), if noise at sensitive receptors off Airport land continues to exceed the EPP (Noise) criteria, the noise generating activity on the Project site will cease operations</li> </ul>	Construction	Requirement to be included in the EMP

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
<b>Vibration</b>				
Vibration from the construction phase leading to cosmetic damage to commercial buildings and sensitive receptors	Undertake a background vibration monitoring program for the Project	<ul style="list-style-type: none"> <li>Background vibration monitoring to be undertaken to collect information that can inform consultation with neighbouring tenants, if required, and to provide a benchmark to assess construction vibration monitoring results against. Undertake baseline vibration monitoring inside the Kingsford Smith Memorial at least two weeks prior to the commencement of construction (refer Figure 7.1).</li> </ul>	Prior to construction	Requirement to be included in the EMP
	Minimise the likelihood of damage to commercial buildings and sensitive receptors as a result of vibration from construction activities	<ul style="list-style-type: none"> <li>Condition assessments of existing buildings within close proximity to the Project site, including the Kingsford Smith Memorial, will be undertaken prior to and during construction</li> <li>Investigate the potential of using static rollers instead of vibratory rollers</li> <li>Piling should not be undertaken within 200 m of the Kingsford Smith Memorial unless suitable control and monitoring are implemented</li> <li>All machinery operating within 100 m of the Kingsford Smith Memorial is to be limited to 15 km/h with appropriate signage to be displayed</li> <li>Advise stakeholders of upcoming works via regular stakeholder communications. Stakeholders will have the opportunity to discuss with BAC if there are any concerns.</li> <li>During vibration inducing works within 200 m of the Kingsford Smith Memorial, and if a validated complaint regarding vibration is received, vibration monitoring shall be undertaken at the Kingsford Smith Memorial to ensure that vibration levels are kept below 5 mm/s in consultation with the BAC Environmental Advisor</li> <li>As far as practical, all operations causing relatively high levels of vibration should be carried out at a time to cause the least annoyance to neighbours (eg daytime hours)</li> <li>Where possible, locate and operate any constant vibration sources (eg generators), as far as possible from adjacent or nearby premises</li> </ul>	Prior to construction, and during construction	Requirements to be included in the EMP

# 10 Social and economic issues

## 10.1 Introduction

This section provides a summary of the existing socio-economic environment relevant to the Project site. This provides an indication of who to target during stakeholder communication for the Project.

## 10.2 Methodology

A review of the legislation, policy and guidelines relevant to social and economic issues and stakeholder communication requirements for the Project has been undertaken. A review of the existing environment in relation to social and economic baseline conditions within and surrounding the Project site and stakeholder communication requirements on Airport land is provided.

The existing environment conditions have indicated the potential impacts that may occur during the construction of the Project. Mitigation measures are also recommended to be implemented during construction.

## 10.3 Relevant documents

### 10.3.1 Airport Development Consultation Guidelines

Requirements for engaging with the community related to airport development are included in the *Airport Development Consultation Guidelines* (Department of Infrastructure, Transport, Regional Development and Local Government 2012). The guidelines were prepared to assist Airport Lessee Companies that are managing and operating Australia's leased federal airports in the process of stakeholder consultation. The aim of the guidelines seek to outline how consultation processes in relation to land use, planning and developments at the leased federal airports should be managed, with particular emphasis on the preparation of Master Plans, Airport Environment Strategies and Major Development Plans.

A range of consultation approaches are suggested in the guidelines including:

- Public meetings
- Stakeholder meetings
- Focus group meetings
- On site meetings
- Permanent or ad hoc consultative committees
- Submissions
- Individual discussions

The choice of an appropriate approach depends on the type and location of the Project, the stakeholder group and their willingness to participate, the potential impact to the community/environment, and statutory timeframes.

## 10.4 Existing environment

The nearest residential area are the suburbs of Nudgee (1.6 km north), Banyo (1.3 km north), Nundah (2.2 km west), Pinkenba (1.9 km south and east) and Eagle Farm (1.3 km south). The Gateway Motorway and industrial areas are located between the Project site and the nearest residential suburbs (refer Figure 8.1). Surrounding economic activities include:

- Kingsford Smith Memorial and Southern Cross Aircraft (95 m north east)
- Tenancies along Nancy Bird Way, such as:
  - Brisbane Airport Services Centre (directly across Nancy Bird Way, operating 6am to 10pm), including:
    - Shell Coles Express
    - McDonalds and other food outlets
    - Vehicle servicing precinct – Ultra Tune, Sparkles Car Wash
  - Thrifty Car Rental and Hire
  - CPA Remote Public Car Park (directly across Moreton Drive)
- Tenancies along Bert Hinkler Drive, such as:
  - CPA Staff Car Park Stages 1 and 2
  - CPA Staff Car Park Stages 3 and 4 (under construction)
  - Taxi, bus and limousine parking
- Tenancies along Ivy May Way such as:
  - Europcar Car Rental
  - Avis Car Rental
  - Budget Car Rental
  - Hertz Car Rental
  - Qantas Valet Storage Facility
- Tenancies within the International Terminal (across Airport Drive), such as:
  - Airtrain services
  - Secure car parking
  - International Terminal lounge, food and shopping outlets
- Commercial tenancies along Qantas Drive (across Airport Drive)
- Brisbane Domestic Terminal, including car parking and hire cars (approximately 1.8 km north east of the Project site)
- Direct Factory Outlet (1.6 km south-west)

The nearest sensitive receptors to the Project site include:

- Northgate State School (2.6 km west)
- Hendra State School (2.75 km south west)
- Novotel Hotel (1.8 km south west)
- Tadpoles and Joey Club Childcare Centre (2.1 km south west)
- Pullman and Ibis Hotel (1.5 km north) (under construction)

## 10.5 Potential impacts

### 10.5.1 Social and economic issues

The main social and economic issues for the Project are likely to include:

- Potential impacts to the Kingsford Smith Memorial and adjacent tenancies due to noise and vibration occurring as a result of construction activities
- Potential impacts to adjacent tenancies where the quality of the services provided by the businesses is compromised by dust on rental cars or cars that have been parked at the valet service
- The potential employment benefits from the construction of the Project and developments on the land
- Potential air quality impacts to the Kingsford Smith Memorial and adjacent tenancies and residences and aircraft operators
- Potential minor impacts to adjacent tenancy access and disruption to local road network

### 10.5.2 Stakeholder communications

There are a range of potential impacts to the surrounding stakeholders that may occur during construction of the Project. For the general community, BAC could make use of their current process in providing monthly traffic update brochures advising airport users and tenants about road works on-airport. BAC proposes to provide updates of upcoming Project works via regular stakeholder communications via BAC's normal avenues. If stakeholders have any concerns with the Project works, they will have the opportunity to discuss this with BAC.

Stakeholders within 1.0 km of the Project site will be informed of the Project and its potential impacts.

There is the potential to impact on surrounding tenancy accesses during construction of the Project. Mitigation measures to address traffic management are provided in Section 13.6, while general measures to address stakeholder concerns that may occur during construction are provided in Table 10.1. It should be noted that construction activities may result in air quality and noise and vibration impacts to adjacent tenancies and stakeholders (as discussed in Sections 8 and 9 respectively). Measures addressing air quality and noise and vibration issues are outlined in the mitigation tables provided in Sections 8.7 and 9.6, including complaint response procedures.

## 10.6 Mitigation measures

Mitigation measures to address air quality, noise and traffic management are provided in Sections 8, 9 and 13 respectively.

Table 10.1 provides a summary of the mitigation measures to be adopted during construction of the Project.

Table 10.1 Potential impacts and mitigation measures related to social and economic issues

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
Stakeholder concerns are not accounted for during the construction phase	Implement a plan to address stakeholder concerns in accordance with BAC's normal procedures	<ul style="list-style-type: none"> <li>■ Supply updates on upcoming works via regular stakeholder communications through BAC's normal avenues</li> <li>■ Stakeholders within 1.0 km of the Project site will be informed of the Project and its potential impacts</li> </ul>	Prior to construction/ construction	BAC to advise stakeholders before construction commences and then followed by regular Project updates during construction
Access arrangements during construction works, such as diversion of existing streets	Ensure that access impacts are managed appropriately	<ul style="list-style-type: none"> <li>■ Ensure access for infrastructure maintenance (eg Energex substation etc) is maintained throughout Project works</li> <li>■ Temporary construction, pedestrian, vehicle access and parking arrangements to be planned and scheduled to minimise possible impacts to surrounding tenants and road users, if needed</li> <li>■ Prepare and distribute advice to stakeholders regarding road closures (if required) and changes to access arrangements</li> </ul>	Prior to construction/ construction	BAC to address prior to construction, so that arrangements can be made during the construction phase

# 11 Cultural heritage

## 11.1 Introduction

An assessment of the potential historical heritage issues within the Project site has been undertaken by Converge Heritage and Community (Converge) and is summarised in the following sections. These sections also detail Indigenous cultural heritage associated with the Project site. The Brisbane Airport Auto Mall Heritage Report prepared by Converge is provided in Appendix J.

## 11.2 Methodology

The cultural heritage assessment comprised a desktop assessment by Converge. It is noted that Converge have extensive previous experience at Brisbane Airport and previously prepared the Heritage Management Plan.

A desktop assessment was undertaken to determine the presence, extent and likelihood of significance of any places likely to be located within the Project site. This assessment comprised searches of statutory and non-statutory registers and databases, and a review of existing published and unpublished reports, surveys and assessments of the Project site and the surrounding area.

The findings from this desktop assessment informed the potential impacts that Projects works may have on cultural heritage. Mitigation measures were developed to manage the potential impacts on cultural heritage.

## 11.3 Relevant documents

The key commonwealth legislation for the protection of Indigenous and non-Indigenous cultural heritage is the EPBC Act, which administers the National Heritage List and the Commonwealth Heritage List. Other commonwealth legislation includes the *Protection of Moveable Cultural Heritage Act 1986*, which regulates the export of Australia's significant cultural heritage objects, and the *Australian Heritage Council Act 2003*, which established the Australian Heritage Council to advise the Australian Government on heritage matters and administers the former Register of the National Estate and the Australian Heritage Places Inventory.

The QH Act manages places of state heritage significance in Queensland and established the Queensland Heritage Council and the Queensland Heritage Register. Indigenous cultural heritage is managed under the ACH Act and legislates the 'cultural heritage duty of care' to ensure all persons undertaking an activity 'take all reasonable and practicable measures to ensure the activity does not harm Aboriginal cultural heritage'.

Local heritage is managed under the BCC planning scheme, *Brisbane City Plan 2014*.

Other registers used during the desktop assessment included the Queensland National Trust Register and Monument Australia.

The following previous reports relevant to historical heritage at Brisbane Airport were considered by Converge during the desktop assessment include (refer Appendix J):

- Brisbane Airport Heritage Management Plan (Converge 2016)

- AES Cultural Heritage Chapter
- New Parallel Runway Project (BAC 2006)
- Kingsford Smith Memorial, Brisbane Artefact Condition Report (Leighton Contractors 2008)
- Kingsford Smith Memorial, Brisbane Post NARP Artefact Condition Report (Leighton Contractors 2009)

## 11.4 Existing environment

### 11.4.1 Site history

The Brisbane Airport services domestic and international passengers, with the majority of Airport land having become heavily industrialised. The surrounding developments associated with the airport include terminal buildings, maintenance facilities, car parking, extensive road networks, and communication, water and sewerage lines. Prior to its current use, the Brisbane Airport had been subject to a number of different land uses and development activities.

Prior to European settlement, the airport site and surrounding areas provided a natural environment rich in a variety of food, resources and useful materials for Indigenous communities in the region. European settlement of the area began with a convict settlement in the location of the former Eagle Farm Airport. The current airport site was used for agriculture and included the former township of Cribb Island (BAC 2014a). In World War II, the airport site was used for military purposes. The Heritage Report provided in Appendix J further details the site history.

### 11.4.2 Heritage registers

Converge conducted a search of various heritage registers and databases for historic heritage in the vicinity of the Project site (refer Appendix J). The findings of these searches are summarised in Table 11.1.

Table 11.1 Heritage register and database search results

Place	Heritage register /database	Statutory (Y/N)	Distance from Project site	Relevant to Project (Y/N)
Eagle Farm Women's Prison and Factory Site	Queensland Heritage Register (ID 600186) Register of the National Estate (ID 16490) Commonwealth Heritage List (ID 105478) National Trust of Queensland Register (ID BNE 1/134)	Y	Located 2 km from Project site	N
Allison Testing Stands (former)	Queensland Heritage Register (ID 602329)	Y	Located 2 km from Project site	N
Second World War Hangar No. 7	Queensland Heritage Register (ID 601007) Register of the National Estate (ID 18174) Commonwealth Heritage List (ID 105407) National Trust of Queensland Register (ID BNE 1/805).	Y	Located 2.5 km from Project site	N
Brisbane Domestic Air Terminal (former)	National Trust of Queensland Register (ID BNE 1/916)	N	Possibly demolished	N
Australian Airlines Baggage Collection (former)	National Trust of Queensland Register (ID BNE 1/917)	N	Possibly demolished	N
Aircraft Hangar 2 (former)	National Trust of Queensland Register (ID BNE 1/918)	N	Possibly demolished	N
Aircraft Hangar 1 (former)	National Trust of Queensland Register (ID BNE 1/919)	N	Possibly demolished	N



Place	Heritage register /database	Statutory (Y/N)	Distance from Project site	Relevant to Project (Y/N)
Sir Charles Kingsford Smith Memorial	Monument Australia	N	Located 95 m from Project site	Y
460 Squadron Memorial	Monument Australia	N	Located 100 m from Project site	Y

Converge determined that the Project site has little to no heritage value, although it has potential to contain items or sites that may be unearthed during construction. The Kingsford Smith Memorial, which contains the Southern Cross Aircraft, is potentially significant at a State or Commonwealth level for its historic significance, rarity, aesthetics, technical achievements and associative values. It is not currently listed on any statutory heritage register.

Converge also found that the Squadron 460 Memorial has some local heritage value, although it is not listed on any statutory heritage register.

The full assessment of the heritage significance of the Project site is provided in Appendix J.

## 11.5 Potential impacts

The Project works will involve bulk earthworks on land that has previously been filled. In addition, it is expected that there will be limited excavations required for the Project. Potential heritage sites/places within the Project site may include survey trees, remnant fence lines and historic drains and culverts. However, it is considered there is limited potential for Project works to impact on cultural heritage within the Project site.

Consideration has been given to the potential for emissions associated with Project works, such as vibration and dust, to impact on the Kingsford Smith Memorial. Previous projects undertaken near the Memorial, including the Northern Access Road Project (which involved pile driving in association with construction of the Nancy Bird Way bridge), did not result in any impacts from dust or vibration or complaints relating to the heritage values associated with the Memorial. It is noted that the Auto Mall Project is located further from the Kingsford Smith Memorial than the Northern Access Road Project and does not involve pile driving. As such, it is considered that compliance with the recommendations of the Brisbane Airport Auto Mall Heritage Report (Converge 2017; Appendix J) will ensure the works do not adversely impact the Kingsford Smith Memorial.

## 11.6 Mitigation measures

Table 11.2 provides a summary of the mitigation measures to be adopted during construction of the Project.

Table 11.2 Cultural heritage management measures

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
Cultural heritage find is made during construction on the Project site	Ensure all staff have completed a site induction	<ul style="list-style-type: none"> <li>■ Site induction to include:                             <ul style="list-style-type: none"> <li>– Cultural heritage awareness training</li> <li>– Familiarisation material to identify a cultural heritage find</li> <li>– Stop Work Procedure under the Heritage Management Plan</li> <li>– Process for collection, transport and storage of any cultural heritage finds</li> </ul> </li> </ul>	Construction	Requirements to be included in the EMP
	Implement the Stop Work Procedure and ensure no impact is sustained to cultural heritage	<ul style="list-style-type: none"> <li>■ Should unexpected cultural heritage material be encountered during Project works, the Stop Work Procedure, as identified in the Brisbane Airport Heritage Management Plan, is to be implemented</li> </ul>	Construction	Requirements to be included in the EMP Stop Work Procedure to be included in the EMP
Dust and vibration impacts at the Kingsford Smith Memorial as a result of Project works	Implement dust and vibration mitigation measures during construction	<ul style="list-style-type: none"> <li>■ Prior to the commencement of Project works, conduct a building assessment on the Kingsford Smith Memorial and repair/replace all door seals and building joints as required</li> <li>■ Implement the air quality mitigation measures and undertake dust monitoring, as per the measures outlined in Section 8.7</li> <li>■ Implement mitigation measures for vibration and undertake vibration monitoring during all vibration inducing works near the Kingsford Smith Memorial, as per the measures outlined in Section 9.6</li> </ul>	Prior to construction and during construction	Requirements to be included in the EMP

# 12 Waste and hazardous goods management

## 12.1 Introduction

This section outlines the waste types and streams, and management measures to be applied during the construction of the Project. Reference is made to the relevant legislative requirements, as well as industry best practice.

## 12.2 Methodology

A desktop review of the waste related legislation and policy was undertaken to determine its applicability to the Project. Waste streams that are anticipated to be generated during construction were identified. This assisted with the identification of requirements for management of waste in the Project site.

## 12.3 Relevant documents

A background to legislation relevant to Airport land is provided in Section 3. Specific details related to waste management are discussed in this section.

### 12.3.1 Brisbane Airport Environment Strategy

Under the AES (BAC 2014), the action plan for waste management seeks to achieve the sustainable management of waste through initiatives such as waste minimisation and segregation of waste and recycling. The AES gives consideration to the *Waste Reduction and Recycling Act 2011* when managing waste on Airport land.

### 12.3.2 Waste Reduction and Recycling Act 2011

The EP Act defines a hazardous contaminant as being a *contaminant, other than an item of explosive ordnance that, if improperly treated, stored, disposed of or otherwise managed, is likely to cause serious or material environmental harm because of:*

- *its quantity, concentration, acute or chronic toxic effects, carcinogenicity, teratogenicity, mutagenicity, corrosiveness, explosiveness, radioactivity or flammability; or*
- *its physical, chemical or infectious characteristics*

Waste is divided into 'regulated waste' as defined below and 'general waste' which is defined as waste other than regulated waste. Regulated waste is defined in the EP Reg as:

- (a) *Commercial or industrial waste, whether or not it has been immobilised or treated; and*
- (b) *Is of a type, or contains a constituent of a type, mentioned in schedule 7, part 1.*

Regulated waste includes contaminated soils.

Under the *Waste Reduction and Recycling Act 2011*, priority wastes are those with high disposal impacts (eg toxicity or greenhouse emissions), social impacts (eg amenity or community concern) or whose recovery would present resource savings or business opportunities. Queensland's priority wastes include:

- Plastic waste
- Organic waste
- High volume wastes (eg concrete, treated timber, plasterboard)
- Regional impact waste (eg mining and industrial development, mattresses, orphan agricultural and veterinary chemicals)
- Fluorescent lights, used tyres, used oil

### 12.3.3 Work Health and Safety Act 2011

The management of hazardous goods must be in accordance with the *Work Health and Safety Act 2011* (WHS Act). Discussion regarding potential contamination on the site is provided in Section 5. An ACM Management Plan has been developed for the Project, including requirements for asbestos removal and/or encapsulation of ACM on site (refer Appendix G).

Contractors are responsible for any licences required under the WHS Act. Hazardous goods will be handled, stored and disposed of in accordance with the WHS Act.

## 12.4 Existing environment

Existing vegetation, ground cover and soil are potential waste sources if not managed correctly. Potential waste streams to be managed during construction include:

- Packaging materials – any materials used on site that are delivered in packaging material. This includes pallets, crates, cartons, plastics and wrapping materials. All packaging material will need to be disposed of once the product has been used
- Importation of fill – any excess fill that has been imported to the Project site may either be graded or removed from the site
- Exporting of fill – existing fill unsuitable for use as surcharging material. Excess fill not needed on site
- Demolition wastes – this includes shrubs and trees and any drainage infrastructure that may need to be replaced
- Wastes from construction equipment maintenance – various heavy vehicles and construction equipment will be utilised for the duration of the construction phase. Liquid hazardous wastes from cleaning, repairing and maintenance of equipment may be generated. Leakage or spillage of fuels/oils within the site needs to be managed and wastes disposed of appropriately
- Regulated wastes – including hydrocarbon waste such as waste oil, oily water, oily sludge, grease, coolant, oily rags, oil filters, drums, detergent, solvents, batteries, tyres, paints and resins
- General wastes – this includes office wastes, scrap materials and biodegradable wastes
- Vegetation wastes – cleared vegetation, including ground covers, trees and shrubs and declared weeds

## 12.5 Potential impacts

A range of potential impacts may occur due to poor waste management during construction of the Project:

- Ground contamination and water quality impacts as a result of construction waste
- Unnecessary waste generated as a result of inadequate waste management practices
- Water quality impacts due to poor waste management during construction

- Water quality and ground contamination impacts as a result of spillage of hazardous goods
- Amenity issues for surrounding land users

## **12.6 Mitigation measures**

Potential impacts relating to the management of waste within the Project site and recommended mitigation measures are outlined in Table 12.1.

Table 12.1 Waste potential impacts and mitigation measures

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
Ground contamination and water quality impacts as a result of demolition and construction wastes	Maximise the opportunities for reuse of existing materials in the design phase	<ul style="list-style-type: none"> <li>■ Identify possible secondary uses for construction wastes prior to and during construction</li> <li>■ Designate location of construction compounds and areas for each waste stream to allow for waste segregation</li> <li>■ Re-use surcharge and stockpile materials from other project sites at BAC if possible</li> </ul>	Construction	To be addressed in the EMP
	Manage the storage and disposal of necessary construction waste	<ul style="list-style-type: none"> <li>■ Ensure construction and industrial waste is stored in industrial covered skips/bins</li> <li>■ Contain and capture runoff from designated waste areas</li> <li>■ No waste is to be burnt on site</li> </ul>	Construction	Requirements to be included in the EMP
Unnecessary waste generated as a result of inadequate waste management practices	Adopt appropriate waste management practices during construction	<ul style="list-style-type: none"> <li>■ Develop and implement a waste management plan for the Project as part of the EMP</li> <li>■ Implement the ACM Management Plan for the Project</li> <li>■ If possible, vegetation wastes from site clearing to be used in on site landscaping and erosion and sediment activities</li> <li>■ Weed management to be undertaken in accordance with requirements outlined in Section 6.5</li> <li>■ Ensure waste bin lids are closed and work sites kept tidy to avoid littering and attraction of birds, vermin and other wildlife</li> <li>■ Any packaging materials to be collected separately and re-used or recycled including timber, paper, cardboard, pallets and plastics</li> <li>■ Waste disposal is to occur at approved facilities</li> <li>■ Engage the services of a licensed waste contractor and recycler if removing regulated wastes from the Project site</li> <li>■ Ensure excess imported fill or unsuitable surcharging material is removed from site upon completion</li> <li>■ Regulated waste is to be managed and disposed of in accordance with regulatory requirements and the EMP. Licensed contractor is to remove regulated waste from site, and provide EHP's trackable waste forms to BAC for their records</li> </ul>	Construction	Requirements to be included in the EMP Waste Management Plan to be incorporated as a sub-plan under the EMP

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
Water quality impacts due to poor waste management during construction	Manage necessary waste stockpiles and storage areas, particularly adjacent to sensitive land uses and waterways	Contractor is to undertake/ensure: <ul style="list-style-type: none"> <li>■ Wastes separated for reuse</li> <li>■ Erosion and sediment control measures are implemented</li> <li>■ Stockpiles separated from other wastes</li> <li>■ Stockpiles are to have appropriate sediment runoff controls to reduce contaminants leaving the Project site and to ensure contaminants are contained during construction. Note, the Project site will be isolated from external waterways during earthworks construction.</li> </ul>	Construction	Requirements to be included in the EMP
Water quality and ground contamination impacts as a result of spillage of hazardous goods	Reduce the potential for water quality and ground contamination impacts due to spillages of hazardous goods	Construction specification requirements are outlined in Section 5.6	Construction	Requirements to be included in the EMP

# 13 Traffic and aviation safety

## 13.1 Introduction

This section outlines the potential issues relating to traffic impacts and aviation safety associated with the Project and discusses appropriate mitigation measures to be undertaken during the construction stages.

## 13.2 Methodology

A review of relevant information and studies relating to traffic impacts and aviation safety during construction was conducted, identifying the applicable information to be applied to the Project. The assessment of the existing environment was based on desktop studies and traffic counts on Airport Drive and Nancy Bird Way provided by BAC.

It is to be noted that traffic impacts has been undertaken for the site clearing and earthworks component only for this Project, across the three stages of construction.

## 13.3 Relevant documents

Legislation relevant to the Project is summarised in Section 3 of this EAR.

Relevant documentation related to the traffic assessment can be found within the following sections.

### 13.3.1 Traffic volumes

Existing mid-block traffic volumes for Nancy Bird Way and Airport Drive dated the week commencing 19 December 2016 have been provided by BAC.

The Engineering Concept Design Report (Opus 2016) has been used as the basis for the excavation and fill requirements for construction (refer Section 2.4).

### 13.3.2 Aviation safety

Certain airspace around Brisbane Airport (known as 'prescribed airspace') is protected under the *Airports (Protection of Airspace) Regulations 1996*. The prescribed airspace is made up of:

- The OLS and Procedures for Air Navigation Services Aircraft Operations (PANS-OPS) surfaces and the airspace above those surfaces, for existing and future air transport operations into and out of Brisbane Airport
- Any additional airspace that has been declared under the regulations by the Secretary of the DIRD

These matters are discussed in relation to the existing situation at Brisbane Airport in Section 13.4.3 below. As discussed in Section 3.2.1, Sections 182 and 183 the Airports Act requires a person to obtain approval to undertake controlled activities within the prescribed airspace. The controlled activities that potentially apply to the Project include:

- c) *any other activity that causes a thing attached to, or in physical contact with, the ground to intrude into the prescribed airspace*



- d) *operating a source of artificial light, where:*
- i *the intensity of the light emitted exceeds the level ascertained in accordance with the regulations; and*
  - ii *the light is capable of blinding or confusing pilots of aircraft operating in the prescribed airspace*
- g) *an activity that results in the emission of smoke, dust or other particulate matter, where:*
- i *the emission exceeds the level ascertained in accordance with the regulations; and*
  - ii *the smoke, dust or particulate matter is capable of affecting the ability of aircraft to operate in the prescribed airspace in accordance with Visual Flight Rules*

An application for a controlled activity approval must be submitted to the Secretary of the DIRD at least 28 days before the intended commencement of the controlled activity.

## **13.4 Existing environment**

### **13.4.1 Local road network**

The Project site is enclosed by Moreton Drive, Airport Drive and Nancy Bird Way and located in close proximity to the Brisbane International Terminal (Airport Central Precinct) (refer Figure 1.1).

#### **13.4.1.1 Moreton Drive**

Moreton Drive is a BAC controlled, four lane divided road running north – south, providing the main access route to the Brisbane Domestic Terminal and an alternative route to the Brisbane International Terminal from the Gateway Motorway via Nancy Bird Way.

#### **13.4.1.2 Airport Drive**

Airport Drive is a BAC controlled, four lane median divided road running parallel to Moreton Drive, providing the main access route to the Brisbane International Terminal and an alternative route to the Brisbane Domestic Terminal.

#### **13.4.1.3 Nancy Bird Way**

Nancy Bird Way is a BAC controlled, four lane two-way road running east-west, connecting Moreton Drive and Airport Drive. It currently provides access to the AIRPARK precinct as well as the Brisbane Airport Service Centre.

### **13.4.2 Existing traffic volumes**

Vehicle Volume Streams Reports were provided for northbound and southbound directions along Airport Drive, and eastbound and westbound directions along Nancy Bird Way as presented within Figure 13.1 from 19 to 25 December 2016.




Figure 13.1 Streams traffic data locations provided by BAC

A summary of the Average Annual Daily Traffic (AADT), maximum peak hour, 12 hour total and 24 hour total traffic volumes taken from the vehicle volume reports is presented within the Table 13.1.

Table 13.1 Existing traffic volume summary (based on 19 to 25 December 2016)

Location	AADT	Maximum hourly volume (peak hour)	Maximum total 12 hour volume	Maximum total 24 hour volume
A (Airport Drive NB)	5,280	633 (06:00 – 07:00)	3,703	5,807
B (Airport Drive SB)	4,170	432 (12:00 – 13:00)	3,772	5,019
C (Nancy Bird Way WB)	4,564	366 (07:00 – 08:00)	3,371	5,136
D (Nancy Bird Way EB)	10,324	955 (06:00 – 07:00)	7,597	11,637

### 13.4.3 Aviation safety

#### 13.4.3.1 Obstacle Limitation Surface and PANS-OPS surface

The OLS are conceptual (imaginary) surfaces associated with a runway, which identify the lower limits of the aerodrome airspace above which objects become obstacles to aircraft operations, and must be reported to CASA. Any obstacle close to or penetrating the OLS may need to be marked and/or lit in accordance with CASA requirements. Chapter 8 of the *Manual of Standards Part 139 – Aerodromes* states that the aerodrome operator must submit details of obstacles to CASA for hazard assessment and particular requirements for marking and lighting.

According to the BAC 2014 Master Plan, the PANS-OPS are surfaces that cannot be infringed on a permanent basis in any circumstances. An aircraft is to have a specified minimum clearance above any accountable obstacle in situations where the pilot is relying entirely on the information derived from cockpit instruments and may have no external visual reference to the ground, to obstacles or to other aircraft. The minimum obstacle clearance requirement is added to the height of the tallest object under the PANS-OPS surface to determine the minimum or lowest safe altitude to which a pilot may descend in attempting to establish visual reference to the airport.

According to the BAC Master Plan, the Project site is not located in the OLS or PANS-OPS for the current runway. However, the Project site would be located within the OLS and PANS-OPS of the future parallel runway, which will become operational in 2020. Figures 13.2 and 13.3 below show the mapping for the OLS and PANS-OPS respectively covering the Project site. The southern portion of the Project site is within the 35 to 47.5 m OLS contour. The north eastern portion of the Project site is within the 50 to 98 m Australian Height Datum (AHD) PANS-OPS zone and the south western portion of the Project site is within the 3.9 to 98 m AHD PANS-OPS zone.




Figure 13.2 Prescribed airspace covering the Project site (hatched area)

Source: BCC 2014




Figure 13.3 Procedures for air navigation surfaces covering the Project site (hatched area)

Source: BCC 2014

Construction plant and equipment operating in 2020 and beyond will not encroach into the prescribed airspace for the future parallel runway. However an assessment of construction plant and equipment will be conducted upon commencement of the works and if in exceedance of the OLS contour, an approval will need to be sought from the Secretary of the DIRD under the Airports Act to undertake a controlled activity if required.

It should be noted that the construction of buildings within the Project site does not form part of this EAR.

**13.4.3.2 Lighting and reflection**

The use of lighting around Brisbane Airport would be a concern in the following instances:

- If bright lights (eg floodlights) emit too much light above the horizontal plane, there is a possibility that a pilot could be dazzled, and momentarily unable to read cockpit instruments
- Lights may impact on air traffic controllers' ability to clearly see aircraft approaching the airport
- Lights may create a pattern that looks similar in appearance to approach or runway lighting, potentially causing confusion for pilots.

CASA has powers to regulate hazardous lighting under the *Civil Aviation Safety Regulations 1998*. Lighting will need to comply with Australian Standards and requirements of BAC, CASA and Airservices Australia. It will need to be ensured that lighting of the development will meet the appropriate standards including Part 139 of the *Manual of Standards – Aerodromes* “lighting within the vicinity of aerodromes”. Approval would need to be sought from the Secretary of the DIRD in the event that the intensity of the lighting chosen for the Project exceeds the levels outlined in the regulations, which would be considered blinding or confusing to pilots who are operating aircraft in the prescribed airspace.

The BAC Master Plan identifies zones that represent the “maximum intensity of lights sources measured at 3° above the horizontal”. The eastern portion of the Project site is located in Zone B, Zone C and Zone D for the future parallel runway, which becomes operational in 2020 (refer Figure 13.4).




Figure 13.4 Lighting intensity overlay covering the Project site (hatched area)

Source: BCC 2014

### 13.4.3.3 Project-related dust generation

The generation of dust or other particulate matter is considered to be a controlled activity within the prescribed airspace. Dust generation is considered in further detail in Section 8.

Dust will be managed through the construction phase by implementing measures detailed in Section 8.7. Dust deposition monitoring will also be undertaken to assist in ensuring that dust levels do not exceed the levels outlined in the EHP guidelines (2017e).

## 13.5 Potential impacts

### 13.5.1 Traffic management

The Phase 1 delivery of the Project is expected to occur across a three stage construction program, with the site to be suitably prepared from 2021. This timeframe provides a preliminary construction program across approximately six years, although the bulk of the traffic movements are likely to occur in the initial 18 months with additional traffic movements upon completion of surcharging.

The Project may adopt a 24 hour earthwork operation as well as material processing, including sorting, crushing, processing and stockpiling. Site access may be obtained from Airport Drive (for Stages 1, 2 and 3), initially with a left in/left out arrangement, and also from Nancy Bird Way (for Stages 1 and 3). Access from Moreton Drive (left turn only) may also be required as an option. Site access arrangements will be confirmed during detailed design.

The Engineering Concept Design (Opus 2016) and proposed program of works (refer Appendix A) indicate that the likely excavation and fill volumes shall be in the order of:

Table 13.2 Preliminary bulk earthwork requirements for the Project

Stages	Duration of earthwork operation	Excavation volumes (m <sup>3</sup> )	Fill volumes (m <sup>3</sup> )
1 and 2	Stage 1: 15 months Stage 2: 3 months	67,000 27,600 (Stage 2 only)	General: 380,000 Drainage layer: 8,400 Surcharge: 336,000
3	6 months	7,200	Removal of excess surcharge: 200,000

The likely construction traffic during this period has been based on the following assumptions:

- The importation/removal of approximately 819,000 m<sup>3</sup> of associated earthworks in the initial 18 months of the Project and, in the final six months, removal of 7,200 m<sup>3</sup> of fill material and removal of approximately 200,000 m<sup>3</sup> of excess surcharge
- A truck and dog haul vehicle with a maximum capacity of 16 m<sup>3</sup> operating for 352 days per year (7 day working weeks minus all Queensland public holidays)
- Number of return trips per day:
  - For Stages 1 and 2:  $((819,400 \text{ m}^3 / 16 \text{ m}^3) / (1.5 \text{ years} \times 352 \text{ days})) =$  approximately 97 return trips per day
  - For removal of excess surcharge:  $((207,200 \text{ m}^3 / 16 \text{ m}^3) / (0.5 \text{ years} \times 352 \text{ days})) =$  approximately 74 return trips per day
- Accordingly, approximately **97 return trips** of construction traffic across a 12 hour working day for Stages 1 and 2 (initial 18 months only) and approximately **74 return trips** of construction traffic across a 12 hour working day for Stage 3 (removal of excess surcharge)
- Likely haulage routes include:
  - Stages 1 and 3: Airport Drive, Nancy Bird Way (with Moreton Drive as a potential option)
  - Stage 2: Airport Drive only
- Movement of fill material from the material processing areas to the remainder of the Project site will be done entirely within the Project site itself

During the earthwork program of Stages 1 and 2, the expected construction traffic is anticipated to increase northbound traffic on Airport Drive (over a 12 hour period) by 2.62% and southbound traffic on Airport Drive (over a 12 hour period) by 2.57%. Given the 12 hour earthwork operation, the peak hourly volume of Airport Drive will be increased by less than 2.0% both northbound and southbound.

During the removal of surcharge from Stage 3, the expected construction traffic is anticipated to increase northbound traffic on Airport Drive (over a 12 hour period) by 2.0% and southbound traffic on Airport Drive (over a 12 hour period) by 1.96%. Given the 12 hour earthwork operation, the peak hourly volume of Airport Drive will be increased by less than 2.0% both northbound and southbound.

Internal movement of fill within the site is assumed to be entirely contained within the Project site. In addition, excess surcharge material is anticipated to be re-used for surcharging of Stage 3.

Vehicular access to the surrounding properties is not expected to be affected during construction. Access to the AIRPARK precinct and the Brisbane Airport Services Centre will continue to be accessed via Nancy Bird Way and access to the International Terminal will continue to be via Nancy Bird Way and Airport Drive. Access to the Kingsford Smith Memorial from Airport Drive will not be affected.

It should be noted that these initial inputs are assumptions only and have been provided for indicative impacts. Material sources are yet to be finalised, and as a consequence, alternative haulage routes may also be need to be considered. In addition, the construction time frame and construction schedule may change, which may result in changes to any impacts.

## **13.5.2 Aviation safety**

### **13.5.2.1 OLS and PANS-OPS surfaces**

There are potential limits to heights of equipment and plant used within the Project site during construction beyond 2020 once the New Parallel Runway becomes operational. After 2020, construction plant and equipment (eg wick drain rigs) must be below 35 m in height when working in the south western portion and along the western boundary of the Project site. The BAC Master Plan (2014b) notes that in some instances, it may be necessary to ensure that an obstacle is marked and/or provided with night lighting to ensure it is visible to pilots.

However, the wick drain rigs are expected to undertake works in 2017 and 2018 and as such, there will be no height restrictions in place.

### **13.5.2.2 Project lighting**

The Project site is approximately 1.0 km from the main runway and outside the lighting zones for the main runway. However, the eastern portion of the Project site is located within Zone B, Zone C and Zone D for the future parallel runway, which is expected to be operational by 2020. Given a 24 hour working day is an option and night-time construction works are required (eg rock crushing activities), consideration will need to be given to appropriate night lighting, in accordance with CASA's *Manual of Standards Part 139 – Aerodromes (Lighting in the Vicinity of Aerodromes)*.

### **13.5.2.3 Project-related dust generation**

While the prescribed airspace for the current and future runways could potentially be impacted if no mitigation were put in place, it is considered that the Project dust management measures will be adequate to manage dust and minimise any impacts to visibility in the prescribed airspace. In addition, a rattle-grid may be installed at the access/egress point to the Project site. Dust deposition monitoring (baseline and construction) will also be undertaken for the Project to determine whether the baseline conditions and construction conditions will be within acceptable levels listed in the EHP guidelines (2017e). If baseline and construction conditions are maintained within acceptable levels, approval to emit dust will not be required.

## **13.6 Mitigation measures**

Table 13.3 provides a summary of the mitigations recommended to be adopted during the construction of the Project.

Table 13.3 Traffic and aviation safety mitigation measures

Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
<b>Traffic</b>				
Construction traffic is likely to have negligible impact on the operational performance of the local road network	Maintain operational performance of: <ul style="list-style-type: none"> <li>Nancy Bird Way/ Moreton Drive roundabout</li> <li>Nancy Bird Way/ Airport Drive roundabout</li> </ul>	<ul style="list-style-type: none"> <li>Preferred construction haulage routes and traffic management requirements to be determined in consultation with construction contractor</li> <li>Traffic Management Plan to be developed by the construction contractor and to be approved by BAC prior to commencing works</li> <li>Road Condition Assessment Report to be developed by the construction contractor for the proposed haul routes within Brisbane Airport. Beyond Brisbane Airport, the construction contractor must ensure haul routes are appropriate and that haulage routes and traffic movements comply with local and State legislation</li> </ul>	Prior to construction	<p>BAC to determine preferred haulage routes</p> <p>Requirements to be included in the EMP</p>
<b>Aviation safety</b>				
Lighting used within the Project site may impact on pilot's visibility	Manage the use of lighting within the Project site	<ul style="list-style-type: none"> <li>Chapter 9 of the <i>CASA Manual of Standards Part 139 – Aerodromes (Lighting in the Vicinity of Aerodromes)</i> provides guidance on lighting at airports. This will need to be considered if BAC and the Contractor choose to undertake construction works at night-time.</li> <li>If plant/equipment is tall in height, it may be necessary to attach a marker or light to the top of the equipment to ensure pilot visibility of the plant/equipment. This would need to be done in accordance with the marking and lighting requirements outlined in <i>CASA's Manual of Standards Part 139 – Aerodromes</i>.</li> </ul>	Construction	Requirements to be included in the EMP
Dust generated during construction of the Project may impact on visibility within the prescribed airspace	Monitor dust levels and adopt dust management measures during construction	<ul style="list-style-type: none"> <li>Undertake baseline and construction dust monitoring (as detailed in Section 8)</li> <li>Implement mitigation measures to manage dust during construction (as detailed in Section 8.7)</li> </ul>	Pre-construction and construction	Requirements to be included in the EMP



Potential environmental aspect/impact	Management objective	Action	Phase to be implemented	Outcome
Heights of construction equipment and plant restricted by the OLS and PANS-OPS surfaces in 2020 and beyond	Ensure heights of equipment and plant used within the Project site are appropriate	<ul style="list-style-type: none"> <li>■ Based on the height limitations within the Project site from 2020 and beyond, equipment and plant is to be selected to ensure it does not exceed the OLS and PANS-OPS surfaces. If plant and equipment intrudes into the OLS and PANS-OPS surfaces in 2020 and beyond (ie OLS of greater than 35 m and PANS-OPS of 50 to 98 m AHD for the north eastern portion, and PANS-OPS of 3.9 to 98 m AHD for the south western portion), an approval will need to be sought from the Secretary of the DIRD under the Airports Act.</li> <li>■ BAC will need to submit details of obstacles close to or intruding into the OLS and/or PANS-OPS to CASA for hazard assessment and particular requirements for marking and lighting as per CASA's <i>Manual of Standards Part 139 - Aerodromes</i>.</li> </ul>	Construction	Requirements to be included in the EMP

# 14 Landscape and visual amenity

## 14.1 Introduction

This section provides a summary of the landscape and visual amenity issues that will need to be considered during construction.

A range of mitigation measures are also recommended to be implemented during construction.

## 14.2 Methodology

A review of the relevant legislation, policies and guidelines relevant to landscape and visual amenity for the Project has been undertaken. A review of the existing landscape and visual amenity across the Project site is provided.

The existing environment conditions have indicated the potential impacts that may occur during the construction and operation of the Project.

## 14.3 Existing environment

The existing landscape of the Project site is a combination of casuarina plantations, interspersed by weeds (ie Lantana), mangroves along the existing drains and a grassed area in the south west portion of the Project site. The CPA is located north west of the Project site and the Brisbane Airport Services Centre is located directly north of the Project site. The International Terminal, parking and Airtrain station are located east of the Project site. Kedron Brook Floodway Drain and the new parallel runway (under construction) are located further north of the Project site.

## 14.4 Potential impacts

The Project will result in some impacts to visual amenity during construction, but this is likely to only impact those tenancies directly adjacent to the Project site and vehicles on Moreton Drive, Airport Drive and Nancy Bird Way. The anticipated visual impact may relate to potential dust issues, plus direct views towards the construction area, including construction plant and equipment. These impacts would be temporary and limited to the construction phase only.

## 14.5 Mitigation measures

Table 14.1 provides a summary of the mitigation measures to be adopted during construction of the Project.

Table 14.1 Landscape and visual amenity potential impacts and mitigation measures

Potential environmental aspect/ impact	Management objective	Action	Phase to be implemented	Outcome
Impacts on visual amenity due to dust generated by construction activities	Ensure that impacts to visual amenity to surrounding businesses/ residents is minimised	<ul style="list-style-type: none"> <li>■ Implement WSUD measures (as recommended in Section 7) that complement the intents of the BAC Master Plan (2014b)</li> <li>■ Implement mitigation measures as recommended in Section 8.7 in relation to air quality</li> </ul>	Construction	To be included in the EMP

# 15 Conclusions and recommendations

Aurecon has prepared this EAR for the proposed Brisbane Airport Auto Mall Project, which includes design and construction of bulk earthworks to develop the land for a future proposed Auto Mall development consisting of roads, services and the test track.

If recommended mitigation and management measures are implemented, the Project clearing and earthworks will not have a significant environmental or ecological impact and will not trigger the requirements for preparing a MDP under Section 89 of the Airports Act. If mitigation measures identified in this EAR are adopted and implemented, the Project is not considered development of a kind that:

- *is likely to have significant environmental or ecological impact*
- *affects the Kingsford Smith Memorial immediately adjacent to the Project site*
- *likely to have a significant impact on the local or regional community*

The Project is considered to be consistent with the “Mixed Use” zoning for the Project site under the 2014 Master Plan (BAC 2014b).

A summary of the key actions are:

- A CEMP needs to be prepared for the Project. The Contractor shall be monitored by the BAC Environmental Advisor to determine Contractor compliance with the CEMP.
- An ESCP is to be prepared by a suitably qualified and experienced professional in accordance with the requirements of the IECA Guidelines (2008) (eg a CPESC or an RPEQ with at least two years’ experience in the management of E&SC that can be verified by an independent third party)
- A pre-clearing habitat assessment is to be conducted by a licenced and suitably qualified spotter catcher prior to construction works commencing. The spotter catcher shall remain on call during all vegetation clearing activities.
- All vehicles leaving the site will exit via the following sediment control measures:
  - Primary treatment across rock surfaced roadways of nominally 120 m for trucks and plant and a minimum 50 m for light vehicles
  - All vehicles will traverse a minimum of three rumble/ shaker grids (approximately 7.5 m in length). All vehicles will then traverse over a two part (7 m plus 13 m) mass concrete driveway separated by rock
  - As a final tertiary measure, all vehicles will travel north on Airport Drive on an existing asphalt pavement (one lane of Airport Drive, which form part of the Project site) for a minimum of 340 m allowing "within site" control of sediment
- Compliance with the requirements of the ASS Management Plan
- Should potential contaminated materials (black sands) be observed during excavation within the CSR Site 28 area, material is to be stockpiled and the BAC Environmental Advisor is to be consulted for approval of investigation and management measures (in consultation with the AEO)
- Comply with the ACM Management Plan developed for the Project in the event that ACM is encountered on site

- Future permanent flap/tidal gates may be installed at the major culverts under Moreton Drive and Nancy Bird Way to prevent backwater from tidal events, storm surges and regional flood events entering the Project site. A perimeter drain will be installed around the boundary of the Project site with catch drains to capture any sediment-laden runoff from disturbed land, banded from external discharge during the Project land development bulk earthworks.
- Groundwater monitoring will be undertaken during filling and until excess surcharge material is removed, within the monitoring wells indicated in Figure 7.1. Groundwater will be monitored for PFAS (ultra-trace) and dissolved metals/metalloids (aluminium, arsenic, cadmium, chromium, copper, iron, lead, mercury, nickel, zinc and titanium (if required)):
  - Monthly during placement of fill and surcharge activities for a period of six months or until results of monitoring have stabilised over a three month period (and provided the performance limits have been met, and continue to be met)
  - Once every six months for the remainder of fill placement and surcharge activities (provided the performance limits continue to be met)
  - Once every six months for removal of surcharge and completion of earthworks (provided the performance limits remain to be met)
- Groundwater shall be monitored for ASS within the monitoring wells indicated in Figure 7.1:
  - For one round of baseline data upon installation of any new groundwater wells
  - Monthly during placement of fill and surcharge earthworks for field measurements and every two months for laboratory analysis
  - Monthly during filling and surcharging activities for field measurements for the initial two months and monthly until groundwater level has stabilised, and every two months for laboratory analysis for at least six months and until results of monitoring stabilise over a four month period
- Samples collected during groundwater monitoring for ASS should be analysed for:
  - Field measurements: water level, pH, electrical conductivity, redox potential, total alkalinity
  - Laboratory analysis: pH, electrical conductivity, total titratable acidity, total alkalinity, dissolved iron and aluminium, dissolved ions (chloride and sulphate)
- Undertake baseline and construction air quality monitoring (dust deposition gauge) at key locations surrounding the Project site (refer Figure 7.1) to assist in proactively managing air quality issues to ensure community expectations and environmental requirements are met
- Undertake background noise monitoring at the Kingsford Smith Memorial and Brisbane Airport Services Centre at least two weeks prior to the commencement of construction. Noise monitoring at sensitive receptors during construction will be undertaken in the event of a substantiated noise complaint.
- Undertake background vibration monitoring inside or immediately outside the Kingsford Smith Memorial (on the north west side) at least two weeks prior to the commencement of construction. During vibration inducing works within 200 m of the Kingsford Smith Memorial, and if a validated complaint regarding vibration is received, vibration monitoring shall be undertaken inside or immediately outside the Kingsford Smith Memorial (on the north west side) to ensure that vibration levels are kept below 5 mm/s in consultation with the BAC Environmental Advisor.
- Prior to the commencement of Project works, conduct a building assessment on the Kingsford Smith Memorial and repair/replace all door seals and building joints as required
- Contractor to comply with lighting requirements recommended in Part 139 of the *Manual of Standards – Aerodromes: Section 9*. For example, lights shall be installed and screened in such a way that no light is directly transmitted above a horizontal plane through the light source.
- Undertaking consultation with neighbouring stakeholders about the Project generally, in accordance with Section 10.6 of this EAR

It is essential that the Project adopts mitigation measures as recommended to ensure all environmental obligations under the relevant legislation will be complied with. If these recommended mitigation measures are adopted, it is considered that BAC can conduct Project works in a manner

that will satisfy relevant statutory goals and criteria to allow BAC to comply with their obligations under relevant legislation.

**Accordingly, this EAR concludes that the Project will have minimal impact on the environment and heritage matters if recommended mitigation and management measures are implemented.**

# References

- Brisbane Airport Corporation (BAC) 2006, *Parallel Runway EIS/MDP*, [Online], Accessed: 28 March 2017, Available: <http://www.bne.com.au/corporate/bne-major-projects/new-parallel-runway/eismdp>.
- Brisbane Airport Corporation (BAC) 2009, Noise Impact Assessment Policy, [Online], Accessed: 3 April 2017, Available: <http://www.bne.com.au/sites/all/files/content/files/Noise%20Impact%20Assessment%20Policy%20v5.pdf>.
- Brisbane Airport Corporation (BAC) 2014a, *Chapter 13 – Airport Environmental Strategy*, [Online], Accessed: 15 March 2017, Available: <http://www.bne.com.au/sites/all/files/content/files/Chapter%2013%20Airport%20Environment%20Strategy%20%2814.4MB%29.pdf>.
- Brisbane Airport Corporation (BAC) 2014b, *2014 Approved Master Plan*, [Online], Accessed: 15 March 2017, Available: <http://www.bne.com.au/corporate/about-us/publications/2014-approved-master-plan>.
- Brisbane Airport Corporation (BAC) 2014c, *Landside Stormwater Quality Management Strategy*, [Online], Accessed: 15 March 2017, Available: <http://www.bne.com.au/sites/all/files/content/files/20140529%20BAC%20LSQMS.PDF>.
- Brisbane Airport Corporation (BAC) 2014d, *Construction Environmental Management Plan (CEMP) Guidelines*, [Online], Accessed: 31 March 2017, Available: [http://www.bne.com.au/sites/all/files/content/files/20143101\\_%20BAC%20CEMP%20Guidelines.pdf](http://www.bne.com.au/sites/all/files/content/files/20143101_%20BAC%20CEMP%20Guidelines.pdf).
- Brisbane Airport Corporation (BAC) 2017, *Register of Building Applications*, [Online], Accessed 9 June 2017, Available: <http://www.bne.com.au/register-building-applications>.
- Brisbane City Council 2014, *Brisbane City Plan 2014 – Volume 1*, [Online], Accessed: 17 March 2017, Available: <http://eplan.brisbane.qld.gov.au/>.
- Bureau of Meteorology (BoM) 2017, *Climate statistics for Australian locations – summary statistics for Brisbane Aero*, [Online], Accessed: 7 March 2017, Available: [http://www.bom.gov.au/climate/averages/tables/cw\\_040842.shtml](http://www.bom.gov.au/climate/averages/tables/cw_040842.shtml).
- Commonwealth of Australia 1984, *Air Navigation (Aircraft Noise) Regulations 1984*, Current as at 1 July 2010, Available: <https://www.legislation.gov.au/Details/F2010C00463>.
- Commonwealth of Australia 1994, *National Environment Protection Council Act 1994*, Current as at 1 July 2014, Available: <http://www.comlaw.gov.au/Details/C2014C00452>.
- Commonwealth of Australia 1996, *Airports (Protection of Airspace) Regulation 1996*, Current as at 22 February 2002, Available: <http://www.comlaw.gov.au/Details/F2004C00653>.
- Commonwealth of Australia 1996, *Airports Act 1996*, Current as at 24 June 2014, Available: <http://www.comlaw.gov.au/Details/C2014C00261>.
- Commonwealth of Australia 1997, *Air Navigation (Aircraft Engine Emissions) Regulations*, Current as at 18 August 1998, Available: <https://www.legislation.gov.au/Details/F2004C00156>.
- Commonwealth of Australia 1997, *Airports (Environment Protection) Regulations 1997*, Current as at 9 August 2012, Available: <http://www.comlaw.gov.au/Details/F2012C00552>.

Commonwealth of Australia 1999, *Environment Protection and Biodiversity Conservation 1999*, Current as at 1 July 2014, Available: <http://www.comlaw.gov.au/Details/C2014C00506>.

Commonwealth of Australia 2011, *Work Health and Safety Act 2011*, Current as at 25 July 2016, Available: <https://www.legislation.gov.au/Details/C2016C00887>.

Commonwealth Scientific and Industrial Research Organisation (CSIRO) 2017, *Australian Soil Research Information System*, [Online], Accessed 15 March 2017, Available: [http://www.asris.csiro.au/index\\_ie.html](http://www.asris.csiro.au/index_ie.html).

Commonwealth Scientific and Industrial Research Organisation (CSIRO) 1987, *The Soil Landscapes of Brisbane and South-eastern Environs*, Soils and Land Use Series No. 60, G.G. Beckmann, G.D. Hubble & C.H. Thompson, Melbourne.

Converge Heritage and Community 2016, *Brisbane Airport Heritage Management Plan*, Prepared for Brisbane Airport Corporation, March 2016.

Cropper, SC 1993, *Management of Endangered Plants*, CSIRO Publications, East, Melbourne.

Department of Agriculture and Fisheries (DAF) 2016a, *Restricted matter*, [Online], Accessed: 31 March 2017, Available: <https://www.daf.qld.gov.au/biosecurity/about-biosecurity/biosecurity-act-2014/biosecurity-matter/restricted-matter>.

Department of Agriculture and Fisheries (DAF) 2016b, *National Red Imported Fire Ant Eradication Program: Fire ant biosecurity zones*, Version 1, State of Queensland, 1 July 2016.

Department of Environment and Heritage Protection (EHP) 2009, *Monitoring and Sampling Manual 2009*, version 2 September 2010 (July 2013 format edits), [Online], Accessed: 3 April 2017, Available: <http://www.ehp.qld.gov.au/water/pdf/monitoring-man-2009-v2.pdf>.

Department of Environment and Heritage Protection (EHP) 2013, *Noise Measurement Manual*, Version 4.0, August 2013.

Department of Environment and Heritage Protection (EHP) 2016a, *Protected plants flora survey trigger map*, [Online], Accessed: 1 March 2017, Available: <https://www.ehp.qld.gov.au/licences-permits/plants-animals/protected-plants/map-request.php>.

Department of Environment and Heritage Protection (EHP) 2016b, *Flora Survey Guidelines – Protected Plants Nature Conservation Act 1992*, State of Queensland, December 2016.

Department of Environment and Heritage Protection (EHP) 2016c, *Guideline: Noise and vibration from blasting*, Version 3.0, January 2016.

Department of Environment and Heritage Protection (EHP) 2017a, *Wildlife Online (Database)*, Accessed: 1 March 2017, Available: <http://www.ehp.qld.gov.au/wildlife/wildlife-online>.

Department of Environment and Heritage Protection (EHP) 2017b, *Regional Ecosystem mapping (Version 6.1)*, Accessed: 1 March 2017, Available: <http://www.ehp.qld.gov.au/ecosystems/biodiversity/regional-ecosystems/maps/index.php>.

Department of Environment and Heritage Protection (EHP) 2017c, *Regrowth Vegetation mapping*, Accessed: 1 March 2017, Available: <http://www.ehp.qld.gov.au/ecosystems/biodiversity/regional-ecosystems/maps/index.php>.

Department of Environment and Heritage Protection (EHP) 2017d, *Essential Habitat mapping*, Accessed: 1 March 2017, Available: <http://www.ehp.qld.gov.au/ecosystems/biodiversity/regional-ecosystems/maps/index.php>.

Department of Environment and Heritage Protection (EHP) 2017e, *Guideline: Application requirements for activities with impacts to air*, Version 4.0, March 2017.

Department of Environment and Resource Management (DERM) 2010a, *Environmental Protection (Water) Policy 2009, Brisbane Creeks – Bramble Bay environmental values and water quality objectives No. 142 (part), including Bald Hills, Cabbage Tree, Downfall, Kedron Brook, Nudgee and Nundah creeks*, [Online], Accessed: 16 March 2017, Available: <https://www.ehp.qld.gov.au/water/policy/pdf/documents/brisbane-cks-ev-2010.pdf>.



Department of Environment and Resource Management (DERM) 2010b, *Environmental Protection (Water) Policy 2009, South-east Queensland Map Series PLAN WQ1423*, [Online], Accessed: 16 March 2017, Available: <https://www.ehp.qld.gov.au/water/policy/pdf/plans/brisbane-cks-ev-plan-2010.pdf>.

Department of Infrastructure, Local Government and Planning 2016, *ShapingSEQ – Draft South East Queensland Regional Plan*, [Online], Accessed: 20 June 2017, Available: <http://www.dilgp.qld.gov.au/noindex/shapingseq/draft-south-east-queensland-regional-plan.pdf>.

Department of Infrastructure, Local Government and Planning 2017, *State Planning Policy*, [Online], Accessed: 20 June 2017, Available: <https://dilgprd.blob.core.windows.net/general/spp-july-2017.pdf>.

Department of Infrastructure, Transport, Regional Development and Local Government (DITRD LG) October 2012, *Airport Development Consultation Guidelines*, [Online], Accessed: 17 March 2017, Available: [http://www.infrastructure.gov.au/aviation/airport/planning/files/FINAL\\_Consultation\\_Guidelines\\_2012.pdf](http://www.infrastructure.gov.au/aviation/airport/planning/files/FINAL_Consultation_Guidelines_2012.pdf).

Department of Mines 1986, *Brisbane Queensland Geological Series Map*, Sheet 9543, scale 1:100,000.

Department of Science, Information Technology and Innovation 2017, *Air quality bulletin – South East Queensland*, State of Queensland, March 2017.

Department of the Environment 2013a, *Significant impact guidelines 1.1 – Matters of National Environmental Significance*, Commonwealth of Australia, Canberra.

Department of the Environment 2013b, *Significant impact guidelines 1.2 – Actions on, or impacting upon, Commonwealth land, and actions by Commonwealth agencies*, Commonwealth of Australia, Canberra.

Department of the Environment and Energy (DoEE) 2015, *National Pollutant Inventory*, [Online], Accessed: 1 March 2017, Available: <http://www.npi.gov.au/npidata/action/load/individual-facility-detail/criteria/state/QLD/year/2016/jurisdiction-facility/Q031BPA001>.

Department of the Environment and Energy (DoEE) 2017, *EPBC Act Protected Matters Report*, [Online], Accessed: 1 March 2017, Available: <http://www.environment.gov.au/epbc/pmst/>.

Erskine, W. 1990, *The Brisbane River, A Source Book for the Future*, The Australian Littoral Society Inc. in associated with the Queensland Museum.

GHD 2015, *Managing PFC Contamination at Airports – Interim Contamination Management Strategy and Decision Framework*, Prepared for Airservices Australia, June 2015.

GHD and RTA 2014, *Lansdowne Bridge Replacement – Noise and vibration assessment*, [Online], Accessed: 3 April 2017, Available: <http://www.rms.nsw.gov.au/documents/projects/south-coast/lansdowne-bridge/lansdowne-ref-appendix-f.pdf>.

Golder Associates 2016a, *Contamination Assessment – Auto Mall Precinct Stage 1, Brisbane Airport, Queensland*, Prepared for Brisbane Airport Corporation, December 2016.

Golder Associates 2016b, *Contamination Assessment – Auto Mall Precinct Stage 2, Brisbane Airport, Queensland*, Prepared for Brisbane Airport Corporation, December 2016.

Golder Associates 2016c, *Acid Sulfate Soil Assessment – Auto Mall Precinct Stage 1, Brisbane Airport, Queensland*, Prepared for Brisbane Airport Corporation, December 2016.

Golder Associates 2016d, *Acid Sulfate Soil Assessment – Auto Mall Precinct Stage 2, Brisbane Airport, Queensland*, Prepared for Brisbane Airport Corporation, November 2016.

Golder Associates 2016e, *Factual Report – Geotechnical Investigation – Auto Mall Precinct, Brisbane Airport, Queensland*, Prepared for Brisbane Airport Corporation, March 2016.

Golder Associates 2016f, *Geotechnical Optimisation Study and Concept Surcharge Design – Auto Mall Precinct, Brisbane Airport, Queensland*, Prepared for Brisbane Airport Corporation, September 2016.

Golder Associates 2017, *Acid Sulfate Soil Management Plan – Proposed Auto Mall Precinct*, Prepared for Brisbane Airport Corporation, June 2017.

International Erosion and Sediment Control (IECA) 2008, *Best Practice Erosion and Sediment Control*, International Erosion Control Association (Australasia), Picton NSW

Lambert & Rehbein 2004, *Brisbane Airport Fauna Study*, Prepared for Brisbane Airport Corporation, December 2004.

Leighton Contractors 2008, *Kingsford Smith Memorial – Brisbane, Artefact Condition Report*, April 2008.

Leighton Contractors 2009, *Kingsford Smith Memorial – Brisbane, Post NARP Artefact Condition Report*, November 2009.

National Environment Protection Council 1999, *National Environment Protection (Assessment of Site Contamination) Measure 1999*, Current as at 16 May 2013, Available: <http://www.comlaw.gov.au/Details/F2013C00288>.

National Environment Protection Council 2003, *National Environment Protection (Ambient Air Quality) Measure*, Current as at 7 July 2003, Available: <http://www.comlaw.gov.au/Details/C2004H03935>.

National Environment Protection Council 2011, *National Environment Protection (Air Toxics) Measure*, Current as at 16 September 2011, Available: <http://www.comlaw.gov.au/Details/F2011C00855>.

National Uniform Drillers Licensing Committee 2012, *Minimum construction requirements for water bores in Australia*, third edition, National Water Commission, Australian Government, February 2012.

Opus International Consultants (Australia) Pty Ltd 2016, *BAC Auto Mall Precinct – Value Engineering Concept Design Report*, Prepared for Brisbane Airport Corporation, October 2016.

PSK Environmental 2016, *Site Monitoring – Western Drain & CPA Stage 3, CPA Staff Carpark, Brisbane Airport, October 2016*, Prepared for Brisbane Airport Corporation, November 2016.

PSK Environmental 2017, *Asbestos Containing Materials Management Plan – Future Auto Mall Precinct, Brisbane Airport, Queensland*, Prepared for Brisbane Airport Corporation, June 2017.

Standards Australia 1997, *AS 1055.1:1997 – Acoustics – Description and measurement of environmental noise*.

Standards Australia 2003, *AS/NZ 3580.10.1:2003 – Methods for Sampling and Analysis of Ambient Air, Method 10.1 Determination of Particulate Matter – Deposited Matter – Gravimetric Method*

Standards Australia 2004, *AS 1940:2004 The storage and handling of flammable and combustible liquids*

Standards Australia 2010, *AS 2436:2010 Guide to noise and vibration control on construction, demolition and maintenance sites*

State of Queensland 1992, *Nature Conservation Act 1992*, Current as at 1 July 2016, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/N/NatureConA92.pdf>.

State of Queensland 1992, *Queensland Heritage Act 1992*, Current as at 1 September 2015, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/Q/QldHeritageA92.pdf>.

State of Queensland 1994, *Environmental Protection Act 1994*, Current as at 6 December 2016, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/E/EnvProtA94.pdf>.

State of Queensland 1994, *Fisheries Act 1994*, Current as at 1 July 2016, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/F/FisherA94.pdf>.

State of Queensland 2000, *Water Act 2000*, Current as at 1 March 2017, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/W/WaterA00.pdf>.

State of Queensland 2003, *Aboriginal Cultural Heritage Act 2003*, Current as at 27 September 2016, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/A/AborCultHA03.pdf>.

State of Queensland 2006, *Nature Conservation (Wildlife) Regulation 2006*, Current as at 28 August 2015, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/N/NatureConWiR06.pdf>.

State of Queensland 2007, *Water Resource (Moreton) Plan 2007*, Current as at 6 December 2016, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/W/WatResMorP07.pdf>.

State of Queensland 2008, *Environmental Protection (Air) Policy 2008*, Current as at 8 July 2016, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/E/EnvProtAirPo08.pdf>.

State of Queensland 2008, *Environmental Protection (Noise) Policy 2008*, Current as at 1 January 2012, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/E/EnvProtNoPo08.pdf>.

State of Queensland 2009, *Environmental Protection (Water) Policy 2009*, Current as at 6 December 2016, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/E/EnvProWateP09.pdf>.

State of Queensland 2011, *Waste Reduction and Recycling Act 2011*, Current as at 8 November 2016, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/W/WasteRedRecA11.pdf>.

State of Queensland 2014, *Biosecurity Act 2014*, Current as at 1 March 2017, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/B/BiosecurityA14.pdf>.

State of Queensland 2017, *Planning Act 2016*, Current as at 3 July 2017, Available: <https://www.legislation.qld.gov.au/LEGISLTN/CURRENT/P/PlanningA16.pdf>.

The background features a large, abstract geometric shape. It is primarily a light green color, with a darker green gradient at the bottom left. A small, yellowish-gold shape is visible in the bottom left corner, partially overlapping the green area. The overall shape is irregular, with several sharp angles and a diagonal line running from the top left towards the bottom right.

# Appendices

# Appendix A

## Proposed program



# Appendix B

## Project compliance tables

Table 1 Development control guidelines relevant to the Project

Performance criteria	Controls	Comments
P1. Development is to be designed and located to achieve an acceptable level of flood immunity	C1.1 Advice on a site Minimum Development Level (MDL) should be sought from BAC before an application is lodged. Further consideration for building floor level is to include a variable height to address ground settlement. Contact the Airport Approvals Manager for further details.	To achieve 1:100 year flood immunity, the surrounding roads need to be raised by up to 500 mm. These road systems combined with flap gates installed on a number of major culvert crossings will prevent backwater from regional flood events and storm surge/tidal events entering the Project site. Refer Section 3.5 of the EAR for further details.
P13. Utility placement is integrated into site planning	C13.1 Utility placement is to be provided for the proposed development site and constructed to relevant standards and in accordance with BAC's Engineering Technical Guidelines. C13.2 A comprehensive communications network has been installed throughout the Airport Precincts. Refer to the Airport Approvals Manager for advice on connecting to telecommunication service providers.	The designer will be responsible for ensuring that utilities are placed appropriately on the Project site.
P15. Site planning should prevent the impacts upon underground services	C15.1 Ensure the site layout avoids, where possible, building over any underground services. C15.2 Where the development is proposed to be built over existing utilities, approval will be needed from BAC before the development application is lodged. C15.3 Refer to the ASCON ( <b>As Constructed</b> ) database for information on identifying easements, utilities and existing features. A copy of the ASCON database can be made available on request. BAC has developed a set of standards for the installation of utilities. Figure 6 (in the DCD) provides the preferred layout for roads and services reserves, including space for streetlights, stormwater, footpath, recycled water, sewer, water and power.	There are a number of existing underground services within the Project site, including the Energex high voltage cable (refer Section 4.4.3).  There is the potential for the Project to impact on these services, which will need to be managed through detailed design.
P27. Traffic access should be designed to create a safe and functional environment	C27.1 Access to the site satisfies the following: (a) Provide for safe entering sight distance requirements in accordance with AUSTRROAD Standards (b) Provide for pedestrian and cyclist requirements, where required (c) Be clear from bus stops, taxi ranks, traffic control devices and significant trees. C27.2 Any vehicle loading and servicing waste removal bays are located to be concealed and screened from view, from a public area. C27.3 Driveways are to be located as far as possible from intersections as follows in Table 4. <b>Table 4 Minimum separation for driveways</b>	The designer will be responsible for ensuring adherence to these access requirements. A Traffic Management Plan will be required to be developed by the Construction Contractor.



Performance criteria	Controls			Comments										
	<b>Type of frontage road</b>	<b>Adjacent feature</b>	<b>Minimum separation of driveway from adjacent feature</b>											
	Local access	Local access intersection	20 m from intersection											
		Suburban road intersection	20 m from intersection											
		Median break	20 m from median nose											
		Traffic signals	Clear of queue areas and turning lanes											
	Suburban	Local access intersection	30 m from intersection											
		Suburban road intersection	60 m from intersection											
		Median break	30 m from median nose											
		Traffic signals	Clear of queue areas and turning lanes											
	<p><b>(Source:</b> adapted from Transport, Access, Parking and Servicing Planning Scheme Policy, Brisbane City Council, Brisbane City Plan 2000).</p> <p>C27.4 Direct frontage access will not be permitted off Moreton Drive and limited on other roads.</p> <p>C27.5 Refer to Attachment A for road cross sections at specific locations across airport.</p> <p>C27.6 All driveways are to be located and constructed so as to provide sight distances not less than those shown in Table 5 below. The driveways are measured from a point 5 m outside the edge of the through carriageway as shown in Figure 7 (of the DCD). Driveway to be designed as a standard crossover in accordance with relevant AUSTRROADS standards.</p> <p><b>Table 5 Minimum sight distances</b></p> <table border="1"> <thead> <tr> <th>Speed environment (kph)</th> <th>Sight distance (m)</th> </tr> </thead> <tbody> <tr> <td>50</td> <td>90</td> </tr> <tr> <td>60</td> <td>110</td> </tr> <tr> <td>70</td> <td>130</td> </tr> <tr> <td>80</td> <td>150</td> </tr> </tbody> </table> <p><b>(Source:</b> adapted from Roads Planning and Design Manual, Chapter 13, October 2006, Department of Transport and Main Roads).</p> <p>C27.6 A Traffic Management Plan (TMP) is required for construction works that will affect the BAC road network and is lodged with BAC prior to the request for work permit (note: Permit to Work Corporate Standard and Permit Form is available at Brisbane Airport's website). A TMP is to be prepared in accordance with the Manual of Uniform Traffic Control Devices (MUTCD) Part 3 (DTMR, Fourth Issue, 30 April 2010).</p>				Speed environment (kph)	Sight distance (m)	50	90	60	110	70	130	80	150
Speed environment (kph)	Sight distance (m)													
50	90													
60	110													
70	130													
80	150													

Performance criteria	Controls	Comments
<p>P39. The storage of hazardous or flammable materials is not to endanger the site, building, neighbouring tenants or people.</p>	<p>C39.1 Any development storing hazardous or flammable materials should undertake a hazard, identification and risk analysis and prepare a safety/hazard management plan.</p> <p>C39.2 All storage areas are to be secured and signed appropriately and in accordance with relevant Australian Standards.</p>	<p>The storage of hazardous and flammable materials shall be managed in accordance with applicable Australian Standards during construction of the Project.</p>
<p>P40. Ensure the quality of water is managed and reasonable and practicable measures undertaken to prohibit pollution and/or contamination (both solid and liquid) from directly or indirectly entering the storm water system.</p>	<p>C40.1 Stormwater drainage from the site is of an acceptable quality and volume to prevent harmful impacts on receiving waters. All stormwater leaving the site is to achieve the following minimum reductions in total pollutant load, compared to untreated stormwater runoff:</p> <ul style="list-style-type: none"> <li>■ 80% reduction in Total Suspended Solids</li> <li>■ 60% reduction in Total Phosphorus</li> <li>■ 45% reduction in Total Nitrogen</li> <li>■ 90% reduction in Gross Pollutants/litter</li> <li>■ Hydrocarbons – visible sheen or odour.</li> </ul> <p>(Source: WSUD Technical Design Guidelines for South East Queensland).</p> <p>C40.2 Stormwater discharge points are to be located so that they do not adversely impact on areas of ecological value, or cause nuisance or damage to adjoining properties</p> <p>C40.3 Water Sensitive Urban Design (WSUD) principles should be achieved on site. Stormwater and other site runoff are to be appropriately treated and managed on site by use of devices, such as pollutant traps, settling ponds, retention basins and swales.</p> <p>C40.4 A Site-Based Stormwater Management Plan should be prepared and provide for:</p> <ul style="list-style-type: none"> <li>■ An acceptable level of flood immunity</li> <li>■ Public safety and risk management measures</li> <li>■ Erosion and sediment control</li> <li>■ WSUD alternatives in parallel with site landscaping.</li> </ul> <p>For guidance on preparing a Site-Based Stormwater Management Plan refer to the Airport Approvals Manager.</p> <p>C40.5 Refer to the 2009 Landscape Master Plan for acceptable WSUD species on-airport and the SEQ Healthy Waterways 2006, Water Sensitive Urban Design, Technical Design Guidelines for South East Queensland.</p> <p>C40.6 The Airport Approvals Manager may require arrangements to be made between the proponent and an adjoining lessee to facilitate appropriate stormwater management arrangements.</p>	<p>Stormwater leaving the site during construction of the Project will need to be managed in accordance with applicable guidelines and managed through the adoption of management measures recommended in this EAR. The designer will be responsible for ensuring that future development on the Project site adopts WSUD principles.</p>

Performance criteria	Controls	Comments
<p>P41. Building height or structure is not to intrude into the Obstacle Limitation Surface (OLS) or result in sight line obstruction to the Runway and Taxiway system.</p>	<p>C41.1 Building and structures, including any appurtenances (aerials, spires etc.), should not encroach the prescribed airspace. The aim of the OLS is to ensure the safe operation of aircraft. If a building height is more than 15 metres above ground, advice should be sought from the Airport Approvals Manager before an application is lodged. Buildings higher than 15 metres may require further assessment depending on the location and prescribed airspace at the location. Separate approval will be required for all crane operations.</p> <p>C41.2 Building height in the vicinity of the Control Tower must maintain air traffic control sightlines to the runway, taxiway and apron areas. Please contact the Airport Approvals Manager during the design phase to confirm requirements for sight line assessments.</p>	<p>Section 13 of the EAR provides an assessment of the potential impacts to the OLS. If plant and equipment intrudes into the OLS and PANS-OPS surfaces, an approval will need to be sought from the Secretary of DIRD under the Airports Act.</p>
<p>P42. Developments should not constitute a safety hazard to aviation operations.</p>	<p>C42.1 Mitigation of emissions from dust, smoke, liquid and gas vapour or particulate matters that may adversely affect airport's operational airspace must be addressed. This includes gas/discharge plumes from industry with a velocity exceeding 4.3 m/sec (at the point of emission) or likely to cause visibility problems, may be classified as a 'controlled activity'. Development should not create an artificial light source (eg laser lights) or reflect sunlight.</p> <p>C42.2 If cranes are to be used for construction, under the <i>Airports (Protection of Airspace) Regulations</i>, approval will need to be sought from the Airport Approvals Manager.</p>	<p>Mitigation measures outlined in this EAR (refer Section 8) will be adopted during construction to manage air quality impacts.</p> <p>An assessment of the potential impacts of lighting and height of structures (eg cranes, wick drain rigs) during construction of the Project has been undertaken in Section 13. The Contractor will need to ensure that any approvals are obtained prior to the commencement of construction.</p>
<p>P43. Lighting of the development and streetscape is not to impact on the operation of the airport.</p>	<p>C43.1 Lighting is to comply with the Civil Aviation Safety Authority (CASA) Manual of Standards – Part 139, Section 9.21 – Lighting in the Vicinity of Aerodromes.</p>	<p>An assessment of the potential impacts of lighting and recommended mitigation measures for the Project is provided in Section 13.</p>


Table 2 Compliance of the Project with the Airport Technical Guidelines

Section of Airport Technical Guidelines	Requirements	Project compliance
3.1 Environmental Requirements	<p>There are specific requirements in relation to environmental management on Brisbane Airport related to:</p> <ul style="list-style-type: none"> <li>(a) Regulations and Legislation</li> <li>(b) Construction Environmental Management Plans (CEMP)</li> <li>(c) Review and Approval Process</li> </ul>	<p>This EAR demonstrates the Project's compliance with the relevant regulations and legislation.</p> <p>A CEMP will need to be prepared for the Project prior to construction, addressing the recommended measures outlined in this EAR.</p>
3.1.1 Acid sulfate soils (ASS)	<p>A detailed ASS investigation is required if the Project is anticipated to excavate more than 100 m<sup>3</sup> of soil, or imports more than 500 m<sup>3</sup> of soil.</p>	<p>An ASS investigation has been conducted with details provided in Section 6 of this EAR.</p>
3.1.2 Red Imported Fire Ants (RIFA)	<p>Adoption of management controls for high risk activities (eg earthmoving activities, rotating stockpiles) must be implemented to help prevent the spread of fire ants.</p>	<p>The Project site is located within Fire ant biosecurity zone 3. As such, there are restrictions on the movements of fire ant carriers (eg soil, mulch, turf, potted plants etc).</p>
3.1.3 Contaminated sites	<p>Prior to the commencement of any design works, the BAC Project Manager is to be consulted with regards to the Contaminated Sites Register. Any development on contaminated land must be designed accordingly.</p>	<p>A contaminated land investigation has been conducted with details provided in Section 6 of the EAR.</p>
3.1.4 Erosion and sediment control	<p>Where the project involves the disturbance of soils, an Erosion and Sediment Control Plan (ESCP) must be developed in accordance with the Best Practice Erosion and Sediment Control manual (IECA 2008).</p>	<p>The Project will require the development of an ESCP by a Certified Erosion and Sediment Control Professional. This is discussed in further detail in Sections 5 and 7 of the EAR.</p>
3.1.5 Water quality monitoring	<p>Details of a surface and groundwater monitoring program (where applicable) are to be discussed with BAC during the project design phase. Provisions are also to be made with regards to dewatering activities specifically excavations and sediment basin operation. Water quality is to comply with the AEPR.</p>	<p>The Project will require surface and groundwater monitoring to be undertaken (refer Section 7 of the EAR for further detail).</p>
3.2 Site geology	<p>There is the potential for differential settlement to occur given the nature of the airport's reclaimed ground.</p>	<p>A geotechnical investigation has been conducted (refer Section 5). The Designer will need to consider the effects that settlement will have on the development of the Project (eg consider proposed use and loadings on the site).</p>
3.3 Preparation of documentation	<p>All design documentation must be prepared in accordance with BAC's Specification for Drafting and As-built Project Documentation.</p>	<p>This will be the responsibility of the Designer to ensure that all design and as-constructed information is submitted in the appropriate form for BAC's approval.</p>
3.4 Survey and set-out	<p>Brisbane Airport utilises a site specific Aerodrome Datum as the basis for all survey control.</p>	<p>The Designer will need to consider this when undertaking the detailed design of the Project site.</p>
3.5 As-Built and As-Constructed project documentation	<p>All projects must submit all As-Built and As-Constructed information in order to obtain a Completion Certificate from the Airport Building Controller.</p>	<p>This EAR does not involve the development of as-built and as-constructed information. Therefore, this requirement is not applicable until the design phase.</p>

Section of Airport Technical Guidelines	Requirements	Project compliance
3.6 Height Restrictions	Legislation controls the height of structures (temporary or permanent) on and around Brisbane Airport.	Discussion regarding height of temporary structures used during construction of the Project is provided in Section 13 of this EAR.
3.8 Protection of Services	At any point at which a construction road, or construction traffic, crosses the line of an existing underground service, protection to the service from damage shall be provided.	A number of services have been identified within/adjacent to the project area (refer Section 4). It will be the responsibility of the Designer to ensure that impacts to services are mitigated and managed appropriately.
3.9 Temporary construction services	All temporary electrical services, water, sewer and recycled water must be installed and paid by the Contractor.	This will be the responsibility of the Contractor during construction of the Project.
3.10 Traffic management	All works shall facilitate the safe and orderly passage of vehicular and pedestrian traffic through and around the site at all times from the commencement of work on the site to the completion of works.	Traffic management is discussed in Section 13 of this EAR.
3.12 Lighting of night work	Details of the proposed temporary lighting of works are to be submitted to BAC for approval. The Contractor is responsible for ensuring that the requirements as stipulated in Section 9 of the CASA Manual of Standards Part 139 are adhered to at all times during the works.	Details regarding temporary lighting are provided in Section 13.
4. Safety in design	Designers are to undertake all practicable measures to minimise the risk to safety during the design phase. For example, all designers and contractors working on airport projects are to undertake, as part of the design process, a Safety in Design assessment.	The Designer will be responsible for ensuring that the Project is compliant with the applicable safety standards.
5. Sustainability in design and construction	All designers and contractors working on airport projects are to undertake, as part of the design process, a Design Sustainability Statement.	The Designer will be responsible for adopting sustainability elements as part of the Project's design. A range of measures are suggested in the Airport Technical Guidelines.

# Appendix C

## Ecological desktop searches



### Protected Plants Flora Survey Trigger Map

**Legend**

- Lot and Plan
- High risk area
- Cadastral line
- Property boundaries shown are provided as a locational aid only
- Freeways / motorways / highways
- Secondary roads / streets




This product is projected into:  
 GDA 1994 Queensland Albers

This map shows areas where particular provisions of the Nature Conservation Act 1992 apply to the clearing of protected plants.

This map is produced at a scale relevant to the size of the area selected and should be printed as A4 size in portrait orientation.



For further information or assistance with interpretation of this product, please contact the Department of Environment and Heritage Protection at [palm@ehp.qld.gov.au](mailto:palm@ehp.qld.gov.au)

**Disclaimer:**  
 While every care is taken to ensure the accuracy of the data used to generate this product, the Queensland Government makes no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and disclaim all responsibility and all liability (including without limitation, liability in negligence) for all expenses, losses, damages (including indirect or consequential damages) and costs which might be incurred as a consequence of reliance on the data, or as a result of the data being inaccurate or incomplete in any way and for any reason.



### Map of Referable Wetlands Wetland Protection Areas

- Lot and Plan
- Cadastral Boundary
- Wetland Protection Areas**
- Wetland
- Trigger Area



This product is projected into GDA 1994 MGA Zone 56

© The State of Queensland, 2017

**Note:**  
This map shows the location of wetland protection areas which are defined under the Environmental Protection Regulation 2008. Within wetland protection areas, certain types of development involving high impact earthworks are made assessable under Schedule 3 of the Sustainable Planning Regulation 2009.


The Department of State Development Infrastructure and Planning is the State Assessment Referral Agency (SARA) under Schedule 7 of the Sustainable Planning Regulation 2009 for assessable development involving high impact earthworks within wetland protection areas. The Department of Environment and Heritage Protection is a technical agency.

The policy outcome and assessment criteria for assessing these applications are described in the State Development Assessment Provisions (SDAP) *Module 11: Wetlands and wild rivers*.

This map is produced at a scale relevant to the size of the lot on plan identified and should be printed at A4 size in portrait orientation. Consideration of the effects of mapped scale is necessary when interpreting data at a large scale.



For further information or assistance with interpretation of this product, please contact the Department of Environment and Heritage Protection at [www.ehp.qld.gov.au](http://www.ehp.qld.gov.au) or email [planning.support@ehp.qld.gov.au](mailto:planning.support@ehp.qld.gov.au).





### Map of Referable Wetlands for the Environmental Protection Act 1994

- Lot and Plan
- Cadastral Boundary
- HES Wetland
- GES Wetland



**Note:**  
This map shows the location of wetlands on the Map of Referable Wetlands which are defined under the Environmental Protection Regulation 2008.

Wetlands are assessed for ecological significance using the environmental values for wetlands in section 81A of the Environmental Protection Regulation 2008. Wetlands are considered either High Ecological Significance (HES) or General Ecological Significance (GES) for the purposes of the environmental values.

This map is produced at a scale relevant to the size of the lot on plan identified and should be printed at A4 size in portrait orientation. Consideration of the effects of mapped scale is necessary when interpreting data at a large scale.

For further information or assistance with interpretation of this product, please contact the Department of Environment and Heritage Protection at <www.ehp.qld.gov.au> or email <planning.support@ehp.qld.gov.au>

© The State of Queensland, 2017

This product is projected into GDA 1994 MGA Zone 56



# EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected.

Information on the coverage of this report and qualifications on data supporting this report are contained in the caveat at the end of the report.

Information is available about [Environment Assessments](#) and the EPBC Act including significance guidelines, forms and application process details.

Report created: 01/03/17 15:36:18

[Summary](#)

[Details](#)


[Matters of NES](#)

[Other Matters Protected by the EPBC Act](#)

[Extra Information](#)

[Caveat](#)


[Acknowledgements](#)



This map may contain data which are ©Commonwealth of Australia (Geoscience Australia), ©PSMA 2010

[Coordinates](#)

Buffer: 3.0Km



# Summary

## Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the [Administrative Guidelines on Significance](#).

<a href="#">World Heritage Properties:</a>	None
<a href="#">National Heritage Places:</a>	None
<a href="#">Wetlands of International Importance:</a>	1
<a href="#">Great Barrier Reef Marine Park:</a>	None
<a href="#">Commonwealth Marine Area:</a>	None
<a href="#">Listed Threatened Ecological Communities:</a>	2
<a href="#">Listed Threatened Species:</a>	32
<a href="#">Listed Migratory Species:</a>	14

## Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As heritage values of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place. Information on the new heritage laws can be found at <http://www.environment.gov.au/heritage>

A [permit](#) may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species.

<a href="#">Commonwealth Land:</a>	1
<a href="#">Commonwealth Heritage Places:</a>	None
<a href="#">Listed Marine Species:</a>	22
<a href="#">Whales and Other Cetaceans:</a>	None
<a href="#">Critical Habitats:</a>	None
<a href="#">Commonwealth Reserves Terrestrial:</a>	None
<a href="#">Commonwealth Reserves Marine:</a>	None

## Extra Information

This part of the report provides information that may also be relevant to the area you have nominated.

<a href="#">State and Territory Reserves:</a>	None
<a href="#">Regional Forest Agreements:</a>	None
<a href="#">Invasive Species:</a>	43
<a href="#">Nationally Important Wetlands:</a>	None
<a href="#">Key Ecological Features (Marine)</a>	None

# Details

## Matters of National Environmental Significance

### Wetlands of International Importance (Ramsar)

[\[ Resource Information \]](#)

Name	Proximity
<a href="#">Moreton bay</a>	Within 10km of Ramsar

### Listed Threatened Ecological Communities

[\[ Resource Information \]](#)

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

Name	Status	Type of Presence
<a href="#">Lowland Rainforest of Subtropical Australia</a>	Critically Endangered	Community may occur within area
<a href="#">Subtropical and Temperate Coastal Saltmarsh</a>	Vulnerable	Community likely to occur within area

### Listed Threatened Species

[\[ Resource Information \]](#)

Name	Status	Type of Presence
<b>Birds</b>		
<a href="#">Anthochaera phrygia</a> Regent Honeyeater [82338]	Critically Endangered	Foraging, feeding or related behaviour likely to occur within area
<a href="#">Botaurus poiciloptilus</a> Australasian Bittern [1001]	Endangered	Species or species habitat known to occur within area
<a href="#">Calidris ferruginea</a> Curlew Sandpiper [856]	Critically Endangered	Species or species habitat known to occur within area
<a href="#">Dasyornis brachypterus</a> Eastern Bristlebird [533]	Endangered	Species or species habitat likely to occur within area
<a href="#">Erythrorchis radiatus</a> Red Goshawk [942]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Geophaps scripta scripta</a> Squatter Pigeon (southern) [64440]	Vulnerable	Species or species habitat may occur within area
<a href="#">Lathamus discolor</a> Swift Parrot [744]	Critically Endangered	Species or species habitat may occur within area
<a href="#">Limosa lapponica baueri</a> Bar-tailed Godwit (baueri), Western Alaskan Bar-tailed Godwit [86380]	Vulnerable	Species or species habitat known to occur within area
<a href="#">Limosa lapponica menzbieri</a> Northern Siberian Bar-tailed Godwit, Bar-tailed Godwit (menzbieri) [86432]	Critically Endangered	Species or species habitat may occur within area
<a href="#">Numenius madagascariensis</a> Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species

Name	Status	Type of Presence
<a href="#">Pachyptila turtur subantarctica</a> Fairy Prion (southern) [64445]	Vulnerable	habitat known to occur within area Species or species habitat likely to occur within area
<a href="#">Poephila cincta cincta</a> Southern Black-throated Finch [64447]	Endangered	Species or species habitat may occur within area
<a href="#">Rostratula australis</a> Australian Painted Snipe [77037]	Endangered	Species or species habitat likely to occur within area
<a href="#">Turnix melanogaster</a> Black-breasted Button-quail [923]	Vulnerable	Species or species habitat may occur within area
<b>Mammals</b>		
<a href="#">Chalinolobus dwyeri</a> Large-eared Pied Bat, Large Pied Bat [183]	Vulnerable	Species or species habitat may occur within area
<a href="#">Dasyurus hallucatus</a> Northern Quoll, Digul [331]	Endangered	Species or species habitat may occur within area
<a href="#">Dasyurus maculatus maculatus (SE mainland population)</a> Spot-tailed Quoll, Spotted-tail Quoll, Tiger Quoll (southeastern mainland population) [75184]	Endangered	Species or species habitat may occur within area
<a href="#">Petauroides volans</a> Greater Glider [254]	Vulnerable	Species or species habitat may occur within area
<a href="#">Phascolarctos cinereus (combined populations of Qld, NSW and the ACT)</a> Koala (combined populations of Queensland, New South Wales and the Australian Capital Territory) [85104]	Vulnerable	Species or species habitat known to occur within area
<a href="#">Pteropus poliocephalus</a> Grey-headed Flying-fox [186]	Vulnerable	Foraging, feeding or related behaviour known to occur within area
<a href="#">Xeromys myoides</a> Water Mouse, False Water Rat, Yirrkoo [66]	Vulnerable	Species or species habitat likely to occur within area
<b>Plants</b>		
<a href="#">Arthraxon hispidus</a> Hairy-joint Grass [9338]	Vulnerable	Species or species habitat may occur within area
<a href="#">Bosistoa transversa</a> Three-leaved Bosistoa, Yellow Satinheart [16091]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Cryptocarya foetida</a> Stinking Cryptocarya, Stinking Laurel [11976]	Vulnerable	Species or species habitat may occur within area
<a href="#">Dichanthium setosum</a> bluegrass [14159]	Vulnerable	Species or species habitat may occur within area
<a href="#">Macadamia integrifolia</a> Macadamia Nut, Queensland Nut Tree, Smooth-shelled Macadamia, Bush Nut, Nut Oak [7326]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Macadamia tetraphylla</a> Rough-shelled Bush Nut, Macadamia Nut, Rough-shelled Macadamia, Rough-leaved Queensland Nut [6581]	Vulnerable	Species or species habitat may occur within area

Name	Status	Type of Presence
<a href="#">Phaius australis</a> Lesser Swamp-orchid [5872]	Endangered	Species or species habitat likely to occur within area
<a href="#">Samadera bidwillii</a> Quassia [29708]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Thesium australe</a> Austral Toadflax, Toadflax [15202]	Vulnerable	Species or species habitat may occur within area

#### Reptiles

<a href="#">Delma torquata</a> Adorned Delma, Collared Delma [1656]	Vulnerable	Species or species habitat may occur within area
<a href="#">Saiphos reticulatus</a> Three-toed Snake-tooth Skink [88328]	Vulnerable	Species or species habitat may occur within area

#### Listed Migratory Species

[ [Resource Information](#) ]

\* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
<b>Migratory Marine Birds</b>		
<a href="#">Apus pacificus</a> Fork-tailed Swift [678]		Species or species habitat likely to occur within area
<a href="#">Puffinus carneipes</a> Flesh-footed Shearwater, Fleshy-footed Shearwater [1043]		Species or species habitat likely to occur within area

#### Migratory Terrestrial Species

<a href="#">Cuculus optatus</a> Oriental Cuckoo, Horsfield's Cuckoo [86651]		Species or species habitat known to occur within area
<a href="#">Hirundapus caudacutus</a> White-throated Needletail [682]		Species or species habitat known to occur within area
<a href="#">Monarcha melanopsis</a> Black-faced Monarch [609]		Species or species habitat known to occur within area
<a href="#">Monarcha trivirgatus</a> Spectacled Monarch [610]		Species or species habitat known to occur within area
<a href="#">Myiagra cyanoleuca</a> Satin Flycatcher [612]		Species or species habitat known to occur within area
<a href="#">Rhipidura rufifrons</a> Rufous Fantail [592]		Species or species habitat likely to occur within area

#### Migratory Wetlands Species

<a href="#">Calidris ferruginea</a> Curlew Sandpiper [856]	Critically Endangered	Species or species habitat known to occur within area
<a href="#">Gallinago hardwickii</a> Latham's Snipe, Japanese Snipe [863]		Species or species habitat may occur within area
<a href="#">Limosa lapponica</a> Bar-tailed Godwit [844]		Species or species habitat known to occur within area

Name	Threatened	Type of Presence
<a href="#">Numenius madagascariensis</a> Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species habitat known to occur within area
<a href="#">Pandion haliaetus</a> Osprey [952]		Species or species habitat known to occur within area
<a href="#">Tringa nebularia</a> Common Greenshank, Greenshank [832]		Species or species habitat likely to occur within area

## Other Matters Protected by the EPBC Act

### Commonwealth Land [\[ Resource Information \]](#)

The Commonwealth area listed below may indicate the presence of Commonwealth land in this vicinity. Due to the unreliability of the data source, all proposals should be checked as to whether it impacts on a Commonwealth area, before making a definitive decision. Contact the State or Territory government land department for further information.

Name
Defence - DAMASCUS BARRACKS - MEEANDAH

### Listed Marine Species [\[ Resource Information \]](#)

\* Species is listed under a different scientific name on the EPBC Act - Threatened Species list.

Name	Threatened	Type of Presence
<b>Birds</b>		
<a href="#">Anseranas semipalmata</a> Magpie Goose [978]		Species or species habitat may occur within area
<a href="#">Apus pacificus</a> Fork-tailed Swift [678]		Species or species habitat likely to occur within area
<a href="#">Ardea alba</a> Great Egret, White Egret [59541]		Breeding known to occur within area
<a href="#">Ardea ibis</a> Cattle Egret [59542]		Breeding likely to occur within area
<a href="#">Calidris ferruginea</a> Curlew Sandpiper [856]	Critically Endangered	Species or species habitat known to occur within area
<a href="#">Cuculus saturatus</a> Oriental Cuckoo, Himalayan Cuckoo [710]		Species or species habitat known to occur within area
<a href="#">Gallinago hardwickii</a> Latham's Snipe, Japanese Snipe [863]		Species or species habitat may occur within area
<a href="#">Haliaeetus leucogaster</a> White-bellied Sea-Eagle [943]		Species or species habitat known to occur within area
<a href="#">Hirundapus caudacutus</a> White-throated Needletail [682]		Species or species habitat known to occur within area

Name	Threatened	Type of Presence
<a href="#">Lathamus discolor</a> Swift Parrot [744]	Critically Endangered	Species or species habitat may occur within area
<a href="#">Limosa lapponica</a> Bar-tailed Godwit [844]		Species or species habitat known to occur within area
<a href="#">Merops ornatus</a> Rainbow Bee-eater [670]		Species or species habitat may occur within area
<a href="#">Monarcha melanopsis</a> Black-faced Monarch [609]		Species or species habitat known to occur within area
<a href="#">Monarcha trivirgatus</a> Spectacled Monarch [610]		Species or species habitat known to occur within area
<a href="#">Myiagra cyanoleuca</a> Satin Flycatcher [612]		Species or species habitat known to occur within area
<a href="#">Numenius madagascariensis</a> Eastern Curlew, Far Eastern Curlew [847]	Critically Endangered	Species or species habitat known to occur within area
<a href="#">Pachyptila turtur</a> Fairy Prion [1066]		Species or species habitat likely to occur within area
<a href="#">Pandion haliaetus</a> Osprey [952]		Species or species habitat known to occur within area
<a href="#">Puffinus carneipes</a> Flesh-footed Shearwater, Fleshy-footed Shearwater [1043]		Species or species habitat likely to occur within area
<a href="#">Rhipidura rufifrons</a> Rufous Fantail [592]		Species or species habitat likely to occur within area
<a href="#">Rostratula benghalensis (sensu lato)</a> Painted Snipe [889]	Endangered*	Species or species habitat likely to occur within area
<a href="#">Tringa nebularia</a> Common Greenshank, Greenshank [832]		Species or species habitat likely to occur within area

## Extra Information



## Invasive Species

[ [Resource Information](#) ]

Weeds reported here are the 20 species of national significance (WoNS), along with other introduced plants that are considered by the States and Territories to pose a particularly significant threat to biodiversity. The following feral animals are reported: Goat, Red Fox, Cat, Rabbit, Pig, Water Buffalo and Cane Toad. Maps from Landscape Health Project, National Land and Water Resources Audit, 2001.

Name	Status	Type of Presence
<b>Birds</b>		
Acridotheres tristis Common Myna, Indian Myna [387]		Species or species habitat likely to occur within area
Anas platyrhynchos Mallard [974]		Species or species habitat likely to occur within area
Carduelis carduelis European Goldfinch [403]		Species or species habitat likely to occur within area
Columba livia Rock Pigeon, Rock Dove, Domestic Pigeon [803]		Species or species habitat likely to occur within area
Lonchura punctulata Nutmeg Mannikin [399]		Species or species habitat likely to occur within area
Passer domesticus House Sparrow [405]		Species or species habitat likely to occur within area
Streptopelia chinensis Spotted Turtle-Dove [780]		Species or species habitat likely to occur within area
Sturnus vulgaris Common Starling [389]		Species or species habitat likely to occur within area
<b>Frogs</b>		
Rhinella marina Cane Toad [83218]		Species or species habitat likely to occur within area
<b>Mammals</b>		
Bos taurus Domestic Cattle [16]		Species or species habitat likely to occur within area
Canis lupus familiaris Domestic Dog [82654]		Species or species habitat likely to occur within area
Felis catus Cat, House Cat, Domestic Cat [19]		Species or species habitat likely to occur within area
Feral deer Feral deer species in Australia [85733]		Species or species habitat likely to occur within area
Lepus capensis Brown Hare [127]		Species or species habitat likely to occur within area
Mus musculus House Mouse [120]		Species or species habitat likely to occur within area
Oryctolagus cuniculus Rabbit, European Rabbit [128]		Species or species habitat likely to occur

Name	Status	Type of Presence
Rattus norvegicus Brown Rat, Norway Rat [83]		within area Species or species habitat likely to occur within area
Rattus rattus Black Rat, Ship Rat [84]		Species or species habitat likely to occur within area
Sus scrofa Pig [6]		Species or species habitat likely to occur within area
Vulpes vulpes Red Fox, Fox [18]		Species or species habitat likely to occur within area
<b>Plants</b>		
Annona glabra Pond Apple, Pond-apple Tree, Alligator Apple, Bullock's Heart, Cherimoya, Monkey Apple, Bobwood, Corkwood [6311]		Species or species habitat may occur within area
Anredera cordifolia Madeira Vine, Jalap, Lamb's-tail, Mignonette Vine, Anredera, Gulf Madeiravine, Heartleaf Madeiravine, Potato Vine [2643]		Species or species habitat likely to occur within area
Asparagus aethiopicus Asparagus Fern, Ground Asparagus, Basket Fern, Sprengi's Fern, Bushy Asparagus, Emerald Asparagus [62425]		Species or species habitat likely to occur within area
Asparagus africanus Climbing Asparagus, Climbing Asparagus Fern [66907]		Species or species habitat likely to occur within area
Cabomba caroliniana Cabomba, Fanwort, Carolina Watershield, Fish Grass, Washington Grass, Watershield, Carolina Fanwort, Common Cabomba [5171]		Species or species habitat likely to occur within area
Chrysanthemoides monilifera Bitou Bush, Boneseed [18983]		Species or species habitat may occur within area
Chrysanthemoides monilifera subsp. rotundata Bitou Bush [16332]		Species or species habitat likely to occur within area
Cryptostegia grandiflora Rubber Vine, Rubbervine, India Rubber Vine, India Rubbervine, Palay Rubbervine, Purple Allamanda [18913]		Species or species habitat likely to occur within area
Dolichandra unguis-cati Cat's Claw Vine, Yellow Trumpet Vine, Cat's Claw Creeper, Funnel Creeper [85119]		Species or species habitat likely to occur within area
Eichhornia crassipes Water Hyacinth, Water Orchid, Nile Lily [13466]		Species or species habitat likely to occur within area
Hymenachne amplexicaulis Hymenachne, Olive Hymenachne, Water Stargrass, West Indian Grass, West Indian Marsh Grass [31754]		Species or species habitat likely to occur within area
Lantana camara Lantana, Common Lantana, Kamara Lantana, Large-leaf Lantana, Pink Flowered Lantana, Red Flowered Lantana, Red-Flowered Sage, White Sage, Wild Sage [10892]		Species or species habitat likely to occur within area
Opuntia spp. Prickly Pears [82753]		Species or species habitat likely to occur within area
Parthenium hysterophorus Parthenium Weed, Bitter Weed, Carrot Grass, False		Species or species

Name	Status	Type of Presence
Ragweed [19566]		habitat likely to occur within area
Prosopis spp. Mesquite, Algaroba [68407]		Species or species habitat likely to occur within area
Protasparagus densiflorus Asparagus Fern, Plume Asparagus [5015]		Species or species habitat likely to occur within area
Rubus fruticosus aggregate Blackberry, European Blackberry [68406]		Species or species habitat likely to occur within area
Sagittaria platyphylla Delta Arrowhead, Arrowhead, Slender Arrowhead [68483]		Species or species habitat likely to occur within area
Salix spp. except S.babylonica, S.x calodendron & S.x reichardtii Willows except Weeping Willow, Pussy Willow and Sterile Pussy Willow [68497]		Species or species habitat likely to occur within area
Salvinia molesta Salvinia, Giant Salvinia, Aquarium Watermoss, Kariba Weed [13665]		Species or species habitat likely to occur within area
Senecio madagascariensis Fireweed, Madagascar Ragwort, Madagascar Groundsel [2624]		Species or species habitat likely to occur within area
<b>Reptiles</b>		
Hemidactylus frenatus Asian House Gecko [1708]		Species or species habitat likely to occur within area
Ramphotyphlops braminus Flowerpot Blind Snake, Brahminy Blind Snake, Cacing Besi [1258]		Species or species habitat likely to occur within area

# Caveat

The information presented in this report has been provided by a range of data sources as acknowledged at the end of the report.

This report is designed to assist in identifying the locations of places which may be relevant in determining obligations under the Environment Protection and Biodiversity Conservation Act 1999. It holds mapped locations of World and National Heritage properties, Wetlands of International and National Importance, Commonwealth and State/Territory reserves, listed threatened, migratory and marine species and listed threatened ecological communities. Mapping of Commonwealth land is not complete at this stage. Maps have been collated from a range of sources at various resolutions.

Not all species listed under the EPBC Act have been mapped (see below) and therefore a report is a general guide only. Where available data supports mapping, the type of presence that can be determined from the data is indicated in general terms. People using this information in making a referral may need to consider the qualifications below and may need to seek and consider other information sources.

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

Threatened, migratory and marine species distributions have been derived through a variety of methods. Where distributions are well known and if time permits, maps are derived using either thematic spatial data (i.e. vegetation, soils, geology, elevation, aspect, terrain, etc) together with point locations and described habitat; or environmental modelling (MAXENT or BIOCLIM habitat modelling) using point locations and environmental data layers.

Where very little information is available for species or large number of maps are required in a short time-frame, maps are derived either from 0.04 or 0.02 decimal degree cells; by an automated process using polygon capture techniques (static two kilometre grid cells, alpha-hull and convex hull); or captured manually or by using topographic features (national park boundaries, islands, etc). In the early stages of the distribution mapping process (1999-early 2000s) distributions were defined by degree blocks, 100K or 250K map sheets to rapidly create distribution maps. More reliable distribution mapping methods are used to update these distributions as time permits.

Only selected species covered by the following provisions of the EPBC Act have been mapped:

- migratory and
- marine

The following species and ecological communities have not been mapped and do not appear in reports produced from this database:

- threatened species listed as extinct or considered as vagrants
- some species and ecological communities that have only recently been listed
- some terrestrial species that overfly the Commonwealth marine area
- migratory species that are very widespread, vagrant, or only occur in small numbers

The following groups have been mapped, but may not cover the complete distribution of the species:

- non-threatened seabirds which have only been mapped for recorded breeding sites
- seals which have only been mapped for breeding sites near the Australian continent

Such breeding sites may be important for the protection of the Commonwealth Marine environment.

# Coordinates

-27.4034 153.1025


# Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [-Office of Environment and Heritage, New South Wales](#)
- [-Department of Environment and Primary Industries, Victoria](#)
- [-Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [-Department of Environment, Water and Natural Resources, South Australia](#)
- [-Department of Land and Resource Management, Northern Territory](#)
- [-Department of Environmental and Heritage Protection, Queensland](#)
- [-Department of Parks and Wildlife, Western Australia](#)
- [-Environment and Planning Directorate, ACT](#)
- [-Birdlife Australia](#)
- [-Australian Bird and Bat Banding Scheme](#)
- [-Australian National Wildlife Collection](#)
- [-Natural history museums of Australia](#)
- [-Museum Victoria](#)
- [-Australian Museum](#)
- [-South Australian Museum](#)
- [-Queensland Museum](#)
- [-Online Zoological Collections of Australian Museums](#)
- [-Queensland Herbarium](#)
- [-National Herbarium of NSW](#)
- [-Royal Botanic Gardens and National Herbarium of Victoria](#)
- [-Tasmanian Herbarium](#)
- [-State Herbarium of South Australia](#)
- [-Northern Territory Herbarium](#)
- [-Western Australian Herbarium](#)
- [-Australian National Herbarium, Canberra](#)
- [-University of New England](#)
- [-Ocean Biogeographic Information System](#)
- [-Australian Government, Department of Defence Forestry Corporation, NSW](#)
- [-Geoscience Australia](#)
- [-CSIRO](#)
- [-Australian Tropical Herbarium, Cairns](#)
- [-eBird Australia](#)
- [-Australian Government – Australian Antarctic Data Centre](#)
- [-Museum and Art Gallery of the Northern Territory](#)
- [-Australian Government National Environmental Science Program](#)
- [-Australian Institute of Marine Science](#)
- [-Reef Life Survey Australia](#)
- [-American Museum of Natural History](#)
- [-Queen Victoria Museum and Art Gallery, Inveresk, Tasmania](#)
- [-Tasmanian Museum and Art Gallery, Hobart, Tasmania](#)
- [-Other groups and individuals](#)

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.


Please feel free to provide feedback via the [Contact Us](#) page.



## Regulated Vegetation Management Map

### Legend

- Lot and Plan
- Category A area (Vegetation offsets/compliance notices/VDecs)
- Category B area (Remnant vegetation)
- Category C area (High-value regrowth vegetation)
- Category R area (Reef regrowth watercourse vegetation)
- Category X area (Exempt on Freehold, Indigenous and Leasehold land)
- Water
- Area not categorised
- Cadastral line
- Property boundaries shown are provided as a locational aid only



This product is projected into:  
 GDA 1994 MGA Zone 56

### Disclaimer:


While every care is taken to ensure the accuracy of this product, the Department of Natural Resources and Mines makes no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and disclaims all responsibility and all liability (including without limitation, liability in negligence) for all expenses, losses, damages (including indirect or consequential damage) and costs which you might incur as a result of the product being inaccurate or incomplete in any way and for any reason.

Additional information required for the assessment of vegetation values is provided in the accompanying "Vegetation Management Supporting map". For further information go to the web site: [www.dnrm.qld.gov.au](http://www.dnrm.qld.gov.au) or contact the Department of Natural Resources and Mines.

Digital data for the regulated vegetation management map is available from the Queensland Spatial Portal at <http://www.information.qld.gov.au/>

This map is updated on a monthly basis to ensure new PMAVs are included as they are approved.






## Vegetation Management Supporting Map

### Legend

- Lot and Plan
- Category A or B area containing endangered regional ecosystems
- Category A or B area containing of concern regional ecosystems
- Category A or B area that is a least concern regional ecosystem
- Category A or B area containing remnant vegetation
- Category A or B area under Section 20AH  
These areas are edged in yellow and filled with the remnant RE Status
- Category C area containing endangered regional ecosystems
- Category C area containing of concern regional ecosystems
- Category C area that is a least concern regional ecosystem
- Category C area containing high value regrowth vegetation
- Category C area under Section 20AI  
These areas are edged in purple and filled with the remnant RE Status
- Non Remnant
- Water
- Wetland on the vegetation management wetlands map
- Essential habitat on the essential habitat map
- Essential habitat species record
- Watercourse on the vegetation management watercourse and drainage feature map  
(Stream order shown as black number against stream where available)
- Roads
- National Parks, State Forest and other reserves
- Cadastral line
- Property boundaries shown are provided as a locational aid only



This product is projected into:  
GDA 1994 MGA Zone 56

Labels for Essential Habitat are centred on the area of enquiry.

Regional ecosystem linework has been compiled at a scale of 1:100 000, except in designated areas where a compilation scale of 1:50 000 is available. Linework should be used as a guide only. The positional accuracy of RE data mapped at a scale of 1:100 000 is +/- 100 metres.

**Disclaimer:**  
While every care is taken to ensure the accuracy of this product, the Department of Natural Resources and Mines makes no representations or warranties about its accuracy, reliability, completeness or suitability for any particular purpose and disclaims all responsibility and all liability (including without limitation, liability in negligence) for all expenses, losses, damages (including indirect or consequential damage) and costs which you might incur as a result of the product being inaccurate or incomplete in any way and for any reason.

Additional information may be required for the purposes of land clearing or assessment of a regional ecosystem map or PMAV applications. For further information go to the web site: [www.dnrm.qld.gov.au](http://www.dnrm.qld.gov.au) or contact the Department of Natural Resources and Mines.

Digital data for the vegetation management watercourse and drainage feature map, vegetation management wetlands map, essential habitat map and the vegetation management remnant and regional ecosystem map are available from the Queensland Spatial Portal at <http://www.information.qld.gov.au/>



Vegetation Management Act 1999 - Extract from the essential habitat database

Essential habitat is required for assessment under the:

- State Development Assessment Provisions - Module 8: Native vegetation clearing which sets out the matters of interest to the state for development assessment under the *Sustainable Planning Act 2009*; and
- Self-assessable vegetation clearing codes made under the *Vegetation Management Act 1999*

Essential habitat for one or more of the following species is found on and within 1.1 km of the identified subject lot/s or on and within 2.2 km of an identified coordinate on the accompanying essential habitat map.

This report identifies essential habitat in Category A, B and Category C areas.

The numeric labels on the essential habitat map can be cross referenced with the database below to determine which essential habitat factors might exist for a particular species.

Essential habitat is compiled from a combination of species habitat models and buffered species records.

The Department of Natural Resources and Mines website (<http://www.dnrm.qld.gov.au>) has more information on how the layer is applied under the State Development Assessment Provisions - Module 8: Native vegetation clearing and the *Vegetation Management Act 1999*.

Regional ecosystem is a mandatory essential habitat factor, unless otherwise stated.

Essential habitat, for protected wildlife, means a category A area, a category B area or category C area shown on the regulated vegetation management map-

- 1) (a) that has at least 3 essential habitat factors for the protected wildlife that must include any essential habitat factors that are stated as mandatory for the protected wildlife in the essential habitat database; or
- 2) (b) in which the protected wildlife, at any stage of its life cycle, is located.

Essential habitat identifies endangered or vulnerable native wildlife prescribed under the *Nature Conservation Act 1994*.

**Essential habitat in Category A and B (Remnant vegetation species record) areas:1100m Species Information**

(no results)

**Essential habitat in Category A and B (Remnant vegetation species record) areas:1100m Regional Ecosystems Information**

(no results)

**Essential habitat in Category A and B (Remnant vegetation) areas:1100m Species Information**

Label	Scientific Name	Common Name	NCA Status	Vegetation Community	Altitude	Soils	Position in Landscape
686	<i>Crinia tinnula</i>	Wallum Froglet	V	Vegetation community is a mandatory essential habitat factor for this species. Permanent to ephemeral acidic (pH 4.3 - 5.2), soft freshwater in Melaleuca (e.g. M. quinquenervia) swamps, sedgeland, wet and dry heathland (e.g. Banksia robur, Xanthorrhoea) and wallum (Banksia aemula shrubland/woodland) areas coastal lowlands on sand or sandstone, occasionally in adjacent open forest/woodland (e.g. Eucalyptus racemosa, Corymbia citriodora) with heathy understorey; known to persist in small remnants (<10ha); may be found well away from water.	Sea level to 200m.	Sandy and sandy-alluvial substrates.	None

**Essential habitat in Category A and B (Remnant vegetation) areas:1100m Regional Ecosystems Information**

Label	Regional Ecosystem (this is a mandatory essential habitat factor, unless otherwise stated)
686	12.2.5, 12.2.7, 12.2.9, 12.2.10, 12.2.12, 12.2.15, 12.3.4, 12.3.5, 12.3.6, 12.3.12, 12.3.14, 12.5.10. These regional ecosystems are not a mandatory essential habitat factor for this species.

**Essential habitat in Category C (High value regrowth vegetation) areas:1100m Species Information**

(no results)

**Essential habitat in Category C (High value regrowth vegetation) areas:1100m Regional Ecosystems Information**

(no results)





# Queensland Government

## Wildlife Online Extract

Search Criteria: Species List for a Specified Point

Species: All

Type: All

Status: All

Records: All

Date: Since 1980

Latitude: -27.4034

Longitude: 153.1025

Distance: 3

Email: [chris.schell@aurecongroup.com](mailto:chris.schell@aurecongroup.com)

Date submitted: Wednesday 01 Mar 2017 14:34:04

Date extracted: Wednesday 01 Mar 2017 14:40:07

The number of records retrieved = 258

### **Disclaimer**

As the DSITIA is still in a process of collating and vetting data, it is possible the information given is not complete. The information provided should only be used for the project for which it was requested and it should be appropriately acknowledged as being derived from Wildlife Online when it is used.

The State of Queensland does not invite reliance upon, nor accept responsibility for this information. Persons should satisfy themselves through independent means as to the accuracy and completeness of this information.

No statements, representations or warranties are made about the accuracy or completeness of this information. The State of Queensland disclaims all responsibility for this information and all liability (including without limitation, liability in negligence) for all expenses, losses, damages and costs you may incur as a result of the information being inaccurate or incomplete in any way for any reason.

Kingdom	Class	Family	Scientific Name	Common Name	I	Q	A	Records
animals	amphibians	Bufonidae	<i>Rhinella marina</i>	cane toad	Y			4
animals	amphibians	Hylidae	<i>Litoria caerulea</i>	common green treefrog		C		3
animals	amphibians	Hylidae	<i>Litoria gracilentata</i>	graceful treefrog		C		4
animals	amphibians	Hylidae	<i>Litoria fallax</i>	eastern sedgefrog		C		2
animals	amphibians	Hylidae	<i>Litoria latopalmata</i>	broad palmed rocketfrog		C		1
animals	amphibians	Limnodynastidae	<i>Limnodynastes peronii</i>	striped marshfrog		C		8
animals	amphibians	Limnodynastidae	<i>Limnodynastes tasmaniensis</i>	spotted grassfrog		C		3
animals	amphibians	Myobatrachidae	<i>Crinia parinsignifera</i>	beeping froglet		C		1
animals	birds	Acanthizidae	<i>Gerygone levigaster</i>	mangrove gerygone		C		35
animals	birds	Acanthizidae	<i>Sericornis frontalis</i>	white-browed scrubwren		C		1
animals	birds	Acanthizidae	<i>Sericornis magnirostra</i>	large-billed scrubwren		C		1
animals	birds	Acanthizidae	<i>Gerygone olivacea</i>	white-throated gerygone		C		2
animals	birds	Acanthizidae	<i>Acanthiza pusilla</i>	brown thornbill		C		1
animals	birds	Accipitridae	<i>Haliastur sphenurus</i>	whistling kite		C		69
animals	birds	Accipitridae	<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle		C		9
animals	birds	Accipitridae	<i>Hieraaetus morphnoides</i>	little eagle		C		1
animals	birds	Accipitridae	<i>Pandion cristatus</i>	eastern osprey		SL		24
animals	birds	Accipitridae	<i>Elanus axillaris</i>	black-shouldered kite		C		77
animals	birds	Accipitridae	<i>Circus assimilis</i>	spotted harrier		C		6
animals	birds	Accipitridae	<i>Haliastur indus</i>	brahminy kite		C		54
animals	birds	Accipitridae	<i>Milvus migrans</i>	black kite		C		1
animals	birds	Accipitridae	<i>Aquila audax</i>	wedge-tailed eagle		C		1
animals	birds	Accipitridae	<i>Aviceda subcristata</i>	Pacific baza		C		1
animals	birds	Accipitridae	<i>Accipiter fasciatus</i>	brown goshawk		C		5
animals	birds	Accipitridae	<i>Accipiter novaehollandiae</i>	grey goshawk		C		1
animals	birds	Accipitridae	<i>Accipiter cirrocephalus</i>	collared sparrowhawk		C		1
animals	birds	Accipitridae	<i>Circus approximans</i>	swamp harrier		C		20
animals	birds	Accipitridae	<i>Lophoictinia isura</i>	square-tailed kite		C		1
animals	birds	Acrocephalidae	<i>Acrocephalus australis</i>	Australian reed-warbler		C		8
animals	birds	Alaudidae	<i>Mirafra javanica</i>	Horsfield's bushlark		C		1
animals	birds	Anatidae	<i>Malacorhynchus membranaceus</i>	pink-eared duck		C		2
animals	birds	Anatidae	<i>Stictonetta naevosa</i>	freckled duck		C		2
animals	birds	Anatidae	<i>Dendrocygna eytoni</i>	plumed whistling-duck		C		1
animals	birds	Anatidae	<i>Chenonetta jubata</i>	Australian wood duck		C		17
animals	birds	Anatidae	<i>Anas superciliosa</i>	Pacific black duck		C		86
animals	birds	Anatidae	<i>Aythya australis</i>	hardhead		C		9
animals	birds	Anatidae	<i>Anas rhynchos</i>	Australasian shoveler		C		2
animals	birds	Anatidae	<i>Cygnus atratus</i>	black swan		C		41
animals	birds	Anatidae	<i>Anas gracilis</i>	grey teal		C		42
animals	birds	Anatidae	<i>Anas castanea</i>	chestnut teal		C		105
animals	birds	Anatidae	<i>Anas platyrhynchos</i>	northern mallard	Y			1
animals	birds	Anhingidae	<i>Anhinga novaehollandiae</i>	Australasian darter		C		50
animals	birds	Apodidae	<i>Aerodramus terraereginae</i>	Australian swiftlet		C		1
animals	birds	Ardeidae	<i>Ardea intermedia</i>	intermediate egret		C		50
animals	birds	Ardeidae	<i>Egretta garzetta</i>	little egret		C		39/1
animals	birds	Ardeidae	<i>Ardea alba modesta</i>	eastern great egret		C		82

Kingdom	Class	Family	Scientific Name	Common Name	I	Q	A	Records
animals	birds	Ardeidae	<i>Nycticorax caledonicus</i>	nankeen night-heron		C		11
animals	birds	Ardeidae	<i>Egretta novaehollandiae</i>	white-faced heron		C		102
animals	birds	Ardeidae	<i>Ardea pacifica</i>	white-necked heron		C		6
animals	birds	Ardeidae	<i>Bubulcus ibis</i>	cattle egret		C		44
animals	birds	Ardeidae	<i>Butorides striata</i>	striated heron		C		20
animals	birds	Artamidae	<i>Cracticus nigrogularis</i>	piebald butcherbird		C		26
animals	birds	Artamidae	<i>Cracticus sp.</i>					1
animals	birds	Artamidae	<i>Cracticus tibicen</i>	Australian magpie		C		25
animals	birds	Artamidae	<i>Strepera graculina</i>	piebald currawong		C		7
animals	birds	Artamidae	<i>Cracticus torquatus</i>	grey butcherbird		C		17
animals	birds	Artamidae	<i>Artamus leucorhynchus</i>	white-breasted woodswallow		C		13
animals	birds	Burhinidae	<i>Burhinus grallarius</i>	bush stone-curlew		C		1
animals	birds	Cacatuidae	<i>Nymphicus hollandicus</i>	cockatiel		C		1
animals	birds	Cacatuidae	<i>Cacatua galerita</i>	sulphur-crested cockatoo		C		14
animals	birds	Cacatuidae	<i>Cacatua sanguinea</i>	little corella		C		6
animals	birds	Cacatuidae	<i>Cacatua tenuirostris</i>	long-billed corella	Y	C		8
animals	birds	Cacatuidae	<i>Eolophus roseicapilla</i>	galah		C		18
animals	birds	Campephagidae	<i>Coracina novaehollandiae</i>	black-faced cuckoo-shrike		C		28
animals	birds	Campephagidae	<i>Coracina tenuirostris</i>	cicadabird		C		5
animals	birds	Campephagidae	<i>Lalage leucomela</i>	varied triller		C		3
animals	birds	Charadriidae	<i>Vanellus miles</i>	masked lapwing		C		111
animals	birds	Charadriidae	<i>Pluvialis fulva</i>	Pacific golden plover		SL		3
animals	birds	Charadriidae	<i>Vanellus tricolor</i>	banded lapwing		C		1
animals	birds	Charadriidae	<i>Charadrius mongolus</i>	lesser sand plover		SL	E	1
animals	birds	Charadriidae	<i>Elseya melanops</i>	black-fronted dotterel		C		23
animals	birds	Charadriidae	<i>Erythronyx cinctus</i>	red-kneed dotterel		C		32
animals	birds	Charadriidae	<i>Pluvialis squatarola</i>	grey plover		SL		3
animals	birds	Charadriidae	<i>Charadrius ruficapillus</i>	red-capped plover		C		21
animals	birds	Charadriidae	<i>Vanellus miles novaehollandiae</i>	masked lapwing (southern subspecies)		C		13
animals	birds	Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	black-necked stork		C		1
animals	birds	Cisticolidae	<i>Cisticola exilis</i>	golden-headed cisticola		C		23
animals	birds	Climacteridae	<i>Cormobates leucophaea</i>	white-throated treecreeper		C		2
animals	birds	Columbidae	<i>Columba livia</i>	rock dove	Y			12
animals	birds	Columbidae	<i>Geopelia striata</i>	peaceful dove		C		2
animals	birds	Columbidae	<i>Ocyphaps lophotes</i>	crested pigeon		C		17
animals	birds	Columbidae	<i>Geopelia humeralis</i>	bar-shouldered dove		C		10
animals	birds	Columbidae	<i>Ptilinopus magnificus</i>	wompoo fruit-dove		C		1
animals	birds	Columbidae	<i>Macropygia amboinensis</i>	brown cuckoo-dove		C		3
animals	birds	Columbidae	<i>Streptopelia chinensis</i>	spotted dove	Y			19
animals	birds	Columbidae	<i>Leucosarcia melanoleuca</i>	wonga pigeon		C		1
animals	birds	Coraciidae	<i>Eurystomus orientalis</i>	dollarbird		C		6
animals	birds	Corvidae	<i>Corvus orru</i>	Torresian crow		C		47
animals	birds	Cuculidae	<i>Eudynamys orientalis</i>	eastern koel		C		4
animals	birds	Cuculidae	<i>Centropus phasianinus</i>	pheasant coucal		C		7
animals	birds	Cuculidae	<i>Cacomantis flabelliformis</i>	fan-tailed cuckoo		C		6
animals	birds	Cuculidae	<i>Scythrops novaehollandiae</i>	channel-billed cuckoo		C		3

Kingdom	Class	Family	Scientific Name	Common Name	I	Q	A	Records
animals	birds	Cuculidae	<i>Chalcites minutillus barnardi</i>	little bronze-cuckoo		C		1
animals	birds	Cuculidae	<i>Chalcites lucidus</i>	shining bronze-cuckoo		C		1
animals	birds	Cuculidae	<i>Chalcites basalis</i>	Horsfield's bronze-cuckoo		C		1
animals	birds	Cuculidae	<i>Cacomantis variolosus</i>	brush cuckoo		C		3
animals	birds	Dicruridae	<i>Dicrurus bracteatus</i>	spangled drongo		C		19
animals	birds	Estrildidae	<i>Lonchura punctulata</i>	nutmeg mannikin	Y			1
animals	birds	Estrildidae	<i>Lonchura castaneothorax</i>	chestnut-breasted mannikin		C		15
animals	birds	Estrildidae	<i>Taeniopygia bichenovii</i>	double-barred finch		C		8
animals	birds	Estrildidae	<i>Neochmia temporalis</i>	red-browed finch		C		1
animals	birds	Falconidae	<i>Falco peregrinus</i>	peregrine falcon		C		7
animals	birds	Falconidae	<i>Falco berigora</i>	brown falcon		C		26
animals	birds	Falconidae	<i>Falco longipennis</i>	Australian hobby		C		8
animals	birds	Falconidae	<i>Falco cenchroides</i>	nankeen kestrel		C		16
animals	birds	Fringillidae	<i>Carduelis carduelis</i>	European goldfinch	Y			1
animals	birds	Halcyonidae	<i>Dacelo novaeguineae</i>	laughing kookaburra		C		11
animals	birds	Halcyonidae	<i>Todiramphus sordidus</i>	Torresian kingfisher		C		1
animals	birds	Halcyonidae	<i>Todiramphus sanctus</i>	sacred kingfisher		C		6
animals	birds	Halcyonidae	<i>Todiramphus macleayii</i>	forest kingfisher		C		1
animals	birds	Hirundinidae	<i>Petrochelidon nigricans</i>	tree martin		C		7
animals	birds	Hirundinidae	<i>Petrochelidon ariel</i>	fairy martin		C		15
animals	birds	Hirundinidae	<i>Hirundo neoxena</i>	welcome swallow		C		36
animals	birds	Jacaniidae	<i>Irediparra gallinacea</i>	comb-crested jacana		C		2
animals	birds	Laridae	<i>Thalasseus bergii</i>	crested tern		SL		11
animals	birds	Laridae	<i>Hydroprogne caspia</i>	Caspian tern		SL		27
animals	birds	Laridae	<i>Chroicocephalus novaehollandiae</i>	silver gull		C		8
animals	birds	Laridae	<i>Chlidonias leucopterus</i>	white-winged black tern		SL		1
animals	birds	Laridae	<i>Gelochelidon nilotica</i>	gull-billed tern		SL		4
animals	birds	Maluridae	<i>Malurus melanocephalus</i>	red-backed fairy-wren		C		13
animals	birds	Maluridae	<i>Malurus lamberti</i>	variegated fairy-wren		C		2
animals	birds	Maluridae	<i>Malurus cyaneus</i>	superb fairy-wren		C		4
animals	birds	Megaluridae	<i>Megalurus gramineus</i>	little grassbird		C		1
animals	birds	Megaluridae	<i>Megalurus timoriensis</i>	tawny grassbird		C		17
animals	birds	Megapodiidae	<i>Alectura lathamii</i>	Australian brush-turkey		C		3
animals	birds	Meliphagidae	<i>Manorina melanocephala</i>	noisy miner		C		21
animals	birds	Meliphagidae	<i>Myzomela sanguinolenta</i>	scarlet honeyeater		C		4
animals	birds	Meliphagidae	<i>Philemon citreogularis</i>	little friarbird		C		3
animals	birds	Meliphagidae	<i>Anthochaera chrysoptera</i>	little wattlebird		C		1
animals	birds	Meliphagidae	<i>Gavicalis fasciogularis</i>	mangrove honeyeater		C		15
animals	birds	Meliphagidae	<i>Plectorhyncha lanceolata</i>	striped honeyeater		C		8
animals	birds	Meliphagidae	<i>Philemon corniculatus</i>	noisy friarbird		C		9
animals	birds	Meliphagidae	<i>Nesoptilotis leucotis</i>	white-eared honeyeater		C		1
animals	birds	Meliphagidae	<i>Lichmera indistincta</i>	brown honeyeater		C		22
animals	birds	Meliphagidae	<i>Entomyzon cyanotis</i>	blue-faced honeyeater		C		6
animals	birds	Meliphagidae	<i>Caligavis chrysops</i>	yellow-faced honeyeater		C		8
animals	birds	Meliphagidae	<i>Meliphaga lewinii</i>	Lewin's honeyeater		C		9
animals	birds	Meliphagidae	<i>Myzomela obscura</i>	dusky honeyeater		C		1

Kingdom	Class	Family	Scientific Name	Common Name	I	Q	A	Records
animals	birds	Meropidae	<i>Merops ornatus</i>	rainbow bee-eater		C		13
animals	birds	Monarchidae	<i>Symposiachrus trivirgatus</i>	spectacled monarch		SL		1
animals	birds	Monarchidae	<i>Myiagra inquieta</i>	restless flycatcher		C		1
animals	birds	Monarchidae	<i>Myiagra rubecula</i>	leaden flycatcher		C		1
animals	birds	Monarchidae	<i>Grallina cyanoleuca</i>	magpie-lark		C		38
animals	birds	Monarchidae	<i>Monarcha melanopsis</i>	black-faced monarch		SL		1
animals	birds	Motacillidae	<i>Anthus novaeseelandiae</i>	Australasian pipit		C		21
animals	birds	Nectariniidae	<i>Dicaeum hirundinaceum</i>	mistletoebird		C		1
animals	birds	Oriolidae	<i>Oriolus sagittatus</i>	olive-backed oriole		C		8
animals	birds	Oriolidae	<i>Sphecotheres vieilloti</i>	Australasian figbird		C		12
animals	birds	Orthonychidae	<i>Orthonyx temminckii</i>	Australian logrunner		C		1
animals	birds	Pachycephalidae	<i>Colluricincla harmonica</i>	grey shrike-thrush		C		14
animals	birds	Pachycephalidae	<i>Colluricincla megarhyncha</i>	little shrike-thrush		C		1
animals	birds	Pachycephalidae	<i>Pachycephala rufiventris</i>	rufous whistler		C		15
animals	birds	Pachycephalidae	<i>Pachycephala pectoralis</i>	golden whistler		C		1
animals	birds	Pardalotidae	<i>Pardalotus punctatus</i>	spotted pardalote		C		2
animals	birds	Pardalotidae	<i>Pardalotus striatus</i>	striated pardalote		C		12
animals	birds	Passeridae	<i>Passer domesticus</i>	house sparrow	Y			7
animals	birds	Pelecanidae	<i>Pelecanus conspicillatus</i>	Australian pelican		C		107
animals	birds	Petroicidae	<i>Eopsaltria australis</i>	eastern yellow robin		C		7
animals	birds	Petroicidae	<i>Tregellasia capito</i>	pale-yellow robin		C		1
animals	birds	Phalacrocoracidae	<i>Phalacrocorax sulcirostris</i>	little black cormorant		C		43
animals	birds	Phalacrocoracidae	<i>Microcarbo melanoleucos</i>	little pied cormorant		C		39
animals	birds	Phalacrocoracidae	<i>Phalacrocorax carbo</i>	great cormorant		C		4
animals	birds	Phalacrocoracidae	<i>Phalacrocorax varius</i>	pied cormorant		C		55
animals	birds	Phasianidae	<i>Coturnix ypsilophora</i>	brown quail		C		13
animals	birds	Podargidae	<i>Podargus strigoides</i>	tawny frogmouth		C		2
animals	birds	Podicipedidae	<i>Tachybaptus novaehollandiae</i>	Australasian grebe		C		12
animals	birds	Podicipedidae	<i>Poliocephalus poliocephalus</i>	hoary-headed grebe		C		1
animals	birds	Podicipedidae	<i>Podiceps cristatus</i>	great crested grebe		C		1
animals	birds	Pomatostomidae	<i>Pomatostomus temporalis</i>	grey-crowned babbler		C		6
animals	birds	Psittacidae	<i>Platycercus adscitus</i>	pale-headed rosella		C		11
animals	birds	Psittacidae	<i>Psephotus haematonotus</i>	red-rumped parrot		C		5
animals	birds	Psittacidae	<i>Trichoglossus chlorolepidotus</i>	scaly-breasted lorikeet		C		19
animals	birds	Psittacidae	<i>Trichoglossus haematodus moluccanus</i>	rainbow lorikeet		C		26
animals	birds	Psittacidae	<i>Platycercus eximius</i>	eastern rosella		C		1
animals	birds	Psittacidae	<i>Alisterus scapularis</i>	Australian king-parrot		C		7
animals	birds	Psophodidae	<i>Psophodes olivaceus</i>	eastern whipbird		C		3
animals	birds	Ptilonorhynchidae	<i>Sericulus chrysocephalus</i>	regent bowerbird		C		1
animals	birds	Ptilonorhynchidae	<i>Ptilonorhynchus violaceus</i>	satin bowerbird		C		2
animals	birds	Ptilonorhynchidae	<i>Ailuroedus crassirostris</i>	green catbird		C		1
animals	birds	Rallidae	<i>Lewinia pectoralis</i>	Lewin's rail		C		94
animals	birds	Rallidae	<i>Gallinula tenebrosa</i>	dusky moorhen		C		24
animals	birds	Rallidae	<i>Porphyrio melanotus</i>	purple swamphen		C		26
animals	birds	Rallidae	<i>Porzana tabuensis</i>	spotless crane		C		2
animals	birds	Rallidae	<i>Porzana fluminea</i>	Australian spotted crane		C		1

Kingdom	Class	Family	Scientific Name	Common Name	I	Q	A	Records
animals	birds	Rallidae	<i>Gallirallus philippensis</i>	buff-banded rail		C		10
animals	birds	Rallidae	<i>Porzana pusilla</i>	Baillon's crane		C		1
animals	birds	Rallidae	<i>Fulica atra</i>	Eurasian coot		C		5
animals	birds	Recurvirostridae	<i>Recurvirostra novaehollandiae</i>	red-necked avocet		C		17
animals	birds	Recurvirostridae	<i>Himantopus himantopus</i>	black-winged stilt		C		120
animals	birds	Rhipiduridae	<i>Rhipidura rufifrons</i>	rufous fantail		SL		1
animals	birds	Rhipiduridae	<i>Rhipidura leucophrys</i>	willie wagtail		C		33
animals	birds	Rhipiduridae	<i>Rhipidura albiscapa</i>	grey fantail		C		22
animals	birds	Scolopacidae	<i>Limicola falcinellus</i>	broad-billed sandpiper		SL		1
animals	birds	Scolopacidae	<i>Gallinago hardwickii</i>	Latham's snipe		SL		5
animals	birds	Scolopacidae	<i>Calidris ruficollis</i>	red-necked stint		SL		1
animals	birds	Scolopacidae	<i>Calidris ferruginea</i>	curlew sandpiper		SL	CE	7
animals	birds	Scolopacidae	<i>Tringa stagnatilis</i>	marsh sandpiper		SL		25
animals	birds	Scolopacidae	<i>Calidris subminuta</i>	long-toed stint		SL		1
animals	birds	Scolopacidae	<i>Calidris melanotos</i>	pectoral sandpiper		SL		1
animals	birds	Scolopacidae	<i>Calidris acuminata</i>	sharp-tailed sandpiper		SL		65
animals	birds	Scolopacidae	<i>Actitis hypoleucos</i>	common sandpiper		SL		5
animals	birds	Scolopacidae	<i>Numenius phaeopus</i>	whimbrel		SL		18
animals	birds	Scolopacidae	<i>Tringa nebularia</i>	common greenshank		SL		19
animals	birds	Scolopacidae	<i>Calidris canutus</i>	red knot		SL	E	1
animals	birds	Scolopacidae	<i>Tringa brevipes</i>	grey-tailed tattler		SL		2
animals	birds	Scolopacidae	<i>Limosa lapponica baueri</i>	Western Alaskan bar-tailed godwit		SL	V	3
animals	birds	Scolopacidae	<i>Numenius madagascariensis</i>	eastern curlew		V	CE	2
animals	birds	Sturnidae	<i>Sturnus vulgaris</i>	common starling	Y			29
animals	birds	Sturnidae	<i>Acridotheres tristis</i>	common myna	Y			15
animals	birds	Threskiornithidae	<i>Platalea flavipes</i>	yellow-billed spoonbill		C		4
animals	birds	Threskiornithidae	<i>Platalea regia</i>	royal spoonbill		C		54
animals	birds	Threskiornithidae	<i>Plegadis falcinellus</i>	glossy ibis		SL		7
animals	birds	Threskiornithidae	<i>Threskiornis spinicollis</i>	straw-necked ibis		C		54
animals	birds	Threskiornithidae	<i>Threskiornis molucca</i>	Australian white ibis		C		123
animals	birds	Timaliidae	<i>Zosterops lateralis</i>	silveryeye		C		14
animals	birds	Turnicidae	<i>Turnix velox</i>	little button-quail		C		2
animals	birds	Tytonidae	<i>Tyto longimembris</i>	eastern grass owl		C		4
animals	birds	Tytonidae	<i>Tyto delicatula</i>	eastern barn owl		C		1
animals	insects	Nymphalidae	<i>Danaus plexippus plexippus</i>	monarch				2
animals	insects	Nymphalidae	<i>Vanessa kershawi</i>	Australian painted lady				1
animals	mammals	Canidae	<i>Vulpes vulpes</i>	red fox	Y			2
animals	mammals	Molossidae	<i>Tadarida australis</i>	white-striped freetail bat		C		1
animals	mammals	Muridae	<i>Melomys burtoni</i>	grassland melomys		C		1
animals	mammals	Muridae	<i>Rattus fuscipes</i>	bush rat		C		1
animals	mammals	Peramelidae	<i>Isoodon macrourus</i>	northern brown bandicoot		C		3
animals	mammals	Phascolarctidae	<i>Phascolarctos cinereus</i>	koala		V	V	1
animals	mammals	Pteropodidae	<i>Pteropus alecto</i>	black flying-fox		C		3
animals	mammals	Pteropodidae	<i>Pteropus poliocephalus</i>	grey-headed flying-fox		C	V	1
animals	mammals	Suidae	<i>Sus scrofa</i>	pig	Y			1
animals	reptiles	Agamidae	<i>Intellagama lesueurii</i>	eastern water dragon		C		1

Kingdom	Class	Family	Scientific Name	Common Name	I	Q	A	Records
animals	reptiles	Agamidae	<i>Pogona barbata</i>	bearded dragon		C		1
animals	reptiles	Boidae	<i>Morelia spilota</i>	carpet python		C		11
animals	reptiles	Colubridae	<i>Dendrelaphis punctulatus</i>	green tree snake		C		2
animals	reptiles	Colubridae	<i>Tropidonophis mairii</i>	freshwater snake		C		1
animals	reptiles	Elapidae	<i>Pseudonaja textilis</i>	eastern brown snake		C		1
animals	reptiles	Elapidae	<i>Pseudechis porphyriacus</i>	red-bellied black snake		C		2
animals	reptiles	Elapidae	<i>Demansia psammophis</i>	yellow-faced whipsnake		C		1
animals	reptiles	Elapidae	<i>Cacophis harriettae</i>	white-crowned snake		C		1
animals	reptiles	Elapidae	<i>Hemiaspis signata</i>	black-bellied swamp snake		C		2
animals	reptiles	Scincidae	<i>Ctenotus spaldingi</i>	straight-browed ctenotus		C		1
animals	reptiles	Scincidae	<i>Tiliqua scincoides</i>	eastern blue-tongued lizard		C		6
animals	reptiles	Scincidae	<i>Lampropholis delicata</i>	dark-flecked garden sunskink		C		4
animals	reptiles	Scincidae	<i>Calyptotis scutirostrum</i>	scute-snouted calyptotis		C		1
animals	reptiles	Typhlopidae	<i>Anilius proximus</i>	proximus blind snake		C		1
plants	higher dicots	Apocynaceae	<i>Araujia sericifera</i>	white moth vine	Y			1/1
plants	higher dicots	Combretaceae	<i>Terminalia sericocarpa</i>	damson		C		1
plants	higher dicots	Fabaceae	<i>Indigofera spicata</i>	creeping indigo	Y			1/1
plants	higher dicots	Fabaceae	<i>Kummerowia striata</i>	japanese clover	Y			1/1
plants	higher dicots	Loranthaceae	<i>Amylotheca dictyophleba</i>			C		1/1
plants	higher dicots	Nyctaginaceae	<i>Boerhavia schomburgkiana</i>			C		1/1
plants	higher dicots	Onagraceae	<i>Ludwigia peploides subsp. montevidensis</i>			C		1/1
plants	higher dicots	Onagraceae	<i>Oenothera drummondii subsp. drummondii</i>		Y			1/1
plants	higher dicots	Rosaceae	<i>Rosa bracteata</i>	Macartney rose	Y			1/1
plants	monocots	Cyperaceae	<i>Fimbristylis polytrichoides</i>			C		1/1
plants	monocots	Cyperaceae	<i>Fimbristylis ferruginea</i>			C		1/1
plants	monocots	Poaceae	<i>Digitaria abyssinica</i>		Y			1/1
plants	monocots	Poaceae	<i>Panicum paludosum</i>	swamp panic		C		1/1
protists	green algae	Chlorophyceae	<i>Enteromorpha intestinalis</i>			C		1/1

#### CODES

I - Y indicates that the taxon is introduced to Queensland and has naturalised.

Q - Indicates the Queensland conservation status of each taxon under the *Nature Conservation Act 1992*. The codes are Extinct in the Wild (PE), Endangered (E), Vulnerable (V), Near Threatened (NT), Least Concern (C) or Not Protected ( ).

A - Indicates the Australian conservation status of each taxon under the *Environment Protection and Biodiversity Conservation Act 1999*. The values of EPBC are Conservation Dependent (CD), Critically Endangered (CE), Endangered (E), Extinct (EX), Extinct in the Wild (XW) and Vulnerable (V).

Records – The first number indicates the total number of records of the taxon for the record option selected (i.e. All, Confirmed or Specimens).

This number is output as 99999 if it equals or exceeds this value. The second number located after the / indicates the number of specimen records for the taxon.

This number is output as 999 if it equals or exceeds this value.

# Appendix D

## Acid sulfate soils investigations





5 December 2016

# ACID SULFATE SOIL ASSESSMENT

## Auto Mall Precinct Stage 1

**Submitted to:**  
Mr Nick Jackson-Hope  
Brisbane Airport Corporation  
PO Box 61  
Hamilton Central Q 4007

REPORT

**Report Number.** 1538021-014-R-Rev1

**Distribution:**

1 Electronic Copy - BAC





## Table of Contents

<b>1.0 INTRODUCTION</b> .....	<b>1</b>
<b>4.0 BACKGROUND INFORMATION</b> .....	<b>2</b>
4.1 About Acid Sulfate Soils .....	2
4.2 Previous Investigations.....	2
4.3 Geology .....	3
4.4 Hydrogeology.....	3
4.5 Soil Landscape .....	3
4.6 ASS Risk Maps.....	3
<b>5.0 REGULATORY FRAMEWORK</b> .....	<b>5</b>
<b>7.0 ASSESSMENT CRITERIA</b> .....	<b>6</b>
<b>8.0 INVESTIGATION FINDINGS</b> .....	<b>7</b>
8.1 Subsurface Conditions.....	7
8.2 Groundwater Levels.....	7
8.3 ASS Screening Tests.....	8
8.4 Chromium Suite Analysis.....	13
8.5 Groundwater Quality.....	17
<b>9.0 CONCLUSIONS</b> .....	<b>18</b>
<b>10.0 RECOMMENDATIONS</b> .....	<b>19</b>
<b>TABLES</b>	
Table 1: Field Activities - Drilling and Soil Sampling .....	5
Table 2: Field Activities - Groundwater Well Installation and Sampling.....	6
Table 3: ASS Action Criteria.....	6
Table 4: General Indicators for Buffering Capacity.....	7
Table 5: Summary of Groundwater Level Observations.....	7
Table 6: Acid Sulfate Soil Screening Test Results (continued) .....	9
Table 7: Summary of Acid Sulfate Soil Test Results (Chromium Suite).....	14
Table 8: Groundwater Quality Test Results.....	17
<b>FIGURES</b>	
Figure 1: Proposed Development with Previous and Current Investigation Locations .....	25



---

# AUTO MALL PRECINCT STAGE 1 ACID SULFATE SOIL ASSESSMENT

---

## **APPENDICES**

### **APPENDIX A**

Development Staging Plan

### **APPENDIX B**

Borehole Reports

### **APPENDIX C**

Laboratory Documents

### **APPENDIX D**

Important Information Relating to this Report



## 1.0 INTRODUCTION

Brisbane Airport Corporation Pty Ltd (BAC) commissioned Golder Associates Pty Ltd (Golder) to undertake an Acid Sulfate Soil (ASS) assessment for Stage 1 of the Auto Mall Precinct project at the Brisbane Airport (see Figure 1). Golder has previously conducted a desktop study contamination and acid sulfate soil review of the Auto Mall Precinct for BAC (reference 1460490-002-R-Rev0, February 2015). The purpose of the current assessment is to inform the detailed design of the proposed development.

The ASS investigation was undertaken during December 2015 as part of a combined geotechnical, contamination and ASS investigation and is based on the scope of work defined in our proposal (Golder document reference no. P1538021-002-L-Rev1 dated 12 October 2015). A supplementary investigation was completed in October 2016 at an additional 3 locations in the central portion of Stage 1 where dense vegetation had prevented access during the December 2015 investigation.

This updated report presents the ASS assessment findings of the original and supplementary investigations at Stage 1 of the Auto Mall Precinct. The assessment results from the geotechnical and contamination investigations are provided in a separate reports.

## 2.0 PROJECT DETAILS

An Auto Mall Precinct is proposed to be developed on an area between Moreton Drive, Nancy Bird Way and Airport Drive at the Brisbane Airport. Refer attached Figure 1 for the location plan. The proposed development comprises a test track in the middle of the site, surrounded by development lots for future commercial use. Private roads are located around the perimeter of the site. An Energex substation and easement is present on the site.

At the time of issuing this report, we understand that the site is to be developed in three stages as follows:

- Development Stage 1: Track, roads and selected development lots; lots north of the Energex easement between the track and Moreton Drive, and the Track and Nancy Bird Way.
- Development Stage 2: development lots south of the Energex easement.
- Development Stage 3: development lots north of the Energex easement between the track and Airport Drive.

The current staging plan is provided in Appendix A.

It is expected that the majority of the site will be filled and surcharged to achieve final development design levels. Drainage channels will run along site perimeter, with invert levels as low as of RL 0.2 m AD in the western portion of the site. Site drainage channels will discharge into nearby surface water drains.

However, for consistency with previous works, we refer to the portion of the site north of the Energex easement as Stage 1, and the portion to the south as Stage 2.

## 3.0 SITE DESCRIPTION

The site has an average surface level of about 2.4 m AD<sup>1</sup> and is currently heavily vegetated with casuarina forest and mangroves. The Stage 1 investigation area covers approximately 950 m by 450 m.

Landers Pocket drain is the closet surface water body feature, located at least 100 m west of the project area. Surface water in Landers Pocket drain flows north east for 1 km from the site before discharging into Kedron Brook Floodway Drain. The Kedron Brook Floodway Drain discharges into Kedron Brook. The ultimate receiving environment of surface water is Moreton Bay from Kedron Brook.

<sup>1</sup> Aerodrome Datum



## 4.0 BACKGROUND INFORMATION

### 4.1 About Acid Sulfate Soils

Pyritic soils or ASS, were deposited in coastal zones throughout the world during the last 6,500 to 10,000 years. When drained for development or otherwise disturbed, the iron pyrite in these sediments oxidises producing sulfuric acid which subsequently lowers the pH in runoff and groundwater, leading to the release of toxic aluminium and iron from the sediments.

The formation of ASS is commonly the result of marine or estuarine deposition of sulfate and iron bearing sediments in the presence of an abundant source of readily decomposable organic matter resulting in the deposition of pyrite. This pyrite is stable within the soil so long as anoxic conditions prevail. Oxidation of this material produces acidic conditions, a process that typically occurs when the material is exposed to air, such as when raised above the water table by excavation, or by lowering the water table during dewatering processes. This can occur as a result of natural processes, for example as a result of fluctuations in the seawater level.

Acidic water introduced into coastal streams can cause fish kills, alterations to ecosystems and corrosion of civil structures. The source of the acid is naturally occurring pyrite. Environmental degradation occurs when this pyrite oxidises and sulfuric acid is produced and discharged into receiving waters. If receiving water in ASS areas is naturally saline, low level acidity naturally generated is often adequately buffered by the salinity and sometimes by the presence of alkaline calcareous materials present within the alluvial deposits.

Previous experience and available guidelines indicate that ASS are normally restricted in extent to recent (Holocene age) soil horizons deposited in a saline environment below RL 5 m AHD, with Actual ASS (AASS) often occurring at the top of the soil profile, being underlain by Potential ASS (PASS). ASS commonly occurs throughout lowland coastal areas of Australia.

### 4.2 Previous Investigations

Golder previously conducted a desktop assessment of ASS, groundwater and contamination for the Auto Mall Precinct in 2014. The findings of this desktop assessment were reported in Golder report reference No. 1416490-002-Rev0 and indicated the following:

- Sub-surface conditions typically comprise:
  - Crust** – A clay ‘crust’ layer up to 1.0 m bgl is present in some areas due to desiccation.
  - Younger Alluvium (Holocene)** – Highly compressible, inter-bedded sandy clays and clayey sands (Upper Holocene) and silty clays (Lower Holocene) extending to depths up to 30 m below ground level in places.
- Shallow surface fill may be present on the edges of the site with depths ranging from 0.15m to 1.1m. The fill was a mix of silts and sandy clays with some sands. The underlying natural profiles (upper Holocene alluvium) comprised variable light, medium and heavy clays and clayey sands, with some thin layers of peat and ‘clean’ sands. The natural soils were generally grey to dark grey and dark brown, indicative of ASS.
- Field screening and laboratory analysis of site soils indicated the presence of actual acid sulfate soils (AASS) typically from the surface to depth of about 0.6m to 1.1 m AD underlain by potential acid sulfate soils (PASS) to depths of more than 1.2 m AD (the limit of previous ASS investigations).
- The acid neutralising capacity (ANC) of the alluvium is generally not adequate to naturally buffer the actual and potential acidity produced.
- Net acidity in the AASS materials ranged from 0.08 S% to about 1.94 S%. Net acidity in the PASS materials ranged from 0.06 S% to about 2.55 S%.

To assist in the current assessment of ASS soil conditions, previous investigation results have been included in this current assessment. In particular previous ASS results for investigation locations BIP/ASS6, BIP/ASS8, BIP/ASS9 and BIP/ASS10 (Golder report reference No. 097632009-2001-R-Rev0 Brisbane International Precinct Stage A, Acid Sulfate Soil Investigation, dated April 2009). Figure 1 displays the previous ASS investigation locations.



## 4.3 Geology

Reference to the Geological Survey of Queensland 1:100,000 scale Brisbane Geological map (1990) indicates that all of the assessment site is located on alluvial deposits of Holocene age.

Holocene deposits are typically associated with ASS formation.

## 4.4 Hydrogeology

Previous investigations in this area have encountered groundwater levels ranging from about 1.6m AD to 2.5m AD with a general direction of groundwater flow has been inferred as west towards Landers Pocket Drain.

## 4.5 Soil Landscape

The “Soil Landscapes of Brisbane and South-Eastern Environs, Queensland”, CSIRO 1:100,000 scale Map Sheet (1985) indicates that the assessment site is situated within an alluvial landscape likely to comprise the following soil group:


### Woongoolba- WO

- Dominant Soil Group – ‘Humic gleys, peaty gleys’ and ‘solonchaks’
- Landscape and Parent Geology – Low (coastal) plains of alluvium and narrow depressions.

This soil profile is a young alluvium that frequently contains moderate to high concentrations of pyritic material and fine organic matter. This soil unit is generally associated with ASS.

## 4.6 ASS Risk Maps

The Brisbane City Council “A Guide to the Likely Location of Acid Sulfate Soils in Brisbane” 1:50,000 scale risk map, indicates that the site is situated in an area mapped as having a ‘Very High’ risk of encountering ASS (refer below). The ‘Very High’ risk ASS soils at the site are likely to be associated with the recent alluvial soils.




### ACID SULPHATE SOILS HAZARD\_RATING

- Extremely High
- Very High
- High
- Medium
- Low
- Approximate location of site

Brisbane City Council ASS Hazard Risk Map for the Site



# AUTO MALL PRECINCT STAGE 1 ACID SULFATE SOIL ASSESSMENT



■ Approximate location of site

*DNRM Acid Sulfate Soils Map for the Site*



The Department of Natural Resources Mines (DNRM), 1:100,000 scale Map 1 “Acid Sulfate Soils –Tweed Heads to Redcliffe” (refer above), indicates that the site is situated in an area mapped as:

- SDL – Disturbed land (e.g. canal estates, marinas, aquaculture, quarry, urban, and industrial likely to contain ASS. (In some cases, partial or full treatment may have been undertaken). Limited field investigation.

## 5.0 REGULATORY FRAMEWORK

The following key regulatory drivers and guidance documents have been considered and utilised in conducting this assessment:

- *Guidelines for Sampling and Analysis of Lowland Acid Sulfate Soils in Queensland – 1998.* QASSIT
- *Queensland Acid Sulfate Soil Technical Manual: Soil Management Guidelines.* 2014. Department of Science, Information Technology, Innovation and the Arts, Queensland Government.

## 6.0 FIELDWORK

### 6.1 Soil Investigation

Details of the soil investigation methodology for the ASS investigation is summarised in Table 1 below.

**Table 1: Field Activities - Drilling and Soil Sampling**

Activity	Details
Drilling	<p>Soil sampling for the original acid sulfate soil assessment was conducted from 16 to 18 December 2015 which included 12 boreholes identified as AM-BH1 to AM-BH9, AM-BH17, AM-BH19 and AM-BH28.</p> <p>The supplementary investigation was conducted on 10 October 2016 and comprised 3 boreholes identified at AM-BH30, AM-BH31 and AM-BH32.</p> <p>The boreholes were advanced to depths of 3m using hollow stem augers mounted on a light tracked vehicle. Soil samples were collected using an SPT spilt tube.</p> <p>The sampling was conducted in conjunction with contamination and geotechnical investigations for the site.</p> <p>Borehole drilling was carried out under the supervision of a geotechnical engineer from Golder. Soil descriptions for the lithology encountered during drilling are presented as borehole logs in Appendix B.</p>
Borehole Survey	<p>Upon completion of intrusive investigations selected locations were surveyed by MPA Surveyors using differential GPS for easting, northing and RL. Remaining locations and levels were inferred from the survey plan provided by BAC (received 24 November 2015).</p>
Soil Sampling	<p>Soil samples were collected at 0.25 m intervals from the surface to 3m below ground level (bgl) for ASS testing.</p>
Samples Preservation and Handling	<p>All ASS samples were labelled and sealed in plastic bags and refrigerated, then frozen within 24 hours, until laboratory testing was undertaken. All samples collected were sent to Australian Laboratory Services (ALS) of Brisbane under Chain of Custody (CoC) procedure (documents in Appendix C).</p>
Soil Screening	<p>All soil samples were screened using the pH<sub>F</sub>/pH<sub>FOX</sub> test method.</p>
Soil Analysis	<p>Soil samples were selected on the basis of the screening test results for quantitative laboratory analyses by the Chromium Suite test method (laboratory documents in Appendix C).</p>





## 6.2 Groundwater Investigation

Details of groundwater investigation methodology are summarised in Table 2 below.

**Table 2: Field Activities - Groundwater Well Installation and Sampling**

Activity	Details
Monitoring Well Installation and Construction	Five boreholes (AM-BH01, AM-BH04, AM-BH08, AM-BH19 and AM-BH28) were converted into new groundwater monitoring wells during the original investigation. During the supplementary investigation, one borehole (AM-BH31) was converted into a new groundwater monitoring well. <b>Figure 1</b> displays the monitoring well locations installed during this assessment and existing historical monitoring wells (BIP/MW1, BIP/MW2, BIP/MW6, BAC-MW07 and BAC-MW-24). New monitoring wells were constructed using 50 mm, Class 18 PVC threaded screen and casing. Construction details for monitoring wells are presented on borehole reports in Appendix B.
Well Development	Following installation the new wells were developed using dedicated disposable bailers.
Well Gauging	Standing water levels (SWLs) were measured in the original investigation wells and historical wells on 4 January 2016 using a calibrated water level meter. The SWL in the supplementary well was measured on 25 October 2016. Groundwater gauging data are presented in Section 6.2 Table 2.
Well Purging	On 4 January 2016, the wells were using dedicated disposable bailers. On 25 October 2016 purging was completed using a low flow peristaltic pump, equipped with disposable tubing. Groundwater quality parameters and visual observations were recorded during purging. Purging continued until three well volumes were removed or to stabilisation of quality parameters.
Groundwater Sampling	Groundwater samples were collected from all new and existing wells using new disposable bailers on 4 January 2016 and directly from the pump on 25 October 2016.
Sample Preservation and Handling	Collected water samples were placed in laboratory supplied containers. Samples were placed with ice, in eskies whilst on-site and in transit to the laboratory. All samples were sent to Australian Laboratory Services (ALS) of Brisbane under Chain of Custody (CoC) procedures (documents in Appendix C).
Groundwater Analysis	Groundwater samples were analysed for ASS indicator parameters comprising pH, electrical conductivity, chloride, sulfate, alkalinity, acidity, dissolved iron, dissolved aluminium and total iron. Laboratory analytical reports are presented in Appendix C.

## 7.0 ASSESSMENT CRITERIA

Table 3 below shows the ASS action levels adopted in Queensland. These categories are used to identify whether action / management of ASS disturbances is required, based on 'net acidity' (derived from the results of the Chromium Suite analysis or the Chromium Suite test suites). For this assessment an action criteria of 0.03% Equivalent Sulfur has been adopted.

**Table 3: ASS Action Criteria**

Type of Material		Action Criteria 1-1000 tonnes disturbed		Action Criteria > 1000 tonnes disturbed (and major fill projects)	
		Existing + Potential Acidity		Existing + Potential Acidity	
Texture range McDonald et al. (1990)	Approx clay content (%)	Equivalent sulfur %S oxidisable	Equivalent acid mol H <sup>+</sup> / tonne	Equivalent sulfur %S oxidisable (oven-dry basis)	Equivalent acid mol H <sup>+</sup> / tonne (oven-dry basis)
<b>Coarse Texture</b> Sands to loamy sands	≤5	0.03	18	0.03	18*
<b>Medium Texture</b> Sandy loams to light clays	5 – 40	0.06	36	0.03	18*
<b>Fine Texture</b> Medium to heavy clays and silty clays	≥40	0.10	62	0.03	18*



Table 4 below (*Treatment and management of soils and water in acid sulfate soil landscapes*, July 2011, revised 2015, WA DEC) provides a guide for the assessment of the buffering capacity of groundwater.

**Table 4: General Indicators for Buffering Capacity**

Class	Designation	Alkalinity		pH	Description
		mg/L	meq/L		
1	Very high alkalinity	>180	>3	>6.5	Adequate to maintain acceptable pH level in the future.
2	High alkalinity	60-80	1-3	>6.0	Adequate to maintain acceptable pH level in the future.
3	Moderate alkalinity	30-60	0.5-1.0	5.5-7.5	Inadequate to maintain stable, acceptable pH level in areas vulnerable to acidification.
4	Low alkalinity	10-30	0.2-0.5	5.0-6.0	Inadequate to maintain stable, acceptable pH level.
5	Very low alkalinity	<10	<0.2	<6.0	Unacceptable pH level under all circumstances.

## 8.0 INVESTIGATION FINDINGS

### 8.1 Subsurface Conditions

Detailed information of subsurface conditions encountered at the site are described in Report of Boreholes (Appendix B).

A summary of typical subsurface conditions encountered is as follows:

- **Crust** – A desiccated layer generally comprising loose silty sand and sandy clay generally between 0.1 to 0.3 m bgl, over
- **Recent Alluvium (Holocene)** – Compressible, inter-bedded sandy clays and clayey sands (Upper Holocene) from approximately 0 to 3 m bgl (target depth).

### 8.2 Groundwater Levels

Table 5 summarises the groundwater measurements for the current investigation. It should be noted that BAC has not provided Golder with construction details for wells BAC-MW07 and BAC-MW24 at the time of this report. Based on the measured groundwater levels, the general flow direction beneath the site is interpreted to be west.

**Table 5: Summary of Groundwater Level Observations**

Well ID	Depth to Groundwater (m bgl)	Groundwater RL (m AD)	Date and Time of Observations
AM-BH01	0.93	2.06	04/01/2016 AT 12:00 PM
AM-BH04	1.41	1.26	04/01/2015 AT 12.36 PM
AM-BH08	1.13	1.75	04/01/2016 AT 12:50 PM
AM-BH19	0.71	1.91	04/01/2016 AT 1:05 PM
AM-BH28	0.76	1.98	04/01/2016 AT 12:20 PM
BIP/MW1	1.27	1.53	04/01/2016 AT 12.36 PM
BIP/MW2	1.07	1.91	04/01/2016 AT 11:00 AM
BP/MW6	1.02	2.01	04/01/2016 AT 11:30 AM
BAC-MW07	1.24	1.66	04/01/2016 AT 1:32 PM
BAC-MW24	0.81	2.13	04/01/2016 AT 10:30 AM
AM-MW31	0.95	1.8	25/10/2016 AT 12:30 PM



### 8.3 ASS Screening Tests

The  $pH_F/pH_{FOX}$  screening method consists of two steps; determining the field pH of a 1:5 soil/water suspension, and by the addition of 30% Hydrogen Peroxide, allowing the sample time to oxidise, before determining the  $pH_{FOX}$  (pH after oxidation) of the reacted sample. A significant drop in pH is indicative of potential acidity and a low initial pH, indicative of actual acidity.

The tests are used to indicate the likelihood of a soil containing actual acidity (i.e. Actual ASS [AASS]) and/or potential acidity (i.e. Potential ASS [PASS]).

The following rating is used in the assessment of samples in the attached table:

- 1) AASS potential is indicated by; Nil ( $pH_F > 4.5$ ), Medium ( $pH_F 4.5 < pH_F \leq 4$ ), High ( $pH_F < 4$ )
- 2) PASS potential is indicated by: Low ( $pH_{FOX} > 3$ ), Medium ( $pH_{FOX} > 3$  and difference between  $pH_{FOX}$  and  $pH_F$  is greater than 3), High ( $pH_{FOX} < 3$ ).
- 3) Where the  $pH_{FOX}$  value is significantly less than the reported  $pH_F$ , this may indicate the presence of PASS, with larger reductions in  $pH_{FOX}$  generally providing a stronger indication of potential PASS.

The rate of reaction is also an indicator of likely PASS.

Field screening test results on recovered soil samples during the investigation are presented in Appendix C and summarised in Table 6 below.

The screening test results from the current investigations indicated the following:

- The  $pH_F$  values materials ranged between 3.8 and 8.5. The likely presence of AASS was indicated at all investigation locations with the exception of AM-BH09. Field tests generally indicated the presence of AASS from the surface levels between about 0.8m AD and 1.2m AD (ie. extending below the measured water table). At location AM-BH19 the presence of AASS was indicated from the surface to the full depth of investigation.
- The  $pH_{FOX}$  values suggest a high potential for PASS underlying the AASS to a level of at least -0.54 m AD, the maximum investigation depth.



# AUTO MALL PRECINCT STAGE 1 ACID SULFATE SOIL ASSESSMENT

**Table 6: Acid Sulfate Soil Screening Test Results (continued)**

Location ID	Sample Depth Range (m bgl)		Sample Depth Range (m AD)		Soil Type	pH (F)	AASS Likelihood <sup>1</sup>	pH (Field ox)	Reaction Rate <sup>2</sup>	PASS Likelihood <sup>3</sup>
						pH Unit		pH_Units		
AM-BH01	0	- 0.25	2.99	- 2.74	Silty SAND	4.5	Medium	2.4	3	High
AM-BH01	0.25	- 0.5	2.74	- 2.49	Sandy CLAY	4.2	Medium	2.4	2	High
AM-BH01	0.5	- 0.75	2.49	- 2.24	Sandy CLAY/CLAY	4.2	Medium	2.4	2	High
AM-BH01	0.75	- 1	2.24	- 1.99	CLAY	4	High	2.4	2	High
AM-BH01	1	- 1.25	1.99	- 1.74	CLAY	4	High	2.4	2	High
AM-BH01	1.25	- 1.5	1.74	- 1.49	Clayey SAND	4	High	2.2	2	High
AM-BH01	1.5	- 1.75	1.49	- 1.24	Clayey SAND	4.2	Medium	2.3	2	High
AM-BH01	1.75	- 2	1.24	- 0.99	Clayey SAND	4.7	Nil	2.6	2	High
AM-BH01	2	- 2.25	0.99	- 0.74	SAND	6.2	Nil	1.9	2	High
AM-BH01	2.25	- 2.5	0.74	- 0.49	SAND	6.6	Nil	1.9	3	High
AM-BH01	2.5	- 2.75	0.49	- 0.24	SAND	6.8	Nil	1.8	3	High
AM-BH01	2.75	- 3	0.24	- -0.01	SAND	6.9	Nil	2.2	4	High
AM-BH02	0	- 0.25	2.5	- 2.25	Silty SAND	5.2	Nil	2.9	3	High
AM-BH02	0.5	- 0.75	2	- 1.75	Sandy CLAY	4.6	Nil	2.7	3	High
AM-BH02	0.75	- 1	1.75	- 1.5	Sandy CLAY	4.6	Nil	2.4	3	High
AM-BH02	1	- 1.25	1.5	- 1.25	Sandy CLAY/CLAY	5.7	Nil	2.9	3	High
AM-BH02	1.25	- 1.5	1.25	- 1	CLAY	6	Nil	3.8	3	High
AM-BH02	1.5	- 1.75	1	- 0.75	CLAY	6.5	Nil	2.1	3	High
AM-BH02	1.75	- 2	0.75	- 0.5	CLAY/Sandy CLAY	6.8	Nil	2	4	High
AM-BH02	2	- 2.25	0.5	- 0.25	Sandy CLAY/SAND	6.6	Nil	2.1	4	High
AM-BH02	2.25	- 2.5	0.25	- 0	SAND	6.6	Nil	2.1	4	High
AM-BH02	2.5	- 2.75	0	- -0.25	SAND	6.6	Nil	1.9	3	High
AM-BH03	0	- 0.25	2.92	- 2.67	Silty SAND	5.3	Nil	2.9	3	High
AM-BH03	0.25	- 0.5	2.67	- 2.42	Sandy CLAY	4.3	Medium	2.3	3	High
AM-BH03	0.5	- 0.75	2.42	- 2.17	CLAY	4.2	Medium	1.9	3	High
AM-BH03	0.75	- 1	2.17	- 1.92	CLAY	4.2	Medium	2.3	2	High
AM-BH03	1	- 1.25	1.92	- 1.67	Sandy CLAY	4.4	Medium	2.4	2	High
AM-BH03	1.25	- 1.5	1.67	- 1.42	Sandy CLAY	4.3	Medium	2.4	2	High
AM-BH03	1.5	- 1.75	1.42	- 1.17	SAND	4.6	Nil	2.7	2	High
AM-BH03	1.75	- 2	1.17	- 0.92	SAND	5.8	Nil	2.7	3	High
AM-BH03	2	- 2.25	0.92	- 0.67	SAND	6	Nil	1.8	3	High
AM-BH03	2.25	- 2.5	0.67	- 0.42	SAND	6.3	Nil	2.1	4	High
AM-BH03	2.5	- 2.75	0.42	- 0.17	SAND	6.4	Nil	2.2	4	High
AM-BH03	2.75	- 3	0.17	- -0.08	SAND	6.5	Nil	2.2	4	High
AM-BH04	0	- 0.25	2.67	- 2.42	Silty SAND	4.2	Medium	1.9	3	High
AM-BH04	0.25	- 0.5	2.42	- 2.17	CLAY	4	High	2	3	High
AM-BH04	0.5	- 0.75	2.17	- 1.92	CLAY	3.9	High	2	3	High
AM-BH04	0.75	- 1	1.92	- 1.67	Sandy CLAY	4	High	2.1	2	High
AM-BH04	1	- 1.25	1.67	- 1.42	Sandy CLAY	4	High	2.3	2	High
AM-BH04	1.25	- 1.5	1.42	- 1.17	SAND	4.1	Medium	2.3	2	High
AM-BH04	1.5	- 1.75	1.17	- 0.92	SAND	4.2	Medium	2.1	2	High
AM-BH04	1.75	- 2	0.92	- 0.67	SAND	6.1	Nil	2.4	4	High
AM-BH04	2	- 2.25	0.67	- 0.42	SAND	6.1	Nil	2.3	4	High
AM-BH04	2.25	- 2.5	0.42	- 0.17	SAND	6.2	Nil	2.5	4	High
AM-BH04	2.5	- 2.75	0.17	- -0.08	SAND	6.7	Nil	2.5	4	High
AM-BH04	2.75	- 3	-0.08	- -0.33	SAND	7	Nil	2.2	4	High

1) AASS likelihood is indicated by; Nil ( $pH_F > 4.5$ ), Medium ( $pH_F 4.5 < pH_F \leq 4$ ), High ( $pH_F < 4$ )

2) PASS likelihood is indicated by: Low ( $pH_{FOx} > 3$ ), Medium ( $pH_{FOx} > 3$  and difference between  $pH_{FOx}$  and  $pH_{FOx}$  is greater than 3, High ( $pH_{FOx} < 3$ ).

3) Reaction 1 = Low strength, 2 = Medium strength, 3 = High strength, 4 = Extreme



## AUTO MALL PRECINCT STAGE 1 ACID SULFATE SOIL ASSESSMENT

**Table 6: Acid Sulfate Soil Screening Test Results (continued)**

Location ID	Sample Depth Range (m bgl)			Sample Depth Range (m AD)			Soil Type	pH (F)		AASS Likelihood <sup>1</sup>	pH (Field ox)	Reaction Rate <sup>2</sup>	PASS Likelihood <sup>3</sup>
								pH Unit	pH_Units				
AM-BH05	0	-	0.25	2.5	-	2.25	Silty SAND	4.7	Nil	2.6	3	High	
AM-BH05	0.25	-	0.5	2.25	-	2	CLAY	5.8	Nil	3.4	2	High	
AM-BH05	0.5	-	0.75	2	-	1.75	CLAY	4.9	Nil	2.9	2	High	
AM-BH05	0.75	-	1	1.75	-	1.5	CLAY	4.1	Medium	2.4	2	High	
AM-BH05	1	-	1.25	1.5	-	1.25	CLAY	3.9	High	2.4	2	High	
AM-BH05	1.25	-	1.5	1.25	-	1	SAND	4	High	2.3	2	High	
AM-BH05	1.5	-	1.75	1	-	0.75	SAND	4.4	Medium	3	2	High	
AM-BH05	1.75	-	2	0.75	-	0.5	SAND	5.3	Nil	2.6	2	High	
AM-BH05	2	-	2.25	0.5	-	0.25	SAND	5.2	Nil	2.4	2	High	
AM-BH05	2.25	-	2.5	0.25	-	0	SAND	5.8	Nil	1.9	3	High	
AM-BH05	2.5	-	2.75	0	-	-0.25	SAND	6.3	Nil	2	4	High	
AM-BH05	2.75	-	3	-0.25	-	-0.5	SAND	6.6	Nil	2.2	4	High	
AM-BH06	0	-	0.25	2.5	-	2.25	Silty SAND	4.8	Medium	2.4	4	High	
AM-BH06	0.25	-	0.5	2.25	-	2	Sandy CLAY	4.3	Medium	2.4	3	High	
AM-BH06	0.5	-	0.75	2	-	1.75	Sandy CLAY	4.3	Medium	2.4	2	High	
AM-BH06	0.75	-	1	1.75	-	1.5	CLAY	4.3	Medium	2.2	2	High	
AM-BH06	1	-	1.25	1.5	-	1.25	Sandy CLAY	4.2	Medium	2.3	2	High	
AM-BH06	1.25	-	1.5	1.25	-	1	CLAY	4.1	Medium	2.4	2	High	
AM-BH06	1.5	-	1.75	1	-	0.75	CLAY/Sandy CLAY	4.7	Nil	2.6	2	High	
AM-BH06	1.75	-	2	0.75	-	0.5	Sandy CLAY	5.5	Nil	2.6	2	High	
AM-BH06	2	-	2.25	0.5	-	0.25	Sandy CLAY	6.1	Nil	1.7	4	High	
AM-BH06	2.25	-	2.5	0.25	-	0	Sandy CLAY	6.2	Nil	1.6	4	High	
AM-BH06	2.5	-	2.75	0	-	-0.25	Sandy CLAY	6.8	Nil	1.9	4	High	
AM-BH06	2.75	-	3	-0.25	-	-0.5	Sandy CLAY	7	Nil	2	4	High	
AM-BH07	0	-	0.25	3.2	-	2.95	Fill: Silty SAND	6.4	Nil	3.2	3	Medium	
AM-BH07	0.5	-	0.75	2.7	-	2.45	Fill: Sandy CLAY/ Clayey COBBLES	4.2	Medium	2.2	3	High	
AM-BH07	0.75	-	1	2.45	-	2.2	Sandy CLAY	3.9	High	2	3	High	
AM-BH07	1	-	1.25	2.2	-	1.95	CLAY	4.6	Nil	3	2	High	
AM-BH07	1.25	-	1.5	1.95	-	1.7	Sandy CLAY	4.6	Nil	2.6	2	High	
AM-BH07	1.5	-	1.75	1.7	-	1.45	Sandy CLAY	5.9	Nil	2.9	2	High	
AM-BH07	1.75	-	2	1.45	-	1.2	Clayey SAND	6.2	Nil	2.3	3	High	
AM-BH07	2	-	2.25	1.2	-	0.95	Clayey SAND	6.3	Nil	1.4	4	High	
AM-BH07	2.25	-	2.5	0.95	-	0.7	Clayey SAND	6.8	Nil	1.8	4	High	
AM-BH07	2.5	-	2.75	0.7	-	0.45	Clayey SAND	7	Nil	1.8	4	High	
AM-BH07	2.75	-	3	0.45	-	0.2	Clayey SAND	7.2	Nil	1.9	4	High	

1) AASS likelihood is indicated by; Nil ( $pH_F > 4.5$ ), Medium ( $pH_F 4.5 < pH_F \leq 4$ ), High ( $pH_F < 4$ )

2) PASS likelihood is indicated by: Low ( $pH_{FOX} > 3$ ), Medium ( $pH_{FOX} > 3$  and difference between  $pH_{FOX}$  and  $pH_{FOx}$  is greater than 3, High ( $pH_{FOX} < 3$ ).

3) Reaction 1 = Low strength, 2 = Medium strength, 3 = High strength, 4 = Extreme



## AUTO MALL PRECINCT STAGE 1 ACID SULFATE SOIL ASSESSMENT

**Table 6: Acid Sulfate Soil Screening Test Results (continued)**

Location ID	Sample Depth Range (m bgl)		Sample Depth Range (m AD)		Soil Type	pH (F)	AASS Likelihood <sup>1</sup>	pH (Field ox)	Reaction Rate <sup>2</sup>	PASS Likelihood <sup>3</sup>
						pH Unit		pH_Units		
AM-BH08	0	- 0.25	2.88	- 2.63	silty SAND	7	Nil	5.5	2	Low
AM-BH08	0.25	- 0.5	2.63	- 2.38	Silty SAND/Sandy CLAY	5.9	Nil	3.2	3	Low
AM-BH08	0.5	- 0.75	2.38	- 2.13	Sandy CLAY	4.3	Medium	2.3	2	High
AM-BH08	0.75	- 1	2.13	- 1.88	CLAY	3.9	High	2.1	2	High
AM-BH08	1	- 1.25	1.88	- 1.63	CLAY	4.2	Medium	2.4	2	High
AM-BH08	1.25	- 1.5	1.63	- 1.38	CLAY	5.2	Nil	2.6	3	High
AM-BH08	1.5	- 1.75	1.38	- 1.13	CLAY	4.9	Nil	2.5	2	High
AM-BH08	1.75	- 2	1.13	- 0.88	Sandy CLAY	6.2	Nil	1.4	4	High
AM-BH08	2	- 2.25	0.88	- 0.63	Sandy CLAY	6.5	Nil	1.8	4	High
AM-BH08	2.25	- 2.5	0.63	- 0.38	Sandy CLAY	6.9	Nil	1.8	4	High
AM-BH08	2.5	- 2.75	0.38	- 0.13	Sandy CLAY	7.6	Nil	1.6	4	High
AM-BH08	2.75	- 3	0.13	- -0.12	CLAY	7	Nil	1.5	4	High
AM-BH09	0	- 0.25	3.3	- 3.05	Fill: Silty SAND	7.3	Nil	4.1	3	Medium
AM-BH09	0.25	- 0.5	3.05	- 2.8	Fill: Clayey COBBLES	7.4	Nil	5.3	3	Low
AM-BH09	0.5	- 0.75	2.8	- 2.55	Fill: Clayey COBBLES	4.6	Nil	3.2	2	Low
AM-BH09	0.75	- 1	2.55	- 2.3	Sandy CLAY	3.8	High	2.1	2	High
AM-BH09	1	- 1.25	2.3	- 2.05	Sandy CLAY	5.5	Nil	3.1	4	Medium
AM-BH09	1.25	- 1.5	2.05	- 1.8	CLAY	4.8	Nil	2.8	4	Medium
AM-BH09	1.5	- 1.75	1.8	- 1.55	CLAY	4.5	Medium	2.9	4	Medium
AM-BH09	1.75	- 2	1.55	- 1.3	Clayey SAND	4.3	Medium	2.4	3	Medium
AM-BH09	2	- 2.25	1.3	- 1.05	Clayey SAND	4.2	Medium	2.4	3	Medium
AM-BH09	2.25	- 2.5	1.05	- 0.8	Clayey SAND	4.3	Medium	2.5	3	Medium
AM-BH09	2.5	- 2.75	0.8	- 0.55	SAND	5.3	Nil	3	3	Medium
AM-BH09	2.75	- 3	0.55	- 0.3	SAND	4.8	Medium	3	2	Low
AM-BH17	0	- 0.25	2.46	- 2.21	Sandy CLAY	6.1	Nil	3.8	3	Low
AM-BH17	0.25	- 0.5	2.21	- 1.96	Sandy CLAY	5.8	Nil	3.4	2	Low
AM-BH17	0.5	- 0.75	1.96	- 1.71	Sandy CLAY	7.9	Nil	6	3	Low
AM-BH17	0.75	- 1	1.71	- 1.46	Sandy CLAY	8	Nil	2.6	4	High
AM-BH17	1	- 1.25	1.46	- 1.21	CLAY	8.1	Nil	4	3	Medium
AM-BH17	1.25	- 1.5	1.21	- 0.96	CLAY	8.5	Nil	1.7	4	High
AM-BH17	1.5	- 1.75	0.96	- 0.71	CLAY	8.3	Nil	2	4	High
AM-BH17	1.75	- 2	0.71	- 0.46	CLAY	8.3	Nil	1.8	4	High
AM-BH17	2	- 2.25	0.46	- 0.21	CLAY	8.3	Nil	1.5	4	High
AM-BH17	2.25	- 2.5	0.21	- -0.04	CLAY	8.4	Nil	1.6	4	High
AM-BH17	2.5	- 2.75	-0.04	- -0.29	CLAY	8.4	Nil	1.7	4	High
AM-BH17	2.75	- 3	-0.29	- -0.54	CLAY	8.5	Nil	1.7	4	High
AM-BH19	0	- 0.25	2.62	- 2.37	Silty SAND/CLAY	7.4	Nil	3.6	3	Medium
AM-BH19	0.25	- 0.5	2.37	- 2.12	CLAY	5	Nil	2.4	3	High
AM-BH19	0.5	- 0.75	2.12	- 1.87	CLAY	4.5	Medium	1.9	3	High
AM-BH19	0.75	- 1	1.87	- 1.62	CLAY	4.4	Medium	2.7	3	High
AM-BH19	1	- 1.25	1.62	- 1.37	CLAY	4.3	Medium	2.5	2	High
AM-BH19	1.25	- 1.5	1.37	- 1.12	SAND	6	Nil	2.5	3	High
AM-BH19	1.5	- 1.75	1.12	- 0.87	SAND	6.3	Nil	2.6	3	High
AM-BH19	1.75	- 2	0.87	- 0.62	SAND	6.4	Nil	3.5	3	Low
AM-BH19	2	- 2.25	0.62	- 0.37	SAND	6.4	Nil	3.7	3	Low
AM-BH19	2.25	- 2.5	0.37	- 0.12	SAND	6.5	Nil	4	3	Low
AM-BH19	2.5	- 2.75	0.12	- -0.13	SAND	6.2	Nil	2	4	High
AM-BH19	2.75	- 3	-0.13	- -0.38	SAND	6.1	Nil	2	3	High

1) AASS likelihood is indicated by; Nil ( $pH_F > 4.5$ ), Medium ( $pH_F 4.5 < pH_F \leq 4$ ), High ( $pH_F < 4$ )

2) PASS likelihood is indicated by: Low ( $pH_{FOX} > 3$ ), Medium ( $pH_{FOX} > 3$  and difference between  $pH_{FOX}$  and  $pH_{FOx}$  is greater than 3, High ( $pH_{FOX} < 3$ ).

3) Reaction 1 = Low strength, 2 = Medium strength, 3 = High strength, 4 = Extreme



## AUTO MALL PRECINCT STAGE 1 ACID SULFATE SOIL ASSESSMENT

**Table 6: Acid Sulfate Soil Screening Test Results (continued)**

Location ID	Sample Depth Range (m bgl)		Sample Depth Range (m AD)		Soil Type	pH (F)	AASS Likelihood <sup>1</sup>	pH (Field ox)	Reaction Rate <sup>2</sup>	PASS Likelihood <sup>3</sup>
						pH Unit		pH_Units		
AM-BH28	0	- 0.25	2.74	- 2.49	Silty SAND	4.9	Nil	3	3	High
AM-BH28	0.25	- 0.5	2.49	- 2.24	Sandy CLAY	4.8	Nil	2.8	3	High
AM-BH28	0.5	- 0.75	2.24	- 1.99	CLAY	5.4	Nil	1.7	3	High
AM-BH28	1.5	- 1.75	1.24	- 0.99	CLAY	6.9	Nil	1.5	4	High
AM-BH28	2.5	- 2.75	0.24	- -0.01	SAND	6.6	Nil	2	4	High
AM-BH28	2.75	- 3	-0.01	- -0.26	SAND	7.3	Nil	2.1	4	High
AM-BH30	0	- 0.25	2.74	- 2.49	clayey sandy SILT	4.5	Medium	2.8	3	High
AM-BH30	0.25	- 0.5	2.49	- 2.24	clayey sandy SILT	3.9	High	2.2	3	High
AM-BH30	0.5	- 0.75	2.24	- 1.99	CLAY	4.2	Medium	2.5	3	High
AM-BH30	0.75	- 1	1.99	- 1.74	CLAY	5.4	Nil	3.8	2	Low
AM-BH30	1	- 1.25	1.74	- 1.49	CLAY	6.4	Nil	4.2	3	Low
AM-BH30	1.25	- 1.5	1.49	- 1.24	Sandy CLAY	6.8	Nil	4	3	High
AM-BH30	1.5	- 1.75	1.24	- 0.99	silty CLAY	7.1	Nil	1.8	3	High
AM-BH30	1.75	- 2	0.99	- 0.74	silty CLAY	7.2	Nil	1.8	4	High
AM-BH30	2	- 2.25	0.74	- 0.49	silty CLAY	8	Nil	2.4	4	High
AM-BH30	2.25	- 2.5	0.49	- 0.24	silty CLAY	8.1	Nil	2	4	High
AM-BH30	2.5	- 2.75	0.24	- -0.01	clayey SAND	8.2	Nil	2	4	High
AM-BH31	0.25	- 0.5	2.5	- 2.25	silty CLAY	4.2	Medium	2.4	3	High
AM-BH31	0.5	- 0.75	2.25	- 2	CLAY	3.9	High	2.2	2	High
AM-BH31	0.75	- 1	2	- 1.75	CLAY	5.7	Nil	3.9	3	Low
AM-BH31	1	- 1.25	1.75	- 1.5	Clayey SAND	5.1	Nil	2.5	3	High
AM-BH31	1.25	- 1.5	1.5	- 1.25	CLAY	5.8	Nil	1.8	4	High
AM-BH31	1.5	- 1.75	1.25	- 1	CLAY	6.5	Nil	1.9	4	High
AM-BH31	1.75	- 2	1	- 0.75	CLAY	7	Nil	1.8	4	High
AM-BH31	2	- 2.25	0.75	- 0.5	CLAY	7.1	Nil	1.7	4	High
AM-BH31	2.25	- 2.5	0.5	- 0.25	CLAY	7.4	Nil	1.7	4	High
AM-BH31	2.5	- 2.75	0.25	- 0	sandy CLAY	7.8	Nil	2	4	High
AM-BH31	2.75	- 3	0	- -0.25	clayey SAND	7.8	Nil	1.7	4	High
AM-BH32	0	- 0.25	2.64	- 2.39	clayey sandy SILT	4.4	Medium	2.6	3	High
AM-BH32	0.25	- 0.5	2.39	- 2.14	clayey sandy SILT	4.7	Nil	2.8	3	High
AM-BH32	0.5	- 0.75	2.14	- 1.89	CLAY	4.6	Nil	2.6	3	High
AM-BH32	0.75	- 1	1.89	- 1.64	CLAY	4.9	Nil	2.2	3	High
AM-BH32	1	- 1.25	1.64	- 1.39	CLAY	5.2	Nil	1.4	4	High
AM-BH32	1.25	- 1.5	1.39	- 1.14	Sandy CLAY	5	Nil	1.6	4	High
AM-BH32	1.5	- 1.75	1.14	- 0.89	silty CLAY	5.9	Nil	1.6	4	High
AM-BH32	1.75	- 2	0.89	- 0.64	silty CLAY	6.6	Nil	1.5	4	High
AM-BH32	2	- 2.25	0.64	- 0.39	silty CLAY	6.6	Nil	1.6	4	High
AM-BH32	2.25	- 2.5	0.39	- 0.14	silty CLAY	6.8	Nil	1.6	4	High
AM-BH32	2.5	- 2.75	0.14	- -0.11	silty CLAY	7.1	Nil	1.8	4	High
AM-BH32	2.75	- 3	-0.11	- -0.36	Sandy CLAY	7.1	Nil	1.9	4	High

1) AASS likelihood is indicated by: Nil ( $pH_F > 4.5$ ), Medium ( $4.5 < pH_F \leq 4$ ), High ( $pH_F < 4$ )

2) PASS likelihood is indicated by: Low ( $pH_{FOX} > 3$ ), Medium ( $pH_{FOX} > 3$  and difference between  $pH_{FOX}$  and  $pH_{FOx}$  is greater than 3), High ( $pH_{FOX} < 3$ ).

3) Reaction 1 = Low strength, 2 = Medium strength, 3 = High strength, 4 = Extreme



## 8.4 Chromium Suite Analysis

Based on screening test results, a total of 41 soil samples (2 to 3 per borehole) were selected for laboratory analysis by the Chromium Suite test methods. The soil samples were selected to target samples with field screening tests showing high AASS or PASS potential and to provide a broad coverage of the soil profile.

Results of laboratory testing including acid base accounting to calculate net acidity are summarised in Table 7. Table 7 includes previous ASS investigation results for BIP/ASS6, BIP/ASS8, BIP/ASS9 and BIP/ASS10.

Laboratory results indicated:

- The presence of AASS was confirmed in layers consistent with indications from the field screening tests. Although deeper layers of AASS were indicated in AM-BH5, AM-BH7, AM-BH8 and in samples from AM-BH17 were field screening had not previously indicated AASS. Closer inspection of these results suggests that minor oxidation may have occurred these samples at the laboratory between field screening and the Chromium Suite testing – for the purposes of this assessment we have considered these suspect results to indicate PASS rather than AASS. Excluding these suspect results, AASS materials across the site have required liming rates for net acidity ranging from about 4 kg/m<sup>3</sup> to 30 kg/m<sup>3</sup>.
- Net Acidity in PASS materials varies considerably across the site. In general the PASS material towards the southern and northern ends of the site have indicated liming rates ranging from about 15 kg/m<sup>3</sup> to 60 kg/m<sup>3</sup>. Through the centre of the site (AM-BH7, AM-BH8, AM-BH17, AM-BH28, BIP/ASS2, BIP/ASS3, BIP/ASS4, AM-BH31 and AM-BH32) much higher net acidity was indicated with liming rates generally ranging from about 90 kg/m<sup>3</sup> to 180 kg/m<sup>3</sup> and as high as 320 kg/m<sup>3</sup> in one sample (AM-BH17, 0.21-0.04m AD).





## AUTO MALL PRECINCT STAGE 1 ACID SULFATE SOIL ASSESSMENT

**Table 7: Summary of Acid Sulfate Soil Test Results (Chromium Suite)**

Test Location	Depth Range (m - BGL)	Depth Range (m - AD)	Material Description	pH <sub>FIELD</sub>	pH <sub>KCl</sub>	sTAA %S	S <sub>NAS</sub> (if pH less than 4.5)	Existing Acidity %S (sTAA + 0.75 x S <sub>NAS</sub> )	Chromium Reducible Sulfur (S <sub>CR</sub> ) %S**	Acid Neutralising Capacity %CaCO <sub>3</sub> (if pH more than 6.5)	Net Acidity %S (S <sub>CR</sub> +Existing Acidity - ANC/FF)	Is This AASS	Is This PASS	Liming Rate for Existing Acidity (Neutralises AASS only) (kg/m3)	Liming Rate for Net Acidity (Neutralises both AASS & PASS) (kg/m3)
Original Investigation	AMBH01	0.75 1.00	2.24 1.99	CLAY	4.00	4.2	0.140	0.03	0.163	< 0.005	0.163	YES	No	12.3	12.3
	AMBH01	1.50 1.75	1.49 1.24	Clayey SAND	4.20	5.0	0.020		0.020	< 0.005	0.020	No	No	NA	1.5
	AMBH01	2.75 3.00	0.24 -0.01	SAND	6.90	4.8	0.020		0.020	<b>0.217</b>	0.237	No	YES	NA	17.9
	AMBH02	0.75 1.00	1.75 1.50	Sandy CLAY	4.60	4.3	0.100	0.03	0.123	0.006	0.129	YES	No	9.3	9.7
	AMBH02	1.50 1.75	1.00 0.75	CLAY	6.50	5.6	< 0.020		0.000	<b>0.177</b>	0.177	No	YES	NA	13.4
	AMBH02	2.50 2.75	0.00 -0.25	SAND	6.60	5.4	< 0.020		0.000	<b>0.080</b>	0.080	No	YES	NA	6.0
	AMBH03	0.75 1.00	2.17 1.92	CLAY	4.20	4.2	0.100	0.06	0.145	0.008	0.153	YES	No	11.0	11.6
	AMBH03	1.25 1.50	1.67 1.42	Sandy CLAY	4.30	4.6	0.060		0.060	0.005	0.065	YES	No	4.5	4.9
	AMBH03	2.00 2.25	0.92 0.67	SAND	6.00	5.0	< 0.020		0.000	<b>0.152</b>	0.152	No	YES	NA	11.5
	AMBH04	0.75 1.00	1.92 1.67	Sandy CLAY	4.00	4.2	0.120	0.050	0.158	0.005	0.163	YES	No	11.9	12.3
	AMBH04	1.50 1.75	1.17 0.92	SAND	4.20	4.7	0.040		0.040	0.017	0.057	YES	No	3.0	4.3
	AMBH04	2.75 3.00	-0.08 -0.33	SAND	7.00	6.3	< 0.020		0.000	<b>0.284</b>	0.284	No	YES	NA	21.5
	AMBH05	1.00 1.25	1.50 1.25	CLAY	3.90	4.1	0.080	0.02	0.095	< 0.005	0.095	YES	No	7.2	7.2
	AMBH05	2.25 2.50	0.25 0.00	SAND	5.80	4.4	0.050	0.03	0.073	<b>0.350</b>	0.423	No*	YES	NA	31.9
	AMBH06	0.50 0.75	2.00 1.75	Sandy CLAY	4.30	4.5	0.060		0.060	< 0.005	0.060	YES	No	4.5	4.5
	AMBH06	1.25 1.50	1.25 1.00	CLAY	4.10	4.6	0.060		0.060	0.028	0.088	YES	No	4.5	6.7
	AMBH06	2.25 2.50	0.25 0.00	Sandy CLAY	6.20	4.1	0.100	0.040	0.130	<b>1.240</b>	1.370	No	YES	NA	103.6
AMBH07	0.75 1.00	2.45 2.20	Sandy CLAY	3.90	4.1	0.120	0.07	0.173	0.005	0.178	YES	No	13.0	13.4	
AMBH07	2.00 2.25	1.20 0.95	Clayey SAND	6.30	4.5	0.060		0.060	<b>0.600</b>	0.660	No*	YES	NA	49.9	
AMBH07	2.75 3.00	0.45 0.20	Clayey SAND	7.20	4.7	0.050		0.050	<b>1.180</b>	1.230	No*	YES	NA	93.0	

Note: \*Considered as PASS - possible oxidation in lab between field screening and Chromium suite analysis

Liming rates assume a bulk density of **1.60 t/m3**  
 Fineness Factor **1.5**

\*\* Values in bold and highlighted grey exceed the ASS Action Criteria



## AUTO MALL PRECINCT STAGE 1 ACID SULFATE SOIL ASSESSMENT

**Table 7: Summary of Acid Sulfate Soil Test Results (Chromium Suite)**

	Test Location	Depth Range (m - BGL)	Depth Range (m - AD)	Material Description	pH <sub>FIELD</sub>	pH <sub>KCl</sub>	sTAA %S	S <sub>NAS</sub> (if pH less than 4.5)	Existing Acidity %S (sTAA + 0.75 x S <sub>NAS</sub> )	Chromium Reducible Sulfur (S <sub>CR</sub> ) %S**	Acid Neutralising Capacity %CaCO <sub>3</sub> (if pH more than 6.5)	Net Acidity %S (S <sub>CR</sub> +Existing Acidity - ANC/FF)	Is This AASS	Is This PASS	Liming Rate for Existing Acidity (Neutralises AASS only) (kg/m3)	Liming Rate for Net Acidity (Neutralises both AASS & PASS) (kg/m3)
Original Investigation	AMBH08	0.75 1.00	2.13 1.88	CLAY	3.90	4.4	0.100	0.030	0.123	<b>0.032</b>		0.155	YES	No	9.3	11.7
	AMBH08	1.75 2.00	1.13 0.88	Sandy CLAY	6.20	4.2	0.130	0.03	0.153	<b>1.160</b>		1.313	No*	YES	NA	99.2
	AMBH08	2.75 3.00	0.13 -0.12	CLAY	7.00	4.3	0.120	0.03	0.143	<b>1.790</b>		1.933	No*	YES	NA	146.1
	AMBH09	0.75 1.00	2.55 2.30	Sandy CLAY	3.80	3.8	0.140	< 0.02	0.140	0.019		0.159	YES	No	10.6	12.0
	AMBH09	1.50 1.75	1.80 1.55	CLAY	4.50	3.9	0.140	0.03	0.163	0.024		0.187	YES	No	12.3	14.1
	AMBH09	2.75 3.00	0.55 0.30	SAND	4.80	4.9	0.020		0.020	0.009		0.029	No	No	NA	NA
	AMBH17	0.75 1.00	1.71 1.46	Sandy CLAY	8.00	5.1	0.130		0.130	<b>1.760</b>		1.890	No*	No	NA	142.9
	AMBH17	2.25 2.50	0.21 -0.04	CLAY	8.40	3.9	0.270	0.15	0.383	<b>3.840</b>		4.223	No*	YES	NA	319.3
	AMBH19	0.50 0.75	2.12 1.87	CLAY	4.50	4.3	0.320	0.030	0.343	<b>0.051</b>		0.394	YES	No	25.9	29.8
	AMBH19	2.50 2.75	0.12 -0.13	SAND	6.20	5.0	0.030		0.030	<b>0.406</b>		0.436	No	YES	NA	33.0
AMBH28	0.50 0.75	2.24 1.99	CLAY	5.40	4.6	0.060		0.060	<b>0.057</b>		0.117	YES	No	4.5	8.8	
AMBH28	1.50 1.75	1.24 0.99	CLAY	6.90	4.2	0.160	0.04	0.190	<b>1.390</b>		1.580	No*	YES	NA	119.5	
Supplementary Investigation	AM-BH30	0.25 0.50	2.49 2.24	clayey sandy SILT	3.90	4.6	0.09		0.090	<b>0.01</b>		0.100	YES	No	6.8	7.6
	AM-BH30	1.50 1.75	1.24 0.99	silty CLAY	7.10	6.2	< 0.020		0.000	<b>0.333</b>		0.333	No	YES	NA	25.2
	AM-BH30	2.25 2.50	0.49 0.24	silty CLAY	8.10	6.7	< 0.020		0.000	<b>1.17</b>	1.37	0.877	No	YES	NA	66.3
	AM-BH31	0.50 0.75	2.25 2.00	CLAY	3.90	4.9	0.06		0.060	<b>0.057</b>		0.117	YES	YES	4.5	8.8
	AM-BH31	1.25 1.50	1.50 1.25	CLAY	5.80	5.7	0.04		0.040	<b>1.15</b>		1.190	No*	YES	NA	90.0
	AM-BH31	2.75 3.00	0.00 -0.25	clayey SAND	7.80	5.2	0.03		0.030	<b>1.18</b>		1.210	No	YES	NA	91.5
	AM-BH32	0.00 0.25	2.64 2.39	clayey sandy SILT	4.40	7.4	< 0.020		0.000	<b>0.037</b>	1.24	-0.228	No	YES	No Additional Lime Required	No Additional Lime Required
	AM-BH32	1.00 1.25	1.64 1.39	CLAY	5.20	4.5	0.11		0.110	<b>0.269</b>		0.379	YES	YES	8.3	28.7
	AM-BH32	2.00 2.25	0.64 0.39	silty CLAY	6.60	4.7	0.07		0.070	<b>2.31</b>		2.380	No*	YES	NA	180.0

Note: \*Considered as PASS - possible oxidation in lab between field screening and Chromium suite analysis

Liming rates assume a bulk density of **1.60 t/m3**  
 Fineness Factor **1.5**

\*\* Values in bold and highlighted grey exceed the ASS Action Criteria



## AUTO MALL PRECINCT STAGE 1 ACID SULFATE SOIL ASSESSMENT

**Table 7: Summary of Acid Sulfate Soil Test Results (Chromium Suite)**

Test Location	Depth Range (m - BGL)	Depth Range (m - AD)	Material Description	pH <sub>FIELD</sub>	pH <sub>KCl</sub>	sTAA %S	S <sub>NAS</sub> (if pH less than 4.5)	Existing Acidity %S (sTAA + 0.75 x S <sub>NAS</sub> )	Chromium Reducible Sulfur (S <sub>CR</sub> ) %S**	Acid Neutralising Capacity %CaCO <sub>3</sub> (if pH more than 6.5)	Net Acidity %S (S <sub>CR</sub> +Existing Acidity - ANC/FF)	Is This AASS	Is This PASS	Liming Rate for Existing Acidity (Neutralises AASS only) (kg/m3)	Liming Rate for Net Acidity (Neutralises both AASS & PASS) (kg/m3)
Previous Investigation	BIP/ASS1	0.75 1.00	LC dk grey		6.5	< 0.020		0.000	0.11		0.110	No	YES	NA	8.3
	BIP/ASS2	0.00 0.25	LS dk brown organic		3.8	0.2	0.14	0.305	< 0.020		0.305	YES	No	23.1	23.1
	BIP/ASS2	1.00 1.25	LS dk grey organic		4.8	0.07		0.070	0.19		0.260	YES	YES	5.3	19.7
	BIP/ASS2	1.75 2.00	HC dk grey		7.5	< 0.020		0.000	<b>1.77</b>		1.770	No	YES	NA	133.8
	BIP/ASS3	0.00 0.25	LC dk brown organics		3.9	0.34	0.32	0.580	0.02		0.600	YES	No	43.9	45.4
	BIP/ASS3	1.25 1.50	HC dk brown organic		8.1	< 0.020		0.000	<b>1.99</b>		1.990	No	YES	NA	150.5
	BIP/ASS4	0.00 0.10	L dk brown		8.6	< 0.020		0.000	<b>0.75</b>		0.750	No	YES	NA	56.7
	BIP/ASS4	0.25 0.50	LC grey		4.3	0.07	0.110	0.153	<b>0.08</b>		0.233	YES	No	11.5	17.6
	BIP/ASS4	1.25 1.50	MC dk brown		6.7	< 0.020		0.000	<b>1.15</b>		1.150	No	YES	NA	87.0
	BIP/ASS5	0.65 0.75	LS dk brown organic		4.5	0.11		0.110	<b>0.04</b>		0.150	YES	No	8.3	11.3
	BIP/ASS5	1.75 2.00	HC dk brown organic		5.6	< 0.020		0.000	<b>0.65</b>		0.650	No	YES	NA	49.2
	BIP/ASS6	0.00 0.25	HC dk grey		4.1	0.18	< 0.02	0.180	<b>0.08</b>		0.260	YES	No	13.6	19.7
	BIP/ASS6	0.75 1.00	HC dk grey		4.3	0.07	0.12	0.160	<b>0.03</b>		0.190	YES	No	12.1	14.4
	BIP/ASS6	1.75 2.00	HC dk grey		6.0	< 0.020		0.000	<b>0.28</b>		0.280	No	YES	NA	21.2
	BIP/ASS7	1.00 1.25	HC dk grey		4.1	0.07	< 0.02	0.070	<b>0.03</b>		0.100	YES	No	5.3	NA
	BIP/ASS8	0.50 0.75	MC dk grey		5.5	0.05		0.000	<b>0.23</b>		0.230	No	YES	NA	17.4
	BIP/ASS8	1.75 2.00	LC dk grey		6.2	< 0.020		0.000	<b>0.82</b>		0.820	No	YES	NA	62.0
BIP/ASS9	0.00 0.25	LC grey		4.4	0.1	0.080	0.160	<b>0.03</b>		0.190	YES	No	12.1	14.4	
BIP/ASS9	1.25 1.50	HC dk grey		4.4	0.06	< 0.02	0.060	<b>0.03</b>		0.090	YES	No	4.5	6.8	
BIP/ASS10	0.50 0.75	LC grey		4.1	0.35		0.350	<b>0.04</b>		0.390	YES	No	26.5	29.5	

Note: \*Considered as PASS - possible oxidation in lab between field screening and Chromium suite analysis

Liming rates assume a bulk density of **1.60 t/m3**  
 Fineness Factor **1.5**

\*\* Values in bold and highlighted grey exceed the ASS Action Criteria



## 8.5 Groundwater Quality

The laboratory results of groundwater analysed for ASS parameters presented in Appendix C and summarised in Table 8, below.

**Table 8: Groundwater Quality Test Results**

Sample Location	Sample Dates	pH*	EC* mS/cm	Dissolved Fe mg/L	Dissolved Al mg/L	Cl: SO <sub>4</sub> <sup>++</sup> mg/L (Ratio)	Total Acidity mg/L	Total Alkalinity mg/L
AM-BH01	4/01/2016	5.74	34.6	122	3.59	11400:3640 (3.1)	374	32
AM-BH04	4/01/2016	6.06	24	118	<0.05	7560:3140 (2.4)	353	33
AM-BH08	4/01/2016	5.69	23.7	125	<0.05	6920:4800 (1.4)	372	84
AM-BH19	4/01/2016	5.68	32.5	117	0.06	11300:1940 (5.8)	392	11
AM-BH28	4/01/2016	6.06	39.9	29.8	<0.05	13500:2570 (5.3)	176	300
BIP/MW1	4/01/2016	4.3	22	294	8.18	7480:2340 (3.2)	735	<1
BIP/MW2	4/01/2016	6.5	43.1	53.8	<0.05	14600:2410 (6.1)	120	524
BP/MW6	4/01/2016	6.86	42.8	22.0	<0.05	14200:2960 (4.8)	121	911
BAC-MW07	4/01/2016	6.6	36.8	24.9	<0.05	12600:1690 (7.5)	213	1300
BAC-MW24	4/01/2016	6.85	50.6	37.1	<0.05	18000:1340 (13.4)	139	800
AM-MW31	25/10/2016	6.20	31.1	12.2	0.10	13300:2620 (5.1)	242	341

Notes: Rainfall in the 30 days prior to 4/01/2016 sampling round was 230mm and 30 days prior to 25/10/2016 was 35.6mm.

\*Field measurement

The laboratory results indicated:

- Electrical conductivity ranging from 22 to 50 mS/cm indicating saline water conditions.
- pH levels ranging from 4.3 to 6.85 (with lowest levels in wells along the western site boundary) indicating acidic to near neutral conditions.
- The buffering capacity of the wells varied across the site. The northern end of Stage 1 area had very high alkalinity with a Class 1 buffering capacity (i.e. adequate to maintain acceptable pH level in the future). The remainder of the Stage 1 area had a moderate alkalinity with a Class 3 buffering capacity (i.e. inadequate to maintain stable, acceptable pH level in areas vulnerable to acidification). It was noted that BIP/MW1 which is hydraulically downgradient of the site was acidic with a Class 5 buffering capacity (i.e. unacceptable pH level under all circumstances) and is likely to indicate historical disturbance (ASS dewatering) in this area.
- Dissolved aluminium concentrations of greater than about 1 mg/L in groundwater may be an indicator of AASS. Concentrations were below the laboratory detection limit, with the exception of AM-BH01 (3.59 mg/L), AM-BH19 (0.06 mg/L) and BIP/MW1 (8.18 mg/L). These detected concentrations were also above the Airports (Environmental Protection) Regulations accepted limits for contamination of fresh water of 0.1 mg/L. Concentrations of dissolved aluminium detected at AM-BH01 and BIP/MW1 during this investigation indicate active ASS impact in the groundwater.
- Dissolved iron concentrations ranged from 12.2 to 294 mg/L.
- The Chloride:Sulfate (Cl: SO<sub>4</sub><sup>++</sup>) ratios indicate past oxidation of PASS in this area. This is with the exception of BAC-MW07 and BAC-MW-24 which have Chloride to Sulfate ratios greater than 7 which is that of sea water.



Overall the groundwater results suggest a variable or historically disturbed environment at the investigation locations.

### 9.0 CONCLUSIONS

The following conclusions have been drawn from the ASS assessment at the Auto Precinct Stage 1 area:

- Investigations of the Stage 1 investigation area indicated that AASS materials are present from the ground surface to levels about 0.8m AD and 1.2m AD and deeper in isolated pockets where previous localised ground disturbances may have occurred. AASS has been detected in materials below the water table which indicates that the groundwater table has been historically lowered in this area. Calculated liming rates to neutralise net acidity in the identified AASS materials (from all investigations) range from about 5 kg/m<sup>3</sup> to 45 kg/m<sup>3</sup>.
- PASS materials underlie the AASS materials across the site. Net Acidity in PASS materials varies considerably across the site. Calculated liming rates to neutralise net acidity in the identified PASS materials towards the northern and southern ends of Stage 1 range from about 15 kg/m<sup>3</sup> to 67 kg/m<sup>3</sup>. Through the centre of the site much higher net acidity was indicated with liming rates generally ranging from about 90 kg/m<sup>3</sup> to 180 kg/m<sup>3</sup> and as high as 320 kg/m<sup>3</sup> in one sample which commences from 1.46 m AD to -0.25 m AD.
- Groundwater samples suggested a variable or historically disturbed environment. The groundwater has suitable available buffering capacity to maintain an acceptable pH level in the presence of minor acid generation at the northern end of the Stage 1 investigation area. However, groundwater samples from the remainder of the site indicate a buffering capacity inadequate to maintain stable, acceptable pH level in areas vulnerable to acidification. Acid conditions and aluminium concentrations above the Airports (Environmental Protection) Regulations accepted limit were detected in two groundwater samples.

The presence of ASS and low buffering capacity of groundwater have the following implications to the currently proposed development:

- All site excavations will disturb ASS and will require management measures including lime treatment of excavated spoil. Excavation of the proposed perimeter drains to RL 0.2 m AD will result in AASS and PASS spoil which may require separate management measures.
- Filling and surcharging/preloading of the site will result in further AASS being “pushed” below the water table. Surcharging/preloading will also cause a slight mounding of the local water table and result in the temporary saturation of AASS. Both of these issues will result in the release of acid to the groundwater and the subsequent stripping and mobilisation of metals. Acid and metals impacted groundwater may discharge to the surface and/or shallow drains immediately surrounding the site and migrate towards (and discharge into) Landers Pocket Drain. Potential mitigation/management strategies for this issue include:
  - Construction of a lime trench along the western site boundary (or eastern side of the proposed drain along this boundary) to buffer acidic groundwater moving off site. The lime trench would need to extend below the AASS/PASS interface and would comprise a slot trench filled with a mix of agricultural lime and limestone chips.
  - Placement of a 10m wide strip of surface lime ‘guard layer’ along the eastern and southern perimeters of the site under the edge of the fill embankment, prior to filling. This is to neutralise acidic seepage/runoff leaving the site along these boundaries.
  - Installation of limestone filled ‘check’ dams across internal surface drains during construction period and at the end of drains upstream of any connection with Landers Pocket Drain, to neutralise acid ‘flushes’ that may occur. Note that the limestone chips would require monitoring and regular replacement.



- Monitoring and possible treatment of seepage water collected from any wick drains employed, before discharge off site.
- The proposed perimeter drains will intercept the water table and may result in a zone of localised groundwater depression. Acid and metals impacted groundwater may discharge into the drain. Potential mitigation/management strategies for this issue include:
  - Option 1: Construct a concrete lined drain to maintain groundwater levels outside of the drain and prevent inflow of acidic and degraded groundwater.
  - Option 2: Placement of a lime trench on either side of the drainage channel to neutralise groundwater inflow (this may still allow iron and other metals to floc in the drain and could require additional management measures).

### 10.0 RECOMMENDATIONS

Based on the investigation findings at the Stage 1 Auto Mall Precinct, it is recommended that:

- A site specific ASS EMP be prepared to manage development disturbances across the Stage 1 investigation area and surcharging practices.

### 11.0 IMPORTANT INFORMATION

Your attention is drawn to the document titled - "Important Information Relating to this Report", which is included in Appendix D of this report. The statements presented in that document are intended to inform a reader of the report about its proper use. There are important limitations as to who can use the report and how it can be used. It is important that a reader of the report understands and has realistic expectations about those matters. The Important Information document does not alter the obligations Golder Associates has under the contract between it and its client.



## Report Signature Page

**GOLDER ASSOCIATES PTY LTD**

Emma Cornish  
Environmental Scientist

Paul Scells  
Principal

ERC/PKS/

A.B.N. 64 006 107 857


Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation.

\\golder.gds\gap\brisbane\jobs\geo\2015\1538021-bac autoprecinct bne airport\correspondence out\1538021-014-r-rev1-auto mall stage 1 ass report inc 2016.docx



# Figures





**LEGEND**

- Current Investigation**
- Acid Sulfate Soils
  - Monitoring Well
- Previous Investigation**
- Acid Sulfate Soils
  - Monitoring Well
  - Site Boundary

**NOTES**

1. AERIAL PHOTOGRAPHY SUPPLIED BY NEARMAP LTD, DATED OCTOBER 2014
2. DEVELOPMENT YIELD PLAN LAYOUT SUPPLIED BY BAC AS CAD FILE 'BRIS0012 SK-004[E] DEVELOPMENT YIELD PLAN.PDF.DWG'
3. SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, DELORME, USGS, INTERMAP, INCREMENT P CORP., NRCAN, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), ESRI (THAILAND), MAPMYINDIA, © OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY



REFERENCE SCALE: 1:4,500 (AT A3)  
 PROJECTION: GDA 1994 MGA ZONE 56

CLIENT  
 BRISBANE AIRPORT CORPORATION

PROJECT  
 AUTO PRECINCT

TITLE  
**PROPOSED DEVELOPMENT WITH PREVIOUS AND CURRENT ASS INVESTIGATION LOCATIONS**


CONSULTANT	YYYY-MM-DD	2016-11-30
	PREPARED	DP
	DESIGN	DP
	REVIEW	EC
	APPROVED	EC

PROJECT No. 1538021 CONTROL 014 Rev. A FIGURE 1




# **APPENDIX A**

## **Development Staging Plan**



- INDICATIVE STAGE ONE
- INDICATIVE STAGE TWO
- INDICATIVE STAGE THREE





# **APPENDIX B**

## **Borehole Reports**



# REPORT OF BOREHOLE: AM-BH01

SHEET: 1 OF 1

DRILL RIG: Comacchio 305

CONTRACTOR: MGS

LOGGED: TAS DATE: 16/12/15

CHECKED: KRB DATE: 21/1/16

CLIENT: Brisbane Airport Corporation

COORDS: 510581.9 m E 6969493.9 m N MGA94 56

PROJECT: BAC Auto Mall Precinct

SURFACE RL: 2.99 m DATUM: AD

LOCATION: Brisbane Airport

INCLINATION: -90°

JOB NO: 1538021

HOLE DEPTH: 3.00 m

Drilling				Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	PIEZOMETER DETAILS
			-1.0									
				2.99	J 0.00-0.50 m R = 0A PID = 1.3 ppm		SM	Silty SAND fine to medium grained, brown, with some rootlets up to 2 mm dia	D			
				0.25								
				2.74			CL	Sandy CLAY low plasticity, dark brown, fine grained sand, - dark brown high plasticity clay lense 50mm thick from 0.3m depth	M			
				0.65	J 0.50-1.00 m R = 0A PID = 1.4 ppm		CH	CLAY high plasticity, brown with pockets of orange, with some fine sand	M			
				2.34								
				1.20	J 1.00-1.50 m R = 0A PID = 1.1 ppm		SC	Clayey SAND fine to medium grained, grey with pockets of pale brown and orange	M-W			
				1.79								
				1.80	J 1.50-2.00 m R = 0A PID = 0.7 ppm		SP	SAND fine to medium grained, grey	W			
				1.19								
				2.00	J 2.00-2.50 m R = 0A							
				2.50	J 2.50-3.00 m R = 0A PID = 0.3 ppm							
				-0.01				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.30 m DEPTH STANDPIPE INSTALLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS				

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH02

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510535 m E 6969436 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: BJV DATE: 16/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling				Sampling			Field Material Description							
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS		
ADH	L	16/12/15	0.0	2.50	J 0.00-0.50 m R = 0A PID = 1.8 ppm		SM	Silty SAND fine to medium grained, brown				D		
			0.30	2.20	J 0.50-1.00 m R = 0A PID = 1.6 ppm		CL	Sandy CLAY low plasticity, brown with pockets of orange/red, fine grained sand						
			0.70	1.80				dark brown high plasticity clay 150 mm thick, trace wood, organic odour						
			0.85	1.65			CI	CLAY medium plasticity, brown with pockets of orange, trace fine sand						
			1.10	1.40	J 1.00-1.50 m R = 0B PID = 1 ppm		CH	CLAY high plasticity, grey, Sulphide/Sulphate odour					M	
			1.80	0.70	J 1.50-2.00 m R = 0B PID = 0.7 ppm		CI	Sandy CLAY low plasticity, grey, fine to medium grained sand						
			2.20	0.30	J 2.00-2.50 m R = 0A PID = 0.8 ppm		SP	SAND fine to medium grained, grey						W
			2.50	J 2.50-3.00 m R = 0A										
			3.00	-0.50	END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 2.20 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS									

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH03

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510422.6 m E 6969350.5 m N MGA94 56  
 SURFACE RL: 2.92 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: BJV DATE: 16/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description									
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS				
ADH	L	16/12/15	0.0	2.92	J 0.00-0.50 m R = 0A PID = 1.3 ppm		SM	Silty SAND fine to medium grained, brown, trace fine, subangular gravel	D						
			0.10	0.70								CL	Sandy CLAY low plasticity, brown with orange pockets, trace wood fragents	D - M	
			0.5	0.55	J 0.50-1.00 m R = 0A PID = 1.5 ppm	2.37	CI		CI	CLAY medium plasticity, dark brown with orange pockets, trace fine sand					
			0.70	2.22										CH	CLAY high plasticity, brown
			0.90	2.02										CI	Sandy CLAY medium plasticity, grey, fine grained sand
			1.0	1.50	J 1.00-1.50 m R = 0A PID = 0.6 ppm	1.42	SP			SAND fine to medium grained, grey, with some clay to 2.0 m					
			1.5	1.42											
			2.0		J 2.00-2.50 m R = 0A PID = 1 ppm										
			2.5												
			3.0		J 2.50-3.00 m R = 0A PID = 0.3 ppm										
3.5															
3.0	-0.08						END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 2.00 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS								
5.0															

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH04

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510354.2 m E 6969321.2 m N MGA94 56  
 SURFACE RL: 2.67 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: BJV DATE: 16/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
			-1.0								1.0 m stick up PVC
			-0.5								50 mm dia. PVC
			0.0	2.67	J 0.00-0.50 m R = 0A PID = 1 ppm		SM	Silty SAND fine to medium grained, brown	D		Concrete
				0.20			CI	CLAY medium plasticity, brown with pockets of orange			Bentonite seal
			0.5	2.47	J 0.50-1.00 m R = 0A PID = 1 ppm		CI	Sandy CLAY high plasticity, dark brown, fine to medium grained sand	M		Filter sand
				0.70				grey below 0.85 m			
			1.0	1.97	J 1.00-1.50 m R = 0A PID = 1 ppm		SP	SAND fine to medium grained, grey, trace clay			
				0.85							
			1.5	1.82	J 1.50-2.00 m R = 0A PID = 0.4 ppm						
			2.0	1.20	J 2.00-2.50 m R = 0A PID = 0.9 ppm						0.4 mm aperture slots
				1.47							
			2.5		J 2.50-3.00 m R = 0A PID = 0.2 ppm						
			3.0	-0.33				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.20 m DEPTH STANDPIPE INSTALLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			End cap
			3.5								
			4.0								

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.





# REPORT OF BOREHOLE: AM-BH05

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510265 m E 6969259 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: BJV DATE: 16/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
ADH	L	16/12/15	0.0	2.50	J 0.00-0.50 m R = 0A PID = 0.6 ppm		SM	Silty SAND fine to medium grained, brown	D		
			0.33	2.17			CL-CI	CLAY low to medium plasticity, brown to dark brown with orange pockets			
			0.50	0.60	J 0.50-1.00 m R = 0A PID = 0.4 ppm		CH	CLAY high plasticity, dark brown	M		
			0.60	1.90			CL-CI	CLAY low to medium plasticity, brown to dark brown with orange pockets			
			1.00	1.30	J 1.00-1.50 m R = 0A PID = 0.3 ppm				W		
			1.20	1.20			SP	SAND fine to medium grained, grey, with some clay to 1.8 m depth			
			1.50	1.50	J 1.50-2.00 m R = 0A PID = 1.5 ppm						
			2.00	2.00	J 2.00-2.50 m R = 0A PID = 1.2 ppm						
			2.50	2.50	J 2.50-3.00 m R = 0A PID = 1.1 ppm						
			3.00	-0.50				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.30 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			
			3.50								
			4.00								
			4.50								
			5.00								

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH06

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510162 m E 6969192 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 16/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description								
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS			
ADH	L	16/12/15	0.0	2.50	J 0.00-0.50 m R = 0A PID = 1.5 ppm		SM	Silty SAND fine to medium grained, brown	D					
			0.25	0.30								trace wood fragments 10 to 20 mm		
			0.50	2.20	J 0.50-1.00 m R = 0A PID = 1.4 ppm		CL	Sandy CLAY low plasticity, brown with orange pockets, fine grained sand	M					
			0.80	1.70			CH	CLAY high plasticity, dark brown						
			1.00	0.90	J 1.00-1.50 m R = 0A PID = 0.6 ppm		CI	Sandy CLAY medium plasticity, brown with orange pockets, fine sand						
			1.20	1.30			CH	CLAY high plasticity, grey	M - W					
			1.50	1.60	J 1.50-2.00 m R = 0A PID = 1.2 ppm		Cl-CH	Sandy CLAY medium to high plasticity, grey, fine sand						
			2.00	0.90	J 2.00-2.50 m R = 0A PID = 0.4 ppm									
			2.50		J 2.50-3.00 m R = 0A PID = 0.3 ppm									
			3.00	-0.50							END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.60 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.

GAP 8.10.0 LIB\GLB Log GAP NON-CORED FULL PAGE 1538021 - BAC AUTOPRECINCT.GPJ <<DrawingFile>> 03/02/2016 10:51 8.30.004 Datgel Tools



# REPORT OF BOREHOLE: AM-BH07

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510045 m E 6969158 m N MGA94 56  
 SURFACE RL: 3.2 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling		Field Material Description										
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS				
ADH	L	17/12/15	0.0	3.20	J 0.00-0.50 m R = 0A PID = 1.6 ppm		SM	Silty SAND fine to medium grained, brown, trace rootlets 2mm dia	D	FILL					
			0.20	0.28			CI	Sandy CLAY medium plasticity, pale brown to brown, fine grained sand							
			0.50	2.92				Clayey COBBLES coarse, to 80 mm, angular, uniform sized, brown, with some fine grained sand							
			0.60	2.60	J 0.50-1.00 m R = 0A PID = 1.9 ppm		CL	Sandy CLAY low plasticity, brown with orange pockets, fine grained sand, trace fine to angular gravel							
			1.00	2.20	J 1.00-1.50 m R = 0A PID = 1.6 ppm		CH	CLAY high plasticity, dark brown							
			1.10	2.10			CI	Sandy CLAY medium plasticity, brown with orange pockets, fine to medium grained sand							
			1.50	1.60	J 1.50-2.00 m R = 0A PID = 0.5 ppm			becoming grey							
			1.80	1.40			SC	Clayey SAND fine to medium grained, grey, trace wood fragments up to 4 mm to 2.4 m depth							
			2.00		J 2.00-2.50 m R = 0A PID = 1.6 ppm										
			2.50		J 2.50-3.00 m R = 0A PID = 1.2 ppm										
			3.00	0.20				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.80 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS							

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH08

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509991.0 m E 6969080.1 m N MGA94 56  
 SURFACE RL: 2.88 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling				Sampling			Field Material Description				
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
			-1.0								<p>0.63 m stick up PVC (Monument cover)            50 mm dia. PVC            concrete            Bentonite seal            Filter sand            0.4 mm aperture slots            End cap</p>
				2.88	J 0.00-0.50 m R = 0A PID = 1.8 ppm		SM	Silty SAND fine to medium grained, brown, with some angular gravel up to 35 mm dia.	D		
				0.35 2.53			CL	Sandy CLAY low plasticity, brown, fine grained sand	D - M		
				0.70 2.18	J 0.50-1.00 m R = 0A PID = 2.4 ppm		CI	CLAY medium plasticity, brown with orange pockets, trace rootlets			
				1.25 1.63	J 1.00-1.50 m R = 0A PID = 2.5 ppm		CH	CLAY high plasticity, dark brown			
				1.70 1.18	J 1.50-2.00 m R = 0A		CI	Sandy CLAY medium plasticity, grey, fine to medium grained sand, trace wood fragments	M		
				2.60 0.28	J 2.00-2.50 m R = 0A PID = 1.9 ppm		CH	CLAY high plasticity, grey			
					J 2.50-3.00 m R = 0A PID = 1.5 ppm		CH	CLAY high plasticity, grey			
				-0.12				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER NOT OBSERVED STANDPIPE INSTALLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			

GAP 8-10.0 LIB\GLOB Log GAP NON-CORED FULL PAGE 1538021 - BAC-AUTOPRECINCT.GPJ <<DrawingFile>> 03/02/2016 10:51 8:30:04 Datgel Tools

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH09

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509916 m E 6969013 m N MGA94 56  
 SURFACE RL: 3.3 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description						
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
ADH	L	17/12/15	0.0	3.30	J 0.00-0.50 m R = 0A PID = 1.6 ppm		SM	Silty SAND fine to medium grained, brown, trace rootlets	D	D		FILL
			0.10	3.20			Clayey COBBLES to 100 mm, angular, uniform sized, grey, with some fine to medium grained sand					
			0.5	0.65	J 0.50-1.00 m R = 0A PID = 1.9 ppm		CI	Sandy CLAY medium plasticity, pale brown, fine sand				
			2.65									
			1.0	1.00	J 1.00-1.50 m R = 0A PID = 1.6 ppm		CL	Sandy CLAY low plasticity, brown with orange pockets, fine sand				
			2.30									
			1.5	1.15			CI	CLAY high plasticity, dark brown to black, trace wood fragments				
			2.10				CH	CLAY high plasticity, dark brown to grey				
			1.5	1.75	J 1.50-2.00 m R = 0A PID = 0.5 ppm		SC	Clayey SAND fine to medium grained, grey				
			1.55									
2.0	2.40	J 2.00-2.50 m R = 0A PID = 1.6 ppm	SP	SAND fine to medium grained, grey, with some clay								
2.40												
2.5	0.90	J 2.50-3.00 m R = 0A PID = 1.2 ppm										
			3.0	0.30				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.75 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS				
			3.5									
			4.0									
			4.5									
			5.0									

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH17

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510320.0 m E 6968843.5 m N MGA94 56  
 SURFACE RL: 2.46 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 18/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description						
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
L ADH		Groundwater not observed	0.0	2.46	PID = 2.4 ppm		CH	Sandy CLAY medium plasticity, brown, fine to medium sand	D			
			0.35	2.11			with some medium to coarse, angular gravel					
			0.5	0.60	J 0.50-1.00 m R = 0A PID = 2 ppm		CI	Sandy CLAY medium plasticity, brown/grey, fine to coarse sand, Sulphide/Sulphate odour	M			
			0.60	1.86								
			1.0	0.97	J 1.00-1.50 m R = 0A		CH	CLAY high plasticity, grey, trace wood fragements up to 20 mm dia				
						1.5		J 1.50-2.00 m R = 0B PID = 1.5 ppm				
			2.0		J 2.00-2.50 m R = 0B PID = 2.3 ppm							
			2.5		J 2.50-3.00 m R = 0A PID = 1.5 ppm							
			3.0	-0.54				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER NOT OBSERVED BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS				
			3.5									
			4.0									
			4.5									
			5.0									

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH19

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509999.2 m E 6968856.0 m N MGA94 56  
 SURFACE RL: 2.62 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
			-1.0								
			-0.5								
			-0.05	2.57	J 0.00-0.50 m R = 0A PID = 1 ppm	SM CL CI	SM CL CI	Silty SAND fine to medium grained, brown, trace rootlets  CLAY low to medium plasticity, dark brown, trace rootlets	D		
			0.60	2.02	J 0.50-1.00 m R = 0A PID = 1.3 ppm			dark brown/ black lense 200 mm thick	D - M		
			0.80	1.82							
			1.20	1.42	J 1.00-1.50 m R = 0A PID = 1.1 ppm	CH		CLAY high plasticity, grey/brown, trace wood fragments	M		
			1.50		J 1.50-2.00 m R = 0A PID = 1.3 ppm						
			2.00		J 2.00-2.50 m R = 0A PID = 1.3 ppm						
			2.50		J 2.50-3.00 m R = 0A PID = 0.2 ppm						
			-3.0	-0.38				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 2.20 m DEPTH STANDPIPE INSTALLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			
			3.5								
			4.0								

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.







# REPORT OF BOREHOLE: AM-BH30

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510351.3 m E 6969177.0 m N MGA94 56  
 SURFACE RL: 2.74 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 10/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	2.74	ASS 0.00-0.25 m R = 0A PID = 3.2 ppm	X	ML-MH	Clayey Sandy SILT medium liquid limit, brown, fine to medium sand, trace rootlets			NATURAL
			0.20	2.54	ASS 0.25-0.50 m R = 0A	X	CI-CH	Silty CLAY medium to high plasticity, grey brown, with some fine to medium grain sand, trace rootlets			
			0.40	2.34	J 0.25-0.50 m R = 0A	X	CH	Silty CLAY high plasticity, dark grey			
			0.5	0.85	ASS 0.50-0.75 m R = 0A PID = 3.9 ppm	X					
			0.85	1.89	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A	X	CH	Silty CLAY high plasticity, brown grey, with some fine to medium grain sand			
			1.0	1.15	ASS 1.00-1.25 m R = 0A PID = 4.2 ppm	X		trace fine to medium sand from 1.15 m to 1.35 m			
			1.15	1.59	ASS 1.25-1.50 m R = 0A	X		colour change to dark grey			
			1.40	1.34	ASS 1.50-1.75 m R = 0A PID = 4 ppm	X					
			1.5		ASS 1.75-2.00 m R = 0A J 1.75-2.00 m R = 0A	X					
			2.0		ASS 2.00-2.25 m R = 0A PID = 3.4 ppm	X					
			2.5		ASS 2.25-2.50 m R = 0A	X					
			2.5		ASS 2.50-2.75 m R = 0A PID = 4.4 ppm	X					
			3.0		J 2.75-3.00 m R = 0A	X					
			3.0	-0.26				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED			

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH31/MW31

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510224.5 m E 6969041.3 m N MGA94 56  
 SURFACE RL: 2.75 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 10/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS	
			-1.0									
			-0.5									
			0.0	2.75	ASS 0.00-0.25 m R = 1A PID = 2.8 ppm	ML-MH CH	Clayey Sandy SILT medium liquid limit, brown, fine to medium sand, trace rootlets					Concrete
				2.65	ASS 0.25-0.50 m R = 1A J 0.25-0.50 m R = 1A		Silty CLAY medium to high plasticity, brown mottled orange, with some fine to medium grain sand					Bentonite seal
			0.5	0.50	ASS 0.50-0.75 m R = 0A PID = 3.3 ppm	CH	CLAY high plasticity, dark grey					
				2.25	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A							
			1.0	0.95	ASS 1.00-1.25 m R = 0A PID = 3.6 ppm	CI SC CH	Sandy CLAY dark grey, fine to medium sand					
				1.75	ASS 1.25-1.50 m R = 0A		Clayey SAND fine to medium grained, grey					
				1.65	ASS 1.50-1.75 m R = 0A PID = 3.3 ppm		CLAY high plasticity, dark grey					
			1.5		ASS 1.75-2.00 m R = 0A J 1.75-2.00 m R = 0A							Filter sand
				2.00	ASS 2.00-2.25 m R = 0A PID = 3.1 ppm						0.4 mm aperture slots	
				2.35	ASS 2.25-2.50 m R = 0A							
			2.5	0.40	ASS 2.50-2.75 m R = 0A PID = 2.6 ppm	CI SC SM	Sandy CLAY medium plasticity, dark grey, fine to medium sand					
				2.45	ASS 2.75-3.00 m R = 0A J 2.75-3.00 m R = 0A		Clayey SAND fine to medium grained, dark grey					
				0.20			Silty SAND fine to medium grained, dark grey, with some low to medium plasticity clay					
				0.10							End cap	
			3.0	-0.25			END OF BOREHOLE @ 3.00 m TARGET DEPTH STANDPIPE INSTALLED					

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH32

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510120.5 m E 6969060.4 m N MGA94 56  
 SURFACE RL: 2.64 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 10/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description				
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	2.64	ASS 0.00-0.25 m R = 0A PID = 2.6 ppm		ML-MH	Clayey Sandy SILT medium liquid limit, brown, fine to medium sand, trace rootlets			NATURAL
					ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A				D - M		
			0.50	2.14	ASS 0.50-0.75 m R = 0A PID = 2.3 ppm		CH	CLAY high plasticity, dark grey			
					ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A					M	
					ASS 1.00-1.25 m R = 0A PID = 2.3 ppm						
			1.25	1.39	ASS 1.25-1.50 m R = 0A		CI	Sandy CLAY medium plasticity, dark grey, fine to medium sand, trace rootlets			
				1.35			CH	Silty CLAY high plasticity, dark grey			
				1.29	ASS 1.50-1.75 m R = 0A PID = 2.9 ppm						
					ASS 1.75-2.00 m R = 0A J 1.75-2.00 m R = 0A				trace rootlets from 1.8 m to 2.0 m		
			1.80	0.84	ASS 2.00-2.25 m R = 0A PID = 2.7 ppm					M - W	
					ASS 2.25-2.50 m R = 0A						
					ASS 2.50-2.75 m R = 0A PID = 2.6 ppm						
			2.70	-0.06	ASS 2.75-3.00 m R = 0A	CI	Sandy CLAY medium plasticity, dark grey, fine to medium sand				
				2.80							
				2.85	J 2.75-3.00 m R = 0A	SC	increasing sand content, fine to medium grain Clayey SAND fine to medium grained, grey, trace rootlets			W	
				-0.21							
				-0.36				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED			

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# **APPENDIX C**

## **Laboratory Documents**

## CERTIFICATE OF ANALYSIS

<b>Work Order</b>	: <b>EB1538408</b>	<b>Page</b>	: 1 of 13
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Tom Maloney
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>E-mail</b>	: kbiram@golder.com.au	<b>E-mail</b>	: Tom.Maloney@alsglobal.com
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61-7-3243 7222
<b>Facsimile</b>	: +61 07 3721 5401	<b>Facsimile</b>	: +61-7-3243 7218
<b>Project</b>	: 1538021	<b>QC Level</b>	: NEPM 2013 B3 & ALS QC Standard
<b>Order number</b>	: 1538021	<b>Date Samples Received</b>	: 18-Dec-2015 16:00
<b>C-O-C number</b>	: ----	<b>Date Analysis Commenced</b>	: 23-Dec-2015
<b>Sampler</b>	: TAMARA SICCAMA	<b>Issue Date</b>	: 08-Jan-2016 15:39
<b>Site</b>	: ----		
<b>Quote number</b>	: ----	<b>No. of samples received</b>	: 72
		<b>No. of samples analysed</b>	: 55

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Edwandy Fadjar	Organic Coordinator	Sydney Inorganics, Smithfield, NSW
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Shobhna Chandra	Metals Coordinator	Sydney Inorganics, Smithfield, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.

- Due to a Laboratory Error analysis on sample EB1538408-030 (AM-BH02-2.75-3.00) could not be conducted.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- PFOS and PFOA results are reported as an aggregate of linear and branched isomers.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH01 0.00-0.25	AM-BH01 0.25-0.50	AM-BH01 0.50-0.75	AM-BH01 0.75-1.00	AM-BH01 1.00-1.25
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-001	EB1538408-002	EB1538408-003	EB1538408-004	EB1538408-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.5	4.2	4.2	4.0	4.0	
pH (Fox)	----	0.1	pH Unit	2.4	2.4	2.4	2.4	2.4	
Reaction Rate	----	1	-	3	2	2	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH01 1.25-1.50	AM-BH01 1.50-1.75	AM-BH01 1.75-2.00	AM-BH01 2.00-2.25	AM-BH01 2.25-2.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-006	EB1538408-007	EB1538408-008	EB1538408-009	EB1538408-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.0	4.2	4.7	6.2	6.6	
pH (Fox)	----	0.1	pH Unit	2.2	2.3	2.6	1.9	1.9	
Reaction Rate	----	1	-	2	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH01 2.50-2.75	AM-BH01 2.75-3.00	AM-BH01 0.00-0.50	AM-BH01 2.50-3.00	Q1
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-011	EB1538408-012	EB1538408-013	EB1538408-018	EB1538408-019	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.8	6.9	----	----	----	
pH (Fox)	----	0.1	pH Unit	1.8	2.2	----	----	----	
Reaction Rate	----	1	-	3	4	----	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	13.7	20.3	21.0	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	<0.0005	
PFOA	335-67-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	<0.0005	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	<0.005	<0.005	<0.005	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	
PFOSA	754-91-6	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	
PFBS	375-73-5	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFHxS	355-46-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFHxA	307-24-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFHpA	375-85-9	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFNA	375-95-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFDCa	335-76-2	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFDoA	307-55-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFTeA	376-06-7	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH02 0.00-0.25	AM-BH02 0.50-0.75	AM-BH02 0.75-1.00	AM-BH02 1.00-1.25	AM-BH02 1.25-1.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-020	EB1538408-021	EB1538408-022	EB1538408-023	EB1538408-024	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	5.2	4.6	4.6	5.7	6.0	
pH (Fox)	----	0.1	pH Unit	2.9	2.7	2.4	2.9	3.8	
Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH02 1.50-1.75	AM-BH02 1.75-2.00	AM-BH02 2.00-2.25	AM-BH02 2.25-2.50	AM-BH02 2.50-2.75
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-025	EB1538408-026	EB1538408-027	EB1538408-028	EB1538408-029	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.5	6.8	6.6	6.6	6.6	
pH (Fox)	----	0.1	pH Unit	2.1	2.0	2.1	2.1	1.9	
Reaction Rate	----	1	-	3	4	4	4	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH02 0.00-0.50	AM-BH02 1.00-1.50	AM-BH03 0.00-0.25	AM-BH03 0.25-0.50	AM-BH03 0.50-0.75
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-031	EB1538408-033	EB1538408-037	EB1538408-038	EB1538408-039	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	----	----	5.3	4.3	4.2	
pH (Fox)	----	0.1	pH Unit	----	----	2.9	2.3	1.9	
Reaction Rate	----	1	-	----	----	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	36.6	37.2	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	<0.001	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFDCA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH03 0.75-1.00	AM-BH03 1.00-1.25	AM-BH03 1.25-1.50	AM-BH03 1.50-1.75	AM-BH03 1.75-2.00
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-040	EB1538408-041	EB1538408-042	EB1538408-043	EB1538408-044	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.2	4.4	4.3	4.6	5.8	
pH (Fox)	----	0.1	pH Unit	2.3	2.4	2.4	2.7	2.7	
Reaction Rate	----	1	-	2	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH03 2.00-2.25	AM-BH03 2.25-2.50	AM-BH03 2.50-2.75	AM-BH03 2.75-3.00	AM-BH03 0.00-0.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-045	EB1538408-046	EB1538408-047	EB1538408-048	EB1538408-049	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.0	6.3	6.4	6.5	----	
pH (Fox)	----	0.1	pH Unit	1.8	2.1	2.2	2.2	----	
Reaction Rate	----	1	-	3	4	4	4	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	13.8	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	<0.0005	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	<0.005	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	<0.001	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	<0.001	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	<0.001	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	<0.001	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	<0.001	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	<0.001	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH03 1.00-1.50	AM-BH04 0.00-0.25	AM-BH04 0.25-0.50	AM-BH04 0.50-0.75	AM-BH04 0.75-1.00
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-051	EB1538408-055	EB1538408-056	EB1538408-057	EB1538408-058	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	----	4.2	4.0	3.9	4.0	
pH (Fox)	----	0.1	pH Unit	----	1.9	2.0	2.0	2.1	
Reaction Rate	----	1	-	----	3	3	3	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	25.5	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	<0.0005	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	<0.0005	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDCA	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	<0.001	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH04 1.00-1.25	AM-BH04 1.25-1.50	AM-BH04 1.50-1.75	AM-BH04 1.75-2.00	AM-BH04 2.00-2.25
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-059	EB1538408-060	EB1538408-061	EB1538408-062	EB1538408-063	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.0	4.1	4.2	6.1	6.1	
pH (Fox)	----	0.1	pH Unit	2.3	2.3	2.1	2.4	2.3	
Reaction Rate	----	1	-	2	2	2	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDcA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH04 2.25-2.50	AM-BH04 2.50-2.75	AM-BH04 2.75-3.00	AM-BH04 0.00-0.50	AM-BH04 0.50-1.00
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-064	EB1538408-065	EB1538408-066	EB1538408-067	EB1538408-068	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.2	6.7	7.0	----	----	
pH (Fox)	----	0.1	pH Unit	2.5	2.5	2.2	----	----	
Reaction Rate	----	1	-	4	4	4	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	24.4	17.9	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	<0.0005	<0.0005	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	<0.0005	<0.0005	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	<0.005	<0.005	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	<0.001	<0.001	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	<0.001	<0.001	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	<0.001	<0.001	

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1538408</b>	<b>Page</b>	: 1 of 8
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Tom Maloney
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>E-mail</b>	: kbiram@golder.com.au	<b>E-mail</b>	: Tom.Maloney@alsglobal.com
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61-7-3243 7222
<b>Facsimile</b>	: +61 07 3721 5401	<b>Facsimile</b>	: +61-7-3243 7218
<b>Project</b>	: 1538021	<b>QC Level</b>	: NEPM 2013 B3 & ALS QC Standard
<b>Order number</b>	: 1538021	<b>Date Samples Received</b>	: 18-Dec-2015
<b>C-O-C number</b>	: ----	<b>Date Analysis Commenced</b>	: 23-Dec-2015
<b>Sampler</b>	: TAMARA SICCAMI	<b>Issue Date</b>	: 08-Jan-2016
<b>Site</b>	: ----	<b>No. of samples received</b>	: 72
<b>Quote number</b>	: ----	<b>No. of samples analysed</b>	: 55

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits



NATA Accredited  
Laboratory 825

Accredited for  
compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Edwandy Fadjar	Organic Coordinator	Sydney Inorganics, Smithfield, NSW
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Shobhna Chandra	Metals Coordinator	Sydney Inorganics, Smithfield, NSW



### **General Comments**

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
RPD = Relative Percentage Difference  
# = Indicates failed QC



## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR:- 0% - 50%; Result > 20 times LOR:0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 318589)</b>									
EB1538408-001	AM-BH01 0.00-0.25	EA037: pH (F)	----	0.1	pH Unit	4.5	4.5	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.4	2.3	4.26	0% - 20%
EB1538408-011	AM-BH01 2.50-2.75	EA037: pH (F)	----	0.1	pH Unit	6.8	6.7	1.48	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	1.8	1.9	5.40	0% - 50%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318590)</b>									
EB1538408-028	AM-BH02 2.25-2.50	EA037: pH (F)	----	0.1	pH Unit	6.6	6.7	1.50	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.1	2.1	0.00	0% - 20%
EB1538408-044	AM-BH03 1.75-2.00	EA037: pH (F)	----	0.1	pH Unit	5.8	5.9	1.71	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.7	2.8	3.64	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318591)</b>									
EB1538408-060	AM-BH04 1.25-1.50	EA037: pH (F)	----	0.1	pH Unit	4.1	4.1	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.3	2.4	4.26	0% - 20%
<b>EA055: Moisture Content (QC Lot: 319728)</b>									
EB1538408-068	AM-BH04 0.50-1.00	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	17.9	17.1	4.82	0% - 50%
<b>EA055: Moisture Content (QC Lot: 320540)</b>									
ES1539443-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	<1.0	<1.0	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 319989)</b>									
EB1538415-036	Anonymous	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
EB1538408-013	AM-BH01 0.00-0.50	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231: Perfluorinated Compounds (QC Lot: 319989) - continued</b>									
EB1538408-013	AM-BH01 0.00-0.50	EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 319990)</b>									
EB1538415-036	Anonymous	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit
EB1538408-013	AM-BH01 0.00-0.50	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 321095)</b>									
EB1538408-049	AM-BH03 0.00-0.50	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
<b>EP231: Perfluorinated Compounds (QC Lot: 321096)</b>									
EB1538408-049	AM-BH03 0.00-0.50	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit

Page : 5 of 8  
 Work Order : EB1538408  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: **SOIL**

				<i>Laboratory Duplicate (DUP) Report</i>					
<i>Laboratory sample ID</i>	<i>Client sample ID</i>	<i>Method: Compound</i>	<i>CAS Number</i>	<i>LOR</i>	<i>Unit</i>	<i>Original Result</i>	<i>Duplicate Result</i>	<i>RPD (%)</i>	<i>Recovery Limits (%)</i>
<b>EP231: Perfluorinated Compounds (QC Lot: 321096) - continued</b>									
EB1538408-049	AM-BH03 0.00-0.50	EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>									
EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	0.00625 mg/kg	82.6	50	130	
EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	0.00625 mg/kg	73.0	30	130	
EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	0.00625 mg/kg	110	50	130	
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	0.00625 mg/kg	118	30	130	
EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	71.5	50	130	
EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	103	50	130	
EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	76.7	50	130	
EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.9	50	130	
EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	80.4	50	130	
EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.2	36	130	
EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.0	50	130	
EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130	
EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.3	50	130	
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	0.00625 mg/kg	73.7	30	130	
EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	78.6	30	130	
EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130	
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>									
EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	0.00625 mg/kg	122	56	138	
EP231: 8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----	
EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	97.8	54	134	
EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	93.2	54	146	
<b>EP231: Perfluorinated Compounds (QCLot: 321095)</b>									
EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	0.00625 mg/kg	80.6	50	130	
EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	0.00625 mg/kg	99.5	30	130	
EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	0.00625 mg/kg	107	50	130	
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	0.00625 mg/kg	128	30	130	
EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	68.4	50	130	
EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	117	50	130	
EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.2	50	130	
EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	109	50	130	
EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	86.4	50	130	
EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	78.4	36	130	
EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.8	50	130	
EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	117	50	130	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231: Perfluorinated Compounds (QCLot: 321095) - continued</b>									
EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	72.1	50	130	
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	0.00625 mg/kg	72.7	30	130	
EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	84.2	30	130	
EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	120	50	130	
<b>EP231: Perfluorinated Compounds (QCLot: 321096)</b>									
EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	0.00625 mg/kg	105	56	138	
EP231: 8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----	
EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	100	54	134	
EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	111	54	146	

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery (%) MS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>							
EB1538408-013	AM-BH01 0.00-0.50	EP231-PFC: N-Et-FOSA	4151-50-2	0.00625 mg/kg	116	50	130
		EP231-PFC: N-Et-FOSE	1691-99-2	0.00625 mg/kg	114	30	130
		EP231-PFC: N-Me-FOSA	31506-32-8	0.00625 mg/kg	127	50	130
		EP231-PFC: N-Me-FOSE	2448-09-7	0.00625 mg/kg	106	30	130
		EP231-PFC: PFBS	375-73-5	0.00125 mg/kg	103	50	130
		EP231-PFC: PFDcA	335-76-2	0.00125 mg/kg	69.2	50	130
		EP231-PFC: PFDcS	67906-42-7	0.00125 mg/kg	67.7	50	130
		EP231-PFC: PFDoA	307-55-1	0.00125 mg/kg	113	50	130
		EP231-PFC: PFHpA	375-85-9	0.00125 mg/kg	101	50	130
		EP231-PFC: PFHxA	307-24-4	0.00125 mg/kg	79.3	30	130
		EP231-PFC: PFHxS	355-46-4	0.00125 mg/kg	106	50	130
		EP231-PFC: PFNA	375-95-1	0.00125 mg/kg	81.3	50	130
		EP231-PFC: PFOSA	754-91-6	0.00125 mg/kg	71.7	50	130
		EP231-PFC: PFTeA	376-06-7	0.00625 mg/kg	65.5	30	130
		EP231-PFC: PFTriA	72629-94-8	0.00125 mg/kg	114	30	130
EP231-PFC: PFUnA	2058-94-8	0.00125 mg/kg	123	50	130		
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>							
EB1538408-013	AM-BH01 0.00-0.50	EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.00625 mg/kg	131	56	138
		EP231: PFOA	335-67-1	0.00125 mg/kg	100	54	134
		EP231: PFOS	1763-23-1	0.00125 mg/kg	107	54	146





Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 321095)</b>							
EB1538408-049	AM-BH03 0.00-0.50	EP231-PFC: N-Et-FOSA	4151-50-2	0.00625 mg/kg	121	50	130
		EP231-PFC: N-Et-FOSE	1691-99-2	0.00625 mg/kg	104	30	130
		EP231-PFC: N-Me-FOSA	31506-32-8	0.00625 mg/kg	108	50	130
		EP231-PFC: N-Me-FOSE	2448-09-7	0.00625 mg/kg	107	30	130
		EP231-PFC: PFBS	375-73-5	0.00125 mg/kg	71.7	50	130
		EP231-PFC: PFDcA	335-76-2	0.00125 mg/kg	80.2	50	130
		EP231-PFC: PFDcS	67906-42-7	0.00125 mg/kg	83.8	50	130
		EP231-PFC: PFDoA	307-55-1	0.00125 mg/kg	80.9	50	130
		EP231-PFC: PFHpA	375-85-9	0.00125 mg/kg	97.8	50	130
		EP231-PFC: PFHxA	307-24-4	0.00125 mg/kg	74.0	30	130
		EP231-PFC: PFHxS	355-46-4	0.00125 mg/kg	77.7	50	130
		EP231-PFC: PFNA	375-95-1	0.00125 mg/kg	110	50	130
		EP231-PFC: PFOSA	754-91-6	0.00125 mg/kg	66.3	50	130
		EP231-PFC: PFTeA	376-06-7	0.00625 mg/kg	68.0	30	130
		EP231-PFC: PFTriA	72629-94-8	0.00125 mg/kg	86.6	30	130
EP231-PFC: PFUnA	2058-94-8	0.00125 mg/kg	115	50	130		
<b>EP231: Perfluorinated Compounds (QCLot: 321096)</b>							
EB1538408-049	AM-BH03 0.00-0.50	EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.00625 mg/kg	117	56	138
		EP231: PFOA	335-67-1	0.00125 mg/kg	104	54	134
		EP231: PFOS	1763-23-1	0.00125 mg/kg	108	54	146

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1538408</b>	Page	: 1 of 5
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61-7-3243 7222
Project	: 1538021	Date Samples Received	: 18-Dec-2015
Site	: ----	Issue Date	: 08-Jan-2016
Sampler	: TAMARA SICCAMI	No. of samples received	: 72
Order number	: 1538021	No. of samples analysed	: 55

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **Quality Control Sample Frequency Outliers exist - please see following pages for full details.**



### Outliers : Frequency of Quality Control Samples

Matrix: **SOIL**

Quality Control Sample Type Method	Count		Rate (%)		Quality Control Specification
	QC	Regular	Actual	Expected	
<b>Laboratory Duplicates (DUP)</b>					
Moisture Content	2	24	8.33	10.00	NEPM 2013 B3 & ALS QC Standard

### Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis</b>								
<b>Snap Lock Bag - frozen (EA037)</b>								
AM-BH01 0.00-0.25, AM-BH01 0.50-0.75, AM-BH01 1.00-1.25, AM-BH01 1.50-1.75, AM-BH01 2.00-2.25, AM-BH01 2.50-2.75, AM-BH02 0.00-0.25, AM-BH02 0.75-1.00, AM-BH02 1.25-1.50, AM-BH02 1.75-2.00, AM-BH02 2.25-2.50, AM-BH03 0.00-0.25, AM-BH03 0.50-0.75, AM-BH03 1.00-1.25, AM-BH03 1.50-1.75, AM-BH03 2.00-2.25, AM-BH03 2.50-2.75, AM-BH04 0.00-0.25, AM-BH04 0.50-0.75, AM-BH04 1.00-1.25, AM-BH04 1.50-1.75, AM-BH04 2.00-2.25, AM-BH04 2.50-2.75,	AM-BH01 0.25-0.50, AM-BH01 0.75-1.00, AM-BH01 1.25-1.50, AM-BH01 1.75-2.00, AM-BH01 2.25-2.50, AM-BH01 2.75-3.00, AM-BH02 0.50-0.75, AM-BH02 1.00-1.25, AM-BH02 1.50-1.75, AM-BH02 2.00-2.25, AM-BH02 2.50-2.75, AM-BH03 0.25-0.50, AM-BH03 0.75-1.00, AM-BH03 1.25-1.50, AM-BH03 1.75-2.00, AM-BH03 2.25-2.50, AM-BH03 2.75-3.00, AM-BH04 0.25-0.50, AM-BH04 0.75-1.00, AM-BH04 1.25-1.50, AM-BH04 1.75-2.00, AM-BH04 2.25-2.50, AM-BH04 2.75-3.00	16-Dec-2015	31-Dec-2015	13-Jun-2016	✔	31-Dec-2015	13-Jun-2016	✔



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA055: Moisture Content</b>								
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH01 0.00-0.50, Q1, AM-BH02 1.00-1.50, AM-BH04 0.50-1.00	AM-BH01 2.50-3.00, AM-BH02 0.00-0.50, AM-BH04 0.00-0.50,	16-Dec-2015	----	----	----	23-Dec-2015	30-Dec-2015	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH03 0.00-0.50,	AM-BH03 1.00-1.50	16-Dec-2015	----	----	----	24-Dec-2015	30-Dec-2015	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231)</b> AM-BH01 0.00-0.50, Q1, AM-BH02 1.00-1.50, AM-BH04 0.50-1.00	AM-BH01 2.50-3.00, AM-BH02 0.00-0.50, AM-BH04 0.00-0.50,	16-Dec-2015	24-Dec-2015	13-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>Soil Glass Jar - Unpreserved (EP231)</b> AM-BH03 0.00-0.50,	AM-BH03 1.00-1.50	16-Dec-2015	30-Dec-2015	13-Jun-2016	✓	30-Dec-2015	08-Feb-2016	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231-PFC)</b> AM-BH01 0.00-0.50, Q1, AM-BH02 1.00-1.50, AM-BH04 0.50-1.00	AM-BH01 2.50-3.00, AM-BH02 0.00-0.50, AM-BH04 0.00-0.50,	16-Dec-2015	24-Dec-2015	13-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>Soil Glass Jar - Unpreserved (EP231-PFC)</b> AM-BH03 0.00-0.50,	AM-BH03 1.00-1.50	16-Dec-2015	30-Dec-2015	13-Jun-2016	✓	30-Dec-2015	08-Feb-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	5	46	10.87	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	2	24	8.33	10.00	✖	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	3	22	13.64	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	3	22	13.64	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In-house. A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	SOIL	In-House. A portion of soil is soaked in sodium hydroxide followed by extraction with methanol. The extract is neutralised with HCl and an aliquot taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.
Perfluorinated Compounds by LCMSMS	EP231-PFC	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.
<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Drying only	EN020D	SOIL	In House



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1538408**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 4
Order number	: 1538021	Quote number	: EM2015GOLASS0592 (EN-002-15)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: ----		
Sampler	: TAMARA SICCAMI		

Dates

Date Samples Received	: 18-Dec-2015 4:00 PM	Issue Date	: 22-Dec-2015
Client Requested Due Date	: 04-Jan-2016	Scheduled Reporting Date	: <b>04-Jan-2016</b>

Delivery Details

Mode of Delivery	: Client Drop Off	Security Seal	: Not Available
No. of coolers/boxes	: 6	Temperature	: 6.3, 8.2, 9.1, 0.9, 3.2, 3.7°C - Ice present
Receipt Detail	:	No. of samples received / analysed	: 72 / 56

General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFOS/PFOA analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The expected due date for this data is 11/01/2015.**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



### Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exist.

### Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

Matrix: **SOIL**

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS
EB1538408-001	[ 16-Dec-2015 ]	AM-BH01 0.00-0.25		✓		
EB1538408-002	[ 16-Dec-2015 ]	AM-BH01 0.25-0.50		✓		
EB1538408-003	[ 16-Dec-2015 ]	AM-BH01 0.50-0.75		✓		
EB1538408-004	[ 16-Dec-2015 ]	AM-BH01 0.75-1.00		✓		
EB1538408-005	[ 16-Dec-2015 ]	AM-BH01 1.00-1.25		✓		
EB1538408-006	[ 16-Dec-2015 ]	AM-BH01 1.25-1.50		✓		
EB1538408-007	[ 16-Dec-2015 ]	AM-BH01 1.50-1.75		✓		
EB1538408-008	[ 16-Dec-2015 ]	AM-BH01 1.75-2.00		✓		
EB1538408-009	[ 16-Dec-2015 ]	AM-BH01 2.00-2.25		✓		
EB1538408-010	[ 16-Dec-2015 ]	AM-BH01 2.25-2.50		✓		
EB1538408-011	[ 16-Dec-2015 ]	AM-BH01 2.50-2.75		✓		
EB1538408-012	[ 16-Dec-2015 ]	AM-BH01 2.75-3.00		✓		
EB1538408-013	[ 16-Dec-2015 ]	AM-BH01 0.00-0.50			✓	✓
EB1538408-014	[ 16-Dec-2015 ]	AM-BH01 0.50-1.00	✓			
EB1538408-015	[ 16-Dec-2015 ]	AM-BH01 1.00-1.50	✓			
EB1538408-016	[ 16-Dec-2015 ]	AM-BH01 1.50-2.00	✓			
EB1538408-017	[ 16-Dec-2015 ]	AM-BH01 2.00-2.50	✓			
EB1538408-018	[ 16-Dec-2015 ]	AM-BH01 2.50-3.00			✓	✓
EB1538408-019	[ 16-Dec-2015 ]	Q1			✓	✓
EB1538408-020	[ 16-Dec-2015 ]	AM-BH02 0.00-0.25		✓		
EB1538408-021	[ 16-Dec-2015 ]	AM-BH02 0.50-0.75		✓		
EB1538408-022	[ 16-Dec-2015 ]	AM-BH02 0.75-1.00		✓		
EB1538408-023	[ 16-Dec-2015 ]	AM-BH02 1.00-1.25		✓		
EB1538408-024	[ 16-Dec-2015 ]	AM-BH02 1.25-1.50		✓		
EB1538408-025	[ 16-Dec-2015 ]	AM-BH02 1.50-1.75		✓		
EB1538408-026	[ 16-Dec-2015 ]	AM-BH02 1.75-2.00		✓		
EB1538408-027	[ 16-Dec-2015 ]	AM-BH02 2.00-2.25		✓		
EB1538408-028	[ 16-Dec-2015 ]	AM-BH02 2.25-2.50		✓		
EB1538408-029	[ 16-Dec-2015 ]	AM-BH02 2.50-2.75		✓		
EB1538408-030	[ 16-Dec-2015 ]	AM-BH02 2.75-3.00		✓		
EB1538408-031	[ 16-Dec-2015 ]	AM-BH02 0.00-0.50			✓	✓
EB1538408-032	[ 16-Dec-2015 ]	AM-BH02 0.50-1.00	✓			
EB1538408-033	[ 16-Dec-2015 ]	AM-BH02 1.00-1.50			✓	✓
EB1538408-034	[ 16-Dec-2015 ]	AM-BH02 1.50-2.00	✓			
EB1538408-035	[ 16-Dec-2015 ]	AM-BH02 2.00-2.50	✓			





			(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS
EB1538408-036	[ 16-Dec-2015 ]	AM-BH02 2.50-3.00	✓			
EB1538408-037	[ 16-Dec-2015 ]	AM-BH03 0.00-0.25		✓		
EB1538408-038	[ 16-Dec-2015 ]	AM-BH03 0.25-0.50		✓		
EB1538408-039	[ 16-Dec-2015 ]	AM-BH03 0.50-0.75		✓		
EB1538408-040	[ 16-Dec-2015 ]	AM-BH03 0.75-1.00		✓		
EB1538408-041	[ 16-Dec-2015 ]	AM-BH03 1.00-1.25		✓		
EB1538408-042	[ 16-Dec-2015 ]	AM-BH03 1.25-1.50		✓		
EB1538408-043	[ 16-Dec-2015 ]	AM-BH03 1.50-1.75		✓		
EB1538408-044	[ 16-Dec-2015 ]	AM-BH03 1.75-2.00		✓		
EB1538408-045	[ 16-Dec-2015 ]	AM-BH03 2.00-2.25		✓		
EB1538408-046	[ 16-Dec-2015 ]	AM-BH03 2.25-2.50		✓		
EB1538408-047	[ 16-Dec-2015 ]	AM-BH03 2.50-2.75		✓		
EB1538408-048	[ 16-Dec-2015 ]	AM-BH03 2.75-3.00		✓		
EB1538408-049	[ 16-Dec-2015 ]	AM-BH03 0.00-0.50			✓	✓
EB1538408-050	[ 16-Dec-2015 ]	AM-BH03 0.50-1.00	✓			
EB1538408-051	[ 16-Dec-2015 ]	AM-BH03 1.00-1.50			✓	✓
EB1538408-052	[ 16-Dec-2015 ]	AM-BH03 1.50-2.00	✓			
EB1538408-053	[ 16-Dec-2015 ]	AM-BH03 2.00-2.50	✓			
EB1538408-054	[ 16-Dec-2015 ]	AM-BH03 2.50-3.00	✓			
EB1538408-055	[ 16-Dec-2015 ]	AM-BH04 0.00-0.25		✓		
EB1538408-056	[ 16-Dec-2015 ]	AM-BH04 0.25-0.50		✓		
EB1538408-057	[ 16-Dec-2015 ]	AM-BH04 0.50-0.75		✓		
EB1538408-058	[ 16-Dec-2015 ]	AM-BH04 0.75-1.00		✓		
EB1538408-059	[ 16-Dec-2015 ]	AM-BH04 1.00-1.25		✓		
EB1538408-060	[ 16-Dec-2015 ]	AM-BH04 1.25-1.50		✓		
EB1538408-061	[ 16-Dec-2015 ]	AM-BH04 1.50-1.75		✓		
EB1538408-062	[ 16-Dec-2015 ]	AM-BH04 1.75-2.00		✓		
EB1538408-063	[ 16-Dec-2015 ]	AM-BH04 2.00-2.25		✓		
EB1538408-064	[ 16-Dec-2015 ]	AM-BH04 2.25-2.50		✓		
EB1538408-065	[ 16-Dec-2015 ]	AM-BH04 2.50-2.75		✓		
EB1538408-066	[ 16-Dec-2015 ]	AM-BH04 2.75-3.00		✓		
EB1538408-067	[ 16-Dec-2015 ]	AM-BH04 0.00-0.50			✓	✓
EB1538408-068	[ 16-Dec-2015 ]	AM-BH04 0.50-1.00			✓	✓
EB1538408-069	[ 16-Dec-2015 ]	AM-BH04 1.00-1.50	✓			
EB1538408-070	[ 16-Dec-2015 ]	AM-BH04 1.50-2.00	✓			
EB1538408-071	[ 16-Dec-2015 ]	AM-BH04 2.00-2.50	✓			
EB1538408-072	[ 16-Dec-2015 ]	AM-BH04 2.50-3.00	✓			

### Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.



Project ID: 1538021		Quote/Order No.: EN/002/15		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400	
Site Location: BNE Airport		Lab Name: ALS Environmental		147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401	
Sampled By: Tamara Siccama		BY:		Invoice to be sent to Accounts: <a href="mailto:aaaccounts@valablex.golder.com.au">aaaccounts@valablex.golder.com.au</a>			
Turnaround (Days): 5				Project Manager: Krystal-Rae Biram		Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>	
Report Format: HARD		FAX		DISK		EMAIL	
Email Format: PDF		Excel		Other		BULLETIN BOARD	
				Email Add: <a href="mailto:tsiccama@golder.com.au">tsiccama@golder.com.au</a>		Contact Phone: 07 37215400	

Comments/Special Instructions:													ANALYSIS REQUIRED																																	
Samples from a declared Fire Ant Area: Samples taken from a known Weed and/or Pest Area:													HOLD	EA037 - pH/H <sub>2</sub> O <sub>2</sub> - Fast Screen	EN020PR - dry 88°C and pulverise	EP231-PFC (PFS/PCFA) extended suite with 20 analytes	S-28 (TRIBITEX/NIPAH) (metals)																													
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE																													NO CONTAINERS	POSSIBLE HIGH CONCENTRATION											
1 AM-BH01	0.00	0.25	Soil	16/12/2015		Bag	Frozen	1	N																																					
2 AM-BH01	0.25	0.50	Soil	16/12/2015		Bag	Frozen	1	N																																					
3 AM-BH01	0.50	0.75	Soil	16/12/2015		Bag	Frozen	1	N																																					
4 AM-BH01	0.75	1.00	Soil	16/12/2015		Bag	Frozen	1	N																																					
5 AM-BH01	1.00	1.25	Soil	16/12/2015		Bag	Frozen	1	N																																					
6 AM-BH01	1.25	1.50	Soil	16/12/2015		Bag	Frozen	1	N																																					
7 AM-BH01	1.50	1.75	Soil	16/12/2015		Bag	Frozen	1	N																																					
8 AM-BH01	1.75	2.00	Soil	16/12/2015		Bag	Frozen	1	N																																					
9 AM-BH01	2.00	2.25	Soil	16/12/2015		Bag	Frozen	1	N																																					
10 AM-BH01	2.25	2.50	Soil	16/12/2015		Bag	Frozen	1	N																																					
11 AM-BH01	2.50	2.75	Soil	16/12/2015		Bag	Frozen	1	N																																					
12 AM-BH01	2.75	3.00	Soil	16/12/2015		Bag	Frozen	1	N																																					
13 AM-BH01	0.00	0.50	Soil	16/12/2015		Jar	Chilled	1	N																																					
14 AM-BH01	0.50	1.00	Soil	16/12/2015		Jar	Chilled	1	N																																					
15 AM-BH01	1.00	1.50	Soil	16/12/2015		Jar	Chilled	1	N																																					
16 AM-BH01	1.50	2.00	Soil	16/12/2015		Jar	Chilled	1	N																																					
17 AM-BH01	2.50	2.50	Soil	16/12/2015		Jar	Chilled	1	N																																					
18 AM-BH01	2.50	3.00	Soil	16/12/2015		Jar	Chilled	1	N																																					
19 Q1			Soil	16/12/2015		Jar	Chilled	1	N																																					


SAMPLE MATRIX = Soil/Sediment/Fill/Other          SAMPLE TYPE = Core(CR)          HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list  
Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE		COMPANY		DATE		TIME		SIGNATURE		COMPANY		DATE		TIME		Shipment Method	
RELEASED BY: Tamara Siccama		GOLDER		18/12/2015				RELEASED BY:								Shipping Ref:	
RECEIVED BY:								RECEIVED BY:									
RECEIVED BY:				RECEIVED BY:				RECEIVED BY:				RECEIVED BY:					
RECEIVED BY:				RECEIVED BY:				RECEIVED BY:				RECEIVED BY:					

To Be Filled Out By Analyzing Laboratory						LAB. BATCH NUMBER					
Security Seal			Chilled			LAB. BATCH NUMBER			Bill to:		
Suitable Containers			Frozen			LAB. BATCH NUMBER			Address		
Cool Box			Ambient			LAB. BATCH NUMBER			LAB. BATCH NUMBER		



Environmental Division  
Brisbane  
Work Order Reference  
**EB1538408**



Telephone : + 61-7-3243 7222

**SPLIT BATCH**  
Test Split due to no. of samples  
Assoc. Batch No.  
**EB1538415 & EB1538419**



Project ID: 1538021	Quote/Order No.: EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location: BNE Airport	Lab Name: ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled By: Tamara Siccama		Invoice to be sent to Accounts: <a href="mailto:auaccounts@yablabz@golder.com.au">auaccounts@yablabz@golder.com.au</a>	
Turnaround (Days): 5	BY:	Project Manager: Krystal-Rae Biram	Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>
Report Format: HARD FAX DISK EMAIL BULLETIN BOARD		Contact Phone: 07 37215400	
Email Format: PDF Excel Other	Email Add: <a href="mailto:tsiccama@golder.com.au">tsiccama@golder.com.au</a>		

Comments/Special Instructions:							No CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED														
Samples from a declared Fire Ant Area: N									HOLD	EA037 - pH/ρHFOX - East Screen	EN020PR - dry 88°C and pulverise	EP231-PFC (PFS/PFOA extended suite with 20 analytes)	S-26 (TRIGTEXNIPAH8 metals)										
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE																		
AM-BH03	0.00	0.25	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	0.25	0.50	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	0.50	0.75	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	0.75	1.00	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	1.00	1.25	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	1.25	1.50	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	1.50	1.75	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	1.75	2.00	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	2.00	2.25	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	2.25	2.50	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	2.50	2.75	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	2.75	3.00	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	0.00	0.50	Soil	16/12/2015	Jar	Chilled	1	N															
AM-BH03	0.50	1.00	Soil	16/12/2015	Jar	Chilled	1	N	x														
AM-BH03	1.00	1.50	Soil	16/12/2015	Jar	Chilled	1	N															
AM-BH03	1.50	2.00	Soil	16/12/2015	Jar	Chilled	1	N	x														
AM-BH03	2.00	2.50	Soil	16/12/2015	Jar	Chilled	1	N	x														
AM-BH03	2.50	3.00	Soil	16/12/2015	Jar	Chilled	1	N	x														

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list  
 Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	Tamara Siccama	COMPANY	GOLDER	DATE	18/12/2015	TIME		SIGNATURE		COMPANY		DATE		TIME		Shipment Method	Shipping Ref:
RELEASED BY		RECEIVED BY		RELEASED BY		RECEIVED BY		To Be Filled Out By Analysing Laboratory		LAB. BATCH NUMBER		Bill to:					
RELEASED BY		RECEIVED BY		RELEASED BY		RECEIVED BY		Security Seal		Chilled		Bill to:					
RELEASED BY		RECEIVED BY		RELEASED BY		RECEIVED BY		Suitable Containers		Frozen		Address					
RELEASED BY		RECEIVED BY		RELEASED BY		RECEIVED BY		Cool Box		Ambient							

Project ID:	1538021	Quote/Order No.:	EN/002/15	GOLDER ASSOCIATES PTY LTD		
Site Location:	BNE Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qd 4064		
Sampled By:	Tamara Siccama			Phone:	(07) 3721 5400	
Turnaround (Days):	5	BY:		Fax:	(07) 3721 5401	
Report Format:	HARD FAX DISK EMAIL BULLETIN BOARD	Email Add:		Invoice to be sent to Accounts: auaccounts@payable@golder.com.au		
Email Format:	PDF Excel Other	Email Add: tsiccama@golder.com.au		Project Manager:	Kirsten Rae Biram	
Comments/Special Instructions:				Contact Phone:	07 37215400	
				Email: KBiram@golder.com.au		

Samples from a declared Fire Ant Area:						N		N		ANALYSIS REQUIRED																			
Samples taken from a known Weed and or Pest Area:						N		N																					
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE		No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Past Screen	EN020PR - dry 85°C and pulverise	EP231-pPC (PFS/PPFOA extended suite with 20 analytes)	6-26 (TCB) (TEX)/NIPAH8 (metals)															
AM-BH04	0.00	0.25	Soil	16/12/2015		Bag	Frozen	1	N		x	x			Any issues with samples please email tsiccama@golder.com.au or phone 0421704311 - Tamara														
AM-BH04	0.25	0.50	Soil	16/12/2015		Bag	Frozen	1	N		x	x																	
AM-BH04	0.50	0.75	Soil	16/12/2015		Bag	Frozen	1	N		x	x																	
AM-BH04	0.75	1.00	Soil	16/12/2015		Bag	Frozen	1	N		x	x																	
AM-BH04	1.00	1.25	Soil	16/12/2015		Bag	Frozen	1	N		x	x																	
AM-BH04	1.25	1.50	Soil	16/12/2015		Bag	Frozen	1	N		x	x																	
AM-BH04	1.50	1.75	Soil	16/12/2015		Bag	Frozen	1	N		x	x																	
AM-BH04	1.75	2.00	Soil	16/12/2015		Bag	Frozen	1	N		x	x																	
AM-BH04	2.00	2.25	Soil	16/12/2015		Bag	Frozen	1	N		x	x																	
AM-BH04	2.25	2.50	Soil	16/12/2015		Bag	Frozen	1	N		x	x																	
AM-BH04	2.50	2.75	Soil	16/12/2015		Bag	Frozen	1	N		x	x																	
AM-BH04	2.75	3.00	Soil	16/12/2015		Bag	Frozen	1	N		x	x																	
AM-BH04	0.00	0.50	Soil	16/12/2015		Jar	Chilled	1	N				x																
AM-BH04	0.50	1.00	Soil	16/12/2015		Jar	Chilled	1	N				x																
AM-BH04	1.00	1.50	Soil	16/12/2015		Jar	Chilled	1	N		x																		
AM-BH04	1.50	2.00	Soil	16/12/2015		Jar	Chilled	1	N		x																		
AM-BH04	2.00	2.50	Soil	16/12/2015		Jar	Chilled	1	N		x																		
AM-BH04	2.50	3.00	Soil	16/12/2015		Jar	Chilled	1	N		x																		

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
-----------	---------	------	------	-----------	---------	------	------	-----------------

RELEASED BY	Tamara Siccama	GOLDER	18/12/2015	RELEASED BY				Shipping Ref:
RECEIVED BY				RECEIVED BY				

To Be Filled Out By Analysing Laboratory					LAB. BATCH NUMBER				
Security Seal		Chilled				Bill to:			
Suitable Containers:		Frozen				Address:			
Cool Box		Ambient							

56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72

## CERTIFICATE OF ANALYSIS

<b>Work Order</b> : <b>EB1538415</b> <b>Client</b> : <b>GOLDER ASSOCIATES</b> <b>Contact</b> : <b>MS KRYSTLE-RAE BIRAM</b> <b>Address</b> : <b>P O BOX 1734</b> <b>MILTON QLD, AUSTRALIA 4064</b>  <b>E-mail</b> : <b>kbiram@golder.com.au</b> <b>Telephone</b> : <b>+61 07 3721 5400</b> <b>Facsimile</b> : <b>+61 07 3721 5401</b> <b>Project</b> : <b>1538021</b> <b>Order number</b> : <b>1538021</b> <b>C-O-C number</b> : <b>----</b> <b>Sampler</b> : <b>TAMARA SICCAMA</b> <b>Site</b> : <b>----</b>  <b>Quote number</b> : <b>----</b>	<b>Page</b> : 1 of 13 <b>Laboratory</b> : Environmental Division Brisbane <b>Contact</b> : Tom Maloney <b>Address</b> : 2 Byth Street Stafford QLD Australia 4053  <b>E-mail</b> : Tom.Maloney@alsglobal.com <b>Telephone</b> : +61-7-3243 7222 <b>Facsimile</b> : +61-7-3243 7218 <b>QC Level</b> : NEPM 2013 B3 & ALS QC Standard <b>Date Samples Received</b> : 18-Dec-2015 16:00 <b>Date Analysis Commenced</b> : 23-Dec-2015 <b>Issue Date</b> : 12-Jan-2016 12:51  <b>No. of samples received</b> : 70 <b>No. of samples analysed</b> : 55
--	--

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Acid Sulphate Soils, Stafford, QLD
Nanthini Coilparampi	Laboratory Manager - Inorganics	Sydney Inorganics, Smithfield, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.

- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- PFOS and PFOA results are reported as an aggregate of linear and branched isomers.





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH05 0.00-0.25	AM-BH05 0.25-0.50	AM-BH05 0.50-0.75	AM-BH05 0.75-1.00	AM-BH05 1.00-1.25
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-001	EB1538415-002	EB1538415-003	EB1538415-004	EB1538415-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.7	5.8	4.9	4.1	3.9	
pH (Fox)	----	0.1	pH Unit	2.6	3.4	2.9	2.4	2.4	
Reaction Rate	----	1	-	3	2	2	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH05 1.25-1.50	AM-BH05 1.50-1.75	AM-BH05 1.75-2.00	AM-BH05 2.00-2.25	AM-BH05 2.25-2.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-006	EB1538415-007	EB1538415-008	EB1538415-009	EB1538415-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.0	4.4	5.3	5.2	5.8	
pH (Fox)	----	0.1	pH Unit	2.3	3.0	2.6	2.4	1.9	
Reaction Rate	----	1	-	2	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDcA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH05 2.50-2.75	AM-BH05 2.75-3.00	AM-BH05 0.50-1.00	AM-BH05 2.50-3.00	AM-BH06 0.00-0.25
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-011	EB1538415-012	EB1538415-014	EB1538415-018	EB1538415-019	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.3	6.6	----	----	4.8	
pH (Fox)	----	0.1	pH Unit	2.0	2.2	----	----	2.4	
Reaction Rate	----	1	-	4	4	----	----	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	26.6	24.7	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	<0.005	<0.005	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDCA	335-76-2	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	<0.001	<0.001	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH06 0.25-0.50	AM-BH06 0.50-0.75	AM-BH06 0.75-1.00	AM-BH06 1.00-1.25	AM-BH06 1.25-1.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-020	EB1538415-021	EB1538415-022	EB1538415-023	EB1538415-024	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.3	4.3	4.3	4.2	4.1	
pH (Fox)	----	0.1	pH Unit	2.4	2.4	2.2	2.3	2.4	
Reaction Rate	----	1	-	3	2	2	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH06 1.50-1.75	AM-BH06 1.75-2.00	AM-BH06 2.00-2.25	AM-BH06 2.25-2.50	AM-BH06 2.50-2.75
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-025	EB1538415-026	EB1538415-027	EB1538415-028	EB1538415-029	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.7	5.5	6.1	6.2	6.8	
pH (Fox)	----	0.1	pH Unit	2.6	2.6	1.7	1.6	1.9	
Reaction Rate	----	1	-	2	2	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH06 2.75-3.00	AM-BH06 0.50-1.00	AM-BH06 2.50-3.00	AM-BH07 0.00-0.25	AM-BH07 0.50-0.75
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-030	EB1538415-032	EB1538415-036	EB1538415-037	EB1538415-038	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	7.0	----	----	6.4	4.2	
pH (Fox)	----	0.1	pH Unit	2.0	----	----	3.2	2.2	
Reaction Rate	----	1	-	4	----	----	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	26.9	41.5	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	<0.0005	<0.0005	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	<0.0005	<0.0005	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	<0.005	<0.005	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	<0.001	<0.001	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	<0.001	<0.001	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	<0.001	<0.001	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH07 0.75-1.00	AM-BH07 1.00-1.25	AM-BH07 1.25-1.50	AM-BH07 1.50-1.75	AM-BH07 1.75-2.00
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-039	EB1538415-040	EB1538415-041	EB1538415-042	EB1538415-043	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	3.9	4.6	4.6	5.9	6.2	
pH (Fox)	----	0.1	pH Unit	2.0	3.0	2.6	2.9	2.3	
Reaction Rate	----	1	-	3	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH07 2.00-2.25	AM-BH07 2.25-2.50	AM-BH07 2.50-2.75	AM-BH07 2.75-3.00	AM-BH07 0.00-0.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-044	EB1538415-045	EB1538415-046	EB1538415-047	EB1538415-048	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.3	6.8	7.0	7.2	----	
pH (Fox)	----	0.1	pH Unit	1.4	1.8	1.8	1.9	----	
Reaction Rate	----	1	-	4	4	4	4	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	8.4	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	<0.0005	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	<0.005	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	<0.001	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	<0.001	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	<0.001	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	<0.001	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	<0.001	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	<0.001	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH07 1.50-2.00	AM-BH08 0.00-0.25	AM-BH08 0.25-0.50	AM-BH08 0.50-0.75	AM-BH08 0.75-1.00
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-050	EB1538415-053	EB1538415-054	EB1538415-055	EB1538415-056	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	----	7.0	5.9	4.3	3.9	
pH (Fox)	----	0.1	pH Unit	----	5.5	3.2	2.3	2.1	
Reaction Rate	----	1	-	----	2	3	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	42.5	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	<0.0005	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	<0.0005	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDCA	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	<0.001	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH08 1.00-1.25	AM-BH08 1.25-1.50	AM-BH08 1.50-1.75	AM-BH08 1.75-2.00	AM-BH08 2.00-2.25
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-057	EB1538415-058	EB1538415-059	EB1538415-060	EB1538415-061	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.2	5.2	4.9	6.2	6.5	
pH (Fox)	----	0.1	pH Unit	2.4	2.6	2.5	1.4	1.8	
Reaction Rate	----	1	-	2	3	2	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH08 2.25-2.50	AM-BH08 2.50-2.75	AM-BH08 2.75-3.00	AM-BH08 0.00-0.50	AM-BH08 1.00-1.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-062	EB1538415-063	EB1538415-064	EB1538415-065	EB1538415-067	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.9	7.6	7.0	----	----	
pH (Fox)	----	0.1	pH Unit	1.8	1.6	1.5	----	----	
Reaction Rate	----	1	-	4	4	4	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	12.1	33.2	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	<0.0005	<0.0005	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	<0.0005	<0.0005	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	<0.005	<0.005	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	<0.001	<0.001	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	<0.001	<0.001	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	<0.001	<0.001	

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1538415</b>	Page	: 1 of 6
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	QC Level	: NEPM 2013 B3 & ALS QC Standard
Order number	: 1538021	Date Samples Received	: 18-Dec-2015
C-O-C number	: ----	Date Analysis Commenced	: 23-Dec-2015
Sampler	: TAMARA SICCAMI	Issue Date	: 12-Jan-2016
Site	: ----	No. of samples received	: 70
Quote number	: ----	No. of samples analysed	: 55

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits



NATA Accredited  
Laboratory 825

Accredited for  
compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Acid Sulphate Soils, Stafford, QLD
Nanthini Coilparampi	Laboratory Manager - Inorganics	Sydney Inorganics, Smithfield, NSW

Page : 2 of 6  
Work Order : EB1538415  
Client : GOLDER ASSOCIATES  
Project : 1538021



---

### **General Comments**

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :            Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
                  CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
                  LOR = Limit of reporting  
                  RPD = Relative Percentage Difference  
                  # = Indicates failed QC



### Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR:- 0% - 50%; Result > 20 times LOR:0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 318592)</b>									
EB1538415-001	AM-BH05 0.00-0.25	EA037: pH (F)	----	0.1	pH Unit	4.7	4.7	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.6	2.6	0.00	0% - 20%
EB1538415-011	AM-BH05 2.50-2.75	EA037: pH (F)	----	0.1	pH Unit	6.3	6.4	1.57	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.0	2.0	0.00	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318593)</b>									
EB1538415-027	AM-BH06 2.00-2.25	EA037: pH (F)	----	0.1	pH Unit	6.1	6.0	1.65	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	1.7	1.7	0.00	0% - 50%
EB1538415-043	AM-BH07 1.75-2.00	EA037: pH (F)	----	0.1	pH Unit	6.2	6.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.3	2.2	4.44	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318594)</b>									
EB1538415-058	AM-BH08 1.25-1.50	EA037: pH (F)	----	0.1	pH Unit	5.2	5.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.6	2.6	0.00	0% - 20%
<b>EA055: Moisture Content (QC Lot: 319728)</b>									
EB1538408-068	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	17.9	17.1	4.82	0% - 50%
<b>EA055: Moisture Content (QC Lot: 319729)</b>									
EB1538419-013	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	10.8	9.5	13.0	0% - 50%
EB1538478-025	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	19.4	19.6	1.13	0% - 50%
<b>EP231: Perfluorinated Compounds (QC Lot: 319989)</b>									
EB1538415-036	AM-BH06 2.50-3.00	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
EB1538408-013	Anonymous	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231: Perfluorinated Compounds (QC Lot: 319989) - continued</b>									
EB1538408-013	Anonymous	EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
<b>EP231: Perfluorinated Compounds (QC Lot: 319990)</b>									
EB1538415-036	AM-BH06 2.50-3.00	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit
EB1538408-013	Anonymous	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit



### Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike	Recovery Limits (%)		
					Concentration	LCS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>								
EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	0.00625 mg/kg	82.6	50	130
EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	0.00625 mg/kg	73.0	30	130
EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	0.00625 mg/kg	110	50	130
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	0.00625 mg/kg	118	30	130
EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	71.5	50	130
EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	103	50	130
EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	76.7	50	130
EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.9	50	130
EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	80.4	50	130
EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.2	36	130
EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.0	50	130
EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130
EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.3	50	130
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	0.00625 mg/kg	73.7	30	130
EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	78.6	30	130
EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>								
EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	0.00625 mg/kg	122	56	138
EP231: 8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----
EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	97.8	54	134
EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	93.2	54	146

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
				Concentration	MS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>							
EB1538408-013	Anonymous	EP231-PFC: N-Et-FOSA	4151-50-2	0.00625 mg/kg	116	50	130
		EP231-PFC: N-Et-FOSE	1691-99-2	0.00625 mg/kg	114	30	130
		EP231-PFC: N-Me-FOSA	31506-32-8	0.00625 mg/kg	127	50	130
		EP231-PFC: N-Me-FOSE	2448-09-7	0.00625 mg/kg	106	30	130





Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 319989) - continued</b>							
EB1538408-013	Anonymous	EP231-PFC: PFBS	375-73-5	0.00125 mg/kg	103	50	130
		EP231-PFC: PFDcA	335-76-2	0.00125 mg/kg	69.2	50	130
		EP231-PFC: PFDcS	67906-42-7	0.00125 mg/kg	67.7	50	130
		EP231-PFC: PFDoA	307-55-1	0.00125 mg/kg	113	50	130
		EP231-PFC: PFHpA	375-85-9	0.00125 mg/kg	101	50	130
		EP231-PFC: PFHxA	307-24-4	0.00125 mg/kg	79.3	30	130
		EP231-PFC: PFHxS	355-46-4	0.00125 mg/kg	106	50	130
		EP231-PFC: PFNA	375-95-1	0.00125 mg/kg	81.3	50	130
		EP231-PFC: PFOSA	754-91-6	0.00125 mg/kg	71.7	50	130
		EP231-PFC: PFTeA	376-06-7	0.00625 mg/kg	65.5	30	130
		EP231-PFC: PFTriA	72629-94-8	0.00125 mg/kg	114	30	130
		EP231-PFC: PFUnA	2058-94-8	0.00125 mg/kg	123	50	130
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>							
EB1538408-013	Anonymous	EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.00625 mg/kg	131	56	138
		EP231: PFOA	335-67-1	0.00125 mg/kg	100	54	134
		EP231: PFOS	1763-23-1	0.00125 mg/kg	107	54	146

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1538415</b>	Page	: 1 of 5
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61-7-3243 7222
Project	: 1538021	Date Samples Received	: 18-Dec-2015
Site	: ----	Issue Date	: 12-Jan-2016
Sampler	: TAMARA SICCAMI	No. of samples received	: 70
Order number	: 1538021	No. of samples analysed	: 55

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



## Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis</b>								
<b>Snap Lock Bag - frozen (EA037)</b>								
AM-BH05 0.00-0.25, AM-BH05 0.50-0.75, AM-BH05 1.00-1.25, AM-BH05 1.50-1.75, AM-BH05 2.00-2.25, AM-BH05 2.50-2.75, AM-BH06 0.00-0.25, AM-BH06 0.50-0.75, AM-BH06 1.00-1.25, AM-BH06 1.50-1.75, AM-BH06 2.00-2.25, AM-BH06 2.50-2.75, AM-BH07 0.00-0.25, AM-BH07 0.75-1.00, AM-BH07 1.25-1.50, AM-BH07 1.75-2.00, AM-BH07 2.25-2.50, AM-BH07 2.75-3.00, AM-BH08 0.00-0.25, AM-BH08 0.25-0.50, AM-BH08 0.75-1.00, AM-BH08 1.25-1.50, AM-BH08 1.75-2.00, AM-BH08 2.25-2.50, AM-BH08 2.75-3.00	AM-BH05 0.25-0.50, AM-BH05 0.75-1.00, AM-BH05 1.25-1.50, AM-BH05 1.75-2.00, AM-BH05 2.25-2.50, AM-BH05 2.75-3.00, AM-BH06 0.25-0.50, AM-BH06 0.75-1.00, AM-BH06 1.25-1.50, AM-BH06 1.75-2.00, AM-BH06 2.25-2.50, AM-BH06 2.75-3.00, AM-BH07 0.50-0.75, AM-BH07 1.00-1.25, AM-BH07 1.50-1.75, AM-BH07 2.00-2.25, AM-BH07 2.50-2.75, AM-BH08 0.50-0.75, AM-BH08 1.00-1.25, AM-BH08 1.50-1.75, AM-BH08 2.00-2.25, AM-BH08 2.50-2.75,	16-Dec-2015	31-Dec-2015	13-Jun-2016	✓	31-Dec-2015	13-Jun-2016	✓
<b>EA055: Moisture Content</b>								
<b>Soil Glass Jar - Unpreserved (EA055-103)</b>								
AM-BH05 0.50-1.00, AM-BH06 0.50-1.00, AM-BH07 0.00-0.50, AM-BH08 0.00-0.50,	AM-BH05 2.50-3.00, AM-BH06 2.50-3.00, AM-BH07 1.50-2.00, AM-BH08 1.00-1.50	16-Dec-2015	----	----	----	23-Dec-2015	30-Dec-2015	✓



Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231)</b>								
AM-BH05 0.50-1.00, AM-BH06 0.50-1.00, AM-BH07 0.00-0.50, AM-BH08 0.00-0.50,	AM-BH05 2.50-3.00, AM-BH06 2.50-3.00, AM-BH07 1.50-2.00, AM-BH08 1.00-1.50	16-Dec-2015	24-Dec-2015	13-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231-PFC)</b>								
AM-BH05 0.50-1.00, AM-BH06 0.50-1.00, AM-BH07 0.00-0.50, AM-BH08 0.00-0.50,	AM-BH05 2.50-3.00, AM-BH06 2.50-3.00, AM-BH07 1.50-2.00, AM-BH08 1.00-1.50	16-Dec-2015	24-Dec-2015	13-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	5	47	10.64	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	3	29	10.34	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In-house. A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	SOIL	In-House. A portion of soil is soaked in sodium hydroxide followed by extraction with methanol. The extract is neutralised with HCl and an aliquot taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.
Perfluorinated Compounds by LCMSMS	EP231-PFC	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.
<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Drying only	EN020D	SOIL	In House



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : EB1538415

Client : GOLDER ASSOCIATES
Contact : MS KRYSTLE-RAE BIRAM
Address : P O BOX 1734 MILTON QLD, AUSTRALIA 4064

Laboratory : Environmental Division Brisbane
Contact : Tom Maloney
Address : 2 Byth Street Stafford QLD Australia 4053

E-mail : kbiram@golder.com.au
Telephone : +61 07 3721 5400
Facsimile : +61 07 3721 5401

E-mail : Tom.Maloney@alsglobal.com
Telephone : +61-7-3243 7222
Facsimile : +61-7-3243 7218

Project : 1538021
Order number : ----
C-O-C number : ----
Site : ----
Sampler :

Page : 1 of 4
Quote number : EM2015GOLASS0592 (EN-002-15)
QC Level : NEPM 2013 B3 & ALS QC Standard

Dates

Date Samples Received : 18-Dec-2015 4:00 PM
Client Requested Due Date : 04-Jan-2016

Issue Date : 22-Dec-2015
Scheduled Reporting Date : 04-Jan-2016

Delivery Details

Mode of Delivery : Client Drop Off
No. of coolers/boxes : 6

Security Seal : Not Available
Temperature : 6.3, 8.2, 9.1, 0.9, 3.2, 3.7°C
- Ice present

Receipt Detail : No. of samples received / analysed : 70 / 55

General Comments

- This report contains the following information:
- Sample Container(s)/Preservation Non-Compliances
- Summary of Sample(s) and Requested Analysis
- Proactive Holding Time Report
- Requested Deliverables
Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
PFOS/PFOA analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The expected due date for his data is 11/01/2016.
Please direct any turn around / technical queries to the laboratory contact designated above.
Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exist.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

Matrix: **SOIL**

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS
EB1538415-001	[ 16-Dec-2015 ]	AM-BH05 0.00-0.25		✓		
EB1538415-002	[ 16-Dec-2015 ]	AM-BH05 0.25-0.50		✓		
EB1538415-003	[ 16-Dec-2015 ]	AM-BH05 0.50-0.75		✓		
EB1538415-004	[ 16-Dec-2015 ]	AM-BH05 0.75-1.00		✓		
EB1538415-005	[ 16-Dec-2015 ]	AM-BH05 1.00-1.25		✓		
EB1538415-006	[ 16-Dec-2015 ]	AM-BH05 1.25-1.50		✓		
EB1538415-007	[ 16-Dec-2015 ]	AM-BH05 1.50-1.75		✓		
EB1538415-008	[ 16-Dec-2015 ]	AM-BH05 1.75-2.00		✓		
EB1538415-009	[ 16-Dec-2015 ]	AM-BH05 2.00-2.25		✓		
EB1538415-010	[ 16-Dec-2015 ]	AM-BH05 2.25-2.50		✓		
EB1538415-011	[ 16-Dec-2015 ]	AM-BH05 2.50-2.75		✓		
EB1538415-012	[ 16-Dec-2015 ]	AM-BH05 2.75-3.00		✓		
EB1538415-013	[ 16-Dec-2015 ]	AM-BH05 0.00-0.50	✓			
EB1538415-014	[ 16-Dec-2015 ]	AM-BH05 0.50-1.00			✓	✓
EB1538415-015	[ 16-Dec-2015 ]	AM-BH05 1.00-1.50	✓			
EB1538415-016	[ 16-Dec-2015 ]	AM-BH05 1.50-2.00	✓			
EB1538415-017	[ 16-Dec-2015 ]	AM-BH05 2.00-2.50	✓			
EB1538415-018	[ 16-Dec-2015 ]	AM-BH05 2.50-3.00			✓	✓
EB1538415-019	[ 16-Dec-2015 ]	AM-BH06 0.00-0.25		✓		
EB1538415-020	[ 16-Dec-2015 ]	AM-BH06 0.25-0.50		✓		
EB1538415-021	[ 16-Dec-2015 ]	AM-BH06 0.50-0.75		✓		
EB1538415-022	[ 16-Dec-2015 ]	AM-BH06 0.75-1.00		✓		
EB1538415-023	[ 16-Dec-2015 ]	AM-BH06 1.00-1.25		✓		
EB1538415-024	[ 16-Dec-2015 ]	AM-BH06 1.25-1.50		✓		
EB1538415-025	[ 16-Dec-2015 ]	AM-BH06 1.50-1.75		✓		
EB1538415-026	[ 16-Dec-2015 ]	AM-BH06 1.75-2.00		✓		
EB1538415-027	[ 16-Dec-2015 ]	AM-BH06 2.00-2.25		✓		
EB1538415-028	[ 16-Dec-2015 ]	AM-BH06 2.25-2.50		✓		
EB1538415-029	[ 16-Dec-2015 ]	AM-BH06 2.50-2.75		✓		
EB1538415-030	[ 16-Dec-2015 ]	AM-BH06 2.75-3.00		✓		
EB1538415-031	[ 16-Dec-2015 ]	AM-BH06 0.00-0.50	✓			
EB1538415-032	[ 16-Dec-2015 ]	AM-BH06 0.50-1.00			✓	✓
EB1538415-033	[ 16-Dec-2015 ]	AM-BH06 1.00-1.50	✓			
EB1538415-034	[ 16-Dec-2015 ]	AM-BH06 1.50-2.00	✓			
EB1538415-035	[ 16-Dec-2015 ]	AM-BH06 2.00-2.50	✓			





			(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS
EB1538415-036	[ 16-Dec-2015 ]	AM-BH06 2.50-3.00			✓	✓
EB1538415-037	[ 16-Dec-2015 ]	AM-BH07 0.00-0.25		✓		
EB1538415-038	[ 16-Dec-2015 ]	AM-BH07 0.50-0.75		✓		
EB1538415-039	[ 16-Dec-2015 ]	AM-BH07 0.75-1.00		✓		
EB1538415-040	[ 16-Dec-2015 ]	AM-BH07 1.00-1.25		✓		
EB1538415-041	[ 16-Dec-2015 ]	AM-BH07 1.25-1.50		✓		
EB1538415-042	[ 16-Dec-2015 ]	AM-BH07 1.50-1.75		✓		
EB1538415-043	[ 16-Dec-2015 ]	AM-BH07 1.75-2.00		✓		
EB1538415-044	[ 16-Dec-2015 ]	AM-BH07 2.00-2.25		✓		
EB1538415-045	[ 16-Dec-2015 ]	AM-BH07 2.25-2.50		✓		
EB1538415-046	[ 16-Dec-2015 ]	AM-BH07 2.50-2.75		✓		
EB1538415-047	[ 16-Dec-2015 ]	AM-BH07 2.75-3.00		✓		
EB1538415-048	[ 16-Dec-2015 ]	AM-BH07 0.00-0.50			✓	✓
EB1538415-049	[ 16-Dec-2015 ]	AM-BH07 1.00-1.50	✓			
EB1538415-050	[ 16-Dec-2015 ]	AM-BH07 1.50-2.00			✓	✓
EB1538415-051	[ 16-Dec-2015 ]	AM-BH07 2.00-2.50	✓			
EB1538415-052	[ 16-Dec-2015 ]	AM-BH07 2.50-3.00	✓			
EB1538415-053	[ 16-Dec-2015 ]	AM-BH08 0.00-0.25		✓		
EB1538415-054	[ 16-Dec-2015 ]	AM-BH08 0.25-0.50		✓		
EB1538415-055	[ 16-Dec-2015 ]	AM-BH08 0.50-0.75		✓		
EB1538415-056	[ 16-Dec-2015 ]	AM-BH08 0.75-1.00		✓		
EB1538415-057	[ 16-Dec-2015 ]	AM-BH08 1.00-1.25		✓		
EB1538415-058	[ 16-Dec-2015 ]	AM-BH08 1.25-1.50		✓		
EB1538415-059	[ 16-Dec-2015 ]	AM-BH08 1.50-1.75		✓		
EB1538415-060	[ 16-Dec-2015 ]	AM-BH08 1.75-2.00		✓		
EB1538415-061	[ 16-Dec-2015 ]	AM-BH08 2.00-2.25		✓		
EB1538415-062	[ 16-Dec-2015 ]	AM-BH08 2.25-2.50		✓		
EB1538415-063	[ 16-Dec-2015 ]	AM-BH08 2.50-2.75		✓		
EB1538415-064	[ 16-Dec-2015 ]	AM-BH08 2.75-3.00		✓		
EB1538415-065	[ 16-Dec-2015 ]	AM-BH08 0.00-0.50			✓	✓
EB1538415-066	[ 16-Dec-2015 ]	AM-BH08 0.50-1.00	✓			
EB1538415-067	[ 16-Dec-2015 ]	AM-BH08 1.00-1.50			✓	✓
EB1538415-068	[ 16-Dec-2015 ]	AM-BH08 1.50-2.00	✓			
EB1538415-069	[ 16-Dec-2015 ]	AM-BH08 2.00-2.50	✓			
EB1538415-070	[ 16-Dec-2015 ]	AM-BH08 2.50-3.00	✓			

### Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.





Project ID:	1538021	Quote/Order No.:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone:	(07) 3721 5400
Site Location:	BNE Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax:	(07) 3721 5401
Sampled By:	Tamara Siccama	BY:		Project Manager:	Krystal-Rae Biram	Email: K.Biram@golder.com.au
Turnaround (Days):	5	Report Format:		Contact Phone:	07 37215400	
Report Format:		HARD	FAX	DISK		EMAIL BULLETIN BOARD
Email Format:		PDF	Excel	Other		Email Add: tsiccama@golder.com.au

Comments/Special Instructions:							No CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED																
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE				HOLD	EA017 - pH/EPH/FOX - Fast Screen	EN/01PR - dry SS&C and pulverise	EP231-PFC (PFS/FOA extended suite with 20 analytes)	S-26 (TRH/BTEX/PAH/8 metals)												
Samples from a declared Fire Ant Area: N																									
Samples taken from a known Weed and or Pest Area: N																									
19	AM-BH06	0.00	0.25	Soil	16/12/2015	Bag	Frozen	1	N																
20	AM-BH06	0.25	0.50	Soil	16/12/2015	Bag	Frozen	1	N																
21	AM-BH06	0.50	0.75	Soil	16/12/2015	Bag	Frozen	1	N																
22	AM-BH06	0.75	1.00	Soil	16/12/2015	Bag	Frozen	1	N																
23	AM-BH06	1.00	1.25	Soil	16/12/2015	Bag	Frozen	1	N																
24	AM-BH06	1.25	1.50	Soil	16/12/2015	Bag	Frozen	1	N																
25	AM-BH06	1.50	1.75	Soil	16/12/2015	Bag	Frozen	1	N																
26	AM-BH06	1.75	2.00	Soil	16/12/2015	Bag	Frozen	1	N																
27	AM-BH06	2.00	2.25	Soil	16/12/2015	Bag	Frozen	1	N																
28	AM-BH06	2.25	2.50	Soil	16/12/2015	Bag	Frozen	1	N																
29	AM-BH06	2.50	2.75	Soil	16/12/2015	Bag	Frozen	1	N																
30	AM-BH06	2.75	3.00	Soil	16/12/2015	Bag	Frozen	1	N																
31	AM-BH06	0.00	0.50	Soil	16/12/2015	Jar	Chilled	1	N																
32	AM-BH06	0.50	1.00	Soil	16/12/2015	Jar	Chilled	1	N																
33	AM-BH06	1.00	1.50	Soil	16/12/2015	Jar	Chilled	1	N																
34	AM-BH06	1.50	2.00	Soil	16/12/2015	Jar	Chilled	1	N																
35	AM-BH06	2.00	2.50	Soil	16/12/2015	Jar	Chilled	1	N																
36	AM-BH06	2.50	3.00	Soil	16/12/2015	Jar	Chilled	1	N																

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P		COMPANY		DATE	TIME	SIGNATURE		COMPANY	DATE	TIME	Shipment Method
RELEASED BY	Tamara Siccama	GOLDER	18/12/2015			RELEASED BY					Shipping Ref:
RECEIVED BY						RECEIVED BY					
RECEIVED BY						To Be Filled Out By Analysing Laboratory		LAB. BATCH NUMBER			
RECEIVED BY						Security Seal		Chilled		Bill to:	
RECEIVED BY						Suitable Containers		Frozen		Address	
RECEIVED BY						Cool Box		Ambient			

Project ID: 1538021		Quote/Order No.: EN/002/15		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400	
Site Location: BNE Airport		Lab Name: ALS Environmental		147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401	
Sampled By: Tamara Siccama		BY:		Invoice to be sent to Accounts: auaccounts@payablez@golder.com.au		Project Manager: Krystal-Rae Biram	
Turnaround (Days): 5		EMAIL BULLETIN BOARD		Contact Phone: 07 37215400		Email: KBiram@golder.com.au	
Report Format: HARD		FAX DISK		Email Add: tsiccama@golder.com.au		ANALYSIS REQUIRED	
Email Format: PDF		Excel Other					
Comments/Special Instructions:							
Samples from a declared Fire Ant Area: N							
Samples taken from a known Weed and or Pest Area: N							
	SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	
37	AM-BH07	0.00	Soil	17/12/2015		Bag Frozen	1 N
	AM-BH07	0.25	Soil	17/12/2015		Bag Frozen	1 N
38	AM-BH07	0.50	Soil	17/12/2015		Bag Frozen	1 N
39	AM-BH07	0.75	Soil	17/12/2015		Bag Frozen	1 N
40	AM-BH07	1.00	Soil	17/12/2015		Bag Frozen	1 N
41	AM-BH07	1.25	Soil	17/12/2015		Bag Frozen	1 N
42	AM-BH07	1.50	Soil	17/12/2015		Bag Frozen	1 N
43	AM-BH07	1.75	Soil	17/12/2015		Bag Frozen	1 N
44	AM-BH07	2.00	Soil	17/12/2015		Bag Frozen	1 N
45	AM-BH07	2.25	Soil	17/12/2015		Bag Frozen	1 N
46	AM-BH07	2.50	Soil	17/12/2015		Bag Frozen	1 N
47	AM-BH07	2.75	Soil	17/12/2015		Bag Frozen	1 N
48	AM-BH07	3.00	Soil	17/12/2015		Bag Frozen	1 N
49	AM-BH07	0.00	Soil	17/12/2015		Jar Chilled	1 N
50	AM-BH07	0.50	Soil	17/12/2015		Jar Chilled	1 N
51	AM-BH07	1.00	Soil	17/12/2015		Jar Chilled	1 N
52	AM-BH07	1.50	Soil	17/12/2015		Jar Chilled	1 N
	AM-BH07	2.00	Soil	17/12/2015		Jar Chilled	1 N
	AM-BH07	2.50	Soil	17/12/2015		Jar Chilled	1 N
	AM-BH07	3.00	Soil	17/12/2015		Jar Chilled	1 N
SAMPLE MATRIX = Soil/Sediment/Fill/Other							
SAMPLE TYPE = Core(CR)							
HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list							
Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P							
SIGNATURE		COMPANY		DATE		TIME	
RELEASED BY: Tamara Siccama		GOLDER		18/12/2015			
RECEIVED BY						Shipping Ref:	
RECEIVED BY							
RECEIVED BY							
RECEIVED BY							
RECEIVED BY							
RECEIVED BY							
To Be Filled Out By Analysing Laboratory				LAB. BATCH NUMBER			
Security Seal				Chilled			
Suitable Containers				Frozen			
Cool Box				Ambient			
				Bill to:			
				Address			

Project ID:	1538021	Quote/Order No.:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location:	BNE Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fac: (07) 3721 5401
Sampled By:	Tamara Siccama	Invoice to be sent to Accounts: <a href="mailto:aaaccounts@valve/golder.com.au">aaaccounts@valve/golder.com.au</a>			
Turnaround (Days):	5	BY:	Project Manager: Krystal-Rae Biram Contact Phone: 07 37215400 Email: KBiram@golder.com.au		
Report Format:	HARD FAX DISK EMAIL BULLETIN BOARD	Email Format: PDF Excel Other Email Add: <a href="mailto:tsiccama@golder.com.au">tsiccama@golder.com.au</a>			

Comments/Special Instructions:								ANALYSIS REQUIRED																		
Samples from a declared Fire Ant Area:								No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pH/FOX - Past Screen	EN020PR - dry 85°C and pulverise	EP231-PFC (PFS/PEFOA extended suite with 20 analytes)	S-26 (TEA/BTEX/PAHs metals)												
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE																					
AM-BH08	0.00 0.25	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	0.25 0.50	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	0.50 0.75	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	0.75 1.00	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	1.00 1.25	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	1.25 1.50	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	1.50 1.75	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	1.75 2.00	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	2.00 2.25	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	2.25 2.50	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	2.50 2.75	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	2.75 3.00	Soil	17/12/2015		Bag	Frozen	1	N		x	x															
AM-BH08	0.00 0.50	Soil	17/12/2015		Jar	Chilled	1	N				x														
AM-BH08	0.50 1.00	Soil	17/12/2015		Jar	Chilled	1	N	x				x													
AM-BH08	1.00 1.50	Soil	17/12/2015		Jar	Chilled	1	N						x												
AM-BH08	1.50 2.00	Soil	17/12/2015		Jar	Chilled	1	N	x																	
AM-BH08	2.00 2.50	Soil	17/12/2015		Jar	Chilled	1	N	x																	
AM-BH08	2.50 3.00	Soil	17/12/2015		Jar	Chilled	1	N	x																	

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P								
SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
RELEASED BY: Tamara Siccama	GOLDER	18/12/2015		RELEASED BY:				Shipping Ref:
RECEIVED BY:				RECEIVED BY:				
RECEIVED BY:				To Be Filled Out By Analysing Laboratory	LAB. BATCH NUMBER			
RECEIVED BY:				Security Seal		Chilled		Bill to:
RECEIVED BY:				Suitable Containers		Frozen		Address
RECEIVED BY:				Cool Box		Ambient		

53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70

## CERTIFICATE OF ANALYSIS

Work Order	: <b>EB1538419</b>	Page	: 1 of 47
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	QC Level	: NEPM 2013 B3 & ALS QC Standard
Order number	: 1538021	Date Samples Received	: 18-Dec-2015 16:00
C-O-C number	: ----	Date Analysis Commenced	: 23-Dec-2015
Sampler	: TAMARA SICCAMI	Issue Date	: 06-Jan-2016 16:55
Site	: ----		
Quote number	: ----	No. of samples received	: 77
		No. of samples analysed	: 54

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Hoa Nguyen	Senior Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Acid Sulphate Soils, Stafford, QLD Brisbane Inorganics, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD
Nanthini Coilparampi	Laboratory Manager - Inorganics	Sydney Inorganics, Smithfield, NSW





## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.

- EG005T (Total Metals): Sample EB1538312-001 shows poor matrix spike recovery due to sample heterogeneity. Confirmed by visual inspection.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.  
Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.
- PFOS and PFOA results are reported as an aggregate of linear and branched isomers.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 0.00-0.25	AM-BH09 0.25-0.50	AM-BH09 0.50-0.75	AM-BH09 0.75-1.00	AM-BH09 1.00-1.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-001	EB1538419-002	EB1538419-003	EB1538419-004	EB1538419-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	7.3	7.4	4.6	3.8	5.5	
pH (Fox)	----	0.1	pH Unit	4.1	5.3	3.2	2.1	3.1	
Reaction Rate	----	1	-	3	3	2	2	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 0.00-0.25	AM-BH09 0.25-0.50	AM-BH09 0.50-0.75	AM-BH09 0.75-1.00	AM-BH09 1.00-1.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-001	EB1538419-002	EB1538419-003	EB1538419-004	EB1538419-005	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 0.00-0.25	AM-BH09 0.25-0.50	AM-BH09 0.50-0.75	AM-BH09 0.75-1.00	AM-BH09 1.00-1.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-001	EB1538419-002	EB1538419-003	EB1538419-004	EB1538419-005	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 0.00-0.25	AM-BH09 0.25-0.50	AM-BH09 0.50-0.75	AM-BH09 0.75-1.00	AM-BH09 1.00-1.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-001	EB1538419-002	EB1538419-003	EB1538419-004	EB1538419-005	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PfUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 1.25-1.50	AM-BH09 1.50-1.75	AM-BH09 1.75-2.00	AM-BH09 2.00-2.25	AM-BH09 2.25-2.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-006	EB1538419-007	EB1538419-008	EB1538419-009	EB1538419-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.8	4.5	4.3	4.2	4.3	
pH (Fox)	----	0.1	pH Unit	2.8	2.9	2.4	2.4	2.5	
Reaction Rate	----	1	-	4	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 1.25-1.50	AM-BH09 1.50-1.75	AM-BH09 1.75-2.00	AM-BH09 2.00-2.25	AM-BH09 2.25-2.50
Client sampling date / time					[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-006	EB1538419-007	EB1538419-008	EB1538419-009	EB1538419-010
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 1.25-1.50	AM-BH09 1.50-1.75	AM-BH09 1.75-2.00	AM-BH09 2.00-2.25	AM-BH09 2.25-2.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-006	EB1538419-007	EB1538419-008	EB1538419-009	EB1538419-010	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 1.25-1.50	AM-BH09 1.50-1.75	AM-BH09 1.75-2.00	AM-BH09 2.00-2.25	AM-BH09 2.25-2.50
Client sampling date / time					[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-006	EB1538419-007	EB1538419-008	EB1538419-009	EB1538419-010
					Result	Result	Result	Result	Result
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg		----	----	----	----	----
PfUnA	2058-94-8	0.0002	mg/kg		----	----	----	----	----
PFDoA	307-55-1	0.0002	mg/kg		----	----	----	----	----
PFTriA	72629-94-8	0.0002	mg/kg		----	----	----	----	----
PFTeA	376-06-7	0.001	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 2.50-2.75	AM-BH09 2.75-3.00	AM-BH09 0.00-0.50	AM-BH09 0.50-1.00	AM-BH17 0.00-0.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-011	EB1538419-012	EB1538419-013	EB1538419-014	EB1538419-019	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	5.3	4.8	----	----	6.1	
pH (Fox)	----	0.1	pH Unit	3.0	3.0	----	----	3.8	
Reaction Rate	----	1	-	3	2	----	----	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	10.8	19.4	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 2.50-2.75	AM-BH09 2.75-3.00	AM-BH09 0.00-0.50	AM-BH09 0.50-1.00	AM-BH17 0.00-0.25
Client sampling date / time					[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[18-Dec-2015]
Compound	CAS Number	LOR	Unit	EB1538419-011	EB1538419-012	EB1538419-013	EB1538419-014	EB1538419-019	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 2.50-2.75	AM-BH09 2.75-3.00	AM-BH09 0.00-0.50	AM-BH09 0.50-1.00	AM-BH17 0.00-0.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-011	EB1538419-012	EB1538419-013	EB1538419-014	EB1538419-019	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	<0.005	<0.005	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 2.50-2.75	AM-BH09 2.75-3.00	AM-BH09 0.00-0.50	AM-BH09 0.50-1.00	AM-BH17 0.00-0.25
Client sampling date / time					[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[18-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-011	EB1538419-012	EB1538419-013	EB1538419-014	EB1538419-019
					Result	Result	Result	Result	Result
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg		----	----	<0.0002	<0.0002	----
PfUnA	2058-94-8	0.0002	mg/kg		----	----	<0.0002	<0.0002	----
PFDoA	307-55-1	0.0002	mg/kg		----	----	<0.0002	<0.0002	----
PFTriA	72629-94-8	0.0002	mg/kg		----	----	<0.0002	<0.0002	----
PFTeA	376-06-7	0.001	mg/kg		----	----	<0.001	<0.001	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 0.25-0.50	AM-BH17 0.50-0.75	AM-BH17 0.75-1.00	AM-BH17 1.00-1.25	AM-BH17 1.25-1.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-020	EB1538419-021	EB1538419-022	EB1538419-023	EB1538419-024	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	5.8	7.9	8.0	8.1	8.5	
pH (Fox)	----	0.1	pH Unit	3.4	6.0	2.6	4.0	1.7	
Reaction Rate	----	1	-	2	3	4	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 0.25-0.50	AM-BH17 0.50-0.75	AM-BH17 0.75-1.00	AM-BH17 1.00-1.25	AM-BH17 1.25-1.50
Client sampling date / time					[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-020	EB1538419-021	EB1538419-022	EB1538419-023	EB1538419-024
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----







## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 0.25-0.50	AM-BH17 0.50-0.75	AM-BH17 0.75-1.00	AM-BH17 1.00-1.25	AM-BH17 1.25-1.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-020	EB1538419-021	EB1538419-022	EB1538419-023	EB1538419-024	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PfUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 1.50-1.75	AM-BH17 1.75-2.00	AM-BH17 2.00-2.25	AM-BH17 2.25-2.50	AM-BH17 2.50-2.75
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-025	EB1538419-026	EB1538419-027	EB1538419-028	EB1538419-029	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	8.3	8.3	8.3	8.4	8.4	
pH (Fox)	----	0.1	pH Unit	2.0	1.8	1.5	1.6	1.7	
Reaction Rate	----	1	-	4	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 1.50-1.75	AM-BH17 1.75-2.00	AM-BH17 2.00-2.25	AM-BH17 2.25-2.50	AM-BH17 2.50-2.75
Client sampling date / time					[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-025	EB1538419-026	EB1538419-027	EB1538419-028	EB1538419-029
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 1.50-1.75	AM-BH17 1.75-2.00	AM-BH17 2.00-2.25	AM-BH17 2.25-2.50	AM-BH17 2.50-2.75
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-025	EB1538419-026	EB1538419-027	EB1538419-028	EB1538419-029	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 1.50-1.75	AM-BH17 1.75-2.00	AM-BH17 2.00-2.25	AM-BH17 2.25-2.50	AM-BH17 2.50-2.75
Client sampling date / time					[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-025	EB1538419-026	EB1538419-027	EB1538419-028	EB1538419-029
					Result	Result	Result	Result	Result
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg		----	----	----	----	----
PfUnA	2058-94-8	0.0002	mg/kg		----	----	----	----	----
PFDoA	307-55-1	0.0002	mg/kg		----	----	----	----	----
PFTriA	72629-94-8	0.0002	mg/kg		----	----	----	----	----
PFTeA	376-06-7	0.001	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 2.75-3.00	AM-BH17 0.00-0.50	AM-BH17 1.00-1.50	AM-BH19 0.00-0.25	AM-BH19 0.25-0.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-030	EB1538419-031	EB1538419-033	EB1538419-038	EB1538419-039	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	8.5	----	----	7.4	5.0	
pH (Fox)	----	0.1	pH Unit	1.7	----	----	3.6	2.4	
Reaction Rate	----	1	-	4	----	----	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	15.8	54.2	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 2.75-3.00	AM-BH17 0.00-0.50	AM-BH17 1.00-1.50	AM-BH19 0.00-0.25	AM-BH19 0.25-0.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-030	EB1538419-031	EB1538419-033	EB1538419-038	EB1538419-039	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 2.75-3.00	AM-BH17 0.00-0.50	AM-BH17 1.00-1.50	AM-BH19 0.00-0.25	AM-BH19 0.25-0.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-030	EB1538419-031	EB1538419-033	EB1538419-038	EB1538419-039	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	<0.0005	<0.0005	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	<0.0005	<0.0005	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	<0.005	<0.005	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	<0.001	<0.001	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	<0.001	<0.001	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 2.75-3.00	AM-BH17 0.00-0.50	AM-BH17 1.00-1.50	AM-BH19 0.00-0.25	AM-BH19 0.25-0.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-030	EB1538419-031	EB1538419-033	EB1538419-038	EB1538419-039	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFUaA	2058-94-8	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFDaA	307-55-1	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	<0.001	<0.001	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.50-0.75	AM-BH19 0.75-1.00	AM-BH19 1.00-1.25	AM-BH19 1.25-1.50	AM-BH19 1.50-1.75
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-040	EB1538419-041	EB1538419-042	EB1538419-043	EB1538419-044	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.5	4.4	4.3	6.0	6.3	
pH (Fox)	----	0.1	pH Unit	1.9	2.7	2.5	2.5	2.6	
Reaction Rate	----	1	-	3	3	2	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.50-0.75	AM-BH19 0.75-1.00	AM-BH19 1.00-1.25	AM-BH19 1.25-1.50	AM-BH19 1.50-1.75
Client sampling date / time					[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-040	EB1538419-041	EB1538419-042	EB1538419-043	EB1538419-044
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.50-0.75	AM-BH19 0.75-1.00	AM-BH19 1.00-1.25	AM-BH19 1.25-1.50	AM-BH19 1.50-1.75
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-040	EB1538419-041	EB1538419-042	EB1538419-043	EB1538419-044	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PfUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 1.75-2.00	AM-BH19 2.00-2.25	AM-BH19 2.25-2.50	AM-BH19 2.50-2.75	AM-BH19 2.75-3.00
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-045	EB1538419-046	EB1538419-047	EB1538419-048	EB1538419-049	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.4	6.4	6.5	6.2	6.1	
pH (Fox)	----	0.1	pH Unit	3.5	3.7	4.0	2.0	2.0	
Reaction Rate	----	1	-	3	3	3	4	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 1.75-2.00	AM-BH19 2.00-2.25	AM-BH19 2.25-2.50	AM-BH19 2.50-2.75	AM-BH19 2.75-3.00
Client sampling date / time					[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-045	EB1538419-046	EB1538419-047	EB1538419-048	EB1538419-049
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 1.75-2.00	AM-BH19 2.00-2.25	AM-BH19 2.25-2.50	AM-BH19 2.50-2.75	AM-BH19 2.75-3.00
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-045	EB1538419-046	EB1538419-047	EB1538419-048	EB1538419-049	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 1.75-2.00	AM-BH19 2.00-2.25	AM-BH19 2.25-2.50	AM-BH19 2.50-2.75	AM-BH19 2.75-3.00
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-045	EB1538419-046	EB1538419-047	EB1538419-048	EB1538419-049	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PfUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.00-0.50	AM-BH19 1.50-2.00	AM-BH20 0.00-0.50	AM-BH21 0.50-1.00	AM-BH22 1.00-1.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-050	EB1538419-053	EB1538419-056	EB1538419-057	EB1538419-058	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	----	----	----	----	----	
pH (Fox)	----	0.1	pH Unit	----	----	----	----	----	
Reaction Rate	----	1	-	----	----	----	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	<b>32.7</b>	<b>26.9</b>	<b>31.6</b>	<b>24.5</b>	<b>39.8</b>	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	<b>25</b>	<b>11</b>	<b>20</b>	
Cadmium	7440-43-9	1	mg/kg	----	----	<1	<1	<1	
Chromium	7440-47-3	2	mg/kg	----	----	<b>30</b>	<b>54</b>	<b>58</b>	
Copper	7440-50-8	5	mg/kg	----	----	<b>30</b>	<b>12</b>	<b>19</b>	
Lead	7439-92-1	5	mg/kg	----	----	<b>35</b>	<b>7</b>	<b>42</b>	
Nickel	7440-02-0	2	mg/kg	----	----	<b>38</b>	<b>7</b>	<b>14</b>	
Zinc	7440-66-6	5	mg/kg	----	----	<b>90</b>	<b>25</b>	<b>35</b>	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	<0.1	<0.1	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.00-0.50	AM-BH19 1.50-2.00	AM-BH20 0.00-0.50	AM-BH21 0.50-1.00	AM-BH22 1.00-1.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-050	EB1538419-053	EB1538419-056	EB1538419-057	EB1538419-058	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	<0.2	<0.2	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	<0.2	<0.2	<0.2	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	<50	<50	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	120	<100	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	<100	<100	<100	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	120	<50	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	<50	<50	<50	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	<50	<50	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	<100	<100	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	<100	<100	<100	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	<50	<50	<50	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	<0.5	<0.5	<0.5	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.00-0.50	AM-BH19 1.50-2.00	AM-BH20 0.00-0.50	AM-BH21 0.50-1.00	AM-BH22 1.00-1.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-050	EB1538419-053	EB1538419-056	EB1538419-057	EB1538419-058	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	0.6	0.6	0.6	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	1.2	1.2	1.2	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	<10	<10	<10	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	<10	<10	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	<10	<10	<10	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	<0.2	<0.2	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	<0.2	<0.2	<0.2	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Naphthalene	91-20-3	1	mg/kg	----	----	<1	<1	<1	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	<0.001	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.00-0.50	AM-BH19 1.50-2.00	AM-BH20 0.00-0.50	AM-BH21 0.50-1.00	AM-BH22 1.00-1.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-050	EB1538419-053	EB1538419-056	EB1538419-057	EB1538419-058	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PfUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	67.2	87.8	66.1	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	60.1	72.7	56.6	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	101	99.7	94.3	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	99.7	101	93.0	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	69.2	59.5	57.7	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	104	101	102	
Anthracene-d10	1719-06-8	0.5	%	----	----	95.9	91.7	90.9	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	101	107	104	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	93.3	103	81.5	
Toluene-D8	2037-26-5	0.2	%	----	----	75.4	103	77.0	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	71.2	86.3	68.0	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH23 0.50-1.00	AM-BH28 0.00-0.25	AM-BH28 0.25-0.50	AM-BH28 0.50-0.75	AM-BH28 1.50-1.75
Client sampling date / time				[17-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-059	EB1538419-060	EB1538419-061	EB1538419-062	EB1538419-063	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	----	4.9	4.8	5.4	6.9	
pH (Fox)	----	0.1	pH Unit	----	3.0	2.8	1.7	1.5	
Reaction Rate	----	1	-	----	3	3	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	26.8	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	14	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	30	----	----	----	----	
Copper	7440-50-8	5	mg/kg	8	----	----	----	----	
Lead	7439-92-1	5	mg/kg	13	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	6	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	24	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH23 0.50-1.00	AM-BH28 0.00-0.25	AM-BH28 0.25-0.50	AM-BH28 0.50-0.75	AM-BH28 1.50-1.75
Client sampling date / time				[17-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-059	EB1538419-060	EB1538419-061	EB1538419-062	EB1538419-063	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	<0.2	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	<100	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(b+)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	<0.5	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----	







## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH23 0.50-1.00	AM-BH28 0.00-0.25	AM-BH28 0.25-0.50	AM-BH28 0.50-0.75	AM-BH28 1.50-1.75
Client sampling date / time				[17-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]
Compound	CAS Number	LOR	Unit	EB1538419-059	EB1538419-060	EB1538419-061	EB1538419-062	EB1538419-063	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	----
PfUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	----
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	----
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	----
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	81.4	----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	66.3	----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	96.2	----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%	98.9	----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%	55.8	----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	103	----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%	87.5	----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%	104	----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	72.4	----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%	68.4	----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%	75.2	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH28 2.50-2.75	AM-BH28 2.75-3.00	AM-BH28 0.00-0.50	AM-BH28 2.50-3.00	----
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	----	
Compound	CAS Number	LOR	Unit	EB1538419-064	EB1538419-065	EB1538419-066	EB1538419-069	-----	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.6	7.3	----	----	----	
pH (Fox)	----	0.1	pH Unit	2.0	2.1	----	----	----	
Reaction Rate	----	1	-	4	4	----	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	15.0	36.6	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH28 2.50-2.75	AM-BH28 2.75-3.00	AM-BH28 0.00-0.50	AM-BH28 2.50-3.00	----
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	----	
Compound	CAS Number	LOR	Unit	EB1538419-064	EB1538419-065	EB1538419-066	EB1538419-069	-----	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH28 2.50-2.75	AM-BH28 2.75-3.00	AM-BH28 0.00-0.50	AM-BH28 2.50-3.00	----
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	----	
Compound	CAS Number	LOR	Unit	EB1538419-064	EB1538419-065	EB1538419-066	EB1538419-069	-----	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	<0.005	<0.005	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH28 2.50-2.75	AM-BH28 2.75-3.00	AM-BH28 0.00-0.50	AM-BH28 2.50-3.00	----
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	----	
Compound	CAS Number	LOR	Unit	EB1538419-064	EB1538419-065	EB1538419-066	EB1538419-069	-----	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PfUnA	2058-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	<0.001	<0.001	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: EB1538419</b>	<b>Page</b>	<b>: 1 of 13</b>
<b>Client</b>	<b>: GOLDER ASSOCIATES</b>	<b>Laboratory</b>	<b>: Environmental Division Brisbane</b>
<b>Contact</b>	<b>: MS KRYSTLE-RAE BIRAM</b>	<b>Contact</b>	<b>: Tom Maloney</b>
<b>Address</b>	<b>: P O BOX 1734 MILTON QLD, AUSTRALIA 4064</b>	<b>Address</b>	<b>: 2 Byth Street Stafford QLD Australia 4053</b>
<b>E-mail</b>	<b>: kbiram@golder.com.au</b>	<b>E-mail</b>	<b>: Tom.Maloney@alsglobal.com</b>
<b>Telephone</b>	<b>: +61 07 3721 5400</b>	<b>Telephone</b>	<b>: +61-7-3243 7222</b>
<b>Facsimile</b>	<b>: +61 07 3721 5401</b>	<b>Facsimile</b>	<b>: +61-7-3243 7218</b>
<b>Project</b>	<b>: 1538021</b>	<b>QC Level</b>	<b>: NEPM 2013 B3 &amp; ALS QC Standard</b>
<b>Order number</b>	<b>: 1538021</b>	<b>Date Samples Received</b>	<b>: 18-Dec-2015</b>
<b>C-O-C number</b>	<b>: ----</b>	<b>Date Analysis Commenced</b>	<b>: 23-Dec-2015</b>
<b>Sampler</b>	<b>: TAMARA SICCAMI</b>	<b>Issue Date</b>	<b>: 06-Jan-2016</b>
<b>Site</b>	<b>: ----</b>	<b>No. of samples received</b>	<b>: 77</b>
<b>Quote number</b>	<b>: ----</b>	<b>No. of samples analysed</b>	<b>: 54</b>

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
RPD = Relative Percentage Difference  
# = Indicates failed QC



NATA Accredited  
Laboratory 825

Accredited for  
compliance with  
ISO/IEC 17025.

## Signatories

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Hoa Nguyen	Senior Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Acid Sulphate Soils, Stafford, QLD
		Brisbane Inorganics, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD
Nanthini Coilparampi	Laboratory Manager - Inorganics	Sydney Inorganics, Smithfield, NSW



## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR:- 0% - 50%; Result > 20 times LOR:0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 318595)</b>									
EB1538419-001	AM-BH09 0.00-0.25	EA037: pH (F)	----	0.1	pH Unit	7.3	7.2	1.38	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.1	4.2	2.41	0% - 20%
EB1538419-011	AM-BH09 2.50-2.75	EA037: pH (F)	----	0.1	pH Unit	5.3	5.4	1.87	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.0	3.0	0.00	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318596)</b>									
EB1538419-027	AM-BH17 2.00-2.25	EA037: pH (F)	----	0.1	pH Unit	8.3	8.4	1.20	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	1.5	1.6	6.45	0% - 50%
EB1538419-044	AM-BH19 1.50-1.75	EA037: pH (F)	----	0.1	pH Unit	6.3	6.4	1.57	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.6	2.5	3.92	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318597)</b>									
EB1538419-064	AM-BH28 2.50-2.75	EA037: pH (F)	----	0.1	pH Unit	6.6	6.5	1.53	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.0	1.9	5.13	0% - 20%
<b>EA055: Moisture Content (QC Lot: 319294)</b>									
EB1538235-006	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	15.1	14.1	6.52	0% - 50%
EB1538472-002	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	45.7	51.2	11.3	0% - 20%
<b>EA055: Moisture Content (QC Lot: 319729)</b>									
EB1538419-013	AM-BH09 0.00-0.50	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	10.8	9.5	13.0	0% - 50%
EB1538478-025	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	19.4	19.6	1.13	0% - 50%
<b>EG005T: Total Metals by ICP-AES (QC Lot: 319210)</b>									
EB1538312-002	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	4	4	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	11	11	0.00	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	3	5	37.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	7	7	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	69	71	2.72	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	78	80	2.88	0% - 50%
		EG005T: Zinc	7440-66-6	5	mg/kg	522	539	3.21	0% - 20%
EB1538596-003	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	6	6	0.00	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	4	5	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	13	13	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	41	42	3.58	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	104	108	3.44	0% - 20%
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 319209)</b>									
EB1538301-022	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 319209) - continued</b>									
EB1538596-003	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 319065)</b>									
EB1538419-056	AM-BH20 0.00-0.50	EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit		
EB1538142-002	Anonymous	EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)	
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 319065) - continued</b>										
EB1538142-002	Anonymous	EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit	
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit	
		EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit	
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QC Lot: 319066)</b>										
EB1538419-056	AM-BH20 0.00-0.50	EP071SG-S: C10 - C14 Fraction	----	25	mg/kg	<50	<50	0.00	No Limit	
		EP071SG-S: C15 - C28 Fraction	----	50	mg/kg	<100	<100	0.00	No Limit	
		EP071SG-S: C29 - C36 Fraction	----	50	mg/kg	<100	110	11.2	No Limit	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QC Lot: 319066)</b>										
EB1538419-056	AM-BH20 0.00-0.50	EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	120	140	17.6	No Limit	
		EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit	
		EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 319064)</b>										
EB1538142-002	Anonymous	EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
			205-82-3							
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Indeno(1,2,3,cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit			
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 318903)</b>										
EB1538419-056	AM-BH20 0.00-0.50	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 318903)</b>										
EB1538419-056	AM-BH20 0.00-0.50	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit	
<b>EP080: BTEXN (QC Lot: 318903)</b>										
EB1538419-056	AM-BH20 0.00-0.50	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit	
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP080: BTEXN (QC Lot: 318903) - continued</b>									
EB1538419-056	AM-BH20 0.00-0.50	EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
			106-42-3						
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 319989)</b>									
EB1538415-036	Anonymous	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
EB1538408-013	Anonymous	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
<b>EP231: Perfluorinated Compounds (QC Lot: 319990)</b>									
EB1538415-036	Anonymous	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231: Perfluorinated Compounds (QC Lot: 319990) - continued</b>									
EB1538415-036	Anonymous	EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit
EB1538408-013	Anonymous	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 319991)</b>									
EB1538419-053	AM-BH19 1.50-2.00	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 319992)</b>									
EB1538419-053	AM-BH19 1.50-2.00	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 319210)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	118.9 mg/kg	102	84	123	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.43 mg/kg	100	88	117	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	22.7 mg/kg	103	83	125	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55 mg/kg	107	86	122	
EG005T: Lead	7439-92-1	5	mg/kg	<5	72.1 mg/kg	105	84	119	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	16.6 mg/kg	96.3	89	126	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	182.3 mg/kg	110	87	127	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 319209)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.09821 mg/kg	88.9	78	122	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 319065)</b>									
EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	111	60	123	
EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	108	62	121	
EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	105	80	142	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	103	70	130	
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	104	54	121	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	107	51	125	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	109	49	121	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	109	61	122	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	114	57	118	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	97.3	61	122	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	106	67	129	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	112	55	125	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	104	60	137	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	108	52	125	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	115	55	129	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	97.4	55	129	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	115	65	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	114	58	118	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	# 120	54	112	
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	95.5	53	136	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	117	56	119	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 319066)</b>									
EP071SG-S: C10 - C14 Fraction	----	25	mg/kg	<20	318 mg/kg	79.6	47	112	
EP071SG-S: C15 - C28 Fraction	----	50	mg/kg	<50	531 mg/kg	86.6	55	108	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 319066) - continued</b>									
EP071SG-S: C29 - C36 Fraction	----	50	mg/kg	<50	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 319066)</b>									
EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	82.9	46	115	
EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	85.7	53	113	
EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 319064)</b>									
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	98.9	83	121	
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	84.0	74	118	
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	106	72	115	
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	68.6	64	120	
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	77.4	76	121	
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	1.5 mg/kg	87.8	59	129	
	205-82-3								
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	100	64	131	
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	90.0	70	129	
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	98.2	66	119	
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	86.2	45	134	
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	97.2	70	116	
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	95.0	81	116	
EP075(SIM): Indeno(1,2,3-cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	86.8	53	135	
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	93.8	74	119	
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	102	72	117	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	100	70	134	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 318903)</b>									
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	103	66	120	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 318903)</b>									
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	102	66	119	
<b>EP080: BTEXN (QCLot: 318903)</b>									
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	94.6	73	105	
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	76.2	67	104	
EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	2 mg/kg	82.2	66	106	
	106-42-3								
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	85.4	72	115	
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	81.6	68	105	
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	83.3	73	105	
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>									
EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	0.00625 mg/kg	82.6	50	130	
EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	0.00625 mg/kg	73.0	30	130	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231: Perfluorinated Compounds (QCLot: 319989) - continued</b>									
EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	0.00625 mg/kg	110	50	130	
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	0.00625 mg/kg	118	30	130	
EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	71.5	50	130	
EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	103	50	130	
EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	76.7	50	130	
EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.9	50	130	
EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	80.4	50	130	
EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.2	36	130	
EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.0	50	130	
EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130	
EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.3	50	130	
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	0.00625 mg/kg	73.7	30	130	
EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	78.6	30	130	
EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130	
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>									
EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	0.00625 mg/kg	122	56	138	
EP231: 8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----	
EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	97.8	54	134	
EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	93.2	54	146	
<b>EP231: Perfluorinated Compounds (QCLot: 319991)</b>									
EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	0.00625 mg/kg	87.8	50	130	
EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	0.00625 mg/kg	87.5	30	130	
EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	0.00625 mg/kg	100	50	130	
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	0.00625 mg/kg	113	30	130	
EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.2	50	130	
EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.0	50	130	
EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	82.7	50	130	
EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	98.3	50	130	
EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.7	50	130	
EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.1	36	130	
EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	82.9	50	130	
EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	107	50	130	
EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	53.2	50	130	
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	0.00625 mg/kg	88.8	30	130	
EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	76.2	30	130	
EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130	
<b>EP231: Perfluorinated Compounds (QCLot: 319992)</b>									
EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	0.00625 mg/kg	105	56	138	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
						LCS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 319992) - continued</b>								
EP231: 8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----
EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	108	54	134
EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	94.6	54	146

**Matrix Spike (MS) Report**

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery(%) MS	Recovery Limits (%)	
					Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 319210)</b>							
EB1538312-001	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	93.5	70	130
		EG005T: Cadmium	7440-43-9	25 mg/kg	88.5	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	# 58.8	70	130
		EG005T: Copper	7440-50-8	50 mg/kg	# Not Determined	70	130
		EG005T: Lead	7439-92-1	50 mg/kg	83.4	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	77.7	70	130
		EG005T: Zinc	7440-66-6	50 mg/kg	# Not Determined	70	130
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 319209)</b>							
EB1538301-024	Anonymous	EG035T: Mercury	7439-97-6	5 mg/kg	78.8	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 319065)</b>							
EB1538142-007	Anonymous	EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	106	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	100	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	104	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	83.6	70	130
		EP068: gamma-BHC	58-89-9	0.5 mg/kg	102	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	108	70	130
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 319066)</b>							
EB1538419-057	AM-BH21 0.50-1.00	EP071SG-S: C10 - C14 Fraction	----	318 mg/kg	92.4	47	130
		EP071SG-S: C15 - C28 Fraction	----	531 mg/kg	100	55	130
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 319066)</b>							
EB1538419-057	AM-BH21 0.50-1.00	EP071SG-S: >C10 - C16 Fraction	----	428 mg/kg	97.1	46	130
		EP071SG-S: >C16 - C34 Fraction	----	395 mg/kg	97.4	53	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 319064)</b>							





Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 319064) - continued</b>							
EB1538142-007	Anonymous	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	95.8	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	96.2	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 318903)</b>							
EB1538419-057	AM-BH21 0.50-1.00	EP080: C6 - C9 Fraction	----	8 mg/kg	80.6	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 318903)</b>							
EB1538419-057	AM-BH21 0.50-1.00	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	80.7	70	130
<b>EP080: BTEXN (QCLot: 318903)</b>							
EB1538419-057	AM-BH21 0.50-1.00	EP080: Benzene	71-43-2	2 mg/kg	84.6	70	130
		EP080: Toluene	108-88-3	2 mg/kg	85.1	70	130
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>							
EB1538408-013	Anonymous	EP231-PFC: N-Et-FOSA	4151-50-2	0.00625 mg/kg	116	50	130
		EP231-PFC: N-Et-FOSE	1691-99-2	0.00625 mg/kg	114	30	130
		EP231-PFC: N-Me-FOSA	31506-32-8	0.00625 mg/kg	127	50	130
		EP231-PFC: N-Me-FOSE	2448-09-7	0.00625 mg/kg	106	30	130
		EP231-PFC: PFBS	375-73-5	0.00125 mg/kg	103	50	130
		EP231-PFC: PFDcA	335-76-2	0.00125 mg/kg	69.2	50	130
		EP231-PFC: PFDcS	67906-42-7	0.00125 mg/kg	67.7	50	130
		EP231-PFC: PFDcA	307-55-1	0.00125 mg/kg	113	50	130
		EP231-PFC: PFHpA	375-85-9	0.00125 mg/kg	101	50	130
		EP231-PFC: PFHxA	307-24-4	0.00125 mg/kg	79.3	30	130
		EP231-PFC: PFHxS	355-46-4	0.00125 mg/kg	106	50	130
		EP231-PFC: PFNA	375-95-1	0.00125 mg/kg	81.3	50	130
		EP231-PFC: PFOSA	754-91-6	0.00125 mg/kg	71.7	50	130
		EP231-PFC: PFTeA	376-06-7	0.00625 mg/kg	65.5	30	130
		EP231-PFC: PFTriA	72629-94-8	0.00125 mg/kg	114	30	130
		EP231-PFC: PFUnA	2058-94-8	0.00125 mg/kg	123	50	130
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>							
EB1538408-013	Anonymous	EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.00625 mg/kg	131	56	138
		EP231: PFOA	335-67-1	0.00125 mg/kg	100	54	134
		EP231: PFOS	1763-23-1	0.00125 mg/kg	107	54	146
<b>EP231: Perfluorinated Compounds (QCLot: 319991)</b>							
EB1538419-053	AM-BH19 1.50-2.00	EP231-PFC: N-Et-FOSA	4151-50-2	0.00625 mg/kg	95.5	50	130
		EP231-PFC: N-Et-FOSE	1691-99-2	0.00625 mg/kg	92.6	30	130
		EP231-PFC: N-Me-FOSA	31506-32-8	0.00625 mg/kg	86.3	50	130
		EP231-PFC: N-Me-FOSE	2448-09-7	0.00625 mg/kg	124	30	130
		EP231-PFC: PFBS	375-73-5	0.00125 mg/kg	72.4	50	130
		EP231-PFC: PFDcA	335-76-2	0.00125 mg/kg	96.8	50	130



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 319991) - continued</b>							
EB1538419-053	AM-BH19 1.50-2.00	EP231-PFC: PFDcS	67906-42-7	0.00125 mg/kg	70.7	50	130
		EP231-PFC: PFDoA	307-55-1	0.00125 mg/kg	80.4	50	130
		EP231-PFC: PFHpA	375-85-9	0.00125 mg/kg	74.3	50	130
		EP231-PFC: PFHxA	307-24-4	0.00125 mg/kg	80.1	30	130
		EP231-PFC: PFHxS	355-46-4	0.00125 mg/kg	95.8	50	130
		EP231-PFC: PFNA	375-95-1	0.00125 mg/kg	115	50	130
		EP231-PFC: PFOSA	754-91-6	0.00125 mg/kg	51.2	50	130
		EP231-PFC: PFTeA	376-06-7	0.00625 mg/kg	97.9	30	130
		EP231-PFC: PFTriA	72629-94-8	0.00125 mg/kg	73.4	30	130
		EP231-PFC: PFUnA	2058-94-8	0.00125 mg/kg	91.1	50	130
<b>EP231: Perfluorinated Compounds (QCLot: 319992)</b>							
EB1538419-053	AM-BH19 1.50-2.00	EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.00625 mg/kg	123	56	138
		EP231: PFOA	335-67-1	0.00125 mg/kg	90.4	54	134
		EP231: PFOS	1763-23-1	0.00125 mg/kg	94.0	54	146

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1538419</b>	Page	: 1 of 7
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61-7-3243 7222
Project	: 1538021	Date Samples Received	: 18-Dec-2015
Site	: ----	Issue Date	: 06-Jan-2016
Sampler	: TAMARA SICCAMA	No. of samples received	: 77
Order number	: 1538021	No. of samples analysed	: 54

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- Laboratory Control outliers exist - please see following pages for full details.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



**Outliers : Quality Control Samples**

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Laboratory Control Spike (LCS) Recoveries</b>							
EP068A: Organochlorine Pesticides (OC)	QC-319065-002	----	<b>Hexachlorobenzene (HCB)</b>	118-74-1	120 %	54-112%	<b>Recovery greater than upper control limit</b>
<b>Matrix Spike (MS) Recoveries</b>							
EG005T: Total Metals by ICP-AES	EB1538312--001	Anonymous	<b>Chromium</b>	7440-47-3	58.8 %	70-130%	<b>Recovery less than lower data quality objective</b>
EG005T: Total Metals by ICP-AES	EB1538312--001	Anonymous	<b>Zinc</b>	7440-66-6	Not Determined	----	<b>MS recovery not determined, background level greater than or equal to 4x spike level.</b>

**Analysis Holding Time Compliance**

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis</b>								
<b>Snap Lock Bag - frozen (EA037)</b>								
AM-BH09 0.00-0.25, AM-BH09 0.50-0.75, AM-BH09 1.00-1.25, AM-BH09 1.50-1.75, AM-BH09 2.00-2.25, AM-BH09 2.50-2.75, AM-BH19 0.00-0.25, AM-BH19 0.50-0.75, AM-BH19 1.00-1.25, AM-BH19 1.50-1.75, AM-BH19 2.00-2.25, AM-BH19 2.50-2.75,	AM-BH09 0.25-0.50, AM-BH09 0.75-1.00, AM-BH09 1.25-1.50, AM-BH09 1.75-2.00, AM-BH09 2.25-2.50, AM-BH09 2.75-3.00, AM-BH19 0.25-0.50, AM-BH19 0.75-1.00, AM-BH19 1.25-1.50, AM-BH19 1.75-2.00, AM-BH19 2.25-2.50, AM-BH19 2.75-3.00	<b>17-Dec-2015</b>	<b>31-Dec-2015</b>	14-Jun-2016	✓	<b>31-Dec-2015</b>	14-Jun-2016	✓
<b>Snap Lock Bag - frozen (EA037)</b>								



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EA037: Ass Field Screening Analysis - Continued</b>									
AM-BH17 0.00-0.25, AM-BH17 0.50-0.75, AM-BH17 1.00-1.25, AM-BH17 1.50-1.75, AM-BH17 2.00-2.25, AM-BH17 2.50-2.75, AM-BH28 0.00-0.25, AM-BH28 0.50-0.75, AM-BH28 2.50-2.75,	AM-BH17 0.25-0.50, AM-BH17 0.75-1.00, AM-BH17 1.25-1.50, AM-BH17 1.75-2.00, AM-BH17 2.25-2.50, AM-BH17 2.75-3.00, AM-BH28 0.25-0.50, AM-BH28 1.50-1.75, AM-BH28 2.75-3.00	18-Dec-2015	31-Dec-2015	15-Jun-2016	✓	31-Dec-2015	15-Jun-2016	✓	
<b>EA055: Moisture Content</b>									
<b>Soil Glass Jar - Unpreserved (EA055-103)</b>									
AM-BH09 0.00-0.50, AM-BH19 0.00-0.50, AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH09 0.50-1.00, AM-BH19 1.50-2.00, AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	----	----	----	23-Dec-2015	31-Dec-2015	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b>									
AM-BH17 0.00-0.50, AM-BH28 0.00-0.50,	AM-BH17 1.00-1.50, AM-BH28 2.50-3.00	18-Dec-2015	----	----	----	23-Dec-2015	01-Jan-2016	✓	
<b>EG005T: Total Metals by ICP-AES</b>									
<b>Soil Glass Jar - Unpreserved (EG005T)</b>									
AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	24-Dec-2015	14-Jun-2016	✓	24-Dec-2015	14-Jun-2016	✓	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
<b>Soil Glass Jar - Unpreserved (EG035T)</b>									
AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	24-Dec-2015	14-Jan-2016	✓	29-Dec-2015	14-Jan-2016	✓	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
<b>Soil Glass Jar - Unpreserved (EP068)</b>									
AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	23-Dec-2015	31-Dec-2015	✓	29-Dec-2015	01-Feb-2016	✓	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b>									
AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	23-Dec-2015	31-Dec-2015	✓	30-Dec-2015	01-Feb-2016	✓	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b>									
AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	23-Dec-2015	31-Dec-2015	✓	29-Dec-2015	01-Feb-2016	✓	



Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	23-Dec-2015	31-Dec-2015	✓	29-Dec-2015	31-Dec-2015	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231)</b> AM-BH09 0.00-0.50, AM-BH19 0.00-0.50,	AM-BH09 0.50-1.00, AM-BH19 1.50-2.00	17-Dec-2015	24-Dec-2015	14-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>Soil Glass Jar - Unpreserved (EP231)</b> AM-BH17 0.00-0.50, AM-BH28 0.00-0.50,	AM-BH17 1.00-1.50, AM-BH28 2.50-3.00	18-Dec-2015	24-Dec-2015	15-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231-PFC)</b> AM-BH09 0.00-0.50, AM-BH19 0.00-0.50,	AM-BH09 0.50-1.00, AM-BH19 1.50-2.00	17-Dec-2015	24-Dec-2015	14-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>Soil Glass Jar - Unpreserved (EP231-PFC)</b> AM-BH17 0.00-0.50, AM-BH28 0.00-0.50,	AM-BH17 1.00-1.50, AM-BH28 2.50-3.00	18-Dec-2015	24-Dec-2015	15-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	5	42	11.90	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	1	7	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	3	23	13.04	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	3	23	13.04	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	11	18.18	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	12	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	13	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	4	25.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	10	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	11	9.09	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	11	9.09	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	11	9.09	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Page : 6 of 7  
 Work Order : EB1538419  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **SOIL** Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
<i>Analytical Methods</i>							
<b>Matrix Spikes (MS) - Continued</b>							
TRH Volatiles/BTEX	EP080	1	10	10.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard





## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In-house. A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Pesticides by GCMS	EP068	SOIL	(USEPA SW 846 - 8270B) Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM (2013) Schedule B(3) (Method 504,505)
TRH - Semivolatle Fraction (Silica Gel Clean Up)	EP071SG-S	SOIL	(USEPA SW 846 - 8015A) Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
PAH/Phenols (SIM)	EP075(SIM)	SOIL	(USEPA SW 846 - 8270B) Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	(USEPA SW 846 - 8260B) Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve.
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	SOIL	In-House. A portion of soil is soaked in sodium hydroxide followed by extraction with methanol. The extract is neutralised with HCl and an aliquot taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.
Perfluorinated Compounds by LCMSMS	EP231-PFC	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.
Preparation Methods	Method	Matrix	Method Descriptions
Drying only	EN020D	SOIL	In House
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	(USEPA SW 846 - 5030A) 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids	ORG17	SOIL	In-house, Mechanical agitation (tumbler). 10g of sample, Na <sub>2</sub> SO <sub>4</sub> and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.

Project ID: 1538021	Quote/Order No.: EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location: BNE Airport	Lab Name: ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled By: Tamara Siccama	BY:	Invoice to be sent to Accounts: auaccounts@valve@golder.com.au	
Turnaround (Days): 5		Project Manager: Krystal-Rae Biram	Email: KBiram@golder.com.au
Report Format: HARD FAX DISK EMAIL BULLETIN BOARD		Contact Phone: 07 37215400	
Email Format: PDF Excel Other	Email Addr: tsiccama@golder.com.au		

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 88°C and pulverise	EP231-RFC (PFS/PFOA) analysis of site with 20 analysis	ANALYSIS REQUIRED														
												S-26 (TRH/BTEX/PAH/8 metals)														
AM-BH09	0.00	0.25	Soil	17/12/2015	Bag	Frozen	1	N																		
AM-BH09	0.25	0.50	Soil	17/12/2015	Bag	Frozen	1	N	x	x																
AM-BH09	0.50	0.75	Soil	17/12/2015	Bag	Frozen	1	N	x	x																
AM-BH09	0.75	1.00	Soil	17/12/2015	Bag	Frozen	1	N	x	x																
AM-BH09	1.00	1.25	Soil	17/12/2015	Bag	Frozen	1	N	x	x																
AM-BH09	1.25	1.50	Soil	17/12/2015	Bag	Frozen	1	N	x	x																
AM-BH09	1.50	1.75	Soil	17/12/2015	Bag	Frozen	1	N	x	x																
AM-BH09	1.75	2.00	Soil	17/12/2015	Bag	Frozen	1	N	x	x																
AM-BH09	2.00	2.25	Soil	17/12/2015	Bag	Frozen	1	N	x	x																
AM-BH09	2.25	2.50	Soil	17/12/2015	Bag	Frozen	1	N	x	x																
AM-BH09	2.50	2.75	Soil	17/12/2015	Bag	Frozen	1	N	x	x																
AM-BH09	2.75	3.00	Soil	17/12/2015	Bag	Frozen	1	N	x	x																
AM-BH09	0.00	0.50	Soil	17/12/2015	Jar	Chilled	1	N																		
AM-BH09	0.50	1.00	Soil	17/12/2015	Jar	Chilled	1	N																		
AM-BH09	1.00	1.50	Soil	17/12/2015	Jar	Chilled	1	N	x																	
AM-BH09	1.50	2.00	Soil	17/12/2015	Jar	Chilled	1	N	x																	
AM-BH09	2.00	2.50	Soil	17/12/2015	Jar	Chilled	1	N	x																	
AM-BH09	2.50	3.00	Soil	17/12/2015	Jar	Chilled	1	N	x																	

SAMPLE MATRIX = Soil/Sediment/Fill/Other SAMPLE TYPE = Core(CR) HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list  
 Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

RELEASED BY	SIGNATURE	COMPANY	DATE	TIME	RELEASED BY	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
RECEIVED BY	Tamara Siccama	GOLDER	18/12/2015		RECEIVED BY					Shipping Ref:
RECEIVED BY					To Be Filled Out By Analysing Laboratory					
RECEIVED BY					Security Seal		Chilled	LAB. BATCH NUMBER		Bill to:
RECEIVED BY					Suitable Containers		Frozen			Address
RECEIVED BY					Cool Box		Ambient			

SCANNED

Environmental Division  
 Brisbane  
 Work Order Reference  
**EB1538419**

**SPLIT BATCH**  
 Test Split due to no. of samples  
 Assoc. Batch No.  
 EB1538408 & EB1538415



Project ID:	1538021	Quote/Order No.:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location:	BNE Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled By:	Tamara Siccama			Invoice to be sent to Accounts:	auaccounts payable@golder.com.au
Turnaround (Days)	5	BY:		Project Manager:	Krystal-Rae Biram
Report Format:	HARD	FAX	DISK	EMAIL	BULLETIN BOARD
Email Format:	PDF	Excel	Other	Email Add:	tsiccama@golder.com.au
Contact Phone:			07 37215400		Email: KBiram@golder.com.au

Comments/Special Instructions:										ANALYSIS REQUIRED																		
Samples from a declared Fire Ant Area:										No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/E/pH/FOX - Final Screen	EN020PR - Dry 8x8C and pulverise	EP231-PFC (PFOS/PFOA) analysed suite with 20 analyses	S-26 (TRH/BY/EN/PAH/6 metals)												
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE																							
	N																											
	N																											
14	AM-BH17	0.00	0.25	Soil	18/12/2015	Bag	Frozen	1	N																			
20	AM-BH17	0.25	0.50	Soil	18/12/2015	Bag	Frozen	1	N																			
21	AM-BH17	0.50	0.75	Soil	18/12/2015	Bag	Frozen	1	N																			
22	AM-BH17	0.75	1.00	Soil	18/12/2015	Bag	Frozen	1	N																			
23	AM-BH17	1.00	1.25	Soil	18/12/2015	Bag	Frozen	1	N																			
24	AM-BH17	1.25	1.50	Soil	18/12/2015	Bag	Frozen	1	N																			
25	AM-BH17	1.50	1.75	Soil	18/12/2015	Bag	Frozen	1	N																			
26	AM-BH17	1.75	2.00	Soil	18/12/2015	Bag	Frozen	1	N																			
27	AM-BH17	2.00	2.25	Soil	18/12/2015	Bag	Frozen	1	N																			
28	AM-BH17	2.25	2.50	Soil	18/12/2015	Bag	Frozen	1	N																			
29	AM-BH17	2.50	2.75	Soil	18/12/2015	Bag	Frozen	1	N																			
30	AM-BH17	2.75	3.00	Soil	18/12/2015	Bag	Frozen	1	N																			
31	AM-BH17	0.00	0.50	Soil	18/12/2015	Jar	Chilled	1	N	x																		
32	AM-BH17	0.50	1.00	Soil	18/12/2015	Jar	Chilled	1	N	x																		
33	AM-BH17	1.00	1.50	Soil	18/12/2015	Jar	Chilled	1	N																			
34	AM-BH17	1.50	2.00	Soil	18/12/2015	Jar	Chilled	1	N	x																		
35	AM-BH17	2.00	2.50	Soil	18/12/2015	Jar	Chilled	1	N	x																		
36	AM-BH17	2.50	3.00	Soil	18/12/2015	Jar	Chilled	1	N	x																		
37	QC1				18/12/2015																							

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

RELEASED BY	Tamara Siccama	COMPANY	GOLDER	DATE	18/12/2015	TIME		RELEASED BY		COMPANY		DATE		TIME		Shipment Method	
RECEIVED BY								RECEIVED BY									
RECEIVED BY								To Be Filled Out By Analysing Laboratory									
RECEIVED BY								Security Seal			Chilled		Bill to:				
RECEIVED BY								Suitable Containers			Frozen		Address				
RECEIVED BY								Cool Box			Ambient						

Project ID: 1538021	Quote/Order No.: EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location: BNE Airport	Lab Name: ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled By: Tamara Siccama		Invoice to be sent to Accounts: auaccounts payable@golder.com.au	
Turnaround (Days): 5	BY:	Project Manager: Krystal-Rae Biram	Email: KBiram@golder.com.au
Report Format: HARD FAX DISK EMAIL BULLETIN BOARD		Contact Phone: 07 37215400	
Email Format: PDF Excel Other	Email Addr: tsiccama@golder.com.au	ANALYSIS REQUIRED	

Comments/Special Instructions:						No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pHF/pHFOX - Fast Screen	EN020PR - Dry 85°C and pulverise	EP231-PFC (PF/S/PFOA extended suite with 20 analytes)	S-26 (17)BTEX/NP/AH/8 (metals)	ANALYSIS REQUIRED																											
Samples from a declared Fire Ant Area: N																																								
Samples taken from a known Weed and or Pest Area: N																																								
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE																																		
38 AM-BH19	0.00	0.25	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
39 AM-BH19	0.25	0.50	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
40 AM-BH19	0.50	0.75	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
41 AM-BH19	0.75	1.00	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
42 AM-BH19	1.00	1.25	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
43 AM-BH19	1.25	1.50	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
44 AM-BH19	1.50	1.75	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
45 AM-BH19	1.75	2.00	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
46 AM-BH19	2.00	2.25	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
47 AM-BH19	2.25	2.50	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
48 AM-BH19	2.50	2.75	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
49 AM-BH19	2.75	3.00	Soil	17/12/2015		Bag	Frozen	1	N		x	x																												
50 AM-BH19	0.00	0.50	Soil	17/12/2015		Jar	Chilled	1	N				x																											
51 AM-BH19	0.50	1.00	Soil	17/12/2015		Jar	Chilled	1	N	x																														
52 AM-BH19	1.00	1.50	Soil	17/12/2015		Jar	Chilled	1	N	x																														
53 AM-BH19	1.50	2.00	Soil	17/12/2015		Jar	Chilled	1	N				x																											
54 AM-BH19	2.00	2.50	Soil	17/12/2015		Jar	Chilled	1	N	x																														
55 AM-BH19	2.50	3.00	Soil	17/12/2015		Jar	Chilled	1	N	x																														

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P		SIGNATURE		COMPANY		DATE		TIME		SIGNATURE		COMPANY		DATE		TIME		Shipment Method	
---	--	-----------	--	---------	--	------	--	------	--	-----------	--	---------	--	------	--	------	--	-----------------	--

RELEASED BY: Tamara Siccama	COMPANY: GOLDER	DATE: 18/12/2015	TIME:	RELEASED BY:	COMPANY:	DATE:	TIME:	Shipping Ref:
-----------------------------	-----------------	------------------	-------	--------------	----------	-------	-------	---------------

RECEIVED BY:	To Be Filled Out By Analysing Laboratory		LAB. BATCH NUMBER	
RECEIVED BY:	Security Seal	Chilled	Bill to:	
RECEIVED BY:	Suitable Containers	Frozen	Address	
RECEIVED BY:	Cool Box	Ambient		

Project ID: 1538021		Quote/Order No.: EN/002/15		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400	
Site Location: BNE Airport		Lab Name: ALS Environmental		147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401	
Sampled By: Tamara Siccama		BY:		Invoice to be sent to Accounts: auaccounts@valbea@golder.com.au		Project Manager: Krystal-Rae Biram	
Turnaround (Days): 5		EMAIL BULLETIN BOARD		Contact Phone: 07 37215400		Email: KBiram@golder.com.au	
Report Format: HARD FAX DISK EMAIL BULLETIN BOARD		Email Format: PDF Excel Other		Email Add: tsiccama@golder.com.au		ANALYSIS REQUIRED	

Comments/Special Instructions:								No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EP201-PFC (PFOS/PFOA) enriched suite with 20 analytes	S75G (TRIB/TENX/PAH) - with silica gel clean up	Organochlorine pesticides	S2 - 8 Heavy Metals	ANALYSIS REQUIRED																							
Samples from a declared Fire Ant Area: N															Samples taken from a known Weed and or Pest Area: N																							
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE																																
AM-BH20	0.00	0.50	Soil	17/12/2015		Jar	Chilled	1	N																													
AM-BH21	0.50	1.00	Soil	17/12/2015		Jar	Chilled	1	N																													
AM-BH22	1.00	1.50	Soil	17/12/2015		Jar	Chilled	1	N																													
AM-BH23	0.50	1.00	Soil	17/12/2015		jar	Chilled	1	N																													

Any issues with samples please email tsiccama@golder.com.au or phone 0421704311 - Tamara

56  
57  
58  
59

SAMPLE MATRIX = Soil/Sediment/Fill/Other				SAMPLE TYPE = Core(CR)				HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list																																					
Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P																																													
RELEASED BY		SIGNATURE		COMPANY		DATE		TIME		RELEASED BY		SIGNATURE		COMPANY		DATE		TIME		RECEIVED BY		SIGNATURE		COMPANY		DATE		TIME		LAB. BATCH NUMBER		Bill to:		Address											
RECEIVED BY		SIGNATURE		COMPANY		DATE		TIME		RECEIVED BY		SIGNATURE		COMPANY		DATE		TIME		RECEIVED BY		SIGNATURE		COMPANY		DATE		TIME		LAB. BATCH NUMBER		Bill to:		Address											
RECEIVED BY		SIGNATURE		COMPANY		DATE		TIME		RECEIVED BY		SIGNATURE		COMPANY		DATE		TIME		RECEIVED BY		SIGNATURE		COMPANY		DATE		TIME		LAB. BATCH NUMBER		Bill to:		Address											
RECEIVED BY		SIGNATURE		COMPANY		DATE		TIME		RECEIVED BY		SIGNATURE		COMPANY		DATE		TIME		RECEIVED BY		SIGNATURE		COMPANY		DATE		TIME		LAB. BATCH NUMBER		Bill to:		Address											



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1538419**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 4
Order number	: 1538021	Quote number	: EM2015GOLASS0592 (EN-002-15)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: ----		
Sampler	: TAMARA SICCAMI		

Dates

Date Samples Received	: 18-Dec-2015 4:00 PM	Issue Date	: 22-Dec-2015
Client Requested Due Date	: 04-Jan-2016	Scheduled Reporting Date	: <b>04-Jan-2016</b>

Delivery Details

Mode of Delivery	: Client Drop Off	Security Seal	: Not Available
No. of coolers/boxes	: 6	Temperature	: 6.3, 8.2, 9.1, 0.9, 3.2, 3.7°C - Ice present
Receipt Detail	:	No. of samples received / analysed	: 77 / 54

General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **Extra samples 'AM-BH20 0.5-1.0', 'AM-BH20 1.0-1.5', 'AM-BH21 0.0-0.5', 'AM-BH21 1.0-1.5', 'AM-BH22 0.0-0.5', 'AM-BH22 0.5-1.0', 'AM-BH23 0.0-0.5' and 'AM-BH23 1.0-1.5' were received. These samples will remain on hold until confirmation of analysis is received. Please contact ALS Brisbane Client Services Department to add a directive for these samples at [ALSEnviro.Brisbane@alsglobal.com](mailto:ALSEnviro.Brisbane@alsglobal.com)**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFOS/PFOA analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The expected due date for this data is 11/01/2016.**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**
- **Sample 'QC1' is listed on the COC twice though only one sample with this name was received. It is listed both as on hold and requiring PFOS/PFOA. This sample will be kept on hold until confirmation of analysis is received.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exist.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

Matrix: SOIL

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GC/MS	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-07 SG TRH/TEXN/PAH (SIM) inc Silica Gel Clean Up
EB1538419-001	[ 17-Dec-2015 ]	AM-BH09 0.00-0.25		✓					
EB1538419-002	[ 17-Dec-2015 ]	AM-BH09 0.25-0.50		✓					
EB1538419-003	[ 17-Dec-2015 ]	AM-BH09 0.50-0.75		✓					
EB1538419-004	[ 17-Dec-2015 ]	AM-BH09 0.75-1.00		✓					
EB1538419-005	[ 17-Dec-2015 ]	AM-BH09 1.00-1.25		✓					
EB1538419-006	[ 17-Dec-2015 ]	AM-BH09 1.25-1.50		✓					
EB1538419-007	[ 17-Dec-2015 ]	AM-BH09 1.50-1.75		✓					
EB1538419-008	[ 17-Dec-2015 ]	AM-BH09 1.75-2.00		✓					
EB1538419-009	[ 17-Dec-2015 ]	AM-BH09 2.00-2.25		✓					
EB1538419-010	[ 17-Dec-2015 ]	AM-BH09 2.25-2.50		✓					
EB1538419-011	[ 17-Dec-2015 ]	AM-BH09 2.50-2.75		✓					
EB1538419-012	[ 17-Dec-2015 ]	AM-BH09 2.75-3.00		✓					
EB1538419-013	[ 17-Dec-2015 ]	AM-BH09 0.00-0.50			✓		✓		
EB1538419-014	[ 17-Dec-2015 ]	AM-BH09 0.50-1.00			✓		✓		
EB1538419-015	[ 17-Dec-2015 ]	AM-BH09 1.00-1.50	✓						
EB1538419-016	[ 17-Dec-2015 ]	AM-BH09 1.50-2.00	✓						
EB1538419-017	[ 17-Dec-2015 ]	AM-BH09 2.00-2.50	✓						
EB1538419-018	[ 17-Dec-2015 ]	AM-BH09 2.50-3.00	✓						
EB1538419-019	[ 18-Dec-2015 ]	AM-BH17 0.00-0.25		✓					
EB1538419-020	[ 18-Dec-2015 ]	AM-BH17 0.25-0.50		✓					
EB1538419-021	[ 18-Dec-2015 ]	AM-BH17 0.50-0.75		✓					
EB1538419-022	[ 18-Dec-2015 ]	AM-BH17 0.75-1.00		✓					
EB1538419-023	[ 18-Dec-2015 ]	AM-BH17 1.00-1.25		✓					
EB1538419-024	[ 18-Dec-2015 ]	AM-BH17 1.25-1.50		✓					
EB1538419-025	[ 18-Dec-2015 ]	AM-BH17 1.50-1.75		✓					
EB1538419-026	[ 18-Dec-2015 ]	AM-BH17 1.75-2.00		✓					
EB1538419-027	[ 18-Dec-2015 ]	AM-BH17 2.00-2.25		✓					
EB1538419-028	[ 18-Dec-2015 ]	AM-BH17 2.25-2.50		✓					
EB1538419-029	[ 18-Dec-2015 ]	AM-BH17 2.50-2.75		✓					
EB1538419-030	[ 18-Dec-2015 ]	AM-BH17 2.75-3.00		✓					
EB1538419-031	[ 18-Dec-2015 ]	AM-BH17 0.00-0.50			✓		✓		
EB1538419-032	[ 18-Dec-2015 ]	AM-BH17 0.50-1.00	✓						
EB1538419-033	[ 18-Dec-2015 ]	AM-BH17 1.00-1.50			✓		✓		
EB1538419-034	[ 18-Dec-2015 ]	AM-BH17 1.50-2.00	✓						
EB1538419-035	[ 18-Dec-2015 ]	AM-BH17 2.00-2.50	✓						



			(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-07 SG TRH/BTEXN/PAH (SIM) inc Silica Gel Clean Up
EB1538419-036	[ 18-Dec-2015 ]	AM-BH17 2.50-3.00	✓						
EB1538419-037	[ 18-Dec-2015 ]	QC1	✓						
EB1538419-038	[ 17-Dec-2015 ]	AM-BH19 0.00-0.25		✓					
EB1538419-039	[ 17-Dec-2015 ]	AM-BH19 0.25-0.50		✓					
EB1538419-040	[ 17-Dec-2015 ]	AM-BH19 0.50-0.75		✓					
EB1538419-041	[ 17-Dec-2015 ]	AM-BH19 0.75-1.00		✓					
EB1538419-042	[ 17-Dec-2015 ]	AM-BH19 1.00-1.25		✓					
EB1538419-043	[ 17-Dec-2015 ]	AM-BH19 1.25-1.50		✓					
EB1538419-044	[ 17-Dec-2015 ]	AM-BH19 1.50-1.75		✓					
EB1538419-045	[ 17-Dec-2015 ]	AM-BH19 1.75-2.00		✓					
EB1538419-046	[ 17-Dec-2015 ]	AM-BH19 2.00-2.25		✓					
EB1538419-047	[ 17-Dec-2015 ]	AM-BH19 2.25-2.50		✓					
EB1538419-048	[ 17-Dec-2015 ]	AM-BH19 2.50-2.75		✓					
EB1538419-049	[ 17-Dec-2015 ]	AM-BH19 2.75-3.00		✓					
EB1538419-050	[ 17-Dec-2015 ]	AM-BH19 .00-0.50			✓		✓		
EB1538419-051	[ 17-Dec-2015 ]	AM-BH19 0.50-1.00	✓						
EB1538419-052	[ 17-Dec-2015 ]	AM-BH19 1.00-1.50	✓						
EB1538419-053	[ 17-Dec-2015 ]	AM-BH19 1.50-2.00			✓		✓		
EB1538419-054	[ 17-Dec-2015 ]	AM-BH19 2.00-2.50	✓						
EB1538419-055	[ 17-Dec-2015 ]	AM-BH19 2.50-3.00	✓						
EB1538419-056	[ 17-Dec-2015 ]	AM-BH20 0.00-0.50			✓	✓		✓	✓
EB1538419-057	[ 17-Dec-2015 ]	AM-BH21 0.50-1.00			✓	✓		✓	✓
EB1538419-058	[ 17-Dec-2015 ]	AM-BH22 1.00-1.50			✓	✓		✓	✓
EB1538419-059	[ 17-Dec-2015 ]	AM-BH23 0.50-1.00			✓	✓		✓	✓
EB1538419-060	[ 18-Dec-2015 ]	AM-BH28 0.00-0.25		✓					
EB1538419-061	[ 18-Dec-2015 ]	AM-BH28 0.25-0.50		✓					
EB1538419-062	[ 18-Dec-2015 ]	AM-BH28 0.50-0.75		✓					
EB1538419-063	[ 18-Dec-2015 ]	AM-BH28 1.50-1.75		✓					
EB1538419-064	[ 18-Dec-2015 ]	AM-BH28 2.50-2.75		✓					
EB1538419-065	[ 18-Dec-2015 ]	AM-BH28 2.75-3.00		✓					
EB1538419-066	[ 18-Dec-2015 ]	AM-BH28 0.00-0.50			✓		✓		
EB1538419-067	[ 18-Dec-2015 ]	AM-BH28 0.50-1.00	✓						
EB1538419-068	[ 18-Dec-2015 ]	AM-BH28 1.50-2.00	✓						
EB1538419-069	[ 18-Dec-2015 ]	AM-BH28 2.50-3.00			✓		✓		
EB1538419-071	[ 17-Dec-2015 ]	AM-BH20 0.5-1.0	✓						
EB1538419-072	[ 17-Dec-2015 ]	AM-BH20 1.0-1.5	✓						
EB1538419-073	[ 17-Dec-2015 ]	AM-BH21 0.0-0.5	✓						
EB1538419-074	[ 17-Dec-2015 ]	AM-BH21 1.0-1.5	✓						
EB1538419-075	[ 17-Dec-2015 ]	AM-BH22 0.0-0.5	✓						
EB1538419-076	[ 17-Dec-2015 ]	AM-BH22 0.5-1.0	✓						
EB1538419-077	[ 17-Dec-2015 ]	AM-BH23 0.0-0.5	✓						





EB1538419-078	[ 17-Dec-2015 ]	AM-BH23 1.0-1.5	(On Hold) SOIL No analysis requested SOIL - EA037 ASS Field Screening Analysis SOIL - EA055-103 Moisture Content SOIL - EP068A (solids) Organochlorine Pesticides by GCMS SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS SOIL - S-02 8 Metals (incl. Digestion) SOIL - S-07 SG TRH/BTEXN/PAH (SIM) inc Silica Gel Clean Up	✓
---------------	-----------------	-----------------	--	---

### Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.

### Requested Deliverables

#### ACCOUNTS PAYABLE

- A4 - AU Tax Invoice (INV) Email [auaccountspayable@golder.com.au](mailto:auaccountspayable@golder.com.au)

#### KRYSTLE-RAE BIRAM

- \*AU Certificate of Analysis - NATA (COA) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- Chain of Custody (CoC) (COC) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- EDI Format - EQUIS V5 Generic (EQUIS\_V5) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- EDI Format - ESDAT (ESDAT) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- EDI Format - GOLDER\_EXCEL (GOLDER\_EXCEL) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

#### TAMARA SICCAMI

- \*AU Certificate of Analysis - NATA (COA) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- Chain of Custody (CoC) (COC) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- EDI Format - EQUIS V5 Generic (EQUIS\_V5) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- EDI Format - ESDAT (ESDAT) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- EDI Format - GOLDER\_EXCEL (GOLDER\_EXCEL) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

## CERTIFICATE OF ANALYSIS

<b>Work Order</b> : <b>EB1600085</b> <b>Client</b> : <b>GOLDER ASSOCIATES</b> <b>Contact</b> : <b>MS KRYSTLE-RAE BIRAM</b> <b>Address</b> : <b>P O BOX 1734</b> <b>MILTON QLD, AUSTRALIA 4064</b>  <b>E-mail</b> : <b>kbiram@golder.com.au</b> <b>Telephone</b> : <b>+61 07 3721 5400</b> <b>Facsimile</b> : <b>+61 07 3721 5401</b> <b>Project</b> : <b>1538021</b> <b>Order number</b> : <b>1538021</b> <b>C-O-C number</b> : <b>----</b> <b>Sampler</b> : <b>TAMARA SICCAMA</b> <b>Site</b> : <b>----</b>  <b>Quote number</b> : <b>----</b>	<b>Page</b> : 1 of 5 <b>Laboratory</b> : Environmental Division Brisbane <b>Contact</b> : Tom Maloney <b>Address</b> : 2 Byth Street Stafford QLD Australia 4053  <b>E-mail</b> : Tom.Maloney@alsglobal.com <b>Telephone</b> : +61-7-3243 7222 <b>Facsimile</b> : +61-7-3243 7218 <b>QC Level</b> : NEPM 2013 B3 & ALS QC Standard <b>Date Samples Received</b> : 04-Jan-2016 15:20 <b>Date Analysis Commenced</b> : 07-Jan-2016 <b>Issue Date</b> : 14-Jan-2016 13:05  <b>No. of samples received</b> : 11 <b>No. of samples analysed</b> : 11
--	---

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.

- EG020-F (Dissolved Metals by ICP-MS): Limit of reporting raised for some samples due to matrix interference.
- PFOS and PFOA results are reported as an aggregate of linear and branched isomers.



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH01	AM-BH04	AM-BH08	AM-BH19	AM-BH28
Client sampling date / time				[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	
Compound	CAS Number	LOR	Unit	EB1600085-001	EB1600085-002	EB1600085-003	EB1600085-004	EB1600085-005	
				Result	Result	Result	Result	Result	
<b>ED037P: Alkalinity by PC Titrator</b>									
Total Alkalinity as CaCO3	----	1	mg/L	32	33	84	11	300	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	374	353	372	392	176	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	3640	3140	4800	1940	2570	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	11400	7560	6920	11300	13500	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	3.59	<0.05	<0.05	0.06	<0.05	
Iron	7439-89-6	0.05	mg/L	122	118	125	117	29.8	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFOA	335-67-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PFOSA	754-91-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	
N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1	
N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1	
PFBS	375-73-5	0.002	µg/L	<0.002	<0.002	0.004	0.004	<0.002	
PFHxS	355-46-4	0.002	µg/L	<0.002	<0.002	<0.002	0.003	<0.002	
PFDCS	67906-42-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFHxA	307-24-4	0.002	µg/L	<0.002	<0.002	0.009	0.005	<0.002	
PFHpA	375-85-9	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFNA	375-95-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFDA	335-76-2	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFUnA	2058-94-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFDoA	307-55-1	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFTriA	72629-94-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFTeA	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	BIP/MW1	BIP/MW2	BP/MW6	BAC-MW07	BAC-MW24
Client sampling date / time				[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	
Compound	CAS Number	LOR	Unit	EB1600085-006	EB1600085-007	EB1600085-008	EB1600085-009	EB1600085-010	
				Result	Result	Result	Result	Result	
<b>ED037P: Alkalinity by PC Titrator</b>									
Total Alkalinity as CaCO3	----	1	mg/L	<1	524	911	1300	800	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	735	120	121	213	139	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	2340	2410	2960	1690	1340	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	7480	14600	14200	12600	18000	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	8.18	<0.05	<0.05	<0.05	<0.05	
Iron	7439-89-6	0.05	mg/L	294	53.8	22.0	24.9	37.1	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFOA	335-67-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	<0.01	<0.01	0.03	<0.01	
8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PFOSA	754-91-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	
N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1	
N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1	
PFBS	375-73-5	0.002	µg/L	0.006	0.002	<0.002	<0.002	<0.002	
PFHxS	355-46-4	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFDCS	67906-42-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFHxA	307-24-4	0.002	µg/L	0.007	<0.002	<0.002	<0.002	<0.002	
PFHpA	375-85-9	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFNA	375-95-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFDA	335-76-2	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFUnA	2058-94-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFDoA	307-55-1	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFTriA	72629-94-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFTeA	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	Q1 - Water	----	----	----	----
Client sampling date / time				[04-Jan-2016]	----	----	----	----	
Compound	CAS Number	LOR	Unit	EB1600085-011	-----	-----	-----	-----	
				Result	Result	Result	Result	Result	
<b>ED037P: Alkalinity by PC Titrator</b>									
Total Alkalinity as CaCO3	----	1	mg/L	----	----	----	----	----	----
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	----	----	----	----	----	----
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	----	----	----	----	----	----
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	----	----	----	----	----	----
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	----	----	----	----	----	----
Iron	7439-89-6	0.05	mg/L	----	----	----	----	----	----
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.002	µg/L	<0.002	----	----	----	----	----
PFOA	335-67-1	0.002	µg/L	<0.002	----	----	----	----	----
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	----	----	----	----	----
8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	----	----	----	----	----
PFOSA	754-91-6	0.002	µg/L	<0.002	----	----	----	----	----
N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	----	----	----	----	----
N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	----	----	----	----	----
N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	----	----	----	----	----
N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	----	----	----	----	----
PFBS	375-73-5	0.002	µg/L	<0.002	----	----	----	----	----
PFHxS	355-46-4	0.002	µg/L	<0.002	----	----	----	----	----
PFDCS	67906-42-7	0.005	µg/L	<0.005	----	----	----	----	----
PFHxA	307-24-4	0.002	µg/L	<0.002	----	----	----	----	----
PFHpA	375-85-9	0.002	µg/L	<0.002	----	----	----	----	----
PFNA	375-95-1	0.002	µg/L	<0.002	----	----	----	----	----
PFDCA	335-76-2	0.002	µg/L	<0.002	----	----	----	----	----
PFUnA	2058-94-8	0.005	µg/L	<0.005	----	----	----	----	----
PFDoA	307-55-1	0.005	µg/L	<0.005	----	----	----	----	----
PFTriA	72629-94-8	0.005	µg/L	<0.005	----	----	----	----	----
PFTeA	376-06-7	0.05	µg/L	<0.05	----	----	----	----	----

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: EB1600085</b>	<b>Page</b>	: 1 of 6
<b>Client</b>	<b>: GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	<b>: MS KRYSTLE-RAE BIRAM</b>	<b>Contact</b>	: Tom Maloney
<b>Address</b>	<b>: P O BOX 1734 MILTON QLD, AUSTRALIA 4064</b>	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>E-mail</b>	<b>: kbiram@golder.com.au</b>	<b>E-mail</b>	: Tom.Maloney@alsglobal.com
<b>Telephone</b>	<b>: +61 07 3721 5400</b>	<b>Telephone</b>	: +61-7-3243 7222
<b>Facsimile</b>	<b>: +61 07 3721 5401</b>	<b>Facsimile</b>	: +61-7-3243 7218
<b>Project</b>	<b>: 1538021</b>	<b>QC Level</b>	: NEPM 2013 B3 & ALS QC Standard
<b>Order number</b>	<b>: 1538021</b>	<b>Date Samples Received</b>	: 04-Jan-2016
<b>C-O-C number</b>	<b>: ----</b>	<b>Date Analysis Commenced</b>	: 07-Jan-2016
<b>Sampler</b>	<b>: TAMARA SICCAMI</b>	<b>Issue Date</b>	: 14-Jan-2016
<b>Site</b>	<b>: ----</b>	<b>No. of samples received</b>	: 11
<b>Quote number</b>	<b>: ----</b>	<b>No. of samples analysed</b>	: 11

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits



NATA Accredited  
Laboratory 825

Accredited for  
compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



### **General Comments**

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :            Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
                  CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
                  LOR = Limit of reporting  
                  RPD = Relative Percentage Difference  
                  # = Indicates failed QC





## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR:- 0% - 50%; Result > 20 times LOR:0% - 20%.

Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>ED037P: Alkalinity by PC Titrator (QC Lot: 324901)</b>									
EB1600085-001	AM-BH01	ED037-P: Total Alkalinity as CaCO3	----	1	mg/L	32	26	18.3	0% - 20%
<b>ED038A: Acidity (QC Lot: 327200)</b>									
EB1600085-001	AM-BH01	ED038: Acidity as CaCO3	----	1	mg/L	374	365	2.60	0% - 20%
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QC Lot: 325426)</b>									
EB1600080-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	22	22	0.00	0% - 20%
EB1600114-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	14	13	0.00	0% - 50%
<b>ED045G: Chloride by Discrete Analyser (QC Lot: 325427)</b>									
EB1600080-001	Anonymous	ED045G: Chloride	16887-00-6	1	mg/L	53	54	0.00	0% - 20%
EB1600114-001	Anonymous	ED045G: Chloride	16887-00-6	1	mg/L	27	26	4.25	0% - 20%
<b>EG020F: Dissolved Metals by ICP-MS (QC Lot: 324939)</b>									
EB1600085-007	BIP/MW2	EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.05	<0.05	0.00	No Limit
		EG020A-F: Iron	7439-89-6	0.05	mg/L	53.8	53.9	0.00	0% - 20%
EB1600005-001	Anonymous	EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.05	<0.05	0.00	No Limit
		EG020A-F: Iron	7439-89-6	0.05	mg/L	0.52	0.54	3.05	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 325321)</b>									
EB1600085-001	AM-BH01	EP231PFC-LL: PFBS	375-73-5	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFDcA	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFHpA	375-85-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFHxA	307-24-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFHxS	355-46-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFNA	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFOSA	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFDcS	67906-42-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFDoA	307-55-1	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFTriA	72629-94-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFUnA	2058-94-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231PFC-LL: PFTeA	376-06-7	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231PFC-LL: N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	<0.1	0.00	No Limit
EP231PFC-LL: N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	<0.1	0.00	No Limit		
EB1600085-011	Q1 - Water	EP231PFC-LL: PFBS	375-73-5	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFDcA	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFHpA	375-85-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFHxA	307-24-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231: Perfluorinated Compounds (QC Lot: 325321) - continued</b>									
EB1600085-011	Q1 - Water	EP231PFC-LL: PFHxS	355-46-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFNA	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFOSA	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFDcS	67906-42-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFDoA	307-55-1	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFTriA	72629-94-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFUnA	2058-94-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231PFC-LL: PFTeA	376-06-7	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231PFC-LL: N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	<0.1	0.00	No Limit
		EP231PFC-LL: N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	<0.1	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 325322)</b>									
EB1600085-001	AM-BH01	EP231-LL: PFOA	335-67-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231-LL: PFOS	1763-23-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231-LL: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	<0.01	0.00	No Limit
		EP231-LL: 8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit
EB1600085-011	Q1 - Water	EP231-LL: PFOA	335-67-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231-LL: PFOS	1763-23-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231-LL: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	<0.01	0.00	No Limit
		EP231-LL: 8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>ED037P: Alkalinity by PC Titrator (QCLot: 324901)</b>									
ED037-P: Total Alkalinity as CaCO3	----	----	mg/L	----	200 mg/L	100	87	112	
<b>ED038A: Acidity (QCLot: 327200)</b>									
ED038: Acidity as CaCO3	----	----	mg/L	----	100 mg/L	101	90	110	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 325426)</b>									
ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	<1 <1	25 mg/L 100 mg/L	96.1 101	85 85	118 118	
<b>ED045G: Chloride by Discrete Analyser (QCLot: 325427)</b>									
ED045G: Chloride	16887-00-6	1	mg/L	<1 <1	10 mg/L 1000 mg/L	108 100	90 90	115 115	
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 324939)</b>									
EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.01	0.5 mg/L	91.0	79	118	
EG020A-F: Iron	7439-89-6	0.05	mg/L	<0.05	0.5 mg/L	82.5	82	114	
<b>EP231: Perfluorinated Compounds (QCLot: 325321)</b>									
EP231PFC-LL: N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	0.1 µg/L	117	51	150	
EP231PFC-LL: N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	0.1 µg/L	95.2	30	130	
EP231PFC-LL: N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	0.1 µg/L	115	50	150	
EP231PFC-LL: N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	0.1 µg/L	93.2	36	130	
EP231PFC-LL: PFBS	375-73-5	0.002	µg/L	<0.002	0.02 µg/L	90.2	50	150	
EP231PFC-LL: PFDcA	335-76-2	0.002	µg/L	<0.002	0.02 µg/L	92.9	65	150	
EP231PFC-LL: PFDcS	67906-42-7	0.005	µg/L	<0.005	0.02 µg/L	102	50	150	
EP231PFC-LL: PFDoA	307-55-1	0.005	µg/L	<0.005	0.02 µg/L	83.0	50	150	
EP231PFC-LL: PFHpA	375-85-9	0.002	µg/L	<0.002	0.02 µg/L	110	61	150	
EP231PFC-LL: PFHxA	307-24-4	0.002	µg/L	<0.002	0.02 µg/L	105	50	150	
EP231PFC-LL: PFHxS	355-46-4	0.002	µg/L	<0.002	0.02 µg/L	107	50	150	
EP231PFC-LL: PFNA	375-95-1	0.002	µg/L	<0.002	0.02 µg/L	114	53	150	
EP231PFC-LL: PFOSA	754-91-6	0.002	µg/L	<0.002	0.02 µg/L	114	50	150	
EP231PFC-LL: PFTeA	376-06-7	0.05	µg/L	<0.05	0.1 µg/L	75.1	30	150	
EP231PFC-LL: PFTriA	72629-94-8	0.005	µg/L	<0.005	0.02 µg/L	78.4	30	150	
EP231PFC-LL: PFUnA	2058-94-8	0.005	µg/L	<0.005	0.02 µg/L	102	50	150	
<b>EP231: Perfluorinated Compounds (QCLot: 325322)</b>									
EP231-LL: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	0.1 µg/L	89.2	60	130	
EP231-LL: 8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	0.1 µg/L	79.1	60	130	
EP231-LL: PFOA	335-67-1	0.002	µg/L	<0.002	0.02 µg/L	115	60	130	
EP231-LL: PFOS	1763-23-1	0.002	µg/L	<0.002	0.02 µg/L	102	60	130	



### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Spike	Spike Recovery(%)	Recovery Limits (%)	
				Concentration	MS	Low	High
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 325426)</b>							
EB1600080-002	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	20 mg/L	94.7	70	130
<b>ED045G: Chloride by Discrete Analyser (QCLot: 325427)</b>							
EB1600080-002	Anonymous	ED045G: Chloride	16887-00-6	400 mg/L	112	70	130
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 324939)</b>							
EB1600005-002	Anonymous	EG020A-F: Aluminium	7429-90-5	0.5 mg/L	103	70	130
<b>EP231: Perfluorinated Compounds (QCLot: 325321)</b>							
EB1600085-002	AM-BH04	EP231PFC-LL: N-Et-FOSA	4151-50-2	0.1 µg/L	116	50	150
		EP231PFC-LL: N-Me-FOSA	31506-32-8	0.1 µg/L	119	50	150
		EP231PFC-LL: PFBS	375-73-5	0.02 µg/L	106	50	150
		EP231PFC-LL: PFDcA	335-76-2	0.02 µg/L	87.9	50	150
		EP231PFC-LL: PFDoA	307-55-1	0.02 µg/L	86.6	50	150
		EP231PFC-LL: PFHpA	375-85-9	0.02 µg/L	79.3	50	150
		EP231PFC-LL: PFHxA	307-24-4	0.02 µg/L	84.7	50	150
		EP231PFC-LL: PFHxS	355-46-4	0.02 µg/L	110	50	150
		EP231PFC-LL: PFNA	375-95-1	0.02 µg/L	88.7	50	150
		EP231PFC-LL: PFOSA	754-91-6	0.02 µg/L	113	50	150
<b>EP231: Perfluorinated Compounds (QCLot: 325322)</b>							
EB1600085-002	AM-BH04	EP231-LL: 6:2 Fluorotelomer sulfonate (6:2 Fts)	27619-97-2	0.1 µg/L	97.0	60	130
		EP231-LL: 8:2 Fluorotelomer sulfonate	39108-34-4	0.1 µg/L	91.6	60	130
		EP231-LL: PFOA	335-67-1	0.02 µg/L	104	60	130
		EP231-LL: PFOS	1763-23-1	0.02 µg/L	114	60	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1600085</b>	Page	: 1 of 5
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61-7-3243 7222
Project	: 1538021	Date Samples Received	: 04-Jan-2016
Site	: ----	Issue Date	: 14-Jan-2016
Sampler	: TAMARA SICCAMA	No. of samples received	: 11
Order number	: 1538021	No. of samples analysed	: 11

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



## Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
<b>ED037P: Alkalinity by PC Titrator</b>							
<b>Clear Plastic Bottle - Natural (ED037-P)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24	04-Jan-2016	----	----	----	07-Jan-2016	18-Jan-2016	✓
<b>ED038A: Acidity</b>							
<b>Clear Plastic Bottle - Natural (ED038)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24	04-Jan-2016	----	----	----	09-Jan-2016	18-Jan-2016	✓
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>							
<b>Clear Plastic Bottle - Natural (ED041G)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24	04-Jan-2016	----	----	----	08-Jan-2016	01-Feb-2016	✓
<b>ED045G: Chloride by Discrete Analyser</b>							
<b>Clear Plastic Bottle - Natural (ED045G)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24	04-Jan-2016	----	----	----	08-Jan-2016	01-Feb-2016	✓



Matrix: **WATER** Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG020F: Dissolved Metals by ICP-MS</b>								
<b>Clear Plastic Bottle - Filtered; Lab-acidified (EG020A-F)</b> AM-BH04, BAC-MW07	AM-BH08,	04-Jan-2016	----	----	----	07-Jan-2016	02-Jul-2016	✓
<b>Clear Plastic Bottle - Nitric Acid; Filtered (EG020A-F)</b> AM-BH01, AM-BH28, BIP/MW2, BAC-MW24	AM-BH19, BIP/MW1, BP/MW6,	04-Jan-2016	----	----	----	07-Jan-2016	02-Jul-2016	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>HDPE (no PTFE) (EP231-LL)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, Q1 - Water	AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24,	04-Jan-2016	07-Jan-2016	02-Jul-2016	✓	07-Jan-2016	02-Jul-2016	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>HDPE (no PTFE) (EP231PFC-LL)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, Q1 - Water	AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24,	04-Jan-2016	07-Jan-2016	02-Jul-2016	✓	07-Jan-2016	02-Jul-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **WATER** Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Acidity as Calcium Carbonate	ED038	1	10	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	10	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	2	12	16.67	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS - Low Level	EP231PFC-LL	2	11	18.18	10.00	✔	NEPM 2013 B3 & ALS QC Standard
PFOS, PFOA, 6:2- and 8:2-FtS	EP231-LL	2	11	18.18	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Acidity as Calcium Carbonate	ED038	1	10	10.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	10	10.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	12	8.33	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS - Low Level	EP231PFC-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
PFOS, PFOA, 6:2- and 8:2-FtS	EP231-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Chloride by Discrete Analyser	ED045G	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	12	8.33	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS - Low Level	EP231PFC-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
PFOS, PFOA, 6:2- and 8:2-FtS	EP231-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Chloride by Discrete Analyser	ED045G	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	12	8.33	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS - Low Level	EP231PFC-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
PFOS, PFOA, 6:2- and 8:2-FtS	EP231-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard





## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
Alkalinity by PC Titrator	ED037-P	WATER	In house: Referenced to APHA 2320 B This procedure determines alkalinity by automated measurement (e.g. PC Titrate) using pH 4.5 for indicating the total alkalinity end-point. This method is compliant with NEPM (2013) Schedule B(3)
Acidity as Calcium Carbonate	ED038	WATER	In house: Referenced to APHA 2310 B Acidity is determined by titration with a standardised alkali to an end-point pH of 8.3. This method is compliant with NEPM (2013) Schedule B(3)
Sulfate (Turbidimetric) as SO <sub>4</sub> <sup>2-</sup> by Discrete Analyser	ED041G	WATER	In house: Referenced to APHA 4500-SO <sub>4</sub> . Dissolved sulfate is determined in a 0.45um filtered sample. Sulfate ions are converted to a barium sulfate suspension in an acetic acid medium with barium chloride. Light absorbance of the BaSO <sub>4</sub> suspension is measured by a photometer and the SO <sub>4</sub> <sup>2-</sup> concentration is determined by comparison of the reading with a standard curve. This method is compliant with NEPM (2013) Schedule B(3)
Chloride by Discrete Analyser	ED045G	WATER	In house: Referenced to APHA 4500 Cl - G.The thiocyanate ion is liberated from mercuric thiocyanate through sequestration of mercury by the chloride ion to form non-ionised mercuric chloride.in the presence of ferric ions the liberated thiocyanate forms highly-coloured ferric thiocyanate which is measured at 480 nm APHA 21st edition seal method 2 017-1-L april 2003
Dissolved Metals by ICP-MS - Suite A	EG020A-F	WATER	In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. Samples are 0.45 um filtered prior to analysis. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector.
PFOS, PFOA, 6:2- and 8:2-FtS	EP231-LL	WATER	In-house: A portion of fresh or saline water is concentrated and cleaned up using a solid phase medium. Analysis by LC-Electrospray-MS-MS, Negative Mode using MRM.
Perfluorinated Compounds by LCMSMS - Low Level	EP231PFC-LL	WATER	In-house: Analysis of fresh and saline waters by solid phase extraction and LC-Electrospray-MS-MS, Negative Mode using MRM.



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1600085**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 2
Order number	: 1538021	Quote number	: EM2015GOLASS0592 (EN-002-15)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: ----		
Sampler	: TAMARA SICCAMA		

**Dates**

Date Samples Received	: 04-Jan-2016 3:20 PM	Issue Date	: 04-Jan-2016
Client Requested Due Date	: 11-Jan-2016	Scheduled Reporting Date	: <b>11-Jan-2016</b>

**Delivery Details**

Mode of Delivery	: Carrier	Security Seal	: Intact.
No. of coolers/boxes	: 1	Temperature	: 1.8°C - Ice present
Receipt Detail	: MEDIUM ESKY	No. of samples received / analysed	: 11 / 11

**General Comments**

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **Ultra-Trace PFC analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The estimated date for this data is 13/01/2016.**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- **No sample container / preservation non-compliance exist.**

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

Matrix: **WATER**

Laboratory sample ID	Client sampling date / time	Client sample ID	WATER - ED037-P Alkalinity as CaCO3 (PCT)	WATER - ED038 Default Acidity as CaCO3 only	WATER - ED041G Sulfate (Turbidimetric) as SO4 2 by Discrete	WATER - ED045G Chloride by Discrete Analyser	WATER - EG020F Dissolved Metals by ICPMS	WATER - EP231PFC-LL PFOS+Extended AFFFs (20 analytes) Ultra trace
EB1600085-001	[ 04-Jan-2016 ]	AM-BH01	✓	✓	✓	✓	✓	✓
EB1600085-002	[ 04-Jan-2016 ]	AM-BH04	✓	✓	✓	✓	✓	✓
EB1600085-003	[ 04-Jan-2016 ]	AM-BH08	✓	✓	✓	✓	✓	✓
EB1600085-004	[ 04-Jan-2016 ]	AM-BH19	✓	✓	✓	✓	✓	✓
EB1600085-005	[ 04-Jan-2016 ]	AM-BH28	✓	✓	✓	✓	✓	✓
EB1600085-006	[ 04-Jan-2016 ]	BIP/MW1	✓	✓	✓	✓	✓	✓
EB1600085-007	[ 04-Jan-2016 ]	BIP/MW2	✓	✓	✓	✓	✓	✓
EB1600085-008	[ 04-Jan-2016 ]	BP/MW6	✓	✓	✓	✓	✓	✓
EB1600085-009	[ 04-Jan-2016 ]	BAC-MW07	✓	✓	✓	✓	✓	✓
EB1600085-010	[ 04-Jan-2016 ]	BAC-MW24	✓	✓	✓	✓	✓	✓
EB1600085-011	[ 04-Jan-2016 ]	Q1 - Water						✓

## Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.

## Requested Deliverables

### ACCOUNTS PAYABLE

- A4 - AU Tax Invoice (INV)

Email [auaccountspayable@golder.com.au](mailto:auaccountspayable@golder.com.au)

### KRYSTLE-RAE BIRAM

- \*AU Certificate of Analysis - NATA (COA)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)
- Chain of Custody (CoC) (COC)
- EDI Format - EQUIS V5 Generic (EQUIS\_V5)
- EDI Format - ESDAT (ESDAT)
- EDI Format - GOLDER\_EXCEL (GOLDER\_EXCEL)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

### TAMARA SICCAMI

- \*AU Certificate of Analysis - NATA (COA)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)
- Chain of Custody (CoC) (COC)
- EDI Format - EQUIS V5 Generic (EQUIS\_V5)
- EDI Format - ESDAT (ESDAT)
- EDI Format - GOLDER\_EXCEL (GOLDER\_EXCEL)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)



## CERTIFICATE OF ANALYSIS

<b>Work Order</b>	: <b>EB1602738</b>	<b>Page</b>	: 1 of 9
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS TAMARA SICCAMA	<b>Contact</b>	: Tom Maloney
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>E-mail</b>	: TSiccama@golder.com.au	<b>E-mail</b>	: Tom.Maloney@alsglobal.com
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61-7-3243 7222
<b>Facsimile</b>	: +61 07 3721 5401	<b>Facsimile</b>	: +61-7-3243 7218
<b>Project</b>	: 1538021	<b>QC Level</b>	: NEPM 2013 B3 & ALS QC Standard
<b>Order number</b>	: 1538021	<b>Date Samples Received</b>	: 03-Feb-2016 13:02
<b>C-O-C number</b>	: ----	<b>Date Analysis Commenced</b>	: 09-Feb-2016
<b>Sampler</b>	: TAMARA SICCAMA	<b>Issue Date</b>	: 09-Feb-2016 19:07
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----	<b>No. of samples received</b>	: 33
		<b>No. of samples analysed</b>	: 33

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.

- **This work order has been created to rebatch samples from previous ALS workorders EB1538408, EB1538415, EB1538419**
- ASS: EA033 (CRS Suite): ANC not required because pH KCl less than 6.5
- ASS: EA033 (CRS Suite): Liming rate is calculated and reported on a dry weight basis assuming use of fine agricultural lime (CaCO<sub>3</sub>) and using a safety factor of 1.5 to allow for non-homogeneous mixing and poor reactivity of lime. For conversion of Liming Rate from 'kg/t dry weight' to 'kg/m<sup>3</sup> in-situ soil', multiply 'reported results' x 'wet bulk density of soil in t/m<sup>3</sup>'.



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Client sample ID

				AMBH01 0.75-1.00 EB1538408-4	AMBH01 1.50-1.75 EB1538408-7	AMBH01 2.75-3.00 EB1538408-12	AMBH02 0.75-1.00 EB1538408-22	AMBH02 1.50-1.75 EB1538408-25
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]
Compound	CAS Number	LOR	Unit	EB1602738-001	EB1602738-002	EB1602738-003	EB1602738-004	EB1602738-005
				Result	Result	Result	Result	Result
<b>EA033-A: Actual Acidity</b>								
pH KCl (23A)	----	0.1	pH Unit	4.2	5.0	4.8	4.3	5.6
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	88	16	16	63	8
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.14	0.02	0.02	0.10	<0.02
<b>EA033-B: Potential Acidity</b>								
Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	<0.005	0.217	0.006	0.177
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	<10	135	<10	110
<b>EA033-D: Retained Acidity</b>								
KCl Extractable Sulfur (23Ce)	----	0.02	% S	0.12	----	----	0.14	----
HCl Extractable Sulfur (20Be)	----	0.02	% S	0.14	----	----	0.17	----
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	0.03	----	----	0.03	----
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	12	----	----	14	----
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	----	----	0.02	----
<b>EA033-E: Acid Base Accounting</b>								
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5
Net Acidity (sulfur units)	----	0.02	% S	0.16	0.03	0.24	0.13	0.19
Net Acidity (acidity units)	----	10	mole H+ / t	102	17	151	81	118
Liming Rate	----	1	kg CaCO3/t	8	1	11	6	9
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.16	0.03	0.24	0.13	0.19
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	102	17	151	81	118
Liming Rate excluding ANC	----	1	kg CaCO3/t	8	1	11	6	9



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Client sample ID

				AMBH02 2.50-2.75 EB1538408-29	AMBH03 0.75-1.00 EB1538408-40	AMBH03 1.25-1.50 EB1538408-42	AMBH03 2.00-2.25 EB1538408-45	AMBH04 0.75-1.00 EB1538408-58
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]
Compound	CAS Number	LOR	Unit	EB1602738-006	EB1602738-007	EB1602738-008	EB1602738-009	EB1602738-010
				Result	Result	Result	Result	Result
<b>EA033-A: Actual Acidity</b>								
pH KCl (23A)	----	0.1	pH Unit	5.4	4.2	4.6	5.0	4.2
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	3	62	36	11	76
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	0.10	0.06	<0.02	0.12
<b>EA033-B: Potential Acidity</b>								
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.080	0.008	0.005	0.152	0.005
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	50	<10	<10	95	<10
<b>EA033-D: Retained Acidity</b>								
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	0.08	----	----	0.09
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	0.14	----	----	0.14
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	0.06	----	----	0.05
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	30	----	----	24
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	0.05	----	----	0.04
<b>EA033-E: Acid Base Accounting</b>								
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5
Net Acidity (sulfur units)	----	0.02	% S	0.08	0.15	0.06	0.17	0.16
Net Acidity (acidity units)	----	10	mole H+ / t	53	96	40	106	103
Liming Rate	----	1	kg CaCO3/t	4	7	3	8	8
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.08	0.15	0.06	0.17	0.16
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	53	96	40	106	103
Liming Rate excluding ANC	----	1	kg CaCO3/t	4	7	3	8	8





## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Client sample ID

				AMBH04 1.50-1.75 EB1538408-61	AMBH04 2.75-3.00 EB1538408-66	AMBH05 1.00-1.25 EB1538415-5	AMBH05 2.25-2.50 EB1538415-10	AMBH06 0.50-0.75 EB1538415-21
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]
Compound	CAS Number	LOR	Unit	EB1602738-011	EB1602738-012	EB1602738-013	EB1602738-014	EB1602738-015
				Result	Result	Result	Result	Result
<b>EA033-A: Actual Acidity</b>								
pH KCl (23A)	----	0.1	pH Unit	4.7	6.3	4.1	4.4	4.5
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	26	<2	51	31	37
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.04	<0.02	0.08	0.05	0.06
<b>EA033-B: Potential Acidity</b>								
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.017	0.284	<0.005	0.350	<0.005
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	10	177	<10	219	<10
<b>EA033-D: Retained Acidity</b>								
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	0.08	0.13	----
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	0.11	0.16	----
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	0.02	0.03	----
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	11	14	----
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	<0.02	0.02	----
<b>EA033-E: Acid Base Accounting</b>								
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5
Net Acidity (sulfur units)	----	0.02	% S	0.06	0.29	0.10	0.42	0.06
Net Acidity (acidity units)	----	10	mole H+ / t	36	178	65	264	40
Liming Rate	----	1	kg CaCO3/t	3	13	5	20	3
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.06	0.29	0.10	0.42	0.06
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	36	178	65	264	40
Liming Rate excluding ANC	----	1	kg CaCO3/t	3	13	5	20	3



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Client sample ID

				AMBH06 1.25-1.50 EB1538415-24	AMBH06 2.25-2.50 EB1538415-28	AMBH07 0.75-1.00 EB1538415-39	AMBH07 2.00-2.25 EB1538415-44	AMBH07 2.75-3.00 EB1538415-47
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]
Compound	CAS Number	LOR	Unit	EB1602738-016	EB1602738-017	EB1602738-018	EB1602738-019	EB1602738-020
				Result	Result	Result	Result	Result
<b>EA033-A: Actual Acidity</b>								
pH KCl (23A)	----	0.1	pH Unit	4.6	4.1	4.1	4.5	4.7
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	37	60	74	41	32
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.06	0.10	0.12	0.06	0.05
<b>EA033-B: Potential Acidity</b>								
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.028	1.24	0.005	0.600	1.18
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	18	776	<10	374	738
<b>EA033-D: Retained Acidity</b>								
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	0.27	0.12	----	----
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	0.31	0.19	----	----
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	0.04	0.07	----	----
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	18	33	----	----
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	0.03	0.05	----	----
<b>EA033-E: Acid Base Accounting</b>								
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5
Net Acidity (sulfur units)	----	0.02	% S	0.09	1.37	0.18	0.66	1.23
Net Acidity (acidity units)	----	10	mole H+ / t	55	855	111	415	770
Liming Rate	----	1	kg CaCO3/t	4	64	8	31	58
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.09	1.37	0.18	0.66	1.23
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	55	855	111	415	770
Liming Rate excluding ANC	----	1	kg CaCO3/t	4	64	8	31	58



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Client sample ID

				AMBH08 0.75-1.00 EB1538415-56	AMBH08 1.75-2.00 EB1538415-60	AMBH08 2.75-3.00 EB1538415-64	AMBH09 0.75-1.00 EB1538419-4	AMBH09 1.50-1.75 EB1538419-7
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]
Compound	CAS Number	LOR	Unit	EB1602738-021	EB1602738-022	EB1602738-023	EB1602738-024	EB1602738-025
				Result	Result	Result	Result	Result
<b>EA033-A: Actual Acidity</b>								
pH KCl (23A)	----	0.1	pH Unit	4.4	4.2	4.3	3.8	3.9
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	60	79	78	88	90
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.10	0.13	0.12	0.14	0.14
<b>EA033-B: Potential Acidity</b>								
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.032	1.16	1.79	0.019	0.024
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	20	722	1120	12	15
<b>EA033-D: Retained Acidity</b>								
KCl Extractable Sulfur (23Ce)	----	0.02	% S	0.45	0.34	0.41	0.04	0.06
HCl Extractable Sulfur (20Be)	----	0.02	% S	0.48	0.37	0.44	0.05	0.09
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	0.03	0.03	0.03	<0.02	0.03
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	14	15	15	<10	16
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	0.02	0.02	0.02	<0.02	0.02
<b>EA033-E: Acid Base Accounting</b>								
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5
Net Acidity (sulfur units)	----	0.02	% S	0.15	1.31	1.94	0.17	0.20
Net Acidity (acidity units)	----	10	mole H+ / t	93	817	1210	109	122
Liming Rate	----	1	kg CaCO3/t	7	61	91	8	9
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.15	1.31	1.94	0.17	0.20
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	93	817	1210	109	122
Liming Rate excluding ANC	----	1	kg CaCO3/t	7	61	91	8	9



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Client sample ID

				AMBH09 2.75-30.0 EB1538419-12	AMBH17 0.75-1.00 EB1538419-22	AMBH17 2.25-2.50 EB1538419-28	AMBH19 0.50-0.75 EB1538419-40	AMBH19 0.50-2.75 EB1538419-48
Client sampling date / time				[17-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]
Compound	CAS Number	LOR	Unit	EB1602738-026	EB1602738-027	EB1602738-028	EB1602738-029	EB1602738-030
				Result	Result	Result	Result	Result
<b>EA033-A: Actual Acidity</b>								
pH KCl (23A)	----	0.1	pH Unit	4.9	5.1	3.9	4.3	5.0
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	13	84	167	199	18
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.02	0.13	0.27	0.32	0.03
<b>EA033-B: Potential Acidity</b>								
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.009	1.76	3.84	0.051	0.406
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	1100	2390	32	254
<b>EA033-D: Retained Acidity</b>								
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	0.64	0.09	----
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	0.79	0.12	----
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	0.15	0.03	----
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	68	13	----
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	0.11	0.02	----
<b>EA033-E: Acid Base Accounting</b>								
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5
Net Acidity (sulfur units)	----	0.02	% S	0.03	1.90	4.21	0.39	0.44
Net Acidity (acidity units)	----	10	mole H+ / t	18	1180	2630	244	272
Liming Rate	----	1	kg CaCO3/t	1	89	197	18	20
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.03	1.90	4.21	0.39	0.44
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	18	1180	2630	244	272
Liming Rate excluding ANC	----	1	kg CaCO3/t	1	89	197	18	20



## Analytical Results

Sub-Matrix: SOIL  
 (Matrix: SOIL)

Client sample ID

				AMBH28 0.50-0.75 EB1538419-62	AMBH28 1.50-1.75 EB1538419-63	AMBH28 2.50-2.75 EB1538419-64	----	----
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	----	----
Compound	CAS Number	LOR	Unit	EB1602738-031	EB1602738-032	EB1602738-033	-----	-----
				Result	Result	Result	Result	Result
<b>EA033-A: Actual Acidity</b>								
pH KCl (23A)	----	0.1	pH Unit	4.6	4.2	4.7	----	----
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	35	97	47	----	----
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.06	0.16	0.07	----	----
<b>EA033-B: Potential Acidity</b>								
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.057	1.39	1.23	----	----
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	36	868	768	----	----
<b>EA033-D: Retained Acidity</b>								
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	0.33	----	----	----
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	0.36	----	----	----
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	0.04	----	----	----
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	17	----	----	----
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	0.03	----	----	----
<b>EA033-E: Acid Base Accounting</b>								
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	----	----
Net Acidity (sulfur units)	----	0.02	% S	0.11	1.57	1.31	----	----
Net Acidity (acidity units)	----	10	mole H+ / t	71	982	815	----	----
Liming Rate	----	1	kg CaCO3/t	5	74	61	----	----
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.11	1.57	1.31	----	----
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	71	982	815	----	----
Liming Rate excluding ANC	----	1	kg CaCO3/t	5	74	61	----	----

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: EB1602738</b>	<b>Page</b>	<b>: 1 of 5</b>
<b>Client</b>	<b>: GOLDER ASSOCIATES</b>	<b>Laboratory</b>	<b>: Environmental Division Brisbane</b>
<b>Contact</b>	<b>: MS TAMARA SICCAMA</b>	<b>Contact</b>	<b>: Tom Maloney</b>
<b>Address</b>	<b>: P O BOX 1734 MILTON QLD, AUSTRALIA 4064</b>	<b>Address</b>	<b>: 2 Byth Street Stafford QLD Australia 4053</b>
<b>E-mail</b>	<b>: TSiccama@golder.com.au</b>	<b>E-mail</b>	<b>: Tom.Maloney@alsglobal.com</b>
<b>Telephone</b>	<b>: +61 07 3721 5400</b>	<b>Telephone</b>	<b>: +61-7-3243 7222</b>
<b>Facsimile</b>	<b>: +61 07 3721 5401</b>	<b>Facsimile</b>	<b>: +61-7-3243 7218</b>
<b>Project</b>	<b>: 1538021</b>	<b>QC Level</b>	<b>: NEPM 2013 B3 &amp; ALS QC Standard</b>
<b>Order number</b>	<b>: 1538021</b>	<b>Date Samples Received</b>	<b>: 03-Feb-2016</b>
<b>C-O-C number</b>	<b>: ----</b>	<b>Date Analysis Commenced</b>	<b>: 09-Feb-2016</b>
<b>Sampler</b>	<b>: TAMARA SICCAMA</b>	<b>Issue Date</b>	<b>: 09-Feb-2016</b>
<b>Site</b>	<b>: Brisbane Airport</b>	<b>No. of samples received</b>	<b>: 33</b>
<b>Quote number</b>	<b>: ----</b>	<b>No. of samples analysed</b>	<b>: 33</b>

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits



NATA Accredited  
Laboratory 825

Accredited for  
compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD



### **General Comments**

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :            Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
                  CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
                  LOR = Limit of reporting  
                  RPD = Relative Percentage Difference  
                  # = Indicates failed QC

---



## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR:- 0% - 50%; Result > 20 times LOR:0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA033-A: Actual Acidity (QC Lot: 352782)</b>									
EB1602738-001	AMBH01 0.75-1.00 EB1538408-4	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.14	0.14	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	88	91	2.30	0% - 20%
		EA033: pH KCl (23A)	----	0.1	pH Unit	4.2	4.2	0.00	0% - 20%
EB1602738-011	AMBH04 1.50-1.75 EB1538408-61	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.04	0.04	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	26	26	0.00	0% - 50%
		EA033: pH KCl (23A)	----	0.1	pH Unit	4.7	4.7	0.00	0% - 20%
<b>EA033-A: Actual Acidity (QC Lot: 352783)</b>									
EB1602738-021	AMBH08 0.75-1.00 EB1538415-56	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.10	0.10	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	60	59	0.00	0% - 20%
		EA033: pH KCl (23A)	----	0.1	pH Unit	4.4	4.4	0.00	0% - 20%
EB1602738-031	AMBH28 0.50-0.75 EB1538419-62	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.06	0.06	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	35	37	5.31	0% - 50%
		EA033: pH KCl (23A)	----	0.1	pH Unit	4.6	4.6	0.00	0% - 20%
<b>EA033-B: Potential Acidity (QC Lot: 352782)</b>									
EB1602738-001	AMBH01 0.75-1.00 EB1538408-4	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	<0.005	0.00	No Limit
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	<10	0.00	No Limit
EB1602738-011	AMBH04 1.50-1.75 EB1538408-61	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	0.017	0.016	0.00	No Limit
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	10	10	0.00	No Limit
<b>EA033-B: Potential Acidity (QC Lot: 352783)</b>									
EB1602738-021	AMBH08 0.75-1.00 EB1538415-56	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	0.032	0.030	7.07	No Limit
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	20	18	7.07	No Limit
EB1602738-031	AMBH28 0.50-0.75 EB1538419-62	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	0.057	0.058	0.00	0% - 50%
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	36	36	0.00	No Limit
<b>EA033-D: Retained Acidity (QC Lot: 352782)</b>									



Page : 4 of 5  
 Work Order : EB1602738  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA033-D: Retained Acidity (QC Lot: 352782) - continued</b>									
EB1602738-001	AMBH01 0.75-1.00 EB1538408-4	EA033: sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	0.02	0.00	No Limit
		EA033: HCl Extractable Sulfur (20Be)	----	0.02	% S	0.14	0.14	0.00	No Limit
		EA033: KCl Extractable Sulfur (23Ce)	----	0.02	% S	0.12	0.12	0.00	No Limit
		EA033: Net Acid Soluble Sulfur (20Je)	----	0.02	% S	0.03	0.03	0.00	No Limit
		EA033: acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	12	13	0.00	No Limit
<b>EA033-D: Retained Acidity (QC Lot: 352783)</b>									
EB1602738-021	AMBH08 0.75-1.00 EB1538415-56	EA033: sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	0.02	0.02	0.00	No Limit
		EA033: HCl Extractable Sulfur (20Be)	----	0.02	% S	0.48	0.48	0.00	0% - 20%
		EA033: KCl Extractable Sulfur (23Ce)	----	0.02	% S	0.45	0.45	0.00	0% - 20%
		EA033: Net Acid Soluble Sulfur (20Je)	----	0.02	% S	0.03	0.03	0.00	No Limit
		EA033: acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	14	14	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike Concentration	Spike Recovery (%) LCS	Recovery Limits (%) Low High	
<b>EA033-A: Actual Acidity (QCLot: 352782)</b>								
EA033: pH KCl (23A)	----	----	pH Unit	----	4.8 pH Unit	97.9	70	130
EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	----	----	----	----
EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	15 mole H+ / t	95.3	70	130
<b>EA033-A: Actual Acidity (QCLot: 352783)</b>								
EA033: pH KCl (23A)	----	----	pH Unit	----	4.8 pH Unit	97.9	70	130
EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	----	----	----	----
EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	15 mole H+ / t	89.5	70	130
<b>EA033-B: Potential Acidity (QCLot: 352782)</b>								
EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	----	----	----	----
EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.295 % S	89.8	70	130
<b>EA033-B: Potential Acidity (QCLot: 352783)</b>								
EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	----	----	----	----
EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.295 % S	92.2	70	130
<b>EA033-D: Retained Acidity (QCLot: 352782)</b>								
EA033: acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	<10	----	----	----	----
EA033: HCl Extractable Sulfur (20Be)	----	0.02	% S	<0.02	0.026 % S	98.9	70	130
EA033: KCl Extractable Sulfur (23Ce)	----	0.02	% S	<0.02	0.052 % S	81.0	70	130
EA033: Net Acid Soluble Sulfur (20Je)	----	0.02	% S	<0.02	----	----	----	----
EA033: sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	----	----	----	----
<b>EA033-D: Retained Acidity (QCLot: 352783)</b>								
EA033: acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	<10	----	----	----	----
EA033: HCl Extractable Sulfur (20Be)	----	0.02	% S	<0.02	0.026 % S	98.9	70	130
EA033: KCl Extractable Sulfur (23Ce)	----	0.02	% S	<0.02	0.052 % S	81.0	70	130
EA033: Net Acid Soluble Sulfur (20Je)	----	0.02	% S	<0.02	----	----	----	----
EA033: sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	----	----	----	----

## Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1602738</b>	Page	: 1 of 4
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS TAMARA SICCAMA	Telephone	: +61-7-3243 7222
Project	: 1538021	Date Samples Received	: 03-Feb-2016
Site	: Brisbane Airport	Issue Date	: 09-Feb-2016
Sampler	: TAMARA SICCAMA	No. of samples received	: 33
Order number	: 1538021	No. of samples analysed	: 33

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



## Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA033-B: Potential Acidity</b>								
<b>80* dried soil (EA033)</b> AMBH01 0.75-1.00 - EB1538408-4, AMBH01 2.75-3.00 - EB1538408-12, AMBH02 1.50-1.75 - EB1538408-25, AMBH03 0.75-1.00 - EB1538408-40, AMBH03 2.00-2.25 - EB1538408-45, AMBH04 1.50-1.75 - EB1538408-61, AMBH05 1.00-1.25 - EB1538415-5, AMBH06 0.50-0.75 - EB1538415-21, AMBH06 2.25-2.50 - EB1538415-28, AMBH07 2.00-2.25 - EB1538415-44, AMBH08 0.75-1.00 - EB1538415-56, AMBH08 2.75-3.00 - EB1538415-64	AMBH01 1.50-1.75 - EB1538408-7, AMBH02 0.75-1.00 - EB1538408-22, AMBH02 2.50-2.75 - EB1538408-29, AMBH03 1.25-1.50 - EB1538408-42, AMBH04 0.75-1.00 - EB1538408-58, AMBH04 2.75-3.00 - EB1538408-66, AMBH05 2.25-2.50 - EB1538415-10, AMBH06 1.25-1.50 - EB1538415-24, AMBH07 0.75-1.00 - EB1538415-39, AMBH07 2.75-3.00 - EB1538415-47, AMBH08 1.75-2.00 - EB1538415-60	<b>16-Dec-2015</b>	<b>09-Feb-2016</b>	15-Dec-2016	✓	<b>09-Feb-2016</b>	09-May-2016	✓
<b>80* dried soil (EA033)</b> AMBH09 0.75-1.00 - EB1538419-4, AMBH09 2.75-30.0 - EB1538419-12, AMBH19 0.50-2.75 - EB1538419-48	AMBH09 1.50-1.75 - EB1538419-7, AMBH19 0.50-0.75 - EB1538419-40,	<b>17-Dec-2015</b>	<b>09-Feb-2016</b>	16-Dec-2016	✓	<b>09-Feb-2016</b>	09-May-2016	✓
<b>80* dried soil (EA033)</b> AMBH17 0.75-1.00 - EB1538419-22, AMBH28 0.50-0.75 - EB1538419-62, AMBH28 2.50-2.75 - EB1538419-64	AMBH17 2.25-2.50 - EB1538419-28, AMBH28 1.50-1.75 - EB1538419-63,	<b>18-Dec-2015</b>	<b>09-Feb-2016</b>	17-Dec-2016	✓	<b>09-Feb-2016</b>	09-May-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	4	33	12.12	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	2	33	6.06	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	2	33	6.06	5.00	✔	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Chromium Suite for Acid Sulphate Soils	EA033	SOIL	In house: Referenced to Ahern et al 2004. This method covers the determination of Chromium Reducible Sulfur (SCR); pHKCl; titratable actual acidity (TAA); acid neutralising capacity by back titration (ANC); and net acid soluble sulfur (SNAS) which incorporates peroxide sulfur. It applies to soils and sediments (including sands) derived from coastal regions. Liming Rate is based on results for samples as submitted and incorporates a minimum safety factor of 1.5.
<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Drying at 85 degrees, bagging and labelling (ASS)	EN020PR	SOIL	In house



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1602738**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS TAMARA SICCAMA	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: TSiccama@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 4
Order number	: 1538021	Quote number	: EM2015GOLASS0592 (EN-002-15)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisabne Airport		
Sampler	: TAMARA SICCAMA		

Dates

Date Samples Received	: 03-Feb-2016 1:02 PM	Issue Date	: 03-Feb-2016
Client Requested Due Date	: 09-Feb-2016	Scheduled Reporting Date	: <b>09-Feb-2016</b>

Delivery Details

Mode of Delivery	: Samples On Hand	Security Seal	: Not Available
No. of coolers/boxes	: ----	Temperature	: CHILLED
Receipt Detail	: REBATCH	No. of samples received / analysed	: 33 / 33

General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **This work order has been created to rebatch samples from previous ALS workorders EB1538408, EB1538415, EB1538419**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- **No sample container / preservation non-compliance exist.**

Any sample identifications that cannot be displayed entirely in the analysis summary table will be listed below.

EB1602738-001	: [ 16-Dec-2015 ]	: AMBH01 0.75-1.00 - EB1538408-4
EB1602738-002	: [ 16-Dec-2015 ]	: AMBH01 1.50-1.75 - EB1538408-7
EB1602738-003	: [ 16-Dec-2015 ]	: AMBH01 2.75-3.00 - EB1538408-12
EB1602738-004	: [ 16-Dec-2015 ]	: AMBH02 0.75-1.00 - EB1538408-22
EB1602738-005	: [ 16-Dec-2015 ]	: AMBH02 1.50-1.75 - EB1538408-25
EB1602738-006	: [ 16-Dec-2015 ]	: AMBH02 2.50-2.75 - EB1538408-29
EB1602738-007	: [ 16-Dec-2015 ]	: AMBH03 0.75-1.00 - EB1538408-40
EB1602738-008	: [ 16-Dec-2015 ]	: AMBH03 1.25-1.50 - EB1538408-42
EB1602738-009	: [ 16-Dec-2015 ]	: AMBH03 2.00-2.25 - EB1538408-45
EB1602738-010	: [ 16-Dec-2015 ]	: AMBH04 0.75-1.00 - EB1538408-58
EB1602738-011	: [ 16-Dec-2015 ]	: AMBH04 1.50-1.75 - EB1538408-61
EB1602738-012	: [ 16-Dec-2015 ]	: AMBH04 2.75-3.00 - EB1538408-66
EB1602738-013	: [ 16-Dec-2015 ]	: AMBH05 1.00-1.25 - EB1538415-5
EB1602738-014	: [ 16-Dec-2015 ]	: AMBH05 2.25-2.50 - EB1538415-10
EB1602738-015	: [ 16-Dec-2015 ]	: AMBH06 0.50-0.75 - EB1538415-21
EB1602738-016	: [ 16-Dec-2015 ]	: AMBH06 1.25-1.50 - EB1538415-24
EB1602738-017	: [ 16-Dec-2015 ]	: AMBH06 2.25-2.50 - EB1538415-28
EB1602738-018	: [ 16-Dec-2015 ]	: AMBH07 0.75-1.00 - EB1538415-39
EB1602738-019	: [ 16-Dec-2015 ]	: AMBH07 2.00-2.25 - EB1538415-44
EB1602738-020	: [ 16-Dec-2015 ]	: AMBH07 2.75-3.00 - EB1538415-47
EB1602738-021	: [ 16-Dec-2015 ]	: AMBH08 0.75-1.00 - EB1538415-56
EB1602738-022	: [ 16-Dec-2015 ]	: AMBH08 1.75-2.00 - EB1538415-60
EB1602738-023	: [ 16-Dec-2015 ]	: AMBH08 2.75-3.00 - EB1538415-64
EB1602738-024	: [ 17-Dec-2015 ]	: AMBH09 0.75-1.00 - EB1538419-4
EB1602738-025	: [ 17-Dec-2015 ]	: AMBH09 1.50-1.75 - EB1538419-7
EB1602738-026	: [ 17-Dec-2015 ]	: AMBH09 2.75-3.00 - EB1538419-12
EB1602738-027	: [ 18-Dec-2015 ]	: AMBH17 0.75-1.00 - EB1538419-22
EB1602738-028	: [ 18-Dec-2015 ]	: AMBH17 2.25-2.50 - EB1538419-28
EB1602738-029	: [ 17-Dec-2015 ]	: AMBH19 0.50-0.75 - EB1538419-40
EB1602738-030	: [ 17-Dec-2015 ]	: AMBH19 0.50-2.75 - EB1538419-48
EB1602738-031	: [ 18-Dec-2015 ]	: AMBH28 0.50-0.75 - EB1538419-62
EB1602738-032	: [ 18-Dec-2015 ]	: AMBH28 1.50-1.75 - EB1538419-63
EB1602738-033	: [ 18-Dec-2015 ]	: AMBH28 2.50-2.75 - EB1538419-64

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

Matrix: **SOIL**

Laboratory sample ID	Client sampling date / time	Client sample ID	SOIL - EA033 Chromium Suite for Acid Sulphate Soils
EB1602738-001	[ 16-Dec-2015 ]	AMBH01 0.75-1.00 EB...	✓
EB1602738-002	[ 16-Dec-2015 ]	AMBH01 1.50-1.75 EB...	✓
EB1602738-003	[ 16-Dec-2015 ]	AMBH01 2.75-3.00 EB...	✓
EB1602738-004	[ 16-Dec-2015 ]	AMBH02 0.75-1.00 EB...	✓
EB1602738-005	[ 16-Dec-2015 ]	AMBH02 1.50-1.75 EB...	✓
EB1602738-006	[ 16-Dec-2015 ]	AMBH02 2.50-2.75 EB...	✓





SOIL - EA033  
 Chromium Suite for Acid Sulphate Soils


EB1602738-007	[ 16-Dec-2015 ]	AMBH03 0.75-1.00 EB...	✓
EB1602738-008	[ 16-Dec-2015 ]	AMBH03 1.25-1.50 EB...	✓
EB1602738-009	[ 16-Dec-2015 ]	AMBH03 2.00-2.25 EB...	✓
EB1602738-010	[ 16-Dec-2015 ]	AMBH04 0.75-1.00 EB...	✓
EB1602738-011	[ 16-Dec-2015 ]	AMBH04 1.50-1.75 EB...	✓
EB1602738-012	[ 16-Dec-2015 ]	AMBH04 2.75-3.00 EB...	✓
EB1602738-013	[ 16-Dec-2015 ]	AMBH05 1.00-1.25 EB...	✓
EB1602738-014	[ 16-Dec-2015 ]	AMBH05 2.25-2.50 EB...	✓
EB1602738-015	[ 16-Dec-2015 ]	AMBH06 0.50-0.75 EB...	✓
EB1602738-016	[ 16-Dec-2015 ]	AMBH06 1.25-1.50 EB...	✓
EB1602738-017	[ 16-Dec-2015 ]	AMBH06 2.25-2.50 EB...	✓
EB1602738-018	[ 16-Dec-2015 ]	AMBH07 0.75-1.00 EB...	✓
EB1602738-019	[ 16-Dec-2015 ]	AMBH07 2.00-2.25 EB...	✓
EB1602738-020	[ 16-Dec-2015 ]	AMBH07 2.75-3.00 EB...	✓
EB1602738-021	[ 16-Dec-2015 ]	AMBH08 0.75-1.00 EB...	✓
EB1602738-022	[ 16-Dec-2015 ]	AMBH08 1.75-2.00 EB...	✓
EB1602738-023	[ 16-Dec-2015 ]	AMBH08 2.75-3.00 EB...	✓
EB1602738-024	[ 17-Dec-2015 ]	AMBH09 0.75-1.00 EB...	✓
EB1602738-025	[ 17-Dec-2015 ]	AMBH09 1.50-1.75 EB...	✓
EB1602738-026	[ 17-Dec-2015 ]	AMBH09 2.75-30.0 EB...	✓
EB1602738-027	[ 18-Dec-2015 ]	AMBH17 0.75-1.00 EB...	✓
EB1602738-028	[ 18-Dec-2015 ]	AMBH17 2.25-2.50 EB...	✓
EB1602738-029	[ 17-Dec-2015 ]	AMBH19 0.50-0.75 EB...	✓
EB1602738-030	[ 17-Dec-2015 ]	AMBH19 0.50-2.75 EB...	✓
EB1602738-031	[ 18-Dec-2015 ]	AMBH28 0.50-0.75 EB...	✓
EB1602738-032	[ 18-Dec-2015 ]	AMBH28 1.50-1.75 EB...	✓
EB1602738-033	[ 18-Dec-2015 ]	AMBH28 2.50-2.75 EB...	✓

### Proactive Holding Time Report


Sample(s) have been received within the recommended holding times for the requested analysis.



SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Project ID: 1538021		Quote/Order No.: EN/002/15		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400			
Site Location: Brisbane Airport		Lab Name: ALS Environmental		147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401			
Sampled By: Tamara Siccama		BY:		Invoice to be sent to Accounts: <a href="mailto:auaccounts payable@golder.com.au">auaccounts payable@golder.com.au</a>		Project Manager: Krystle-Rae Biram		Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>	
Turnaround (Days): 3		Report Format: <input checked="" type="checkbox"/> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		Contact Phone: 07 37215400					
Email Format: <input checked="" type="checkbox"/> PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>		Email Address: <a href="mailto:tsiccama@golder.com.au">tsiccama@golder.com.au</a>		<b>ANALYSIS REQUIRED</b>					
Comments/Special Instructions: Rebatch of EB1538408, EB1538415 and EB1538419.									
Samples from a declared Fire Ant Area: N									
Samples taken from a known Weed and or Pest Area: N									
LAB ID	Field Location	Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	Chromium Suite Complete (EA03E)
1	EB1538408-4	AM-BH01	0.75-1.00	Soil	16/12/2015	Bag	1		x
2	EB1538408-7	AM-BH01	1.50-1.75	Soil	16/12/2015	Bag	1		x
3	EB1538408-12	AM-BH01	2.75-3.00	Soil	16/12/2015	Bag	1		x
4	EB1538408-22	AM-BH02	0.75-1.00	Soil	16/12/2015	Bag	1		x
5	EB1538408-25	AM-BH02	1.50-1.75	Soil	16/12/2015	Bag	1		x
6	EB1538408-29	AM-BH02	2.50-2.75	Soil	16/12/2015	Bag	1		x
7	EB1538408-40	AM-BH03	0.75-1.00	Soil	16/12/2015	Bag	1		x
8	EB1538408-42	AM-BH03	1.25-1.50	Soil	16/12/2015	Bag	1		x
9	EB1538408-45	AM-BH03	2.00-2.25	Soil	16/12/2015	Bag	1		x
10	EB1538408-58	AM-BH04	0.75-1.00	Soil	16/12/2015	Bag	1		x
11	EB1538408-61	AM-BH04	1.50-1.75	Soil	16/12/2015	Bag	1		x
12	EB1538408-66	AM-BH04	2.75-3.00	Soil	16/12/2015	Bag	1		x
13	EB1538415-5	AM-BH05	1.00-1.25	Soil	16/12/2015	Bag	1		x
14	EB1538415-10	AM-BH05	2.25-2.50	Soil	16/12/2015	Bag	1		x
15	EB1538415-21	AM-BH06	0.50-0.75	Soil	16/12/2015	Bag	1		x
16	EB1538415-24	AM-BH06	1.25-1.50	Soil	16/12/2015	Bag	1		x
17	EB1538415-28	AM-BH06	2.25-2.50	Soil	16/12/2015	Bag	1		x
18	EB1538415-39	AM-BH07	0.75-1.00	Soil	16/12/2015	Bag	1		x
19	EB1538415-44	AM-BH07	2.00-2.25	Soil	16/12/2015	Bag	1		x
20	EB1538415-47	AM-BH07	2.75-3.00	Soil	16/12/2015	Bag	1		x

Environmental Division  
Brisbane  
Work Order Reference  
**EB1602738**



Telephone : + 61-7-3243 7222

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

SIGNATURE		COMPANY	DATE	TIME	SIGNATURE		COMPANY	DATE	TIME	Shipment Method
RELEASED BY: Emma Cornish		GOLDER	3/02/2016	1:00pm	RELEASED BY:					Shipping Ref:
RECEIVED BY: <i>TUSTAN</i>		ALS	03/02/16	13:02	RECEIVED BY:					

To Be Filled Out By Analysing Laboratory				LAB. BATCH NUMBER	
Security Seal	<input type="checkbox"/>	Chilled	<input type="checkbox"/>	Bill to: Address	
Suitable Containers	<input type="checkbox"/>	Frozen	<input type="checkbox"/>		
Cool Box	<input type="checkbox"/>	Ambient	<input type="checkbox"/>		

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Project ID: 1538021		Quote/Order No.: EN/002/15		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400											
Site Location: Brisbane Airport		Lab Name: ALS Environmental		147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401											
Sampled By: Tamara Siccama		BY:		Invoice to be sent to Accounts: <a href="mailto:aaaccountspayable@golder.com.au">aaaccountspayable@golder.com.au</a>		Project Manager: Krystle-Rac Biram		Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>									
Turnaround (Days): 3		Report Format: <input checked="" type="checkbox"/> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		Contact Phone: 07.37215400		Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>											
Email Format: <input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>		Email Address: <a href="mailto:tsiccama@golder.com.au">tsiccama@golder.com.au</a>		<b>ANALYSIS REQUIRED</b>													
Comments/Special Instructions: Rebatch of EB1538408, EB1538415 and EB1538419.																	
Samples from a declared Fire Ant Area: N																	
Samples taken from a known Weed and or Pest Area: N																	
LAB ID	Field Location	Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	Chromium Suite Complete (EA033)								
21	EB1538415-56	AM-BH08	0.75-1.00	Soil	16/12/2015	Bag	1		x								
22	EB1538415-60	AM-BH08	1.75-2.00	Soil	16/12/2015	Bag	1		x								
23	EB1538415-64	AM-BH08	2.75-3.00	Soil	16/12/2015	Bag	1		x								
24	EB1538419-4	AM-BH09	0.75-1.00	Soil	17/12/2015	Bag	1		x								
25	EB1538419-7	AM-BH09	1.50-1.75	Soil	17/12/2015	Bag	1		x								
26	EB1538419-12	AM-BH09	2.75-3.00	Soil	17/12/2015	Bag	1		x								
27	EB1538419-22	AM-BH17	0.75-1.00	Soil	18/12/2015	Bag	1		x								
28	EB1538419-28	AM-BH17	2.25-2.50	Soil	18/12/2015	Bag	1		x								
29	EB1538419-40	AM-BH19	0.50-0.75	Soil	17/12/2015	Bag	1		x								
30	EB1538419-48	AM-BH19	2.50-2.75	Soil	17/12/2015	Bag	1		x								
31	EB1538419-62	AM-BH28	0.50-0.75	Soil	18/12/2015	Bag	1		x								
32	EB1538419-63	AM-BH28	1.50-1.75	Soil	18/12/2015	Bag	1		x								
33	EB1538419-64	AM-BH28	2.50-2.75	Soil	18/12/2015	Bag	1		x								
SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P																	
SIGNATURE		COMPANY		DATE		TIME		SIGNATURE		COMPANY		DATE		TIME		Shipment Method	
RELEASED BY		GOLDER		3/02/2016		1:00pm		RELEASED BY								Shipping Ref:	
RECEIVED BY		ALS		03/02		15:02		RECEIVED BY									
RELEASED BY								To Be Filled Out By Analysing Laboratory		LAB. BATCH NUMBER							
RECEIVED BY								Security Seal		Chilled		Bill to:					
RELEASED BY								Suitable Containers		Frozen		Address					
RECEIVED BY								Cool Box		Ambient							

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

Client Manager - Stafford  
ALS | Environmental Division

2 Byth St,

Stafford, Qld, 4053, Australia

D +61 7 3552 8638

T +61 7 3243 7222

[www.alsglobal.com](http://www.alsglobal.com)

**We are keen for your feedback! Please click here for your 1 question survey**



**[EnviroMail™ 94 - PFOS PFOA and Why do my laboratory results not agree](#)**

**[EnviroMail™ 93 - Quality Assurance, Quality Control and DQI Reporting to Maximise Data Quality](#)**

**[EnviroMail™ 52 \[UPDATE\] Sampling and Analysis of Soil Vapour using Canisters](#)**

**[EnviroMail™ 96 - Bench Trials for Remediation or Assessment of New Technologies](#)**

**[EnviroMail™ 00 - Summary of all EnviroMails™ by Category](#)**

**[www.alsglobal.com](http://www.alsglobal.com)  **[Subscribe to EnviroMail™](#)**  **[Follow us on LinkedIn](#)****

**From:** Cornish, Emma [<mailto:ECornish@golder.com.au>]

**Sent:** Wednesday, 3 February 2016 12:04 PM

**To:** Tom Maloney

**Cc:** Siccama, Tamara; Biram, Krystle-Rae

**Subject:** Rebatch of EB1538408, EB1538415 and EB1538419 (Project No.1538021)

Hi,

COC attached is a re-batch of lab references EB1538408, EB1538415 and EB1538419. Selected samples are requested for Chromium Suite Complete (EA033).

Kind regards,

Emma

---

**Emma Cornish (BSc) | Environmental Scientist | Golder Associates Pty Ltd**

216 Draper Street, Cairns, Queensland 4870, Australia (PO Box 5823, Cairns QLD 4870)

T: +61 7 4054 8200 | D: +61 7 40548256 | F: +61 7 4054 8201 | M: +61 0407334931 | E: [ECornish@golder.com.au](mailto:ECornish@golder.com.au) |

[www.golder.com](http://www.golder.com)

**Winner of 22 BRW Client Choice Awards 2006-2013, including in 2013:**

**Best Consulting Engineering Firm (revenue greater than \$200m)**

**Work Safe, Home Safe**

*This email transmission is confidential and may contain proprietary information for the exclusive use of the intended recipient. Any use, distribution or copying of this transmission, other than by the intended recipient, is strictly prohibited. If you are not the intended recipient, please notify the sender and delete all copies. Electronic media is susceptible to unauthorized modification, deterioration, and incompatibility. Accordingly, the electronic media version of any work product may not be relied upon. Any advice provided in or attached to this email is subject to **limitations**.*

Golder, Golder Associates and the OA globe design are trademarks of Golder Associates Corporation.

Please consider the environment before printing this email.

ALS Group: Click [here](#) to report this email as spam.

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

Sheet..... of.....

<b>Project ID:</b>	1538021	<b>Quote/Order No.:</b>	EN/002/15	<b>GOLDER ASSOCIATES PTY LTD</b>	<b>Phone:</b> (07) 3721 5400	
<b>Site/Location:</b>	Brisbane Airport	<b>Lab Name:</b>	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	<b>Fax:</b> (07) 3721 5401	
<b>Sampled By:</b>	Morgan Midgley	<b>BY:</b>		<i>Invoice to be sent to Accounts:</i>	auaccounts payable@golder.com.au	
<b>Container (Type):</b>	5	<b>Project Manager:</b> Krystle-Rae Biram				
<b>Report Format:</b>	<input type="checkbox"/> HARD <input checked="" type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	<b>Contact Phone:</b> 07 37215400				<b>Email:</b> KBiram@golder.com.au
<b>Email Format:</b>	<input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	<b>Email Addr:</b> scurti@golder.com.au				



**Comments/Special Instructions:**


Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and/or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
	Loc	Depth							
1	AM-BH26	0	0.25	soil	6/10/2016	bag		1	N
2	AM-BH26	0.25	0.5	soil	6/10/2016	bag+2jar		3	N
3	AM-BH26	0.5	0.75	soil	6/10/2016	bag		1	N
4	AM-BH26	0.75	1	soil	6/10/2016	bag+jar		2	N
5	AM-BH26	1	1.25	soil	6/10/2016	bag		1	N
6	AM-BH26	1.25	1.5	soil	6/10/2016	bag		1	N
7	AM-BH26	1.5	1.75	soil	6/10/2016	bag		1	N
8	AM-BH26	1.75	2	soil	6/10/2016	bag+2 jars		3	N
9	AM-BH26	2	2.25	soil	6/10/2016	bag		1	N
10	AM-BH26	2.25	2.5	soil	6/10/2016	bag		1	N
11	AM-BH26	2.5	2.75	soil	6/10/2016	bag		1	N
12	AM-BH26	2.75	3	soil	6/10/2016	bag+jar		2	N
13	AM-BH26	0	0.1	soil	6/10/2016	jar		1	N

ANALYSIS REQUIRED										
HOLD	EA017 - pH/pHFOX - Fast Screen	EN002PR - dry 85°C and pulvise	S26 - SC TRH(C6-C40)/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters	S-2 & metals	zinc/cadmium	titanium		
	X	X								
	X	X	X	X	X					
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X				X				
	X	X					X	X	X	

**Environmental Division  
Brisbane  
Work Order Reference  
EB1624693**



Telephone - 61-7-3243 7222

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14-10-16		Shipping Ref:
<i>CHARLES</i>	ALS	14/10/16	1600					

RELEASED BY	RECEIVED BY	LABORATORY	LAB BATCH NUMBER
RELEASED BY	RECEIVED BY	LABORATORY	LAB BATCH NUMBER
RELEASED BY	RECEIVED BY	LABORATORY	LAB BATCH NUMBER

**WARNING!**

SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA

DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE

**FREEZE OR BAKE ENTIRE SAMPLE**

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIERS; LABORATORY ON RECEIPT OF SAMPLES.**

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

Sheet ..... of.....

1538021	<small>Order No.</small>	EN/002/15	GOLDER ASSOCIATES PTY LTD
Brisbane Airport	<small>Lab Name</small>	ALS Environmental	147 Coronation Drive, Milton, Qld 4064
Morgan Midgley			Phone: (07) 3721 5400 Fax: (07) 3721 5401
S	BY:		Invoice to be sent to Accounts: <a href="mailto:accounts.payable@golder.com.au">accounts.payable@golder.com.au</a>
HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>			Project Manager: Krystle-Rae Biram
PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/> Email Addre: <a href="mailto:spurti@golder.com.au">spurti@golder.com.au</a>			Contact Phone: 07 37215400 Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>



Comments/Special Instructions:								ANALYSIS REQUIRED													
Samples from a declared Fire Ant Area: Y																					
Samples taken from a known Weed and or Pest Area: N																					
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 850C and pulverise	S26 - SC TRH(CB-C40)/BTEXN /PAH Plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters							
14	AM-BH18	0 0.25	soil	6/10/2016		bag	1	N		X	X										
15	AM-BH18	0.25 0.5	soil	6/10/2016		bag+2jar	3	N		X	X										
16	AM-BH18	0.5 0.75	soil	6/10/2016		bag	1	N		X	X	X	X	X							
17	AM-BH18	0.75 1	soil	6/10/2016		bag+jar	2	N		X	X										
18	AM-BH18	1 1.25	soil	6/10/2016		bag	1	N		X	X										
19	AM-BH18	1.25 1.5	soil	6/10/2016		bag	1	N		X	X										
20	AM-BH18	1.5 1.75	soil	6/10/2016		bag	1	N		X	X										
21	AM-BH18	1.75 2	soil	6/10/2016		bag+jar	2	N		X	X			X							
22	AM-BH18	2 2.25	soil	6/10/2016		bag	1	N		X	X										
23	AM-BH18	2.25 2.5	soil	6/10/2016		bag	1	N		X	X										
24	AM-BH18	2.5 2.75	soil	6/10/2016		bag	1	N		X	X										
25	AM-BH18	2.75 3	soil	6/10/2016		bag+jar	2	N		X	X										

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14-10-16		Shipping Ref:
CHRS	ALS	14/10/16	1600					

**WARNING!**  
**SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA**  
**DISPOSE OF SAMPLES IN ACCORDANCE WITH DP: APPROVED PROCEDURE**  
**FREEZE OR BAKE ENTIRE SAMPLE**

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

1538021	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Brisbane Airport	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Morgan Midgley		Invoice to be sent to Accounts: <a href="mailto:auaccountsnavable@golder.com.au">auaccountsnavable@golder.com.au</a>	
5	BY:	Project Manager: Krystle-Rae Biram	
HARD <input type="checkbox"/>	FAX <input type="checkbox"/>	Contact Phone: 07 37215400	Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>
DISK <input type="checkbox"/>	EMAIL <input checked="" type="checkbox"/>		
BULLETIN BOARD <input type="checkbox"/>			
PDF <input checked="" type="checkbox"/>	Excel <input type="checkbox"/>		
Other <input type="checkbox"/>	Email Address: <a href="mailto:scurti@golder.com.au">scurti@golder.com.au</a>		



Comments/Special Instructions:

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
26	AM-BH24	0 0.25	soil	6/10/2016		bag		1	N
27	AM-BH24	0.25 0.5	soil	6/10/2016		bag+2jars		3	N
28	AM-BH24	0.5 0.75	soil	6/10/2016		bag		1	N
29	AM-BH24	0.75 1	soil	6/10/2016		bag+jar		2	N
30	AM-BH24	1 1.25	soil	6/10/2016		bag		1	N
31	AM-BH24	1.25 1.5	soil	6/10/2016		bag		1	N
32	AM-BH24	1.5 1.75	soil	6/10/2016		bag		1	N
33	AM-BH24	1.75 2	soil	6/10/2016		bag+jar		2	N
34	AM-BH24	2 2.25	soil	6/10/2016		bag		1	N
35	AM-BH24	2.25 2.5	soil	6/10/2016		bag		1	N
36	AM-BH24	2.5 2.75	soil	6/10/2016		bag		1	N
37	AM-BH24	2.75 3	soil	6/10/2016		bag+jar		2	N
38	AM-BH24	1.1 1.2	soil	6/10/2016		jar		1	N

ANALYSIS REQUIRED										
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85oC and pulverise	S26 - SC TRHICs- C40/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters					
	X	X								
	X	X	X	X	X					
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
X					X					

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14/10		Shipping Ref:
<i>CHAZ</i>	ALS	14/10/16	1600					

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**



SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

1538021  
**Brisbane Airport**  
**Morgan Midgley**  
**5** **BY:**

EN/002/15  
ALS Environmental

GOLDER ASSOCIATES PTY LTD  
147 Coronation Drive, Milton, Qld 4064  
Phone: (07) 3724 5400  
Fax: (07) 3721 5401  
Email: [ausaccounts@payable@golder.com.au](mailto:ausaccounts@payable@golder.com.au)  
[KBiram@golder.com.au](mailto:KBiram@golder.com.au)

Invoice to be sent to Accounts:  
Project Manager: Krystle-Rae Biram  
Contact Phone: 07 37215400  
Email: KBiram@golder.com.au

Report Format:  HARD  FAX  DISK  EMAIL  BULLETIN BOARD   
Email Contact:  PDF  Excel  Other  Email Addr: [scurti@golder.com.au](mailto:scurti@golder.com.au)



Comments/Special Instructions:

Samples from a declared Fire Ant Area: **Y**  
Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
39	AM-BH10	0	0.25	soil	6/10/2016	bag	1	N
40	AM-BH10	0.25	0.5	soil	6/10/2016	bag+2jar	3	N
41	AM-BH10	0.5	0.75	soil	6/10/2016	bag	1	N
42	AM-BH10	0.75	1	soil	6/10/2016	bag+jar	2	N
43	AM-BH10	1	1.25	soil	6/10/2016	bag	1	N
44	AM-BH10	1.25	1.5	soil	6/10/2016	bag	1	N
45	AM-BH10	1.5	1.75	soil	6/10/2016	bag	1	N
46	AM-BH10	1.75	2	soil	6/10/2016	bag+jar	2	N
47	AM-BH10	2	2.25	soil	6/10/2016	bag	1	N
48	AM-BH10	2.25	2.5	soil	6/10/2016	bag	1	N
49	AM-BH10	2.5	2.75	soil	6/10/2016	bag	1	N
50	AM-BH10	2.75	3	soil	6/10/2016	bag+jar	2	N

ANALYSIS REQUIRED												
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85oC and pulverise	S26 - SC TRHC8-C40/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters							
	X	X		X	X							
	X	X	X	X	X							
	X	X		X								
	X	X		X								
	X	X		X								
	X	X		X								
	X	X		X								
	X	X		X					X			
	X	X		X								
	X	X		X								
	X	X		X								
	X	X		X								
	X	X		X								
	X	X		X								
	X	X		X								
	X	X		X								

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list  
Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		[Signature]	GA	14/10		Shipping Ref.
CHRES	ALS	14/10/16	1600					

**WARNING!**  
SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
FREEZE OF BAKED ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

1538021	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Brisbane Airport	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled By: Morgan Midgley	BY:	Project Manager: Krystle-Rae Biram	auaccounts@payable@golder.com.au
Report Format: HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	Storage:	Contact Phone: 07 37215400	Email: K.Biram@golder.com.au
Email Format: PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address: scurti@golder.com.au		

Comments/Special Instructions:

Samples from a declared Fire Ant Area: Y

Samples taken from a known Weed and or Pest Area: N

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
51	AM-BH32 0 0.25	soil	10/10/2016		bag		1	N
52	AM-BH32 0.25 0.5	soil	10/10/2016		bag+2jar		3	N
53	AM-BH32 0.5 0.75	soil	10/10/2016		bag		1	N
54	AM-BH32 0.75 1	soil	10/10/2016		bag+jar		2	N
55	AM-BH32 1 1.25	soil	10/10/2016		bag		1	N
56	AM-BH32 1.25 1.5	soil	10/10/2016		bag		1	N
57	AM-BH32 1.5 1.75	soil	10/10/2016		bag		1	N
58	AM-BH32 1.75 2	soil	10/10/2016		bag+jar		2	N
59	AM-BH32 2 2.25	soil	10/10/2016		bag		1	N
60	AM-BH32 2.25 2.5	soil	10/10/2016		bag		1	N
61	AM-BH32 2.5 2.75	soil	10/10/2016		bag		1	N
62	AM-BH32 2.75 3	soil	10/10/2016		bag+jar		2	N

ANALYSIS REQUIRED															
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85oC and pulverise	S26 - SC TRH /C6-C40/BTEXN /PAH-plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters										
	X	X													
	X	X	X	X	X										
	X	X													
	X	X													
	X	X													
	X	X													
	X	X													
	X	X													
	X	X													
	X	X													
	X	X								X					

SAMPLE MATRIX = Soil/Sediment/Fill/Other SAMPLE TYPE = Core(CR) HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipping Method
RELEASED BY Morgan Midgley	GOLDER	14-10-16		RELEASED BY				Shipping Ref:
RECEIVED BY CHAOS	ALS	14/10/16	1600	RECEIVED BY				

LAB BATCH NUMBER	
Checked	
Traced	
Address	

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DEP APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

1538021      Client Name: **ALS Environmental**      EN/002/15  
 Brisbane Airport      Lab Name: **ALS Environmental**      GOLDER ASSOCIATES PTY LTD  
 Morgan Midgley      **BY:**      147 Coronation Drive, Milton, Qld 4064      Phone: (07) 3721 5400  
 5      **Project Manager:** Krystle-Rae Biram      Fax: (07) 3721 5401  
 Report Format:  HARD     FAX     DISK     EMAIL     BULLETIN BOARD          Invoice to be sent to Accounts:      anaccounts payable@golder.com.au  
 Email format:  PDF     Excel     Other    Email Address:      scurfi@golder.com.au      Contact Phone: 07 37215400      Email: KBiram@golder.com.au



Comments/Special Instructions:

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
63	AM-BH29 0 0.25	soil	7/10/2016		bag		1	N
64	AM-BH29 0.25 0.5	soil	7/10/2016		bag+2jar		3	N
65	AM-BH29 0.5 0.75	soil	7/10/2016		bag		1	N
66	AM-BH29 0.75 1	soil	7/10/2016		bag+jar		2	N
67	AM-BH29 1 1.25	soil	7/10/2016		bag		1	N
68	AM-BH29 1.25 1.5	soil	7/10/2016		bag		1	N
69	AM-BH29 1.5 1.75	soil	7/10/2016		bag		1	N
70	AM-BH29 1.75 2	soil	7/10/2016		bag+jar		2	N
71	AM-BH29 2 2.25	soil	7/10/2016		bag		1	N
72	AM-BH29 2.25 2.5	soil	7/10/2016		bag		1	N
73	AM-BH29 2.5 2.75	soil	7/10/2016		bag		1	N
74	AM-BH29 2.75 3	soil	7/10/2016		bag+jar		2	N
75	AM-BH29 0 0.1	soil	7/10/2016		jar		1	N

ANALYSIS REQUIRED		HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry S&C and pH/vase	S26 - TRH (CB-C40)/BTEXN /PAH plus 8 metals	SI2 - OC/OP Pesticides	PFAS - extended suite 29 parameters	S-2 8 metals	zirconium	titanium
			X	X	X	X	X			
			X	X	X	X				
			X	X						
			X	X						
			X	X						
			X	X			X			
			X	X						
			X	X						
			X	X						
			X	X						
			X	X						
			X	X				X	X	X

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE				COMPANY	DATE	TIME	SIGNATURE			COMPANY	DATE	TIME	Shipping Method
Morgan Midgley				GOLDER									Shipping Ref:
CARLES				ALS	14/10/16	1600							

RELEASED BY

RECEIVED BY

LAB: Filled Out By Analytical Laboratory

LAB BATCH NUMBER

Suitable Containers:  Gelled  Frozen  Ambient

Bill to:  Address:

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF AND CLIENT ON RECEIPT OF SAMPLES.



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1624693**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 4
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

Dates

Date Samples Received	: 14-Oct-2016 4:00 PM	Issue Date	: 17-Oct-2016
Client Requested Due Date	: 21-Oct-2016	Scheduled Reporting Date	: <b>21-Oct-2016</b>

Delivery Details

Mode of Delivery	: Carrier	Security Seal	: Intact.
No. of coolers/boxes	: 3	Temperature	: 0.1°C, 0.4°C, 1.2°C
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 74 / 73

General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **Please be advised that sample "AM-BH26 0-0.1" was not received at the laboratory (denoted SNR on the scanned COC).**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913).**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exists.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: SOIL

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH
EB1624693-001	[ 06-Oct-2016 ]	AM-BH26 0-0.25		✓					
EB1624693-002	[ 06-Oct-2016 ]	AM-BH26 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-003	[ 06-Oct-2016 ]	AM-BH26 0.5-0.75		✓					
EB1624693-004	[ 06-Oct-2016 ]	AM-BH26 0.75-1		✓					
EB1624693-005	[ 06-Oct-2016 ]	AM-BH26 1-1.25		✓					
EB1624693-006	[ 06-Oct-2016 ]	AM-BH26 1.25-1.5		✓					
EB1624693-007	[ 06-Oct-2016 ]	AM-BH26 1.5-1.75		✓					
EB1624693-008	[ 06-Oct-2016 ]	AM-BH26 1.75-2		✓					
EB1624693-009	[ 06-Oct-2016 ]	AM-BH26 2-2.25		✓					
EB1624693-010	[ 06-Oct-2016 ]	AM-BH26 2.25-2.5		✓					
EB1624693-011	[ 06-Oct-2016 ]	AM-BH26 2.5-2.75		✓					
EB1624693-012	[ 06-Oct-2016 ]	AM-BH26 2.75-3		✓	✓		✓		
EB1624693-014	[ 06-Oct-2016 ]	AM-BH18 0-0.25		✓					
EB1624693-015	[ 06-Oct-2016 ]	AM-BH18 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-016	[ 06-Oct-2016 ]	AM-BH18 0.5-0.75		✓					
EB1624693-017	[ 06-Oct-2016 ]	AM-BH18 0.75-1		✓					
EB1624693-018	[ 06-Oct-2016 ]	AM-BH18 1-1.25		✓					
EB1624693-019	[ 06-Oct-2016 ]	AM-BH18 1.25-1.5		✓					
EB1624693-020	[ 06-Oct-2016 ]	AM-BH18 1.5-1.75		✓					
EB1624693-021	[ 06-Oct-2016 ]	AM-BH18 1.75-2		✓	✓		✓		
EB1624693-022	[ 06-Oct-2016 ]	AM-BH18 2-2.25		✓					
EB1624693-023	[ 06-Oct-2016 ]	AM-BH18 2.25-2.5		✓					
EB1624693-024	[ 06-Oct-2016 ]	AM-BH18 2.5-2.75		✓					
EB1624693-025	[ 06-Oct-2016 ]	AM-BH18 2.75-3		✓					
EB1624693-026	[ 06-Oct-2016 ]	AM-BH24 0-0.25		✓					
EB1624693-027	[ 06-Oct-2016 ]	AM-BH24 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-028	[ 06-Oct-2016 ]	AM-BH24 0.5-0.75		✓					
EB1624693-029	[ 06-Oct-2016 ]	AM-BH24 0.75-1		✓					
EB1624693-030	[ 06-Oct-2016 ]	AM-BH24 1-1.25		✓					
EB1624693-031	[ 06-Oct-2016 ]	AM-BH24 1.25-1.5		✓					
EB1624693-032	[ 06-Oct-2016 ]	AM-BH24 1.5-1.75		✓					
EB1624693-033	[ 06-Oct-2016 ]	AM-BH24 1.75-2		✓					
EB1624693-034	[ 06-Oct-2016 ]	AM-BH24 2-2.25		✓					
EB1624693-035	[ 06-Oct-2016 ]	AM-BH24 2.25-2.5		✓					
EB1624693-036	[ 06-Oct-2016 ]	AM-BH24 2.5-2.75		✓					



			(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEX/NPAH
EB1624693-037	[ 06-Oct-2016 ]	AM-BH24 2.75-3		✓	✓		✓		
EB1624693-038	[ 06-Oct-2016 ]	AM-BH24 1.1-1.2	✓						
EB1624693-039	[ 06-Oct-2016 ]	AM-BH10 0-0.25		✓					
EB1624693-040	[ 06-Oct-2016 ]	AM-BH10 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-041	[ 06-Oct-2016 ]	AM-BH10 0.5-0.75		✓					
EB1624693-042	[ 06-Oct-2016 ]	AM-BH10 0.75-1		✓					
EB1624693-043	[ 06-Oct-2016 ]	AM-BH10 1-1.25		✓					
EB1624693-044	[ 06-Oct-2016 ]	AM-BH10 1.25-1.5		✓					
EB1624693-045	[ 06-Oct-2016 ]	AM-BH10 1.5-1.75		✓					
EB1624693-046	[ 06-Oct-2016 ]	AM-BH10 1.75-2		✓	✓		✓		
EB1624693-047	[ 06-Oct-2016 ]	AM-BH10 2-2.25		✓					
EB1624693-048	[ 06-Oct-2016 ]	AM-BH10 2.25-2.5		✓					
EB1624693-049	[ 06-Oct-2016 ]	AM-BH10 2.5-2.75		✓					
EB1624693-050	[ 06-Oct-2016 ]	AM-BH10 2.75-3		✓					
EB1624693-051	[ 10-Oct-2016 ]	AM-BH32 0-0.25		✓					
EB1624693-052	[ 10-Oct-2016 ]	AM-BH32 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-053	[ 10-Oct-2016 ]	AM-BH32 0.5-0.75		✓					
EB1624693-054	[ 10-Oct-2016 ]	AM-BH32 0.75-1		✓					
EB1624693-055	[ 10-Oct-2016 ]	AM-BH32 1-1.25		✓					
EB1624693-056	[ 10-Oct-2016 ]	AM-BH32 1.25-1.5		✓					
EB1624693-057	[ 10-Oct-2016 ]	AM-BH32 1.5-1.75		✓					
EB1624693-058	[ 10-Oct-2016 ]	AM-BH32 1.75-2		✓					
EB1624693-059	[ 10-Oct-2016 ]	AM-BH32 2-2.25		✓					
EB1624693-060	[ 10-Oct-2016 ]	AM-BH32 2.25-2.5		✓					
EB1624693-061	[ 10-Oct-2016 ]	AM-BH32 2.5-2.75		✓					
EB1624693-062	[ 10-Oct-2016 ]	AM-BH32 2.75-3		✓	✓		✓		
EB1624693-063	[ 07-Oct-2016 ]	AM-BH29 0-0.25		✓					
EB1624693-064	[ 07-Oct-2016 ]	AM-BH29 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-065	[ 07-Oct-2016 ]	AM-BH29 0.5-0.75		✓					
EB1624693-066	[ 07-Oct-2016 ]	AM-BH29 0.75-1		✓					
EB1624693-067	[ 07-Oct-2016 ]	AM-BH29 1-1.25		✓					
EB1624693-068	[ 07-Oct-2016 ]	AM-BH29 1.25-1.5		✓					
EB1624693-069	[ 07-Oct-2016 ]	AM-BH29 1.5-1.75		✓					
EB1624693-070	[ 07-Oct-2016 ]	AM-BH29 1.75-2		✓	✓		✓		
EB1624693-071	[ 07-Oct-2016 ]	AM-BH29 2-2.25		✓					
EB1624693-072	[ 07-Oct-2016 ]	AM-BH29 2.25-2.5		✓					
EB1624693-073	[ 07-Oct-2016 ]	AM-BH29 2.5-2.75		✓					
EB1624693-074	[ 07-Oct-2016 ]	AM-BH29 2.75-3		✓					
EB1624693-075	[ 07-Oct-2016 ]	AM-BH29 0-0.1			✓			✓	



## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1624693**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : MS KRYSTLE-RAE BIRAM  
**Address** : P O BOX 1734  
 MILTON QLD, AUSTRALIA 4064  
**Telephone** : +61 07 3721 5400  
**Project** : 1538021  
**Order number** : 1538021  
**C-O-C number** : ----  
**Sampler** : MORGAN MIDGLEY  
**Site** : Brisbane Airport  
**Quote number** : ----  
**No. of samples received** : 74  
**No. of samples analysed** : 73

**Page** : 1 of 78  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 14-Oct-2016 16:00  
**Date Analysis Commenced** : 18-Oct-2016  
**Issue Date** : 21-Oct-2016 17:01



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD





## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG005T (Total Metals): Sample EB1624693-002 shows poor duplicate results due to sample heterogeneity. Confirmed by visual inspection.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.  
Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.1	8.2	7.8	7.5	7.3	
ø pH (Fox)	----	0.1	pH Unit	4.8	6.3	5.8	5.5	5.4	
ø Reaction Rate	----	1	-	2	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	4.7	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	<5	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	211	----	----	----	
Copper	7440-50-8	5	mg/kg	----	70	----	----	----	
Lead	7439-92-1	5	mg/kg	----	<5	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	82	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	32	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	101	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	84.9	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	108	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	107	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	104	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	114	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	121	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	123	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	111	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	111	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	124	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	99.8	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	6.8	7.8	5.0	6.5	
ø pH (Fox)	----	0.1	pH Unit	5.4	4.2	2.9	3.0	4.8	
ø Reaction Rate	----	1	-	3	3	3	3	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.6	7.0	4.7	4.3	
ø pH (Fox)	----	0.1	pH Unit	5.3	5.8	3.6	2.9	2.8	
ø Reaction Rate	----	1	-	2	2	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	25.2	----	24.2	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	14	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	1	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	65	----	
Copper	7440-50-8	5	mg/kg	----	----	----	15	----	
Lead	7439-92-1	5	mg/kg	----	----	----	10	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	18	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	61	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	<0.5	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	<0.5	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	<b>0.6</b>	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	<b>1.2</b>	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	<10	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	<0.001	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	108	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	97.3	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	105	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	108	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	104	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	114	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	116	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	121	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	81.8	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	94.5	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	117	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	99.1	----	93.4	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.3	4.1	4.0	4.2	4.3	
ø pH (Fox)	----	0.1	pH Unit	2.7	2.6	2.3	2.6	2.7	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	27.7	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021
					Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg		----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	<0.0002



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	92.1	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.5	4.8	4.7	5.2	7.0	
ø pH (Fox)	----	0.1	pH Unit	2.7	3.0	2.9	3.2	4.4	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	9.1	8.0	7.6	7.6	6.8	
ø pH (Fox)	----	0.1	pH Unit	9.0	7.1	3.4	5.4	2.7	
ø Reaction Rate	----	1	-	4	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	5.7	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	<5	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	214	----	----	----	----	
Copper	7440-50-8	5	mg/kg	80	----	----	----	----	
Lead	7439-92-1	5	mg/kg	<5	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	82	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	38	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031
				Result	Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		<0.05	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		<0.05	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		<0.05	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		<0.05	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		<0.05	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		<0.2	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		<0.05	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		<0.2	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		<0.05	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		<0.05	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		<50	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		<100	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		<100	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		<50	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		<50	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		<50	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		<100	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		<100	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		<50	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		<0.5	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		<0.5	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		<0.5	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		<0.5	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		<0.5	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		<0.5	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		<0.5	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		<0.5	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		<0.5	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		<0.5	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg		<0.5	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	<10	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	<10	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	<0.2	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	100	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	92.7	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	101	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	103	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	98.9	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	109	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	110	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	117	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	110	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	106	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	120	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	89.7	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.6	5.0	5.4	5.2	5.8	
ø pH (Fox)	----	0.1	pH Unit	2.9	3.0	2.7	3.0	3.5	
ø Reaction Rate	----	1	-	3	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	8.0	7.2	7.8	7.7	
ø pH (Fox)	----	0.1	pH Unit	5.1	4.1	1.7	2.9	2.7	
ø Reaction Rate	----	1	-	3	3	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	24.5	----	43.4	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	33	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	<1	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	49	----	----	
Copper	7440-50-8	5	mg/kg	----	----	31	----	----	
Lead	7439-92-1	5	mg/kg	----	----	60	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	33	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	242	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	0.1	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	<0.05	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	<0.05	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	<0.05	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	<0.05	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	<0.05	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	<0.05	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	<0.05	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	<0.05	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	<0.05	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	<0.05	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	<0.05	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	<0.05	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	<0.05	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	<0.05	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	<0.05	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	<0.05	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	<0.05	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	<0.05	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	<0.05	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	<0.05	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	<0.2	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	<0.05	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	<0.2	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	<0.05	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	<0.05	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	<50	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	<100	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	<100	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	<50	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	<50	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	<50	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	<100	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	<100	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	<50	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	<0.5	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	<0.5	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	<0.5	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	<0.5	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	<0.5	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	<0.5	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	<0.5	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	<0.5	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	<0.5	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	<0.5	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	<0.5	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	<0.5	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	<0.5	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	<0.5	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	<0.5	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	<b>0.6</b>	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	<b>1.2</b>	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	<10	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	<10	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	<10	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	<0.2	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	<0.5	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	<0.5	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	<0.5	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	<0.5	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	<0.5	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	<0.2	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	<1	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	<0.001	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	108	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	96.8	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	84.2	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	86.2	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	84.8	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	92.1	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	92.6	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	98.2	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	107	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	108	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	124	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	99.5	----	86.4	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.8	7.8	7.5	7.6	7.6	
ø pH (Fox)	----	0.1	pH Unit	2.8	1.7	1.7	1.8	1.6	
ø Reaction Rate	----	1	-	3	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	43.2	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	<0.0002	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	<0.001	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	<0.0005	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	105	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.7	7.4	7.6	4.4	4.7	
ø pH (Fox)	----	0.1	pH Unit	1.6	1.4	1.8	2.6	2.8	
ø Reaction Rate	----	1	-	4	4	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	15.4	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	14	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	<1	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	65	
Copper	7440-50-8	5	mg/kg	----	----	----	----	18	
Lead	7439-92-1	5	mg/kg	----	----	----	----	12	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	16	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	44	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	<0.05	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	<0.05	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	<0.05	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	<0.2	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	<0.05	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	<50	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	<0.5	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	<0.5	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	<b>0.6</b>	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	<b>1.2</b>	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	<10	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	<10	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	110	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	99.2	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	107	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	110	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	111	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	117	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	119	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	125	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	101	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	100	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	119	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	89.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.6	4.9	5.2	5.0	5.9	
ø pH (Fox)	----	0.1	pH Unit	2.6	2.2	1.4	1.6	1.6	
ø Reaction Rate	----	1	-	3	3	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.6	6.6	6.8	7.1	7.1	
ø pH (Fox)	----	0.1	pH Unit	1.5	1.6	1.6	1.8	1.9	
ø Reaction Rate	----	1	-	4	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	27.4	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	<0.0002
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	<0.001
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	<0.0005
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	<0.0002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	<0.0005
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	<0.0005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	<0.0005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	<0.0005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	<0.0002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	<0.0002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	<b>100</b>	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.2	7.9	5.9	4.5	4.1	
ø pH (Fox)	----	0.1	pH Unit	6.2	5.3	3.7	2.8	2.4	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	17.8	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	8	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	51	----	----	----	
Copper	7440-50-8	5	mg/kg	----	19	----	----	----	
Lead	7439-92-1	5	mg/kg	----	9	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	38	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	47	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	103	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	87.0	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	106	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	104	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	105	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	114	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	117	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	121	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	106	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	104	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	122	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	92.5	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.3	5.9	6.2	6.4	6.6	
ø pH (Fox)	----	0.1	pH Unit	2.6	3.5	3.6	3.8	3.7	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	25.8	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	<0.0002	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	<0.0002	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	<0.001	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	<0.0005	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	<0.0002	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	<0.0002	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	<0.0002	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID				
Client sampling date / time				AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Compound	CAS Number	LOR	Unit	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
				EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072
				Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	<0.0005	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	<0.0005	----	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	<0.0005	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	<0.0005	----	----
<b>EP231P: PFAS Sums</b>								
Sum of PFAS	----	0.0002	mg/kg	----	----	<0.0002	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	<0.0002	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	<0.0002	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>								
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>								
DEF	78-48-8	0.05	%	----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>								
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>								
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>								
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>								
13C4-PFOS	----	0.0002	%	----	----	112	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.2	7.5	----	----	----	
ø pH (Fox)	----	0.1	pH Unit	2.1	2.4	----	----	----	
ø Reaction Rate	----	1	-	3	4	----	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	15.6	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	7	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	<1	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	42	----	----	
Copper	7440-50-8	5	mg/kg	----	----	17	----	----	
Lead	7439-92-1	5	mg/kg	----	----	9	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	27	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	41	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	250	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	1.8	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	<0.1	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Surrogate Control Limits

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP068S: Organochlorine Pesticide Surrogate</b>			
Dibromo-DDE	21655-73-2	10	138
<b>EP068T: Organophosphorus Pesticide Surrogate</b>			
DEF	78-48-8	23	135
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	35	155
2-Chlorophenol-D4	93951-73-6	42	153
2,4,6-Tribromophenol	118-79-6	26	157
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	34	157
Anthracene-d10	1719-06-8	37	153
4-Terphenyl-d14	1718-51-0	42	172
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	53	134
Toluene-D8	2037-26-5	60	131
4-Bromofluorobenzene	460-00-4	59	127
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	70	130

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: EB1624693</b>	<b>Page</b>	: 1 of 13
<b>Client</b>	<b>: GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 14-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 18-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 21-Oct-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 74		
<b>No. of samples analysed</b>	: 73		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key : Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 620369)</b>									
EB1624693-001	AM-BH26 0-0.25	EA037: pH (F)	----	0.1	pH Unit	7.1	7.2	1.40	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.8	4.9	2.06	0% - 20%
EB1624693-011	AM-BH26 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	7.4	7.3	1.36	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.3	5.3	0.00	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620370)</b>									
EB1624693-022	AM-BH18 2-2.25	EA037: pH (F)	----	0.1	pH Unit	4.5	4.4	2.25	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.7	2.8	3.64	0% - 20%
EB1624693-032	AM-BH24 1.5-1.75	EA037: pH (F)	----	0.1	pH Unit	5.6	5.6	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.9	2.8	3.51	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620371)</b>									
EB1624693-043	AM-BH10 1-1.25	EA037: pH (F)	----	0.1	pH Unit	7.8	7.8	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.8	2.9	3.51	0% - 20%
EB1624693-053	AM-BH32 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	4.6	4.6	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.6	2.5	3.92	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620372)</b>									
EB1624693-063	AM-BH29 0-0.25	EA037: pH (F)	----	0.1	pH Unit	8.2	8.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	6.2	6.0	3.28	0% - 20%
EB1624693-073	AM-BH29 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	7.2	7.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.1	2.0	4.88	0% - 20%
<b>EA055: Moisture Content (QC Lot: 620270)</b>									
EB1624687-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	18.0	17.6	2.31	0% - 50%
EB1624766-002	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	10.0	9.8	1.20	No Limit
<b>EA055: Moisture Content (QC Lot: 624690)</b>									
EB1623981-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	4.8	4.6	4.61	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA055: Moisture Content (QC Lot: 624690) - continued</b>									
EB1623981-011	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	25.5	26.2	2.67	0% - 20%
<b>EG005T: Total Metals by ICP-AES (QC Lot: 620694)</b>									
EB1624766-004	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	8	9	0.00	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	10	11	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	5	<5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	6	6	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	16	13	23.5	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	33	34	0.00	No Limit
EB1624693-002	AM-BH26 0.25-0.5	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	211	# 264	22.2	0% - 20%
		EG005T: Nickel	7440-02-0	2	mg/kg	82	99	19.1	0% - 20%
		EG005T: Arsenic	7440-38-2	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	70	86	21.0	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	32	40	21.2	No Limit
<b>EG020T: Total Metals by ICP-MS (QC Lot: 620696)</b>									
EB1624693-075	AM-BH29 0-0.1	EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	1.8	2.2	20.8	No Limit
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 620695)</b>									
EB1624778-004	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
EB1624693-002	AM-BH26 0.25-0.5	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620261)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620261) - continued</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QC Lot: 620262)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QC Lot: 620262)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620263)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620268)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620268)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit	
<b>EP080: BTEXN (QC Lot: 620268)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit	
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
			106-42-3							
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 621845)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 621845)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit	
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit	
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 621845) - continued</b>									
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 621845)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 621845)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit

Page : 7 of 13  
 Work Order : EB1624693  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: <b>SOIL</b>				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 621845) - continued</b>									
EB1624693-064	AM-BH29 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620694)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	118.9 mg/kg	113	84	123	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.87125 mg/kg	103	88	117	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	22.7 mg/kg	111	83	125	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55 mg/kg	93.3	86	122	
EG005T: Lead	7439-92-1	5	mg/kg	<5	72.1 mg/kg	103	84	119	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	16.6 mg/kg	102	89	126	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	182.3 mg/kg	109	87	127	
<b>EG020T: Total Metals by ICP-MS (QCLot: 620696)</b>									
EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	<0.5	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620695)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.09821 mg/kg	99.7	78	122	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261)</b>									
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	82.8	54	121	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	97.1	54	112	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	79.9	49	121	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	77.2	55	129	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	72.4	61	122	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	98.2	65	130	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	87.7	70	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	94.1	58	118	
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	94.4	56	119	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	79.5	51	125	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	90.7	57	118	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	83.7	67	129	
EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	93.0	62	121	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	83.6	60	137	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	76.3	61	122	
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	85.0	60	123	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	81.7	52	125	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	70.9	55	125	
EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	91.4	80	142	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	92.6	55	129	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
						LCS	Low	High
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261) - continued</b>								
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	104	53	136
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620262)</b>								
EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	97.4	47	112
EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	106	55	108
EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620262)</b>								
EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	93.1	46	115
EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	109	53	113
EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620263)</b>								
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	89.5	74	119
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	101	74	118
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	90.5	83	121
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	96.8	81	116
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	81.3	72	117
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	90.7	72	115
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	101	70	116
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	99.4	70	134
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	106	64	120
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	90.9	66	119
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	98.6	59	129
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	84.3	70	129
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	82.4	76	121
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	69.0	53	135
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	65.9	45	134
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	73.7	64	131
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268)</b>								
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	85.1	66	120
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620268)</b>								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	82.7	66	119
<b>EP080: BTEXN (QCLot: 620268)</b>								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	82.6	73	105
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	98.7	73	105



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP080: BTEXN (QCLot: 620268) - continued</b>									
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	97.6	67	104	
EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	2 mg/kg	102	66	106	
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	101	68	105	
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	97.2	72	115	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 621845)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	67.8	57	121	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.3	55	125	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.8	52	126	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.7	54	123	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.8	55	127	
EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	64.8	54	125	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 621845)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00125 mg/kg	94.7	52	128	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.8	54	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	104	58	127	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	111	57	128	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	110	60	134	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	121	63	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.8	55	130	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.6	62	130	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	69.6	53	134	
EP231X: Perfluorotridecanoic acid (PFTriDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	63.0	49	129	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	83.1	59	129	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 621845)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.6	52	132	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	78.4	65	126	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	79.6	64	126	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	86.3	63	124	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	68.2	58	125	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	118	61	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	120	55	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	89.3	54	130	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00125 mg/kg	107	61	130	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845) - continued</b>									
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	102	62	130	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00125 mg/kg	109	60	130	

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery(%) MS	Recovery Limits (%)	
						Low	High
<b>EG005T: Total Metals by ICP-AES (QCLot: 620694)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EG005T: Arsenic	7440-38-2	50 mg/kg	103	70	130
		EG005T: Cadmium	7440-43-9	25 mg/kg	110	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	110	70	130
		EG005T: Copper	7440-50-8	50 mg/kg	101	70	130
		EG005T: Lead	7439-92-1	50 mg/kg	108	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	116	70	130
		EG005T: Zinc	7440-66-6	50 mg/kg	103	70	130
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620695)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EG035T: Mercury	7439-97-6	2.5 mg/kg	93.7	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP068: gamma-BHC	58-89-9	0.5 mg/kg	95.1	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	110	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	106	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	102	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	93.1	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	85.2	70	130
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620262)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP071SG-S: C10 - C14 Fraction	----	318 mg/kg	97.2	47	130
		EP071SG-S: C15 - C28 Fraction	----	531 mg/kg	104	55	130
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620262)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP071SG-S: >C10 - C16 Fraction	----	428 mg/kg	91.6	46	130
		EP071SG-S: >C16 - C34 Fraction	----	395 mg/kg	108	53	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620263)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	103	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	114	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268)</b>							





Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268) - continued</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: C6 - C9 Fraction	----	8 mg/kg	91.2	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620268)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	91.8	70	130
<b>EP080: BTEXN (QCLot: 620268)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: Benzene	71-43-2	2 mg/kg	73.0	70	130
		EP080: Toluene	108-88-3	2 mg/kg	77.2	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00125 mg/kg	52.5	50	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00125 mg/kg	62.8	50	130
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00125 mg/kg	74.7	50	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00125 mg/kg	75.0	50	130
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00125 mg/kg	90.2	50	130
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.00125 mg/kg	82.4	50	130
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00125 mg/kg	91.2	50	130
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	55.5	50	130
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	80.0	50	130
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	100.0	50	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	77.1	50	130
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	96.7	50	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	106	50	130
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	99.8	50	130
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	101	50	130
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	103	30	130
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	75.0	30	130
		<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 621845)</b>					
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	95.2	50	130
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	85.6	50	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	73.3	50	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.00312 mg/kg	51.5	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	47.2	30	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	117	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	88.6	30	130

Page : 13 of 13  
 Work Order : EB1624693  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: **SOIL**

				<i>Matrix Spike (MS) Report</i>			
				<i>Spike</i>	<i>SpikeRecovery(%)</i>	<i>Recovery Limits (%)</i>	
<i>Laboratory sample ID</i>	<i>Client sample ID</i>	<i>Method: Compound</i>	<i>CAS Number</i>	<i>Concentration</i>	<i>MS</i>	<i>Low</i>	<i>High</i>
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00125 mg/kg	98.8	50	130
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00125 mg/kg	66.0	50	130
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.00125 mg/kg	112	50	130
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00125 mg/kg	111	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1624693</b>	Page	: 1 of 9
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 14-Oct-2016
Site	: Brisbane Airport	Issue Date	: 21-Oct-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 74
Order number	: 1538021	No. of samples analysed	: 73

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- Duplicate outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



**Outliers : Quality Control Samples**

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Duplicate (DUP) RPDs</b>							
EG005T: Total Metals by ICP-AES	EB1624693--002	AM-BH26 0.25-0.5	<b>Chromium</b>	7440-47-3	22.2 %	0% - 20%	<b>RPD exceeds LOR based limits</b>

**Analysis Holding Time Compliance**

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis</b>								
<b>Snap Lock Bag - frozen (EA037)</b>								
AM-BH26 0-0.25, AM-BH26 0.5-0.75, AM-BH26 1-1.25, AM-BH26 1.5-1.75, AM-BH26 2-2.25, AM-BH26 2.5-2.75, AM-BH18 0-0.25, AM-BH18 0.5-0.75, AM-BH18 1-1.25, AM-BH18 1.5-1.75, AM-BH18 2-2.25, AM-BH18 2.5-2.75, AM-BH24 0-0.25, AM-BH24 0.5-0.75, AM-BH24 1-1.25, AM-BH24 1.5-1.75, AM-BH24 2-2.25, AM-BH24 2.5-2.75, AM-BH10 0-0.25, AM-BH10 0.5-0.75, AM-BH10 1-1.25, AM-BH10 1.5-1.75, AM-BH10 2-2.25, AM-BH10 2.5-2.75,	AM-BH26 0.25-0.5, AM-BH26 0.75-1, AM-BH26 1.25-1.5, AM-BH26 1.75-2, AM-BH26 2.25-2.5, AM-BH26 2.75-3, AM-BH18 0.25-0.5, AM-BH18 0.75-1, AM-BH18 1.25-1.5, AM-BH18 1.75-2, AM-BH18 2.25-2.5, AM-BH18 2.75-3, AM-BH24 0.25-0.5, AM-BH24 0.75-1, AM-BH24 1.25-1.5, AM-BH24 1.75-2, AM-BH24 2.25-2.5, AM-BH24 2.75-3, AM-BH10 0.25-0.5, AM-BH10 0.75-1, AM-BH10 1.25-1.5, AM-BH10 1.75-2, AM-BH10 2.25-2.5, AM-BH10 2.75-3	<b>06-Oct-2016</b>	<b>18-Oct-2016</b>	04-Apr-2017	✓	<b>18-Oct-2016</b>	04-Apr-2017	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis - Continued</b>								
<b>Snap Lock Bag - frozen (EA037)</b> AM-BH29 0-0.25, AM-BH29 0.5-0.75, AM-BH29 1-1.25, AM-BH29 1.5-1.75, AM-BH29 2-2.25, AM-BH29 2.5-2.75,	AM-BH29 0.25-0.5, AM-BH29 0.75-1, AM-BH29 1.25-1.5, AM-BH29 1.75-2, AM-BH29 2.25-2.5, AM-BH29 2.75-3	07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓
<b>Snap Lock Bag - frozen (EA037)</b> AM-BH32 0-0.25, AM-BH32 0.5-0.75, AM-BH32 1-1.25, AM-BH32 1.5-1.75, AM-BH32 2-2.25, AM-BH32 2.5-2.75,	AM-BH32 0.25-0.5, AM-BH32 0.75-1, AM-BH32 1.25-1.5, AM-BH32 1.75-2, AM-BH32 2.25-2.5, AM-BH32 2.75-3	10-Oct-2016	18-Oct-2016	08-Apr-2017	✓	18-Oct-2016	08-Apr-2017	✓
<b>EA055: Moisture Content</b>								
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH26 2.75-3, AM-BH24 2.75-3,	AM-BH18 1.75-2, AM-BH10 1.75-2	06-Oct-2016	----	----	----	20-Oct-2016	20-Oct-2016	✓
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH29 1.75-2		07-Oct-2016	----	----	----	20-Oct-2016	21-Oct-2016	✓
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH32 2.75-3		10-Oct-2016	----	----	----	20-Oct-2016	24-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	----	----	----	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	----	----	----	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH32 0.25-0.5		10-Oct-2016	----	----	----	18-Oct-2016	24-Oct-2016	✓
<b>EG005T: Total Metals by ICP-AES</b>								
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	04-Apr-2017	✓	18-Oct-2016	04-Apr-2017	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	08-Apr-2017	✓	18-Oct-2016	08-Apr-2017	✓
<b>EG020T: Total Metals by ICP-MS</b>								
<b>Soil Glass Jar - Unpreserved (EG020R-T)</b> AM-BH29 0-0.1		07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Soil Glass Jar - Unpreserved (EG035T) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	03-Nov-2016	✓	19-Oct-2016	03-Nov-2016	✓
Soil Glass Jar - Unpreserved (EG035T) AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	18-Oct-2016	04-Nov-2016	✓	19-Oct-2016	04-Nov-2016	✓
Soil Glass Jar - Unpreserved (EG035T) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	07-Nov-2016	✓	19-Oct-2016	07-Nov-2016	✓
<b>EP068A: Organochlorine Pesticides (OC)</b>								
Soil Glass Jar - Unpreserved (EP068) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP068) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP068) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>								
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>								
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>								
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP080: BTEXN</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231P: PFAS Sums</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓





## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	8	72	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	12	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	14	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	1	100.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	1	100.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Metals by ICP-MS - Suite R	EG020R-T	SOIL	In house: Referenced to APHA 3125; USEPA SW846 - 6020. Metals in solids are determined following an appropriate acid digestion. The ICPMS technique ionizes selected elements. Ions are passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass / charge ratios prior to measurement by a discrete dynode ion detector. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Pesticides by GCMS	EP068	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM (2013) Schedule B(3) (Method 504,505)
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
PAH/Phenols (SIM)	EP075(SIM)	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	In house: Referenced to USEPA SW 846 - 8260B Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.
Preparation Methods	Method	Matrix	Method Descriptions
Drying only	EN020D	SOIL	In house
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM (2013) Schedule B(3) (Method 202)

Page : 9 of 9  
Work Order : EB1624693  
Client : GOLDER ASSOCIATES  
Project : 1538021



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Sample Extraction for PFAS	EP231-PR	SOIL	In house
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids	ORG17	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na <sub>2</sub> SO <sub>4</sub> and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

Sheet ..... of.....

<b>1538021</b>	<b>EN/002/15</b>	<b>GOLDER ASSOCIATES PTY LTD</b>	<b>Phone: (07) 3721 5400</b>
<b>Brisbane Airport</b>	<b>ALS Environmental</b>	<b>147 Coronation Drive, Milton, Qld 4064</b>	<b>Fax: (07) 3721 5401</b>
<b>Morgan Midgley</b>	<b>BY:</b>	<b>Project Manager: Krystle-Rae Biram</b>	<b>accounts.payable@golder.com.au</b>
<b>5</b>	<b>HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/></b>	<b>Contact Phone: 07 37215400</b>	<b>Email: KBiram@golder.com.au</b>
<b>Comments/Special Instructions:</b>		<b>ANALYSIS REQUIRED</b>	

**Comments/Special Instructions:**

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
AM-BH13	0	0.25	soil	6/10/2016		bag	1	N
AM-BH13	0.25	0.5	soil	6/10/2016		bag+jar	3	N
AM-BH13	0.5	0.75	soil	6/10/2016		bag	1	N
AM-BH13	0.75	1	soil	6/10/2016		bag+jar	2	N
AM-BH13	1	1.25	soil	6/10/2016		bag	1	N
AM-BH13	1.25	1.5	soil	6/10/2016		bag	1	N
AM-BH13	1.5	1.75	soil	6/10/2016		bag	1	N
AM-BH13	1.75	2	soil	6/10/2016		bag+jar	2	N
AM-BH13	2	2.25	soil	6/10/2016		bag	1	N
AM-BH13	2.25	2.5	soil	6/10/2016		bag	1	N
AM-BH13	2.5	2.75	soil	6/10/2016		bag	1	N
AM-BH13	2.75	3	soil	6/10/2016		bag+jar	2	N

HOLD	EA007 - pH/pH/FOX - Fast Screen	EN020PR - dry 85°C and pulverise	S26 - SC TRH/C6-CA0/TEXN/PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters
	X	X			
	X	X	X	X	X
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			X

**Environmental Division  
Brisbane  
Work Order Reference  
EB1624749**



Telephone - 61-7-3243 7222

**SAMPLE MATRIX = Soil/Sediment/Fill/Other**      **SAMPLE TYPE = Core(CR)**      **HIGH CONCENTRATION:** Tick box and circle expected parameters in analysis list

**Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P**

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14-10-16		Shipping Ref:
CHRES	ALS	14/10/16	1600					

**WARNING!**  
**SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA**  
**DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE**  
**FREEZE OR BAKE ENTIRE SAMPLE**

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF, COURIER/S, LABORATORY**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Project ID:	1538021	Contract/Order No.:	EN/002/15	GOLDER ASSOCIATES PTY LTD 147 Coronation Drive, Milton, Qld 4064 Phone: (07) 3721 5400 Fax: (07) 3721 5401 Email: <a href="mailto:auaccounts payable@golder.com.au">auaccounts payable@golder.com.au</a>
Site Location:	Brisbane Airport	Lab Name:	ALS Environmental	Invoice to be sent to Accounts: <a href="mailto:auaccounts payable@golder.com.au">auaccounts payable@golder.com.au</a>
Sampled By:	Morgan Midgley	Project Manager:	Krystle-Rae Biram	Contact Phone: 07 37215400
Prepared (Date):	5 BY:	Contact Email:	Email: <a href="mailto:KR.Biram@golder.com.au">KR.Biram@golder.com.au</a>	
Report Format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>			
Email Format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address: <a href="mailto:scurtk@golder.com.au">scurtk@golder.com.au</a>		

Comments/Special Instructions:								ANALYSIS REQUIRED															
Samples from a declared Fire Ant Area: Y								No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Fast Screen	EN20PPR - dry 85oC and pulverise	S26 - SC TRH/CS-C40/STEXN/PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters								
Samples taken from a known Weed and or Pest Area: N																							
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage																
AM-BH14	0	0.25	soil	6/10/2016		bag		1	N		X	X											
AM-BH14	0.25	0.5	soil	6/10/2016		bag+2jar		3	N		X	X											
AM-BH14	0.5	0.75	soil	6/10/2016		bag		1	N		X	X											
AM-BH14	0.75	1	soil	6/10/2016		bag+jar		2	N		X	X											
AM-BH14	1	1.25	soil	6/10/2016		bag		1	N		X	X											
AM-BH14	1.25	1.5	soil	6/10/2016		bag		1	N		X	X											
AM-BH14	1.5	1.75	soil	6/10/2016		bag		1	N		X	X											
AM-BH14	1.75	2	soil	6/10/2016		bag+jar		2	N		X	X											
AM-BH14	2	2.25	soil	6/10/2016		bag		1	N		X	X											
AM-BH14	2.25	2.5	soil	6/10/2016		bag		1	N		X	X											
AM-BH14	2.5	2.75	soil	6/10/2016		bag		1	N		X	X											
AM-BH14	2.75	3	soil	6/10/2016		bag+jar		2	N		X	X											

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P										
SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method		
RELEASED BY: Morgan Midgley	GOLDER	14-10-16		RELEASED BY: <i>[Signature]</i>	GA	14-10-16		Shipping Ref:		
RECEIVED BY: <i>CHRES</i>	ALS	14/10/16	1600	RECEIVED BY:						
RELEASED BY:				To Be Filled On by Analytical Laboratory						
RECEIVED BY:				Sample Size	Container	Preservative	Batch Number			
RELEASED BY:				Sample Container	Seal	Address				
RECEIVED BY:				Cool Box	Label					

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

<b>Reference No:</b>	<b>1538021</b>	<b>Order/Order No:</b>	<b>EN/002/15</b>	<b>GOLDER ASSOCIATES PTY LTD</b>	<b>Phone:</b> (07) 3721 5400
<b>Site Location:</b>	<b>Brisbane Airport</b>	<b>Lab Name:</b>	<b>ALS Environmental</b>	147 Coronation Drive, Milton, Qld 4064	<b>Fax:</b> (07) 3721 5401
<b>Sampled by:</b>	<b>Morgan Midgley</b>	<b>Invoice to be sent to Accounts:</b> <a href="mailto:auaccounts payable@golder.com.au">auaccounts payable@golder.com.au</a>			
<b>Amount (Days):</b>	<b>5</b>	<b>BY:</b>		<b>Project Manager:</b> Krystle-Rac Biram	<b>Email:</b> <a href="mailto:K.Biram@golder.com.au">K.Biram@golder.com.au</a>
<b>Report Format:</b>	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	<b>Contact Phone:</b> 07 37215400			
<b>Email Format:</b>	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	<b>Email Address:</b> <a href="mailto:scurti@golder.com.au">scurti@golder.com.au</a>			



Comments/Special Instructions:						ANALYSIS REQUIRED																								
Samples from a declared Fire Ant Area: <b>Y</b>						No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 850C and pulverise	S26 - TRH (CF-C40)/BTEXN /PAH plus 8 metals	S12 - OC/OP Pesticides	PFAS - extended suite 28 parameters	S-2 metals	zinc/cadmium	titanium														
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME			CONTAINER/PRESERVATIVE	Storage																					
AM-BH15	0	0.25	soil	7/10/2016		bag		1	N		X	X																		
AM-BH15	0.25	0.5	soil	7/10/2016		bag+2jar		3	N		X	X	X	X																
AM-BH15	0.5	0.75	soil	7/10/2016		bag		1	N		X	X																		
AM-BH15	0.75	1	soil	7/10/2016		bag+jar		2	N		X	X																		
AM-BH15	1	1.25	soil	7/10/2016		bag		1	N		X	X																		
AM-BH15	1.25	1.5	soil	7/10/2016		bag		1	N		X	X																		
AM-BH15	1.5	1.75	soil	7/10/2016		bag		1	N		X	X																		
AM-BH15	1.75	2	soil	7/10/2016		bag+jar		2	N		X	X									X									
AM-BH15	2	2.25	soil	7/10/2016		bag		1	N		X	X																		
AM-BH15	2.25	2.5	soil	7/10/2016		bag		1	N		X	X																		
AM-BH15	2.5	2.75	soil	7/10/2016		bag		1	N		X	X																		
AM-BH15	2.75	3	soil	7/10/2016		bag+jar		2	N		X	X																		
AM-BH15	0	0.1	soil	7/10/2016		jar		1	N								X	X												
QAQC005			soil	7/10/2016		jar		1	N			X		X																
QAQC006			soil	7/10/2016		jar		1	N																					
QAQC007			soil	7/10/2016		jar		1	N		X																			
QAQC008			soil	7/10/2016		jar		1	N		X																			

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14-10-16	1600	
CHRIS	ALS	14/10/16						Shipping Ref:
RECEIVED BY				To Be Filled Out by Receiving Laboratory				
RECEIVED BY				Container Seal	Container	Lab Batch Number		
RECEIVED BY				Sealable Container	Cracked	Batch		
RECEIVED BY				Cool Box	Ambient	Address		

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OF BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL



<b>Project ID:</b>	1538021	<b>Job Order No.:</b>	EN/002/15	<b>GOLDER ASSOCIATES PTY LTD</b>	<b>Phone:</b>	(07) 3721 5400
<b>Site Location:</b>	Brisbane Airport	<b>Lab Name:</b>	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	<b>Fax:</b>	(07) 3721 5401
<b>Sampled by:</b>	Morgan Midgley			<b>Invoice to be sent to Accounts:</b>	aiaaccounts payable@golder.com.au	
<b>Declaration (Days):</b>	5	<b>BY:</b>		<b>Project Manager:</b>	Krystle-Rae Biram	
<b>Report Format:</b>	HARD <input type="checkbox"/>	FAX <input type="checkbox"/>	DISK <input type="checkbox"/>	<b>Contact Phone:</b>	07 37215400	
<b>Delivery Format:</b>	PDF <input checked="" type="checkbox"/>	Excel <input type="checkbox"/>	Other <input type="checkbox"/>	<b>Email:</b>	KBiram@golder.com.au	
<b>Email Address:</b>	scarti@golder.com.au					

Comments/Special Instructions:							No CONTAINERS		POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED																					
Samples from a declared Fire Ant Area: Y							No CONTAINERS	POSSIBLE HIGH CONCENTRATION		HOLD	EA037 - pH/pHFOX - Fast Screen	EN120PR - dry 8toC and pulvise	S26 - TRH (C6-C40)/BTEX/PAH plus 8 metals	S12 - OC/OP Pesticides	PFAS - extended suite 28 parameters	S-2 8 metals	zirconium	titanium													
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE			Storage																						
AM-BH16	0	0.25	soil	7/10/2016		bag		1	N		X	X																			
AM-BH16	0.25	0.5	soil	7/10/2016		bag+2jar		3	N		X	X	X																		
AM-BH16	0.5	0.75	soil	7/10/2016		bag		1	N		X	X																			
AM-BH16	0.75	1	soil	7/10/2016		bag+jar		2	N		X	X																			
AM-BH16	1	1.25	soil	7/10/2016		bag		1	N		X	X																			
AM-BH16	1.25	1.5	soil	7/10/2016		bag		1	N		X	X																			
AM-BH16	1.5	1.75	soil	7/10/2016		bag		1	N		X	X																			
AM-BH16	1.75	2	soil	7/10/2016		bag+jar		2	N		X	X																			
AM-BH16	2	2.25	soil	7/10/2016		bag		1	N		X	X																			
AM-BH16	2.25	2.5	soil	7/10/2016		bag		1	N		X	X																			
AM-BH16	2.5	2.75	soil	7/10/2016		bag		1	N		X	X																			
AM-BH16	2.75	3	soil	7/10/2016		bag+jar		2	N		X	X																			
AM-BH16	0	0.1	soil	7/10/2016		jar		1	N														X	X	X						
QAQC001			soil	7/10/2016		jar		2	N				X		X	X															
QAQC002			soil	7/10/2016		jar		2	N																						
QAQC003			soil	7/10/2016		jar		1	N		X																				
QAQC004			soil	7/10/2016		jar		1	N		X																				

SAMPLE MATRIX = Soil/Sediment/Fill/Other SAMPLE TYPE = Core(CR) HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Ref:
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	EA	14-10-16		
<i>Charles</i>	ALS	14/10/16	1600					

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE FREEZE OF BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sample ID:	1538021	Site Location:	Brisbane Airport	Sampled By:	Morgan Midgley	Date:	EN/002/15	Company:	GOLDER ASSOCIATES PTY LTD	Phone:	(07) 3721 5400
Site Location:	Brisbane Airport	Sampled By:	Morgan Midgley	Date:	EN/002/15	Company:	ALS Environmental	Address:	147 Coronation Drive, Milton, Qld 4064	Fax:	(07) 3721 5401
Duration (Days):	5	Report Format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	BY:		Project Manager:	Krystie-Rae Biram	Contact Phone:	07 37215400	Email:	K.Biram@golder.com.au
Email Format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address:	scurti@golder.com.au		Invoice to be sent to Accounts: auaccounts@payable@golder.com.au						



Comments/Special Instructions:

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
AM-BH25	0	0.25	soil			bag		1	N
AM-BH25	0.25	0.5	soil			bag+ 2 jars		3	N
AM-BH25	0.5	0.75	soil			bag		1	N
AM-BH25	1.5	1.75	soil			bag		2	N
AM-BH25	1.75	2	soil			bag+jar		1	N
AM-BH25	2	2.25	soil			bag		1	N
AM-BH25	2.25	2.5	soil			bag		1	N
AM-BH25	2.5	2.75	soil			bag		2	N
AM-BH25	2.75	3	soil			bag+jar		1	N
AM-BH25	0.5	0.6	soil			jar		1	N

HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 83°C and pulv/verse	S26 - SC TRH/C6-C40/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters	EP075B - PAHs	ANALYSIS REQUIRED															
	X	X																				
	X	X	X	X	X																	
	X	X																				
	X	X																				
	X	X																				
	X	X																				
	X	X								X												
	X	X									X											

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P				
SIGNATURE	COMPANY	DATE	TIME	SHIPPING METHOD
RELEASED BY: Morgan Midgley	GOLDER	14-10-16		Shipping Ref:
RECEIVED BY: CHRES	ALS	14/10/16	1600	

SIGNATURE	COMPANY	DATE	TIME	SHIPPING METHOD
RELEASED BY: <i>[Signature]</i>	GA	14-10-16		
RECEIVED BY:				

To Be Filled Only by Analysis Laboratory Suitable Soil: <input type="checkbox"/> Chilled: <input type="checkbox"/> Suitable Containers: <input type="checkbox"/> Frozen: <input type="checkbox"/> Cool Box: <input type="checkbox"/> Ambient: <input type="checkbox"/>	GAB Batch Number: Bill No: Address:
---	---

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OF BACK ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**



SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sheet ..... of.....



Project ID:	1538021	Order Order Number:	EN/002/15	GOLDER ASSOCIATES PTY LTD 147 Coronation Drive, Milton, Qld 4064 Phone: (07) 3721 5400 Fax: (07) 3721 5401 Invoice to be sent to Accounts: a/accounts payable@golder.com.au
Site Location:	Brisbane Airport	ALS Name:	ALS Environmental	Project Manager: Krystle-Rae Biram
Submitted By:	Morgan Midgley	BY:		Contact Phone: 07 37215400
Transport (Days):	5	Report Format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	Email: KBiram@golder.com.au
Small Format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address:	scuti@golder.com.au	

Comments/Special Instructions:								No CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED																
Samples from a declared Fire Ant Area: Y										HOLD	EA037 - pH/pH/FOX - Fast Screen	EN020PR - dry 85°C and pulverise	S28 - SC TRH (C6-C40)/TEXN /FAH plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters											
Samples taken from a known Weed and or Pest Area: N																										
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage																			
AM-BH30	0	0.25	soil	10/10/2016		bag		1	N		X	X														
AM-BH30	0.25	0.5	soil	10/10/2016		bag+2jar		3	N		X	X	X	X	X											
AM-BH30	0.5	0.75	soil	10/10/2016		bag		1	N		X	X														
AM-BH30	0.75	1	soil	10/10/2016		bag+jar		2	N		X	X							X							
AM-BH30	1	1.25	soil	10/10/2016		bag		1	N		X	X														
AM-BH30	1.25	1.5	soil	10/10/2016		bag		1	N		X	X														
AM-BH30	1.5	1.75	soil	10/10/2016		bag		1	N		X	X														
AM-BH30	1.75	2	soil	10/10/2016		bag+jar		2	N		X	X														
AM-BH30	2	2.25	soil	10/10/2016		bag		1	N		X	X														
AM-BH30	2.25	2.5	soil	10/10/2016		bag		1	N		X	X														
AM-BH30	2.5	2.75	soil	10/10/2016		bag		1	N		X	X														
AM-BH30	2.75	3	soil	10/10/2016		jar		1	N		X	X														

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER							Shipping Ref:
CHRIS	ALS	14/10/16	1600					

LAB BATCH NUMBER	SECURITY SEAL	CHILLED	BILL OF

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

<b>Project ID:</b> 1538021	<b>Quote Order No.:</b> EN/002/15	<b>GOLDER ASSOCIATES PTY LTD</b>
<b>Site Location:</b> Brisbane Airport	<b>Lab Name:</b> ALS Environmental	L47 Coronation Drive, Milton, Qld 4064
<b>Sampled By:</b> Morgan Midgley		<b>Phone:</b> (07) 3721 5400
<b>Original Date:</b> 5	<b>BY:</b>	<b>Fax:</b> (07) 3721 5401
<b>Report Format:</b> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	<b>Invoice to be sent to Accounts:</b> auaccounts payable@golder.com.au	
<b>Print Format:</b> PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	<b>Project Manager:</b> Krystle-Rae Biram	
<b>Comments/Special Instructions:</b>	<b>Contact Phone:</b> 07 37215400 <b>Email:</b> KBiram@golder.com.au	



**Comments/Special Instructions:**

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
AM-BH31	0	0.25	soil	10/10/2016		bag		1	N
AM-BH31	0.25	0.5	soil	10/10/2016		bag+2jar		3	N
AM-BH31	0.5	0.75	soil	10/10/2016		bag		1	N
AM-BH31	0.75	1	soil	10/10/2016		bag+jar		2	N
AM-BH31	1	1.25	soil	10/10/2016		bag		1	N
AM-BH31	1.25	1.5	soil	10/10/2016		bag		1	N
AM-BH31	1.5	1.75	soil	10/10/2016		bag		1	N
AM-BH31	1.75	2	soil	10/10/2016		bag+jar		2	N
AM-BH31	2	2.25	soil	10/10/2016		bag		1	N
AM-BH31	2.25	2.5	soil	10/10/2016		bag		1	N
AM-BH31	2.5	2.75	soil	10/10/2016		bag		1	N
AM-BH31	2.75	3	soil	10/10/2016		bag+jar		2	N

ANALYSIS REQUIRED										
HOLD	EA037 - pH/pHFOX - Fast Screen	EN202PR - dry 85°C and pulverise	S26 - SC TRH (Cd, Cu, Pb, Zn, Ni, Cr) plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters					
	X	X								
	X	X	X	X	X					
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)

**HIGH CONCENTRATION:** Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE					COMPANY	DATE	TIME	SIGNATURE				COMPANY	DATE	TIME	Shipment Method
RELEASED BY: Morgan Midgley					GOLDER	14-10-16		RELEASED BY: [Signature]							Shipping Ref:
RECEIVED BY: CHRIS					ALS	Melanie	1600	RECEIVED BY: [Signature]							

To Be Filled Out by Analyzing Laboratory											
Copy Soil		Chilled		Barcode		Barcode					
Sealable Containers		Frozen		Barcode		Barcode					
Cool Box		Ambient		Barcode		Barcode					

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OF BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIERS; LABORATORY ON RECEIPT OF SAMPLES.**



## SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1624749**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 5
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

### Dates

Date Samples Received	: 14-Oct-2016 4:00 PM	Issue Date	: 18-Oct-2016
Client Requested Due Date	: 21-Oct-2016	Scheduled Reporting Date	: <b>21-Oct-2016</b>

### Delivery Details

Mode of Delivery	: Carrier	Security Seal	: Intact.
No. of coolers/boxes	: 3	Temperature	: 1.5, 1.2, 1.7°C
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 90 / 85

### General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **As only a soil jar suitable for PFAS testing was received for "AM-BH30 2.75-3" (ALS #78), pH Field and Fox (EA037) will not be tested on this sample.**
- **Samples "QAQC006" and "QAQC002" will be forwarded to Eurofins, as requested.**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The estimated due date for this data is the 25/10/16.**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Please be advised that a soil jar for PFAS testing was not received for "AM-BH14 1-1.25" (ALS #17), however one was received for "AM-BH14 0.75-1" (ALS #16). PFAS testing has been assigned to ALS #16, however if testing for this is not required on this sample, please contact ALS Client Services at [ALSEnviro.Brisbane@alsglobal.com](mailto:ALSEnviro.Brisbane@alsglobal.com) , ASAP.**
- Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exists.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: SOIL

Laboratory sample ID	Client sampling date / time	Client sample ID	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-001	[ 06-Oct-2016 ]	AM-BH13 0-0.25	✓						
EB1624749-002	[ 06-Oct-2016 ]	AM-BH13 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-003	[ 06-Oct-2016 ]	AM-BH13 0.5-0.75	✓						
EB1624749-004	[ 06-Oct-2016 ]	AM-BH13 0.75-1	✓						
EB1624749-005	[ 06-Oct-2016 ]	AM-BH13 1-1.25	✓						
EB1624749-006	[ 06-Oct-2016 ]	AM-BH13 1.25-1.5	✓						
EB1624749-007	[ 06-Oct-2016 ]	AM-BH13 1.5-1.75	✓						
EB1624749-008	[ 06-Oct-2016 ]	AM-BH13 1.75-2	✓						
EB1624749-009	[ 06-Oct-2016 ]	AM-BH13 2-2.25	✓						
EB1624749-010	[ 06-Oct-2016 ]	AM-BH13 2.25-2.5	✓						
EB1624749-011	[ 06-Oct-2016 ]	AM-BH13 2.5-2.75	✓						
EB1624749-012	[ 06-Oct-2016 ]	AM-BH13 2.75-3	✓	✓		✓			
EB1624749-013	[ 06-Oct-2016 ]	AM-BH14 0-0.25	✓						
EB1624749-014	[ 06-Oct-2016 ]	AM-BH14 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-015	[ 06-Oct-2016 ]	AM-BH14 0.5-0.75	✓						
EB1624749-016	[ 06-Oct-2016 ]	AM-BH14 0.75-1	✓	✓		✓			
EB1624749-017	[ 06-Oct-2016 ]	AM-BH14 1-1.25	✓						
EB1624749-018	[ 06-Oct-2016 ]	AM-BH14 1.25-1.5	✓						
EB1624749-019	[ 06-Oct-2016 ]	AM-BH14 1.5-1.75	✓						
EB1624749-020	[ 06-Oct-2016 ]	AM-BH14 1.75-2	✓						
EB1624749-021	[ 06-Oct-2016 ]	AM-BH14 2-2.25	✓						
EB1624749-022	[ 06-Oct-2016 ]	AM-BH14 2.25-2.5	✓						
EB1624749-023	[ 06-Oct-2016 ]	AM-BH14 2.5-2.75	✓						
EB1624749-024	[ 06-Oct-2016 ]	AM-BH14 2.75-3	✓						
EB1624749-025	[ 07-Oct-2016 ]	AM-BH15 0-0.25	✓						
EB1624749-026	[ 07-Oct-2016 ]	AM-BH15 0.25-0.5	✓	✓		✓	✓		✓
EB1624749-027	[ 07-Oct-2016 ]	AM-BH15 0.5-0.75	✓						
EB1624749-028	[ 07-Oct-2016 ]	AM-BH15 0.75-1	✓						
EB1624749-029	[ 07-Oct-2016 ]	AM-BH15 1-1.25	✓						
EB1624749-030	[ 07-Oct-2016 ]	AM-BH15 1.25-1.5	✓						
EB1624749-031	[ 07-Oct-2016 ]	AM-BH15 1.5-1.75	✓						
EB1624749-032	[ 07-Oct-2016 ]	AM-BH15 1.75-2	✓	✓		✓			
EB1624749-033	[ 07-Oct-2016 ]	AM-BH15 2-2.25	✓						
EB1624749-034	[ 07-Oct-2016 ]	AM-BH15 2.25-2.5	✓						
EB1624749-035	[ 07-Oct-2016 ]	AM-BH15 2.5-2.75	✓						



			SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-036	[ 07-Oct-2016 ]	AM-BH15 2.75-3	✓						
EB1624749-037	[ 07-Oct-2016 ]	AM-BH15 0-0.1		✓					
EB1624749-038	[ 07-Oct-2016 ]	QAQC005		✓		✓	✓		✓
EB1624749-041	[ 07-Oct-2016 ]	AM-BH16 0-0.25	✓						
EB1624749-042	[ 07-Oct-2016 ]	AM-BH16 0.25-0.5	✓	✓		✓	✓		✓
EB1624749-043	[ 07-Oct-2016 ]	AM-BH16 0.5-0.75	✓						
EB1624749-044	[ 07-Oct-2016 ]	AM-BH16 0.75-1	✓						
EB1624749-045	[ 07-Oct-2016 ]	AM-BH16 1-1.25	✓						
EB1624749-046	[ 07-Oct-2016 ]	AM-BH16 1.25-1.5	✓						
EB1624749-047	[ 07-Oct-2016 ]	AM-BH16 1.5-1.75	✓						
EB1624749-048	[ 07-Oct-2016 ]	AM-BH16 1.75-2	✓						
EB1624749-049	[ 07-Oct-2016 ]	AM-BH16 2-2.25	✓						
EB1624749-050	[ 07-Oct-2016 ]	AM-BH16 2.25-2.5	✓						
EB1624749-051	[ 07-Oct-2016 ]	AM-BH16 2.5-2.75	✓						
EB1624749-052	[ 07-Oct-2016 ]	AM-BH16 2.75-3	✓	✓		✓			
EB1624749-053	[ 07-Oct-2016 ]	AM-BH16 0-0.1		✓					
EB1624749-054	[ 07-Oct-2016 ]	QAQC001		✓		✓	✓		✓
EB1624749-057	[ 07-Oct-2016 ]	AM-BH25 0-0.25	✓						
EB1624749-058	[ 07-Oct-2016 ]	AM-BH25 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-059	[ 07-Oct-2016 ]	AM-BH25 0.5-0.75	✓						
EB1624749-060	[ 07-Oct-2016 ]	AM-BH25 1.5-1.75	✓						
EB1624749-061	[ 07-Oct-2016 ]	AM-BH25 1.75-2	✓						
EB1624749-062	[ 07-Oct-2016 ]	AM-BH25 2-2.25	✓						
EB1624749-063	[ 07-Oct-2016 ]	AM-BH25 2.25-2.5	✓						
EB1624749-064	[ 07-Oct-2016 ]	AM-BH25 2.5-2.75	✓						
EB1624749-065	[ 07-Oct-2016 ]	AM-BH25 2.75-3	✓	✓		✓			
EB1624749-066	[ 07-Oct-2016 ]	AM-BH25 0.5-0.6		✓					
EB1624749-067	[ 10-Oct-2016 ]	AM-BH30 0-0.25	✓						
EB1624749-068	[ 10-Oct-2016 ]	AM-BH30 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-069	[ 10-Oct-2016 ]	AM-BH30 0.5-0.75	✓						
EB1624749-070	[ 10-Oct-2016 ]	AM-BH30 0.75-1	✓	✓		✓			
EB1624749-071	[ 10-Oct-2016 ]	AM-BH30 1-1.25	✓						
EB1624749-072	[ 10-Oct-2016 ]	AM-BH30 1.25-1.5	✓						
EB1624749-073	[ 10-Oct-2016 ]	AM-BH30 1.5-1.75	✓						
EB1624749-074	[ 10-Oct-2016 ]	AM-BH30 1.75-2	✓						
EB1624749-075	[ 10-Oct-2016 ]	AM-BH30 2-2.25	✓						
EB1624749-076	[ 10-Oct-2016 ]	AM-BH30 2.25-2.5	✓						
EB1624749-077	[ 10-Oct-2016 ]	AM-BH30 2.5-2.75	✓						
EB1624749-079	[ 10-Oct-2016 ]	AM-BH31 0-0.25	✓						
EB1624749-080	[ 10-Oct-2016 ]	AM-BH31 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-081	[ 10-Oct-2016 ]	AM-BH31 0.5-0.75	✓						



			SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-082	[ 10-Oct-2016 ]	AM-BH31 0.75-1	✓						
EB1624749-083	[ 10-Oct-2016 ]	AM-BH31 1-1.25	✓						
EB1624749-084	[ 10-Oct-2016 ]	AM-BH31 1.25-1.5	✓						
EB1624749-085	[ 10-Oct-2016 ]	AM-BH31 1.5-1.75	✓						
EB1624749-086	[ 10-Oct-2016 ]	AM-BH31 1.75-2	✓	✓		✓			
EB1624749-087	[ 10-Oct-2016 ]	AM-BH31 2-2.25	✓						
EB1624749-088	[ 10-Oct-2016 ]	AM-BH31 2.25-2.5	✓						
EB1624749-089	[ 10-Oct-2016 ]	AM-BH31 2.5-2.75	✓						
EB1624749-090	[ 10-Oct-2016 ]	AM-BH31 2.75-3	✓						

Matrix: SOIL

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EG005T (solids) Total Metals by ICP-AES	SOIL - EG020T (solids) Total Metals by ICP-MS	SOIL - EP075 SIM PAH only SIM - PAH only	SOIL - S-02 8 Metals (incl. Digestion)
EB1624749-037	[ 07-Oct-2016 ]	AM-BH15 0-0.1		✓	✓		✓
EB1624749-039	[ 07-Oct-2016 ]	QAQC007	✓				
EB1624749-040	[ 07-Oct-2016 ]	QAQC008	✓				
EB1624749-053	[ 07-Oct-2016 ]	AM-BH16 0-0.1		✓	✓		✓
EB1624749-055	[ 07-Oct-2016 ]	QAQC003	✓				
EB1624749-056	[ 07-Oct-2016 ]	QAQC004	✓				
EB1624749-066	[ 07-Oct-2016 ]	AM-BH25 0.5-0.6				✓	
EB1624749-078	[ 10-Oct-2016 ]	AM-BH30 2.75-3	✓				

### Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.



## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1624749**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : **MS KRYSTLE-RAE BIRAM**  
**Address** : **P O BOX 1734**  
**MILTON QLD, AUSTRALIA 4064**  
**Telephone** : **+61 07 3721 5400**  
**Project** : **1538021**  
**Order number** : **1538021**  
**C-O-C number** : **----**  
**Sampler** : **MORGAN MIDGLEY**  
**Site** : **Brisbane Airport**  
**Quote number** : **----**  
**No. of samples received** : **90**  
**No. of samples analysed** : **85**

**Page** : 1 of 105  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 14-Oct-2016 16:00  
**Date Analysis Commenced** : 18-Oct-2016  
**Issue Date** : 25-Oct-2016 13:16



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Lana Nguyen	Senior LCMS Chemist	Sydney Organics, Smithfield, NSW
Matt Frost	Senior Organic Chemist	Brisbane Inorganics, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD





## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG005T (Total Metals): Sample EB1624685-033 shows poor matrix spike recovery due to sample heterogeneity. Confirmed by visual inspection.
- EG035T (Total Mercury): Sample EB1624685-033 shows poor spike recovery due to sample heterogeneity. Confirmed by visual inspection
- EP068 Pesticides: Sample 'AM-BH14 0.25-0.5' shows poor matrix spike recovery for 4,4/ due to matrix interference. Confirmed by re-extraction and re-analysis.
- EP068 Pesticides: High LCS recovery deemed acceptable as all associated analyte results are less than LOR.
- EP075(SIM): High LCS recovery deemed acceptable as all associated analyte results are less than LOR.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.  
Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.6	7.6	6.9	7.1	
ø pH (Fox)	----	0.1	pH Unit	5.2	5.6	5.7	5.2	4.4	
ø Reaction Rate	----	1	-	1	2	2	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	9.8	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	7	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	9	----	----	----	
Copper	7440-50-8	5	mg/kg	----	23	----	----	----	
Lead	7439-92-1	5	mg/kg	----	14	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	9	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	30	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
^ Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	114	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	102	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	122	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	118	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	100	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	121	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	113	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	132	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	99.4	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	84.9	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	88.2	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	93.7	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.8	5.9	5.0	5.7	
ø pH (Fox)	----	0.1	pH Unit	4.2	4.4	3.0	3.4	3.3	
ø Reaction Rate	----	1	-	3	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
^ Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID				
				AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015
				Result	Result	Result	Result	Result
<b>EA037: Ass Field Screening Analysis</b>								
ø pH (F)	----	0.1	pH Unit	5.7	6.5	7.0	7.8	5.9
ø pH (Fox)	----	0.1	pH Unit	3.4	4.8	4.7	6.0	2.7
ø Reaction Rate	----	1	-	2	2	3	3	4
<b>EA055: Moisture Content</b>								
Moisture Content (dried @ 103°C)	----	1	%	----	25.2	----	11.2	----
<b>EG005T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	----	----	----	8	----
Cadmium	7440-43-9	1	mg/kg	----	----	----	<1	----
Chromium	7440-47-3	2	mg/kg	----	----	----	21	----
Copper	7440-50-8	5	mg/kg	----	----	----	24	----
Lead	7439-92-1	5	mg/kg	----	----	----	13	----
Nickel	7440-02-0	2	mg/kg	----	----	----	14	----
Zinc	7440-66-6	5	mg/kg	----	----	----	40	----
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----
<b>EG020T: Total Metals by ICP-MS</b>								
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----
<b>EP068A: Organochlorine Pesticides (OC)</b>								
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	0.6	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	1.2	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	<10	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	<b>0.0003</b>	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	<0.001	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	0.0003	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	0.0003	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	0.0003	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	119	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	112	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	116	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	109	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	95.1	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	116	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	108	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	132	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	94.1	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	79.3	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	92.0	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	96.0	----	104	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.3	5.2	8.0	5.5	5.7	
ø pH (Fox)	----	0.1	pH Unit	2.4	2.5	3.2	2.9	3.0	
ø Reaction Rate	----	1	-	4	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	6.8	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		90.5	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	7.2	7.2	7.3	7.0	
ø pH (Fox)	----	0.1	pH Unit	5.0	5.6	5.7	5.7	1.8	
ø Reaction Rate	----	1	-	2	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	----	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.0	6.5	7.2	7.0	7.3	
ø pH (Fox)	----	0.1	pH Unit	5.4	4.4	5.0	4.8	4.8	
ø Reaction Rate	----	1	-	3	2	3	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	23.9	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	14	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	41	----	----	----	----	
Copper	7440-50-8	5	mg/kg	22	----	----	----	----	
Lead	7439-92-1	5	mg/kg	10	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	39	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	90	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	<0.2	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	<0.2	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	<0.05	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	<0.05	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	<0.05	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	<0.05	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	<0.05	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	<0.2	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	<0.05	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	<0.05	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	<0.05	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	<10	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	<10	----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg	<100	----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg	<0.5	----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg	<0.2	----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		113	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		106	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		108	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		105	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		102	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		103	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		110	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		123	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		99.0	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		89.6	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		97.4	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		96.0	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.1	6.9	6.9	7.0	7.0	
ø pH (Fox)	----	0.1	pH Unit	4.6	4.4	4.2	4.4	2.5	
ø Reaction Rate	----	1	-	3	3	3	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	25.4	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	<0.0002	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	<0.001	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	<0.0005	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	<0.0005	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	<0.0002	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	<0.0002	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	<0.0002	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	94.3	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.3	----	----	7.2	6.3	
ø pH (Fox)	----	0.1	pH Unit	2.5	----	----	3.1	4.3	
ø Reaction Rate	----	1	-	4	----	----	3	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	16.8	23.4	----	24.2	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	8	13	----	<5	
Cadmium	7440-43-9	1	mg/kg	----	<1	<1	----	<1	
Chromium	7440-47-3	2	mg/kg	----	46	39	----	55	
Copper	7440-50-8	5	mg/kg	----	34	31	----	20	
Lead	7439-92-1	5	mg/kg	----	10	17	----	6	
Nickel	7440-02-0	2	mg/kg	----	52	59	----	18	
Zinc	7440-66-6	5	mg/kg	----	56	236	----	33	
Titanium	7440-32-6	10	mg/kg	----	360	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	1.4	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	<0.1	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	<0.05	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	<0.05	----	<0.05	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	<0.05	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	<0.05	----	<0.05	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	<0.05	----	<0.05	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	<0.05	----	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	<0.2	----	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	<0.2	----	<0.2	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	<0.05	----	<0.05	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	<0.2	----	<0.2	
Dimethoate	60-51-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Diazinon	333-41-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	<0.05	----	<0.05	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	<0.2	----	<0.2	
Malathion	121-75-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Fenthion	55-38-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
Parathion	56-38-2	0.2	mg/kg	----	----	<0.2	----	<0.2	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	<0.05	----	<0.05	
Ethion	563-12-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	<0.05	----	<0.05	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	<0.5	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	<0.5	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	<b>0.6</b>	----	<b>0.6</b>	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	<b>1.2</b>	----	<b>1.2</b>	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	<10	----	<10	
C10 - C14 Fraction	----	50	mg/kg	----	----	<50	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	<100	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	<100	----	<100	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	<50	----	<50	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	<10	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	<10	----	<10	
>C10 - C16 Fraction	----	50	mg/kg	----	----	<50	----	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	<100	----	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	<100	----	<100	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	<50	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	<50	----	<50	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	<0.2	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	<0.5	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	<0.2	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	<1	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	<b>0.0004</b>	----	<0.0002	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	<0.001	----	<0.001	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	112	----	116	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	101	----	106	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	109	----	119	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	103	----	110	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	97.8	----	106	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	104	----	103	
Anthracene-d10	1719-06-8	0.5	%	----	----	104	----	113	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	116	----	125	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	98.0	----	110	
Toluene-D8	2037-26-5	0.2	%	----	----	86.8	----	90.0	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	95.4	----	101	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	101	----	92.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID				
				AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
				Result	Result	Result	Result	Result
<b>EA037: Ass Field Screening Analysis</b>								
ø pH (F)	----	0.1	pH Unit	4.5	5.3	5.9	6.4	6.7
ø pH (Fox)	----	0.1	pH Unit	2.6	3.2	3.8	3.4	3.5
ø Reaction Rate	----	1	-	2	2	2	3	3
<b>EA055: Moisture Content</b>								
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----
<b>EG005T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----
Copper	7440-50-8	5	mg/kg	----	----	----	----	----
Lead	7439-92-1	5	mg/kg	----	----	----	----	----
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----
<b>EG020T: Total Metals by ICP-MS</b>								
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----
<b>EP068A: Organochlorine Pesticides (OC)</b>								
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.3	6.2	6.5	6.4	7.1	
ø pH (Fox)	----	0.1	pH Unit	3.7	3.6	3.3	1.7	2.2	
ø Reaction Rate	----	1	-	3	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	23.9	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	91.6	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	----	----	6.7	4.3	5.9	
ø pH (Fox)	----	0.1	pH Unit	----	----	3.8	4.6	4.0	
ø Reaction Rate	----	1	-	----	----	3	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	19.1	23.7	----	11.6	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	11	8	----	10	----	
Cadmium	7440-43-9	1	mg/kg	<1	<1	----	<1	----	
Chromium	7440-47-3	2	mg/kg	37	54	----	54	----	
Copper	7440-50-8	5	mg/kg	25	30	----	41	----	
Lead	7439-92-1	5	mg/kg	17	13	----	15	----	
Nickel	7440-02-0	2	mg/kg	18	33	----	31	----	
Zinc	7440-66-6	5	mg/kg	65	42	----	44	----	
Titanium	7440-32-6	10	mg/kg	340	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	3.0	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	<0.05	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	<0.2	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	<0.05	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	<0.05	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	<0.05	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	<0.2	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	<0.05	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	<0.05	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	<0.05	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	<0.2	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	<0.05	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	<0.05	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	<0.05	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	<0.05	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	<0.05	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	<0.05	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	<0.05	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	<b>0.6</b>	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	<b>1.2</b>	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	<10	----	
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<b>0.0004</b>	----	<b>0.0005</b>	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<b>0.0004</b>	----	<b>0.0020</b>	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	<0.001	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	0.0008	----	0.0025	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	0.0008	----	0.0025	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	0.0008	----	0.0025	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	115	----	108	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	103	----	98.5	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	119	----	117	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	109	----	108	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	102	----	94.1	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	105	----	116	----	
Anthracene-d10	1719-06-8	0.5	%	----	113	----	117	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	132	----	128	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	104	----	93.1	----	
Toluene-D8	2037-26-5	0.2	%	----	89.4	----	83.0	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	97.6	----	83.7	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	95.2	----	93.4	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.9	6.0	6.1	4.7	5.9	
ø pH (Fox)	----	0.1	pH Unit	3.2	3.5	4.1	2.9	4.5	
ø Reaction Rate	----	1	-	3	3	3	2	1	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.6	----	4.5	3.9	4.2	
ø pH (Fox)	----	0.1	pH Unit	5.4	----	2.8	2.2	2.5	
ø Reaction Rate	----	1	-	2	----	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	25.2	28.6	----	15.1	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	8	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	<1	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	39	----	
Copper	7440-50-8	5	mg/kg	----	----	----	16	----	
Lead	7439-92-1	5	mg/kg	----	----	----	12	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	24	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	54	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	<b>0.6</b>	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	<b>1.2</b>	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	<10	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	<0.001	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	104	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	98.4	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	113	----	104	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	102	----	97.1	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	106	----	91.9	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	100	----	110	----	
Anthracene-d10	1719-06-8	0.5	%	----	111	----	115	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	116	----	122	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	88.7	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	77.2	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	85.4	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	91.5	----	----	86.5	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.4	6.4	6.8	7.1	7.2	
ø pH (Fox)	----	0.1	pH Unit	3.8	4.2	4.0	1.8	1.8	
ø Reaction Rate	----	1	-	2	3	3	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	34.4	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		86.4	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.0	8.1	8.2	5.2	4.2	
ø pH (Fox)	----	0.1	pH Unit	2.4	2.0	2.0	3.0	2.4	
ø Reaction Rate	----	1	-	4	4	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	17.5	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	19	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	<1	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	41	
Copper	7440-50-8	5	mg/kg	----	----	----	----	20	
Lead	7439-92-1	5	mg/kg	----	----	----	----	13	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	41	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	63	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	<0.05	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	<0.05	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	<0.05	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	<0.2	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	----	----	----	----	<0.05	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	<100	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	<50	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	0.6	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	1.2	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	<10	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	<10	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<b>0.0005</b>	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	0.0005	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	110	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	100	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	108	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	99.3	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	94.6	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	113	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	118	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	126	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	100	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	79.5	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	94.5	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	95.6	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	3.9	5.7	5.1	5.8	6.5	
ø pH (Fox)	----	0.1	pH Unit	2.2	3.9	2.5	1.8	1.9	
ø Reaction Rate	----	1	-	2	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.0	7.1	7.4	7.8	7.8	
ø pH (Fox)	----	0.1	pH Unit	1.8	1.7	1.7	2.0	1.7	
ø Reaction Rate	----	1	-	4	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	36.0	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		82.9	----	----	----	----



## Surrogate Control Limits

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP068S: Organochlorine Pesticide Surrogate</b>			
Dibromo-DDE	21655-73-2	10	138
<b>EP068T: Organophosphorus Pesticide Surrogate</b>			
DEF	78-48-8	23	135
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	35	155
2-Chlorophenol-D4	93951-73-6	42	153
2,4,6-Tribromophenol	118-79-6	26	157
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	34	157
Anthracene-d10	1719-06-8	37	153
4-Terphenyl-d14	1718-51-0	42	172
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	53	134
Toluene-D8	2037-26-5	60	131
4-Bromofluorobenzene	460-00-4	59	127
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	70	130



## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1624749</b>	<b>Page</b>	: 1 of 19
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 14-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 18-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 25-Oct-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 90		
<b>No. of samples analysed</b>	: 85		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Lana Nguyen	Senior LCMS Chemist	Sydney Organics, Smithfield, NSW
Matt Frost	Senior Organic Chemist	Brisbane Inorganics, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 621294)</b>									
EB1624749-001	AM-BH13 0-0.25	EA037: pH (F)	----	0.1	pH Unit	7.4	7.4	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.2	5.1	1.94	0% - 20%
EB1624749-011	AM-BH13 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	5.7	5.5	3.57	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.4	3.5	2.90	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621295)</b>									
EB1624749-021	AM-BH14 2-2.25	EA037: pH (F)	----	0.1	pH Unit	6.8	7.0	2.90	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.0	4.8	4.08	0% - 20%
EB1624749-031	AM-BH15 1.5-1.75	EA037: pH (F)	----	0.1	pH Unit	7.1	7.0	1.42	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.6	4.5	2.20	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621296)</b>									
EB1624749-045	AM-BH16 1-1.25	EA037: pH (F)	----	0.1	pH Unit	5.9	5.8	1.71	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.8	3.8	0.00	0% - 20%
EB1624749-059	AM-BH25 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	5.9	6.0	1.68	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.0	3.9	2.53	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621297)</b>									
EB1624749-070	AM-BH30 0.75-1	EA037: pH (F)	----	0.1	pH Unit	5.4	5.5	1.83	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.8	3.7	2.67	0% - 20%
EB1624749-081	AM-BH31 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	3.9	3.9	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.2	2.3	4.44	0% - 20%
<b>EA055: Moisture Content (QC Lot: 620751)</b>									
EB1624685-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	16.4	16.6	1.12	0% - 50%
EB1624685-023	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	3.8	3.9	0.00	No Limit
<b>EA055: Moisture Content (QC Lot: 620757)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	9.8	9.6	2.30	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA055: Moisture Content (QC Lot: 620766)</b>									
EB1624685-005	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	8.3	8.2	0.00	No Limit
<b>EA055: Moisture Content (QC Lot: 624690)</b>									
EB1623981-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	4.8	4.6	4.61	No Limit
EB1623981-011	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	25.5	26.2	2.67	0% - 20%
<b>EA055: Moisture Content (QC Lot: 624691)</b>									
EB1624749-052	AM-BH16 2.75-3	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	23.9	23.3	2.31	0% - 20%
<b>EG005T: Total Metals by ICP-AES (QC Lot: 620763)</b>									
EB1624685-032	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	25	25	0.00	0% - 50%
		EG005T: Nickel	7440-02-0	2	mg/kg	2	<2	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	6	5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	12	12	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	<5	<5	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	54	53	0.00	0% - 20%
		EG005T: Nickel	7440-02-0	2	mg/kg	31	31	0.00	0% - 50%
		EG005T: Arsenic	7440-38-2	5	mg/kg	10	11	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	41	40	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	15	16	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	44	44	0.00	No Limit
<b>EG020T: Total Metals by ICP-MS (QC Lot: 620765)</b>									
EB1624749-037	AM-BH15 0-0.1	EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	1.4	1.7	13.2	No Limit
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 620764)</b>									
EB1624685-032	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620748)</b>									
EB1624685-001	Anonymous	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	0.08	0.07	14.7	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620748) - continued</b>									
EB1624685-001	Anonymous	EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	0.08	0.07	13.3	No Limit
		EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620755)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620755) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
			-1						
		EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620748)</b>									
EB1624685-001	Anonymous	EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit		
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	<0.2	0.00	No Limit		
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit		
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620755)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit		



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620755) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QC Lot: 620754)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QC Lot: 620754)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620746)</b>									
EB1624685-023	Anonymous	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	205-82-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EB1624685-001	Anonymous	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5
EP075(SIM): Acenaphthylene	208-96-8			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Acenaphthene	83-32-9			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Fluorene	86-73-7			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Phenanthrene	85-01-8			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Anthracene	120-12-7			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Fluoranthene	206-44-0			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Pyrene	129-00-0			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Benz(a)anthracene	56-55-3			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Chrysene	218-01-9			0.5	mg/kg	<0.5	<0.5	0.00	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620746) - continued</b>									
EB1624685-001	Anonymous	EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	0.5	<0.5	0.00	No Limit
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620753)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620747)</b>									
EB1624685-033	Anonymous	EP071: C15 - C28 Fraction	----	100	mg/kg	<100	100	0.00	No Limit
		EP071: C29 - C36 Fraction	----	100	mg/kg	100	120	15.1	No Limit
		EP071: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EB1624685-001	Anonymous	EP071: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit
EB1624685-033	Anonymous	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620747)</b>									
EB1624685-033	Anonymous	EP071: >C16 - C34 Fraction	----	100	mg/kg	160	190	14.4	No Limit
		EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EB1624685-001	Anonymous	EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
EB1624685-033	Anonymous	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080: BTEXN (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
EB1624685-033	Anonymous	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
<b>EP080: BTEXN (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 624743) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	0.0005	0.0006	18.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	0.0020	0.0022	12.4	0% - 50%
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorononanoic acid (PFNA)	375-95-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7			0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4			0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 624743) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	118.9 mg/kg	93.9	84	123	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.87125 mg/kg	102	88	117	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	22.7 mg/kg	95.9	83	125	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55 mg/kg	105	86	122	
EG005T: Lead	7439-92-1	5	mg/kg	<5	72.1 mg/kg	102	84	119	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	16.6 mg/kg	109	89	126	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	182.3 mg/kg	104	87	127	
<b>EG020T: Total Metals by ICP-MS (QCLot: 620765)</b>									
EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	<0.5	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620764)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.09821 mg/kg	100	78	122	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748)</b>									
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	81.7	54	121	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	101	54	112	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	89.2	49	121	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	85.1	55	129	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	79.8	61	122	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	103	65	130	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	102	70	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	106	58	118	
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	107	56	119	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	101	51	125	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	105	57	118	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	100	67	129	
EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	110	62	121	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	108	60	137	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	94.4	61	122	
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	106	60	123	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	97.5	52	125	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	87.0	55	125	
EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	80.2	80	142	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	98.4	55	129	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748) - continued</b>									
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	98.1	53	136	
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620755)</b>									
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	96.5	54	121	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	# 114	54	112	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	99.7	49	121	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	95.5	55	129	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	84.1	61	122	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	119	65	130	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	108	70	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	116	58	118	
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	115	56	119	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	103	51	125	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	113	57	118	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	106	67	129	
EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	118	62	121	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	113	60	137	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	102	61	122	
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	106	60	123	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	97.4	52	125	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	93.6	55	125	
EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	107	80	142	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	121	55	129	
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	111	53	136	
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748)</b>									
EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	0.5 mg/kg	99.2	41	114	
EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	65.7	25	120	
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	0.5 mg/kg	113	35	135	
EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	0.5 mg/kg	94.8	44	131	
EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	0.5 mg/kg	98.7	70	131	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748) - continued</b>									
EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	0.5 mg/kg	109	70	130	
EP068: Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	0.5 mg/kg	80.0	60	122	
EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	0.5 mg/kg	96.5	64	125	
EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	0.5 mg/kg	103	69	115	
EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	0.5 mg/kg	92.9	66	120	
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	0.5 mg/kg	102	57	118	
EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	0.5 mg/kg	121	70	130	
EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	0.5 mg/kg	117	62	127	
EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	0.5 mg/kg	106	80	130	
EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	0.5 mg/kg	98.5	55	106	
EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	0.5 mg/kg	101	80	134	
EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	0.5 mg/kg	120	61	123	
EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	0.5 mg/kg	119	57	124	
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	0.5 mg/kg	46.7	35	127	
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620755)</b>									
EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	0.5 mg/kg	102	41	114	
EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	67.2	25	120	
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	0.5 mg/kg	112	35	135	
EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	0.5 mg/kg	97.1	44	131	
EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	0.5 mg/kg	111	70	131	
EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	0.5 mg/kg	107	70	130	
EP068: Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	0.5 mg/kg	81.3	60	122	
EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	0.5 mg/kg	105	64	125	
EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	0.5 mg/kg	108	69	115	
EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	0.5 mg/kg	98.5	66	120	
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	0.5 mg/kg	102	57	118	
EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	0.5 mg/kg	# 131	70	130	
EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	0.5 mg/kg	123	62	127	
EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	0.5 mg/kg	114	80	130	
EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	0.5 mg/kg	103	55	106	
EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	0.5 mg/kg	107	80	134	
EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	0.5 mg/kg	112	61	123	
EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	0.5 mg/kg	# 126	57	124	
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	0.5 mg/kg	35.5	35	127	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754)</b>									
EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	61.8	47	112	
EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	72.0	55	108	
EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620754)</b>									
EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	65.8	46	115	
EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	70.9	53	113	
EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620746)</b>									
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	101	74	119	
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	102	74	118	
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	106	83	121	
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	104	81	116	
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	110	72	117	
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	113	72	115	
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	112	70	116	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	114	70	134	
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	107	64	120	
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	110	66	119	
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	108	59	129	
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	112	70	129	
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	85.5	76	121	
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	91.9	53	135	
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	88.7	45	134	
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	106	64	131	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620753)</b>									
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	106	74	119	
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	111	74	118	
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	116	83	121	
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	111	81	116	
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	112	72	117	
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	# 122	72	115	
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	# 127	70	116	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	132	70	134	
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	109	64	120	
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	# 125	66	119	
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	110	59	129	
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	115	70	129	
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	110	76	121	
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	113	53	135	
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	114	45	134	
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	120	64	131	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
						LCS	Low	High
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620747)</b>								
EP071: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	82.6	79	123
EP071: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	87.4	77	123
EP071: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620750)</b>								
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	96.3	66	120
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620756)</b>								
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	71.8	66	120
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620747)</b>								
EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	84.9	81	122
EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	83.5	74	122
EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620750)</b>								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	89.8	66	119
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620756)</b>								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	67.4	66	119
<b>EP080: BTEXN (QCLot: 620750)</b>								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	90.9	73	105
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	97.1	73	105
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	92.5	67	104
EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	2 mg/kg	94.6	66	106
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	98.7	68	105
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	101	72	115
<b>EP080: BTEXN (QCLot: 620756)</b>								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	86.8	73	105
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	93.3	73	105
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	89.1	67	104
EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	2 mg/kg	86.8	66	106
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	90.0	68	105
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	100	72	115
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743)</b>								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	101	57	121
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.6	55	125
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.6	52	126
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	54	123
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.6	55	127
EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	103	54	125



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 624743)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00125 mg/kg	83.2	52	128	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	104	54	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	86.0	58	127	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.3	57	128	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.4	60	134	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	98.3	63	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.4	55	130	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	110	62	130	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	105	53	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	49	129	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	91.6	59	129	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 624743)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	105	52	132	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	103	65	126	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	91.1	64	126	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	96.3	63	124	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	89.6	58	125	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	99.1	61	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	99.5	55	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 624743)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	87.1	54	130	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00125 mg/kg	90.0	61	130	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	76.4	62	130	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00125 mg/kg	87.6	60	130	

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike	Spike Recovery (%)	Recovery Limits (%)	
				Concentration	MS	Low	High
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763)</b>							
EB1624685-033	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	# Not Determined	70	130





Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763) - continued</b>							
EB1624685-033	Anonymous	EG005T: Cadmium	7440-43-9	25 mg/kg	114	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	# Not Determined	70	130
		EG005T: Copper	7440-50-8	50 mg/kg	# 9.19	70	130
		EG005T: Lead	7439-92-1	50 mg/kg	97.1	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	123	70	130
		EG005T: Zinc	7440-66-6	50 mg/kg	# Not Determined	70	130
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620764)</b>							
EB1624685-033	Anonymous	EG035T: Mercury	7439-97-6	2.5 mg/kg	# 139	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748)</b>							
EB1624685-007	Anonymous	EP068: gamma-BHC	58-89-9	0.5 mg/kg	97.6	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	90.7	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	97.4	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	104	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	103	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	81.4	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620755)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP068: gamma-BHC	58-89-9	0.5 mg/kg	70.5	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	84.5	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	74.9	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	90.2	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	94.2	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	# 57.7	70	130
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748)</b>							
EB1624685-007	Anonymous	EP068: Diazinon	333-41-5	0.5 mg/kg	90.0	70	130
		EP068: Chlorpyrifos-methyl	5598-13-0	0.5 mg/kg	75.8	70	130
		EP068: Pirimphos-ethyl	23505-41-1	0.5 mg/kg	105	70	130
		EP068: Bromophos-ethyl	4824-78-6	0.5 mg/kg	111	70	130
		EP068: Prothiofos	34643-46-4	0.5 mg/kg	103	70	130
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620755)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP068: Diazinon	333-41-5	0.5 mg/kg	89.6	70	130
		EP068: Chlorpyrifos-methyl	5598-13-0	0.5 mg/kg	86.5	70	130
		EP068: Pirimphos-ethyl	23505-41-1	0.5 mg/kg	107	70	130
		EP068: Bromophos-ethyl	4824-78-6	0.5 mg/kg	95.6	70	130
		EP068: Prothiofos	34643-46-4	0.5 mg/kg	93.6	70	130
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754)</b>							



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754) - continued</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP071SG-S: C10 - C14 Fraction	----	318 mg/kg	62.5	47	130
		EP071SG-S: C15 - C28 Fraction	----	531 mg/kg	68.3	55	130
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620754)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP071SG-S: >C10 - C16 Fraction	----	428 mg/kg	64.4	46	130
		EP071SG-S: >C16 - C34 Fraction	----	395 mg/kg	66.8	53	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620746)</b>							
EB1624685-002	Anonymous	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	101	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	110	70	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620753)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	116	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	124	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620747)</b>							
EB1624685-004	Anonymous	EP071: C10 - C14 Fraction	----	318 mg/kg	82.4	70	130
		EP071: C15 - C28 Fraction	----	531 mg/kg	87.3	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: C6 - C9 Fraction	----	8 mg/kg	95.0	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: C6 - C9 Fraction	----	8 mg/kg	78.2	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620747)</b>							
EB1624685-004	Anonymous	EP071: >C10 - C16 Fraction	----	428 mg/kg	84.2	70	130
		EP071: >C16 - C34 Fraction	----	395 mg/kg	84.9	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	93.8	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	76.0	70	130
<b>EP080: BTEXN (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: Benzene	71-43-2	2 mg/kg	93.3	70	130
		EP080: Toluene	108-88-3	2 mg/kg	91.1	70	130
<b>EP080: BTEXN (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: Benzene	71-43-2	2 mg/kg	80.5	70	130
		EP080: Toluene	108-88-3	2 mg/kg	76.5	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00125 mg/kg	75.2	50	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00125 mg/kg	77.1	50	130
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00125 mg/kg	72.6	50	130



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743) - continued</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00125 mg/kg	94.9	50	130
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00125 mg/kg	86.0	50	130
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.00125 mg/kg	81.3	50	130
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00125 mg/kg	67.8	50	130
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	82.2	50	130
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	67.8	50	130
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	90.2	50	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	109	50	130
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	112	50	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	102	50	130
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	114	50	130
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	91.6	50	130
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.00125 mg/kg	105	30	130
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	94.9	30	130
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	99.4	50	130
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	89.7	50	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	89.9	50	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.00312 mg/kg	94.3	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	73.4	30	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	112	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	109	30	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00125 mg/kg	98.6	50	130
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00125 mg/kg	110	50	130
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.00125 mg/kg	87.3	50	130
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00125 mg/kg	103	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1624749</b>	Page	: 1 of 13
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 14-Oct-2016
Site	: Brisbane Airport	Issue Date	: 25-Oct-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 90
Order number	: 1538021	No. of samples analysed	: 85

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- Laboratory Control outliers exist - please see following pages for full details.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



**Outliers : Quality Control Samples**

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Laboratory Control Spike (LCS) Recoveries</b>							
EP068A: Organochlorine Pesticides (OC)	QC-620755-002	----	Hexachlorobenzene (HCB)	118-74-1	114 %	54-112%	Recovery greater than upper control limit
EP068B: Organophosphorus Pesticides (OP)	QC-620755-002	----	Pirimphos-ethyl	23505-41-1	131 %	70-130%	Recovery greater than upper control limit
EP068B: Organophosphorus Pesticides (OP)	QC-620755-002	----	Carbophenothion	786-19-6	126 %	57-124%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Anthracene	120-12-7	122 %	72-115%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Fluoranthene	206-44-0	127 %	70-116%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Chrysene	218-01-9	125 %	66-119%	Recovery greater than upper control limit
<b>Matrix Spike (MS) Recoveries</b>							
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Arsenic	7440-38-2	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Chromium	7440-47-3	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Copper	7440-50-8	9.19 %	70-130%	Recovery less than lower data quality objective
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Zinc	7440-66-6	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG035T: Total Recoverable Mercury by FIMS	EB1624685--033	Anonymous	Mercury	7439-97-6	139 %	70-130%	Recovery greater than upper data quality objective
EP068A: Organochlorine Pesticides (OC)	EB1624749--014	AM-BH14 0.25-0.5	4,4'-DDT	50-29-3	57.7 %	70-130%	Recovery less than lower data quality objective

**Analysis Holding Time Compliance**

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Page : 3 of 13  
 Work Order : EB1624749  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **SOIL**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EA037: Ass Field Screening Analysis - Continued</b>									
AM-BH30 0-0.25, AM-BH30 0.5-0.75, AM-BH30 1-1.25, AM-BH30 1.5-1.75, AM-BH30 2-2.25, AM-BH30 2.5-2.75, AM-BH31 0.25-0.5, AM-BH31 0.75-1, AM-BH31 1.25-1.5, AM-BH31 1.75-2, AM-BH31 2.25-2.5, AM-BH31 2.75-3	AM-BH30 0.25-0.5, AM-BH30 0.75-1, AM-BH30 1.25-1.5, AM-BH30 1.75-2, AM-BH30 2.25-2.5, AM-BH31 0-0.25, AM-BH31 0.5-0.75, AM-BH31 1-1.25, AM-BH31 1.5-1.75, AM-BH31 2-2.25, AM-BH31 2.5-2.75,	10-Oct-2016	19-Oct-2016	08-Apr-2017	✓	19-Oct-2016	08-Apr-2017	✓	
<b>EA055: Moisture Content</b>									
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH13 2.75-3,	AM-BH14 0.75-1	06-Oct-2016	----	----	----	20-Oct-2016	20-Oct-2016	✓	
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH15 1.75-2, AM-BH25 2.75-3	AM-BH16 2.75-3,	07-Oct-2016	----	----	----	20-Oct-2016	21-Oct-2016	✓	
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH30 0.75-1,	AM-BH31 1.75-2	10-Oct-2016	----	----	----	20-Oct-2016	24-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	----	----	----	18-Oct-2016	20-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5,	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001, AM-BH25 0.5-0.6	07-Oct-2016	----	----	----	18-Oct-2016	21-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	----	----	----	18-Oct-2016	24-Oct-2016	✓	
<b>EG005T: Total Metals by ICP-AES</b>									
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	19-Oct-2016	04-Apr-2017	✓	19-Oct-2016	04-Apr-2017	✓	
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001,	07-Oct-2016	19-Oct-2016	05-Apr-2017	✓	19-Oct-2016	05-Apr-2017	✓	
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	19-Oct-2016	08-Apr-2017	✓	19-Oct-2016	08-Apr-2017	✓	
<b>EG020T: Total Metals by ICP-MS</b>									
<b>Soil Glass Jar - Unpreserved (EG020R-T)</b> AM-BH15 0-0.1,	AM-BH16 0-0.1	07-Oct-2016	19-Oct-2016	05-Apr-2017	✓	19-Oct-2016	05-Apr-2017	✓	





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	19-Oct-2016	03-Nov-2016	✓	19-Oct-2016	03-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001,	07-Oct-2016	19-Oct-2016	04-Nov-2016	✓	19-Oct-2016	04-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	19-Oct-2016	07-Nov-2016	✓	19-Oct-2016	07-Nov-2016	✓
<b>EP068A: Organochlorine Pesticides (OC)</b>								
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5,	QAQC005, QAQC001	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>EP068B: Organophosphorus Pesticides (OP)</b>								
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5,	QAQC005, QAQC001	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>								
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>								
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.5-0.6	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓
<b>EP080: BTEXN</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓



Matrix: SOIL

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✔	21-Oct-2016	30-Nov-2016	✔
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✔	21-Oct-2016	30-Nov-2016	✔
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✔	21-Oct-2016	30-Nov-2016	✔
<b>EP231P: PFAS Sums</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✔	21-Oct-2016	30-Nov-2016	✔
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✔	21-Oct-2016	30-Nov-2016	✔
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✔	21-Oct-2016	30-Nov-2016	✔



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	8	80	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	7	58	12.07	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	3	25	12.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	13	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	13	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	2	50.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	2	16	12.50	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	3	21	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	2	50.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Page : 11 of 13  
 Work Order : EB1624749  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **SOIL** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
<i>Analytical Methods</i>							
<b>Matrix Spikes (MS) - Continued</b>							
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Metals by ICP-MS - Suite R	EG020R-T	SOIL	In house: Referenced to APHA 3125; USEPA SW846 - 6020. Metals in solids are determined following an appropriate acid digestion. The ICPMS technique ionizes selected elements. Ions are passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass / charge ratios prior to measurement by a discrete dynode ion detector. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Pesticides by GCMS	EP068	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM (2013) Schedule B(3) (Method 504,505)
TRH - Semivolatile Fraction	EP071	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
PAH/Phenols (SIM)	EP075(SIM)	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	In house: Referenced to USEPA SW 846 - 8260B Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.
Preparation Methods	Method	Matrix	Method Descriptions
Drying only	EN020D	SOIL	In house

Page : 13 of 13  
Work Order : EB1624749  
Client : GOLDER ASSOCIATES  
Project : 1538021




<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM (2013) Schedule B(3) (Method 202)
Sample Extraction for PFAS	EP231-PR	SOIL	In house
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids	ORG17	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na2SO4 and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sheet ..... of.....

Project ID:	1538021	Quote/Order No.:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400																																																																																																																																																																																																																																																																																																												
Site Location:	Brisbane Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401																																																																																																																																																																																																																																																																																																												
Sampled By:	Morgan Midgley			Invoice to be sent to Accounts: <a href="mailto:accounts payable@golder.com.au">accounts payable@golder.com.au</a>																																																																																																																																																																																																																																																																																																													
Turnaround (Days):	5	BY:		Project Manager: Krystle-Rae Biram																																																																																																																																																																																																																																																																																																													
Report Format:	<input type="checkbox"/> HARD <input checked="" type="checkbox"/> PDF <input type="checkbox"/> Fax <input type="checkbox"/> Other <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>			Contact Phone: 07 37215400	Email: KBiram@golder.com.au																																																																																																																																																																																																																																																																																																												
Email format:	PDF		Email Address: <a href="mailto:scurti@golder.com.au">scurti@golder.com.au</a>	<b>ANALYSIS REQUIRED</b>																																																																																																																																																																																																																																																																																																													
Comments/Special Instructions: REBATCH OF EB1624693				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Chromium Site</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>		Chromium Site																				X																				X																				X																				X																				X																				X																				X																				X																				X																				X																				X																				X																				X																				X																			
Chromium Site																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
X																																																																																																																																																																																																																																																																																																																	
Samples taken from a known Weed and or Pest Area: N																																																																																																																																																																																																																																																																																																																	
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE			SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION																																																																																																																																																																																																																																																																																																							
AM-BH26	0 0.25	soil	6/10/2016				bag		1	N	X																																																																																																																																																																																																																																																																																																						
AM-BH26	1.75 2	soil	6/10/2016				bag		1	N	X																																																																																																																																																																																																																																																																																																						
AM-BH26	2 2.25	soil	6/10/2016				bag		1	N	X																																																																																																																																																																																																																																																																																																						
AM-BH18	0.75 1	soil	6/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH18	1.25 1.5	soil	6/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH18	2 2.25	soil	6/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH24	0.75 1	soil	6/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH24	1.5 1.75	soil	6/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH24	2.25 2.5	soil	6/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH10	0 0.25	soil	6/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH10	1.5 1.75	soil	6/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH10	2.5 2.75	soil	6/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH32	0 0.25	soil	10/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH32	1 1.25	soil	10/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH32	2 2.25	soil	10/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH29	0.75 1	soil	7/10/2016		bag+jar		2	N	X																																																																																																																																																																																																																																																																																																								
AM-BH29	1 1.25	soil	7/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								
AM-BH29	2.5 2.75	soil	7/10/2016		bag		1	N	X																																																																																																																																																																																																																																																																																																								


Environmental Division  
Brisbane  
Work Order Reference  
**EB1625883**



Telephone : 61-7-3243 7222

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method											
RELEASED BY: 	GOLDER	28/10/2016	4pm	RELEASED BY:				Shipping Ref:											
RECEIVED BY:				RECEIVED BY:															
RECEIVED BY:				To Be Filled Out By Analysing Laboratory: <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>Security Seal</td> <td>Called</td> <td>LAB BATCH NUMBER</td> <td></td> </tr> <tr> <td>Suitable Containers</td> <td>Preserved</td> <td>Bill to:</td> <td></td> </tr> <tr> <td>Cool Box</td> <td>Ambient</td> <td>Address:</td> <td></td> </tr> </table>				Security Seal	Called	LAB BATCH NUMBER		Suitable Containers	Preserved	Bill to:		Cool Box	Ambient	Address:	
Security Seal	Called	LAB BATCH NUMBER																	
Suitable Containers	Preserved	Bill to:																	
Cool Box	Ambient	Address:																	
RECEIVED BY:																			
RECEIVED BY:																			
RECEIVED BY:																			

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1625883**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : **MS KRYSTLE-RAE BIRAM**  
**Address** : **P O BOX 1734**  
                   **MILTON QLD, AUSTRALIA 4064**  
**Telephone** : **+61 07 3721 5400**  
**Project** : **1538021**  
**Order number** : **1538021**  
**C-O-C number** : **----**  
**Sampler** : **MORGAN MIDGLEY**  
**Site** : **Brisbane Airport**  
**Quote number** : **----**  
**No. of samples received** : **18**  
**No. of samples analysed** : **18**

**Page** : 1 of 6  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 28-Oct-2016 16:50  
**Date Analysis Commenced** : 03-Nov-2016  
**Issue Date** : 03-Nov-2016 15:09



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

∅ = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- **The samples in this work order have been re-batched from EB1624693.**
- ASS: EA033 (CRS Suite): Liming rate is calculated and reported on a dry weight basis assuming use of fine agricultural lime (CaCO<sub>3</sub>) and using a safety factor of 1.5 to allow for non-homogeneous mixing and poor reactivity of lime. For conversion of Liming Rate from 'kg/t dry weight' to 'kg/m<sup>3</sup> in-situ soil', multiply 'reported results' x 'wet bulk density of soil in t/m<sup>3</sup>'.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH18 0.75-1	AM-BH18 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1625883-001	EB1625883-002	EB1625883-003	EB1625883-004	EB1625883-005	
				Result	Result	Result	Result	Result	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	6.6	8.0	4.7	4.3	4.6	
Titration Actual Acidity (23F)	----	2	mole H+ / t	<2	<2	25	104	41	
sulfidic - Titration Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	<0.02	0.04	0.17	0.06	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.028	0.418	0.006	0.021	<0.005	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	17	260	<10	13	<10	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	0.63	3.42	----	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	126	683	----	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	0.20	1.09	----	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	----	0.05	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	----	0.05	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	----	<0.02	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	----	<10	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	----	<0.02	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	<0.02	<0.02	0.04	0.19	0.07	
Net Acidity (acidity units)	----	10	mole H+ / t	<10	<10	28	117	43	
Liming Rate	----	1	kg CaCO3/t	<1	<1	2	9	3	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.03	0.42	0.04	0.19	0.07	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	17	260	28	117	43	
Liming Rate excluding ANC	----	1	kg CaCO3/t	1	20	2	9	3	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH24 0.75-1	AM-BH24 1.5-1.75	AM-BH24 2.25-2.5	AM-BH10 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1625883-006	EB1625883-007	EB1625883-008	EB1625883-009	EB1625883-010	
				Result	Result	Result	Result	Result	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	4.7	8.1	4.2	5.5	6.3	
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	33	<2	90	13	<2	
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.05	<0.02	0.14	0.02	<0.02	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.102	0.026	0.008	0.006	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	64	16	<10	<10	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	3.14	----	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	628	----	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	1.01	----	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	0.08	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	0.08	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	<0.02	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	<10	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	<0.02	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	0.06	<0.02	0.17	0.03	<0.02	
Net Acidity (acidity units)	----	10	mole H+ / t	36	<10	106	18	<10	
Liming Rate	----	1	kg CaCO3/t	3	<1	8	1	<1	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.06	0.10	0.17	0.03	<0.02	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	36	64	106	18	<10	
Liming Rate excluding ANC	----	1	kg CaCO3/t	3	5	8	1	<1	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1.5-1.75	AM-BH10 2.5-2.75	AM-BH32 0-0.25	AM-BH32 1-1.25	AM-BH32 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1625883-011	EB1625883-012	EB1625883-013	EB1625883-014	EB1625883-015	
				Result	Result	Result	Result	Result	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	5.1	4.8	7.4	4.5	4.7	
Titration Actual Acidity (23F)	----	2	mole H+ / t	25	43	<2	71	43	
sulfidic - Titration Actual Acidity (s-23F)	----	0.02	% pyrite S	0.04	0.07	<0.02	0.11	0.07	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	1.70	3.69	0.037	0.269	2.31	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	1060	2300	23	168	1440	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	----	1.24	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	----	248	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	----	0.40	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	1.74	3.76	<0.02	0.38	2.38	
Net Acidity (acidity units)	----	10	mole H+ / t	1080	2350	<10	239	1480	
Liming Rate	----	1	kg CaCO3/t	81	176	<1	18	111	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	1.74	3.76	0.04	0.38	2.38	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	1080	2350	23	239	1480	
Liming Rate excluding ANC	----	1	kg CaCO3/t	81	176	2	18	111	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0.75-1	AM-BH29 1-1.25	AM-BH29 2.5-2.75	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1625883-016	EB1625883-017	EB1625883-018	-----	-----	
				Result	Result	Result	----	----	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	4.4	4.3	5.5	----	----	
Titration Actual Acidity (23F)	----	2	mole H+ / t	64	69	10	----	----	
sulfidic - Titration Actual Acidity (s-23F)	----	0.02	% pyrite S	0.10	0.11	<0.02	----	----	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.016	0.105	0.245	----	----	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	66	153	----	----	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	----	----	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	----	----	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	0.09	0.09	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	0.10	0.13	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	<0.02	0.05	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	<10	22	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	0.04	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	----	----	
Net Acidity (sulfur units)	----	0.02	% S	0.13	0.25	0.26	----	----	
Net Acidity (acidity units)	----	10	mole H+ / t	80	156	163	----	----	
Liming Rate	----	1	kg CaCO3/t	6	12	12	----	----	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.13	0.25	0.26	----	----	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	80	156	163	----	----	
Liming Rate excluding ANC	----	1	kg CaCO3/t	6	12	12	----	----	

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: EB1625883</b>	<b>Page</b>	: 1 of 3
<b>Client</b>	<b>: GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 28-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 03-Nov-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 03-Nov-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 18		
<b>No. of samples analysed</b>	: 18		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD





### General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

- Key :
- Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot
  - CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
  - LOR = Limit of reporting
  - RPD = Relative Percentage Difference
  - # = Indicates failed QC

### Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA033-A: Actual Acidity (QC Lot: 638770)</b>									
EB1625748-001	Anonymous	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.07	0.07	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	42	43	0.00	0% - 20%
		EA033: pH KCl (23A)	----	0.1	pH Unit	4.7	4.7	0.00	0% - 20%
EB1625883-010	AM-BH10 0-0.25	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	<0.02	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	<2	0.00	No Limit
		EA033: pH KCl (23A)	----	0.1	pH Unit	6.3	6.4	1.57	0% - 20%
<b>EA033-B: Potential Acidity (QC Lot: 638770)</b>									
EB1625748-001	Anonymous	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.005	0.00	No Limit
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	<10	0.00	No Limit
EB1625883-010	AM-BH10 0-0.25	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	0.006	0.008	14.5	No Limit
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	<10	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EA033-A: Actual Acidity (QCLot: 638770)</b>									
EA033: pH KCl (23A)	----	----	pH Unit	----	4.8 pH Unit	95.8	70	130	
EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	15 mole H+ / t	108	70	130	
EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	----	----	----	----	
<b>EA033-B: Potential Acidity (QCLot: 638770)</b>									
EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.295 % S	85.4	70	130	
EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	----	----	----	----	
<b>EA033-C: Acid Neutralising Capacity (QCLot: 638770)</b>									
EA033: Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	<0.01	10 % CaCO3	100	70	130	
EA033: acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	<10	----	----	----	----	
EA033: sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	<0.01	----	----	----	----	
<b>EA033-D: Retained Acidity (QCLot: 638770)</b>									
EA033: Net Acid Soluble Sulfur (20Je)	----	0.02	% S	<0.02	----	----	----	----	
EA033: acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	<10	----	----	----	----	
EA033: sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	----	----	----	----	
EA033: KCl Extractable Sulfur (23Ce)	----	0.02	% S	<0.02	0.052 % S	91.7	70	130	
EA033: HCl Extractable Sulfur (20Be)	----	0.02	% S	<0.02	0.026 % S	109	70	130	

## Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1625883</b>	Page	: 1 of 5
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 28-Oct-2016
Site	: Brisbane Airport	Issue Date	: 03-Nov-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 18
Order number	: 1538021	No. of samples analysed	: 18

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



## Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA033-A: Actual Acidity</b>								
<b>80* dried soil (EA033)</b> AM-BH26 0-0.25, AM-BH26 2-2.25, AM-BH18 1.25-1.5, AM-BH24 0.75-1, AM-BH24 2.25-2.5, AM-BH10 1.5-1.75,	AM-BH26 1.75-2, AM-BH18 0.75-1, AM-BH18 2-2.25, AM-BH24 1.5-1.75, AM-BH10 0-0.25, AM-BH10 2.5-2.75	06-Oct-2016	03-Nov-2016	06-Oct-2017	✔	03-Nov-2016	01-Feb-2017	✔
<b>80* dried soil (EA033)</b> AM-BH29 0.75-1, AM-BH29 2.5-2.75	AM-BH29 1-1.25,	07-Oct-2016	03-Nov-2016	07-Oct-2017	✔	03-Nov-2016	01-Feb-2017	✔
<b>80* dried soil (EA033)</b> AM-BH32 0-0.25, AM-BH32 2-2.25	AM-BH32 1-1.25,	10-Oct-2016	03-Nov-2016	10-Oct-2017	✔	03-Nov-2016	01-Feb-2017	✔
<b>EA033-B: Potential Acidity</b>								
<b>80* dried soil (EA033)</b> AM-BH26 0-0.25, AM-BH26 2-2.25, AM-BH18 1.25-1.5, AM-BH24 0.75-1, AM-BH24 2.25-2.5, AM-BH10 1.5-1.75,	AM-BH26 1.75-2, AM-BH18 0.75-1, AM-BH18 2-2.25, AM-BH24 1.5-1.75, AM-BH10 0-0.25, AM-BH10 2.5-2.75	06-Oct-2016	03-Nov-2016	06-Oct-2017	✔	03-Nov-2016	01-Feb-2017	✔
<b>80* dried soil (EA033)</b> AM-BH29 0.75-1, AM-BH29 2.5-2.75	AM-BH29 1-1.25,	07-Oct-2016	03-Nov-2016	07-Oct-2017	✔	03-Nov-2016	01-Feb-2017	✔
<b>80* dried soil (EA033)</b> AM-BH32 0-0.25, AM-BH32 2-2.25	AM-BH32 1-1.25,	10-Oct-2016	03-Nov-2016	10-Oct-2017	✔	03-Nov-2016	01-Feb-2017	✔



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA033-C: Acid Neutralising Capacity</b>								
80* dried soil (EA033) AM-BH26 0-0.25, AM-BH26 2-2.25, AM-BH18 1.25-1.5, AM-BH24 0.75-1, AM-BH24 2.25-2.5, AM-BH10 1.5-1.75,	AM-BH26 1.75-2, AM-BH18 0.75-1, AM-BH18 2-2.25, AM-BH24 1.5-1.75, AM-BH10 0-0.25, AM-BH10 2.5-2.75	06-Oct-2016	03-Nov-2016	06-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
80* dried soil (EA033) AM-BH29 0.75-1, AM-BH29 2.5-2.75	AM-BH29 1-1.25,	07-Oct-2016	03-Nov-2016	07-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
80* dried soil (EA033) AM-BH32 0-0.25, AM-BH32 2-2.25	AM-BH32 1-1.25,	10-Oct-2016	03-Nov-2016	10-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
<b>EA033-D: Retained Acidity</b>								
80* dried soil (EA033) AM-BH26 0-0.25, AM-BH26 2-2.25, AM-BH18 1.25-1.5, AM-BH24 0.75-1, AM-BH24 2.25-2.5, AM-BH10 1.5-1.75,	AM-BH26 1.75-2, AM-BH18 0.75-1, AM-BH18 2-2.25, AM-BH24 1.5-1.75, AM-BH10 0-0.25, AM-BH10 2.5-2.75	06-Oct-2016	03-Nov-2016	06-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
80* dried soil (EA033) AM-BH29 0.75-1, AM-BH29 2.5-2.75	AM-BH29 1-1.25,	07-Oct-2016	03-Nov-2016	07-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
80* dried soil (EA033) AM-BH32 0-0.25, AM-BH32 2-2.25	AM-BH32 1-1.25,	10-Oct-2016	03-Nov-2016	10-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
<b>EA033-E: Acid Base Accounting</b>								
80* dried soil (EA033) AM-BH26 0-0.25, AM-BH26 2-2.25, AM-BH18 1.25-1.5, AM-BH24 0.75-1, AM-BH24 2.25-2.5, AM-BH10 1.5-1.75,	AM-BH26 1.75-2, AM-BH18 0.75-1, AM-BH18 2-2.25, AM-BH24 1.5-1.75, AM-BH10 0-0.25, AM-BH10 2.5-2.75	06-Oct-2016	03-Nov-2016	06-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
80* dried soil (EA033) AM-BH29 0.75-1, AM-BH29 2.5-2.75	AM-BH29 1-1.25,	07-Oct-2016	03-Nov-2016	07-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
80* dried soil (EA033) AM-BH32 0-0.25, AM-BH32 2-2.25	AM-BH32 1-1.25,	10-Oct-2016	03-Nov-2016	10-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Chromium Suite for Acid Sulphate Soils	EA033	SOIL	In house: Referenced to Ahern et al 2004. This method covers the determination of Chromium Reducible Sulfur (SCR); pHKCl; titratable actual acidity (TAA); acid neutralising capacity by back titration (ANC); and net acid soluble sulfur (SNAS) which incorporates peroxide sulfur. It applies to soils and sediments (including sands) derived from coastal regions. Liming Rate is based on results for samples as submitted and incorporates a minimum safety factor of 1.5.

<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Drying at 85 degrees, bagging and labelling (ASS)	EN020PR	SOIL	In house

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Header section containing Project ID (1538021), Site Location (Brisbane Airport), Sample ID (Morgan Midgley), Report Format (BULLETIN BOARD), and contact information for Golder Associates Pty Ltd.



Comments/Special Instructions: REBATCH OF EB1624749

ANALYSIS REQUIRED table with columns for various chemical elements like Chromium, Cadmium, etc.

Main sample data table with columns: SAMPLE ID, Location & Depth, SAMPLE MATRIX, SAMPLE DATE, SAMPLE TIME, CONTAINER/PRESERVATIVE, Storage, No CONTAINERS, POSSIBLE HIGH CONCENTRATION.

Environmental Division
Brisbane
Work Order Reference
EB1625888



Telephone: +61-7-3243 7222

SAMPLE MATRIX = Soil/Sediment/Fill/Other SAMPLE TYPE = Core(CR) HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

Signature and release sections for Released by, Received by, and Laboratory analysis details.

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.





SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1625888**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 3
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

Dates

Date Samples Received	: 28-Oct-2016 3:00 PM	Issue Date	: 31-Oct-2016
Client Requested Due Date	: 04-Nov-2016	Scheduled Reporting Date	: <b>04-Nov-2016</b>

Delivery Details

Mode of Delivery	: Samples On Hand	Security Seal	: Not Available
No. of coolers/boxes	: ----	Temperature	: AMBIENT
Receipt Detail	: REBATCH	No. of samples received / analysed	: 21 / 21

General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **The samples in this work order have been re-batched from EB1624749.**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- **No sample container / preservation non-compliance exists.**

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: **SOIL**

Laboratory sample ID	Client sampling date / time	Client sample ID	SOIL - EA033 Chromium Suite for Acid Sulphate Soils
EB1625888-001	[ 06-Oct-2016 ]	AM-BH13 1-1.25	✓
EB1625888-002	[ 06-Oct-2016 ]	AM-BH13 1.75-2	✓
EB1625888-003	[ 06-Oct-2016 ]	AM-BH13 2.5-2.75	✓
EB1625888-004	[ 06-Oct-2016 ]	AM-BH14 0.75-1	✓
EB1625888-005	[ 06-Oct-2016 ]	AM-BH14 1.5-1.75	✓
EB1625888-006	[ 06-Oct-2016 ]	AM-BH14 2.25-2.5	✓
EB1625888-007	[ 07-Oct-2016 ]	AM-BH15 0-0.25	✓
EB1625888-008	[ 07-Oct-2016 ]	AM-BH15 1.75-2	✓
EB1625888-009	[ 07-Oct-2016 ]	AM-BH15 2.5-2.75	✓
EB1625888-010	[ 07-Oct-2016 ]	AM-BH16 0-0.25	✓
EB1625888-011	[ 07-Oct-2016 ]	AM-BH16 0.5-0.75	✓
EB1625888-012	[ 07-Oct-2016 ]	AM-BH16 2.5-2.75	✓
EB1625888-013	[ 06-Oct-2016 ]	AM-BH25 0.25-0.5	✓
EB1625888-014	[ 06-Oct-2016 ]	AM-BH25 1.5-1.75	✓
EB1625888-015	[ 06-Oct-2016 ]	AM-BH25 2.25-2.5	✓
EB1625888-016	[ 10-Oct-2016 ]	AM-BH30 0.25-0.5	✓
EB1625888-017	[ 10-Oct-2016 ]	AM-BH30 1.5-1.75	✓
EB1625888-018	[ 10-Oct-2016 ]	AM-BH30 2.25-2.5	✓
EB1625888-019	[ 10-Oct-2016 ]	AM-BH31 0.5-0.75	✓
EB1625888-020	[ 10-Oct-2016 ]	AM-BH31 1.25-1.5	✓
EB1625888-021	[ 10-Oct-2016 ]	AM-BH31 2.75-3	✓

## Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.



## CERTIFICATE OF ANALYSIS

<b>Work Order</b> : <b>EB1625888</b> <b>Amendment</b> : <b>1</b> <b>Client</b> : <b>GOLDER ASSOCIATES</b> <b>Contact</b> : <b>MS KRYSTLE-RAE BIRAM</b> <b>Address</b> : <b>P O BOX 1734</b> <b>MILTON QLD, AUSTRALIA 4064</b> <b>Telephone</b> : <b>+61 07 3721 5400</b> <b>Project</b> : <b>1538021</b> <b>Order number</b> : <b>1538021</b> <b>C-O-C number</b> : <b>----</b> <b>Sampler</b> : <b>MORGAN MIDGLEY</b> <b>Site</b> : <b>Brisbane Airport</b> <b>Quote number</b> : <b>----</b> <b>No. of samples received</b> : <b>21</b> <b>No. of samples analysed</b> : <b>21</b>	<b>Page</b> : 1 of 7  <b>Laboratory</b> : Environmental Division Brisbane <b>Contact</b> : Carsten Emrich <b>Address</b> : 2 Byth Street Stafford QLD Australia 4053  <b>Telephone</b> : +61 7 3243 7222 <b>Date Samples Received</b> : 28-Oct-2016 15:00 <b>Date Analysis Commenced</b> : 02-Nov-2016 <b>Issue Date</b> : 02-Nov-2016 16:46
--	---



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- **The samples in this work order have been re-batched from EB1624749.**
- Amendment (02/11/2016): This report has been amended and re-released to allow adjustment of the LCS amount added value for TAA. New LCS was used with old LCS amount added value, causing Standard to appear to fail. All analysis results are as per the previous report.
- ASS: EA033 (CRS Suite): Liming rate is calculated and reported on a dry weight basis assuming use of fine agricultural lime (CaCO<sub>3</sub>) and using a safety factor of 1.5 to allow for non-homogeneous mixing and poor reactivity of lime. For conversion of Liming Rate from 'kg/t dry weight' to 'kg/m<sup>3</sup> in-situ soil', multiply 'reported results' x 'wet bulk density of soil in t/m<sup>3</sup>'.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1-1.25	AM-BH13 1.75-2	AM-BH13 2.5-2.75	AM-BH14 0.75-1	AM-BH14 1.5-1.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1625888-001	EB1625888-002	EB1625888-003	EB1625888-004	EB1625888-005	
				Result	Result	Result	Result	Result	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	6.4	4.4	5.0	5.8	4.6	
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	<2	71	19	<2	52	
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	0.11	0.03	<0.02	0.08	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.012	0.078	0.006	0.080	0.006	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	49	<10	50	<10	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	----	----	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	----	----	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	0.05	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	0.06	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	<0.02	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	<10	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	<0.02	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	<0.02	0.20	0.04	0.08	0.09	
Net Acidity (acidity units)	----	10	mole H+ / t	<10	126	23	51	56	
Liming Rate	----	1	kg CaCO3/t	<1	9	2	4	4	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	<0.02	0.20	0.04	0.08	0.09	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	<10	126	23	51	56	
Liming Rate excluding ANC	----	1	kg CaCO3/t	<1	9	2	4	4	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2.25-2.5	AM-BH15 0-0.25	AM-BH15 1.75-2	AM-BH15 2.5-2.75	AM-BH16 0-0.25
Client sampling date / time					[06-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1625888-006	EB1625888-007	EB1625888-008	EB1625888-009	EB1625888-010	EB1625888-010
				Result	Result	Result	Result	Result	Result
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	6.1	5.8	6.0	6.1	8.6	
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	2	12	4	<2	<2	
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	<0.02	<0.02	<0.02	<0.02	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.005	0.036	<0.005	0.016	0.219	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	22	<10	10	136	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	----	----	----	10.6	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	----	----	----	2120	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	----	----	----	3.40	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	<0.02	0.06	<0.02	<0.02	<0.02	
Net Acidity (acidity units)	----	10	mole H+ / t	<10	35	<10	11	<10	
Liming Rate	----	1	kg CaCO3/t	<1	3	<1	<1	<1	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	<0.02	0.06	<0.02	<0.02	0.22	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	<10	35	<10	11	136	
Liming Rate excluding ANC	----	1	kg CaCO3/t	<1	3	<1	<1	10	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 2.5-2.75	AM-BH25 0.25-0.5	AM-BH25 1.5-1.75	AM-BH25 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1625888-011	EB1625888-012	EB1625888-013	EB1625888-014	EB1625888-015	
				Result	Result	Result	Result	Result	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	4.5	8.4	7.9	8.4	6.5	
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	62	<2	<2	<2	<2	
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.10	<0.02	<0.02	<0.02	<0.02	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.008	0.358	0.013	0.078	<0.005	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	223	<10	49	<10	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	1.35	3.57	3.32	0.38	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	270	713	664	76	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	0.43	1.14	1.06	0.12	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	0.11	0.07	<0.02	<0.02	<0.02	
Net Acidity (acidity units)	----	10	mole H+ / t	66	43	<10	<10	<10	
Liming Rate	----	1	kg CaCO3/t	5	3	<1	<1	<1	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.11	0.36	<0.02	0.08	<0.02	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	66	223	<10	49	<10	
Liming Rate excluding ANC	----	1	kg CaCO3/t	5	17	<1	4	<1	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.25-0.5	AM-BH30 1.5-1.75	AM-BH30 2.25-2.5	AM-BH31 0.5-0.75	AM-BH31 1.25-1.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1625888-016	EB1625888-017	EB1625888-018	EB1625888-019	EB1625888-020	
				Result	Result	Result	Result	Result	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	4.6	6.2	6.7	4.9	5.7	
Titration Actual Acidity (23F)	----	2	mole H+ / t	54	6	<2	39	22	
sulfidic - Titration Actual Acidity (s-23F)	----	0.02	% pyrite S	0.09	<0.02	<0.02	0.06	0.04	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.010	0.333	1.17	0.057	1.15	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	208	727	36	716	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	----	1.37	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	----	274	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	----	0.44	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	0.10	0.34	0.87	0.12	1.18	
Net Acidity (acidity units)	----	10	mole H+ / t	60	214	545	75	738	
Liming Rate	----	1	kg CaCO3/t	4	16	41	6	55	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.10	0.34	1.17	0.12	1.18	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	60	214	727	75	738	
Liming Rate excluding ANC	----	1	kg CaCO3/t	4	16	54	6	55	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)		Client sample ID			AM-BH31 2.75-3	----	----	----	----
Client sampling date / time		[10-Oct-2016]			----	----	----	----	----
Compound	CAS Number	LOR	Unit	EB1625888-021	-----	-----	-----	-----	-----
				Result	----	----	----	----	----
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	5.2	----	----	----	----	----
Titration Actual Acidity (23F)	----	2	mole H+ / t	19	----	----	----	----	----
sulfidic - Titration Actual Acidity (s-23F)	----	0.02	% pyrite S	0.03	----	----	----	----	----
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	1.18	----	----	----	----	----
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	734	----	----	----	----	----
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	----	----	----	----	----
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	----	----	----	----	----
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	----	----	----	----	----
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	----	----	----	----
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	----	----	----	----
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	----	----	----	----
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	----	----	----	----
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	----	----	----	----
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	----	----	----	----	----
Net Acidity (sulfur units)	----	0.02	% S	1.21	----	----	----	----	----
Net Acidity (acidity units)	----	10	mole H+ / t	753	----	----	----	----	----
Liming Rate	----	1	kg CaCO3/t	56	----	----	----	----	----
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	1.21	----	----	----	----	----
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	753	----	----	----	----	----
Liming Rate excluding ANC	----	1	kg CaCO3/t	56	----	----	----	----	----

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1625888</b>	<b>Page</b>	: 1 of 4
<b>Amendment</b>	: <b>1</b>		
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 28-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 02-Nov-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 02-Nov-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 21		
<b>No. of samples analysed</b>	: 21		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA033-A: Actual Acidity (QC Lot: 637227)</b>									
EB1625884-001	Anonymous	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.03	0.03	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	20	19	5.49	0% - 50%
		EA033: pH KCl (23A)	----	0.1	pH Unit	5.3	5.3	0.00	0% - 20%
EB1625888-002	AM-BH13 1.75-2	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.11	0.11	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	71	68	4.70	0% - 20%
		EA033: pH KCl (23A)	----	0.1	pH Unit	4.4	4.4	0.00	0% - 20%
<b>EA033-A: Actual Acidity (QC Lot: 637228)</b>									
EB1625888-012	AM-BH16 2.5-2.75	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	<0.02	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	<2	0.00	No Limit
		EA033: pH KCl (23A)	----	0.1	pH Unit	8.4	8.5	1.18	0% - 20%
<b>EA033-B: Potential Acidity (QC Lot: 637227)</b>									
EB1625884-001	Anonymous	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	0.006	0.006	0.00	No Limit
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	<10	0.00	No Limit
EB1625888-002	AM-BH13 1.75-2	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	0.078	0.077	0.00	0% - 50%
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	49	48	0.00	No Limit
<b>EA033-B: Potential Acidity (QC Lot: 637228)</b>									
EB1625888-012	AM-BH16 2.5-2.75	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	0.358	0.357	0.00	0% - 20%
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	223	223	0.00	0% - 20%
<b>EA033-C: Acid Neutralising Capacity (QC Lot: 637228)</b>									
EB1625888-012	AM-BH16 2.5-2.75	EA033: Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	1.35	1.41	4.04	0% - 20%

Page : 3 of 4  
 Work Order : EB1625888 Amendment 1  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA033-C: Acid Neutralising Capacity (QC Lot: 637228) - continued</b>									
EB1625888-012	AM-BH16 2.5-2.75	EA033: sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	0.43	0.45	4.04	0% - 20%
		EA033: acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	270	282	4.04	0% - 20%
<b>EA033-D: Retained Acidity (QC Lot: 637227)</b>									
EB1625888-002	AM-BH13 1.75-2	EA033: sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	<0.02	0.00	No Limit
		EA033: Net Acid Soluble Sulfur (20Je)	----	0.02	% S	<0.02	<0.02	0.00	No Limit
		EA033: KCl Extractable Sulfur (23Ce)	----	0.02	% S	0.05	0.05	0.00	No Limit
		EA033: HCl Extractable Sulfur (20Be)	----	0.02	% S	0.06	0.06	0.00	No Limit
		EA033: acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	<10	<10	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EA033-A: Actual Acidity (QCLot: 637227)</b>									
EA033: pH KCl (23A)	----	----	pH Unit	----	4.8 pH Unit	95.8	70	130	
EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	15 mole H+ / t	100	70	130	
EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	----	----	----	----	
<b>EA033-A: Actual Acidity (QCLot: 637228)</b>									
EA033: pH KCl (23A)	----	----	pH Unit	----	4.8 pH Unit	95.8	70	130	
EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	15 mole H+ / t	102	70	130	
EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	----	----	----	----	
<b>EA033-B: Potential Acidity (QCLot: 637227)</b>									
EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.295 % S	82.9	70	130	
EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	----	----	----	----	
<b>EA033-B: Potential Acidity (QCLot: 637228)</b>									
EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.295 % S	91.5	70	130	
EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	----	----	----	----	
<b>EA033-C: Acid Neutralising Capacity (QCLot: 637227)</b>									
EA033: Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	<0.01	10 % CaCO3	102	70	130	
EA033: acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	<10	----	----	----	----	
EA033: sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	<0.01	----	----	----	----	
<b>EA033-C: Acid Neutralising Capacity (QCLot: 637228)</b>									
EA033: Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	<0.01	10 % CaCO3	102	70	130	
EA033: acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	<10	----	----	----	----	
EA033: sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	<0.01	----	----	----	----	
<b>EA033-D: Retained Acidity (QCLot: 637227)</b>									
EA033: Net Acid Soluble Sulfur (20Je)	----	0.02	% S	<0.02	----	----	----	----	
EA033: acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	<10	----	----	----	----	
EA033: sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	----	----	----	----	
EA033: KCl Extractable Sulfur (23Ce)	----	0.02	% S	<0.02	0.052 % S	85.1	70	130	
EA033: HCl Extractable Sulfur (20Be)	----	0.02	% S	<0.02	0.026 % S	105	70	130	

## Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1625888</b>	Page	: 1 of 6
Amendment	: <b>1</b>		
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 28-Oct-2016
Site	: Brisbane Airport	Issue Date	: 02-Nov-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 21
Order number	: 1538021	No. of samples analysed	: 21

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- **NO** Matrix Spike outliers occur.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



## Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA033-A: Actual Acidity</b>								
<b>80* dried soil (EA033)</b> AM-BH13 1-1.25, AM-BH13 2.5-2.75, AM-BH14 1.5-1.75, AM-BH25 0.25-0.5, AM-BH25 2.25-2.5	AM-BH13 1.75-2, AM-BH14 0.75-1, AM-BH14 2.25-2.5, AM-BH25 1.5-1.75,	06-Oct-2016	02-Nov-2016	06-Oct-2017	✔	02-Nov-2016	31-Jan-2017	✔
<b>80* dried soil (EA033)</b> AM-BH15 0-0.25, AM-BH15 2.5-2.75, AM-BH16 0.5-0.75,	AM-BH15 1.75-2, AM-BH16 0-0.25, AM-BH16 2.5-2.75	07-Oct-2016	02-Nov-2016	07-Oct-2017	✔	02-Nov-2016	31-Jan-2017	✔
<b>80* dried soil (EA033)</b> AM-BH30 0.25-0.5, AM-BH30 2.25-2.5, AM-BH31 1.25-1.5,	AM-BH30 1.5-1.75, AM-BH31 0.5-0.75, AM-BH31 2.75-3	10-Oct-2016	02-Nov-2016	10-Oct-2017	✔	02-Nov-2016	31-Jan-2017	✔
<b>EA033-B: Potential Acidity</b>								
<b>80* dried soil (EA033)</b> AM-BH13 1-1.25, AM-BH13 2.5-2.75, AM-BH14 1.5-1.75, AM-BH25 0.25-0.5, AM-BH25 2.25-2.5	AM-BH13 1.75-2, AM-BH14 0.75-1, AM-BH14 2.25-2.5, AM-BH25 1.5-1.75,	06-Oct-2016	02-Nov-2016	06-Oct-2017	✔	02-Nov-2016	31-Jan-2017	✔
<b>80* dried soil (EA033)</b> AM-BH15 0-0.25, AM-BH15 2.5-2.75, AM-BH16 0.5-0.75,	AM-BH15 1.75-2, AM-BH16 0-0.25, AM-BH16 2.5-2.75	07-Oct-2016	02-Nov-2016	07-Oct-2017	✔	02-Nov-2016	31-Jan-2017	✔
<b>80* dried soil (EA033)</b> AM-BH30 0.25-0.5, AM-BH30 2.25-2.5, AM-BH31 1.25-1.5,	AM-BH30 1.5-1.75, AM-BH31 0.5-0.75, AM-BH31 2.75-3	10-Oct-2016	02-Nov-2016	10-Oct-2017	✔	02-Nov-2016	31-Jan-2017	✔





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA033-C: Acid Neutralising Capacity</b>								
80* dried soil (EA033) AM-BH13 1-1.25, AM-BH13 2.5-2.75, AM-BH14 1.5-1.75, AM-BH25 0.25-0.5, AM-BH25 2.25-2.5	AM-BH13 1.75-2, AM-BH14 0.75-1, AM-BH14 2.25-2.5, AM-BH25 1.5-1.75,	06-Oct-2016	02-Nov-2016	06-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH15 0-0.25, AM-BH15 2.5-2.75, AM-BH16 0.5-0.75,	AM-BH15 1.75-2, AM-BH16 0-0.25, AM-BH16 2.5-2.75	07-Oct-2016	02-Nov-2016	07-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH30 0.25-0.5, AM-BH30 2.25-2.5, AM-BH31 1.25-1.5,	AM-BH30 1.5-1.75, AM-BH31 0.5-0.75, AM-BH31 2.75-3	10-Oct-2016	02-Nov-2016	10-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
<b>EA033-D: Retained Acidity</b>								
80* dried soil (EA033) AM-BH13 1-1.25, AM-BH13 2.5-2.75, AM-BH14 1.5-1.75, AM-BH25 0.25-0.5, AM-BH25 2.25-2.5	AM-BH13 1.75-2, AM-BH14 0.75-1, AM-BH14 2.25-2.5, AM-BH25 1.5-1.75,	06-Oct-2016	02-Nov-2016	06-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH15 0-0.25, AM-BH15 2.5-2.75, AM-BH16 0.5-0.75,	AM-BH15 1.75-2, AM-BH16 0-0.25, AM-BH16 2.5-2.75	07-Oct-2016	02-Nov-2016	07-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH30 0.25-0.5, AM-BH30 2.25-2.5, AM-BH31 1.25-1.5,	AM-BH30 1.5-1.75, AM-BH31 0.5-0.75, AM-BH31 2.75-3	10-Oct-2016	02-Nov-2016	10-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓



Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA033-E: Acid Base Accounting</b>								
<b>80* dried soil (EA033)</b> AM-BH13 1-1.25, AM-BH13 2.5-2.75, AM-BH14 1.5-1.75, AM-BH25 0.25-0.5, AM-BH25 2.25-2.5	AM-BH13 1.75-2, AM-BH14 0.75-1, AM-BH14 2.25-2.5, AM-BH25 1.5-1.75,	<b>06-Oct-2016</b>	<b>02-Nov-2016</b>	06-Oct-2017	✓	<b>02-Nov-2016</b>	31-Jan-2017	✓
<b>80* dried soil (EA033)</b> AM-BH15 0-0.25, AM-BH15 2.5-2.75, AM-BH16 0.5-0.75,	AM-BH15 1.75-2, AM-BH16 0-0.25, AM-BH16 2.5-2.75	<b>07-Oct-2016</b>	<b>02-Nov-2016</b>	07-Oct-2017	✓	<b>02-Nov-2016</b>	31-Jan-2017	✓
<b>80* dried soil (EA033)</b> AM-BH30 0.25-0.5, AM-BH30 2.25-2.5, AM-BH31 1.25-1.5,	AM-BH30 1.5-1.75, AM-BH31 0.5-0.75, AM-BH31 2.75-3	<b>10-Oct-2016</b>	<b>02-Nov-2016</b>	10-Oct-2017	✓	<b>02-Nov-2016</b>	31-Jan-2017	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	3	30	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	2	30	6.67	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	2	30	6.67	5.00	✔	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Chromium Suite for Acid Sulphate Soils	EA033	SOIL	In house: Referenced to Ahern et al 2004. This method covers the determination of Chromium Reducible Sulfur (SCR); pHKCl; titratable actual acidity (TAA); acid neutralising capacity by back titration (ANC); and net acid soluble sulfur (SNAS) which incorporates peroxide sulfur. It applies to soils and sediments (including sands) derived from coastal regions. Liming Rate is based on results for samples as submitted and incorporates a minimum safety factor of 1.5.

<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Drying at 85 degrees, bagging and labelling (ASS)	EN020PR	SOIL	In house

Project ID	1538021	Order No	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone : (07) 3721 5400
Site Location	Brisbane Airport	Lab Name	ALS	147 Coronation Drive, Milton Qld 4064	Fax : (07) 3721 5401
Sampled By	Morgan Midgley			Invoice to be sent to Accounts Aust: <a href="mailto:auaccounts payable@golder.com.au">auaccounts payable@golder.com.au</a>	
Turnaround (Days)	5 days	BY:		Project Manager: K Biram	
Report Format	Please provide data in ESDAT format			Contact Phone: 37215400	Email: <a href="mailto:scurti@golder.com.au">scurti@golder.com.au</a>

Comments/Special Instructions:					No. CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED													
Copy results to: <a href="mailto:pscels@golder.com.au">pscels@golder.com.au</a> <a href="mailto:scurti@golder.com.au">scurti@golder.com.au</a>							PFAS extended suite 28 - ultra trace levels	pH	Major Anions - Cl, So4, alkalinity	Electrical conductivity	Major Cations - Ca, Mg, K, Na	Acidity	W-2 8 metals	Dissolved Al + Fe						
SAMPLE ID	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE																
AM-BH08	Water	25-10-16	12.06	Ice	2	2	X													
AM-BH19	Water	25-10-16	10.54	Ice	2	2	X													
BIP-MW07	Water	25-10-16	12.32	Ice	2	2	X													
BIP-MW1	Water	25-10-16	13.33	Ice	2	2	X													
BIP-MW2	Water	25-10-16	15.15	Ice	2	2	X													
AM-MW31	Water	25-10-16	13.12	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW14	Water	25-10-16	09.40	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW15	Water	25-10-16	10.32	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW16	Water	25-10-16	9.07	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW10	Water	25-10-16	11.27	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X
QAQC100	Water	25-10-16	9.07	Ice	4	2	X							X						
QAQC300	Water	25-10-16	14.30	Ice	3	2	X							X						
<b>HOLD ALL OTHER BOTTLES NOT SELECTED FOR ANALYSIS</b>																				

Environmental Division  
Brisbane  
Work Order Reference  
**EB1625464**



Telephone : +61-7-3243 7229

SAMPLE MATRIX =Water      SAMPLE TYPE = Discrete(DC)      POSSIBLE HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list  
 Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid Preserved Vial; BS = Sulphuric Acid Preserved Glass Bottle; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottle; ST = Sterile Bottle; O = Other

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Method of Shipment
<i>[Signature]</i>	GOLDER	25/10/16	15:15					Shipping Ref.
<i>[Signature]</i>	ALS							

2 = 200 + 10 + 50 + 20



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1625464**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: K BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 3
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

**Dates**

Date Samples Received	: 25-Oct-2016 3:15 PM	Issue Date	: 25-Oct-2016
Client Requested Due Date	: 01-Nov-2016	Scheduled Reporting Date	: <b>01-Nov-2016</b>

**Delivery Details**

Mode of Delivery	: Client Drop Off	Security Seal	: Intact.
No. of coolers/boxes	: 2	Temperature	: 5.4°C, 5.8°C - Ice present
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 12 / 12

**General Comments**

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913).**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

Method Client sample ID	Sample Container Received	Preferred Sample Container for Analysis
<b>Dissolved Mercury by FIMS : EG035F</b>		
<b>QAQC300</b>	- Clear Plastic Bottle - Natural	- Clear Plastic Bottle - Nitric Acid; Filtered
<b>Dissolved Metals by ICP-MS - Suite A : EG020A-F</b>		
<b>QAQC300</b>	- Clear Plastic Bottle - Natural	- Clear Plastic Bottle - Nitric Acid; Filtered

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: **WATER**

Laboratory sample ID	Client sampling date / time	Client sample ID	WATER - EA005P pH (PC)	WATER - EA010P Conductivity (PC)	WATER - ED038 Default Acidity as CaCO3 only	WATER - EG020F Dissolved Metals by ICPMS	WATER - EP231X-LL PFAS - Full Suite Low Level (28 analytes)	WATER - NT-01 & 02 Ca, Mg, Na, K, Cl, SO4, Alkalinity	WATER - W-02 8 Metals
EB1625464-001	25-Oct-2016 12:06	AM-BH08					✓		
EB1625464-002	25-Oct-2016 10:54	AM-BH19					✓		
EB1625464-003	25-Oct-2016 12:32	BIP-MW07					✓		
EB1625464-004	25-Oct-2016 13:33	BIP-MW1					✓		
EB1625464-005	25-Oct-2016 14:15	BIP-MW2					✓		
EB1625464-006	25-Oct-2016 13:12	AM-MW31	✓	✓	✓	✓	✓	✓	✓
EB1625464-007	25-Oct-2016 09:40	AM-MW14	✓	✓	✓	✓	✓	✓	✓
EB1625464-008	25-Oct-2016 10:32	AM-MW15	✓	✓	✓	✓	✓	✓	✓
EB1625464-009	25-Oct-2016 09:07	AM-MW16	✓	✓	✓	✓	✓	✓	✓
EB1625464-010	25-Oct-2016 11:27	AM-MW10	✓	✓	✓	✓	✓	✓	✓
EB1625464-011	25-Oct-2016 09:07	QAQC100					✓		✓
EB1625464-012	25-Oct-2016 14:30	QAQC300					✓		✓

## Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.



## *Requested Deliverables*

### **ACCOUNTS PAYABLE**

- A4 - AU Tax Invoice (INV) Email auaccountspayable@golder.com.au

### **K BIRAM**

- \*AU Certificate of Analysis - NATA (COA) Email kbiram@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email kbiram@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email kbiram@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email kbiram@golder.com.au  
- Chain of Custody (CoC) (COC) Email kbiram@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email kbiram@golder.com.au

### **PAUL SCELLS**

- \*AU Certificate of Analysis - NATA (COA) Email pscells@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email pscells@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email pscells@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email pscells@golder.com.au  
- Chain of Custody (CoC) (COC) Email pscells@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email pscells@golder.com.au

### **SERENA CURTI**

- \*AU Certificate of Analysis - NATA (COA) Email scurti@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email scurti@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email scurti@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email scurti@golder.com.au  
- Chain of Custody (CoC) (COC) Email scurti@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email scurti@golder.com.au



## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1625464</b>	Page	: 1 of 9
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: K BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 25-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 27-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 01-Nov-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 12		
<b>No. of samples analysed</b>	: 12		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Greg Vogel	Laboratory Manager	Brisbane Inorganics, Stafford, QLD
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA005P: pH by PC Titrator (QC Lot: 632975)</b>									
EB1625473-001	Anonymous	EA005-P: pH Value	----	0.01	pH Unit	6.75	6.90	2.20	0% - 20%
EB1625444-001	Anonymous	EA005-P: pH Value	----	0.01	pH Unit	7.56	7.53	0.398	0% - 20%
<b>EA010P: Conductivity by PC Titrator (QC Lot: 632976)</b>									
EB1625444-001	Anonymous	EA010-P: Electrical Conductivity @ 25°C	----	1	µS/cm	431	431	0.00	0% - 20%
<b>ED037P: Alkalinity by PC Titrator (QC Lot: 632978)</b>									
EB1625444-001	Anonymous	ED037-P: Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	0.00	No Limit
		ED037-P: Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	0.00	No Limit
		ED037-P: Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	46	48	4.58	0% - 20%
		ED037-P: Total Alkalinity as CaCO3	----	1	mg/L	46	48	4.58	0% - 20%
<b>ED038A: Acidity (QC Lot: 634475)</b>									
EB1625246-001	Anonymous	ED038: Acidity as CaCO3	----	1	mg/L	6	6	0.00	No Limit
EB1625464-009	AM-MW16	ED038: Acidity as CaCO3	----	1	mg/L	388	400	3.08	0% - 20%
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QC Lot: 630949)</b>									
EB1625413-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	5620	5460	2.91	0% - 20%
<b>ED045G: Chloride by Discrete Analyser (QC Lot: 630948)</b>									
EB1625413-001	Anonymous	ED045G: Chloride	16887-00-6	1	mg/L	2410	2510	4.32	0% - 20%
<b>ED093F: Dissolved Major Cations (QC Lot: 631832)</b>									
EB1625502-003	Anonymous	ED093F: Calcium	7440-70-2	1	mg/L	494	493	0.253	0% - 20%
		ED093F: Magnesium	7439-95-4	1	mg/L	51	51	0.00	0% - 20%
		ED093F: Sodium	7440-23-5	1	mg/L	254	250	1.60	0% - 20%
		ED093F: Potassium	7440-09-7	1	mg/L	191	190	0.00	0% - 20%
EB1625464-006	AM-MW31	ED093F: Calcium	7440-70-2	1	mg/L	436	448	2.77	0% - 20%
		ED093F: Magnesium	7439-95-4	1	mg/L	1010	1040	3.01	0% - 20%
		ED093F: Sodium	7440-23-5	1	mg/L	6800	6940	2.00	0% - 20%



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>ED093F: Dissolved Major Cations (QC Lot: 631832) - continued</b>									
EB1625464-006	AM-MW31	ED093F: Potassium	7440-09-7	1	mg/L	238	244	2.52	0% - 20%
<b>EG020F: Dissolved Metals by ICP-MS (QC Lot: 631833)</b>									
EB1625502-003	Anonymous	EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	0.0006	0.0006	0.00	No Limit
		EG020A-F: Arsenic	7440-38-2	0.001	mg/L	0.023	0.024	0.00	0% - 20%
		EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Nickel	7440-02-0	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	0.00	No Limit
EB1625464-006	AM-MW31	EG020A-F: Iron	7439-89-6	0.05	mg/L	1.31	1.25	4.96	0% - 20%
		EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	<0.0005	<0.0005	0.00	No Limit
		EG020A-F: Arsenic	7440-38-2	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Nickel	7440-02-0	0.001	mg/L	0.024	0.024	0.00	No Limit
		EG020A-F: Zinc	7440-66-6	0.005	mg/L	0.118	0.123	3.52	No Limit
		EG020A-F: Aluminium	7429-90-5	0.01	mg/L	0.10	0.08	14.9	No Limit
		EG020A-F: Iron	7439-89-6	0.05	mg/L	12.2	12.6	3.41	0% - 20%
<b>EG035F: Dissolved Mercury by FIMS (QC Lot: 631834)</b>									
EB1625507-001	Anonymous	EG035F: Mercury	7439-97-6	0.0001	mg/L	0.0001	0.0001	0.00	No Limit
EB1625464-006	AM-MW31	EG035F: Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	0.00	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	2.61	2.51	4.02	0% - 20%
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	1.64	1.57	4.06	0% - 20%
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	7.91	7.58	4.36	0% - 20%
		EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	0.042	0.041	3.36	0% - 20%
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	0.347	0.393	12.5	0% - 20%
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 633504) - continued</b>									
EB1625464-003	BIP-MW07	EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	0.00	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	0.042	0.034	18.9	0% - 20%
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	0.422	0.418	0.952	0% - 20%
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	0.009	0.007	26.8	No Limit
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	0.025	0.022	15.3	0% - 50%
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.002	0.00	No Limit
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 633504) - continued</b>									
EB1625449-001	Anonymous	EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EA005P: pH by PC Titrator (QCLot: 632975)</b>									
EA005-P: pH Value	----	----	pH Unit	----	4 pH Unit	100	98	102	
				----	7 pH Unit	101	98	102	
<b>EA010P: Conductivity by PC Titrator (QCLot: 632976)</b>									
EA010-P: Electrical Conductivity @ 25°C	----	1	µS/cm	<1	4000 µS/cm	95.7	91	107	
				<1	12890 µS/cm	96.0	91	107	
<b>ED037P: Alkalinity by PC Titrator (QCLot: 632978)</b>									
ED037-P: Total Alkalinity as CaCO3	----	----	mg/L	----	200 mg/L	106	80	120	
<b>ED038A: Acidity (QCLot: 634475)</b>									
ED038: Acidity as CaCO3	----	----	mg/L	----	100 mg/L	104	90	110	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 630949)</b>									
ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	<1	25 mg/L	96.2	85	118	
				<1	100 mg/L	93.0	85	118	
<b>ED045G: Chloride by Discrete Analyser (QCLot: 630948)</b>									
ED045G: Chloride	16887-00-6	1	mg/L	<1	10 mg/L	96.2	90	115	
				<1	1000 mg/L	106	90	115	
<b>ED093F: Dissolved Major Cations (QCLot: 631832)</b>									
ED093F: Calcium	7440-70-2	1	mg/L	<1	----	----	----	----	
ED093F: Magnesium	7439-95-4	1	mg/L	<1	----	----	----	----	
ED093F: Sodium	7440-23-5	1	mg/L	<1	----	----	----	----	
ED093F: Potassium	7440-09-7	1	mg/L	<1	----	----	----	----	
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 631833)</b>									
EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.01	0.5 mg/L	89.7	79	118	
EG020A-F: Arsenic	7440-38-2	0.001	mg/L	<0.001	0.1 mg/L	99.8	88	116	
EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	<0.0001	0.1 mg/L	100	88	108	
EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.001	0.1 mg/L	97.0	87	113	
EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.001	0.2 mg/L	96.0	88	114	
EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.001	0.1 mg/L	91.2	89	110	
EG020A-F: Nickel	7440-02-0	0.001	mg/L	<0.001	0.1 mg/L	99.9	89	113	
EG020A-F: Zinc	7440-66-6	0.005	mg/L	<0.005	0.2 mg/L	97.6	87	113	
EG020A-F: Iron	7439-89-6	0.05	mg/L	<0.05	0.5 mg/L	85.5	82	114	
<b>EG035F: Dissolved Mercury by FIMS (QCLot: 631834)</b>									
EG035F: Mercury	7439-97-6	0.0001	mg/L	<0.0001	0.01 mg/L	96.9	84	118	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504)</b>									



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB)	Laboratory Control Spike (LCS) Report				
				Report	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
				Result		LCS	Low	High	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504) - continued</b>									
EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	0.05 µg/L	103	60	130	
EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	0.05 µg/L	99.4	60	130	
EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	0.05 µg/L	120	60	130	
EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	0.05 µg/L	121	60	130	
EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	0.05 µg/L	115	60	130	
EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	0.05 µg/L	91.2	60	130	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504)</b>									
EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	0.05 µg/L	101	60	130	
EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.05 µg/L	90.2	60	130	
EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	0.05 µg/L	104	60	130	
EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	0.05 µg/L	104	60	130	
EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	0.05 µg/L	90.2	60	130	
EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	0.05 µg/L	96.0	60	130	
EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	0.05 µg/L	115	60	130	
EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	0.05 µg/L	84.8	60	130	
EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	0.05 µg/L	85.0	60	130	
EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	0.05 µg/L	78.6	60	130	
EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	0.125 µg/L	71.0	60	130	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 633504)</b>									
EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	0.05 µg/L	120	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	0.125 µg/L	106	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	0.125 µg/L	83.0	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	0.125 µg/L	90.8	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	0.125 µg/L	76.4	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	0.05 µg/L	86.6	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	0.05 µg/L	117	60	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 633504)</b>									
EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	0.05 µg/L	97.8	60	130	
EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	0.05 µg/L	110	60	130	
EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	0.05 µg/L	81.2	60	130	
EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	0.05 µg/L	78.2	60	130	



The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: WATER

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike	Spike Recovery(%)	Recovery Limits (%)	
				Concentration	MS	Low	High
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 630949)</b>							
EB1625451-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	20 mg/L	# Not Determined	70	130
<b>ED045G: Chloride by Discrete Analyser (QCLot: 630948)</b>							
EB1625451-001	Anonymous	ED045G: Chloride	16887-00-6	400 mg/L	89.9	70	130
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 631833)</b>							
EB1625464-007	AM-MW14	EG020A-F: Aluminium	7429-90-5	0.5 mg/L	117	70	130
		EG020A-F: Arsenic	7440-38-2	0.1 mg/L	110	70	130
		EG020A-F: Cadmium	7440-43-9	0.1 mg/L	101	70	130
		EG020A-F: Chromium	7440-47-3	0.1 mg/L	90.5	70	130
		EG020A-F: Copper	7440-50-8	0.2 mg/L	86.0	70	130
		EG020A-F: Lead	7439-92-1	0.1 mg/L	110	70	130
		EG020A-F: Nickel	7440-02-0	0.1 mg/L	88.5	70	130
		EG020A-F: Zinc	7440-66-6	0.2 mg/L	99.6	70	130
<b>EG035F: Dissolved Mercury by FIMS (QCLot: 631834)</b>							
EB1625464-007	AM-MW14	EG035F: Mercury	7439-97-6	0.01 mg/L	71.3	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.05 µg/L	94.0	50	130
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.05 µg/L	# Not Determined	60	130
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.05 µg/L	90.8	50	130
		<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504)</b>					
EB1625449-002	Anonymous	EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.05 µg/L	55.9	50	130
		EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.05 µg/L	71.0	50	130
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.05 µg/L	64.4	61	130
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.05 µg/L	69.4	60	130
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.05 µg/L	79.8	50	130
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.05 µg/L	96.0	65	130
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.05 µg/L	72.8	50	130





Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504) - continued</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.05 µg/L	67.0	50	130
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.05 µg/L	60.4	30	130
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.125 µg/L	47.4	30	130
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05 µg/L	103	50	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.125 µg/L	83.4	50	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.125 µg/L	70.5	50	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.125 µg/L	63.7	36	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.125 µg/L	60.0	30	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05 µg/L	62.8	50	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05 µg/L	64.0	50	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05 µg/L	84.4	50	130
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05 µg/L	69.8	60	130
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05 µg/L	76.2	60	130
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05 µg/L	60.2	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1625464</b>	Page	: 1 of 8
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: K BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 25-Oct-2016
Site	: Brisbane Airport	Issue Date	: 01-Nov-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 12
Order number	: 1538021	No. of samples analysed	: 12

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- Analysis Holding Time Outliers exist - please see following pages for full details.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



### Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **WATER**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Matrix Spike (MS) Recoveries</b>							
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA	EB1625451--001	Anonymous	Sulfate as SO4 - Turbidimetric	14808-79-8	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorobutane sulfonic acid (PFBS)	375-73-5	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorohexane sulfonic acid (PFHxS)	355-46-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorooctane sulfonic acid (PFOS)	1763-23-1	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231B: Perfluoroalkyl Carboxylic Acids	EB1625449--002	Anonymous	Perfluorohexanoic acid (PFHxA)	307-24-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.

### Outliers : Analysis Holding Time Compliance

Matrix: **WATER**

Method	Container / Client Sample ID(s)	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Days overdue	Date analysed	Due for analysis	Days overdue
<b>EA005P: pH by PC Titrator</b>							
<b>Clear Plastic Bottle - Natural</b>							
AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	----	----	----	27-Oct-2016	25-Oct-2016	2

### Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for **VOC in soils** vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.



Matrix: **WATER** Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA005P: pH by PC Titrator</b>								
Clear Plastic Bottle - Natural (EA005-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	25-Oct-2016	*
<b>EA010P: Conductivity by PC Titrator</b>								
Clear Plastic Bottle - Natural (EA010-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✓
<b>ED037P: Alkalinity by PC Titrator</b>								
Clear Plastic Bottle - Natural (ED037-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	08-Nov-2016	✓
<b>ED038A: Acidity</b>								
Clear Plastic Bottle - Natural (ED038) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	28-Oct-2016	08-Nov-2016	✓
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>								
Clear Plastic Bottle - Natural (ED041G) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✓
<b>ED045G: Chloride by Discrete Analyser</b>								
Clear Plastic Bottle - Natural (ED045G) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✓
<b>ED093F: Dissolved Major Cations</b>								
Clear Plastic Bottle - Nitric Acid; Filtered (ED093F) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✓
<b>EG020F: Dissolved Metals by ICP-MS</b>								
Clear Plastic Bottle - Natural (EG020A-F) QAQC300		25-Oct-2016	----	----	----	01-Nov-2016	23-Apr-2017	✓
Clear Plastic Bottle - Nitric Acid; Filtered (EG020A-F) AM-MW31, AM-MW15, AM-MW10,	AM-MW14, AM-MW16, QAQC100	25-Oct-2016	----	----	----	01-Nov-2016	23-Apr-2017	✓



Matrix: WATER

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
<b>EG035F: Dissolved Mercury by FIMS</b>							
Clear Plastic Bottle - Natural (EG035F) QAQC300	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✓
Clear Plastic Bottle - Nitric Acid; Filtered (EG035F) AM-MW31, AM-MW15, AM-MW10, AM-MW14, AM-MW16, QAQC100	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✓
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>							
HDPE (no PTFE) (EP231X-LL) AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>							
HDPE (no PTFE) (EP231X-LL) AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231C: Perfluoroalkyl Sulfonamides</b>							
HDPE (no PTFE) (EP231X-LL) AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>							
HDPE (no PTFE) (EP231X-LL) AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓

Page : 5 of 8  
 Work Order : EB1625464  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231P: PFAS Sums</b>								
<b>HDPE (no PTFE) (EP231X-LL)</b>								
AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100,	AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **WATER** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Acidity as Calcium Carbonate	ED038	2	16	12.50	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	7	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Major Cations - Dissolved	ED093F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH by PC Titrator	EA005-P	2	17	11.76	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Acidity as Calcium Carbonate	ED038	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH by PC Titrator	EA005-P	2	17	11.76	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Chloride by Discrete Analyser	ED045G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Major Cations - Dissolved	ED093F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Chloride by Discrete Analyser	ED045G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH by PC Titrator	EA005-P	WATER	In house: Referenced to APHA 4500 H+ B. This procedure determines pH of water samples by automated ISE. This method is compliant with NEPM (2013) Schedule B(3)
Conductivity by PC Titrator	EA010-P	WATER	In house: Referenced to APHA 2510 B. This procedure determines conductivity by automated ISE. This method is compliant with NEPM (2013) Schedule B(3)
Alkalinity by PC Titrator	ED037-P	WATER	In house: Referenced to APHA 2320 B This procedure determines alkalinity by automated measurement (e.g. PC Titrate) using pH 4.5 for indicating the total alkalinity end-point. This method is compliant with NEPM (2013) Schedule B(3)
Acidity as Calcium Carbonate	ED038	WATER	In house: Referenced to APHA 2310 B Acidity is determined by titration with a standardised alkali to an end-point pH of 8.3. This method is compliant with NEPM (2013) Schedule B(3)
Sulfate (Turbidimetric) as SO <sub>4</sub> <sup>2-</sup> by Discrete Analyser	ED041G	WATER	In house: Referenced to APHA 4500-SO <sub>4</sub> . Dissolved sulfate is determined in a 0.45µm filtered sample. Sulfate ions are converted to a barium sulfate suspension in an acetic acid medium with barium chloride. Light absorbance of the BaSO <sub>4</sub> suspension is measured by a photometer and the SO <sub>4</sub> <sup>2-</sup> concentration is determined by comparison of the reading with a standard curve. This method is compliant with NEPM (2013) Schedule B(3)
Chloride by Discrete Analyser	ED045G	WATER	In house: Referenced to APHA 4500 Cl - G. The thiocyanate ion is liberated from mercuric thiocyanate through sequestration of mercury by the chloride ion to form non-ionised mercuric chloride. In the presence of ferric ions the liberated thiocyanate forms highly-coloured ferric thiocyanate which is measured at 480 nm APHA 21st edition seal method 2 017-1-L april 2003
Major Cations - Dissolved	ED093F	WATER	In house: Referenced to APHA 3120 and 3125; USEPA SW 846 - 6010 and 6020; Cations are determined by either ICP-AES or ICP-MS techniques. This method is compliant with NEPM (2013) Schedule B(3)  Sodium Adsorption Ratio is calculated from Ca, Mg and Na which determined by ALS in house method QWI-EN/ED093F. This method is compliant with NEPM (2013) Schedule B(3)  Hardness parameters are calculated based on APHA 2340 B. This method is compliant with NEPM (2013) Schedule B(3)
Dissolved Metals by ICP-MS - Suite A	EG020A-F	WATER	In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. Samples are 0.45µm filtered prior to analysis. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector.
Dissolved Mercury by FIMS	EG035F	WATER	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) Samples are 0.45µm filtered prior to analysis. FIM-AAS is an automated flameless atomic absorption technique. A bromate/bromide reagent is used to oxidise any organic mercury compounds in the filtered sample. The ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Ionic Balance by PCT DA and Turbi SO <sub>4</sub> DA	EN055 - PG	WATER	In house: Referenced to APHA 1030F. This method is compliant with NEPM (2013) Schedule B(3)



Page : 8 of 8  
Work Order : EB1625464  
Client : GOLDER ASSOCIATES  
Project : 1538021



<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	WATER	In-house: Analysis of fresh and saline waters by solid phase extraction followed by LC-Electrospray-MS-MS, Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.

<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
SPE preparation for LL and saline PFCs	EP231-SPE	WATER	In house

## CERTIFICATE OF ANALYSIS

<b>Work Order</b>	: <b>EB1625464</b>	Page	: 1 of 12
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
<b>Contact</b>	: K BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 25-Oct-2016 15:15
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 27-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 01-Nov-2016 22:12
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 12		
<b>No. of samples analysed</b>	: 12		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Greg Vogel	Laboratory Manager	Brisbane Inorganics, Stafford, QLD
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG020-F (Dissolved Metals): LOR's have been raised for some samples due to matrix interference.



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time				25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15	
Compound	CAS Number	LOR	Unit	EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005	
				Result	Result	Result	Result	Result	
<b>EA005P: pH by PC Titrator</b>									
pH Value	----	0.01	pH Unit	----	----	----	----	----	
<b>EA010P: Conductivity by PC Titrator</b>									
Electrical Conductivity @ 25°C	----	1	µS/cm	----	----	----	----	----	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	----	----	----	----	----	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	----	----	----	----	----	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	----	----	----	----	----	
Total Alkalinity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	----	----	----	----	----	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	----	----	----	----	----	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	----	----	----	----	----	
Magnesium	7439-95-4	1	mg/L	----	----	----	----	----	
Sodium	7440-23-5	1	mg/L	----	----	----	----	----	
Potassium	7440-09-7	1	mg/L	----	----	----	----	----	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	----	----	----	----	----	
Arsenic	7440-38-2	0.001	mg/L	----	----	----	----	----	
Cadmium	7440-43-9	0.0001	mg/L	----	----	----	----	----	
Chromium	7440-47-3	0.001	mg/L	----	----	----	----	----	
Copper	7440-50-8	0.001	mg/L	----	----	----	----	----	
Nickel	7440-02-0	0.001	mg/L	----	----	----	----	----	
Lead	7439-92-1	0.001	mg/L	----	----	----	----	----	
Zinc	7440-66-6	0.005	mg/L	----	----	----	----	----	
Iron	7439-89-6	0.05	mg/L	----	----	----	----	----	
<b>EG035F: Dissolved Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	----	----	----	----	----	
<b>EN055: Ionic Balance</b>									
Total Anions	----	0.01	meq/L	----	----	----	----	----	
Total Cations	----	0.01	meq/L	----	----	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time					25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15
Compound	CAS Number	LOR	Unit		EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005
					Result	Result	Result	Result	Result
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L		0.008	0.005	<0.002	0.008	0.002
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L		0.005	0.003	<0.002	0.004	<0.002
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L		0.007	0.012	<0.002	0.011	<0.002
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L		<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L		<0.002	<0.002	<0.002	0.004	<0.002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L		0.002	<0.002	<0.002	0.006	<0.002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time					25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15
Compound	CAS Number	LOR	Unit		EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005
					Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L		0.022	0.020	<0.002	0.033	0.002
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L		0.007	0.012	<0.002	0.011	<0.002
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%		92.4	109	91.0	82.7	90.7



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EA005P: pH by PC Titrator</b>									
pH Value	----	0.01	pH Unit	6.65	6.26	6.43	6.06	6.99	
<b>EA010P: Conductivity by PC Titrator</b>									
Electrical Conductivity @ 25°C	----	1	µS/cm	35300	20400	9120	14800	51400	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	<1	<1	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	341	362	185	95	297	
Total Alkalinity as CaCO3	----	1	mg/L	341	362	185	95	297	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	242	570	218	388	260	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	2620	2660	1140	1760	2400	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	13300	6920	2750	4900	20700	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	436	348	192	242	407	
Magnesium	7439-95-4	1	mg/L	1010	649	265	335	1220	
Sodium	7440-23-5	1	mg/L	6800	3500	1420	2460	10700	
Potassium	7440-09-7	1	mg/L	238	54	39	63	375	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	0.10	0.08	<0.01	<0.01	<0.05	
Arsenic	7440-38-2	0.001	mg/L	<0.005	<0.005	0.001	0.004	<0.005	
Cadmium	7440-43-9	0.0001	mg/L	<0.0005	<0.0005	<0.0001	<0.0001	<0.0005	
Chromium	7440-47-3	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Copper	7440-50-8	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Nickel	7440-02-0	0.001	mg/L	0.024	0.074	0.018	0.032	0.018	
Lead	7439-92-1	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Zinc	7440-66-6	0.005	mg/L	0.118	0.194	0.076	0.118	0.134	
Iron	7439-89-6	0.05	mg/L	12.2	87.6	7.58	87.6	<0.05	
<b>EG035F: Dissolved Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
<b>EN055: Ionic Balance</b>									
Total Anions	----	0.01	meq/L	436	258	105	177	640	
Total Cations	----	0.01	meq/L	407	224	94.2	148	596	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%	3.53	6.93	5.45	8.77	3.57	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	0.171	0.011	0.037	0.006	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	0.084	0.006	0.029	0.008	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	0.394	0.054	0.293	0.062	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	<0.002	0.002	<0.002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	0.011	<0.002	0.021	0.004	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.004	<0.002	0.005	<0.002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	0.019	<0.002	0.023	0.003	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	<0.002	<0.002	0.005	<0.002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	0.003	<0.002	0.016	0.004	
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	





## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L	<0.002	<b>0.686</b>	<b>0.071</b>	<b>0.431</b>	<b>0.087</b>	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L	<0.002	<b>0.405</b>	<b>0.054</b>	<b>0.314</b>	<b>0.066</b>	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%	<b>87.2</b>	<b>89.4</b>	<b>86.8</b>	<b>102</b>	<b>87.7</b>	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)		Client sample ID		QAQC100	QAQC300	----	----	----
Client sampling date / time		25-Oct-2016 09:07		25-Oct-2016 14:30		----	----	----
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----
				Result	Result	----	----	----
<b>EA005P: pH by PC Titrator</b>								
pH Value	----	0.01	pH Unit	----	----	----	----	----
<b>EA010P: Conductivity by PC Titrator</b>								
Electrical Conductivity @ 25°C	----	1	µS/cm	----	----	----	----	----
<b>ED037P: Alkalinity by PC Titrator</b>								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	----	----	----	----	----
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	----	----	----	----	----
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	----	----	----	----	----
Total Alkalinity as CaCO3	----	1	mg/L	----	----	----	----	----
<b>ED038A: Acidity</b>								
Acidity as CaCO3	----	1	mg/L	----	----	----	----	----
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	----	----	----	----	----
<b>ED045G: Chloride by Discrete Analyser</b>								
Chloride	16887-00-6	1	mg/L	----	----	----	----	----
<b>ED093F: Dissolved Major Cations</b>								
Calcium	7440-70-2	1	mg/L	----	----	----	----	----
Magnesium	7439-95-4	1	mg/L	----	----	----	----	----
Sodium	7440-23-5	1	mg/L	----	----	----	----	----
Potassium	7440-09-7	1	mg/L	----	----	----	----	----
<b>EG020F: Dissolved Metals by ICP-MS</b>								
Aluminium	7429-90-5	0.01	mg/L	----	----	----	----	----
Arsenic	7440-38-2	0.001	mg/L	0.004	<0.001	----	----	----
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	----	----	----
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	----	----	----
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	----	----	----
Nickel	7440-02-0	0.001	mg/L	0.032	<0.001	----	----	----
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	----	----	----
Zinc	7440-66-6	0.005	mg/L	0.120	<0.005	----	----	----
Iron	7439-89-6	0.05	mg/L	----	----	----	----	----
<b>EG035F: Dissolved Mercury by FIMS</b>								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	----	----	----
<b>EN055: Ionic Balance</b>								
Total Anions	----	0.01	meq/L	----	----	----	----	----
Total Cations	----	0.01	meq/L	----	----	----	----	----



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	QAQC100	QAQC300	----	----	----
Client sampling date / time				25-Oct-2016 09:07	25-Oct-2016 14:30	----	----	----	
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----	
				Result	Result	----	----	----	
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	0.036	<0.002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	0.029	<0.002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	0.291	<0.002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	0.023	<0.002	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	0.005	<0.002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	0.022	<0.002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	0.005	<0.002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	0.011	<0.002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	QAQC100	QAQC300	----	----	----
Client sampling date / time				25-Oct-2016 09:07	25-Oct-2016 14:30	----	----	----	
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----	
				Result	Result	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L	<b>0.422</b>	<0.002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L	<b>0.314</b>	<0.002	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%	<b>82.4</b>	<b>94.5</b>	----	----	----	



### Surrogate Control Limits

Sub-Matrix: <b>WATER</b>		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
<b>13C4-PFOS</b>	----	70	120



# **APPENDIX D**

## **Important Information Relating to this Report**



## IMPORTANT INFORMATION RELATING TO THIS REPORT

The document (“Report”) to which this page is attached and which this page forms a part of, has been issued by Golder Associates Pty Ltd (“Golder”) subject to the important limitations and other qualifications set out below.

This Report constitutes or is part of services (“Services”) provided by Golder to its client (“Client”) under and subject to a contract between Golder and its Client (“Contract”). The contents of this page are not intended to and do not alter Golder’s obligations (including any limits on those obligations) to its Client under the Contract.

This Report is provided for use solely by Golder’s Client and persons acting on the Client’s behalf, such as its professional advisers. Golder is responsible only to its Client for this Report. Golder has no responsibility to any other person who relies or makes decisions based upon this Report or who makes any other use of this Report. Golder accepts no responsibility for any loss or damage suffered by any person other than its Client as a result of any reliance upon any part of this Report, decisions made based upon this Report or any other use of it.

This Report has been prepared in the context of the circumstances and purposes referred to in, or derived from, the Contract and Golder accepts no responsibility for use of the Report, in whole or in part, in any other context or circumstance or for any other purpose.

The scope of Golder’s Services and the period of time they relate to are determined by the Contract and are subject to restrictions and limitations set out in the Contract. If a service or other work is not expressly referred to in this Report, do not assume that it has been provided or performed. If a matter is not addressed in this Report, do not assume that any determination has been made by Golder in regards to it.

At any location relevant to the Services conditions may exist which were not detected by Golder, in particular due to the specific scope of the investigation Golder has been engaged to undertake. Conditions can only be verified at the exact location of any tests undertaken. Variations in conditions may occur between tested locations and there may be conditions which have not been revealed by the investigation and which have not therefore been taken into account in this Report.

Golder accepts no responsibility for and makes no representation as to the accuracy or completeness of the information provided to it by or on behalf of the Client or sourced from any third party. Golder has assumed that such information is correct unless otherwise stated and no responsibility is accepted by Golder for incomplete or inaccurate data supplied by its Client or any other person for whom Golder is not responsible. Golder has not taken account of matters that may have existed when the Report was prepared but which were only later disclosed to Golder.

Having regard to the matters referred to in the previous paragraphs on this page in particular, carrying out the Services has allowed Golder to form no more than an opinion as to the actual conditions at any relevant location. That opinion is necessarily constrained by the extent of the information collected by Golder or otherwise made available to Golder. Further, the passage of time may affect the accuracy, applicability or usefulness of the opinions, assessments or other information in this Report. This Report is based upon the information and other circumstances that existed and were known to Golder when the Services were performed and this Report was prepared. Golder has not considered the effect of any possible future developments including physical changes to any relevant location or changes to any laws or regulations relevant to such location.

Where permitted by the Contract, Golder may have retained subconsultants affiliated with Golder to provide some or all of the Services. However, it is Golder which remains solely responsible for the Services and there is no legal recourse against any of Golder’s affiliated companies or the employees, officers or directors of any of them.

By date, or revision, the Report supersedes any prior report or other document issued by Golder dealing with any matter that is addressed in the Report.

**Any uncertainty as to the extent to which this Report can be used or relied upon in any respect should be referred to Golder for clarification.**

As a global, employee-owned organisation with over 50 years of experience, Golder Associates is driven by our purpose to engineer earth's development while preserving earth's integrity. We deliver solutions that help our clients achieve their sustainable development goals by providing a wide range of independent consulting, design and construction services in our specialist areas of earth, environment and energy.

For more information, visit [golder.com](http://golder.com)

Africa	+ 27 11 254 4800
Asia	+ 86 21 6258 5522
Australasia	+ 61 3 8862 3500
Europe	+ 44 1628 851851
North America	+ 1 800 275 3281
South America	+ 56 2 2616 2000

[solutions@golder.com](mailto:solutions@golder.com)  
[www.golder.com](http://www.golder.com)

**Golder Associates Pty Ltd**  
**147 Coronation Drive**  
**Milton, Queensland 4064**  
**Australia**  
**T: +61 7 3721 5400**







22 November 2016

# ACID SULFATE SOIL ASSESSMENT

## Auto Mall Precinct Stage 2

**Submitted to:**  
Mr Nick Jackson-Hope  
Brisbane Airport Corporation  
PO Box 61  
Hamilton Central Q 4007

REPORT



**Report Number.** 1538021-012-R-Rev0  
**Distribution:**  
1 Electronic Copy





## Record of Issue

Company	Client Contact	Version	Date Issued	Method of Delivery
Brisbane Airport Corporation	Nick Jackson-Hope	Rev0	22/11/2016	Email



## Table of Contents

**1.0 INTRODUCTION..... 1**

**2.0 PROJECT DETAILS..... 1**

**3.0 SITE DESCRIPTION..... 1**

**4.0 BACKGROUND INFORMATION..... 2**

    4.1 About Acid Sulfate Soils ..... 2

    4.2 Previous Investigations..... 2

    4.3 Geology ..... 3

    4.4 Hydrogeology..... 3

    4.5 Soil Landscape ..... 3

    4.6 ASS Risk Maps..... 3

**5.0 REGULATORY FRAMEWORK..... 5**

**6.0 FIELDWORK ..... 5**

    6.1 Soil Investigation..... 5

    6.2 Groundwater Investigation..... 5

**7.0 ASSESSMENT CRITERIA..... 6**

**8.0 INVESTIGATION FINDINGS ..... 7**

    8.1 Subsurface Conditions..... 7

    8.2 Groundwater Levels..... 7

    8.3 ASS Screening Tests..... 7

    8.4 Chromium Suite Analysis..... 13

    8.5 Groundwater Quality..... 15

**9.0 CONCLUSIONS..... 15**

**10.0 RECOMMENDATIONS..... 16**

**11.0 IMPORTANT INFORMATION..... 16**

### FIGURES

Figure 1: Proposed Development with Previous and Current Investigation Locations



**APPENDICES**

**APPENDIX A**

Borehole Logs

**APPENDIX B**

Laboratory Documents

**APPENDIX C**

Important Information Relating to This Report



## 1.0 INTRODUCTION

Brisbane Airport Corporation Pty Ltd (BAC) commissioned Golder Associates Pty Ltd (Golder) to undertake an Acid Sulfate Soil (ASS) assessment for Stage 2 of the Auto Mall Precinct project at the Brisbane Airport (see Figure 1). Golder has previously conducted an acid sulfate soil investigation for Stage 1 of the Auto Mall Precinct for BAC (reference 1538021-005-R-RevA, February 2016). The purpose of the current assessment is to inform the detailed design of the proposed development.

The ASS investigation was undertaken during October 2016 as part of a combined geotechnical, contamination and ASS investigation and is based on the scope of work defined in our proposal (Golder document reference no. P1538021-005-P-Rev0 dated 5 September 2016).

This report presents the ASS assessment findings for Stage 2 of the Auto Mall Precinct. The assessment results from the geotechnical and contamination investigation are provided in separate reports.

## 2.0 PROJECT DETAILS

An Auto Mall Precinct is proposed to be developed on an area between Moreton Drive, Nancy Bird Way and Airport Drive at the Brisbane Airport. Refer attached **Figure 1** for the location plan. The proposed development comprises a test track in the middle of the site, surrounded by development lots for future commercial use. Private roads are located around the perimeter of the site. An Energex substation and easement is present on the site.

At the time of writing, we understand that the site is to be developed in three stages as follows:

- Development Stage 1: Track, roads and selected development lots; lots north of the Energex easement between the track and Moreton Drive, and the Track and Nancy Bird Way.
- Development Stage 2: development lots south of the Energex easement.
- Development Stage 3: development lots north of the Energex easement between the track and Airport Drive.

Drainage channels will run along site perimeter, with invert levels as low as of RL 0.2 m AD in the western portion of the site. Site drainage channels will discharge into nearby surface water drains

The current staging plan is provided in **Appendix A**.

However, for consistency with previous works, we refer to the portion of the site north of the Energex easement as Stage 1, and the portion to the south as Stage 2. This report focusses on Stage 2 investigation results (hereinafter referred to as “the site”).

## 3.0 SITE DESCRIPTION

The site has an average existing surface level of about 2.4 m AD<sup>1</sup> and is currently heavily vegetated with casuarina forest and mangroves. Stage 2 of the development covers an area of approximately 500 m by 300 m.

Landers Pocket drain is the closest surface water body feature located at least 100m west of the project area. Surface water in Landers Pocket drain flows north east for about 1km from the site before discharging into Kedron Brook Floodway Drain. The Kedron Brook Floodway Drain discharges into Kedron Brook. The ultimate receiving environment of surface water from Kedron Brook is Moreton Bay. Proposed surface water drains will discharge into Landers Pocket drain.

---

<sup>1</sup> Aerodrome Datum



## 4.0 BACKGROUND INFORMATION

### 4.1 About Acid Sulfate Soils

Pyritic soils or ASS, were deposited in coastal zones throughout the world during the last 6,500 to 10,000 years. When drained for development or otherwise disturbed, the iron pyrite in these sediments oxidises producing sulfuric acid which subsequently lowers the pH in runoff and groundwater, leading to the release of toxic aluminium and iron from the sediments.

The formation of ASS is commonly the result of marine or estuarine deposition of sulfate and iron bearing sediments in the presence of an abundant source of readily decomposable organic matter resulting in the deposition of pyrite. This pyrite is stable within the soil so long as anoxic conditions prevail. Oxidation of this material produces acidic conditions, a process that typically occurs when the material is exposed to air, such as when raised above the water table by excavation, or by lowering the water table during dewatering processes. This can occur as a result of natural processes, for example as a result of fluctuations in the seawater level.

Acidic water introduced into coastal streams can cause fish kills, alterations to ecosystems and corrosion of civil structures. The source of the acid is naturally occurring pyrite. Environmental degradation occurs when this pyrite oxidises and sulfuric acid is produced and discharged into receiving waters. If receiving water in ASS areas is naturally saline, low level acidity naturally generated is often adequately buffered by the salinity and sometimes by the presence of alkaline calcareous materials present within the alluvial deposits.

Previous experience and available guidelines indicate that ASS are normally restricted in extent to recent (Holocene age) soil horizons deposited in a saline environment below RL 5 m AHD, with Actual ASS (AASS) often occurring at the top of the soil profile, being underlain by Potential ASS (PASS). ASS commonly occurs throughout lowland coastal areas of Australia.

### 4.2 Previous Investigations

Golder previously conducted a desktop assessment of ASS, groundwater and contamination for the Auto Mall Precinct in 2014 (reference 1460490-002-R-Rev0, February 2015) and an acid sulfate soil investigation for Stage 1 of the Auto Mall Precinct for BAC (reference 1538021-005-R-RevA, February 2016). The findings of this desktop assessment and acid sulfate soil investigation indicated the following:

#### 1460490-002-R-Rev0

- Sub-surface conditions typically comprise:
  - Crust** – A clay ‘crust’ layer up to 1.0 m bgl is present in some areas due to desiccation.
  - Younger Alluvium (Holocene)** – Highly compressible, inter-bedded sandy clays and clayey sands (Upper Holocene) and silty clays (Lower Holocene) extending to depths up to 30 m below ground level in places.
- Shallow surface fill may be present on the edges of the site with depths ranging from 0.15m to 1.1m. The fill was a mix of silts and sandy clays with some sands. The underlying natural profiles (upper Holocene alluvium) comprised variable light, medium and heavy clays and clayey sands, with some thin layers of peat and ‘clean’ sands. The natural soils were generally grey to dark grey and dark brown, indicative of ASS.
- Field screening and laboratory analysis of site soils indicated the presence of actual acid sulfate soils (AASS) typically from the surface to depth of about 0.6m to 1.1 m AHD underlain by potential acid sulfate soils (PASS) to depths of more than 1.2 m AHD (the limit of previous ASS investigations).
- The acid neutralising capacity (ANC) of the alluvium is generally not adequate to naturally buffer the actual and potential acidity produced.
- Net acidity in the AASS materials ranged from 0.08 S% to about 1.94 S%. Net acidity in the PASS materials ranged from 0.06 S% to about 2.55 S%.



### **1538021-005-R-RevA**

- Investigation of the Stage 1 area indicated that AASS materials are present from the ground surface to levels about 0.8m AD and 1.2m AD and deeper in isolated pockets where previous localised ground disturbances may have occurred. AASS was detected in materials below the water table which indicated that the groundwater table had been historically lowered in this area. Calculated liming rates to neutralise net acidity in the identified AASS materials range from about 5 kg/m<sup>3</sup> to 30 kg/m<sup>3</sup>.
- PASS materials underlie the AASS materials across the site. Net Acidity in PASS materials varied considerably across the Stage 1 area. Calculated liming rates to neutralise net acidity in the identified PASS materials towards the northern and southern ends of Stage 1 ranged from about 15 kg/m<sup>3</sup> to 60 kg/m<sup>3</sup>. Through the centre of the Stage 1 area much higher net acidity was indicated with liming rates generally ranging from about 90 kg/m<sup>3</sup> to 150 kg/m<sup>3</sup> and as high as 320 kg/m<sup>3</sup> in one sample.
- Groundwater samples suggested a variable or historically disturbed environment. The groundwater had suitable available buffering capacity to maintain an acceptable pH level in the presence of minor acid generation at the northern end of Stage 1. However, groundwater samples from the remainder of the site indicated a buffering capacity inadequate to maintain stable, acceptable pH level in areas vulnerable to acidification. Acid conditions and aluminium concentrations above the Airports (Environmental Protection) Regulations accepted limit were detected in two groundwater samples.

### **4.3 Geology**

Reference to the Geological Survey of Queensland 1:100,000 scale Brisbane Geological map (1990) indicates that all of the assessment site is located on alluvial deposits of Holocene age.

Holocene deposits are typically associated with ASS formation.

### **4.4 Hydrogeology**

Previous investigations in this area (Stage 1 Investigation) encountered groundwater levels ranging from about 1.3m AD to 2.1m AD with a general direction of groundwater flow inferred as west towards Landers Pocket Drain.

### **4.5 Soil Landscape**

The "Soil Landscapes of Brisbane and South-Eastern Environs, Queensland", CSIRO 1:100,000 scale Map Sheet (1985) indicates that the assessment site is situated within an alluvial landscape likely to comprise the following soil group:

#### **Woongoolba- WO**

- Dominant Soil Group – 'Humic gleys, peaty gleys' and 'solonchaks'
- Landscape and Parent Geology – Low (coastal) plains of alluvium and narrow depressions.


This soil profile is a young alluvium that frequently contains moderate to high concentrations of pyritic material and fine organic matter. This soil unit is generally associated with ASS.

### **4.6 ASS Risk Maps**







The Brisbane City Council "A Guide to the Likely Location of Acid Sulfate Soils in Brisbane" 1:50,000 scale risk map, indicates that the site is situated in an area mapped as having a 'Very High' risk of encountering ASS (refer below). The 'Very High' risk ASS soils at the site are likely to be associated with the recent alluvial soils.




# AUTO MALL STAGE 2 ACID SULFATE SOIL ASSESSMENT




## ACID SULPHATE SOILS HAZARD\_RATING

-  Extremely High
  -  Very High
  -  High
  -  Medium
  -  Low
-  Approximate location of site

Brisbane City Council ASS Hazard Risk Map for the Site



-  Approximate location of site

DNRM Acid Sulfate Soils Map for the Site





The Department of Natural Resources Mines (DNRM), 1:100,000 scale Map 1 “Acid Sulfate Soils –Tweed Heads to Redcliffe” (refer above), indicates that the site is situated in an area mapped as:

- SDL – Disturbed land (e.g. canal estates, marinas, aquaculture, quarry, urban, and industrial likely to contain ASS. (In some cases, partial or full treatment may have been undertaken). Limited field investigation.

## 5.0 REGULATORY FRAMEWORK

The following key regulatory drivers and guidance documents have been considered and utilised in conducting this assessment:

- *Guidelines for Sampling and Analysis of Lowland Acid Sulfate Soils in Queensland – 1998.* QASSIT
- *Queensland Acid Sulfate Soil Technical Manual: Soil Management Guidelines.* 2014. Department of Science, Information Technology, Innovation and the Arts, Queensland Government.

## 6.0 FIELDWORK

### 6.1 Soil Investigation

Details of the soil investigation methodology for the ASS investigation is summarised in Table 1 below.

**Table 1: Field Activities - Drilling and Soil Sampling**

Activity	Details
Drilling	Soil sampling for the acid sulfate soil assessment was conducted on 6 and 7 October 2016. The sampling was conducted in conjunction with contamination and geotechnical investigations for the site. ASS investigations included 10 boreholes identified as AM-BH10, AM-BH13, AM-BH14, AM-BH15, AM-BH16, AM-BH18, AM-BH24, AM-BH25, AM-BH26 and AM-BH29. The boreholes were advanced by a light tracked drilling rig to depths between 2.8 m and 3 m using hollow stem augers. Borehole drilling was carried out under the supervision of a geotechnical engineer from Golder. Soil descriptions for the lithology encountered during drilling are presented as borehole logs in Appendix A.
Borehole Survey	Upon completion of intrusive investigations selected locations were surveyed by MPA Surveyors on 14 October 2016 using differential GPS for easting, northing and RL.
Soil Sampling	Soil samples were collected at 0.25 m intervals from the surface to about 3 m below ground level (bgl) for ASS testing.
Samples Preservation and Handling	All ASS samples were labelled and sealed in plastic bags and refrigerated, then frozen within 24 hours, until laboratory testing was undertaken. All samples collected were sent to Australian Laboratory Services (ALS) of Brisbane under Chain of Custody (CoC) procedure (documents in Appendix B).
Soil Screening	All soil samples were screened using the pH <sub>F</sub> /pH <sub>FOX</sub> test method.
Soil Analysis	Soil samples were selected on the basis of the screening test results for quantitative laboratory analyses by the Chromium Suite test method (laboratory documents in Appendix B).

### 6.2 Groundwater Investigation

Details of groundwater investigation methodology are summarised in Table 2 below.



**Table 2: Field Activities - Groundwater Well Installation and Sampling**

Activity	Details
Monitoring Well Installation and Construction	Four boreholes (AM-BH10, AM-BH14, AM-BH15 and AM-BH16) were converted into new groundwater monitoring wells. Figure 1 displays the new monitoring well locations and existing wells installed around the site during previous investigations. New monitoring wells were constructed using 50 mm, Class 18 PVC threaded screen and casing. Construction details for monitoring wells are presented on borehole reports in Appendix A.
Well Development	Following installation the new wells were developed using a dedicated disposable bailer.
Well Gauging	Standing water levels (SWLs) were measured in new and selected existing wells on 25 October 2016 prior to sampling using a calibrated water level meter. Groundwater gauging data are presented in Section 8.2 Table 5.
Well Purging	The wells were sampled using low flow sampling methods and therefore purging was not required. Groundwater quality parameters and visual observations were recorded during purging. Purging continued until three well volumes were removed.
Groundwater Sampling	Groundwater samples were collected from all wells using low flow sampling and collection techniques.
Sample Preservation and Handling	Collected water samples were placed in laboratory supplied containers. Samples were placed with ice, in eskies whilst on-site and in transit to the laboratory. All samples were sent to Australian Laboratory Services (ALS) of Brisbane under Chain of Custody (CoC) procedures (documents in Appendix B).
Groundwater Analysis	Groundwater samples were analysed for ASS indicator parameters comprising pH, electrical conductivity, chloride, sulfate, alkalinity, acidity, dissolved iron, dissolved aluminium and total iron. Laboratory analytical reports are presented in Appendix B.

## 7.0 ASSESSMENT CRITERIA

Table 3 below shows the ASS action levels adopted in Queensland. These categories are used to identify whether action / management of ASS disturbances is required, based on 'net acidity' (derived from the results of the Chromium Suite analysis or the Chromium Suite test suites). For this assessment an action criteria of 0.03% Equivalent Sulfur has been adopted.

**Table 3: ASS Action Criteria**

Type of Material		Action Criteria 1-1000 tonnes disturbed		Action Criteria > 1000 tonnes disturbed (and major fill projects)	
		Existing + Potential Acidity		Existing + Potential Acidity	
Texture range McDonald et al. (1990)	Approx. clay content (%)	Equivalent sulfur %S oxidisable	Equivalent acid mol H <sup>+</sup> / tonne	Equivalent sulfur %S oxidisable (oven-dry basis)	Equivalent acid mol H <sup>+</sup> / tonne (oven-dry basis)
<b>Coarse Texture</b> Sands to loamy sands	≤5	0.03	18	0.03	18*
<b>Medium Texture</b> Sandy loams to light clays	5 – 40	0.06	36	0.03	18*
<b>Fine Texture</b> Medium to heavy clays and silty clays	≥40	0.10	62	0.03	18*

Table 4 below (*Treatment and management of soils and water in acid sulfate soil landscapes*, July 2011, revised 2015, WA DEC) provides a guide for the assessment of the buffering capacity of groundwater.



**Table 4: General Indicators for Buffering Capacity**

Class	Designation	Alkalinity		pH	Description
		mg/L	meq/L		
1	Very high alkalinity	>180	>3	>6.5	Adequate to maintain acceptable pH level in the future.
2	High alkalinity	60-80	1-3	>6.0	Adequate to maintain acceptable pH level in the future.
3	Moderate alkalinity	30-60	0.5-1.0	5.5-7.5	Inadequate to maintain stable, acceptable pH level in areas vulnerable to acidification.
4	Low alkalinity	10-30	0.2-0.5	5.0-6.0	Inadequate to maintain stable, acceptable pH level.
5	Very low alkalinity	<10	<0.2	<6.0	Unacceptable pH level under all circumstances.

## 8.0 INVESTIGATION FINDINGS

### 8.1 Subsurface Conditions

Detailed information of subsurface conditions encountered at the site are described in Borehole Logs (Appendix A).

A summary of typical subsurface conditions encountered is as follows:

- **Crust** – A desiccated layer generally comprising loose silty sand and sandy clay generally between 0.1 to 0.3 m bgl, over
- **Recent Alluvium (Holocene)** – Compressible, inter-bedded sandy clays, clayey sandy gravels and clayey sands (Upper Holocene) from approximately 0 to 3 m bgl (target depth).

### 8.2 Groundwater Levels

Table 5 summarises the groundwater measurements for the current investigation. Based on the measured groundwater levels, the general flow direction beneath the site is interpreted to be west.

**Table 5: Summary of Groundwater Level Observations**

Well ID	Depth to Groundwater (m bgl)	Groundwater Level (m AD)	Date and Time of Observations
AM-BH10	1.19	1.18	25/10/2016 AT 10:50 AM
AM-BH14	2.57	1.51	25/10/2016 AT 09:10 AM
AM-BH15	1.90	1.24	25/10/2016 AT 10:00 AM
AM-BH16	1.55	0.87	25/10/2016 AT 08:10 AM

### 8.3 ASS Screening Tests

The pH<sub>F</sub>/pH<sub>FOX</sub> screening method consists of two steps; determining the field pH of a 1:5 soil/water suspension, and by the addition of 30% Hydrogen Peroxide, allowing the sample time to oxidise, before determining the pH<sub>FOX</sub> (pH after oxidation) of the reacted sample. A significant drop in pH is indicative of potential acidity and a low initial pH, indicative of actual acidity.

The tests are used to indicate the likelihood of a soil containing actual acidity (i.e. Actual ASS [AASS]) and/or potential acidity (i.e. Potential ASS [PASS]).

The following rating is used in the assessment of samples in the attached table:



- 1) AASS potential is indicated by; Nil ( $\text{pH}_F > 4.5$ ), Medium ( $\text{pH}_F 4.5 < \text{pH}_F \leq 4$ ), High ( $\text{pH}_F < 4$ )
- 2) PASS potential is indicated by: Low ( $\text{pH}_{\text{FOX}} > 3$ ), Medium ( $\text{pH}_{\text{FOX}} > 3$  and difference between  $\text{pH}_{\text{FOX}}$  and  $\text{pH}_F$  is greater than 3), High ( $\text{pH}_{\text{FOX}} < 3$ ).
- 3) Where the  $\text{pH}_{\text{FOX}}$  value is significantly less than the reported  $\text{pH}_F$ , this may indicate the presence of PASS, with larger reductions in  $\text{pH}_{\text{FOX}}$  generally providing a stronger indication of potential PASS.

The strength of reaction is also an indicator of likely PASS.

Field screening test results on recovered soil samples during the investigation are presented in Appendix B and summarised in Table 6 below.



## AUTO MALL STAGE 2 ACID SULFATE SOIL ASSESSMENT

**Table 6: Acid Sulfate Soil Screening Test Results**

Location ID	Sample Depth Range (m bgl)			Sample Depth Range (m AD)			Sampled Date	Soil Type	pH (F)	AASS Likelihood <sup>1</sup>	pH (Field ox)	Reaction Rate <sup>2</sup>	PASS Likelihood <sup>3</sup>
									pH Unit		pH_Units		
AM-BH10	0	-	0.25	2.37	-	2.12	6/10/2016	Silty SAND	8	Nil	4.1	3	Medium
AM-BH10	0.25	-	0.5	2.12	-	1.87	6/10/2016	CLAY	7.2	Nil	1.7	4	High
AM-BH10	0.5	-	0.75	1.87	-	1.62	6/10/2016	CLAY	7.8	Nil	2.9	3	High
AM-BH10	0.75	-	1	1.62	-	1.37	6/10/2016	CLAY	7.7	Nil	2.7	3	High
AM-BH10	1	-	1.25	1.37	-	1.12	6/10/2016	CLAY	7.8	Nil	2.8	3	High
AM-BH10	1.25	-	1.5	1.12	-	0.87	6/10/2016	CLAY	7.8	Nil	1.7	4	High
AM-BH10	1.5	-	1.75	0.87	-	0.62	6/10/2016	CLAY	7.5	Nil	1.7	4	High
AM-BH10	1.75	-	2	0.62	-	0.37	6/10/2016	CLAY	7.6	Nil	1.8	4	High
AM-BH10	2	-	2.25	0.37	-	0.12	6/10/2016	CLAY	7.6	Nil	1.6	4	High
AM-BH10	2.25	-	2.5	0.12	-	0.13	6/10/2016	CLAY	7.7	Nil	1.6	4	High
AM-BH10	2.5	-	2.75	-0.13	-	0.38	6/10/2016	CLAY	7.4	Nil	1.4	4	High
AM-BH10	2.75	-	3	-0.38	-	0.63	6/10/2016	CLAY	7.6	Nil	1.8	4	High
AM-BH13	0	-	0.25	4.22	-	3.97	6/10/2016	Silty SAND	7.4	Nil	5.2	1	Low
AM-BH13	0.25	-	0.5	3.97	-	3.72	6/10/2016	Sandy CLAY	7.6	Nil	5.6	2	Low
AM-BH13	0.5	-	0.75	3.72	-	3.47	6/10/2016	Sandy CLAY	7.6	Nil	5.7	2	Low
AM-BH13	0.75	-	1	3.47	-	3.22	6/10/2016	Sandy Clayey GRAVEL	6.9	Nil	5.2	2	Low
AM-BH13	1	-	1.25	3.22	-	2.97	6/10/2016	Sandy Clayey GRAVEL	7.1	Nil	4.4	2	Low
AM-BH13	1.25	-	1.5	2.97	-	2.72	6/10/2016	Sandy GRAVEL	7.4	Nil	4.2	3	Medium
AM-BH13	1.5	-	1.75	2.72	-	2.47	6/10/2016	Silty CLAY	7.8	Nil	4.4	3	Medium
AM-BH13	1.75	-	2	2.47	-	2.22	6/10/2016	Silty CLAY	5.9	Nil	3	3	High
AM-BH13	2	-	2.25	2.22	-	1.97	6/10/2016	Silty CLAY	5	Nil	3.4	4	Low
AM-BH13	2.25	-	2.5	1.97	-	1.72	6/10/2016	Silty CLAY	5.7	Nil	3.3	4	Low
AM-BH13	2.5	-	2.75	1.72	-	1.47	6/10/2016	Clayey SAND	5.7	Nil	3.4	2	Low
AM-BH13	2.75	-	3	1.47	-	1.22	6/10/2016	Clayey SAND	6.5	Nil	4.8	2	Low
AM-BH14	0	-	0.25	4.08	-	3.83	6/10/2016	Silty SAND	7	Nil	4.7	3	Low
AM-BH14	0.25	-	0.5	3.83	-	3.58	6/10/2016	Clayey GRAVEL	7.8	Nil	6	3	Low
AM-BH14	0.5	-	0.75	3.58	-	3.33	6/10/2016	CLAY	5.9	Nil	2.7	4	High
AM-BH14	0.75	-	1	3.33	-	3.08	6/10/2016	Sandy Silty GRAVEL	5.3	Nil	2.4	4	High
AM-BH14	1	-	1.25	3.08	-	2.83	6/10/2016	Sandy Silty GRAVEL	5.2	Nil	2.5	4	High



## AUTO MALL STAGE 2 ACID SULFATE SOIL ASSESSMENT

Location ID	Sample Depth Range (m bg)		Sample Depth Range (m AD)		Sampled Date	Soil Type	pH (F)	AASS Likelihood <sup>1</sup>	pH (Field ox)	Reaction Rate <sup>2</sup>	PASS Likelihood <sup>3</sup>
							pH Unit		pH_Units		
AM-BH14	1.25	- 1.5	2.83	- 2.58	6/10/2016	Sandy CLAY	8	Nil	3.2	3	Medium
AM-BH14	1.5	- 1.75	2.58	- 2.33	6/10/2016	CLAY	5.5	Nil	2.9	3	High
AM-BH14	1.75	- 2	2.33	- 2.08	6/10/2016	Silty CLAY	5.7	Nil	3	3	Low
AM-BH14	2	- 2.25	2.08	- 1.83	6/10/2016	CLAY	6.8	Nil	5	2	Low
AM-BH14	2.25	- 2.5	1.83	- 1.58	6/10/2016	Sandy CLAY	7.2	Nil	5.6	2	Low
AM-BH14	2.5	- 2.75	1.58	- 1.33	6/10/2016	Clayey SAND	7.2	Nil	5.7	2	Low
AM-BH14	2.75	- 3	1.33	- 1.08	6/10/2016	Clayey SAND	7.3	Nil	5.7	2	Low
AM-BH15	0	- 0.25	3.14	- 2.89	7/10/2016	Silty SAND	7	Nil	1.8	3	High
AM-BH15	0.25	- 0.5	2.89	- 2.64	7/10/2016	Silty CLAY	8	Nil	5.4	3	Low
AM-BH15	0.5	- 0.75	2.64	- 2.39	7/10/2016	CLAY	6.5	Nil	4.4	2	Low
AM-BH15	0.75	- 1	2.39	- 2.14	7/10/2016	CLAY	7.2	Nil	5	3	Low
AM-BH15	1	- 1.25	2.14	- 1.89	7/10/2016	CLAY	7	Nil	4.8	2	Low
AM-BH15	1.25	- 1.5	1.89	- 1.64	7/10/2016	CLAY	7.3	Nil	4.8	3	Low
AM-BH15	1.5	- 1.75	1.64	- 1.39	7/10/2016	CLAY	7.1	Nil	4.6	3	Low
AM-BH15	1.75	- 2	1.39	- 1.14	7/10/2016	CLAY	6.9	Nil	4.4	3	Low
AM-BH15	2	- 2.25	1.14	- 0.89	7/10/2016	Sandy CLAY	6.9	Nil	4.2	3	Low
AM-BH15	2.25	- 2.5	0.89	- 0.64	7/10/2016	Sandy CLAY	7	Nil	4.4	3	Low
AM-BH15	2.5	- 2.75	0.64	- 0.39	7/10/2016	Clayey SAND	7	Nil	2.5	4	High
AM-BH15	2.75	- 3	0.39	- 0.14	7/10/2016	CLAY	7.3	Nil	2.5	4	High
AM-BH16	0	- 0.25	2.42	- 2.17	7/10/2016	Silty CLAY	7.2	Nil	3.1	3	Medium
AM-BH16	0.25	- 0.5	2.17	- 1.92	7/10/2016	CLAY	6.3	Nil	4.3	2	Low
AM-BH16	0.5	- 0.75	1.92	- 1.67	7/10/2016	CLAY	4.5	Nil	2.6	2	High
AM-BH16	0.75	- 1	1.67	- 1.42	7/10/2016	CLAY	5.3	Nil	3.2	2	Low
AM-BH16	1	- 1.25	1.42	- 1.17	7/10/2016	CLAY	5.9	Nil	3.8	2	Low
AM-BH16	1.25	- 1.5	1.17	- 0.92	7/10/2016	CLAY	6.4	Nil	3.4	3	Medium
AM-BH16	1.5	- 1.75	0.92	- 0.67	7/10/2016	CLAY	6.7	Nil	3.5	3	Medium
AM-BH16	1.75	- 2	0.67	- 0.42	7/10/2016	CLAY	6.3	Nil	3.7	3	Low
AM-BH16	2	- 2.25	0.42	- 0.17	7/10/2016	CLAY	6.2	Nil	3.6	3	Low
AM-BH16	2.25	- 2.5	0.17	- 0.08	7/10/2016	Clayey SAND	6.5	Nil	3.3	3	Medium
AM-BH16	2.5	- 2.75	-0.08	- 0.33	7/10/2016	Sandy CLAY	6.4	Nil	1.7	4	High
AM-BH16	2.75	- 3	-0.33	- 0.58	7/10/2016	Clayey SAND	7.1	Nil	2.2	4	High
AM-BH18	0	- 0.25	2.75	- 2.5	6/10/2016	Silty Sandy GRAVEL	7	Nil	3.6	3	Medium
AM-BH18	0.25	- 0.5	2.5	- 2.25	6/10/2016	Silty Sandy GRAVEL	4.7	Nil	2.9	3	High
AM-BH18	0.5	- 0.75	2.25	- 2	6/10/2016	Sandy CLAY	4.3	Medium	2.8	3	High



## AUTO MALL STAGE 2 ACID SULFATE SOIL ASSESSMENT

Location ID	Sample Depth Range (m bg)		Sample Depth Range (m AD)		Sampled Date	Soil Type	pH (F)	AASS Likelihood <sup>1</sup>	pH (Field ox)	Reaction Rate <sup>2</sup>	PASS Likelihood <sup>3</sup>
							pH Unit		pH_Units		
AM-BH18	0.75	- 1	2	- 1.75	6/10/2016	CLAY	4.3	Medium	2.7	3	High
AM-BH18	1	- 1.25	1.75	- 1.5	6/10/2016	CLAY	4.1	Medium	2.6	3	High
AM-BH18	1.25	- 1.5	1.5	- 1.25	6/10/2016	Sandy CLAY	4	Medium	2.3	3	High
AM-BH18	1.5	- 1.75	1.25	- 1	6/10/2016	Sandy CLAY	4.2	Medium	2.6	3	High
AM-BH18	1.75	- 2	0.75	- 0.5	6/10/2016	Sandy CLAY	4.3	Medium	2.7	3	High
AM-BH18	2	- 2.25	0.5	- 0.25	6/10/2016	Clayey SAND	4.5	Medium	2.7	3	High
AM-BH18	2.25	- 2.5	0.25	- 0	6/10/2016	Clayey SAND	4.8	Nil	3	3	Low
AM-BH18	2.5	- 2.75	0	- 0.25	6/10/2016	Clayey SAND	4.7	Nil	2.9	3	High
AM-BH18	2.75	- 3	-0.25	- -0.5	6/10/2016	Sandy CLAY	5.2	Nil	3.2	3	Low
AM-BH24	0	- 0.25	4.19	- 3.94	6/10/2016	Silty SAND	7	Nil	4.4	3	Medium
AM-BH24	0.25	- 0.5	3.94	- 3.69	6/10/2016	Silty Sandy GRAVEL	9.1	Nil	9	4	Medium
AM-BH24	0.5	- 0.75	3.69	- 3.44	6/10/2016	Clayey GRAVEL	8	Nil	7.1	4	Medium
AM-BH24	0.75	- 1	3.44	- 3.19	6/10/2016	CLAY	7.6	Nil	3.4	3	Medium
AM-BH24	1	- 1.25	3.19	- 2.94	6/10/2016	CLAY	7.6	Nil	5.4	3	Low
AM-BH24	1.25	- 1.5	2.94	- 2.69	6/10/2016	Clayey Silty	6.8	Nil	2.7	3	High
AM-BH24	1.5	- 1.75	2.69	- 2.44	6/10/2016	CLAY	5.6	Nil	2.9	3	High
AM-BH24	1.75	- 2	2.44	- 2.19	6/10/2016	CLAY	5	Nil	3	4	Medium
AM-BH24	2	- 2.25	2.19	- 1.94	6/10/2016	CLAY	5.4	Nil	2.7	3	High
AM-BH24	2.25	- 2.5	1.94	- 1.69	6/10/2016	CLAY	5.2	Nil	3	3	Medium
AM-BH24	2.5	- 2.75	1.69	- 1.44	6/10/2016	Clayey SAND	5.8	Nil	3.5	3	Low
AM-BH24	2.75	- 3	1.44	- 1.19	6/10/2016	Clayey SAND	6.8	Nil	5.1	3	Low
AM-BH25	0	- 0.25	3.79	- 3.54	7/10/2016	silty SAND	6.7	Nil	3.8	3	Low
AM-BH25	0.25	- 0.5	3.54	- 3.29	7/10/2016	Silty CLAY	4.3	Medium	4.6	2	Low
AM-BH25	0.5	- 0.75	3.29	- 3.04	7/10/2016	Silty CLAY	5.9	Nil	4	3	Low
AM-BH25	1.5	- 1.75	3.04	- 2.79	7/10/2016	CLAY	5.9	Nil	3.2	3	Low
AM-BH25	1.75	- 2	2.79	- 2.54	7/10/2016	CLAY	6	Nil	3.5	3	Low
AM-BH25	2	- 2.25	2.54	- 2.29	7/10/2016	CLAY	6.1	Nil	4.1	3	Low
AM-BH25	2.25	- 2.5	2.29	- 2.04	7/10/2016	Sandy CLAY	4.7	Nil	2.9	2	High
AM-BH25	2.5	- 2.75	2.04	- 1.79	7/10/2016	Sandy CLAY	5.9	Nil	4.5	1	Low
AM-BH25	2.75	- 3	1.79	- 1.54	7/10/2016	Clayey SAND	6.6	Nil	5.4	2	Low
AM-BH26	0	- 0.25	4.03	- 3.78	6/10/2016	Silty SAND	7.1	Nil	4.8	2	Low
AM-BH26	0.25	- 0.5	3.78	- 3.53	6/10/2016	Silty Sandy GRAVEL	8.2	Nil	6.3	3	Low
AM-BH26	0.5	- 0.75	3.53	- 3.28	6/10/2016	GRAVEL	7.8	Nil	5.8	3	Low



## AUTO MALL STAGE 2 ACID SULFATE SOIL ASSESSMENT

Location ID	Sample Depth Range (m bgl)		Sample Depth Range (m AD)			Sampled Date	Soil Type	pH (F)	AASS Likelihood <sup>1</sup>	pH (Field ox)	Reaction Rate <sup>2</sup>	PASS Likelihood <sup>3</sup>
								pH Unit		pH_Units		
AM-BH26	0.75	- 1	3.28	- 3.03	6/10/2016	Silty Sandy GRAVEL	7.5	High	5.5	3	Low	
AM-BH26	1	- 1.25	3.03	- 2.78	6/10/2016	GRAVEL	7.3	Nil	5.4	3	Low	
AM-BH26	1.25	- 1.5	2.78	- 2.53	6/10/2016	Silty CLAY	6.8	Nil	5.4	3	Low	
AM-BH26	1.5	- 1.75	2.53	- 2.28	6/10/2016	CLAY	6.8	Medium	4.2	3	Low	
AM-BH26	1.75	- 2	2.28	- 2.03	6/10/2016	CLAY	7.8	Medium	2.9	3	High	
AM-BH26	2	- 2.25	2.03	- 1.78	6/10/2016	CLAY Clayey	5	Medium	3	3	Medium	
AM-BH26	2.25	- 2.5	1.78	- 1.53	6/10/2016	SAND Clayey	6.5	Medium	4.8	2	Low	
AM-BH26	2.5	- 2.75	1.53	- 1.28	6/10/2016	SAND Clayey	7.4	Nil	5.3	2	Low	
AM-BH26	2.75	- 3	1.28	- 1.03	6/10/2016	SAND	7.6	Medium	5.8	2	Low	
AM-BH29	0	- 0.25	2.95	- 2.7	7/10/2016	Silty SAND	8.2	Nil	6.2	3	Low	
AM-BH29	0.25	- 0.5	2.7	- 2.45	7/10/2016	Silty CLAY	7.9	Nil	5.3	3	Low	
AM-BH29	0.5	- 0.75	2.45	- 2.2	7/10/2016	Silty CLAY	5.9	Nil	3.7	3	Low	
AM-BH29	0.75	- 1	2.2	- 1.95	7/10/2016	Silty CLAY	4.5	Nil	2.8	3	High	
AM-BH29	1	- 1.25	1.95	- 1.7	7/10/2016	Sandy CLAY	4.1	Medium	2.4	3	High	
AM-BH29	1.25	- 1.5	1.7	- 1.45	7/10/2016	Sandy CLAY Clayey	4.3	Medium	2.6	3	High	
AM-BH29	1.5	- 1.75	1.45	- 1.2	7/10/2016	SAND Clayey	5.9	Nil	3.5	3	Low	
AM-BH29	1.75	- 2	1.2	- 0.95	7/10/2016	SAND Clayey	6.2	Nil	3.6	3	Low	
AM-BH29	2	- 2.25	0.95	- 0.7	7/10/2016	SAND Clayey	6.4	Nil	3.8	3	Low	
AM-BH29	2.25	- 2.5	0.7	- 0.45	7/10/2016	SAND Clayey	6.6	Nil	3.7	3	Low	
AM-BH29	2.5	- 2.75	0.45	- 0.2	7/10/2016	SAND	7.2	Nil	2.1	3	High	
AM-BH29	2.75	- 3	0.2	- 0.05	7/10/2016	Sandy CLAY	7.5	Nil	2.4	4	High	





The screening test results from the Stage 2 investigation indicated the following:

- The pH<sub>F</sub> values materials ranged between 4.0 and 9.1. The possible presence of AASS was indicated at AM-BH18 (0.50-2.25m), AM-BH25 (0.25-0.50m), AM-BH26 (1.50-3.00m) and AM-BH29 (1.0-1.25m) which extends below the measured water table.
- The pH<sub>FOX</sub> values suggest a high potential for PASS at all locations except for AMBH25 and AMBH26. The high potential for PASS was recorded at the remaining locations at the following depth ranges:
  - AMBH10: 0.25 mbgl to 3.00 mbgl
  - AMBH13: 1.75 mbgl to 2.00 mbgl
  - AMBH14: 0.50 mbgl to 1.75 mbgl
  - AMBH15: 0.00 mbgl to 0.25 mbgl and 2.50 mbgl to 3.0 mbgl
  - AMBH16: 0.50 mbgl to 0.75 mbgl and 2.75 mbgl to 3.0 mbgl
  - AMBH18: 0.25 mbgl to 2.75 mbgl
  - AMBH24: 1.25 mbgl to 2.75 mbgl
  - AMBH29: 0.75 mbgl to 1.50 mbgl and 2.50 mbgl to 3.0 mbgl

### 8.4 Chromium Suite Analysis

Based on screening test results, a total of 30 soil samples (about 2 to 3 samples per borehole) were selected for laboratory analysis by the Chromium Suite test methods. The soil samples were selected to target field screening tests suggesting high AASS or PASS potential and to provide a broad coverage of the soil profile.

Results of laboratory testing including acid base accounting to calculate net acidity are summarised in Table 7.

Laboratory results indicated:

- The presence of AASS was confirmed in layers sometimes inconsistent with indications from the field screening tests. Layers of AASS were indicated in AM-BH10, AM-BH13, AM-BH14, AM-BH16, AM-BH24, AM-BH25 and AM-BH29 where field screening had not previously indicated AASS. Closer inspection of these results suggests that minor oxidation may have occurred these samples at the laboratory between field screening and the Chromium Suite testing – for the purposes of this assessment we have considered these suspect results to indicate PASS rather than AASS. Calculated liming rates to address existing acidity in AASS materials range from about 3 kg/m<sup>3</sup> to 13 kg/m<sup>3</sup>.
- Net Acidity in PASS materials varies considerably across the site. In general the identified PASS material towards the southwestern quadrant have indicated liming rates ranging from about 3 to 14.2 kg/m<sup>3</sup>. Through the centre of the site (AM-BH18) a liming rate in shallow material of 12.9 kg/m<sup>3</sup> was calculated. The highest net acidities were recorded along the north-western boundary at AM-BH10 which require a liming rate of about 284 kg/m<sup>3</sup>



**AUTO MALL STAGE 2 ACID SULFATE SOIL ASSESSMENT**

**Table 7: Summary of Acid Sulfate Soil Test Results (Chromium Suite)**

Test Location	Depth Range (m - BGL)	Material Description	pH <sub>KCl</sub>	sTAA (%S)	S <sub>NAS</sub> (if pH less than 4.5)	Existing Acidity %S (sTAA + 0.75 x S <sub>NAS</sub> )	Chromium Reducible Sulfur (S <sub>CR</sub> ) %S	Acid Neutralising Capacity %CaCO <sub>3</sub> (if pH more than 6.5)	Net Acidity %S (S <sub>CR</sub> +Existing Acidity - ANC/FF)	Is This AASS	Is This PASS	Liming Rate for Existing Acidity (Neutralises AASS only) (kg/m <sup>3</sup> )	Liming Rate for Net Acidity (Neutralises both AASS & PASS) (kg/m <sup>3</sup> )
AM-BH10	0.00 0.25	CLAY	6.3	< 0.020		0.000	0.006		0.006	No	No	NA	NA
AM-BH10	1.50 1.75	CLAY	5.1	0.04		0.040	1.7		1.740	YES	YES	3.0	131.6
AM-BH10	2.50 2.75	CLAY	4.8	0.07		0.070	3.69		3.760	YES	YES	5.3	284.3
AM-BH13	1.00 1.25	Clayey Sandy GRAVEL	6.4	< 0.02		0.000	0.012		0.012	No	No	NA	NA
AM-BH13	1.75 2.00	Silt CLAY	4.4	0.11	< 0.02	0.110	0.078		0.188	YES	YES	8.3	14.2
AM-BH13	2.50 2.75	Clayey SAND	5.0	0.03		0.030	0.006		0.036	YES	No	2.3	2.7
AM-BH14	0.75 1.00	Sandy Silty GRAVEL	5.8	< 0.02		0.000	0.08		0.080	No	YES	NA	6.0
AM-BH14	1.50 1.75	CLAY	4.6	0.08		0.080	0.006		0.086	YES	No	6.0	6.0
AM-BH14	2.25 2.50	Sandy CLAY	6.1	< 0.02		0.000	0.005		0.005	No	No	NA	NA
AM-BH15	0.00 0.25	Silty SAND	5.8	< 0.02		0.000	0.036		0.036	No	YES	NA	2.7
AM-BH15	1.75 2.00	CLAY	6.0	< 0.02		0.000	< 0.005		0.000	No	No	NA	NA
AM-BH15	2.50 2.75	Clayey SAND	6.1	< 0.02		0.000	0.016		0.016	No	No	NA	NA
AM-BH16	0.00 0.25	Silty CLAY	8.6	< 0.02		0.000	0.219	10.6	-2.045	No	YES	No Additional Lime Required	No Additional Lime Required
AM-BH16	0.50 0.75	CLAY	4.5	0.1		0.100	0.008		0.108	YES	No	7.6	7.6
AM-BH16	2.50 2.75	Sandy CLAY	8.4	< 0.02		0.000	0.358	1.35	0.070	No	YES	NA	5.3
AM-BH18	0.75 1.00	CLAY	4.3	0.17	< 0.02	0.170	0.021		0.191	YES	No	12.9	12.9
AM-BH18	1.25 1.50	Sandy CLAY	4.6	0.06		0.060	< 0.005		0.060	YES	No	4.5	4.5
AM-BH18	2.00 2.25	Clayey SAND	4.7	0.05		0.050	< 0.005		0.050	YES	No	3.8	3.8
AM-BH24	0.75 1.00	CLAY	8.1	< 0.02		0.000	0.102	3.14	-0.569	No	YES	No Additional Lime Required	No Additional Lime Required
AM-BH24	1.50 1.75	CLAY	4.2	0.14	< 0.02	0.140	0.026		0.166	YES	No	10.6	10.6
AM-BH24	2.25 2.50	CLAY	5.5	0.02		0.020	0.008		0.028	No	No	NA	NA
AM-BH25	0.25 0.50	Silty CLAY	7.9	< 0.02		0.000	0.013	3.57	-0.750	No	No	No Additional Lime Required	NA
AM-BH25	1.50 1.75	CLAY	8.4	< 0.02		0.000	0.078	3.32	-0.631	No	YES	No Additional Lime Required	No Additional Lime Required
AM-BH25	2.25 2.50	Sandy CLAY	6.5	< 0.02		0.000	< 0.005	0.38	-0.081	No	No	No Additional Lime Required	NA
AM-BH26	0.00 0.25	Sailty SAND	6.6	< 0.02		0.000	0.028	0.63	-0.107	No	No	No Additional Lime Required	NA
AM-BH26	1.75 2.00	CLAY	8.0	< 0.02		0.000	0.418	3.42	-0.313	No	YES	No Additional Lime Required	No Additional Lime Required
AM-BH26	2.00 2.25	CLAY	4.7	0.04		0.040	0.006		0.046	YES	No	3.0	3.0
AM-BH29	0.75 1.00	Silty CLAY	4.4	0.1	< 0.02	0.100	0.016		0.116	YES	No	7.6	7.6
AM-BH29	1.00 1.25	Sandy CLAY	4.3	0.11	0.04	0.140	0.105		0.245	YES	YES	10.6	18.5
AM-BH29	2.50 2.75	Clayey SAND	5.5	< 0.020		0.000	0.245		0.245	No	YES	NA	18.5

Note: \*Equivalent oxidisable sulfur calculated as TAA/30.59

Liming rates assume a bulk density of 1.60t/m<sup>3</sup>

Fineness Factor: 1.5



## 8.5 Groundwater Quality

The laboratory results of groundwater analysed for ASS parameters presented in Appendix B and summarised in Table 8, below.

**Table 8: Groundwater Quality Test Results**

Sample Location	Sample Dates	pH*	EC mS/cm	Dissolved Fe mg/L	Dissolved Al mg/L	Cl <sup>-</sup> : SO <sub>4</sub> <sup>++</sup> mgL (Ratio)	Total Acidity mg/L	Total Alkalinity mg/L
AM-MW10	25/10/16	6.99	51.4	<0.05	<0.05	8.6	260	297
AM-MW14	25/10/16	6.26	20.4	87.6	0.08	2.6	570	362
AM-MW15	25/10/16	6.43	9.12	7.58	<0.01	2.4	218	185
AM-MW16	25/10/16	6.06	14.8	87.6	<0.01	2.78	388	95

Notes: Rainfall in the 30 days prior to 25/10/2016 sampling round was 75.6mm.

The laboratory results indicated:

- Electrical conductivity ranging from 9 to 51 mS/cm indicating brackish to saline water conditions.
- pH levels ranging from 6.06 to 6.99 indicating slightly acidic to near neutral conditions.
- Total acidity exceeds total alkalinity in three of the four groundwater samples. The fourth sample has alkalinity marginally higher than acidity. These results indicate a very low buffering capacity across the site. The groundwater is interpreted to have a Class 4 buffering capacity (i.e. inadequate to maintain stable, acceptable pH level in areas vulnerable to acidification).
- Dissolved aluminium concentrations of greater than about 1 mg/L in groundwater may be an indicator of AASS. Concentrations were below the laboratory detection limit, with the exception of AM-BH14 (0.08 mg/L).
- Dissolved iron concentrations ranged from <0.05 to 87.6 mg/L.
- The Chloride:Sulfate (Cl<sup>-</sup>: SO<sub>4</sub><sup>++</sup>) ratios general ndicate past oxidation of PASS in this area.

Overall the groundwater results suggest a variable or historically disturbed environment at the investigation locations.

## 9.0 CONCLUSIONS

The following conclusions have been drawn from the ASS assessment at the Auto Precinct Stage 2 area:

- Investigations of the Stage 2 area indicated that AASS materials are present from the ground surface to levels about -0.13 m AD. AASS has been detected in materials below the water table (at AM-BH10) which indicates that the groundwater table has been historically lowered in this area. Calculated liming rates to neutralise existing acidity in the identified AASS materials range from about 3 kg/m<sup>3</sup> to 13 kg/m<sup>3</sup>.
- Investigations of the Stage 2 area indicated that PASS materials are present approximately from 3.33 AD to -0.33 AD and throughout the sampling locations aside from AMBH25. In general the PASS material towards the southwestern quadrant have indicated liming rates ranging from about 3 to 14.2 kg/m<sup>3</sup>. Through the centre of the site (AM-BH18) a liming rate in shallow material of 12.9 kg/m<sup>3</sup> was calculated. The highest net acidities were recorded along the northwestern boundary at AM-BH10 which recorded a projected liming requirement of up to about 284 kg/m<sup>3</sup> at AMBH10 (2.50-2.75).
- Acid conditions and aluminium concentrations above the Airports (Environmental Protection) Regulations accepted limit were not detected in the groundwater samples analysed. Groundwater samples suggested that whilst the groundwater currently has a pH in the slightly acidic to neutral range, it generally has inadequate buffering capacity to maintain stable, acceptable pH level in the presence of minor acid generation.



The presence of ASS and low buffering capacity of groundwater have the following implications to the currently proposed development

- All site excavations will disturb ASS and will require management measures including lime treatment of excavated spoil. Excavations may result in AASS and PASS spoil which may require separate management measures.
- Filling and surcharging/preloading of the site will result in further AASS being “pushed” below the water table. Surcharging/preloading will also cause a slight mounding of the local water table and result in the temporary saturation of AASS. Both of these issues will result in the release of acid to the groundwater and the subsequent stripping and mobilisation of metals. Acid and metals impacted groundwater may discharge to the surface and/or shallow drains immediately surrounding the site and migrate towards (and discharge into) Landers Pocket Drain. Potential mitigation/management strategies for this issue include:
  - Construction of a lime trench along the western site boundary (or eastern side of the proposed drain along this boundary) to buffer acidic groundwater moving off site. The lime trench would need to extend below the AASS/PASS interface and would comprise a slot trench filled with a mix of agricultural lime and limestone chips.
  - Placement of a 10m wide strip of surface lime ‘guard layer’ along the eastern and southern perimeters of the site under the edge of the fill embankment, prior to filling. This is to neutralise acidic seepage/runoff leaving the site along these boundaries.
  - Installation of limestone filled ‘check’ dams across internal surface drains during construction period and at the end of drains upstream of any connection with Landers Pocket Drain, to neutralise acid ‘flushes’ that may occur. Note that the limestone chips would require monitoring and regular replacement.
  - Monitoring and possible treatment of seepage water collected from any wick drains employed, before discharge off site.
- Formation of unlined drains below the current groundwater table may result in a zone of localised groundwater depression. Acid and metals impacted groundwater may discharge into the drain. Potential mitigation/management strategies for this issue include:
  - Option 1: Construct a concrete lined drain to maintain groundwater levels outside of the drain and prevent inflow of acidic and degraded groundwater.
  - Option 2: Placement of a lime trench on either side of the drainage channel to neutralise groundwater inflow (this may still allow iron and other metals to floc in the drain and could require additional management measures).

## 10.0 RECOMMENDATIONS

Based on the investigation findings at the Stage 2 Auto Mall Precinct, it is recommended that:

- A site specific ASS EMP be prepared to manage development disturbances across the Stage 2 area and surcharging practices.

## 11.0 IMPORTANT INFORMATION

Your attention is drawn to the document titled - “Important Information Relating to this Report”, which is included in Appendix C of this report. The statements presented in that document are intended to inform a reader of the report about its proper use. There are important limitations as to who can use the report and how it can be used. It is important that a reader of the report understands and has realistic expectations about those matters. The Important Information document does not alter the obligations Golder Associates has under the contract between it and its client.



## Report Signature Page

GOLDER ASSOCIATES PTY LTD

Caitriona Coyle  
Senior Environmental Engineer

Paul Scells  
Principal

CMC/PKS/cmc


A.B.N. 64 006 107 857

Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation.

\\golder.gds\gap\brisbane\jobs\geo\2015\1538021-bac autoprecinct bne airport\correspondence out\1538021-012-r-rev0-auto mall stage 2 ass report.docx



# FIGURE



- LEGEND**
- Previous Investigations**
- ✕ Acid Sulfate Soils
  - ⊕ Monitoring Well
- Previous Investigation**
- ✕ Acid Sulfate Soils
  - ⊕ Monitoring Well
  - Site Boundary

**NOTES**

1. AERIAL PHOTOGRAPHY SUPPLIED BY NEARMAP LTD, DATED OCTOBER 2014
2. DEVELOPMENT YIELD PLAN LAYOUT SUPPLIED BY BAC AS CAD FILE 'BRIS0012 SK-004[E] DEVELOPMENT YIELD PLAN.PDF.DWG'
3. SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, DELORME, USGS, INTERMAP, INCREMENT P CORP, NRCAN, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), ESRI (THAILAND), MAPMYINDIA, © OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY



REFERENCE SCALE: 1:4,500 (AT A3)  
 PROJECTION: GDA 1994 MGA ZONE 56

CLIENT BRISBANE AIRPORT CORPORATION	
PROJECT AUTO PRECINCT	
TITLE <b>PROPOSED DEVELOPMENT WITH PREVIOUS AND CURRENT ASS INVESTIGATION LOCATIONS</b>	
CONSULTANT	YYYY-MM-DD 2016-11-15
	PREPARED DP
	DESIGN DP
	REVIEW CC
	APPROVED CC
PROJECT No. 1538021	CONTROL 012
	Rev. B
	FIGURE <b>1</b>

Path: R:\01\_Client\BAC\1538021\Programs\AutoPrecinct\1538021\_012\_RevB\_F001-Auto\_Mail\_Stage 1 ASS\_Report.mxd

THIS MEASUREMENT DOES NOT MATCH WITH THE OTHER SIDE HAS BEEN PHOTOGRAPHED FROM 25mm



# **APPENDIX A**

## **Borehole Logs**





# REPORT OF BOREHOLE: AM-BH10/MW10

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509477.0 m E 6969430.4 m N MGA94 56  
 SURFACE RL: 3.14 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description			
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
			-1.0							
			0.15	ASS 0.00-0.25 m R = 0A PID = 0.8 ppm	SM		TOPSOIL: Silty SAND fine to medium grained, brown, with some fine to medium, sub-angular gravel	D - M		650 mm stick up PVC 50 mm dia. PVC
			2.99	ASS 0.25-0.50 m R = 0B J 0.25-0.50 m R = 0B	CH		CLAY high plasticity, dark grey			Concrete
			0.5	ASS 0.50-0.75 m R = 0B PID = 0.6 ppm						Bentonite seal
			1.10	ASS 0.75-1.00 m R = 0B J 0.75-1.00 m R = 0B						
			2.04	ASS 1.00-1.25 m R = 0B PID = 0.8 ppm			trace rootlets from 1.1 m to 1.15 m			
			1.5	ASS 1.25-1.50 m R = 0B						
			2.0	ASS 1.50-1.75 m R = 0B PID = 1.3 ppm						Filter sand
			2.5	ASS 1.75-2.00 m R = 0B J 1.75-2.00 m R = 0B						0.4 mm aperture slots
			3.0	ASS 2.00-2.25 m R = 0B PID = 1.8 ppm						
			3.0	ASS 2.25-2.50 m R = 0B						End cap
			3.0	ASS 2.50-2.75 m R = 0B PID = 1.8 ppm						
			3.0	ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B						
			3.0	END OF BOREHOLE @ 3.00 m TARGET DEPTH STANDPIPE INSTALLED						
			3.5							
			4.0							

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH13

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509616.0 m E 6968587.8 m N MGA94 56  
 SURFACE RL: 4.22 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	4.22	ASS 0.00-0.25 m R = 0A PID = 4.5 ppm		SM	Silty SAND fine to medium grained, brown, trace rootlets	D		TOPSOIL
			0.20	4.02	ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A		CI	Sandy CLAY medium plasticity, red brown, fine to medium sand			FILL
			0.50	3.72	ASS 0.50-0.75 m R = 0A PID = 4.4 ppm			some fine to medium, sub-angular gravel from 0.5 m to 0.75 m	D - M		
			0.75	3.47	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A		GW	Sandy Clayey GRAVEL fine to medium grained, to 20 mm, sub-angular, pale brown, fine to coarse sand			
			1.00	3.22	ASS 1.00-1.25 m R = 0A PID = 5.5 ppm		GW	Clayey Sandy GRAVEL fine to medium grained, to 15 mm, sub-angular, red brown, fine to coarse sand			
			1.25	2.97	ASS 1.25-1.50 m R = 0A			change to dark grey	D		
			1.50	1.65	ASS 1.50-1.75 m R = 0B PID = 4.7 ppm						
			1.65	2.57	ASS 1.75-2.00 m R = 0B J 1.75-2.00 m R = 0B		CH	Silty CLAY high plasticity, dark grey black			NATURAL
			2.00		ASS 2.00-2.25 m R = 0B PID = 3.3 ppm				M		
			2.35	1.87	ASS 2.25-2.50 m R = 0B						
			2.50		ASS 2.50-2.75 m R = 0B PID = 3.4 ppm		SC	Clayey SAND fine to medium grained, dark grey, medium to high plasticity clay	M - W		
			2.75		ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B				W		
			3.00	1.22				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED			

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH14/MW14

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509585.9 m E 6968479.0 m N MGA94 56  
 SURFACE RL: 4.08 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 2.80 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description				
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
			-1.0								
				4.08	ASS 0.00-0.25 m R = 0A PID = 0.6 ppm		SM	TOPSOIL: Silty SAND fine to medium grained, brown, trace rootlets			
				0.20							
				3.88							
				0.35	ASS 0.25-0.50 m R = 0A		GP	FILL: Clayey GRAVEL fine to medium grained, to 12 mm, sub-angular to angular, grey, medium to high plasticity clay, with some fine to medium grain sand			
				3.73	J 0.25-0.50 m R = 0A		CH	FILL: CLAY high plasticity, brown, with some fine to medium grain sand			
				0.55	ASS 0.50-0.75 m R = 0A PID = 0.7 ppm		GM	FILL: Silty SAND fine to medium grained, to 15 mm, angular, grey, fine to coarse sand			
				3.53							
				1.10	ASS 0.75-1.00 m R = 0A						
				2.98	ASS 1.00-1.25 m R = 1A PID = 0.7 ppm		CL-CI	Sandy CLAY low to medium plasticity, grey mottled yellow, fine to medium sand, with some fine, sub-angular grain gravel			
				1.20							
				2.88							
				1.30	ASS 1.25-1.50 m R = 0A		CI-CH	CLAY high plasticity, red brown, trace fine, sub-angular grain gravel			
				2.78							
				1.45	ASS 1.50-1.75 m R = 1A PID = 0.6 ppm		CH	Silty CLAY medium to high plasticity, dark grey brown			
				2.63							
					ASS 1.75-2.00 m R = 1A						
					J 1.75-2.00 m R = 1A						
				2.15	ASS 2.00-2.25 m R = 1A PID = 0.7 ppm		CI	Sandy CLAY medium plasticity, grey mottled orange, fine to medium sand			
				1.93							
				2.45	ASS 2.25-2.50 m R = 1A						
				1.63	ASS 2.50-2.75 m R = 0A PID = 1 ppm		SC	Clayey SAND fine to medium grained, brown, medium to high plasticity clay			
					ASS 2.75-2.80 m R = 0A J 2.75-2.80 m R = 0A			END OF BOREHOLE @ 2.80 m TARGET DEPTH STANDPIPE INSTALLED			
				1.28							
				3.0							
				3.5							
				4.0							

GAP 8-10.0 LIB\GIB Log GAP NON-CORED FULL PAGE 1538021 - BAC AUTOPRECINCT.GPJ <-DrawingFile>> 22/11/2016 16:11 8:30:04 Datgel Tools

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH15/MW15

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509902.6 m E 6968555.4 m N MGA94 56  
 SURFACE RL: 3.14 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 7/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description				
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
				-1.0							
				-0.5							
				0.0	3.14 0.10 3.04	ASS 0.00-0.25 m R = 0A J 0.00-0.10 m R = 0A PID = 6.5 ppm	SM	TOPSOIL: Silty SAND fine to medium grained, dark brown, trace rootlets			
				0.35	0.40	ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A PID = 6.8 ppm	SM	Silty SAND fine to medium grained, pale yellow			
				0.55	2.59	ASS 0.50-0.75 m R = 1B PID = 6.8 ppm	CH	CLAY high plasticity, brown mottled orange, trace fine to coarse sand			
				1.0		ASS 0.75-1.00 m R = 0B J 0.75-1.00 m R = 0B PID = 7.8 ppm		CLAY high plasticity, grey, with some fine to medium sand			
				1.5		ASS 1.00-1.25 m R = 0B PID = 7.8 ppm					
				1.5		ASS 1.25-1.50 m R = 0B PID = 9 ppm					
				1.5		ASS 1.50-1.75 m R = 0B PID = 9 ppm					
				2.0	1.80 1.34	ASS 1.75-2.00 m R = 1B J 1.75-2.00 m R = 1B PID = 7.2 ppm	CI	Sandy CLAY medium plasticity, grey mottled orange, fine to medium sand			
				2.0		ASS 2.00-2.25 m R = 1B PID = 7.2 ppm					
				2.5	2.40 0.74	ASS 2.25-2.50 m R = 1B PID = 5.5 ppm	SC	Clayey SAND fine to medium grained, dark grey, trace timber up to 10 mm dia			
				2.5		ASS 2.50-2.75 m R = 0B PID = 5.5 ppm					
				3.0	2.70 0.44	ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B PID = 5.5 ppm	CH	CLAY medium to high plasticity, dark grey, with some fine to medium sand			
				3.0		END OF BOREHOLE @ 3.00 m TARGET DEPTH STANDPIPE INSTALLED					
				3.5							
				4.0	0.14						

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH16/MW16

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510075.2 m E 6968683.3 m N MGA94 56  
 SURFACE RL: 2.42 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 7/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description			
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
			-1.0							
			-0.5							
			-0.0	2.42 0.15 2.27	ASS 0.00-0.25 m R = 0A PID = 3.5 ppm	CI-CH	Silty CLAY medium to high plasticity, dark brown, with some fine to medium grain sand, trace rootlets	D		650 mm stick up PVC 50 mm dia. PVC Concrete Bentonite seal
			0.5		ASS 0.25-0.50 m R = 1B J 0.25-0.50 m R = 1B ASS 0.50-0.75 m R = 1B PID = 2.9 ppm		CLAY high plasticity, grey mottled orange			
			1.0		ASS 0.75-1.00 m R = 1B J 0.75-1.00 m R = 1B ASS 1.00-1.25 m R = 1B PID = 2.3 ppm			M		
			1.5	1.30 1.12	ASS 1.25-1.50 m R = 1B		with some fine to medium sand from 1.3 m to 2.1 m			
			2.0		ASS 1.50-1.75 m R = 1B PID = 3.4 ppm ASS 1.75-2.00 m R = 1B J 1.75-2.00 m R = 1B ASS 2.00-2.25 m R = 1B PID = 3.4 ppm			M-W	Filter sand 0.4 mm aperture slots	
			2.5	2.10 0.32	ASS 2.25-2.50 m R = 0B	SC	Clayey SAND fine to medium grained, dark grey mottled green			
			3.0	2.60 -0.18	ASS 2.50-2.75 m R = 0B PID = 2.5 ppm ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B	CI	Sandy CLAY medium plasticity, dark grey, fine to medium sand	W		
			3.0	2.85 -0.43	ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B	SC	Clayey SAND fine to medium grained, dark grey			
			3.0	-0.58			END OF BOREHOLE @ 3.00 m TARGET DEPTH STANDPIPE INSTALLED			End cap
			3.5							
			4.0							

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH18

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509880.4 m E 6968707.0 m N MGA94 56  
 SURFACE RL: 2.75 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	2.75	ASS 0.00-0.25 m R = 0A PID = 2.1 ppm		GP	Silty Sandy GRAVEL fine to medium grained, to 15 mm, angular, grey, fine to medium sand, trace rootlets	D		FILL
			0.40	2.35	ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A		CI	Sandy CLAY medium plasticity, brown, fine to medium sand	M		NATURAL
			0.50	0.80	ASS 0.50-0.75 m R = 0A PID = 2.6 ppm		CH	CLAY high plasticity, grey			
			0.80	1.95	ASS 0.75-1.00 m R = 0B J 0.75-1.00 m R = 0B		CI	Sandy CLAY medium to high plasticity, grey mottled orange, fine sand	M-W		
			1.00	1.10	ASS 1.00-1.25 m R = 0B PID = 2.3 ppm		CI	Sandy CLAY medium to high plasticity, grey mottled orange, fine sand			
			1.10	1.65	ASS 1.25-1.50 m R = 0B		SC	Clayey SAND fine to medium grained, grey mottled orange, medium to high plasticity clay	W		
			1.50	2.05	ASS 1.50-1.75 m R = 0B PID = 2.3 ppm		SC	Clayey SAND fine to medium grained, grey mottled orange, medium to high plasticity clay			
			2.05	0.70	ASS 1.75-2.00 m R = 0B J 1.75-2.00 m R = 1B		SC	Clayey SAND fine to medium grained, grey mottled orange, medium to high plasticity clay	W		
			2.25	2.05	ASS 2.00-2.25 m R = 1B PID = 2.1 ppm		SC	Clayey SAND fine to medium grained, grey mottled orange, medium to high plasticity clay			
			2.50	2.90	ASS 2.25-2.50 m R = 1B PID = 1.7 ppm		SC	Clayey SAND fine to medium grained, grey mottled orange, medium to high plasticity clay	W		
			2.75	2.90	ASS 2.50-2.75 m R = 1B PID = 1.7 ppm		SC	Clayey SAND fine to medium grained, grey mottled orange, medium to high plasticity clay			
			2.90	-0.15	ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B		CL-CI	Sandy CLAY low to medium plasticity, dark grey, fine to medium sand			
			3.00	-0.25				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED			

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH24

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509682.3 m E 6968611.5 m N MGA94 56  
 SURFACE RL: 4.19 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
PT	L	06/10/16	0.0	4.19	ASS 0.00-0.25 m R = 0A		SM	Silty SAND fine to medium grained, brown, trace rootlets	D		TOPSOIL
			0.15	4.04	ASS 0.25-0.50 m R = 0A		GW	Silty Sandy GRAVEL fine to medium grained, to 15 mm, angular, grey, fine to coarse sand			FILL
			0.40	3.79	J 0.25-0.50 m R = 0A		GC	Clayey GRAVEL fine to medium grained, to 10 mm, sub-angular, red grey, medium to high plasticity clay, with some fine to medium grain sand	D - M		
			0.5	0.80	ASS 0.50-0.75 m R = 0A		CI-CH	CLAY medium to high plasticity, dark grey mottled green, with some fine to medium grain, rounded gravel			NATURAL
			0.80	3.39	J 0.75-1.00 m R = 0A						
			1.0	1.30	ASS 1.00-1.25 m R = 0A						
			1.10	2.89	J 1.10-1.20 m R = 1A						
			1.25	1.45	ASS 1.25-1.50 m R = 0A		ML-MH	Clayey Sandy SILT low to medium liquid limit, pale red mottled white, fine to medium sand, with some medium grain, sub-angular to angular gravel			
			1.5	2.74	ASS 1.50-1.75 m R = 0A		CH	CLAY medium to high plasticity, dark grey, with some fine to medium grain sand	M		
			1.75	2.05	ASS 1.75-2.00 m R = 1B						
			2.0	2.14	J 1.75-2.00 m R = 1B						
			2.05	2.35	ASS 2.00-2.25 m R = 0B						
2.25	1.84	ASS 2.25-2.50 m R = 1B		SC	Clayey SAND fine to medium grained, brown grey, medium to high plasticity clay	M - W					
2.5	1.84	ASS 2.50-2.75 m R = 1B									
2.75	1.84	J 2.75-3.00 m R = 1B									
3.0	1.19	ASS 2.75-3.00 m R = 1B									
			3.0	1.19	END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED						

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH25

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509624.7 m E 6968635.0 m N MGA94 56  
 SURFACE RL: 3.79 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description						
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED	GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	3.79	ASS 0.00-0.25 m R = 0A PID = 5.9 ppm			SM	Silty SAND fine to medium grained, brown, trace rootlets	D		TOPSOIL
			0.15	3.64				SM	Silty Gravelly SAND fine to medium grained, brown, fine to medium, sub-angular gravel			FILL
			0.25	3.54	ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A			CL-CH	Silty CLAY medium to high plasticity, dark grey black, with some fine to coarse grain sand, trace rootlets	D - M		NATURAL
			0.5	0.70	ASS 0.50-0.75 m R = 0A J 0.50-0.60 m R = 1A				NO SAMPLE RECOVERED			
			1.0	3.09								
			1.5	1.50	ASS 1.50-1.75 m R = 0B PID = 8 ppm			CH	CLAY high plasticity, dark grey mottled green, with some fine to coarse grain sand	M		
			2.0	2.29	ASS 1.75-2.00 m R = 1B J 1.75-2.00 m R = 1B							
			2.5	2.15	ASS 2.00-2.25 m R = 0B PID = 5.8 ppm			CL-CI	Sandy CLAY low to medium plasticity, grey mottled orange, fine to medium sand	M - W		
			3.0	1.64	ASS 2.25-2.50 m R = 0A							
			3.5	2.70	ASS 2.50-2.75 m R = 0A PID = 4.4 ppm			SC	Clayey SAND fine to medium grained, brown grey	W		
			4.0	1.09	ASS 2.75-3.00 m R = 0A J 2.75-3.00 m R = 0A							
			4.5	0.79					END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED			
			5.0									

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.





# REPORT OF BOREHOLE: AM-BH26

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509604.2 m E 6968536.0 m N MGA94 56  
 SURFACE RL: 4.03 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	4.03	ASS 0.00-0.25 m R = 0A PID = 3.6 ppm		SM	Silty SAND fine to medium grained, brown, trace rootlets			TOPSOIL
			0.30	3.73	ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A		GM	Silty Sandy GRAVEL fine to medium grained, to 15 mm, angular, grey, fine to coarse sand		D	FILL
			0.60	3.43	ASS 0.50-0.75 m R = 0A PID = 4.4 ppm		GP	GRAVEL fine to medium grained, to 12 mm, angular, grey, with some fine to coarse grain sand			
			0.70	3.33	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A		GW	GRAVEL fine to medium grained, to 12 mm, angular, grey, with some fine to coarse grain sand			
			0.80	3.23	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A		CI	Silty Sandy GRAVEL fine to medium grained, to 10 mm, angular, grey, fine to coarse sand			
			1.05	2.93	ASS 1.00-1.25 m R = 0A PID = 4.7 ppm		GP	Sandy CLAY medium plasticity, grey brown, fine to coarse sand, with some fine grain, sub-angular gravel		D - M	NATURAL
			1.10	2.73	ASS 1.25-1.50 m R = 0A		CH	GRAVEL fine to medium grained, to 20 mm, angular, grey, with some fine to coarse grain sand			
			1.30	2.30	ASS 1.50-1.75 m R = 0B PID = 4.8 ppm		CH	Silty CLAY medium to high plasticity, grey brown, with some fine to coarse grain sand			
			1.75	2.28	ASS 1.75-2.00 m R = 1B J 1.75-2.00 m R = 1B			CLAY high plasticity, dark brown			
			2.00	2.30	ASS 2.00-2.25 m R = 0B PID = 4.3 ppm			mottled black from 1.75 m to 2.0 m		M	
			2.30	1.73	ASS 2.25-2.50 m R = 0A		SC	Clayey SAND fine to medium grained, brown grey		M - W	
			2.50		ASS 2.50-2.75 m R = 0A PID = 3.7 ppm						
			2.75		ASS 2.75-3.00 m R = 0A J 2.75-3.00 m R = 0A					W	
			3.00	1.03				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED			

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH29

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510018.4 m E 6968636.0 m N MGA94 56  
 SURFACE RL: 2.95 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 7/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling		Field Material Description								
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS	
			0.0	0.05	ASS 0.00-0.25 m R = 0A J 0.00-0.10 m R = 0A PID = 9 ppm		SM	Silty SAND fine to medium grained, dark brown, trace rootlets				TOPSOIL FILL	
			0.30	2.90	ASS 0.25-0.50 m R = 1A J 0.25-0.50 m R = 1A ASS 0.50-0.75 m R = 1A PID = 9.1 ppm		CI-CH	Silty CLAY medium to high plasticity, dark brown, with some fine to medium grain sand, trace rootlets mottled orange from 0.3 m to 1.0 m					
			1.00	2.65	ASS 0.75-1.00 m R = 1B J 0.75-1.00 m R = 1B								
			1.50	1.95	ASS 1.00-1.25 m R = 1B PID = 9.2 ppm			CI	Sandy CLAY medium plasticity, dark grey mottled orange, fine to medium sand				NATURAL
			2.00	1.50	ASS 1.25-1.50 m R = 1B								
			2.50	1.45	ASS 1.50-1.75 m R = 1B PID = 9.2 ppm			SC	Clayey SAND fine to medium grained, dark grey mottled orange				
			3.00	2.85	ASS 1.75-2.00 m R = 1B J 1.75-2.00 m R = 1B								
			3.00	2.85	ASS 2.00-2.25 m R = 1B PID = 9.5 ppm								
			3.00	2.85	ASS 2.25-2.50 m R = 1B								
			3.00	2.85	ASS 2.50-2.75 m R = 1B PID = 4 ppm								
			3.00	2.85	ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B		CI	Sandy CLAY medium plasticity, dark grey, fine to medium sand					
			3.00	-0.05				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED					

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH30

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510351.3 m E 6969177.0 m N MGA94 56  
 SURFACE RL: 2.74 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 10/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	2.74	ASS 0.00-0.25 m R = 0A PID = 3.2 ppm		ML-MH	Clayey Sandy SILT medium liquid limit, brown, fine to medium sand, trace rootlets				NATURAL
			0.20	2.54	ASS 0.25-0.50 m R = 0A		CI-CH	Silty CLAY medium to high plasticity, grey brown, with some fine to medium grain sand, trace rootlets				
			0.40	2.34	J 0.25-0.50 m R = 0A		CH	Silty CLAY high plasticity, dark grey				
			0.5	0.85	ASS 0.50-0.75 m R = 0A PID = 3.9 ppm							
			0.85	1.89	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A		CH	Silty CLAY high plasticity, brown grey, with some fine to medium grain sand				
			1.0	1.15	ASS 1.00-1.25 m R = 0A PID = 4.2 ppm				trace fine to medium sand from 1.15 m to 1.35 m			
			1.15	1.59	ASS 1.25-1.50 m R = 0A				colour change to dark grey			
			1.40	1.34	ASS 1.50-1.75 m R = 0A PID = 4 ppm							
			1.5		ASS 1.75-2.00 m R = 0A J 1.75-2.00 m R = 0A							
			2.0		ASS 2.00-2.25 m R = 0A PID = 3.4 ppm							
			2.5		ASS 2.25-2.50 m R = 0A							
			2.5		ASS 2.50-2.75 m R = 0A PID = 4.4 ppm							
			3.0		J 2.75-3.00 m R = 0A							
			3.0	-0.26				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED				

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH31/MW31

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510224.5 m E 6969041.3 m N MGA94 56  
 SURFACE RL: 2.75 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 10/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description				
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
			-1.0								
				2.75	ASS 0.00-0.25 m R = 1A PID = 2.8 ppm	ML-MH	CH	Clayey Sandy SILT medium liquid limit, brown, fine to medium sand, trace rootlets			
				2.65	ASS 0.25-0.50 m R = 1A J 0.25-0.50 m R = 1A			Silty CLAY medium to high plasticity, brown mottled orange, with some fine to medium grain sand			
				0.50	ASS 0.50-0.75 m R = 0A PID = 3.3 ppm		CH	CLAY high plasticity, dark grey			
				0.95	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A		CI	Sandy CLAY dark grey, fine to medium sand			
				1.00	ASS 1.00-1.25 m R = 0A PID = 3.6 ppm		SC	Clayey SAND fine to medium grained, grey			
				1.75	ASS 1.25-1.50 m R = 0A		CH	CLAY high plasticity, dark grey			
				1.10	ASS 1.50-1.75 m R = 0A PID = 3.3 ppm						
				1.65	ASS 1.75-2.00 m R = 0A J 1.75-2.00 m R = 0A						
				2.35	ASS 2.00-2.25 m R = 0A PID = 3.1 ppm						
				0.40	ASS 2.25-2.50 m R = 0A						
				2.45	ASS 2.50-2.75 m R = 0A PID = 2.6 ppm		CI	Sandy CLAY medium plasticity, dark grey, fine to medium sand			
				0.20	ASS 2.75-3.00 m R = 0A J 2.75-3.00 m R = 0A		SC	Clayey SAND fine to medium grained, dark grey			
				0.10			SM	Silty SAND fine to medium grained, dark grey, with some low to medium plasticity clay			
				-0.25				END OF BOREHOLE @ 3.00 m TARGET DEPTH STANDPIPE INSTALLED			

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH32

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510120.5 m E 6969060.4 m N MGA94 56  
 SURFACE RL: 2.64 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 10/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description				
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
PT	L	10/10/16	0.0	2.64	ASS 0.00-0.25 m R = 0A PID = 2.6 ppm		ML-MH	Clayey Sandy SILT medium liquid limit, brown, fine to medium sand, trace rootlets	D - M		NATURAL
			0.50	0.50	ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A		CH	CLAY high plasticity, dark grey			
			2.14	2.14	ASS 0.50-0.75 m R = 0A PID = 2.3 ppm		CH	CLAY high plasticity, dark grey			
			1.00	1.00	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A		CH	CLAY high plasticity, dark grey			
			1.25	1.25	ASS 1.00-1.25 m R = 0A PID = 2.3 ppm		CH	CLAY high plasticity, dark grey			
			1.39	1.39	ASS 1.25-1.50 m R = 0A		CI	Sandy CLAY medium plasticity, dark grey, fine to medium sand, trace rootlets			
			1.35	1.35	ASS 1.25-1.50 m R = 0A		CH	Silty CLAY high plasticity, dark grey			
			1.29	1.29	ASS 1.50-1.75 m R = 0A PID = 2.9 ppm		CH	Silty CLAY high plasticity, dark grey			
			1.80	1.80	ASS 1.75-2.00 m R = 0A J 1.75-2.00 m R = 0A		CH	Silty CLAY high plasticity, dark grey			
			0.84	0.84	ASS 1.75-2.00 m R = 0A J 1.75-2.00 m R = 0A		CH	Silty CLAY high plasticity, dark grey			
			2.00	2.00	ASS 2.00-2.25 m R = 0A PID = 2.7 ppm		CH	Silty CLAY high plasticity, dark grey			
			2.50	2.50	ASS 2.25-2.50 m R = 0A		CH	Silty CLAY high plasticity, dark grey			
2.70	2.70	ASS 2.50-2.75 m R = 0A PID = 2.6 ppm	CH	Silty CLAY high plasticity, dark grey							
-0.06	-0.06	ASS 2.75-3.00 m R = 0A	CI	Sandy CLAY medium plasticity, dark grey, fine to medium sand							
2.85	2.85	J 2.75-3.00 m R = 0A	SC	increasing sand content, fine to medium grain							
-0.21	-0.21	J 2.75-3.00 m R = 0A	SC	Clayey SAND fine to medium grained, grey, trace rootlets							
-0.36	-0.36			END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED							

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# **APPENDIX B**


## **Laboratory Documents**

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

Sheet..... of.....

<b>Project ID:</b>	1538021	<b>Quote/Order No.:</b>	EN/002/15	<b>GOLDER ASSOCIATES PTY LTD</b>	<b>Phone:</b>	(07) 3721 5400																																																																																																																																																																																																																																																																												
<b>Site/Address:</b>	Brisbane Airport	<b>Lab Name:</b>	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	<b>Fax:</b>	(07) 3721 5401																																																																																																																																																																																																																																																																												
<b>Sampled By:</b>	Morgan Midgley	<b>BY:</b>		<b>Invoice to be sent to Accounts:</b>	auaccounts payable@golder.com.au																																																																																																																																																																																																																																																																													
<b>Container (Type):</b>	5																																																																																																																																																																																																																																																																																	
<b>Report Format:</b>	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	<b>Project Manager:</b> Krystle-Rae Biram																																																																																																																																																																																																																																																																																
<b>Email Format:</b>	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	<b>Contact Phone:</b> 07 37215400																																																																																																																																																																																																																																																																																
<b>Comments/Special Instructions:</b>		<b>ANALYSIS REQUIRED</b>																																																																																																																																																																																																																																																																																
Samples from a declared Fire Ant Area: <b>Y</b>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="2">SAMPLE ID</td> <td rowspan="2">Location &amp; Depth</td> <td rowspan="2">SAMPLE MATRIX</td> <td rowspan="2">SAMPLE DATE</td> <td rowspan="2">SAMPLE TIME</td> <td rowspan="2">CONTAINER/PRESERVATIVE</td> <td rowspan="2">Storage</td> <td rowspan="2">No CONTAINERS</td> <td rowspan="2">POSSIBLE HIGH CONCENTRATION</td> <td>HOLD</td> <td>EA017 - pH/pHFOX - Fast Screen</td> <td>EN020PR - dry 85°C and pulvise</td> <td>S26 - SC TRH(C6-C40)/BTEX/PAH plus 8 metals - silica gel cleanup</td> <td>OC Pesticides - standard levels</td> <td>PFAS - extended suite 28 parameters</td> <td>S-2 &amp; metals</td> <td>zinc/cadmium</td> <td>titanium</td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr><td>1</td><td>AM-BH26</td><td>0</td><td>0.25</td><td>soil</td><td>6/10/2016</td><td></td><td>bag</td><td>1</td><td>N</td><td></td><td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>2</td><td>AM-BH26</td><td>0.25</td><td>0.5</td><td>soil</td><td>6/10/2016</td><td></td><td>bag+2jar</td><td>3</td><td>N</td><td></td><td>X</td><td>X</td><td>X</td><td></td><td></td><td></td><td></td></tr> <tr><td>3</td><td>AM-BH26</td><td>0.5</td><td>0.75</td><td>soil</td><td>6/10/2016</td><td></td><td>bag</td><td>1</td><td>N</td><td></td><td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>4</td><td>AM-BH26</td><td>0.75</td><td>1</td><td>soil</td><td>6/10/2016</td><td></td><td>bag+jar</td><td>2</td><td>N</td><td></td><td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>5</td><td>AM-BH26</td><td>1</td><td>1.25</td><td>soil</td><td>6/10/2016</td><td></td><td>bag</td><td>1</td><td>N</td><td></td><td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>6</td><td>AM-BH26</td><td>1.25</td><td>1.5</td><td>soil</td><td>6/10/2016</td><td></td><td>bag</td><td>1</td><td>N</td><td></td><td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>7</td><td>AM-BH26</td><td>1.5</td><td>1.75</td><td>soil</td><td>6/10/2016</td><td></td><td>bag</td><td>1</td><td>N</td><td></td><td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>8</td><td>AM-BH26</td><td>1.75</td><td>2</td><td>soil</td><td>6/10/2016</td><td></td><td>bag+2 jars</td><td>3</td><td>N</td><td></td><td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>9</td><td>AM-BH26</td><td>2</td><td>2.25</td><td>soil</td><td>6/10/2016</td><td></td><td>bag</td><td>1</td><td>N</td><td></td><td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>10</td><td>AM-BH26</td><td>2.25</td><td>2.5</td><td>soil</td><td>6/10/2016</td><td></td><td>bag</td><td>1</td><td>N</td><td></td><td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>11</td><td>AM-BH26</td><td>2.5</td><td>2.75</td><td>soil</td><td>6/10/2016</td><td></td><td>bag</td><td>1</td><td>N</td><td></td><td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>12</td><td>AM-BH26</td><td>2.75</td><td>3</td><td>soil</td><td>6/10/2016</td><td></td><td>bag+jar</td><td>2</td><td>N</td><td></td><td>X</td><td>X</td><td></td><td>X</td><td></td><td></td><td></td></tr> <tr><td>13</td><td>AM-BH26</td><td>0</td><td>0.1</td><td>soil</td><td>6/10/2016</td><td></td><td>jar</td><td>1</td><td>N</td><td></td><td></td><td></td><td></td><td></td><td>X</td><td>X</td><td>X</td></tr> </table>					SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA017 - pH/pHFOX - Fast Screen	EN020PR - dry 85°C and pulvise	S26 - SC TRH(C6-C40)/BTEX/PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters	S-2 & metals	zinc/cadmium	titanium																	1	AM-BH26	0	0.25	soil	6/10/2016		bag	1	N		X	X						2	AM-BH26	0.25	0.5	soil	6/10/2016		bag+2jar	3	N		X	X	X					3	AM-BH26	0.5	0.75	soil	6/10/2016		bag	1	N		X	X						4	AM-BH26	0.75	1	soil	6/10/2016		bag+jar	2	N		X	X						5	AM-BH26	1	1.25	soil	6/10/2016		bag	1	N		X	X						6	AM-BH26	1.25	1.5	soil	6/10/2016		bag	1	N		X	X						7	AM-BH26	1.5	1.75	soil	6/10/2016		bag	1	N		X	X						8	AM-BH26	1.75	2	soil	6/10/2016		bag+2 jars	3	N		X	X						9	AM-BH26	2	2.25	soil	6/10/2016		bag	1	N		X	X						10	AM-BH26	2.25	2.5	soil	6/10/2016		bag	1	N		X	X						11	AM-BH26	2.5	2.75	soil	6/10/2016		bag	1	N		X	X						12	AM-BH26	2.75	3	soil	6/10/2016		bag+jar	2	N		X	X		X				13	AM-BH26	0	0.1	soil	6/10/2016		jar	1	N						X	X	X
SAMPLE ID	Location & Depth															SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA017 - pH/pHFOX - Fast Screen	EN020PR - dry 85°C and pulvise	S26 - SC TRH(C6-C40)/BTEX/PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters	S-2 & metals	zinc/cadmium	titanium																																																																																																																																																																																																																																																			
1	AM-BH26						0	0.25	soil	6/10/2016		bag	1	N		X	X																																																																																																																																																																																																																																																																	
2	AM-BH26						0.25	0.5	soil	6/10/2016		bag+2jar	3	N		X	X	X																																																																																																																																																																																																																																																																
3	AM-BH26						0.5	0.75	soil	6/10/2016		bag	1	N		X	X																																																																																																																																																																																																																																																																	
4	AM-BH26						0.75	1	soil	6/10/2016		bag+jar	2	N		X	X																																																																																																																																																																																																																																																																	
5	AM-BH26						1	1.25	soil	6/10/2016		bag	1	N		X	X																																																																																																																																																																																																																																																																	
6	AM-BH26						1.25	1.5	soil	6/10/2016		bag	1	N		X	X																																																																																																																																																																																																																																																																	
7	AM-BH26						1.5	1.75	soil	6/10/2016		bag	1	N		X	X																																																																																																																																																																																																																																																																	
8	AM-BH26						1.75	2	soil	6/10/2016		bag+2 jars	3	N		X	X																																																																																																																																																																																																																																																																	
9	AM-BH26						2	2.25	soil	6/10/2016		bag	1	N		X	X																																																																																																																																																																																																																																																																	
10	AM-BH26						2.25	2.5	soil	6/10/2016		bag	1	N		X	X																																																																																																																																																																																																																																																																	
11	AM-BH26						2.5	2.75	soil	6/10/2016		bag	1	N		X	X																																																																																																																																																																																																																																																																	
12	AM-BH26						2.75	3	soil	6/10/2016		bag+jar	2	N		X	X		X																																																																																																																																																																																																																																																															
13	AM-BH26	0	0.1	soil	6/10/2016		jar	1	N						X	X	X																																																																																																																																																																																																																																																																	
Samples taken from a known Weed and or Pest Area: <b>N</b>																																																																																																																																																																																																																																																																																		

**Environmental Division**  
**Brisbane**  
 Work Order Reference  
**EB1624693**



Telephone - 61-7-3243 7222

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

<b>SIGNATURE</b>	Morgan Midgley	<b>COMPANY</b>	GOLDER	<b>DATE</b>	14-10-16	<b>TIME</b>		<b>SIGNATURE</b>	[Signature]	<b>COMPANY</b>	GA	<b>DATE</b>	14-10-16	<b>TIME</b>		<b>Shipment Method</b>	Shipping Ref:																																																																			
<b>RELEASED BY</b>		<b>RECEIVED BY</b>	CHRES	<b>COMPANY</b>	ALS	<b>DATE</b>	14/10/16	<b>TIME</b>	1600																																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="8"><b>TO BE FILLED OUT BY ANALYSIS LABORATORY</b></td> <td colspan="9"><b>LAB BATCH NUMBER</b></td> </tr> <tr> <td>Sample Sent</td> <td>Chosen</td> <td>Prepared</td> <td>Address</td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Suitable Container</td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td>Cell Box</td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>																	<b>TO BE FILLED OUT BY ANALYSIS LABORATORY</b>								<b>LAB BATCH NUMBER</b>									Sample Sent	Chosen	Prepared	Address														Suitable Container																	Cell Box																
<b>TO BE FILLED OUT BY ANALYSIS LABORATORY</b>								<b>LAB BATCH NUMBER</b>																																																																												
Sample Sent	Chosen	Prepared	Address																																																																																	
Suitable Container																																																																																				
Cell Box																																																																																				

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT  
 RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE  
 WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIERS; LABORATORY ON RECEIPT OF SAMPLES.**

# SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sheet ..... of.....

	1538021	Order No. <b>EN/002/15</b>	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Location:	Brisbane Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064
Sampled By:	Morgan Midgley			Invoice to be sent to Accounts: <a href="mailto:aunccountspayable@golder.com.au">aunccountspayable@golder.com.au</a>
Turnaround (Days):	5	BY:		Project Manager: Krystle-Rae Biram
Report Format:	HARD <input type="checkbox"/>	FAX <input type="checkbox"/>	DISK <input type="checkbox"/>	EMAIL <input checked="" type="checkbox"/>
Print Format:	BULLETIN BOARD <input type="checkbox"/>		Contact Phone: 07 37215400	Email: KBiram@golder.com.au



**Comments/Special Instructions:**  
 Samples from a declared Fire Ant Area: **Y**  
 Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
14	AM-BH18	0 0.25	soil	6/10/2016		bag		1	N
15	AM-BH18	0.25 0.5	soil	6/10/2016		bag+2jar		3	N
16	AM-BH18	0.5 0.75	soil	6/10/2016		bag		1	N
17	AM-BH18	0.75 1	soil	6/10/2016		bag+jar		2	N
18	AM-BH18	1 1.25	soil	6/10/2016		bag		1	N
19	AM-BH18	1.25 1.5	soil	6/10/2016		bag		1	N
20	AM-BH18	1.5 1.75	soil	6/10/2016		bag		1	N
21	AM-BH18	1.75 2	soil	6/10/2016		bag+jar		2	N
22	AM-BH18	2 2.25	soil	6/10/2016		bag		1	N
23	AM-BH18	2.25 2.5	soil	6/10/2016		bag		1	N
24	AM-BH18	2.5 2.75	soil	6/10/2016		bag		1	N
25	AM-BH18	2.75 3	soil	6/10/2016		bag+jar		2	N

ANALYSIS REQUIRED												
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 850C and pulverise	S26 - SC TRH(CB-C40)/BTEXN /PAH Plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters							
	X	X	X	X	X							
	X	X	X	X								
	X	X										
	X	X										
	X	X										
	X	X										
	X	X										
	X	X										
	X	X										
	X	X										
	X	X										

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME
Morgan Midgley	GOLDER	14-10-16	
CHRES	ALS	14/10/16	1600

SIGNATURE	COMPANY	DATE	TIME	Shipment Method
<i>Morgan Midgley</i>	GA	14-10-16		Shipping Ref:

LAB BATCH NUMBER
Security Seal <input type="checkbox"/> Conf. <input type="checkbox"/>
Sample Container <input type="checkbox"/> Temp. <input type="checkbox"/>

**WARNING!**

SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA

DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE

FREEZE OR BAKE ENTIRE SAMPLE



SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

1538021	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Brisbane Airport	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Morgan Midgley		Invoice to be sent to Accounts: <a href="mailto:auaccounts@golder.com.au">auaccounts@golder.com.au</a>	
5	BY:	Project Manager: Krystle-Rae Biram	Contact Phone: 07 37215400
HARD <input type="checkbox"/>	FAX <input type="checkbox"/>	Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>	
DISK <input type="checkbox"/>	EMAIL <input checked="" type="checkbox"/>	BULLETIN BOARD <input type="checkbox"/>	
PDF <input checked="" type="checkbox"/>	Excel <input type="checkbox"/>	Other <input type="checkbox"/>	
Email Address: <a href="mailto:scurti@golder.com.au">scurti@golder.com.au</a>			

Comments/Special Instructions:

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
26	AM-BH24	0 0.25	soil	6/10/2016		bag		1	N
27	AM-BH24	0.25 0.5	soil	6/10/2016		bag+2jars		3	N
28	AM-BH24	0.5 0.75	soil	6/10/2016		bag		1	N
29	AM-BH24	0.75 1	soil	6/10/2016		bag+jar		2	N
30	AM-BH24	1 1.25	soil	6/10/2016		bag		1	N
31	AM-BH24	1.25 1.5	soil	6/10/2016		bag		1	N
32	AM-BH24	1.5 1.75	soil	6/10/2016		bag		1	N
33	AM-BH24	1.75 2	soil	6/10/2016		bag+jar		2	N
34	AM-BH24	2 2.25	soil	6/10/2016		bag		1	N
35	AM-BH24	2.25 2.5	soil	6/10/2016		bag		1	N
36	AM-BH24	2.5 2.75	soil	6/10/2016		bag		1	N
37	AM-BH24	2.75 3	soil	6/10/2016		bag+jar		2	N
38	AM-BH24	1.1 1.2	soil	6/10/2016		jar		1	N

ANALYSIS REQUIRED										
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85oC and pulverise	S26 - SC TRHICs- C40/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters					
	X	X								
	X	X	X	X	X					
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
X									X	

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14/10		Shipping Ref:
<i>CHAZS</i>	ALS	14/10/16	1600					

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

1538021	Order No.	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3724 5400
Brisbane Airport	Lab Name	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Morgan Midgley	Invoice to be sent to Accounts: auaccounts@payable@golder.com.au			
5	BY:	Project Manager: Krystle-Rae Biram		
HARD <input checked="" type="checkbox"/>	FAX <input type="checkbox"/>	DISK <input type="checkbox"/>	EMAIL <input checked="" type="checkbox"/>	BULLETIN BOARD <input type="checkbox"/>
PDF <input checked="" type="checkbox"/>	Excel <input type="checkbox"/>	Other <input type="checkbox"/>	Email Addr: scurti@golder.com.au	Contact Phone: 07 37215400
Comments/Special Instructions:			Email: KBiram@golder.com.au	

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	ANALYSIS REQUIRED						PFAS - extended suite 28 parameters		
									EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85°C and pulverise	S26 - SC TRHC8- C40/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels					
39 AM-BH10	0 0.25	soil	6/10/2016		bag	1	N		X	X							
40 AM-BH10	0.25 0.5	soil	6/10/2016		bag+2jar	3	N		X	X	X						
41 AM-BH10	0.5 0.75	soil	6/10/2016		bag	1	N		X	X							
42 AM-BH10	0.75 1	soil	6/10/2016		bag+jar	2	N		X	X							
43 AM-BH10	1 1.25	soil	6/10/2016		bag	1	N		X	X							
44 AM-BH10	1.25 1.5	soil	6/10/2016		bag	1	N		X	X							
45 AM-BH10	1.5 1.75	soil	6/10/2016		bag	1	N		X	X							
46 AM-BH10	1.75 2	soil	6/10/2016		bag+jar	2	N		X	X					X		
47 AM-BH10	2 2.25	soil	6/10/2016		bag	1	N		X	X							
48 AM-BH10	2.25 2.5	soil	6/10/2016		bag	1	N		X	X							
49 AM-BH10	2.5 2.75	soil	6/10/2016		bag	1	N		X	X							
50 AM-BH10	2.75 3	soil	6/10/2016		bag+jar	2	N		X	X							

SAMPLE MATRIX = Soil/Sediment/Fill/Other SAMPLE TYPE = Core(CR) HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14/10		Shipping Ref
<i>CHRES</i>	ALS	14/10/16	1600					
				TYPE LABELLED BY: Analytical Laboratory		LAB BATCH NUMBER		
				Search Seal		Original		Bill to
				Sealable Container		Proved		Address
				Container		Embroider		

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OF BAKT ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

<b>1538021</b>	<b>EN/002/15</b>	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
<b>Brisbane Airport</b>	<b>ALS Environmental</b>	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
<b>Morgan Midgley</b>	<b>BY:</b>	<b>Golder Associates</b>	
<b>5</b>	<b>3</b>	Invoice to be sent to Accounts: auaccounts payable@golder.com.au	
Report Format: HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		Project Manager: <b>Krystle-Rae Biram</b>	
Email Format: PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>		Contact Phone: <b>07 37215400</b> Email: <b>K.Biram@golder.com.au</b>	

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED																
									HOLD	EA037 - pHF/pHFOX - Fast Screen	EN020PR - dry 85oC and pulverise	S26 - SC TRH (C6-C40)/BTXN (PAH plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters											
51	AM-BH32 0 0.25	soil	10/10/2016		bag		1	N	X	X															
52	AM-BH32 0.25 0.5	soil	10/10/2016		bag+2jar		3	N	X	X		X													
53	AM-BH32 0.5 0.75	soil	10/10/2016		bag		1	N	X	X															
54	AM-BH32 0.75 1	soil	10/10/2016		bag+jar		2	N	X	X															
55	AM-BH32 1 1.25	soil	10/10/2016		bag		1	N	X	X															
56	AM-BH32 1.25 1.5	soil	10/10/2016		bag		1	N	X	X															
57	AM-BH32 1.5 1.75	soil	10/10/2016		bag		1	N	X	X															
58	AM-BH32 1.75 2	soil	10/10/2016		bag+jar		2	N	X	X															
59	AM-BH32 2 2.25	soil	10/10/2016		bag		1	N	X	X															
60	AM-BH32 2.25 2.5	soil	10/10/2016		bag		1	N	X	X															
61	AM-BH32 2.5 2.75	soil	10/10/2016		bag		1	N	X	X															
62	AM-BH32 2.75 3	soil	10/10/2016		bag+jar		2	N	X	X									X						

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
RELEASED BY: Morgan Midgley	GOLDER	14-10-16		RELEASED BY:				Shipping Ref:
RECEIVED BY: CMRS	ALS	14/10/16	1600	RECEIVED BY:				
RECEIVED BY:				TO BE FILLED OUT BY ANALYSING LABORATORY Lab Batch Number: _____ Suitable Containers: _____ Cool Box: _____ Checked: _____ Frozen: _____ Ambient: _____ Billing: _____ Address: _____				

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT  
 RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE  
 WITH DEP APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

Sheet ..... of.....

1538021	Client No. <b>EN/002/15</b>	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Brisbane Airport	Lab Name: <b>ALS Environmental</b>	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Morgan Midgley	<b>BY:</b>	 Invoice to be sent to Accounts: <a href="mailto:anaccounts@pagable.com.au">anaccounts@pagable.com.au</a>	
S	<b>BY:</b>	Project Manager: <b>Krystle-Rae Biram</b>	<a href="mailto:anaccounts@pagable.com.au">anaccounts@pagable.com.au</a>
Report Format: <input checked="" type="checkbox"/> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		Contact Phone: <b>07 37215400</b>	Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>
Email format: <input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address: <a href="mailto:scurji@golder.com.au">scurji@golder.com.au</a>		

**Comments/Special Instructions:**

<b>Samples from a declared Fire Ant Area:</b>	<b>Y</b>
<b>Samples taken from a known Weed and or Pest Area:</b>	<b>N</b>

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
63	AM-BH29 0 0.25	soil	7/10/2016		bag		1	N
64	AM-BH29 0.25 0.5	soil	7/10/2016		bag+2jar		3	N
65	AM-BH29 0.5 0.75	soil	7/10/2016		bag		1	N
66	AM-BH29 0.75 1	soil	7/10/2016		bag+jar		2	N
67	AM-BH29 1 1.25	soil	7/10/2016		bag		1	N
68	AM-BH29 1.25 1.5	soil	7/10/2016		bag		1	N
69	AM-BH29 1.5 1.75	soil	7/10/2016		bag		1	N
70	AM-BH29 1.75 2	soil	7/10/2016		bag+jar		2	N
71	AM-BH29 2 2.25	soil	7/10/2016		bag		1	N
72	AM-BH29 2.25 2.5	soil	7/10/2016		bag		1	N
73	AM-BH29 2.5 2.75	soil	7/10/2016		bag		1	N
74	AM-BH29 2.75 3	soil	7/10/2016		bag+jar		2	N
75	AM-BH29 0 0.1	soil	7/10/2016		jar		1	N

HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85°C and putrefact	S26 - TRH (CB-C40)/BTEXN /PAH plus 8 metals	S12 - OC/OP Pesticides	PFAS - extended suite 29 parameters	ANALYSIS REQUIRED				
						S-2 8 metals	zirconium	titanium		
	X	X	X	X	X					
	X	X	X							
	X	X								
	X	X								
	X	X								
	X	X								
	X	X			X					
	X	X								
	X	X								
	X	X								
	X	X						X	X	X

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER							Shipping Ref:
<i>CHRES</i>	<i>ALS</i>	<i>14/10/16</i>	<i>1600</i>					

Filled Out By: Analytical Laboratory Suitable Containers:	Guilford	LAD BATCH NUMBER
	Freezer	Bin No:
	Ambient	Address:

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT  
 RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE  
 WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF AND MUST BE SIGNED ON RECEIPT OF SAMPLES.**



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1624693**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 4
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

Dates

Date Samples Received	: 14-Oct-2016 4:00 PM	Issue Date	: 17-Oct-2016
Client Requested Due Date	: 21-Oct-2016	Scheduled Reporting Date	: <b>21-Oct-2016</b>

Delivery Details

Mode of Delivery	: Carrier	Security Seal	: Intact.
No. of coolers/boxes	: 3	Temperature	: 0.1°C, 0.4°C, 1.2°C
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 74 / 73

General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **Please be advised that sample "AM-BH26 0-0.1" was not received at the laboratory (denoted SNR on the scanned COC).**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913).**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exists.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: SOIL

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH
EB1624693-001	[ 06-Oct-2016 ]	AM-BH26 0-0.25		✓					
EB1624693-002	[ 06-Oct-2016 ]	AM-BH26 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-003	[ 06-Oct-2016 ]	AM-BH26 0.5-0.75		✓					
EB1624693-004	[ 06-Oct-2016 ]	AM-BH26 0.75-1		✓					
EB1624693-005	[ 06-Oct-2016 ]	AM-BH26 1-1.25		✓					
EB1624693-006	[ 06-Oct-2016 ]	AM-BH26 1.25-1.5		✓					
EB1624693-007	[ 06-Oct-2016 ]	AM-BH26 1.5-1.75		✓					
EB1624693-008	[ 06-Oct-2016 ]	AM-BH26 1.75-2		✓					
EB1624693-009	[ 06-Oct-2016 ]	AM-BH26 2-2.25		✓					
EB1624693-010	[ 06-Oct-2016 ]	AM-BH26 2.25-2.5		✓					
EB1624693-011	[ 06-Oct-2016 ]	AM-BH26 2.5-2.75		✓					
EB1624693-012	[ 06-Oct-2016 ]	AM-BH26 2.75-3		✓	✓		✓		
EB1624693-014	[ 06-Oct-2016 ]	AM-BH18 0-0.25		✓					
EB1624693-015	[ 06-Oct-2016 ]	AM-BH18 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-016	[ 06-Oct-2016 ]	AM-BH18 0.5-0.75		✓					
EB1624693-017	[ 06-Oct-2016 ]	AM-BH18 0.75-1		✓					
EB1624693-018	[ 06-Oct-2016 ]	AM-BH18 1-1.25		✓					
EB1624693-019	[ 06-Oct-2016 ]	AM-BH18 1.25-1.5		✓					
EB1624693-020	[ 06-Oct-2016 ]	AM-BH18 1.5-1.75		✓					
EB1624693-021	[ 06-Oct-2016 ]	AM-BH18 1.75-2		✓	✓		✓		
EB1624693-022	[ 06-Oct-2016 ]	AM-BH18 2-2.25		✓					
EB1624693-023	[ 06-Oct-2016 ]	AM-BH18 2.25-2.5		✓					
EB1624693-024	[ 06-Oct-2016 ]	AM-BH18 2.5-2.75		✓					
EB1624693-025	[ 06-Oct-2016 ]	AM-BH18 2.75-3		✓					
EB1624693-026	[ 06-Oct-2016 ]	AM-BH24 0-0.25		✓					
EB1624693-027	[ 06-Oct-2016 ]	AM-BH24 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-028	[ 06-Oct-2016 ]	AM-BH24 0.5-0.75		✓					
EB1624693-029	[ 06-Oct-2016 ]	AM-BH24 0.75-1		✓					
EB1624693-030	[ 06-Oct-2016 ]	AM-BH24 1-1.25		✓					
EB1624693-031	[ 06-Oct-2016 ]	AM-BH24 1.25-1.5		✓					
EB1624693-032	[ 06-Oct-2016 ]	AM-BH24 1.5-1.75		✓					
EB1624693-033	[ 06-Oct-2016 ]	AM-BH24 1.75-2		✓					
EB1624693-034	[ 06-Oct-2016 ]	AM-BH24 2-2.25		✓					
EB1624693-035	[ 06-Oct-2016 ]	AM-BH24 2.25-2.5		✓					
EB1624693-036	[ 06-Oct-2016 ]	AM-BH24 2.5-2.75		✓					



			(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEX/NPAH
EB1624693-037	[ 06-Oct-2016 ]	AM-BH24 2.75-3		✓	✓		✓		
EB1624693-038	[ 06-Oct-2016 ]	AM-BH24 1.1-1.2	✓						
EB1624693-039	[ 06-Oct-2016 ]	AM-BH10 0-0.25		✓					
EB1624693-040	[ 06-Oct-2016 ]	AM-BH10 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-041	[ 06-Oct-2016 ]	AM-BH10 0.5-0.75		✓					
EB1624693-042	[ 06-Oct-2016 ]	AM-BH10 0.75-1		✓					
EB1624693-043	[ 06-Oct-2016 ]	AM-BH10 1-1.25		✓					
EB1624693-044	[ 06-Oct-2016 ]	AM-BH10 1.25-1.5		✓					
EB1624693-045	[ 06-Oct-2016 ]	AM-BH10 1.5-1.75		✓					
EB1624693-046	[ 06-Oct-2016 ]	AM-BH10 1.75-2		✓	✓		✓		
EB1624693-047	[ 06-Oct-2016 ]	AM-BH10 2-2.25		✓					
EB1624693-048	[ 06-Oct-2016 ]	AM-BH10 2.25-2.5		✓					
EB1624693-049	[ 06-Oct-2016 ]	AM-BH10 2.5-2.75		✓					
EB1624693-050	[ 06-Oct-2016 ]	AM-BH10 2.75-3		✓					
EB1624693-051	[ 10-Oct-2016 ]	AM-BH32 0-0.25		✓					
EB1624693-052	[ 10-Oct-2016 ]	AM-BH32 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-053	[ 10-Oct-2016 ]	AM-BH32 0.5-0.75		✓					
EB1624693-054	[ 10-Oct-2016 ]	AM-BH32 0.75-1		✓					
EB1624693-055	[ 10-Oct-2016 ]	AM-BH32 1-1.25		✓					
EB1624693-056	[ 10-Oct-2016 ]	AM-BH32 1.25-1.5		✓					
EB1624693-057	[ 10-Oct-2016 ]	AM-BH32 1.5-1.75		✓					
EB1624693-058	[ 10-Oct-2016 ]	AM-BH32 1.75-2		✓					
EB1624693-059	[ 10-Oct-2016 ]	AM-BH32 2-2.25		✓					
EB1624693-060	[ 10-Oct-2016 ]	AM-BH32 2.25-2.5		✓					
EB1624693-061	[ 10-Oct-2016 ]	AM-BH32 2.5-2.75		✓					
EB1624693-062	[ 10-Oct-2016 ]	AM-BH32 2.75-3		✓	✓		✓		
EB1624693-063	[ 07-Oct-2016 ]	AM-BH29 0-0.25		✓					
EB1624693-064	[ 07-Oct-2016 ]	AM-BH29 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-065	[ 07-Oct-2016 ]	AM-BH29 0.5-0.75		✓					
EB1624693-066	[ 07-Oct-2016 ]	AM-BH29 0.75-1		✓					
EB1624693-067	[ 07-Oct-2016 ]	AM-BH29 1-1.25		✓					
EB1624693-068	[ 07-Oct-2016 ]	AM-BH29 1.25-1.5		✓					
EB1624693-069	[ 07-Oct-2016 ]	AM-BH29 1.5-1.75		✓					
EB1624693-070	[ 07-Oct-2016 ]	AM-BH29 1.75-2		✓	✓		✓		
EB1624693-071	[ 07-Oct-2016 ]	AM-BH29 2-2.25		✓					
EB1624693-072	[ 07-Oct-2016 ]	AM-BH29 2.25-2.5		✓					
EB1624693-073	[ 07-Oct-2016 ]	AM-BH29 2.5-2.75		✓					
EB1624693-074	[ 07-Oct-2016 ]	AM-BH29 2.75-3		✓					
EB1624693-075	[ 07-Oct-2016 ]	AM-BH29 0-0.1			✓			✓	





## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1624693**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : MS KRYSTLE-RAE BIRAM  
**Address** : P O BOX 1734  
 MILTON QLD, AUSTRALIA 4064  
**Telephone** : +61 07 3721 5400  
**Project** : 1538021  
**Order number** : 1538021  
**C-O-C number** : ----  
**Sampler** : MORGAN MIDGLEY  
**Site** : Brisbane Airport  
**Quote number** : ----  
**No. of samples received** : 74  
**No. of samples analysed** : 73

**Page** : 1 of 78  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 14-Oct-2016 16:00  
**Date Analysis Commenced** : 18-Oct-2016  
**Issue Date** : 21-Oct-2016 17:01



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG005T (Total Metals): Sample EB1624693-002 shows poor duplicate results due to sample heterogeneity. Confirmed by visual inspection.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.  
Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.1	8.2	7.8	7.5	7.3	
ø pH (Fox)	----	0.1	pH Unit	4.8	6.3	5.8	5.5	5.4	
ø Reaction Rate	----	1	-	2	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	4.7	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	<5	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	211	----	----	----	
Copper	7440-50-8	5	mg/kg	----	70	----	----	----	
Lead	7439-92-1	5	mg/kg	----	<5	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	82	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	32	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	101	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	84.9	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	108	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	107	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	104	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	114	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	121	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	123	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	111	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	111	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	124	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	99.8	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	6.8	7.8	5.0	6.5	
ø pH (Fox)	----	0.1	pH Unit	5.4	4.2	2.9	3.0	4.8	
ø Reaction Rate	----	1	-	3	3	3	3	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.6	7.0	4.7	4.3	
ø pH (Fox)	----	0.1	pH Unit	5.3	5.8	3.6	2.9	2.8	
ø Reaction Rate	----	1	-	2	2	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	25.2	----	24.2	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	14	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	1	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	65	----	
Copper	7440-50-8	5	mg/kg	----	----	----	15	----	
Lead	7439-92-1	5	mg/kg	----	----	----	10	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	18	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	61	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	<0.5	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	<0.5	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	<b>0.6</b>	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	<b>1.2</b>	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	<10	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	<0.001	----	<0.001	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	<0.0005	----	<0.0005	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	<0.0005	----	<0.0005	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	<0.0005	----	<0.0005	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	<0.0005	----	<0.0005	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	<0.0005	----	<0.0005	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	108	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	97.3	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	105	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	108	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	104	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	114	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	116	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	121	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	81.8	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	94.5	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	117	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	99.1	----	93.4	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.3	4.1	4.0	4.2	4.3	
ø pH (Fox)	----	0.1	pH Unit	2.7	2.6	2.3	2.6	2.7	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	27.7	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021
					Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg		----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	<0.0002



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	92.1	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.5	4.8	4.7	5.2	7.0	
ø pH (Fox)	----	0.1	pH Unit	2.7	3.0	2.9	3.2	4.4	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	9.1	8.0	7.6	7.6	6.8	
ø pH (Fox)	----	0.1	pH Unit	9.0	7.1	3.4	5.4	2.7	
ø Reaction Rate	----	1	-	4	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	5.7	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	<5	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	214	----	----	----	----	
Copper	7440-50-8	5	mg/kg	80	----	----	----	----	
Lead	7439-92-1	5	mg/kg	<5	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	82	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	38	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	<0.2	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	<0.2	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	<100	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	<10	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	<10	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	<0.2	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	100	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	92.7	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	101	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	103	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	98.9	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	109	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	110	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	117	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	110	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	106	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	120	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	89.7	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.6	5.0	5.4	5.2	5.8	
ø pH (Fox)	----	0.1	pH Unit	2.9	3.0	2.7	3.0	3.5	
ø Reaction Rate	----	1	-	3	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	8.0	7.2	7.8	7.7	
ø pH (Fox)	----	0.1	pH Unit	5.1	4.1	1.7	2.9	2.7	
ø Reaction Rate	----	1	-	3	3	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	24.5	----	43.4	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	33	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	<1	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	49	----	----	
Copper	7440-50-8	5	mg/kg	----	----	31	----	----	
Lead	7439-92-1	5	mg/kg	----	----	60	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	33	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	242	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	0.1	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	<0.05	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	<0.05	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	<0.05	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	<0.05	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	<0.05	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	<0.05	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	<0.05	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	<0.05	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	<0.05	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	<0.05	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	<0.05	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	<0.05	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	<0.05	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	<0.05	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	<0.05	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	<0.05	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	<0.05	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	<0.05	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	<0.05	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	<0.05	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	<0.2	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	<0.05	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	<0.2	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	<0.05	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	<0.05	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	<50	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	<100	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	<100	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	<50	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	<50	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	<50	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	<100	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	<100	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	<50	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	<0.5	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	<0.5	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	<0.5	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	<0.5	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	<0.5	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	<0.5	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	<0.5	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	<0.5	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	<0.5	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	<0.5	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	<0.5	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	<0.5	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	<0.5	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	<0.5	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	<0.5	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	<b>0.6</b>	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	<b>1.2</b>	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	<10	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	<10	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	<10	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	<0.2	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	<0.5	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	<0.5	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	<0.5	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	<0.5	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	<0.5	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	<0.2	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	<1	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	<0.001	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	108	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	96.8	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	84.2	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	86.2	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	84.8	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	92.1	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	92.6	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	98.2	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	107	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	108	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	124	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	99.5	----	86.4	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.8	7.8	7.5	7.6	7.6	
ø pH (Fox)	----	0.1	pH Unit	2.8	1.7	1.7	1.8	1.6	
ø Reaction Rate	----	1	-	3	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	43.2	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	<0.0002	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	<0.001	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	<0.0005	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	105	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.7	7.4	7.6	4.4	4.7	
ø pH (Fox)	----	0.1	pH Unit	1.6	1.4	1.8	2.6	2.8	
ø Reaction Rate	----	1	-	4	4	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	15.4	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	14	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	<1	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	65	
Copper	7440-50-8	5	mg/kg	----	----	----	----	18	
Lead	7439-92-1	5	mg/kg	----	----	----	----	12	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	16	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	44	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	<0.05	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	<0.05	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	<0.05	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	<0.2	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	<0.05	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	<50	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	<0.5	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	<0.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	<b>0.6</b>	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	<b>1.2</b>	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	<10	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	<10	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	110	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	99.2	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	107	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	110	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	111	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	117	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	119	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	125	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	101	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	100	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	119	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	89.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.6	4.9	5.2	5.0	5.9	
ø pH (Fox)	----	0.1	pH Unit	2.6	2.2	1.4	1.6	1.6	
ø Reaction Rate	----	1	-	3	3	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.6	6.6	6.8	7.1	7.1	
ø pH (Fox)	----	0.1	pH Unit	1.5	1.6	1.6	1.8	1.9	
ø Reaction Rate	----	1	-	4	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	27.4	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
^ Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062
					Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg		----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	0.0002



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	<0.0002
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	<0.001
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	<0.0005
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	<0.0002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	<0.0005
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	<0.0005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	<0.0005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	<0.0005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	<0.0002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	<0.0002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	<b>100</b>	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.2	7.9	5.9	4.5	4.1	
ø pH (Fox)	----	0.1	pH Unit	6.2	5.3	3.7	2.8	2.4	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	17.8	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	8	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	51	----	----	----	
Copper	7440-50-8	5	mg/kg	----	19	----	----	----	
Lead	7439-92-1	5	mg/kg	----	9	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	38	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	47	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	103	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	87.0	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	106	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	104	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	105	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	114	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	117	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	121	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	106	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	104	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	122	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	92.5	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.3	5.9	6.2	6.4	6.6	
ø pH (Fox)	----	0.1	pH Unit	2.6	3.5	3.6	3.8	3.7	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	25.8	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	<0.0002	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	<0.0002	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	<0.001	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	<0.0005	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	<0.0002	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	<0.0002	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	<0.0002	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	<0.0005	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	<0.0005	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	<0.0005	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	<0.0005	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	<0.0002	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	<0.0002	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	112	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.2	7.5	----	----	----	
ø pH (Fox)	----	0.1	pH Unit	2.1	2.4	----	----	----	
ø Reaction Rate	----	1	-	3	4	----	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	15.6	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	7	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	<1	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	42	----	----	
Copper	7440-50-8	5	mg/kg	----	----	17	----	----	
Lead	7439-92-1	5	mg/kg	----	----	9	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	27	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	41	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	250	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	1.8	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	<0.1	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
^ Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Surrogate Control Limits

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP068S: Organochlorine Pesticide Surrogate</b>			
Dibromo-DDE	21655-73-2	10	138
<b>EP068T: Organophosphorus Pesticide Surrogate</b>			
DEF	78-48-8	23	135
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	35	155
2-Chlorophenol-D4	93951-73-6	42	153
2,4,6-Tribromophenol	118-79-6	26	157
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	34	157
Anthracene-d10	1719-06-8	37	153
4-Terphenyl-d14	1718-51-0	42	172
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	53	134
Toluene-D8	2037-26-5	60	131
4-Bromofluorobenzene	460-00-4	59	127
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	70	130

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1624693</b>	<b>Page</b>	: 1 of 13
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 14-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 18-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 21-Oct-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 74		
<b>No. of samples analysed</b>	: 73		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 620369)</b>									
EB1624693-001	AM-BH26 0-0.25	EA037: pH (F)	----	0.1	pH Unit	7.1	7.2	1.40	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.8	4.9	2.06	0% - 20%
EB1624693-011	AM-BH26 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	7.4	7.3	1.36	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.3	5.3	0.00	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620370)</b>									
EB1624693-022	AM-BH18 2-2.25	EA037: pH (F)	----	0.1	pH Unit	4.5	4.4	2.25	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.7	2.8	3.64	0% - 20%
EB1624693-032	AM-BH24 1.5-1.75	EA037: pH (F)	----	0.1	pH Unit	5.6	5.6	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.9	2.8	3.51	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620371)</b>									
EB1624693-043	AM-BH10 1-1.25	EA037: pH (F)	----	0.1	pH Unit	7.8	7.8	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.8	2.9	3.51	0% - 20%
EB1624693-053	AM-BH32 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	4.6	4.6	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.6	2.5	3.92	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620372)</b>									
EB1624693-063	AM-BH29 0-0.25	EA037: pH (F)	----	0.1	pH Unit	8.2	8.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	6.2	6.0	3.28	0% - 20%
EB1624693-073	AM-BH29 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	7.2	7.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.1	2.0	4.88	0% - 20%
<b>EA055: Moisture Content (QC Lot: 620270)</b>									
EB1624687-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	18.0	17.6	2.31	0% - 50%
EB1624766-002	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	10.0	9.8	1.20	No Limit
<b>EA055: Moisture Content (QC Lot: 624690)</b>									
EB1623981-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	4.8	4.6	4.61	No Limit





Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA055: Moisture Content (QC Lot: 624690) - continued</b>									
EB1623981-011	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	25.5	26.2	2.67	0% - 20%
<b>EG005T: Total Metals by ICP-AES (QC Lot: 620694)</b>									
EB1624766-004	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	8	9	0.00	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	10	11	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	5	<5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	6	6	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	16	13	23.5	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	33	34	0.00	No Limit
EB1624693-002	AM-BH26 0.25-0.5	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	211	# 264	22.2	0% - 20%
		EG005T: Nickel	7440-02-0	2	mg/kg	82	99	19.1	0% - 20%
		EG005T: Arsenic	7440-38-2	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	70	86	21.0	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	32	40	21.2	No Limit
<b>EG020T: Total Metals by ICP-MS (QC Lot: 620696)</b>									
EB1624693-075	AM-BH29 0-0.1	EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	1.8	2.2	20.8	No Limit
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 620695)</b>									
EB1624778-004	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
EB1624693-002	AM-BH26 0.25-0.5	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620261)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620261) - continued</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QC Lot: 620262)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QC Lot: 620262)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620263)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620268)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620268)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit	
<b>EP080: BTEXN (QC Lot: 620268)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit	
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
			106-42-3							
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 621845)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 621845)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorotridecanoic acid (PFTDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit	
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit	
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 621845) - continued</b>									
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 621845)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 621845)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit

Page : 7 of 13  
 Work Order : EB1624693  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 621845) - continued</b>									
EB1624693-064	AM-BH29 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620694)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	118.9 mg/kg	113	84	123	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.87125 mg/kg	103	88	117	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	22.7 mg/kg	111	83	125	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55 mg/kg	93.3	86	122	
EG005T: Lead	7439-92-1	5	mg/kg	<5	72.1 mg/kg	103	84	119	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	16.6 mg/kg	102	89	126	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	182.3 mg/kg	109	87	127	
<b>EG020T: Total Metals by ICP-MS (QCLot: 620696)</b>									
EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	<0.5	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620695)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.09821 mg/kg	99.7	78	122	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261)</b>									
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	82.8	54	121	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	97.1	54	112	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	79.9	49	121	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	77.2	55	129	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	72.4	61	122	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	98.2	65	130	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	87.7	70	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	94.1	58	118	
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	94.4	56	119	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	79.5	51	125	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	90.7	57	118	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	83.7	67	129	
EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	93.0	62	121	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	83.6	60	137	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	76.3	61	122	
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	85.0	60	123	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	81.7	52	125	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	70.9	55	125	
EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	91.4	80	142	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	92.6	55	129	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261) - continued</b>									
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	104	53	136	
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620262)</b>									
EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	97.4	47	112	
EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	106	55	108	
EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620262)</b>									
EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	93.1	46	115	
EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	109	53	113	
EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620263)</b>									
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	89.5	74	119	
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	101	74	118	
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	90.5	83	121	
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	96.8	81	116	
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	81.3	72	117	
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	90.7	72	115	
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	101	70	116	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	99.4	70	134	
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	106	64	120	
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	90.9	66	119	
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	98.6	59	129	
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	84.3	70	129	
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	82.4	76	121	
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	69.0	53	135	
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	65.9	45	134	
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	73.7	64	131	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268)</b>									
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	85.1	66	120	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620268)</b>									
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	82.7	66	119	
<b>EP080: BTEXN (QCLot: 620268)</b>									
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	82.6	73	105	
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	98.7	73	105	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP080: BTEXN (QCLot: 620268) - continued</b>									
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	97.6	67	104	
EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	2 mg/kg	102	66	106	
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	101	68	105	
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	97.2	72	115	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 621845)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	67.8	57	121	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.3	55	125	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.8	52	126	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.7	54	123	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.8	55	127	
EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	64.8	54	125	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 621845)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00125 mg/kg	94.7	52	128	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.8	54	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	104	58	127	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	111	57	128	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	110	60	134	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	121	63	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.8	55	130	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.6	62	130	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	69.6	53	134	
EP231X: Perfluorotridecanoic acid (PFTriDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	63.0	49	129	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	83.1	59	129	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 621845)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.6	52	132	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	78.4	65	126	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	79.6	64	126	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	86.3	63	124	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	68.2	58	125	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	118	61	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	120	55	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	89.3	54	130	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00125 mg/kg	107	61	130	





Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845) - continued</b>									
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	102	62	130	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00125 mg/kg	109	60	130	

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery(%) MS	Recovery Limits (%)	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620694)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EG005T: Arsenic	7440-38-2	50 mg/kg	103	70	130
		EG005T: Cadmium	7440-43-9	25 mg/kg	110	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	110	70	130
		EG005T: Copper	7440-50-8	50 mg/kg	101	70	130
		EG005T: Lead	7439-92-1	50 mg/kg	108	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	116	70	130
		EG005T: Zinc	7440-66-6	50 mg/kg	103	70	130
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620695)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EG035T: Mercury	7439-97-6	2.5 mg/kg	93.7	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP068: gamma-BHC	58-89-9	0.5 mg/kg	95.1	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	110	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	106	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	102	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	93.1	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	85.2	70	130
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620262)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP071SG-S: C10 - C14 Fraction	----	318 mg/kg	97.2	47	130
		EP071SG-S: C15 - C28 Fraction	----	531 mg/kg	104	55	130
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620262)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP071SG-S: >C10 - C16 Fraction	----	428 mg/kg	91.6	46	130
		EP071SG-S: >C16 - C34 Fraction	----	395 mg/kg	108	53	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620263)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	103	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	114	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268)</b>							



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268) - continued</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: C6 - C9 Fraction	----	8 mg/kg	91.2	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620268)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	91.8	70	130
<b>EP080: BTEXN (QCLot: 620268)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: Benzene	71-43-2	2 mg/kg	73.0	70	130
		EP080: Toluene	108-88-3	2 mg/kg	77.2	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00125 mg/kg	52.5	50	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00125 mg/kg	62.8	50	130
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00125 mg/kg	74.7	50	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00125 mg/kg	75.0	50	130
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00125 mg/kg	90.2	50	130
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.00125 mg/kg	82.4	50	130
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00125 mg/kg	91.2	50	130
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	55.5	50	130
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	80.0	50	130
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	100.0	50	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	77.1	50	130
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	96.7	50	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	106	50	130
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	99.8	50	130
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	101	50	130
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	103	30	130
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	75.0	30	130
		<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 621845)</b>					
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	95.2	50	130
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	85.6	50	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	73.3	50	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.00312 mg/kg	51.5	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	47.2	30	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	117	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	88.6	30	130

Page : 13 of 13  
 Work Order : EB1624693  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: **SOIL**

				<i>Matrix Spike (MS) Report</i>			
				<i>Spike</i>	<i>SpikeRecovery(%)</i>	<i>Recovery Limits (%)</i>	
<i>Laboratory sample ID</i>	<i>Client sample ID</i>	<i>Method: Compound</i>	<i>CAS Number</i>	<i>Concentration</i>	<i>MS</i>	<i>Low</i>	<i>High</i>
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00125 mg/kg	98.8	50	130
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00125 mg/kg	66.0	50	130
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.00125 mg/kg	112	50	130
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00125 mg/kg	111	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1624693</b>	Page	: 1 of 9
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 14-Oct-2016
Site	: Brisbane Airport	Issue Date	: 21-Oct-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 74
Order number	: 1538021	No. of samples analysed	: 73

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- Duplicate outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



**Outliers : Quality Control Samples**

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Duplicate (DUP) RPDs</b>							
EG005T: Total Metals by ICP-AES	EB1624693--002	AM-BH26 0.25-0.5	Chromium	7440-47-3	22.2 %	0% - 20%	RPD exceeds LOR based limits

**Analysis Holding Time Compliance**

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis</b>								
<b>Snap Lock Bag - frozen (EA037)</b>								
AM-BH26 0-0.25, AM-BH26 0.5-0.75, AM-BH26 1-1.25, AM-BH26 1.5-1.75, AM-BH26 2-2.25, AM-BH26 2.5-2.75, AM-BH18 0-0.25, AM-BH18 0.5-0.75, AM-BH18 1-1.25, AM-BH18 1.5-1.75, AM-BH18 2-2.25, AM-BH18 2.5-2.75, AM-BH24 0-0.25, AM-BH24 0.5-0.75, AM-BH24 1-1.25, AM-BH24 1.5-1.75, AM-BH24 2-2.25, AM-BH24 2.5-2.75, AM-BH10 0-0.25, AM-BH10 0.5-0.75, AM-BH10 1-1.25, AM-BH10 1.5-1.75, AM-BH10 2-2.25, AM-BH10 2.5-2.75,	AM-BH26 0.25-0.5, AM-BH26 0.75-1, AM-BH26 1.25-1.5, AM-BH26 1.75-2, AM-BH26 2.25-2.5, AM-BH26 2.75-3, AM-BH18 0.25-0.5, AM-BH18 0.75-1, AM-BH18 1.25-1.5, AM-BH18 1.75-2, AM-BH18 2.25-2.5, AM-BH18 2.75-3, AM-BH24 0.25-0.5, AM-BH24 0.75-1, AM-BH24 1.25-1.5, AM-BH24 1.75-2, AM-BH24 2.25-2.5, AM-BH24 2.75-3, AM-BH10 0.25-0.5, AM-BH10 0.75-1, AM-BH10 1.25-1.5, AM-BH10 1.75-2, AM-BH10 2.25-2.5, AM-BH10 2.75-3	06-Oct-2016	18-Oct-2016	04-Apr-2017	✓	18-Oct-2016	04-Apr-2017	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis - Continued</b>								
<b>Snap Lock Bag - frozen (EA037)</b> AM-BH29 0-0.25, AM-BH29 0.5-0.75, AM-BH29 1-1.25, AM-BH29 1.5-1.75, AM-BH29 2-2.25, AM-BH29 2.5-2.75,	AM-BH29 0.25-0.5, AM-BH29 0.75-1, AM-BH29 1.25-1.5, AM-BH29 1.75-2, AM-BH29 2.25-2.5, AM-BH29 2.75-3	07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓
<b>Snap Lock Bag - frozen (EA037)</b> AM-BH32 0-0.25, AM-BH32 0.5-0.75, AM-BH32 1-1.25, AM-BH32 1.5-1.75, AM-BH32 2-2.25, AM-BH32 2.5-2.75,	AM-BH32 0.25-0.5, AM-BH32 0.75-1, AM-BH32 1.25-1.5, AM-BH32 1.75-2, AM-BH32 2.25-2.5, AM-BH32 2.75-3	10-Oct-2016	18-Oct-2016	08-Apr-2017	✓	18-Oct-2016	08-Apr-2017	✓
<b>EA055: Moisture Content</b>								
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH26 2.75-3, AM-BH24 2.75-3,	AM-BH18 1.75-2, AM-BH10 1.75-2	06-Oct-2016	----	----	----	20-Oct-2016	20-Oct-2016	✓
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH29 1.75-2		07-Oct-2016	----	----	----	20-Oct-2016	21-Oct-2016	✓
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH32 2.75-3		10-Oct-2016	----	----	----	20-Oct-2016	24-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	----	----	----	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	----	----	----	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH32 0.25-0.5		10-Oct-2016	----	----	----	18-Oct-2016	24-Oct-2016	✓
<b>EG005T: Total Metals by ICP-AES</b>								
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	04-Apr-2017	✓	18-Oct-2016	04-Apr-2017	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	08-Apr-2017	✓	18-Oct-2016	08-Apr-2017	✓
<b>EG020T: Total Metals by ICP-MS</b>								
<b>Soil Glass Jar - Unpreserved (EG020R-T)</b> AM-BH29 0-0.1		07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Soil Glass Jar - Unpreserved (EG035T) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	03-Nov-2016	✓	19-Oct-2016	03-Nov-2016	✓
Soil Glass Jar - Unpreserved (EG035T) AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	18-Oct-2016	04-Nov-2016	✓	19-Oct-2016	04-Nov-2016	✓
Soil Glass Jar - Unpreserved (EG035T) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	07-Nov-2016	✓	19-Oct-2016	07-Nov-2016	✓
<b>EP068A: Organochlorine Pesticides (OC)</b>								
Soil Glass Jar - Unpreserved (EP068) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP068) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP068) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>								
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>								
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>								
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP080: BTEXN</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231P: PFAS Sums</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	8	72	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	12	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	14	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	1	100.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	1	100.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Metals by ICP-MS - Suite R	EG020R-T	SOIL	In house: Referenced to APHA 3125; USEPA SW846 - 6020. Metals in solids are determined following an appropriate acid digestion. The ICPMS technique ionizes selected elements. Ions are passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass / charge ratios prior to measurement by a discrete dynode ion detector. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Pesticides by GCMS	EP068	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM (2013) Schedule B(3) (Method 504,505)
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
PAH/Phenols (SIM)	EP075(SIM)	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	In house: Referenced to USEPA SW 846 - 8260B Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.
Preparation Methods	Method	Matrix	Method Descriptions
Drying only	EN020D	SOIL	In house
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM (2013) Schedule B(3) (Method 202)

Page : 9 of 9  
Work Order : EB1624693  
Client : GOLDER ASSOCIATES  
Project : 1538021



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Sample Extraction for PFAS	EP231-PR	SOIL	In house
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids	ORG17	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na <sub>2</sub> SO <sub>4</sub> and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Project ID:	1538021	Contract/Order No.:	EN/002/15	GOLDER ASSOCIATES PTY LTD 147 Coronation Drive, Milton, Qld 4064 Phone: (07) 3721 5400 Fax: (07) 3721 5401 auaccounts payable@golder.com.au
Site Location:	Brisbane Airport	Lab Name:	ALS Environmental	Project Manager: Krystle-Rae Biram Contact Phone: 07 37215400 Email: KBiram@golder.com.au
Sampled By:	Morgan Midgley	Invoice to be sent to Accounts:		
Prepared (Date):	5	BY:		
Report Format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	Contact Phone: 07 37215400 Email: KBiram@golder.com.au		
Email Format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address: scurtik@golder.com.au		

Comments/Special Instructions:							ANALYSIS REQUIRED																	
Samples from a declared Fire Ant Area: Y							No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Fast Screen	EN20PPR - dry 85oC and pulverise	S26 - SC TRH/CS- C40/STEXN/PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters										
Samples taken from a known Weed and or Pest Area: N									AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14	AM-BH14
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage																	
AM-BH14	0	0.25	soil	6/10/2016		bag		1	N		X													
AM-BH14	0.25	0.5	soil	6/10/2016		bag+2jar		3	N		X	X												
AM-BH14	0.5	0.75	soil	6/10/2016		bag		1	N		X	X												
AM-BH14	0.75	1	soil	6/10/2016		bag+jar		2	N		X	X												
AM-BH14	1	1.25	soil	6/10/2016		bag		1	N		X	X												
AM-BH14	1.25	1.5	soil	6/10/2016		bag		1	N		X	X												
AM-BH14	1.5	1.75	soil	6/10/2016		bag		1	N		X	X												
AM-BH14	1.75	2	soil	6/10/2016		bag+jar		2	N		X	X												
AM-BH14	2	2.25	soil	6/10/2016		bag		1	N		X	X												
AM-BH14	2.25	2.5	soil	6/10/2016		bag		1	N		X	X												
AM-BH14	2.5	2.75	soil	6/10/2016		bag		1	N		X	X												
AM-BH14	2.75	3	soil	6/10/2016		bag+jar		2	N		X	X												

13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P							
SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME
RELEASED BY: Morgan Midgley	GOLDER	14-10-16		RELEASED BY: <i>[Signature]</i>	GA	14-10-16	
RECEIVED BY: <i>CHRES</i>	ALS	14/10/16	1600	RECEIVED BY:			
RECEIVED BY:				To Be Filled On by Analytical Laboratory Sample Size: _____      G/L      B/L      M/L Sample Container: _____      Frozen      Ambient Cool Box: _____			

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**



Reference No: <b>1538021</b>	Order/Order No: <b>EN/002/15</b>	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location: <b>Brisbane Airport</b>	Job Name: <b>ALS Environmental</b>	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled by: <b>Morgan Midgley</b>		Invoice to be sent to Accounts: auaccounts payable@golder.com.au	
Amount (Days): <b>5</b>	BY:	Project Manager: <b>Krystle-Rac Biram</b>	Contact Phone: <b>07 37215400</b>
Report format: <b>HARD <input type="checkbox"/></b> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>			Email: <b>K.Biram@golder.com.au</b>
Email format: <b>PDF <input checked="" type="checkbox"/></b> Excel <input type="checkbox"/> Other <input type="checkbox"/> Email Address: <b>scurl@golder.com.au</b>			

Comments/Special Instructions:							No CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED																										
Samples from a declared Fire Ant Area: <b>Y</b>									HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 850C and pulvetic	S26 - TRH (CF-C40)/BTEXN /PAH plus 8 metals	S12 - OC/OP Pesticides	PFAS - extended suite 28 parameters	S-2 metals	zinc/cadmium	titanium																		
Samples taken from a known Weed and or Pest Area: <b>N</b>																																			
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage																												
AM-BH15	0	0.25	soil	7/10/2016		bag		1	N		X	X																							
AM-BH15	0.25	0.5	soil	7/10/2016		bag+2jar		3	N		X	X		X	X																				
AM-BH15	0.5	0.75	soil	7/10/2016		bag		1	N		X	X																							
AM-BH15	0.75	1	soil	7/10/2016		bag+jar		2	N		X	X																							
AM-BH15	1	1.25	soil	7/10/2016		bag		1	N		X	X																							
AM-BH15	1.25	1.5	soil	7/10/2016		bag		1	N		X	X																							
AM-BH15	1.5	1.75	soil	7/10/2016		bag		1	N		X	X																							
AM-BH15	1.75	2	soil	7/10/2016		bag+jar		2	N		X	X								X															
AM-BH15	2	2.25	soil	7/10/2016		bag		1	N		X	X																							
AM-BH15	2.25	2.5	soil	7/10/2016		bag		1	N		X	X																							
AM-BH15	2.5	2.75	soil	7/10/2016		bag		1	N		X	X																							
AM-BH15	2.75	3	soil	7/10/2016		bag+jar		2	N		X	X																							
AM-BH15	0	0.1	soil	7/10/2016		jar		1	N											X	X	X													
QAQC005			soil	7/10/2016		jar		1	N				X		X																				
QAQC006			soil	7/10/2016		jar		1	N				PLEASE SHIP TO EUROFINs																						
QAQC007			soil	7/10/2016		jar		1	N	X																									
QAQC008			soil	7/10/2016		jar		1	N	X																									

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		[Signature]	GA	14-10-16	1600	

RELEASED BY	RECEIVED BY	LABORATORY	LAB BATCH NUMBER
		GREEN SEAL <input type="checkbox"/> GILFILL <input type="checkbox"/> SHARPLE CONTAINER <input type="checkbox"/> FROZZEL <input type="checkbox"/> COOL BOX <input type="checkbox"/> AMBIENT <input type="checkbox"/>	

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OF BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

<b>Project ID:</b>	1538021	<b>Job Number:</b>	EN/002/15	<b>GOLDER ASSOCIATES PTY LTD</b> 147 Coronation Drive, Milton, Qld 4064 <small>Phone: (07) 3721 5400 Fax: (07) 3721 5401</small>
<b>Site Location:</b>	Brisbane Airport	<b>Lab Name:</b>	ALS Environmental	<b>Invoice to be sent to Accounts:</b> auaccounts payable@golder.com.au
<b>Sampled By:</b>	Morgan Midgley	<b>BY:</b>		
<b>Retention (Days):</b>	5	<b>Report Format:</b> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		
<b>Print Format:</b>	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	<b>Email Address:</b> scurti@golder.com.au		



Comments/Special Instructions:							No CONTAINERS		POSSIBLE HIGH CONCENTRATION		ANALYSIS REQUIRED																									
											HOLD	EA037 - pH/pHFOX - Fast Screen	EN20PR - dry 8toC and pulvise	S26 - TRH (C6-C40)/BTEX/PAH plus 8 metals	S12 - OC/OP Pesticides	PFAS - extended suite 28 parameters	S-2 8 metals	zirconium	titanium																	
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage																													
AM-BH16	0	0.25	soil	7/10/2016		bag		1	N		X	X																								
AM-BH16	0.25	0.5	soil	7/10/2016		bag+2jar		3	N		X	X	X																							
AM-BH16	0.5	0.75	soil	7/10/2016		bag		1	N		X	X																								
AM-BH16	0.75	1	soil	7/10/2016		bag+jar		2	N		X	X																								
AM-BH16	1	1.25	soil	7/10/2016		bag		1	N		X	X																								
AM-BH16	1.25	1.5	soil	7/10/2016		bag		1	N		X	X																								
AM-BH16	1.5	1.75	soil	7/10/2016		bag		1	N		X	X																								
AM-BH16	1.75	2	soil	7/10/2016		bag+jar		2	N		X	X																								
AM-BH16	2	2.25	soil	7/10/2016		bag		1	N		X	X																								
AM-BH16	2.25	2.5	soil	7/10/2016		bag		1	N		X	X																								
AM-BH16	2.5	2.75	soil	7/10/2016		bag		1	N		X	X																								
AM-BH16	2.75	3	soil	7/10/2016		bag+jar		2	N		X	X																								
AM-BH16	0	0.1	soil	7/10/2016		jar		1	N																											
QAQC001			soil	7/10/2016		jar		2	N				X	X	X																					
QAQC002			soil	7/10/2016		jar		2	N				PLEASE SHIP TO EUROFINS																							
QAQC003			soil	7/10/2016		jar		1	N		X																									
QAQC004			soil	7/10/2016		jar		1	N		X																									

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Ref.
Morgan Midgley	GOLDER	14-10-16		[Signature]	GA	14-10-16	1600	
[Signature]	ALS	14/10/16						

RELEASED BY	RECEIVED BY	LAB BATCH NUMBER

**WARNING!**  
**SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA**  
**DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE FREEZE OF BAKE ENTIRE SAMPLE**

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**



SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Project ID:	1538021	Customer Name:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone:	(07) 3721 5400																							
Site Location:	Brisbane Airport	ALS Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax:	(07) 3721 5401																							
Sampled By:	Morgan Midgley			Invoice to be sent to Accounts: auaccounts@payahlo@golder.com.au																									
Duration (Days):	5	BY:		Project Manager:	Krystie-Rae Biram																								
Report Format:	HARD <input type="checkbox"/>	FAX <input type="checkbox"/>	DISK <input type="checkbox"/>	EMAIL <input checked="" type="checkbox"/>	BULLETIN BOARD <input type="checkbox"/>	Contact Phone:	07 37215400																						
Email Format:	PDF <input checked="" type="checkbox"/>	Excel <input type="checkbox"/>	Other <input type="checkbox"/>	Email Addr:	scurti@golder.com.au		Email: K.Biram@golder.com.au																						
Comments/Special Instructions:				ANALYSIS REQUIRED																									
Samples from a declared Fire Ant Area: Y																													
Samples taken from a known Weed and or Pest Area: N																													
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 83°C and pulvise	S26 - SC TRH(C6-C40)/TEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters	EP075B - PAHs													
AM-BH25	0	0.25	soil			bag		1	N		X	X																	
AM-BH25	0.25	0.5	soil			bag+ 2 jars		3	N		X	X	X	X	X														
AM-BH25	0.5	0.75	soil			bag		1	N		X	X																	
AM-BH25	1.5	1.75	soil			bag		2	N		X	X																	
AM-BH25	1.75	2	soil			bag+jar		1	N		X	X																	
AM-BH25	2	2.25	soil			bag		1	N		X	X																	
AM-BH25	2.25	2.5	soil			bag		1	N		X	X																	
AM-BH25	2.5	2.75	soil			bag		2	N		X	X																	
AM-BH25	2.75	3	soil			bag+jar		1	N		X	X			X														
AM-BH25	0.5	0.6	soil			jar		1	N							X													

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14-10-16		Shipping Ref:
CHRES	ALS	14/10/16	1600					

RELEASED BY	RECEIVED BY	DATE	TIME	RELEASED BY	RECEIVED BY	DATE	TIME	SHIPPING METHOD

RELEASED BY	RECEIVED BY	DATE	TIME	RELEASED BY	RECEIVED BY	DATE	TIME	SHIPPING METHOD

RELEASED BY	RECEIVED BY	DATE	TIME	RELEASED BY	RECEIVED BY	DATE	TIME	SHIPPING METHOD

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OF BAK & ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**



Project ID:	1538021	Quote Order Number:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location:	Brisbane Airport	Client Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Submitted By:	Morgan Midgley	BY:		Invoice to be sent to Accounts:	aaaccounts@payable@golder.com.au
Administrative (Days):	5	Project Manager:	Krystle-Rae Biram	Contact Phone:	07 37215400
Report Format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	Email Address:	scurti@golder.com.au	Email:	KBiram@golder.com.au
Email Format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	ANALYSIS REQUIRED			

Comments/Special Instructions:								No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pH/FOX - Fast Screen	EN020PR - dry 85oC and pulverise	S28 - SC TRH (Cd, Ca)/BTEXN/PAH plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters	ANALYSIS REQUIRED											
Samples from a declared Fire Ant Area: Y Samples taken from a known Weed and or Pest Area: N																											
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage																				
AM-BH30	0	0.25	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	0.25	0.5	soil	10/10/2016		bag+2jar		3	N		X	X	X	X													
AM-BH30	0.5	0.75	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	0.75	1	soil	10/10/2016		bag+jar		2	N		X	X			X												
AM-BH30	1	1.25	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	1.25	1.5	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	1.5	1.75	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	1.75	2	soil	10/10/2016		bag+jar		2	N		X	X															
AM-BH30	2	2.25	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	2.25	2.5	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	2.5	2.75	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	2.75	3	soil	10/10/2016		jar		1	N		X	X															

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER							Shipping Ref:
CHRIS	ALS	14/10/16	1600					
RECEIVED BY				LAB Batch Number				
				Secondary Seal		Chilled		
				Surrogate Contaminant		Frozen		
				Cool Box		Ambient		

**WARNING!**

SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA

DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE

FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

Project ID:	1538021	Quote Order No.:	EN/002/15	GOLDER ASSOCIATES PTY LTD
Site Location:	Brisbane Airport	Lab Name:	ALS Environmental	L47 Coronation Drive, Milton, Qld 4064
Sampled By:	Morgan Midgley			
Preparation (Days):	5	BY:		
Report Format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	Invoice to be sent to Accounts: <a href="mailto:aaaccounts payable@golder.com.au">aaaccounts payable@golder.com.au</a>		
Email Format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address:	scurti@golder.com.au	



SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED																										
										HOLD	EA037 - pH/pHFOX - Fast Screen	EN202PR - dry 85°C and pulverise	S26 - SC TRH (Cd, C40/BTEX) /PAH plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters																					
AM-BH31	0	0.25	soil	10/10/2016		bag		1	N	X																										
AM-BH31	0.25	0.5	soil	10/10/2016		bag+2jar		3	N	X	X																									
AM-BH31	0.5	0.75	soil	10/10/2016		bag		1	N	X	X																									
AM-BH31	0.75	1	soil	10/10/2016		bag+jar		2	N	X	X																									
AM-BH31	1	1.25	soil	10/10/2016		bag		1	N	X	X																									
AM-BH31	1.25	1.5	soil	10/10/2016		bag		1	N	X	X																									
AM-BH31	1.5	1.75	soil	10/10/2016		bag		1	N	X	X																									
AM-BH31	1.75	2	soil	10/10/2016		bag+jar		2	N	X	X																									
AM-BH31	2	2.25	soil	10/10/2016		bag		1	N	X	X																									
AM-BH31	2.25	2.5	soil	10/10/2016		bag		1	N	X	X																									
AM-BH31	2.5	2.75	soil	10/10/2016		bag		1	N	X	X																									
AM-BH31	2.75	3	soil	10/10/2016		bag+jar		2	N	X	X																									

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
RELEASED BY: Morgan Midgley	GOLDER	14-10-16		RELEASED BY:				Shipping Ref:
RECEIVED BY: CHRS	ALS	N/A	1600	RECEIVED BY:				

<p>TYPE FILLED OUT BY: Analysing laboratory</p> <p>Copy Soil</p> <p>Suitable Containers</p> <p>Cool Box</p>	<p>LAB BATCH NUMBER</p> <p>Chiller</p> <p>Freezer</p> <p>Ambient</p>	<p>Other</p> <p>Blank</p> <p>As is</p>
---	--	--

**WARNING!**

SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA

DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE

FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**



## SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1624749**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 5
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

### Dates

Date Samples Received	: 14-Oct-2016 4:00 PM	Issue Date	: 18-Oct-2016
Client Requested Due Date	: 21-Oct-2016	Scheduled Reporting Date	: <b>21-Oct-2016</b>

### Delivery Details

Mode of Delivery	: Carrier	Security Seal	: Intact.
No. of coolers/boxes	: 3	Temperature	: 1.5, 1.2, 1.7°C
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 90 / 85

### General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **As only a soil jar suitable for PFAS testing was received for "AM-BH30 2.75-3" (ALS #78), pH Field and Fox (EA037) will not be tested on this sample.**
- **Samples "QAQC006" and "QAQC002" will be forwarded to Eurofins, as requested.**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The estimated due date for this data is the 25/10/16.**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Please be advised that a soil jar for PFAS testing was not received for "AM-BH14 1-1.25" (ALS #17), however one was received for "AM-BH14 0.75-1" (ALS #16). PFAS testing has been assigned to ALS #16, however if testing for this is not required on this sample, please contact ALS Client Services at [ALSEnviro.Brisbane@alsglobal.com](mailto:ALSEnviro.Brisbane@alsglobal.com) , ASAP.**
- Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- **No sample container / preservation non-compliance exists.**

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: **SOIL**

Laboratory sample ID	Client sampling date / time	Client sample ID	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-001	[ 06-Oct-2016 ]	AM-BH13 0-0.25	✓						
EB1624749-002	[ 06-Oct-2016 ]	AM-BH13 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-003	[ 06-Oct-2016 ]	AM-BH13 0.5-0.75	✓						
EB1624749-004	[ 06-Oct-2016 ]	AM-BH13 0.75-1	✓						
EB1624749-005	[ 06-Oct-2016 ]	AM-BH13 1-1.25	✓						
EB1624749-006	[ 06-Oct-2016 ]	AM-BH13 1.25-1.5	✓						
EB1624749-007	[ 06-Oct-2016 ]	AM-BH13 1.5-1.75	✓						
EB1624749-008	[ 06-Oct-2016 ]	AM-BH13 1.75-2	✓						
EB1624749-009	[ 06-Oct-2016 ]	AM-BH13 2-2.25	✓						
EB1624749-010	[ 06-Oct-2016 ]	AM-BH13 2.25-2.5	✓						
EB1624749-011	[ 06-Oct-2016 ]	AM-BH13 2.5-2.75	✓						
EB1624749-012	[ 06-Oct-2016 ]	AM-BH13 2.75-3	✓	✓		✓			
EB1624749-013	[ 06-Oct-2016 ]	AM-BH14 0-0.25	✓						
EB1624749-014	[ 06-Oct-2016 ]	AM-BH14 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-015	[ 06-Oct-2016 ]	AM-BH14 0.5-0.75	✓						
EB1624749-016	[ 06-Oct-2016 ]	AM-BH14 0.75-1	✓	✓		✓			
EB1624749-017	[ 06-Oct-2016 ]	AM-BH14 1-1.25	✓						
EB1624749-018	[ 06-Oct-2016 ]	AM-BH14 1.25-1.5	✓						
EB1624749-019	[ 06-Oct-2016 ]	AM-BH14 1.5-1.75	✓						
EB1624749-020	[ 06-Oct-2016 ]	AM-BH14 1.75-2	✓						
EB1624749-021	[ 06-Oct-2016 ]	AM-BH14 2-2.25	✓						
EB1624749-022	[ 06-Oct-2016 ]	AM-BH14 2.25-2.5	✓						
EB1624749-023	[ 06-Oct-2016 ]	AM-BH14 2.5-2.75	✓						
EB1624749-024	[ 06-Oct-2016 ]	AM-BH14 2.75-3	✓						
EB1624749-025	[ 07-Oct-2016 ]	AM-BH15 0-0.25	✓						
EB1624749-026	[ 07-Oct-2016 ]	AM-BH15 0.25-0.5	✓	✓		✓	✓		✓
EB1624749-027	[ 07-Oct-2016 ]	AM-BH15 0.5-0.75	✓						
EB1624749-028	[ 07-Oct-2016 ]	AM-BH15 0.75-1	✓						
EB1624749-029	[ 07-Oct-2016 ]	AM-BH15 1-1.25	✓						
EB1624749-030	[ 07-Oct-2016 ]	AM-BH15 1.25-1.5	✓						
EB1624749-031	[ 07-Oct-2016 ]	AM-BH15 1.5-1.75	✓						
EB1624749-032	[ 07-Oct-2016 ]	AM-BH15 1.75-2	✓	✓		✓			
EB1624749-033	[ 07-Oct-2016 ]	AM-BH15 2-2.25	✓						
EB1624749-034	[ 07-Oct-2016 ]	AM-BH15 2.25-2.5	✓						
EB1624749-035	[ 07-Oct-2016 ]	AM-BH15 2.5-2.75	✓						



			SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-036	[ 07-Oct-2016 ]	AM-BH15 2.75-3	✓						
EB1624749-037	[ 07-Oct-2016 ]	AM-BH15 0-0.1		✓					
EB1624749-038	[ 07-Oct-2016 ]	QAQC005		✓		✓	✓		✓
EB1624749-041	[ 07-Oct-2016 ]	AM-BH16 0-0.25	✓						
EB1624749-042	[ 07-Oct-2016 ]	AM-BH16 0.25-0.5	✓	✓		✓	✓		✓
EB1624749-043	[ 07-Oct-2016 ]	AM-BH16 0.5-0.75	✓						
EB1624749-044	[ 07-Oct-2016 ]	AM-BH16 0.75-1	✓						
EB1624749-045	[ 07-Oct-2016 ]	AM-BH16 1-1.25	✓						
EB1624749-046	[ 07-Oct-2016 ]	AM-BH16 1.25-1.5	✓						
EB1624749-047	[ 07-Oct-2016 ]	AM-BH16 1.5-1.75	✓						
EB1624749-048	[ 07-Oct-2016 ]	AM-BH16 1.75-2	✓						
EB1624749-049	[ 07-Oct-2016 ]	AM-BH16 2-2.25	✓						
EB1624749-050	[ 07-Oct-2016 ]	AM-BH16 2.25-2.5	✓						
EB1624749-051	[ 07-Oct-2016 ]	AM-BH16 2.5-2.75	✓						
EB1624749-052	[ 07-Oct-2016 ]	AM-BH16 2.75-3	✓	✓		✓			
EB1624749-053	[ 07-Oct-2016 ]	AM-BH16 0-0.1		✓					
EB1624749-054	[ 07-Oct-2016 ]	QAQC001		✓		✓	✓		✓
EB1624749-057	[ 07-Oct-2016 ]	AM-BH25 0-0.25	✓						
EB1624749-058	[ 07-Oct-2016 ]	AM-BH25 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-059	[ 07-Oct-2016 ]	AM-BH25 0.5-0.75	✓						
EB1624749-060	[ 07-Oct-2016 ]	AM-BH25 1.5-1.75	✓						
EB1624749-061	[ 07-Oct-2016 ]	AM-BH25 1.75-2	✓						
EB1624749-062	[ 07-Oct-2016 ]	AM-BH25 2-2.25	✓						
EB1624749-063	[ 07-Oct-2016 ]	AM-BH25 2.25-2.5	✓						
EB1624749-064	[ 07-Oct-2016 ]	AM-BH25 2.5-2.75	✓						
EB1624749-065	[ 07-Oct-2016 ]	AM-BH25 2.75-3	✓	✓		✓			
EB1624749-066	[ 07-Oct-2016 ]	AM-BH25 0.5-0.6		✓					
EB1624749-067	[ 10-Oct-2016 ]	AM-BH30 0-0.25	✓						
EB1624749-068	[ 10-Oct-2016 ]	AM-BH30 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-069	[ 10-Oct-2016 ]	AM-BH30 0.5-0.75	✓						
EB1624749-070	[ 10-Oct-2016 ]	AM-BH30 0.75-1	✓	✓		✓			
EB1624749-071	[ 10-Oct-2016 ]	AM-BH30 1-1.25	✓						
EB1624749-072	[ 10-Oct-2016 ]	AM-BH30 1.25-1.5	✓						
EB1624749-073	[ 10-Oct-2016 ]	AM-BH30 1.5-1.75	✓						
EB1624749-074	[ 10-Oct-2016 ]	AM-BH30 1.75-2	✓						
EB1624749-075	[ 10-Oct-2016 ]	AM-BH30 2-2.25	✓						
EB1624749-076	[ 10-Oct-2016 ]	AM-BH30 2.25-2.5	✓						
EB1624749-077	[ 10-Oct-2016 ]	AM-BH30 2.5-2.75	✓						
EB1624749-079	[ 10-Oct-2016 ]	AM-BH31 0-0.25	✓						
EB1624749-080	[ 10-Oct-2016 ]	AM-BH31 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-081	[ 10-Oct-2016 ]	AM-BH31 0.5-0.75	✓						



			SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-082	[ 10-Oct-2016 ]	AM-BH31 0.75-1	✓						
EB1624749-083	[ 10-Oct-2016 ]	AM-BH31 1-1.25	✓						
EB1624749-084	[ 10-Oct-2016 ]	AM-BH31 1.25-1.5	✓						
EB1624749-085	[ 10-Oct-2016 ]	AM-BH31 1.5-1.75	✓						
EB1624749-086	[ 10-Oct-2016 ]	AM-BH31 1.75-2	✓	✓		✓			
EB1624749-087	[ 10-Oct-2016 ]	AM-BH31 2-2.25	✓						
EB1624749-088	[ 10-Oct-2016 ]	AM-BH31 2.25-2.5	✓						
EB1624749-089	[ 10-Oct-2016 ]	AM-BH31 2.5-2.75	✓						
EB1624749-090	[ 10-Oct-2016 ]	AM-BH31 2.75-3	✓						

Matrix: SOIL

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EG005T (solids) Total Metals by ICP-AES	SOIL - EG020T (solids) Total Metals by ICP-MS	SOIL - EP075 SIM PAH only SIM - PAH only	SOIL - S-02 8 Metals (incl. Digestion)
EB1624749-037	[ 07-Oct-2016 ]	AM-BH15 0-0.1		✓	✓		✓
EB1624749-039	[ 07-Oct-2016 ]	QAQC007	✓				
EB1624749-040	[ 07-Oct-2016 ]	QAQC008	✓				
EB1624749-053	[ 07-Oct-2016 ]	AM-BH16 0-0.1		✓	✓		✓
EB1624749-055	[ 07-Oct-2016 ]	QAQC003	✓				
EB1624749-056	[ 07-Oct-2016 ]	QAQC004	✓				
EB1624749-066	[ 07-Oct-2016 ]	AM-BH25 0.5-0.6				✓	
EB1624749-078	[ 10-Oct-2016 ]	AM-BH30 2.75-3	✓				

### Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.



## *Requested Deliverables*

### **ACCOUNTS PAYABLE**

- A4 - AU Tax Invoice (INV)

Email auaccountspayable@golder.com.au

### **KRYSTLE-RAE BIRAM**

- \*AU Certificate of Analysis - NATA (COA)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)
- Chain of Custody (CoC) (COC)
- EDI Format - ESDAT (ESDAT)

Email kbiram@golder.com.au  
Email kbiram@golder.com.au  
Email kbiram@golder.com.au  
Email kbiram@golder.com.au  
Email kbiram@golder.com.au  
Email kbiram@golder.com.au

### **SERENA CURTI**

- \*AU Certificate of Analysis - NATA (COA)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)
- Chain of Custody (CoC) (COC)
- EDI Format - ESDAT (ESDAT)

Email scurti@golder.com.au  
Email scurti@golder.com.au  
Email scurti@golder.com.au  
Email scurti@golder.com.au  
Email scurti@golder.com.au  
Email scurti@golder.com.au



## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1624749**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : MS KRYSTLE-RAE BIRAM  
**Address** : P O BOX 1734  
 MILTON QLD, AUSTRALIA 4064  
**Telephone** : +61 07 3721 5400  
**Project** : 1538021  
**Order number** : 1538021  
**C-O-C number** : ----  
**Sampler** : MORGAN MIDGLEY  
**Site** : Brisbane Airport  
**Quote number** : ----  
**No. of samples received** : 90  
**No. of samples analysed** : 85

**Page** : 1 of 105  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 14-Oct-2016 16:00  
**Date Analysis Commenced** : 18-Oct-2016  
**Issue Date** : 25-Oct-2016 13:16



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Lana Nguyen	Senior LCMS Chemist	Sydney Organics, Smithfield, NSW
Matt Frost	Senior Organic Chemist	Brisbane Inorganics, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG005T (Total Metals): Sample EB1624685-033 shows poor matrix spike recovery due to sample heterogeneity. Confirmed by visual inspection.
- EG035T (Total Mercury): Sample EB1624685-033 shows poor spike recovery due to sample heterogeneity. Confirmed by visual inspection
- EP068 Pesticides: Sample 'AM-BH14 0.25-0.5' shows poor matrix spike recovery for 4,4/ due to matrix interference. Confirmed by re-extraction and re-analysis.
- EP068 Pesticides: High LCS recovery deemed acceptable as all associated analyte results are less than LOR.
- EP075(SIM): High LCS recovery deemed acceptable as all associated analyte results are less than LOR.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.  
Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.6	7.6	6.9	7.1	
ø pH (Fox)	----	0.1	pH Unit	5.2	5.6	5.7	5.2	4.4	
ø Reaction Rate	----	1	-	1	2	2	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	9.8	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	7	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	9	----	----	----	
Copper	7440-50-8	5	mg/kg	----	23	----	----	----	
Lead	7439-92-1	5	mg/kg	----	14	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	9	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	30	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	<0.05	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	<0.05	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	<0.05	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	<0.05	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	<0.05	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	<0.2	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	<0.05	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	<0.2	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	<0.05	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	<0.05	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	<50	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	<100	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	<100	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	114	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	102	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	122	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	118	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	100	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	121	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	113	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	132	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	99.4	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	84.9	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	88.2	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	93.7	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.8	5.9	5.0	5.7	
ø pH (Fox)	----	0.1	pH Unit	4.2	4.4	3.0	3.4	3.3	
ø Reaction Rate	----	1	-	3	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.7	6.5	7.0	7.8	5.9	
ø pH (Fox)	----	0.1	pH Unit	3.4	4.8	4.7	6.0	2.7	
ø Reaction Rate	----	1	-	2	2	3	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	25.2	----	11.2	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	8	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	<1	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	21	----	
Copper	7440-50-8	5	mg/kg	----	----	----	24	----	
Lead	7439-92-1	5	mg/kg	----	----	----	13	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	14	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	40	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----	
^ Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	0.6	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	1.2	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	<10	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	<10	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	<0.2	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	<0.5	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	<0.5	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	<0.5	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	<0.5	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	<0.5	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	<0.2	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	<1	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	<0.0002	----	<b>0.0003</b>	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	<0.001	----	<0.001	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	<0.0005	----	<0.0005	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	<0.0005	----	<0.0005	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	<0.0002	----	0.0003	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	<0.0002	----	0.0003	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	<0.0002	----	0.0003	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	119	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	112	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	116	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	109	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	95.1	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	116	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	108	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	132	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	94.1	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	79.3	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	92.0	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	96.0	----	104	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.3	5.2	8.0	5.5	5.7	
ø pH (Fox)	----	0.1	pH Unit	2.4	2.5	3.2	2.9	3.0	
ø Reaction Rate	----	1	-	4	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	6.8	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		90.5	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	7.2	7.2	7.3	7.0	
ø pH (Fox)	----	0.1	pH Unit	5.0	5.6	5.7	5.7	1.8	
ø Reaction Rate	----	1	-	2	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.0	6.5	7.2	7.0	7.3	
ø pH (Fox)	----	0.1	pH Unit	5.4	4.4	5.0	4.8	4.8	
ø Reaction Rate	----	1	-	3	2	3	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	23.9	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	14	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	41	----	----	----	----	
Copper	7440-50-8	5	mg/kg	22	----	----	----	----	
Lead	7439-92-1	5	mg/kg	10	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	39	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	90	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		<0.05	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		<0.05	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		<0.05	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		<0.05	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		<0.05	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		<0.2	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		<0.05	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		<0.2	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		<0.05	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		<0.05	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		<0.05	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		<0.05	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		<0.2	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		<0.05	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		<0.05	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		<0.05	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		<0.2	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		<0.05	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		<0.05	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		<0.05	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		<0.2	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		<0.05	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		<0.05	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		<0.05	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		<0.05	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		<0.05	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		<0.05	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		<0.05	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		<0.05	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030
					Result	Result	Result	Result	Result
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----	----
Benzo(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	----	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	<10	----	----	----	----	----
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	<10	----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg	<100	----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg	<0.5	----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg	<0.2	----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	113	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	106	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	108	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	105	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	102	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	103	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	110	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	123	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	99.0	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	89.6	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	97.4	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	96.0	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.1	6.9	6.9	7.0	7.0	
ø pH (Fox)	----	0.1	pH Unit	4.6	4.4	4.2	4.4	2.5	
ø Reaction Rate	----	1	-	3	3	3	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	25.4	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	<0.0002	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	<0.001	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	<0.0005	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	<0.0005	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	<0.0002	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	<0.0002	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	<0.0002	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	94.3	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.3	----	----	7.2	6.3	
ø pH (Fox)	----	0.1	pH Unit	2.5	----	----	3.1	4.3	
ø Reaction Rate	----	1	-	4	----	----	3	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	16.8	23.4	----	24.2	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	8	13	----	<5	
Cadmium	7440-43-9	1	mg/kg	----	<1	<1	----	<1	
Chromium	7440-47-3	2	mg/kg	----	46	39	----	55	
Copper	7440-50-8	5	mg/kg	----	34	31	----	20	
Lead	7439-92-1	5	mg/kg	----	10	17	----	6	
Nickel	7440-02-0	2	mg/kg	----	52	59	----	18	
Zinc	7440-66-6	5	mg/kg	----	56	236	----	33	
Titanium	7440-32-6	10	mg/kg	----	360	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	1.4	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	<0.1	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	<0.05	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	<0.05	----	<0.05	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	<0.05	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	<0.05	----	<0.05	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	<0.05	----	<0.05	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	<0.05	----	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	<0.2	----	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	<0.2	----	<0.2	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	<0.05	----	<0.05	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	<0.2	----	<0.2	
Dimethoate	60-51-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Diazinon	333-41-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	<0.05	----	<0.05	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	<0.2	----	<0.2	
Malathion	121-75-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Fenthion	55-38-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
Parathion	56-38-2	0.2	mg/kg	----	----	<0.2	----	<0.2	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	<0.05	----	<0.05	
Ethion	563-12-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	<0.05	----	<0.05	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	<0.5	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	<0.5	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	<b>0.6</b>	----	<b>0.6</b>	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	<b>1.2</b>	----	<b>1.2</b>	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	<10	----	<10	
C10 - C14 Fraction	----	50	mg/kg	----	----	<50	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	<100	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	<100	----	<100	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	<50	----	<50	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	<10	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	<10	----	<10	
>C10 - C16 Fraction	----	50	mg/kg	----	----	<50	----	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	<100	----	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	<100	----	<100	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	<50	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	<50	----	<50	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	<0.2	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	<0.5	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	<0.2	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	<1	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	<b>0.0004</b>	----	<0.0002	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	<0.001	----	<0.001	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	112	----	116	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	101	----	106	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	109	----	119	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	103	----	110	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	97.8	----	106	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	104	----	103	
Anthracene-d10	1719-06-8	0.5	%	----	----	104	----	113	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	116	----	125	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	98.0	----	110	
Toluene-D8	2037-26-5	0.2	%	----	----	86.8	----	90.0	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	95.4	----	101	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	101	----	92.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.5	5.3	5.9	6.4	6.7	
ø pH (Fox)	----	0.1	pH Unit	2.6	3.2	3.8	3.4	3.5	
ø Reaction Rate	----	1	-	2	2	2	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.3	6.2	6.5	6.4	7.1	
ø pH (Fox)	----	0.1	pH Unit	3.7	3.6	3.3	1.7	2.2	
ø Reaction Rate	----	1	-	3	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	23.9	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	<0.0002
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	<0.001



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	<0.0005
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	<0.0002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	<0.0005
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	<0.0005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	<0.0005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	<0.0005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	<0.0002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	<0.0002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	<0.0005
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	<0.0005



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	<0.0005
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	<0.0005
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	<0.0002
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	<0.0002
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	<0.0002
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	91.6



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	----	----	6.7	4.3	5.9	
ø pH (Fox)	----	0.1	pH Unit	----	----	3.8	4.6	4.0	
ø Reaction Rate	----	1	-	----	----	3	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	19.1	23.7	----	11.6	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	11	8	----	10	----	
Cadmium	7440-43-9	1	mg/kg	<1	<1	----	<1	----	
Chromium	7440-47-3	2	mg/kg	37	54	----	54	----	
Copper	7440-50-8	5	mg/kg	25	30	----	41	----	
Lead	7439-92-1	5	mg/kg	17	13	----	15	----	
Nickel	7440-02-0	2	mg/kg	18	33	----	31	----	
Zinc	7440-66-6	5	mg/kg	65	42	----	44	----	
Titanium	7440-32-6	10	mg/kg	340	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	3.0	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	<0.05	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	<0.2	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	<0.05	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	<0.05	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	<0.05	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	<0.2	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	<0.05	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	<0.05	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	<0.05	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	<0.2	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	<0.05	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	<0.05	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	<0.05	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	<0.05	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	<0.05	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	<0.05	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	<0.05	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	<b>0.6</b>	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	<b>1.2</b>	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	<10	----	
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<b>0.0004</b>	----	<b>0.0005</b>	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<b>0.0004</b>	----	<b>0.0020</b>	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	<0.001	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	0.0008	----	0.0025	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	0.0008	----	0.0025	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	0.0008	----	0.0025	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	115	----	108	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	103	----	98.5	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	119	----	117	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	109	----	108	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	102	----	94.1	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	105	----	116	----	
Anthracene-d10	1719-06-8	0.5	%	----	113	----	117	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	132	----	128	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	104	----	93.1	----	
Toluene-D8	2037-26-5	0.2	%	----	89.4	----	83.0	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	97.6	----	83.7	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	95.2	----	93.4	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.9	6.0	6.1	4.7	5.9	
ø pH (Fox)	----	0.1	pH Unit	3.2	3.5	4.1	2.9	4.5	
ø Reaction Rate	----	1	-	3	3	3	2	1	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.6	----	4.5	3.9	4.2	
ø pH (Fox)	----	0.1	pH Unit	5.4	----	2.8	2.2	2.5	
ø Reaction Rate	----	1	-	2	----	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	25.2	28.6	----	15.1	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	8	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	<1	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	39	----	
Copper	7440-50-8	5	mg/kg	----	----	----	16	----	
Lead	7439-92-1	5	mg/kg	----	----	----	12	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	24	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	54	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	<b>0.6</b>	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	<b>1.2</b>	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	<10	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	<0.001	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	104	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	98.4	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	113	----	104	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	102	----	97.1	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	106	----	91.9	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	100	----	110	----	
Anthracene-d10	1719-06-8	0.5	%	----	111	----	115	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	116	----	122	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	88.7	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	77.2	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	85.4	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	91.5	----	----	86.5	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.4	6.4	6.8	7.1	7.2	
ø pH (Fox)	----	0.1	pH Unit	3.8	4.2	4.0	1.8	1.8	
ø Reaction Rate	----	1	-	2	3	3	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	34.4	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		<0.001	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		86.4	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.0	8.1	8.2	5.2	4.2	
ø pH (Fox)	----	0.1	pH Unit	2.4	2.0	2.0	3.0	2.4	
ø Reaction Rate	----	1	-	4	4	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	17.5	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	19	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	<1	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	41	
Copper	7440-50-8	5	mg/kg	----	----	----	----	20	
Lead	7439-92-1	5	mg/kg	----	----	----	----	13	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	41	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	63	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	<0.05	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	<0.05	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	<0.05	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	<0.2	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	----	----	----	----	<0.05	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	<100	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	<50	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	0.6	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	1.2	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	<10	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	<10	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<b>0.0005</b>	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	0.0005	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	110	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	100	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	108	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	99.3	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	94.6	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	113	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	118	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	126	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	100	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	79.5	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	94.5	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	95.6	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	3.9	5.7	5.1	5.8	6.5	
ø pH (Fox)	----	0.1	pH Unit	2.2	3.9	2.5	1.8	1.9	
ø Reaction Rate	----	1	-	2	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction		50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction		100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction		100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.0	7.1	7.4	7.8	7.8	
ø pH (Fox)	----	0.1	pH Unit	1.8	1.7	1.7	2.0	1.7	
ø Reaction Rate	----	1	-	4	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	36.0	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
				Result	Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		82.9	----	----	----	----





## Surrogate Control Limits

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP068S: Organochlorine Pesticide Surrogate</b>			
Dibromo-DDE	21655-73-2	10	138
<b>EP068T: Organophosphorus Pesticide Surrogate</b>			
DEF	78-48-8	23	135
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	35	155
2-Chlorophenol-D4	93951-73-6	42	153
2,4,6-Tribromophenol	118-79-6	26	157
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	34	157
Anthracene-d10	1719-06-8	37	153
4-Terphenyl-d14	1718-51-0	42	172
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	53	134
Toluene-D8	2037-26-5	60	131
4-Bromofluorobenzene	460-00-4	59	127
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	70	130

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1624749</b>	<b>Page</b>	: 1 of 19
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 14-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 18-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 25-Oct-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 90		
<b>No. of samples analysed</b>	: 85		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Lana Nguyen	Senior LCMS Chemist	Sydney Organics, Smithfield, NSW
Matt Frost	Senior Organic Chemist	Brisbane Inorganics, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 621294)</b>									
EB1624749-001	AM-BH13 0-0.25	EA037: pH (F)	----	0.1	pH Unit	7.4	7.4	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.2	5.1	1.94	0% - 20%
EB1624749-011	AM-BH13 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	5.7	5.5	3.57	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.4	3.5	2.90	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621295)</b>									
EB1624749-021	AM-BH14 2-2.25	EA037: pH (F)	----	0.1	pH Unit	6.8	7.0	2.90	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.0	4.8	4.08	0% - 20%
EB1624749-031	AM-BH15 1.5-1.75	EA037: pH (F)	----	0.1	pH Unit	7.1	7.0	1.42	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.6	4.5	2.20	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621296)</b>									
EB1624749-045	AM-BH16 1-1.25	EA037: pH (F)	----	0.1	pH Unit	5.9	5.8	1.71	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.8	3.8	0.00	0% - 20%
EB1624749-059	AM-BH25 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	5.9	6.0	1.68	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.0	3.9	2.53	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621297)</b>									
EB1624749-070	AM-BH30 0.75-1	EA037: pH (F)	----	0.1	pH Unit	5.4	5.5	1.83	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.8	3.7	2.67	0% - 20%
EB1624749-081	AM-BH31 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	3.9	3.9	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.2	2.3	4.44	0% - 20%
<b>EA055: Moisture Content (QC Lot: 620751)</b>									
EB1624685-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	16.4	16.6	1.12	0% - 50%
EB1624685-023	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	3.8	3.9	0.00	No Limit
<b>EA055: Moisture Content (QC Lot: 620757)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	9.8	9.6	2.30	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA055: Moisture Content (QC Lot: 620766)</b>									
EB1624685-005	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	8.3	8.2	0.00	No Limit
<b>EA055: Moisture Content (QC Lot: 624690)</b>									
EB1623981-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	4.8	4.6	4.61	No Limit
EB1623981-011	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	25.5	26.2	2.67	0% - 20%
<b>EA055: Moisture Content (QC Lot: 624691)</b>									
EB1624749-052	AM-BH16 2.75-3	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	23.9	23.3	2.31	0% - 20%
<b>EG005T: Total Metals by ICP-AES (QC Lot: 620763)</b>									
EB1624685-032	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	25	25	0.00	0% - 50%
		EG005T: Nickel	7440-02-0	2	mg/kg	2	<2	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	6	5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	12	12	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	<5	<5	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	54	53	0.00	0% - 20%
		EG005T: Nickel	7440-02-0	2	mg/kg	31	31	0.00	0% - 50%
		EG005T: Arsenic	7440-38-2	5	mg/kg	10	11	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	41	40	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	15	16	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	44	44	0.00	No Limit
<b>EG020T: Total Metals by ICP-MS (QC Lot: 620765)</b>									
EB1624749-037	AM-BH15 0-0.1	EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	1.4	1.7	13.2	No Limit
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 620764)</b>									
EB1624685-032	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620748)</b>									
EB1624685-001	Anonymous	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	0.08	0.07	14.7	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620748) - continued</b>									
EB1624685-001	Anonymous	EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	0.08	0.07	13.3	No Limit
		EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620755)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620755) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
			-1						
		EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620748)</b>									
EB1624685-001	Anonymous	EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	<0.2	0.00	No Limit		
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit		
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620755)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620755) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QC Lot: 620754)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QC Lot: 620754)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620746)</b>									
EB1624685-023	Anonymous	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	205-82-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EB1624685-001	Anonymous	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5
EP075(SIM): Acenaphthylene	208-96-8			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Acenaphthene	83-32-9			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Fluorene	86-73-7			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Phenanthrene	85-01-8			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Anthracene	120-12-7			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Fluoranthene	206-44-0			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Pyrene	129-00-0			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Benz(a)anthracene	56-55-3			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Chrysene	218-01-9			0.5	mg/kg	<0.5	<0.5	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620746) - continued</b>									
EB1624685-001	Anonymous	EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	0.5	<0.5	0.00	No Limit
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620753)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620747)</b>									
EB1624685-033	Anonymous	EP071: C15 - C28 Fraction	----	100	mg/kg	<100	100	0.00	No Limit
		EP071: C29 - C36 Fraction	----	100	mg/kg	100	120	15.1	No Limit
		EP071: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EB1624685-001	Anonymous	EP071: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit
EB1624685-033	Anonymous	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit





Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620747)</b>									
EB1624685-033	Anonymous	EP071: >C16 - C34 Fraction	----	100	mg/kg	160	190	14.4	No Limit
		EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EB1624685-001	Anonymous	EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
EB1624685-033	Anonymous	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080: BTEXN (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
EB1624685-033	Anonymous	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
<b>EP080: BTEXN (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 624743) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	0.0005	0.0006	18.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	0.0020	0.0022	12.4	0% - 50%
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorononanoic acid (PFNA)	375-95-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7			0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4			0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 624743) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



### Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	118.9 mg/kg	93.9	84	123	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.87125 mg/kg	102	88	117	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	22.7 mg/kg	95.9	83	125	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55 mg/kg	105	86	122	
EG005T: Lead	7439-92-1	5	mg/kg	<5	72.1 mg/kg	102	84	119	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	16.6 mg/kg	109	89	126	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	182.3 mg/kg	104	87	127	
<b>EG020T: Total Metals by ICP-MS (QCLot: 620765)</b>									
EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	<0.5	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620764)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.09821 mg/kg	100	78	122	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748)</b>									
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	81.7	54	121	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	101	54	112	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	89.2	49	121	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	85.1	55	129	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	79.8	61	122	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	103	65	130	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	102	70	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	106	58	118	
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	107	56	119	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	101	51	125	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	105	57	118	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	100	67	129	
EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	110	62	121	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	108	60	137	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	94.4	61	122	
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	106	60	123	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	97.5	52	125	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	87.0	55	125	
EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	80.2	80	142	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	98.4	55	129	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
					LCS	Low	High	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748) - continued</b>								
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	98.1	53	136
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620755)</b>								
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	96.5	54	121
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	# 114	54	112
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	99.7	49	121
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	95.5	55	129
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	84.1	61	122
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	119	65	130
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	108	70	130
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	116	58	118
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	115	56	119
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	103	51	125
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	113	57	118
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	106	67	129
EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	118	62	121
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	113	60	137
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	102	61	122
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----
EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	106	60	123
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	97.4	52	125
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	93.6	55	125
EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	107	80	142
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	121	55	129
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	111	53	136
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748)</b>								
EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	0.5 mg/kg	99.2	41	114
EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	65.7	25	120
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	0.5 mg/kg	113	35	135
EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	0.5 mg/kg	94.8	44	131
EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	0.5 mg/kg	98.7	70	131



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748) - continued</b>									
EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	0.5 mg/kg	109	70	130	
EP068: Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	0.5 mg/kg	80.0	60	122	
EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	0.5 mg/kg	96.5	64	125	
EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	0.5 mg/kg	103	69	115	
EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	0.5 mg/kg	92.9	66	120	
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	0.5 mg/kg	102	57	118	
EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	0.5 mg/kg	121	70	130	
EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	0.5 mg/kg	117	62	127	
EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	0.5 mg/kg	106	80	130	
EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	0.5 mg/kg	98.5	55	106	
EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	0.5 mg/kg	101	80	134	
EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	0.5 mg/kg	120	61	123	
EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	0.5 mg/kg	119	57	124	
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	0.5 mg/kg	46.7	35	127	
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620755)</b>									
EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	0.5 mg/kg	102	41	114	
EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	67.2	25	120	
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	0.5 mg/kg	112	35	135	
EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	0.5 mg/kg	97.1	44	131	
EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	0.5 mg/kg	111	70	131	
EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	0.5 mg/kg	107	70	130	
EP068: Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	0.5 mg/kg	81.3	60	122	
EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	0.5 mg/kg	105	64	125	
EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	0.5 mg/kg	108	69	115	
EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	0.5 mg/kg	98.5	66	120	
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	0.5 mg/kg	102	57	118	
EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	0.5 mg/kg	# 131	70	130	
EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	0.5 mg/kg	123	62	127	
EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	0.5 mg/kg	114	80	130	
EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	0.5 mg/kg	103	55	106	
EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	0.5 mg/kg	107	80	134	
EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	0.5 mg/kg	112	61	123	
EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	0.5 mg/kg	# 126	57	124	
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	0.5 mg/kg	35.5	35	127	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754)</b>									
EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	61.8	47	112	
EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	72.0	55	108	
EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620754)</b>									
EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	65.8	46	115	
EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	70.9	53	113	
EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620746)</b>									
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	101	74	119	
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	102	74	118	
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	106	83	121	
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	104	81	116	
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	110	72	117	
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	113	72	115	
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	112	70	116	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	114	70	134	
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	107	64	120	
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	110	66	119	
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	108	59	129	
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	112	70	129	
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	85.5	76	121	
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	91.9	53	135	
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	88.7	45	134	
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	106	64	131	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620753)</b>									
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	106	74	119	
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	111	74	118	
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	116	83	121	
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	111	81	116	
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	112	72	117	
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	# 122	72	115	
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	# 127	70	116	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	132	70	134	
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	109	64	120	
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	# 125	66	119	
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	110	59	129	
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	115	70	129	
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	110	76	121	
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	113	53	135	
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	114	45	134	
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	120	64	131	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
						LCS	Low	High
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620747)</b>								
EP071: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	82.6	79	123
EP071: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	87.4	77	123
EP071: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620750)</b>								
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	96.3	66	120
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620756)</b>								
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	71.8	66	120
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620747)</b>								
EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	84.9	81	122
EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	83.5	74	122
EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620750)</b>								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	89.8	66	119
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620756)</b>								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	67.4	66	119
<b>EP080: BTEXN (QCLot: 620750)</b>								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	90.9	73	105
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	97.1	73	105
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	92.5	67	104
EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	2 mg/kg	94.6	66	106
	106-42-3							
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	98.7	68	105
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	101	72	115
<b>EP080: BTEXN (QCLot: 620756)</b>								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	86.8	73	105
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	93.3	73	105
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	89.1	67	104
EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	2 mg/kg	86.8	66	106
	106-42-3							
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	90.0	68	105
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	100	72	115
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743)</b>								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	101	57	121
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.6	55	125
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.6	52	126
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	54	123
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.6	55	127
EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	103	54	125





Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 624743)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00125 mg/kg	83.2	52	128	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	104	54	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	86.0	58	127	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.3	57	128	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.4	60	134	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	98.3	63	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.4	55	130	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	110	62	130	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	105	53	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	49	129	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	91.6	59	129	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 624743)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	105	52	132	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	103	65	126	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	91.1	64	126	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	96.3	63	124	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	89.6	58	125	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	99.1	61	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	99.5	55	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 624743)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	87.1	54	130	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00125 mg/kg	90.0	61	130	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	76.4	62	130	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00125 mg/kg	87.6	60	130	

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike	Spike Recovery (%)	Recovery Limits (%)	
				Concentration	MS	Low	High
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763)</b>							
EB1624685-033	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	# Not Determined	70	130



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763) - continued</b>							
EB1624685-033	Anonymous	EG005T: Cadmium	7440-43-9	25 mg/kg	114	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	# Not Determined	70	130
		EG005T: Copper	7440-50-8	50 mg/kg	# 9.19	70	130
		EG005T: Lead	7439-92-1	50 mg/kg	97.1	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	123	70	130
		EG005T: Zinc	7440-66-6	50 mg/kg	# Not Determined	70	130
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620764)</b>							
EB1624685-033	Anonymous	EG035T: Mercury	7439-97-6	2.5 mg/kg	# 139	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748)</b>							
EB1624685-007	Anonymous	EP068: gamma-BHC	58-89-9	0.5 mg/kg	97.6	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	90.7	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	97.4	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	104	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	103	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	81.4	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620755)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP068: gamma-BHC	58-89-9	0.5 mg/kg	70.5	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	84.5	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	74.9	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	90.2	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	94.2	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	# 57.7	70	130
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748)</b>							
EB1624685-007	Anonymous	EP068: Diazinon	333-41-5	0.5 mg/kg	90.0	70	130
		EP068: Chlorpyrifos-methyl	5598-13-0	0.5 mg/kg	75.8	70	130
		EP068: Pirimphos-ethyl	23505-41-1	0.5 mg/kg	105	70	130
		EP068: Bromophos-ethyl	4824-78-6	0.5 mg/kg	111	70	130
		EP068: Prothiofos	34643-46-4	0.5 mg/kg	103	70	130
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620755)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP068: Diazinon	333-41-5	0.5 mg/kg	89.6	70	130
		EP068: Chlorpyrifos-methyl	5598-13-0	0.5 mg/kg	86.5	70	130
		EP068: Pirimphos-ethyl	23505-41-1	0.5 mg/kg	107	70	130
		EP068: Bromophos-ethyl	4824-78-6	0.5 mg/kg	95.6	70	130
		EP068: Prothiofos	34643-46-4	0.5 mg/kg	93.6	70	130
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754)</b>							



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike Concentration	SpikeRecovery(%) MS	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754) - continued</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP071SG-S: C10 - C14 Fraction	----	318 mg/kg	62.5	47	130
		EP071SG-S: C15 - C28 Fraction	----	531 mg/kg	68.3	55	130
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620754)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP071SG-S: >C10 - C16 Fraction	----	428 mg/kg	64.4	46	130
		EP071SG-S: >C16 - C34 Fraction	----	395 mg/kg	66.8	53	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620746)</b>							
EB1624685-002	Anonymous	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	101	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	110	70	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620753)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	116	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	124	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620747)</b>							
EB1624685-004	Anonymous	EP071: C10 - C14 Fraction	----	318 mg/kg	82.4	70	130
		EP071: C15 - C28 Fraction	----	531 mg/kg	87.3	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: C6 - C9 Fraction	----	8 mg/kg	95.0	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: C6 - C9 Fraction	----	8 mg/kg	78.2	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620747)</b>							
EB1624685-004	Anonymous	EP071: >C10 - C16 Fraction	----	428 mg/kg	84.2	70	130
		EP071: >C16 - C34 Fraction	----	395 mg/kg	84.9	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	93.8	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	76.0	70	130
<b>EP080: BTEXN (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: Benzene	71-43-2	2 mg/kg	93.3	70	130
		EP080: Toluene	108-88-3	2 mg/kg	91.1	70	130
<b>EP080: BTEXN (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: Benzene	71-43-2	2 mg/kg	80.5	70	130
		EP080: Toluene	108-88-3	2 mg/kg	76.5	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00125 mg/kg	75.2	50	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00125 mg/kg	77.1	50	130
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00125 mg/kg	72.6	50	130



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743) - continued</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00125 mg/kg	94.9	50	130
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00125 mg/kg	86.0	50	130
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.00125 mg/kg	81.3	50	130
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00125 mg/kg	67.8	50	130
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	82.2	50	130
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	67.8	50	130
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	90.2	50	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	109	50	130
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	112	50	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	102	50	130
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	114	50	130
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	91.6	50	130
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.00125 mg/kg	105	30	130
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	94.9	30	130
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	99.4	50	130
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	89.7	50	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	89.9	50	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.00312 mg/kg	94.3	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	73.4	30	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	112	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	109	30	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00125 mg/kg	98.6	50	130
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00125 mg/kg	110	50	130
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.00125 mg/kg	87.3	50	130
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00125 mg/kg	103	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1624749</b>	Page	: 1 of 13
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 14-Oct-2016
Site	: Brisbane Airport	Issue Date	: 25-Oct-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 90
Order number	: 1538021	No. of samples analysed	: 85

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- Laboratory Control outliers exist - please see following pages for full details.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



### Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Laboratory Control Spike (LCS) Recoveries</b>							
EP068A: Organochlorine Pesticides (OC)	QC-620755-002	----	Hexachlorobenzene (HCB)	118-74-1	114 %	54-112%	Recovery greater than upper control limit
EP068B: Organophosphorus Pesticides (OP)	QC-620755-002	----	Pirimphos-ethyl	23505-41-1	131 %	70-130%	Recovery greater than upper control limit
EP068B: Organophosphorus Pesticides (OP)	QC-620755-002	----	Carbophenothion	786-19-6	126 %	57-124%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Anthracene	120-12-7	122 %	72-115%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Fluoranthene	206-44-0	127 %	70-116%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Chrysene	218-01-9	125 %	66-119%	Recovery greater than upper control limit
<b>Matrix Spike (MS) Recoveries</b>							
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Arsenic	7440-38-2	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Chromium	7440-47-3	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Copper	7440-50-8	9.19 %	70-130%	Recovery less than lower data quality objective
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Zinc	7440-66-6	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG035T: Total Recoverable Mercury by FIMS	EB1624685--033	Anonymous	Mercury	7439-97-6	139 %	70-130%	Recovery greater than upper data quality objective
EP068A: Organochlorine Pesticides (OC)	EB1624749--014	AM-BH14 0.25-0.5	4,4'-DDT	50-29-3	57.7 %	70-130%	Recovery less than lower data quality objective

### Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Page : 3 of 13  
Work Order : EB1624749  
Client : GOLDER ASSOCIATES  
Project : 1538021



Matrix: **SOIL**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

<i>Method</i>	<i>Sample Date</i>	<i>Extraction / Preparation</i>			<i>Analysis</i>		
		<i>Date extracted</i>	<i>Due for extraction</i>	<i>Evaluation</i>	<i>Date analysed</i>	<i>Due for analysis</i>	<i>Evaluation</i>
<i>Container / Client Sample ID(s)</i>							







Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EA037: Ass Field Screening Analysis - Continued</b>									
AM-BH30 0-0.25, AM-BH30 0.5-0.75, AM-BH30 1-1.25, AM-BH30 1.5-1.75, AM-BH30 2-2.25, AM-BH30 2.5-2.75, AM-BH31 0.25-0.5, AM-BH31 0.75-1, AM-BH31 1.25-1.5, AM-BH31 1.75-2, AM-BH31 2.25-2.5, AM-BH31 2.75-3	AM-BH30 0.25-0.5, AM-BH30 0.75-1, AM-BH30 1.25-1.5, AM-BH30 1.75-2, AM-BH30 2.25-2.5, AM-BH31 0-0.25, AM-BH31 0.5-0.75, AM-BH31 1-1.25, AM-BH31 1.5-1.75, AM-BH31 2-2.25, AM-BH31 2.5-2.75,	10-Oct-2016	19-Oct-2016	08-Apr-2017	✓	19-Oct-2016	08-Apr-2017	✓	
<b>EA055: Moisture Content</b>									
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH13 2.75-3,	AM-BH14 0.75-1	06-Oct-2016	----	----	----	20-Oct-2016	20-Oct-2016	✓	
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH15 1.75-2, AM-BH25 2.75-3	AM-BH16 2.75-3,	07-Oct-2016	----	----	----	20-Oct-2016	21-Oct-2016	✓	
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH30 0.75-1,	AM-BH31 1.75-2	10-Oct-2016	----	----	----	20-Oct-2016	24-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	----	----	----	18-Oct-2016	20-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5,	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001, AM-BH25 0.5-0.6	07-Oct-2016	----	----	----	18-Oct-2016	21-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	----	----	----	18-Oct-2016	24-Oct-2016	✓	
<b>EG005T: Total Metals by ICP-AES</b>									
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	19-Oct-2016	04-Apr-2017	✓	19-Oct-2016	04-Apr-2017	✓	
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001,	07-Oct-2016	19-Oct-2016	05-Apr-2017	✓	19-Oct-2016	05-Apr-2017	✓	
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	19-Oct-2016	08-Apr-2017	✓	19-Oct-2016	08-Apr-2017	✓	
<b>EG020T: Total Metals by ICP-MS</b>									
<b>Soil Glass Jar - Unpreserved (EG020R-T)</b> AM-BH15 0-0.1,	AM-BH16 0-0.1	07-Oct-2016	19-Oct-2016	05-Apr-2017	✓	19-Oct-2016	05-Apr-2017	✓	



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	19-Oct-2016	03-Nov-2016	✓	19-Oct-2016	03-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001,	07-Oct-2016	19-Oct-2016	04-Nov-2016	✓	19-Oct-2016	04-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	19-Oct-2016	07-Nov-2016	✓	19-Oct-2016	07-Nov-2016	✓
<b>EP068A: Organochlorine Pesticides (OC)</b>								
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5,	QAQC005, QAQC001	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>EP068B: Organophosphorus Pesticides (OP)</b>								
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5,	QAQC005, QAQC001	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>								
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>								
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.5-0.6	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓
<b>EP080: BTEXN</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>EP231P: PFAS Sums</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	8	80	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	7	58	12.07	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	3	25	12.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	13	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	13	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	2	50.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	2	16	12.50	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	3	21	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	2	50.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Page : 11 of 13  
 Work Order : EB1624749  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **SOIL** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
<i>Analytical Methods</i>							
<b>Matrix Spikes (MS) - Continued</b>							
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Metals by ICP-MS - Suite R	EG020R-T	SOIL	In house: Referenced to APHA 3125; USEPA SW846 - 6020. Metals in solids are determined following an appropriate acid digestion. The ICPMS technique ionizes selected elements. Ions are passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass / charge ratios prior to measurement by a discrete dynode ion detector. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Pesticides by GCMS	EP068	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM (2013) Schedule B(3) (Method 504,505)
TRH - Semivolatile Fraction	EP071	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
PAH/Phenols (SIM)	EP075(SIM)	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	In house: Referenced to USEPA SW 846 - 8260B Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.
Preparation Methods	Method	Matrix	Method Descriptions
Drying only	EN020D	SOIL	In house



Page : 13 of 13  
Work Order : EB1624749  
Client : GOLDR ASSOCIATES  
Project : 1538021



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM (2013) Schedule B(3) (Method 202)
Sample Extraction for PFAS	EP231-PR	SOIL	In house
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids	ORG17	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na2SO4 and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.



## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1625883**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : **MS KRYSTLE-RAE BIRAM**  
**Address** : **P O BOX 1734**  
**MILTON QLD, AUSTRALIA 4064**  
**Telephone** : **+61 07 3721 5400**  
**Project** : **1538021**  
**Order number** : **1538021**  
**C-O-C number** : **----**  
**Sampler** : **MORGAN MIDGLEY**  
**Site** : **Brisbane Airport**  
**Quote number** : **----**  
**No. of samples received** : **18**  
**No. of samples analysed** : **18**

**Page** : 1 of 6  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 28-Oct-2016 16:50  
**Date Analysis Commenced** : 03-Nov-2016  
**Issue Date** : 03-Nov-2016 15:09



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- **The samples in this work order have been re-batched from EB1624693.**
- ASS: EA033 (CRS Suite): Liming rate is calculated and reported on a dry weight basis assuming use of fine agricultural lime (CaCO<sub>3</sub>) and using a safety factor of 1.5 to allow for non-homogeneous mixing and poor reactivity of lime. For conversion of Liming Rate from 'kg/t dry weight' to 'kg/m<sup>3</sup> in-situ soil', multiply 'reported results' x 'wet bulk density of soil in t/m<sup>3</sup>'.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH18 0.75-1	AM-BH18 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1625883-001	EB1625883-002	EB1625883-003	EB1625883-004	EB1625883-005	
				Result	Result	Result	Result	Result	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	6.6	8.0	4.7	4.3	4.6	
Titration Actual Acidity (23F)	----	2	mole H+ / t	<2	<2	25	104	41	
sulfidic - Titration Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	<0.02	0.04	0.17	0.06	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.028	0.418	0.006	0.021	<0.005	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	17	260	<10	13	<10	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	0.63	3.42	----	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	126	683	----	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	0.20	1.09	----	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	----	0.05	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	----	0.05	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	----	<0.02	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	----	<10	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	----	<0.02	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	<0.02	<0.02	0.04	0.19	0.07	
Net Acidity (acidity units)	----	10	mole H+ / t	<10	<10	28	117	43	
Liming Rate	----	1	kg CaCO3/t	<1	<1	2	9	3	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.03	0.42	0.04	0.19	0.07	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	17	260	28	117	43	
Liming Rate excluding ANC	----	1	kg CaCO3/t	1	20	2	9	3	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH24 0.75-1	AM-BH24 1.5-1.75	AM-BH24 2.25-2.5	AM-BH10 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1625883-006	EB1625883-007	EB1625883-008	EB1625883-009	EB1625883-010	
				Result	Result	Result	Result	Result	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	4.7	8.1	4.2	5.5	6.3	
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	33	<2	90	13	<2	
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.05	<0.02	0.14	0.02	<0.02	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.102	0.026	0.008	0.006	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	64	16	<10	<10	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	3.14	----	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	628	----	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	1.01	----	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	0.08	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	0.08	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	<0.02	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	<10	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	<0.02	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	0.06	<0.02	0.17	0.03	<0.02	
Net Acidity (acidity units)	----	10	mole H+ / t	36	<10	106	18	<10	
Liming Rate	----	1	kg CaCO3/t	3	<1	8	1	<1	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.06	0.10	0.17	0.03	<0.02	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	36	64	106	18	<10	
Liming Rate excluding ANC	----	1	kg CaCO3/t	3	5	8	1	<1	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1.5-1.75	AM-BH10 2.5-2.75	AM-BH32 0-0.25	AM-BH32 1-1.25	AM-BH32 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1625883-011	EB1625883-012	EB1625883-013	EB1625883-014	EB1625883-015	
				Result	Result	Result	Result	Result	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	5.1	4.8	7.4	4.5	4.7	
Titration Actual Acidity (23F)	----	2	mole H+ / t	25	43	<2	71	43	
sulfidic - Titration Actual Acidity (s-23F)	----	0.02	% pyrite S	0.04	0.07	<0.02	0.11	0.07	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	1.70	3.69	0.037	0.269	2.31	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	1060	2300	23	168	1440	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	----	1.24	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	----	248	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	----	0.40	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	1.74	3.76	<0.02	0.38	2.38	
Net Acidity (acidity units)	----	10	mole H+ / t	1080	2350	<10	239	1480	
Liming Rate	----	1	kg CaCO3/t	81	176	<1	18	111	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	1.74	3.76	0.04	0.38	2.38	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	1080	2350	23	239	1480	
Liming Rate excluding ANC	----	1	kg CaCO3/t	81	176	2	18	111	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0.75-1	AM-BH29 1-1.25	AM-BH29 2.5-2.75	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1625883-016	EB1625883-017	EB1625883-018	-----	-----	
				Result	Result	Result	----	----	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	4.4	4.3	5.5	----	----	
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	64	69	10	----	----	
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.10	0.11	<0.02	----	----	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.016	0.105	0.245	----	----	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	66	153	----	----	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	----	----	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	----	----	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	0.09	0.09	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	0.10	0.13	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	<0.02	0.05	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	<10	22	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	0.04	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	----	----	
Net Acidity (sulfur units)	----	0.02	% S	0.13	0.25	0.26	----	----	
Net Acidity (acidity units)	----	10	mole H+ / t	80	156	163	----	----	
Liming Rate	----	1	kg CaCO3/t	6	12	12	----	----	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.13	0.25	0.26	----	----	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	80	156	163	----	----	
Liming Rate excluding ANC	----	1	kg CaCO3/t	6	12	12	----	----	



## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: EB1625883</b>	<b>Page</b>	: 1 of 3
<b>Client</b>	<b>: GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 28-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 03-Nov-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 03-Nov-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 18		
<b>No. of samples analysed</b>	: 18		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD



### General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

- Key :
- Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot
  - CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
  - LOR = Limit of reporting
  - RPD = Relative Percentage Difference
  - # = Indicates failed QC

### Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA033-A: Actual Acidity (QC Lot: 638770)</b>									
EB1625748-001	Anonymous	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.07	0.07	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	42	43	0.00	0% - 20%
		EA033: pH KCl (23A)	----	0.1	pH Unit	4.7	4.7	0.00	0% - 20%
EB1625883-010	AM-BH10 0-0.25	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	<0.02	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	<2	0.00	No Limit
		EA033: pH KCl (23A)	----	0.1	pH Unit	6.3	6.4	1.57	0% - 20%
<b>EA033-B: Potential Acidity (QC Lot: 638770)</b>									
EB1625748-001	Anonymous	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.005	0.00	No Limit
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	<10	0.00	No Limit
EB1625883-010	AM-BH10 0-0.25	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	0.006	0.008	14.5	No Limit
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	<10	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EA033-A: Actual Acidity (QCLot: 638770)</b>									
EA033: pH KCl (23A)	----	----	pH Unit	----	4.8 pH Unit	95.8	70	130	
EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	15 mole H+ / t	108	70	130	
EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	----	----	----	----	
<b>EA033-B: Potential Acidity (QCLot: 638770)</b>									
EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.295 % S	85.4	70	130	
EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	----	----	----	----	
<b>EA033-C: Acid Neutralising Capacity (QCLot: 638770)</b>									
EA033: Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	<0.01	10 % CaCO3	100	70	130	
EA033: acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	<10	----	----	----	----	
EA033: sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	<0.01	----	----	----	----	
<b>EA033-D: Retained Acidity (QCLot: 638770)</b>									
EA033: Net Acid Soluble Sulfur (20Je)	----	0.02	% S	<0.02	----	----	----	----	
EA033: acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	<10	----	----	----	----	
EA033: sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	----	----	----	----	
EA033: KCl Extractable Sulfur (23Ce)	----	0.02	% S	<0.02	0.052 % S	91.7	70	130	
EA033: HCl Extractable Sulfur (20Be)	----	0.02	% S	<0.02	0.026 % S	109	70	130	

## Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1625883</b>	Page	: 1 of 5
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 28-Oct-2016
Site	: Brisbane Airport	Issue Date	: 03-Nov-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 18
Order number	: 1538021	No. of samples analysed	: 18

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



## Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA033-A: Actual Acidity</b>								
80* dried soil (EA033) AM-BH26 0-0.25, AM-BH26 2-2.25, AM-BH18 1.25-1.5, AM-BH24 0.75-1, AM-BH24 2.25-2.5, AM-BH10 1.5-1.75,	AM-BH26 1.75-2, AM-BH18 0.75-1, AM-BH18 2-2.25, AM-BH24 1.5-1.75, AM-BH10 0-0.25, AM-BH10 2.5-2.75	06-Oct-2016	03-Nov-2016	06-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
80* dried soil (EA033) AM-BH29 0.75-1, AM-BH29 2.5-2.75	AM-BH29 1-1.25,	07-Oct-2016	03-Nov-2016	07-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
80* dried soil (EA033) AM-BH32 0-0.25, AM-BH32 2-2.25	AM-BH32 1-1.25,	10-Oct-2016	03-Nov-2016	10-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
<b>EA033-B: Potential Acidity</b>								
80* dried soil (EA033) AM-BH26 0-0.25, AM-BH26 2-2.25, AM-BH18 1.25-1.5, AM-BH24 0.75-1, AM-BH24 2.25-2.5, AM-BH10 1.5-1.75,	AM-BH26 1.75-2, AM-BH18 0.75-1, AM-BH18 2-2.25, AM-BH24 1.5-1.75, AM-BH10 0-0.25, AM-BH10 2.5-2.75	06-Oct-2016	03-Nov-2016	06-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
80* dried soil (EA033) AM-BH29 0.75-1, AM-BH29 2.5-2.75	AM-BH29 1-1.25,	07-Oct-2016	03-Nov-2016	07-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓
80* dried soil (EA033) AM-BH32 0-0.25, AM-BH32 2-2.25	AM-BH32 1-1.25,	10-Oct-2016	03-Nov-2016	10-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA033-C: Acid Neutralising Capacity</b>								
80* dried soil (EA033) AM-BH26 0-0.25, AM-BH26 2-2.25, AM-BH18 1.25-1.5, AM-BH24 0.75-1, AM-BH24 2.25-2.5, AM-BH10 1.5-1.75, AM-BH26 1.75-2, AM-BH18 0.75-1, AM-BH18 2-2.25, AM-BH24 1.5-1.75, AM-BH10 0-0.25, AM-BH10 2.5-2.75	06-Oct-2016	03-Nov-2016	06-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓	
80* dried soil (EA033) AM-BH29 0.75-1, AM-BH29 2.5-2.75	07-Oct-2016	03-Nov-2016	07-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓	
80* dried soil (EA033) AM-BH32 0-0.25, AM-BH32 2-2.25	10-Oct-2016	03-Nov-2016	10-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓	
<b>EA033-D: Retained Acidity</b>								
80* dried soil (EA033) AM-BH26 0-0.25, AM-BH26 2-2.25, AM-BH18 1.25-1.5, AM-BH24 0.75-1, AM-BH24 2.25-2.5, AM-BH10 1.5-1.75, AM-BH26 1.75-2, AM-BH18 0.75-1, AM-BH18 2-2.25, AM-BH24 1.5-1.75, AM-BH10 0-0.25, AM-BH10 2.5-2.75	06-Oct-2016	03-Nov-2016	06-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓	
80* dried soil (EA033) AM-BH29 0.75-1, AM-BH29 2.5-2.75	07-Oct-2016	03-Nov-2016	07-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓	
80* dried soil (EA033) AM-BH32 0-0.25, AM-BH32 2-2.25	10-Oct-2016	03-Nov-2016	10-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓	
<b>EA033-E: Acid Base Accounting</b>								
80* dried soil (EA033) AM-BH26 0-0.25, AM-BH26 2-2.25, AM-BH18 1.25-1.5, AM-BH24 0.75-1, AM-BH24 2.25-2.5, AM-BH10 1.5-1.75, AM-BH26 1.75-2, AM-BH18 0.75-1, AM-BH18 2-2.25, AM-BH24 1.5-1.75, AM-BH10 0-0.25, AM-BH10 2.5-2.75	06-Oct-2016	03-Nov-2016	06-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓	
80* dried soil (EA033) AM-BH29 0.75-1, AM-BH29 2.5-2.75	07-Oct-2016	03-Nov-2016	07-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓	
80* dried soil (EA033) AM-BH32 0-0.25, AM-BH32 2-2.25	10-Oct-2016	03-Nov-2016	10-Oct-2017	✓	03-Nov-2016	01-Feb-2017	✓	



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Chromium Suite for Acid Sulphate Soils	EA033	SOIL	In house: Referenced to Ahern et al 2004. This method covers the determination of Chromium Reducible Sulfur (SCR); pHKCl; titratable actual acidity (TAA); acid neutralising capacity by back titration (ANC); and net acid soluble sulfur (SNAS) which incorporates peroxide sulfur. It applies to soils and sediments (including sands) derived from coastal regions. Liming Rate is based on results for samples as submitted and incorporates a minimum safety factor of 1.5.

<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Drying at 85 degrees, bagging and labelling (ASS)	EN020PR	SOIL	In house



SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Project ID	1538021	Quote/Order No.	EN/002/15	GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400											
Site Location	Brisbane Airport	Lab Name	ALS Environmental	147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401											
Sample ID	Morgan Midgley	BY:		Invoice to be sent to Accounts:		invoicess payable@golder.com.au											
Turnaround (Days)	5			Project Manager: Krystle-Rac Biram		Email: KBiram@golder.com.au											
Report Format	HARD <input type="checkbox"/>	FAX <input type="checkbox"/>	DISK <input type="checkbox"/>	EMAIL <input checked="" type="checkbox"/>	BULLETIN BOARD <input type="checkbox"/>	Contact Phone: 07 37215400											
Email Format	PDF <input checked="" type="checkbox"/>	Excel <input type="checkbox"/>	Other <input type="checkbox"/>	Email Address: scurti@golder.com.au		ANALYSIS REQUIRED											
Comments/Special Instructions: REBATCH OF EB1624749																	
Samples taken from a known Weed and or Pest Area: N																	
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	Chromium Suite							
AM-BH13	1	1.25	soil	6/10/2016		bag		1	N	X							
AM-BH13	1.75	2	soil	6/10/2016		bag		1	N	X							
AM-BH13	2.5	2.75	soil	6/10/2016		bag		1	N	X							
AM-BH14	0.75	1	soil	6/10/2016		bag		1	N	X							
AM-BH14	1.5	1.75	soil	6/10/2016		bag		1	N	X							
AM-BH14	2.25	2.5	soil	6/10/2016		bag		1	N	X							
AM-BH15	0	0.25	soil	7/10/2016		bag		1	N	X							
AM-BH15	1.75	2	soil	7/10/2016		bag		1	N	X							
AM-BH15	2.5	2.75	soil	7/10/2016		bag		1	N	X							
AM-BH16	0	0.25	soil	7/10/2016		bag		1	N	X							
AM-BH16	0.5	0.75	soil	7/10/2016		bag		1	N	X							
AM-BH16	2.5	2.75	soil	7/10/2016		bag		1	N	X							
AM-BH25	0.25	0.5	soil	6/10/2016		bag		1	N	X							
AM-BH25	1.5	1.75	soil	6/10/2016		bag		2	N	X							
AM-BH25	2.25	2.5	soil	6/10/2016		bag		1	N	X							
AM-BH30	0.25	0.5	soil	10/10/2016		bag+2jar		3	N	X							
AM-BH30	1.5	1.75	soil	10/10/2016		bag		1	N	X							
AM-BH30	2.25	2.5	soil	10/10/2016		bag		1	N	X							
AM-BH31	0.5	0.75	soil	10/10/2016		bag		1	N	X							
AM-BH31	1.25	1.5	soil	10/10/2016		bag		1	N	X							
AM-BH31	2.75	3	soil	10/10/2016		bag+jar		2	N	X							

Environmental Division  
Brisbane  
Work Order Reference  
**EB1625888**



Telephone: +61-7-3243 7222

20161010 CoC - BAC Auto Product - Soil - CSR - EB1624749.xlsx

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
RELEASED BY: Serena Curti	GOLDER	28/10/2016	4pm	RELEASED BY:				Shipping Ref:
RECEIVED BY:				RECEIVED BY:				

To Be Filled Out By Analysing Laboratory: Security Seal: <input type="checkbox"/> Open <input type="checkbox"/> Chilled Suitable Containers: <input type="checkbox"/> Frozen Cool Box: <input type="checkbox"/> Ambient	LAB BATCH NUMBER Bill to: Address
--	---

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1625888**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 3
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

**Dates**

Date Samples Received	: 28-Oct-2016 3:00 PM	Issue Date	: 31-Oct-2016
Client Requested Due Date	: 04-Nov-2016	Scheduled Reporting Date	: <b>04-Nov-2016</b>

**Delivery Details**

Mode of Delivery	: Samples On Hand	Security Seal	: Not Available
No. of coolers/boxes	: ----	Temperature	: AMBIENT
Receipt Detail	: REBATCH	No. of samples received / analysed	: 21 / 21

**General Comments**

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **The samples in this work order have been re-batched from EB1624749.**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- **No sample container / preservation non-compliance exists.**

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: **SOIL**

Laboratory sample ID	Client sampling date / time	Client sample ID	SOIL - EA033 Chromium Suite for Acid Sulphate Soils
EB1625888-001	[ 06-Oct-2016 ]	AM-BH13 1-1.25	✓
EB1625888-002	[ 06-Oct-2016 ]	AM-BH13 1.75-2	✓
EB1625888-003	[ 06-Oct-2016 ]	AM-BH13 2.5-2.75	✓
EB1625888-004	[ 06-Oct-2016 ]	AM-BH14 0.75-1	✓
EB1625888-005	[ 06-Oct-2016 ]	AM-BH14 1.5-1.75	✓
EB1625888-006	[ 06-Oct-2016 ]	AM-BH14 2.25-2.5	✓
EB1625888-007	[ 07-Oct-2016 ]	AM-BH15 0-0.25	✓
EB1625888-008	[ 07-Oct-2016 ]	AM-BH15 1.75-2	✓
EB1625888-009	[ 07-Oct-2016 ]	AM-BH15 2.5-2.75	✓
EB1625888-010	[ 07-Oct-2016 ]	AM-BH16 0-0.25	✓
EB1625888-011	[ 07-Oct-2016 ]	AM-BH16 0.5-0.75	✓
EB1625888-012	[ 07-Oct-2016 ]	AM-BH16 2.5-2.75	✓
EB1625888-013	[ 06-Oct-2016 ]	AM-BH25 0.25-0.5	✓
EB1625888-014	[ 06-Oct-2016 ]	AM-BH25 1.5-1.75	✓
EB1625888-015	[ 06-Oct-2016 ]	AM-BH25 2.25-2.5	✓
EB1625888-016	[ 10-Oct-2016 ]	AM-BH30 0.25-0.5	✓
EB1625888-017	[ 10-Oct-2016 ]	AM-BH30 1.5-1.75	✓
EB1625888-018	[ 10-Oct-2016 ]	AM-BH30 2.25-2.5	✓
EB1625888-019	[ 10-Oct-2016 ]	AM-BH31 0.5-0.75	✓
EB1625888-020	[ 10-Oct-2016 ]	AM-BH31 1.25-1.5	✓
EB1625888-021	[ 10-Oct-2016 ]	AM-BH31 2.75-3	✓

## Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.



## *Requested Deliverables*

### **ACCOUNTS PAYABLE**

- A4 - AU Tax Invoice (INV)

Email auaccountspayable@golder.com.au

### **KRYSTLE-RAE BIRAM**

- \*AU Certificate of Analysis - NATA (COA)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)
- Chain of Custody (CoC) (COC)
- EDI Format - ESDAT (ESDAT)

Email kbiram@golder.com.au  
Email kbiram@golder.com.au  
Email kbiram@golder.com.au  
Email kbiram@golder.com.au  
Email kbiram@golder.com.au  
Email kbiram@golder.com.au

### **SERENA CURTI**

- \*AU Certificate of Analysis - NATA (COA)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)
- Chain of Custody (CoC) (COC)
- EDI Format - ESDAT (ESDAT)

Email scurti@golder.com.au  
Email scurti@golder.com.au  
Email scurti@golder.com.au  
Email scurti@golder.com.au  
Email scurti@golder.com.au  
Email scurti@golder.com.au

## CERTIFICATE OF ANALYSIS

<b>Work Order</b> : <b>EB1625888</b> <b>Amendment</b> : <b>1</b> <b>Client</b> : <b>GOLDER ASSOCIATES</b> <b>Contact</b> : <b>MS KRYSTLE-RAE BIRAM</b> <b>Address</b> : <b>P O BOX 1734</b> <b>MILTON QLD, AUSTRALIA 4064</b> <b>Telephone</b> : <b>+61 07 3721 5400</b> <b>Project</b> : <b>1538021</b> <b>Order number</b> : <b>1538021</b> <b>C-O-C number</b> : <b>----</b> <b>Sampler</b> : <b>MORGAN MIDGLEY</b> <b>Site</b> : <b>Brisbane Airport</b> <b>Quote number</b> : <b>----</b> <b>No. of samples received</b> : <b>21</b> <b>No. of samples analysed</b> : <b>21</b>	<b>Page</b> : 1 of 7  <b>Laboratory</b> : Environmental Division Brisbane <b>Contact</b> : Carsten Emrich <b>Address</b> : 2 Byth Street Stafford QLD Australia 4053  <b>Telephone</b> : +61 7 3243 7222 <b>Date Samples Received</b> : 28-Oct-2016 15:00 <b>Date Analysis Commenced</b> : 02-Nov-2016 <b>Issue Date</b> : 02-Nov-2016 16:46
--	---



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- **The samples in this work order have been re-batched from EB1624749.**
- Amendment (02/11/2016): This report has been amended and re-released to allow adjustment of the LCS amount added value for TAA. New LCS was used with old LCS amount added value, causing Standard to appear to fail. All analysis results are as per the previous report.
- ASS: EA033 (CRS Suite): Liming rate is calculated and reported on a dry weight basis assuming use of fine agricultural lime (CaCO<sub>3</sub>) and using a safety factor of 1.5 to allow for non-homogeneous mixing and poor reactivity of lime. For conversion of Liming Rate from 'kg/t dry weight' to 'kg/m<sup>3</sup> in-situ soil', multiply 'reported results' x 'wet bulk density of soil in t/m<sup>3</sup>'.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1-1.25	AM-BH13 1.75-2	AM-BH13 2.5-2.75	AM-BH14 0.75-1	AM-BH14 1.5-1.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1625888-001	EB1625888-002	EB1625888-003	EB1625888-004	EB1625888-005	
				Result	Result	Result	Result	Result	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	6.4	4.4	5.0	5.8	4.6	
Titration Actual Acidity (23F)	----	2	mole H+ / t	<2	71	19	<2	52	
sulfidic - Titration Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	0.11	0.03	<0.02	0.08	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.012	0.078	0.006	0.080	0.006	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	49	<10	50	<10	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	----	----	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	----	----	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	0.05	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	0.06	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	<0.02	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	<10	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	<0.02	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	<0.02	0.20	0.04	0.08	0.09	
Net Acidity (acidity units)	----	10	mole H+ / t	<10	126	23	51	56	
Liming Rate	----	1	kg CaCO3/t	<1	9	2	4	4	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	<0.02	0.20	0.04	0.08	0.09	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	<10	126	23	51	56	
Liming Rate excluding ANC	----	1	kg CaCO3/t	<1	9	2	4	4	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2.25-2.5	AM-BH15 0-0.25	AM-BH15 1.75-2	AM-BH15 2.5-2.75	AM-BH16 0-0.25
Client sampling date / time					[06-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1625888-006	EB1625888-007	EB1625888-008	EB1625888-009	EB1625888-010	EB1625888-010
				Result	Result	Result	Result	Result	Result
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	6.1	5.8	6.0	6.1	8.6	
Titrateable Actual Acidity (23F)	----	2	mole H+ / t	2	12	4	<2	<2	
sulfidic - Titrateable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	<0.02	<0.02	<0.02	<0.02	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.005	0.036	<0.005	0.016	0.219	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	22	<10	10	136	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	----	----	----	10.6	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	----	----	----	2120	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	----	----	----	3.40	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	<0.02	0.06	<0.02	<0.02	<0.02	
Net Acidity (acidity units)	----	10	mole H+ / t	<10	35	<10	11	<10	
Liming Rate	----	1	kg CaCO3/t	<1	3	<1	<1	<1	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	<0.02	0.06	<0.02	<0.02	0.22	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	<10	35	<10	11	136	
Liming Rate excluding ANC	----	1	kg CaCO3/t	<1	3	<1	<1	10	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 2.5-2.75	AM-BH25 0.25-0.5	AM-BH25 1.5-1.75	AM-BH25 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1625888-011	EB1625888-012	EB1625888-013	EB1625888-014	EB1625888-015	
				Result	Result	Result	Result	Result	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	4.5	8.4	7.9	8.4	6.5	
Titration Actual Acidity (23F)	----	2	mole H+ / t	62	<2	<2	<2	<2	
sulfidic - Titration Actual Acidity (s-23F)	----	0.02	% pyrite S	0.10	<0.02	<0.02	<0.02	<0.02	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	0.008	0.358	0.013	0.078	<0.005	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	223	<10	49	<10	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	1.35	3.57	3.32	0.38	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	270	713	664	76	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	0.43	1.14	1.06	0.12	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	1.5	1.5	1.5	1.5	
Net Acidity (sulfur units)	----	0.02	% S	0.11	0.07	<0.02	<0.02	<0.02	
Net Acidity (acidity units)	----	10	mole H+ / t	66	43	<10	<10	<10	
Liming Rate	----	1	kg CaCO3/t	5	3	<1	<1	<1	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	0.11	0.36	<0.02	0.08	<0.02	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	66	223	<10	49	<10	
Liming Rate excluding ANC	----	1	kg CaCO3/t	5	17	<1	4	<1	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.25-0.5	AM-BH30 1.5-1.75	AM-BH30 2.25-2.5	AM-BH31 0.5-0.75	AM-BH31 1.25-1.5
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1625888-016	EB1625888-017	EB1625888-018	EB1625888-019	EB1625888-020
					Result	Result	Result	Result	Result
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit		4.6	6.2	6.7	4.9	5.7
Titration Actual Acidity (23F)	----	2	mole H+ / t		54	6	<2	39	22
sulfidic - Titration Actual Acidity (s-23F)	----	0.02	% pyrite S		0.09	<0.02	<0.02	0.06	0.04
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S		0.010	0.333	1.17	0.057	1.15
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t		<10	208	727	36	716
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3		----	----	1.37	----	----
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t		----	----	274	----	----
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S		----	----	0.44	----	----
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S		----	----	----	----	----
HCl Extractable Sulfur (20Be)	----	0.02	% S		----	----	----	----	----
Net Acid Soluble Sulfur (20Je)	----	0.02	% S		----	----	----	----	----
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t		----	----	----	----	----
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S		----	----	----	----	----
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-		1.5	1.5	1.5	1.5	1.5
Net Acidity (sulfur units)	----	0.02	% S		0.10	0.34	0.87	0.12	1.18
Net Acidity (acidity units)	----	10	mole H+ / t		60	214	545	75	738
Liming Rate	----	1	kg CaCO3/t		4	16	41	6	55
Net Acidity excluding ANC (sulfur units)	----	0.02	% S		0.10	0.34	1.17	0.12	1.18
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t		60	214	727	75	738
Liming Rate excluding ANC	----	1	kg CaCO3/t		4	16	54	6	55



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)		Client sample ID			AM-BH31 2.75-3	----	----	----	----
Client sampling date / time		[10-Oct-2016]			----	----	----	----	
Compound	CAS Number	LOR	Unit	EB1625888-021	-----	-----	-----	-----	
				Result	----	----	----	----	
<b>EA033-A: Actual Acidity</b>									
pH KCl (23A)	----	0.1	pH Unit	5.2	----	----	----	----	
Titration Actual Acidity (23F)	----	2	mole H+ / t	19	----	----	----	----	
sulfidic - Titration Actual Acidity (s-23F)	----	0.02	% pyrite S	0.03	----	----	----	----	
<b>EA033-B: Potential Acidity</b>									
Chromium Reducible Sulfur (22B)	----	0.005	% S	1.18	----	----	----	----	
acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	734	----	----	----	----	
<b>EA033-C: Acid Neutralising Capacity</b>									
Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	----	----	----	----	----	
acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	----	----	----	----	----	
<b>EA033-D: Retained Acidity</b>									
KCl Extractable Sulfur (23Ce)	----	0.02	% S	----	----	----	----	----	
HCl Extractable Sulfur (20Be)	----	0.02	% S	----	----	----	----	----	
Net Acid Soluble Sulfur (20Je)	----	0.02	% S	----	----	----	----	----	
acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	----	----	----	----	----	
sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	----	----	----	----	----	
<b>EA033-E: Acid Base Accounting</b>									
ANC Fineness Factor	----	0.5	-	1.5	----	----	----	----	
Net Acidity (sulfur units)	----	0.02	% S	1.21	----	----	----	----	
Net Acidity (acidity units)	----	10	mole H+ / t	753	----	----	----	----	
Liming Rate	----	1	kg CaCO3/t	56	----	----	----	----	
Net Acidity excluding ANC (sulfur units)	----	0.02	% S	1.21	----	----	----	----	
Net Acidity excluding ANC (acidity units)	----	10	mole H+ / t	753	----	----	----	----	
Liming Rate excluding ANC	----	1	kg CaCO3/t	56	----	----	----	----	

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1625888</b>	<b>Page</b>	: 1 of 4
<b>Amendment</b>	: <b>1</b>		
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 28-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 02-Nov-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 02-Nov-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 21		
<b>No. of samples analysed</b>	: 21		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key : Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA033-A: Actual Acidity (QC Lot: 637227)</b>									
EB1625884-001	Anonymous	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.03	0.03	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	20	19	5.49	0% - 50%
		EA033: pH KCl (23A)	----	0.1	pH Unit	5.3	5.3	0.00	0% - 20%
EB1625888-002	AM-BH13 1.75-2	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	0.11	0.11	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	71	68	4.70	0% - 20%
		EA033: pH KCl (23A)	----	0.1	pH Unit	4.4	4.4	0.00	0% - 20%
<b>EA033-A: Actual Acidity (QC Lot: 637228)</b>									
EB1625888-012	AM-BH16 2.5-2.75	EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	<0.02	0.00	No Limit
		EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	<2	0.00	No Limit
		EA033: pH KCl (23A)	----	0.1	pH Unit	8.4	8.5	1.18	0% - 20%
<b>EA033-B: Potential Acidity (QC Lot: 637227)</b>									
EB1625884-001	Anonymous	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	0.006	0.006	0.00	No Limit
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	<10	0.00	No Limit
EB1625888-002	AM-BH13 1.75-2	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	0.078	0.077	0.00	0% - 50%
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	49	48	0.00	No Limit
<b>EA033-B: Potential Acidity (QC Lot: 637228)</b>									
EB1625888-012	AM-BH16 2.5-2.75	EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	0.358	0.357	0.00	0% - 20%
		EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	223	223	0.00	0% - 20%
<b>EA033-C: Acid Neutralising Capacity (QC Lot: 637228)</b>									
EB1625888-012	AM-BH16 2.5-2.75	EA033: Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	1.35	1.41	4.04	0% - 20%

Page : 3 of 4  
 Work Order : EB1625888 Amendment 1  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA033-C: Acid Neutralising Capacity (QC Lot: 637228) - continued</b>									
EB1625888-012	AM-BH16 2.5-2.75	EA033: sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	0.43	0.45	4.04	0% - 20%
		EA033: acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	270	282	4.04	0% - 20%
<b>EA033-D: Retained Acidity (QC Lot: 637227)</b>									
EB1625888-002	AM-BH13 1.75-2	EA033: sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	<0.02	0.00	No Limit
		EA033: Net Acid Soluble Sulfur (20Je)	----	0.02	% S	<0.02	<0.02	0.00	No Limit
		EA033: KCl Extractable Sulfur (23Ce)	----	0.02	% S	0.05	0.05	0.00	No Limit
		EA033: HCl Extractable Sulfur (20Be)	----	0.02	% S	0.06	0.06	0.00	No Limit
		EA033: acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	<10	<10	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EA033-A: Actual Acidity (QCLot: 637227)</b>									
EA033: pH KCl (23A)	----	----	pH Unit	----	4.8 pH Unit	95.8	70	130	
EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	15 mole H+ / t	100	70	130	
EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	----	----	----	----	
<b>EA033-A: Actual Acidity (QCLot: 637228)</b>									
EA033: pH KCl (23A)	----	----	pH Unit	----	4.8 pH Unit	95.8	70	130	
EA033: Titratable Actual Acidity (23F)	----	2	mole H+ / t	<2	15 mole H+ / t	102	70	130	
EA033: sulfidic - Titratable Actual Acidity (s-23F)	----	0.02	% pyrite S	<0.02	----	----	----	----	
<b>EA033-B: Potential Acidity (QCLot: 637227)</b>									
EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.295 % S	82.9	70	130	
EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	----	----	----	----	
<b>EA033-B: Potential Acidity (QCLot: 637228)</b>									
EA033: Chromium Reducible Sulfur (22B)	----	0.005	% S	<0.005	0.295 % S	91.5	70	130	
EA033: acidity - Chromium Reducible Sulfur (a-22B)	----	10	mole H+ / t	<10	----	----	----	----	
<b>EA033-C: Acid Neutralising Capacity (QCLot: 637227)</b>									
EA033: Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	<0.01	10 % CaCO3	102	70	130	
EA033: acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	<10	----	----	----	----	
EA033: sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	<0.01	----	----	----	----	
<b>EA033-C: Acid Neutralising Capacity (QCLot: 637228)</b>									
EA033: Acid Neutralising Capacity (19A2)	----	0.01	% CaCO3	<0.01	10 % CaCO3	102	70	130	
EA033: acidity - Acid Neutralising Capacity (a-19A2)	----	10	mole H+ / t	<10	----	----	----	----	
EA033: sulfidic - Acid Neutralising Capacity (s-19A2)	----	0.01	% pyrite S	<0.01	----	----	----	----	
<b>EA033-D: Retained Acidity (QCLot: 637227)</b>									
EA033: Net Acid Soluble Sulfur (20Je)	----	0.02	% S	<0.02	----	----	----	----	
EA033: acidity - Net Acid Soluble Sulfur (a-20J)	----	10	mole H+ / t	<10	----	----	----	----	
EA033: sulfidic - Net Acid Soluble Sulfur (s-20J)	----	0.02	% pyrite S	<0.02	----	----	----	----	
EA033: KCl Extractable Sulfur (23Ce)	----	0.02	% S	<0.02	0.052 % S	85.1	70	130	
EA033: HCl Extractable Sulfur (20Be)	----	0.02	% S	<0.02	0.026 % S	105	70	130	

## Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1625888</b>	Page	: 1 of 6
Amendment	: <b>1</b>		
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 28-Oct-2016
Site	: Brisbane Airport	Issue Date	: 02-Nov-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 21
Order number	: 1538021	No. of samples analysed	: 21

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**





## Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA033-A: Actual Acidity</b>								
80* dried soil (EA033) AM-BH13 1-1.25, AM-BH13 2.5-2.75, AM-BH14 1.5-1.75, AM-BH25 0.25-0.5, AM-BH25 2.25-2.5	AM-BH13 1.75-2, AM-BH14 0.75-1, AM-BH14 2.25-2.5, AM-BH25 1.5-1.75,	06-Oct-2016	02-Nov-2016	06-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH15 0-0.25, AM-BH15 2.5-2.75, AM-BH16 0.5-0.75,	AM-BH15 1.75-2, AM-BH16 0-0.25, AM-BH16 2.5-2.75	07-Oct-2016	02-Nov-2016	07-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH30 0.25-0.5, AM-BH30 2.25-2.5, AM-BH31 1.25-1.5,	AM-BH30 1.5-1.75, AM-BH31 0.5-0.75, AM-BH31 2.75-3	10-Oct-2016	02-Nov-2016	10-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
<b>EA033-B: Potential Acidity</b>								
80* dried soil (EA033) AM-BH13 1-1.25, AM-BH13 2.5-2.75, AM-BH14 1.5-1.75, AM-BH25 0.25-0.5, AM-BH25 2.25-2.5	AM-BH13 1.75-2, AM-BH14 0.75-1, AM-BH14 2.25-2.5, AM-BH25 1.5-1.75,	06-Oct-2016	02-Nov-2016	06-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH15 0-0.25, AM-BH15 2.5-2.75, AM-BH16 0.5-0.75,	AM-BH15 1.75-2, AM-BH16 0-0.25, AM-BH16 2.5-2.75	07-Oct-2016	02-Nov-2016	07-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH30 0.25-0.5, AM-BH30 2.25-2.5, AM-BH31 1.25-1.5,	AM-BH30 1.5-1.75, AM-BH31 0.5-0.75, AM-BH31 2.75-3	10-Oct-2016	02-Nov-2016	10-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA033-C: Acid Neutralising Capacity</b>								
80* dried soil (EA033) AM-BH13 1-1.25, AM-BH13 2.5-2.75, AM-BH14 1.5-1.75, AM-BH25 0.25-0.5, AM-BH25 2.25-2.5	AM-BH13 1.75-2, AM-BH14 0.75-1, AM-BH14 2.25-2.5, AM-BH25 1.5-1.75,	06-Oct-2016	02-Nov-2016	06-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH15 0-0.25, AM-BH15 2.5-2.75, AM-BH16 0.5-0.75,	AM-BH15 1.75-2, AM-BH16 0-0.25, AM-BH16 2.5-2.75	07-Oct-2016	02-Nov-2016	07-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH30 0.25-0.5, AM-BH30 2.25-2.5, AM-BH31 1.25-1.5,	AM-BH30 1.5-1.75, AM-BH31 0.5-0.75, AM-BH31 2.75-3	10-Oct-2016	02-Nov-2016	10-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
<b>EA033-D: Retained Acidity</b>								
80* dried soil (EA033) AM-BH13 1-1.25, AM-BH13 2.5-2.75, AM-BH14 1.5-1.75, AM-BH25 0.25-0.5, AM-BH25 2.25-2.5	AM-BH13 1.75-2, AM-BH14 0.75-1, AM-BH14 2.25-2.5, AM-BH25 1.5-1.75,	06-Oct-2016	02-Nov-2016	06-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH15 0-0.25, AM-BH15 2.5-2.75, AM-BH16 0.5-0.75,	AM-BH15 1.75-2, AM-BH16 0-0.25, AM-BH16 2.5-2.75	07-Oct-2016	02-Nov-2016	07-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓
80* dried soil (EA033) AM-BH30 0.25-0.5, AM-BH30 2.25-2.5, AM-BH31 1.25-1.5,	AM-BH30 1.5-1.75, AM-BH31 0.5-0.75, AM-BH31 2.75-3	10-Oct-2016	02-Nov-2016	10-Oct-2017	✓	02-Nov-2016	31-Jan-2017	✓



Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA033-E: Acid Base Accounting</b>								
<b>80* dried soil (EA033)</b> AM-BH13 1-1.25, AM-BH13 2.5-2.75, AM-BH14 1.5-1.75, AM-BH25 0.25-0.5, AM-BH25 2.25-2.5	AM-BH13 1.75-2, AM-BH14 0.75-1, AM-BH14 2.25-2.5, AM-BH25 1.5-1.75,	<b>06-Oct-2016</b>	<b>02-Nov-2016</b>	06-Oct-2017	✓	<b>02-Nov-2016</b>	31-Jan-2017	✓
<b>80* dried soil (EA033)</b> AM-BH15 0-0.25, AM-BH15 2.5-2.75, AM-BH16 0.5-0.75,	AM-BH15 1.75-2, AM-BH16 0-0.25, AM-BH16 2.5-2.75	<b>07-Oct-2016</b>	<b>02-Nov-2016</b>	07-Oct-2017	✓	<b>02-Nov-2016</b>	31-Jan-2017	✓
<b>80* dried soil (EA033)</b> AM-BH30 0.25-0.5, AM-BH30 2.25-2.5, AM-BH31 1.25-1.5,	AM-BH30 1.5-1.75, AM-BH31 0.5-0.75, AM-BH31 2.75-3	<b>10-Oct-2016</b>	<b>02-Nov-2016</b>	10-Oct-2017	✓	<b>02-Nov-2016</b>	31-Jan-2017	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
<i>Analytical Methods</i>							
<b>Laboratory Duplicates (DUP)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	3	30	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	2	30	6.67	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Chromium Suite for Acid Sulphate Soils	EA033	2	30	6.67	5.00	✔	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Chromium Suite for Acid Sulphate Soils	EA033	SOIL	In house: Referenced to Ahern et al 2004. This method covers the determination of Chromium Reducible Sulfur (SCR); pHKCl; titratable actual acidity (TAA); acid neutralising capacity by back titration (ANC); and net acid soluble sulfur (SNAS) which incorporates peroxide sulfur. It applies to soils and sediments (including sands) derived from coastal regions. Liming Rate is based on results for samples as submitted and incorporates a minimum safety factor of 1.5.

<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Drying at 85 degrees, bagging and labelling (ASS)	EN020PR	SOIL	In house

CHAIN OF CUSTODY DOCUMENTATION - WATER

Project ID	1538021	Order No.	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone : (07) 3721 5400
Site Location	Brisbane Airport	Lab Name	ALS	147 Coronation Drive, Milton Qld 4064	Fax : (07) 3721 5401
Sampled By	Morgan Midgley			Invoice to be sent to Accounts Aust: <a href="mailto:auaccounts@payable@golder.com.au">auaccounts@payable@golder.com.au</a>	
Turnaround (Days)	5 days	BY:		Project Manager: K Biram	
Report Format	Please provide data in ESDAT format			Contact Phone: 37215400	Email: <a href="mailto:scurti@golder.com.au">scurti@golder.com.au</a>

Comments/Special Instructions:  
 Copy results to: [pscels@golder.com.au](mailto:pscels@golder.com.au)  
[scurti@golder.com.au](mailto:scurti@golder.com.au)

SAMPLE ID	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No. CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED														
							PFAS extended suite 28 - ultra trace levels	pH	Major Anions - Cl, So4, alkalinity	Electrical conductivity	Major Cations - Ca, Mg, K, Na	Acidity	W-2 8 metals	Dissolved Al + Fe							
AM-BH08	Water	25-10-16	12.06	Ice	2	2	X														
AM-BH19	Water	25-10-16	10.54	Ice	2	2	X														
BIP-MW07	Water	25-10-16	12.32	Ice	2	2	X														
BIP-MW1	Water	25-10-16	13.33	Ice	2	2	X														
BIP-MW2	Water	25-10-16	13.15	Ice	2	2	X														
AM-MW31	Water	25-10-16	13.12	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW14	Water	25-10-16	09.40	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW15	Water	25-10-16	10.32	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW16	Water	25-10-16	9.07	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW10	Water	25-10-16	11.27	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
QAQC100	Water	25-10-16	9.07	Ice	4	2	X								X						
QAQC300	Water	25-10-16	14.30	Ice	3	2	X								X						

Environmental Division  
 Brisbane  
 Work Order Reference  
**EB1625464**



Telephone - 61-7-3243 7229

HOLD ALL OTHER BOTTLES NOT SELECTED FOR ANALYSIS

SAMPLE MATRIX =Water SAMPLE TYPE = Discrete(DC) POSSIBLE HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list  
 Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid Preserved Vial; BS = Sulphuric Acid Preserved Glass Bottle; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottle; ST = Sterile Bottle; O = Other

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Method of Shipment
<i>[Signature]</i>	GOLDER	25/10/16	15:15					Shipping Ref.
<i>[Signature]</i>	ALS							

TO BE FILLED ONLY BY ANALYSIS LABORATORY	LAB BATCH NUMBER
Security Seal	Billed
Sealable Container	Frozen
Cool Box	Ambient
	Billed
	Address

25-10-16 10:45 AM



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1625464**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: K BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 3
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

**Dates**

Date Samples Received	: 25-Oct-2016 3:15 PM	Issue Date	: 25-Oct-2016
Client Requested Due Date	: 01-Nov-2016	Scheduled Reporting Date	: <b>01-Nov-2016</b>

**Delivery Details**

Mode of Delivery	: Client Drop Off	Security Seal	: Intact.
No. of coolers/boxes	: 2	Temperature	: 5.4°C, 5.8°C - Ice present
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 12 / 12

**General Comments**

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913).**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

Method Client sample ID	Sample Container Received	Preferred Sample Container for Analysis
<b>Dissolved Mercury by FIMS : EG035F</b>		
<b>QAQC300</b>	- Clear Plastic Bottle - Natural	- Clear Plastic Bottle - Nitric Acid; Filtered
<b>Dissolved Metals by ICP-MS - Suite A : EG020A-F</b>		
<b>QAQC300</b>	- Clear Plastic Bottle - Natural	- Clear Plastic Bottle - Nitric Acid; Filtered

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: **WATER**

Laboratory sample ID	Client sampling date / time	Client sample ID	WATER - EA005P pH (PC)	WATER - EA010P Conductivity (PC)	WATER - ED038 Default Acidity as CaCO3 only	WATER - EG020F Dissolved Metals by ICPMS	WATER - EP231X-LL PFAS - Full Suite Low Level (28 analytes)	WATER - NT-01 & 02 Ca, Mg, Na, K, Cl, SO4, Alkalinity	WATER - W-02 8 Metals
EB1625464-001	25-Oct-2016 12:06	AM-BH08					✓		
EB1625464-002	25-Oct-2016 10:54	AM-BH19					✓		
EB1625464-003	25-Oct-2016 12:32	BIP-MW07					✓		
EB1625464-004	25-Oct-2016 13:33	BIP-MW1					✓		
EB1625464-005	25-Oct-2016 14:15	BIP-MW2					✓		
EB1625464-006	25-Oct-2016 13:12	AM-MW31	✓	✓	✓	✓	✓	✓	✓
EB1625464-007	25-Oct-2016 09:40	AM-MW14	✓	✓	✓	✓	✓	✓	✓
EB1625464-008	25-Oct-2016 10:32	AM-MW15	✓	✓	✓	✓	✓	✓	✓
EB1625464-009	25-Oct-2016 09:07	AM-MW16	✓	✓	✓	✓	✓	✓	✓
EB1625464-010	25-Oct-2016 11:27	AM-MW10	✓	✓	✓	✓	✓	✓	✓
EB1625464-011	25-Oct-2016 09:07	QAQC100					✓		✓
EB1625464-012	25-Oct-2016 14:30	QAQC300					✓		✓

## Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.





## *Requested Deliverables*

### **ACCOUNTS PAYABLE**

- A4 - AU Tax Invoice (INV) Email auaccountspayable@golder.com.au

### **K BIRAM**

- \*AU Certificate of Analysis - NATA (COA) Email kbiram@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email kbiram@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email kbiram@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email kbiram@golder.com.au  
- Chain of Custody (CoC) (COC) Email kbiram@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email kbiram@golder.com.au

### **PAUL SCELLS**

- \*AU Certificate of Analysis - NATA (COA) Email pscells@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email pscells@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email pscells@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email pscells@golder.com.au  
- Chain of Custody (CoC) (COC) Email pscells@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email pscells@golder.com.au

### **SERENA CURTI**

- \*AU Certificate of Analysis - NATA (COA) Email scurti@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email scurti@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email scurti@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email scurti@golder.com.au  
- Chain of Custody (CoC) (COC) Email scurti@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email scurti@golder.com.au

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1625464</b>	Page	: 1 of 9
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: K BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 25-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 27-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 01-Nov-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 12		
<b>No. of samples analysed</b>	: 12		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Greg Vogel	Laboratory Manager	Brisbane Inorganics, Stafford, QLD
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA005P: pH by PC Titrator (QC Lot: 632975)</b>									
EB1625473-001	Anonymous	EA005-P: pH Value	----	0.01	pH Unit	6.75	6.90	2.20	0% - 20%
EB1625444-001	Anonymous	EA005-P: pH Value	----	0.01	pH Unit	7.56	7.53	0.398	0% - 20%
<b>EA010P: Conductivity by PC Titrator (QC Lot: 632976)</b>									
EB1625444-001	Anonymous	EA010-P: Electrical Conductivity @ 25°C	----	1	µS/cm	431	431	0.00	0% - 20%
<b>ED037P: Alkalinity by PC Titrator (QC Lot: 632978)</b>									
EB1625444-001	Anonymous	ED037-P: Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	0.00	No Limit
		ED037-P: Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	0.00	No Limit
		ED037-P: Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	46	48	4.58	0% - 20%
		ED037-P: Total Alkalinity as CaCO3	----	1	mg/L	46	48	4.58	0% - 20%
<b>ED038A: Acidity (QC Lot: 634475)</b>									
EB1625246-001	Anonymous	ED038: Acidity as CaCO3	----	1	mg/L	6	6	0.00	No Limit
EB1625464-009	AM-MW16	ED038: Acidity as CaCO3	----	1	mg/L	388	400	3.08	0% - 20%
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QC Lot: 630949)</b>									
EB1625413-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	5620	5460	2.91	0% - 20%
<b>ED045G: Chloride by Discrete Analyser (QC Lot: 630948)</b>									
EB1625413-001	Anonymous	ED045G: Chloride	16887-00-6	1	mg/L	2410	2510	4.32	0% - 20%
<b>ED093F: Dissolved Major Cations (QC Lot: 631832)</b>									
EB1625502-003	Anonymous	ED093F: Calcium	7440-70-2	1	mg/L	494	493	0.253	0% - 20%
		ED093F: Magnesium	7439-95-4	1	mg/L	51	51	0.00	0% - 20%
		ED093F: Sodium	7440-23-5	1	mg/L	254	250	1.60	0% - 20%
		ED093F: Potassium	7440-09-7	1	mg/L	191	190	0.00	0% - 20%
EB1625464-006	AM-MW31	ED093F: Calcium	7440-70-2	1	mg/L	436	448	2.77	0% - 20%
		ED093F: Magnesium	7439-95-4	1	mg/L	1010	1040	3.01	0% - 20%
		ED093F: Sodium	7440-23-5	1	mg/L	6800	6940	2.00	0% - 20%



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>ED093F: Dissolved Major Cations (QC Lot: 631832) - continued</b>									
EB1625464-006	AM-MW31	ED093F: Potassium	7440-09-7	1	mg/L	238	244	2.52	0% - 20%
<b>EG020F: Dissolved Metals by ICP-MS (QC Lot: 631833)</b>									
EB1625502-003	Anonymous	EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	0.0006	0.0006	0.00	No Limit
		EG020A-F: Arsenic	7440-38-2	0.001	mg/L	0.023	0.024	0.00	0% - 20%
		EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Nickel	7440-02-0	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	0.00	No Limit
		EG020A-F: Iron	7439-89-6	0.05	mg/L	1.31	1.25	4.96	0% - 20%
EB1625464-006	AM-MW31	EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	<0.0005	<0.0005	0.00	No Limit
		EG020A-F: Arsenic	7440-38-2	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Nickel	7440-02-0	0.001	mg/L	0.024	0.024	0.00	No Limit
		EG020A-F: Zinc	7440-66-6	0.005	mg/L	0.118	0.123	3.52	No Limit
		EG020A-F: Aluminium	7429-90-5	0.01	mg/L	0.10	0.08	14.9	No Limit
		EG020A-F: Iron	7439-89-6	0.05	mg/L	12.2	12.6	3.41	0% - 20%
<b>EG035F: Dissolved Mercury by FIMS (QC Lot: 631834)</b>									
EB1625507-001	Anonymous	EG035F: Mercury	7439-97-6	0.0001	mg/L	0.0001	0.0001	0.00	No Limit
EB1625464-006	AM-MW31	EG035F: Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	0.00	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	2.61	2.51	4.02	0% - 20%
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	1.64	1.57	4.06	0% - 20%
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	7.91	7.58	4.36	0% - 20%
		EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	0.042	0.041	3.36	0% - 20%
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	0.347	0.393	12.5	0% - 20%
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 633504) - continued</b>									
EB1625464-003	BIP-MW07	EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	0.00	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	0.042	0.034	18.9	0% - 20%
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	0.422	0.418	0.952	0% - 20%
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	0.009	0.007	26.8	No Limit
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	0.025	0.022	15.3	0% - 50%
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.002	0.00	No Limit
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 633504) - continued</b>									
EB1625449-001	Anonymous	EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EA005P: pH by PC Titrator (QCLot: 632975)</b>									
EA005-P: pH Value	----	----	pH Unit	----	4 pH Unit	100	98	102	
				----	7 pH Unit	101	98	102	
<b>EA010P: Conductivity by PC Titrator (QCLot: 632976)</b>									
EA010-P: Electrical Conductivity @ 25°C	----	1	µS/cm	<1	4000 µS/cm	95.7	91	107	
				<1	12890 µS/cm	96.0	91	107	
<b>ED037P: Alkalinity by PC Titrator (QCLot: 632978)</b>									
ED037-P: Total Alkalinity as CaCO3	----	----	mg/L	----	200 mg/L	106	80	120	
<b>ED038A: Acidity (QCLot: 634475)</b>									
ED038: Acidity as CaCO3	----	----	mg/L	----	100 mg/L	104	90	110	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 630949)</b>									
ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	<1	25 mg/L	96.2	85	118	
				<1	100 mg/L	93.0	85	118	
<b>ED045G: Chloride by Discrete Analyser (QCLot: 630948)</b>									
ED045G: Chloride	16887-00-6	1	mg/L	<1	10 mg/L	96.2	90	115	
				<1	1000 mg/L	106	90	115	
<b>ED093F: Dissolved Major Cations (QCLot: 631832)</b>									
ED093F: Calcium	7440-70-2	1	mg/L	<1	----	----	----	----	
ED093F: Magnesium	7439-95-4	1	mg/L	<1	----	----	----	----	
ED093F: Sodium	7440-23-5	1	mg/L	<1	----	----	----	----	
ED093F: Potassium	7440-09-7	1	mg/L	<1	----	----	----	----	
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 631833)</b>									
EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.01	0.5 mg/L	89.7	79	118	
EG020A-F: Arsenic	7440-38-2	0.001	mg/L	<0.001	0.1 mg/L	99.8	88	116	
EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	<0.0001	0.1 mg/L	100	88	108	
EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.001	0.1 mg/L	97.0	87	113	
EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.001	0.2 mg/L	96.0	88	114	
EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.001	0.1 mg/L	91.2	89	110	
EG020A-F: Nickel	7440-02-0	0.001	mg/L	<0.001	0.1 mg/L	99.9	89	113	
EG020A-F: Zinc	7440-66-6	0.005	mg/L	<0.005	0.2 mg/L	97.6	87	113	
EG020A-F: Iron	7439-89-6	0.05	mg/L	<0.05	0.5 mg/L	85.5	82	114	
<b>EG035F: Dissolved Mercury by FIMS (QCLot: 631834)</b>									
EG035F: Mercury	7439-97-6	0.0001	mg/L	<0.0001	0.01 mg/L	96.9	84	118	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504)</b>									



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB)	Laboratory Control Spike (LCS) Report				
				Report	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
				Result		LCS	Low	High	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504) - continued</b>									
EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	0.05 µg/L	103	60	130	
EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	0.05 µg/L	99.4	60	130	
EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	0.05 µg/L	120	60	130	
EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	0.05 µg/L	121	60	130	
EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	0.05 µg/L	115	60	130	
EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	0.05 µg/L	91.2	60	130	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504)</b>									
EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	0.05 µg/L	101	60	130	
EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.05 µg/L	90.2	60	130	
EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	0.05 µg/L	104	60	130	
EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	0.05 µg/L	104	60	130	
EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	0.05 µg/L	90.2	60	130	
EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	0.05 µg/L	96.0	60	130	
EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	0.05 µg/L	115	60	130	
EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	0.05 µg/L	84.8	60	130	
EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	0.05 µg/L	85.0	60	130	
EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	0.05 µg/L	78.6	60	130	
EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	0.125 µg/L	71.0	60	130	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 633504)</b>									
EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	0.05 µg/L	120	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	0.125 µg/L	106	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	0.125 µg/L	83.0	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	0.125 µg/L	90.8	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	0.125 µg/L	76.4	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	0.05 µg/L	86.6	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	0.05 µg/L	117	60	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 633504)</b>									
EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	0.05 µg/L	97.8	60	130	
EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	0.05 µg/L	110	60	130	
EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	0.05 µg/L	81.2	60	130	
EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	0.05 µg/L	78.2	60	130	





The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: WATER

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike	Spike Recovery(%)	Recovery Limits (%)	
				Concentration	MS	Low	High
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 630949)</b>							
EB1625451-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	20 mg/L	# Not Determined	70	130
<b>ED045G: Chloride by Discrete Analyser (QCLot: 630948)</b>							
EB1625451-001	Anonymous	ED045G: Chloride	16887-00-6	400 mg/L	89.9	70	130
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 631833)</b>							
EB1625464-007	AM-MW14	EG020A-F: Aluminium	7429-90-5	0.5 mg/L	117	70	130
		EG020A-F: Arsenic	7440-38-2	0.1 mg/L	110	70	130
		EG020A-F: Cadmium	7440-43-9	0.1 mg/L	101	70	130
		EG020A-F: Chromium	7440-47-3	0.1 mg/L	90.5	70	130
		EG020A-F: Copper	7440-50-8	0.2 mg/L	86.0	70	130
		EG020A-F: Lead	7439-92-1	0.1 mg/L	110	70	130
		EG020A-F: Nickel	7440-02-0	0.1 mg/L	88.5	70	130
		EG020A-F: Zinc	7440-66-6	0.2 mg/L	99.6	70	130
<b>EG035F: Dissolved Mercury by FIMS (QCLot: 631834)</b>							
EB1625464-007	AM-MW14	EG035F: Mercury	7439-97-6	0.01 mg/L	71.3	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.05 µg/L	94.0	50	130
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.05 µg/L	# Not Determined	60	130
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.05 µg/L	90.8	50	130
		<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504)</b>					
EB1625449-002	Anonymous	EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.05 µg/L	55.9	50	130
		EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.05 µg/L	71.0	50	130
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.05 µg/L	64.4	61	130
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.05 µg/L	69.4	60	130
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.05 µg/L	79.8	50	130
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.05 µg/L	96.0	65	130
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.05 µg/L	72.8	50	130



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504) - continued</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.05 µg/L	67.0	50	130
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.05 µg/L	60.4	30	130
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.125 µg/L	47.4	30	130
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05 µg/L	103	50	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.125 µg/L	83.4	50	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.125 µg/L	70.5	50	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.125 µg/L	63.7	36	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.125 µg/L	60.0	30	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05 µg/L	62.8	50	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05 µg/L	64.0	50	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05 µg/L	84.4	50	130
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05 µg/L	69.8	60	130
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05 µg/L	76.2	60	130
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05 µg/L	60.2	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1625464</b>	Page	: 1 of 8
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: K BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 25-Oct-2016
Site	: Brisbane Airport	Issue Date	: 01-Nov-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 12
Order number	: 1538021	No. of samples analysed	: 12

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- Analysis Holding Time Outliers exist - please see following pages for full details.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



### Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **WATER**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Matrix Spike (MS) Recoveries</b>							
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA	EB1625451--001	Anonymous	Sulfate as SO4 - Turbidimetric	14808-79-8	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorobutane sulfonic acid (PFBS)	375-73-5	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorohexane sulfonic acid (PFHxS)	355-46-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorooctane sulfonic acid (PFOS)	1763-23-1	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231B: Perfluoroalkyl Carboxylic Acids	EB1625449--002	Anonymous	Perfluorohexanoic acid (PFHxA)	307-24-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.

### Outliers : Analysis Holding Time Compliance

Matrix: **WATER**

Method	Container / Client Sample ID(s)	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Days overdue	Date analysed	Due for analysis	Days overdue
<b>EA005P: pH by PC Titrator</b>							
<b>Clear Plastic Bottle - Natural</b>							
AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	----	----	----	27-Oct-2016	25-Oct-2016	2

### Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for **VOC in soils** vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.



Matrix: **WATER** Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA005P: pH by PC Titrator</b>								
Clear Plastic Bottle - Natural (EA005-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16	25-Oct-2016	----	----	----	27-Oct-2016	25-Oct-2016	✖
<b>EA010P: Conductivity by PC Titrator</b>								
Clear Plastic Bottle - Natural (EA010-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✔
<b>ED037P: Alkalinity by PC Titrator</b>								
Clear Plastic Bottle - Natural (ED037-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16	25-Oct-2016	----	----	----	27-Oct-2016	08-Nov-2016	✔
<b>ED038A: Acidity</b>								
Clear Plastic Bottle - Natural (ED038) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16	25-Oct-2016	----	----	----	28-Oct-2016	08-Nov-2016	✔
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>								
Clear Plastic Bottle - Natural (ED041G) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✔
<b>ED045G: Chloride by Discrete Analyser</b>								
Clear Plastic Bottle - Natural (ED045G) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✔
<b>ED093F: Dissolved Major Cations</b>								
Clear Plastic Bottle - Nitric Acid; Filtered (ED093F) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✔
<b>EG020F: Dissolved Metals by ICP-MS</b>								
Clear Plastic Bottle - Natural (EG020A-F) QAQC300		25-Oct-2016	----	----	----	01-Nov-2016	23-Apr-2017	✔
Clear Plastic Bottle - Nitric Acid; Filtered (EG020A-F) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16, QAQC100	25-Oct-2016	----	----	----	01-Nov-2016	23-Apr-2017	✔



Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
<b>EG035F: Dissolved Mercury by FIMS</b>							
<b>Clear Plastic Bottle - Natural (EG035F)</b> QAQC300	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✓
<b>Clear Plastic Bottle - Nitric Acid; Filtered (EG035F)</b> AM-MW31, AM-MW15, AM-MW10, AM-MW14, AM-MW16, QAQC100	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✓
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231C: Perfluoroalkyl Sulfonamides</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓

Page : 5 of 8  
 Work Order : EB1625464  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231P: PFAS Sums</b>								
<b>HDPE (no PTFE) (EP231X-LL)</b>								
AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100,	AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **WATER** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type		Count		Rate (%)			Quality Control Specification
Analytical Methods	Method	QC	Reaular	Actual	Expected	Evaluation	
<b>Laboratory Duplicates (DUP)</b>							
Acidity as Calcium Carbonate	ED038	2	16	12.50	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	7	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Major Cations - Dissolved	ED093F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH by PC Titrator	EA005-P	2	17	11.76	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Acidity as Calcium Carbonate	ED038	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH by PC Titrator	EA005-P	2	17	11.76	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Chloride by Discrete Analyser	ED045G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Major Cations - Dissolved	ED093F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Chloride by Discrete Analyser	ED045G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard





## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH by PC Titrator	EA005-P	WATER	In house: Referenced to APHA 4500 H+ B. This procedure determines pH of water samples by automated ISE. This method is compliant with NEPM (2013) Schedule B(3)
Conductivity by PC Titrator	EA010-P	WATER	In house: Referenced to APHA 2510 B. This procedure determines conductivity by automated ISE. This method is compliant with NEPM (2013) Schedule B(3)
Alkalinity by PC Titrator	ED037-P	WATER	In house: Referenced to APHA 2320 B This procedure determines alkalinity by automated measurement (e.g. PC Titrate) using pH 4.5 for indicating the total alkalinity end-point. This method is compliant with NEPM (2013) Schedule B(3)
Acidity as Calcium Carbonate	ED038	WATER	In house: Referenced to APHA 2310 B Acidity is determined by titration with a standardised alkali to an end-point pH of 8.3. This method is compliant with NEPM (2013) Schedule B(3)
Sulfate (Turbidimetric) as SO <sub>4</sub> <sup>2-</sup> by Discrete Analyser	ED041G	WATER	In house: Referenced to APHA 4500-SO <sub>4</sub> . Dissolved sulfate is determined in a 0.45µm filtered sample. Sulfate ions are converted to a barium sulfate suspension in an acetic acid medium with barium chloride. Light absorbance of the BaSO <sub>4</sub> suspension is measured by a photometer and the SO <sub>4</sub> <sup>2-</sup> concentration is determined by comparison of the reading with a standard curve. This method is compliant with NEPM (2013) Schedule B(3)
Chloride by Discrete Analyser	ED045G	WATER	In house: Referenced to APHA 4500 Cl - G. The thiocyanate ion is liberated from mercuric thiocyanate through sequestration of mercury by the chloride ion to form non-ionised mercuric chloride. In the presence of ferric ions the liberated thiocyanate forms highly-coloured ferric thiocyanate which is measured at 480 nm APHA 21st edition seal method 2 017-1-L april 2003
Major Cations - Dissolved	ED093F	WATER	In house: Referenced to APHA 3120 and 3125; USEPA SW 846 - 6010 and 6020; Cations are determined by either ICP-AES or ICP-MS techniques. This method is compliant with NEPM (2013) Schedule B(3)  Sodium Adsorption Ratio is calculated from Ca, Mg and Na which determined by ALS in house method QWI-EN/ED093F. This method is compliant with NEPM (2013) Schedule B(3)  Hardness parameters are calculated based on APHA 2340 B. This method is compliant with NEPM (2013) Schedule B(3)
Dissolved Metals by ICP-MS - Suite A	EG020A-F	WATER	In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. Samples are 0.45µm filtered prior to analysis. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector.
Dissolved Mercury by FIMS	EG035F	WATER	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) Samples are 0.45µm filtered prior to analysis. FIM-AAS is an automated flameless atomic absorption technique. A bromate/bromide reagent is used to oxidise any organic mercury compounds in the filtered sample. The ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Ionic Balance by PCT DA and Turbi SO <sub>4</sub> DA	EN055 - PG	WATER	In house: Referenced to APHA 1030F. This method is compliant with NEPM (2013) Schedule B(3)

Page : 8 of 8  
Work Order : EB1625464  
Client : GOLDER ASSOCIATES  
Project : 1538021



<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	WATER	In-house: Analysis of fresh and saline waters by solid phase extraction followed by LC-Electrospray-MS-MS, Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.

<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
SPE preparation for LL and saline PFCs	EP231-SPE	WATER	In house

## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1625464**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : K BIRAM  
**Address** : P O BOX 1734  
 MILTON QLD, AUSTRALIA 4064  
**Telephone** : +61 07 3721 5400  
**Project** : 1538021  
**Order number** : 1538021  
**C-O-C number** : ----  
**Sampler** : MORGAN MIDGLEY  
**Site** : Brisbane Airport  
**Quote number** : ----  
**No. of samples received** : 12  
**No. of samples analysed** : 12

**Page** : 1 of 12  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 25-Oct-2016 15:15  
**Date Analysis Commenced** : 27-Oct-2016  
**Issue Date** : 01-Nov-2016 22:12



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Greg Vogel	Laboratory Manager	Brisbane Inorganics, Stafford, QLD
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG020-F (Dissolved Metals): LOR's have been raised for some samples due to matrix interference.



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time				25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15	
Compound	CAS Number	LOR	Unit	EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005	
				Result	Result	Result	Result	Result	
<b>EA005P: pH by PC Titrator</b>									
pH Value	----	0.01	pH Unit	----	----	----	----	----	
<b>EA010P: Conductivity by PC Titrator</b>									
Electrical Conductivity @ 25°C	----	1	µS/cm	----	----	----	----	----	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	----	----	----	----	----	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	----	----	----	----	----	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	----	----	----	----	----	
Total Alkalinity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	----	----	----	----	----	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	----	----	----	----	----	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	----	----	----	----	----	
Magnesium	7439-95-4	1	mg/L	----	----	----	----	----	
Sodium	7440-23-5	1	mg/L	----	----	----	----	----	
Potassium	7440-09-7	1	mg/L	----	----	----	----	----	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	----	----	----	----	----	
Arsenic	7440-38-2	0.001	mg/L	----	----	----	----	----	
Cadmium	7440-43-9	0.0001	mg/L	----	----	----	----	----	
Chromium	7440-47-3	0.001	mg/L	----	----	----	----	----	
Copper	7440-50-8	0.001	mg/L	----	----	----	----	----	
Nickel	7440-02-0	0.001	mg/L	----	----	----	----	----	
Lead	7439-92-1	0.001	mg/L	----	----	----	----	----	
Zinc	7440-66-6	0.005	mg/L	----	----	----	----	----	
Iron	7439-89-6	0.05	mg/L	----	----	----	----	----	
<b>EG035F: Dissolved Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	----	----	----	----	----	
<b>EN055: Ionic Balance</b>									
Total Anions	----	0.01	meq/L	----	----	----	----	----	
Total Cations	----	0.01	meq/L	----	----	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time					25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15
Compound	CAS Number	LOR	Unit		EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005
					Result	Result	Result	Result	Result
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L		0.008	0.005	<0.002	0.008	0.002
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L		0.005	0.003	<0.002	0.004	<0.002
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L		0.007	0.012	<0.002	0.011	<0.002
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L		<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L		<0.002	<0.002	<0.002	0.004	<0.002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L		0.002	<0.002	<0.002	0.006	<0.002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time					25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15
Compound	CAS Number	LOR	Unit		EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005
					Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L		0.022	0.020	<0.002	0.033	0.002
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L		0.007	0.012	<0.002	0.011	<0.002
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%		92.4	109	91.0	82.7	90.7



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EA005P: pH by PC Titrator</b>									
pH Value	----	0.01	pH Unit	6.65	6.26	6.43	6.06	6.99	
<b>EA010P: Conductivity by PC Titrator</b>									
Electrical Conductivity @ 25°C	----	1	µS/cm	35300	20400	9120	14800	51400	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	<1	<1	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	341	362	185	95	297	
Total Alkalinity as CaCO3	----	1	mg/L	341	362	185	95	297	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	242	570	218	388	260	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	2620	2660	1140	1760	2400	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	13300	6920	2750	4900	20700	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	436	348	192	242	407	
Magnesium	7439-95-4	1	mg/L	1010	649	265	335	1220	
Sodium	7440-23-5	1	mg/L	6800	3500	1420	2460	10700	
Potassium	7440-09-7	1	mg/L	238	54	39	63	375	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	0.10	0.08	<0.01	<0.01	<0.05	
Arsenic	7440-38-2	0.001	mg/L	<0.005	<0.005	0.001	0.004	<0.005	
Cadmium	7440-43-9	0.0001	mg/L	<0.0005	<0.0005	<0.0001	<0.0001	<0.0005	
Chromium	7440-47-3	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Copper	7440-50-8	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Nickel	7440-02-0	0.001	mg/L	0.024	0.074	0.018	0.032	0.018	
Lead	7439-92-1	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Zinc	7440-66-6	0.005	mg/L	0.118	0.194	0.076	0.118	0.134	
Iron	7439-89-6	0.05	mg/L	12.2	87.6	7.58	87.6	<0.05	
<b>EG035F: Dissolved Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
<b>EN055: Ionic Balance</b>									
Total Anions	----	0.01	meq/L	436	258	105	177	640	
Total Cations	----	0.01	meq/L	407	224	94.2	148	596	





## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%	3.53	6.93	5.45	8.77	3.57	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	0.171	0.011	0.037	0.006	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	0.084	0.006	0.029	0.008	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	0.394	0.054	0.293	0.062	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	<0.002	0.002	<0.002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	0.011	<0.002	0.021	0.004	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.004	<0.002	0.005	<0.002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	0.019	<0.002	0.023	0.003	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	<0.002	<0.002	0.005	<0.002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	0.003	<0.002	0.016	0.004	
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L	<0.002	<b>0.686</b>	<b>0.071</b>	<b>0.431</b>	<b>0.087</b>	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L	<0.002	<b>0.405</b>	<b>0.054</b>	<b>0.314</b>	<b>0.066</b>	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%	<b>87.2</b>	<b>89.4</b>	<b>86.8</b>	<b>102</b>	<b>87.7</b>	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)		Client sample ID			QAQC100	QAQC300	----	----	----
		Client sampling date / time			25-Oct-2016 09:07	25-Oct-2016 14:30	----	----	----
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----	
				Result	Result	----	----	----	
<b>EA005P: pH by PC Titrator</b>									
pH Value	----	0.01	pH Unit	----	----	----	----	----	
<b>EA010P: Conductivity by PC Titrator</b>									
Electrical Conductivity @ 25°C	----	1	µS/cm	----	----	----	----	----	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	----	----	----	----	----	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	----	----	----	----	----	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	----	----	----	----	----	
Total Alkalinity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	----	----	----	----	----	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	----	----	----	----	----	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	----	----	----	----	----	
Magnesium	7439-95-4	1	mg/L	----	----	----	----	----	
Sodium	7440-23-5	1	mg/L	----	----	----	----	----	
Potassium	7440-09-7	1	mg/L	----	----	----	----	----	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	----	----	----	----	----	
Arsenic	7440-38-2	0.001	mg/L	0.004	<0.001	----	----	----	
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	----	----	----	
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	----	----	----	
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	----	----	----	
Nickel	7440-02-0	0.001	mg/L	0.032	<0.001	----	----	----	
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	----	----	----	
Zinc	7440-66-6	0.005	mg/L	0.120	<0.005	----	----	----	
Iron	7439-89-6	0.05	mg/L	----	----	----	----	----	
<b>EG035F: Dissolved Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	----	----	----	
<b>EN055: Ionic Balance</b>									
Total Anions	----	0.01	meq/L	----	----	----	----	----	
Total Cations	----	0.01	meq/L	----	----	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	QAQC100	QAQC300	----	----	----
Client sampling date / time				25-Oct-2016 09:07	25-Oct-2016 14:30	----	----	----	
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----	
				Result	Result	----	----	----	
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	0.036	<0.002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	0.029	<0.002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	0.291	<0.002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	0.023	<0.002	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	0.005	<0.002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	0.022	<0.002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	0.005	<0.002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	0.011	<0.002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	QAQC100	QAQC300	----	----	----
Client sampling date / time				25-Oct-2016 09:07	25-Oct-2016 14:30	----	----	----	
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----	
				Result	Result	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L	<b>0.422</b>	<0.002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L	<b>0.314</b>	<0.002	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%	<b>82.4</b>	<b>94.5</b>	----	----	----	



### Surrogate Control Limits

Sub-Matrix: <b>WATER</b>		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
<b>13C4-PFOS</b>	----	70	120



# **APPENDIX C**

## **Important Information Relating to This Report**



## IMPORTANT INFORMATION RELATING TO THIS REPORT

The document (“Report”) to which this page is attached and which this page forms a part of, has been issued by Golder Associates Pty Ltd (“Golder”) subject to the important limitations and other qualifications set out below.

This Report constitutes or is part of services (“Services”) provided by Golder to its client (“Client”) under and subject to a contract between Golder and its Client (“Contract”). The contents of this page are not intended to and do not alter Golder’s obligations (including any limits on those obligations) to its Client under the Contract.

This Report is provided for use solely by Golder’s Client and persons acting on the Client’s behalf, such as its professional advisers. Golder is responsible only to its Client for this Report. Golder has no responsibility to any other person who relies or makes decisions based upon this Report or who makes any other use of this Report. Golder accepts no responsibility for any loss or damage suffered by any person other than its Client as a result of any reliance upon any part of this Report, decisions made based upon this Report or any other use of it.

This Report has been prepared in the context of the circumstances and purposes referred to in, or derived from, the Contract and Golder accepts no responsibility for use of the Report, in whole or in part, in any other context or circumstance or for any other purpose.

The scope of Golder’s Services and the period of time they relate to are determined by the Contract and are subject to restrictions and limitations set out in the Contract. If a service or other work is not expressly referred to in this Report, do not assume that it has been provided or performed. If a matter is not addressed in this Report, do not assume that any determination has been made by Golder in regards to it.

At any location relevant to the Services conditions may exist which were not detected by Golder, in particular due to the specific scope of the investigation Golder has been engaged to undertake. Conditions can only be verified at the exact location of any tests undertaken. Variations in conditions may occur between tested locations and there may be conditions which have not been revealed by the investigation and which have not therefore been taken into account in this Report.

Golder accepts no responsibility for and makes no representation as to the accuracy or completeness of the information provided to it by or on behalf of the Client or sourced from any third party. Golder has assumed that such information is correct unless otherwise stated and no responsibility is accepted by Golder for incomplete or inaccurate data supplied by its Client or any other person for whom Golder is not responsible. Golder has not taken account of matters that may have existed when the Report was prepared but which were only later disclosed to Golder.

Having regard to the matters referred to in the previous paragraphs on this page in particular, carrying out the Services has allowed Golder to form no more than an opinion as to the actual conditions at any relevant location. That opinion is necessarily constrained by the extent of the information collected by Golder or otherwise made available to Golder. Further, the passage of time may affect the accuracy, applicability or usefulness of the opinions, assessments or other information in this Report. This Report is based upon the information and other circumstances that existed and were known to Golder when the Services were performed and this Report was prepared. Golder has not considered the effect of any possible future developments including physical changes to any relevant location or changes to any laws or regulations relevant to such location.

Where permitted by the Contract, Golder may have retained subconsultants affiliated with Golder to provide some or all of the Services. However, it is Golder which remains solely responsible for the Services and there is no legal recourse against any of Golder’s affiliated companies or the employees, officers or directors of any of them.

By date, or revision, the Report supersedes any prior report or other document issued by Golder dealing with any matter that is addressed in the Report.

**Any uncertainty as to the extent to which this Report can be used or relied upon in any respect should be referred to Golder for clarification.**



As a global, employee-owned organisation with over 50 years of experience, Golder Associates is driven by our purpose to engineer earth's development while preserving earth's integrity. We deliver solutions that help our clients achieve their sustainable development goals by providing a wide range of independent consulting, design and construction services in our specialist areas of earth, environment and energy.

For more information, visit [golder.com](http://golder.com)

Africa	+ 27 11 254 4800
Asia	+ 86 21 6258 5522
Australasia	+ 61 3 8862 3500
Europe	+ 44 1628 851851
North America	+ 1 800 275 3281
South America	+ 56 2 2616 2000

[solutions@golder.com](mailto:solutions@golder.com)  
[www.golder.com](http://www.golder.com)

**Golder Associates Pty Ltd**  
**147 Coronation Drive**  
**Milton, Queensland 4064**  
**Australia**  
**T: +61 7 3721 5400**



# Appendix E

## Contaminated land investigations



8 December 2016

# CONTAMINATION ASSESSMENT

## Auto Mall Precinct Stage 1

**Submitted to:**  
Mr Nicholas Jackson-Hope  
Brisbane Airport Corporation  
PO Box 61  
Hamilton Central Q 4007

REPORT



**Report Number.** 1538021-013-R-Rev1  
**Distribution:**  
1 Electronic Copy





## Table of Contents

<b>1.0 INTRODUCTION</b>	<b>1</b>
<b>2.0 PROJECT DETAILS</b>	<b>1</b>
<b>3.0 SITE DESCRIPTION</b>	<b>1</b>
<b>4.0 BACKGROUND INFORMATION</b>	<b>2</b>
<b>5.0 REGULATORY FRAMEWORK</b>	<b>3</b>
5.1 General	3
5.2 Per- and Poly-fluoroalkyl Substances (PFAS)	3
<b>6.0 ASSESSMENT CRITERIA</b>	<b>4</b>
6.1 PFAS	4
6.2 Other Parameters	5
<b>7.0 FIELDWORK</b>	<b>6</b>
7.1 Soil Investigation	6
7.1 Groundwater Investigation	7
<b>8.0 INVESTIGATION FINDINGS</b>	<b>8</b>
8.1 Sub-surface Conditions	8
8.2 Groundwater Levels and Quality	8
8.3 Quality Assurance and Quality Control	10
8.4 Soil Analysis	11
8.5 Groundwater Analysis	15
<b>9.0 CONCEPTUAL SITE MODEL</b>	<b>18</b>
9.1 Developing the Conceptual Site Model (CSM)	18
9.2 Contaminants of Interest	18
9.3 Sources	18
9.4 Receptors	19
9.5 Pathways for Exposure to PFAS Impacted Groundwater	19
9.6 Conceptual Site Model Schematic	20
<b>10.0 ENVIRONMENTAL RISK ASSESSMENT</b>	<b>21</b>
10.1 Qualitative Assessment	21
<b>11.0 CONCLUSION AND RECOMMENDATIONS</b>	<b>24</b>
<b>12.0 IMPORTANT INFORMATION</b>	<b>24</b>



**TABLES**

Table 1: Interim Screening Levels for PFAS .....4

Table 2: Field Activities - Drilling and Soil Sampling.....6

Table 3: Field Activities - Groundwater Well Installation and Sampling.....7

Table 4: Summary of Groundwater Level Observations – January 2016.....8

Table 5: Summary of Groundwater Quality Parameters – January 2016.....9

Table 6: Summary of Groundwater Level Observations – October 2016.....9

Table 7: Summary of Groundwater Quality Parameters – October 2016.....9

Table 8: Soil Laboratory Results Summary for PFAS.....12

Table 9: Soil Laboratory Results Summary for Other Parameters All concentrations are expressed in mg/kg unless indicated otherwise.....14

Table 10: Groundwater Laboratory Results Summary for PFAS .....16

Table 11: Groundwater Laboratory Results Summary for Heavy Metals and mercury.....17

**FIGURES**

Figure 1: Proposed Development with Previous and Current Investigation Locations.....27

**APPENDICES**

**APPENDIX A**

Current Staging Plan

**APPENDIX B**

Borehole Reports

**APPENDIX C**

Laboratory Documents

**APPENDIX D**

Data Validation

**APPENDIX E**

Important Information Relating to this Report



## 1.0 INTRODUCTION

Brisbane Airport Corporation Pty Ltd (BAC) commissioned Golder Associates Pty Ltd (Golder) to undertake a contamination assessment for Stage 1 of the Auto Mall Precinct project at the Brisbane Airport (see Figure 1). Golder has previously conducted a desktop study contamination and Acid Sulfate Soil (ASS) review of the Auto Mall Precinct for BAC (reference 1460490-002-R-Rev0, February 2015). The purpose of the contamination assessment is to inform the detailed design of the proposed development.

Combined contamination, acid sulfate soil and geotechnical investigations were conducted during December 2015 based on the scope of work defined in our proposal (Golder document reference no. P1538021-002-L-Rev1 dated 12 October 2015). A supplementary investigation was completed in October 2016 from 3 locations, and was prompted by the absence of data in the central portion of Stage 1, due to the dense vegetation that prevented access during the December 2015 investigation.

This report presents the contamination assessment findings for Stage 1 of the Auto Mall Precinct. The assessment results from the geotechnical and acid sulfate soil (ASS) investigations are provided in separate reports.

## 2.0 PROJECT DETAILS

An Auto Mall Precinct is proposed to be developed on an area between Moreton Drive, Nancy Bird Way and Airport Drive at the Brisbane Airport. Refer attached **Figure 1** for the location plan. The proposed development comprises a test track in the middle of the site, surrounded by development lots for future commercial use. Private roads are located around the perimeter of the site. An Energex substation and easement is present on the site.

At the time of writing, we understand that the site is to be developed in three stages as follows:

- Development Stage 1: Track, roads and selected development lots; lots north of the Energex easement between the track and Moreton Drive, and the Track and Nancy Bird Way.
- Development Stage 2: development lots south of the Energex easement.
- Development Stage 3: development lots north of the Energex easement between the track and Airport Drive.

Drainage channels will run along site perimeter, with invert levels as low as of RL 0.2 m AD in the western portion of the site. Site drainage channels will discharge into nearby surface water drains

The current staging plan is provided in **Appendix A**.

However, for consistency with previous works, we refer to the portion of the site north of the Energex easement as the Stage 1 investigation area, and the portion to the south as the Stage 2 investigation area.

## 3.0 SITE DESCRIPTION

The site has an average surface RL of about 2.4 m AD<sup>1</sup> and is currently heavily vegetated with casuarina forest and mangroves. The Stage 1 investigation area of the development covers an area of approximately 950 m by 450 m.

Landers Pocket drain is the closest surface water body feature, located at least 100 m west of the project area. Surface water in Landers Pocket drain flows north-east and south-west before discharging into Kedron Brook Floodway Drain. The Kedron Brook Floodway Drain discharges into Kedron Brook. The ultimate receiving environment of surface water is Moreton Bay from Kedron Brook.

---

<sup>1</sup> Aerodrome Datum



### 4.0 BACKGROUND INFORMATION

Golder previously conducted a desktop assessment of ASS, groundwater and contamination for the Auto Mall Precinct in 2014. The findings of this desktop assessment were reported in Golder report reference No. 1416490-002-Rev0.

Relevant contamination findings for Stage 1 from the desktop assessment are summarised below:

- Brisbane Airport Corporation (BAC) maintains a Contaminated Sites Register (CSR). CSR listed site 28 (black sands) is located at the southern end of the Auto Mall Precinct within the Stage 2 investigation area, on the boundary with the Stage 1 investigation area. Potential contaminants of concern associated with the black sands include heavy metals, minerals and radioactivity.
- All remaining CSR listed sites were located outside of the Auto Mall Precinct area and were considered to have a low potential to cause impact to the current development site.
- In addition to the CSR, the desktop study completed for the Auto Mall Precinct in 2015 identified a construction yard in the southern portion of Stage 2 investigation area in 2009, likely associated with the works for the construction of Moreton Drive. This potential contamination source includes the possible contaminants of concern of hydrocarbons, heavy metals and organochlorine pesticides.

Per- and poly-fluoroalkyl substance (PFAS) are emerging contaminants of concern at airports and airfields. PFAS (including PFOS and PFOA) are associated with historical use in aqueous film forming foams (AFFF) used for firefighting. PFAS are persistent chemicals with high groundwater mobility. Known PFAS source areas at the Brisbane Airport include the fire rescue training facilities and fire stations, but PFAS have been widely detected in groundwater across the airport. The nearest potential sources of PFAS comprise:

- Satellite Fire Station located about 3.9 km north of the site.
- Fire Rescue Training Area located about 4.8 km north of the site.
- Main Fire Station located about 2.3 km north east of the site.

Since the desktop study was completed, fuel storage facilities were also identified as potential PFAS sources, due to the storage of large volumes of firefighting liquids. The closest fuel facilities to the site include:

- JUHI facility along Hakea Street, located about 780 m north-east of the site
- Former JUHI facility along Lomandra Drive, located about 1.3 km south of the site.

The desktop assessment indicated that no previous groundwater investigations for PFAS have been conducted on the site or surrounding area.

As the use of PFOS and PFOA has been discontinued in AFFF, existing groundwater contamination from these source areas or incidental use elsewhere at the airport is not expected to increase over time.

**No known or potential PFAS contaminating activities were identified occurring (presently or in the past) on or in the immediate vicinity of the site.** However, PFAS has been widely detected in groundwater across the airport and therefore the need for a Preliminary Investigation (under GEM-02) is considered to be triggered at this site.

Based on the desktop assessment the main contaminants of interest (COI) for the investigation site comprise:

- PFAS, including PFOS and PFOA, in soil and groundwater associated with historical use in AFFF used for firefighting elsewhere at the airport.
- Heavy metals, mineral and radioactivity associated with the CSR site 28 (located within Stage 2 investigation area near the boundary of Stage 1)
- Hydrocarbons, heavy metals and organochlorine pesticides in soil associated with the former constructions yard (located within Stage 2 Investigation area).



### 5.0 REGULATORY FRAMEWORK

The following key regulatory drivers and guidance documents have been considered and utilised in conducting this assessment:

#### 5.1 General

- Office of Legislative Drafting Attorney-General's Department, *Airports (Environment Protection) Regulations 1997* (AEPR 1997 guidelines).
- *Queensland Water Quality Guidelines 2009*, as amended in 2013 (QWQG 2009), which provides an overarching framework for the management of waters (including groundwater) under the Environmental Protection Act 1994.
- Provisions for the assessment and management of contaminated land under the *Environmental Protection Act 1994*
- *ASC National Environment Protection (Assessment of Site Contamination) Measure 1999* as amended in 2013 (NEPM 2013). The NEPM has been recognised as the primary national guidance document for the assessment of site contamination in Australia.

#### 5.2 Per- and Poly-fluoroalkyl Substances (PFAS)

- Australian Government Department of Infrastructure and Regional Development *Guideline for Environmental Management – PFC Management Actions Advice* (GEM-002), Version June 2015.
- *Managing PFC Contamination at Airports Interim Contamination Management Strategy and Decision Framework*, GHD, June 2015.
- *Model Operating Conditions – ERA 60 – Waste Disposal* Version 1.1, Qld EHP, 30 January 2015.
- Environmental Health Standing Committee (enHealth) of the Australian Health Protection Principal Committee, *enHealth Statement: Interim national guidance on human health reference values for per- and poly-fluoroalkyl substances for use in site investigations in Australia*, June 2016.





## 6.0 ASSESSMENT CRITERIA

### 6.1 PFAS

Current Australian guidelines, including AEPR 1997, do not include screening or acceptable levels for PFAS. GEM-002 indicates that until national standards for the management of PFAS contamination are agreed, the framework for PFAS management developed by consultancy firm GHD (2015) - *Managing PFC Contamination at Airports Interim Contamination Management Strategy and Decision Framework* - is available to airports and is intended to facilitate discussion on PFAS management at leased federal airports.

The following Interim Screening Levels (from GHD 2015) for PFAS in soil, groundwater and surface water have been adopted as Tier 1 values for the initial assessment of risk.

**Table 1: Interim Screening Levels for PFAS**

Exposure Scenario	PFOS / PHF <sub>x</sub> S	PFOA / 8:2FTS	6:2FTS	Comment
<b>Soil</b>				
Human health (direct contact – offsite/soil reuse)	6 mg/kg	16 mg/kg	60 mg/kg	These are residential screening levels that are protective of human health via direct contact (ingestion, dermal and dust inhalation). These levels are conservative for consideration of construction workers and general public in the airport (commercial/industrial) setting.
Human health (direct contact – onsite/construction workers)	90 mg/kg	240 mg/kg	900 mg/kg	These interim screening levels are suitable for commercial/industrial land use settings. They are protective of adult worker and the general public health via direct contact (ingestion, dermal and dust inhalation). These levels do not consider the potential for leaching to groundwater.
Ecological (terrestrial)	0.373 mg/kg	3.73 mg/kg	n/a	Screening level is a low reliability, predicted no effect concentration and should provide 95% protection of terrestrial species.
<b>Groundwater</b>				
Human health (drinking water only)	0.2 µg/L	0.4 µg/L	5.0 µg/L	Based on a drinking water endpoint protective of human health and do not include allowance for other exposures or effects that might arise from use or disposal of water after use.
Ecological	In most cases the assessment of ecological impact will relate to the discharge of groundwater to a nearby surface water body, and impact on the aquatic ecosystem of the surface water. In assessing risk to surface waters, consideration should be given to the flux of the chemical in groundwater and the resulting dilution that will occur in the surface water. This can then be compared to the surface water screening values.			
<b>Surface Water</b>				
Ecological (toxicity effects on aquatic organisms)	6.66 µg/L	2,900 µg/L	n/a	95% species protection
Human Health (consumption of fish)	0.00065 µg/L*	0.3µg/L	0.0065 µg/L	Based on consumption of fish and applies to the receiving water <b>after</b> dilution.

\*It is noted that this concentration is factor of 3 times lower than the limit of reporting (LOR) available at commercial analytical laboratories in Australia, using Ultratrace® methods. The concentration is also below the reported treatment levels using current technology/methods for saline waters. On this basis, the level of dilution that may be achieved prior to discharge into waterways becomes the critical factor rather than comparison to this interim screening level.



Additionally, the Queensland government has published maximum PFAS soil concentrations for use as day cover at landfills (*Model Operating Conditions – ERA 60 – Waste Disposal* Version 1.1, Qld EHP, 30 January 2015). These have been adopted to assess suitability of PFAS-impacted soil to be disposed of offsite.

Further guidance on acceptable PFAS levels was recently provided in *enHealth Statement: Interim national guidance on human health reference values for per- and poly-fluoroalkyl substances for use in site investigations in Australia*, prepared by the Environmental Health Standing Committee (enHealth) of the Australian Health Protection Principal Committee in June 2016.

The enHealth guidelines were also adopted as Tier 1 values for the initial assessment of risk for drinking water and surface water (recreational) exposure pathways.

Exposure Scenario	PFOS / PFHxS	PFOA	Comment
<b>Groundwater</b>			
Human health (drinking water)	0.5 µg/L	5 µg/L	The interim drinking water guideline values are not intended to be a guide for drinking water utility providers across Australia, but rather for use to confirm the quality of drinking water supplies potentially affected by specific instances of site contamination.
<b>Surface Water</b>			
Human Health (recreational)	5 µg/L	50 µg/L	Ten times the drinking water levels

## 6.2 Other Parameters

*Airports (Environmental Protection) Regulations 1997* (AEPR – 1997) apply for airports in Australia and to all BAC land. The site is not listed as an Area of Environmental Significance at Brisbane Airport, as such results were compared with:

- Soil: Acceptable Limits for general areas (Schedule 3, Table 1 of AEPR).
- Groundwater: Accepted limits for marine Water (Schedule 2, Table 1 of AEPR).

In addition, the following guidelines derived from the *National Environment Protection (Assessment of Site Contamination) Amendment Measure 2013* (No. 1) (NEPM, 2013) Schedule B1 were also referenced as a general environmental screening tool for soil and groundwater:

- Soil: Ecological Screening Levels (ESLs) for commercial/industrial land use (coarse soil) for petroleum hydrocarbon compounds.
- Soil and groundwater: Human health exposure via vapour intrusion from volatile hydrocarbon impacts in soil (Hydrocarbon Screening Levels – HSLs). HSLs have been developed for selected petroleum compounds and fractions and are applicable to assessing human health risk via the inhalation pathway. The HSLs depend on specific soil physicochemical properties, land use scenarios, and the characteristics of building structures. They apply to different soil types, and depths below surface to greater than 8 m. For the program of works, the analytical data has been initially screened against the most conservative investigation level arising from the sand soil category.
- Soil: Health investigation Levels (HILs) for commercial/industrial land use for non-hydrocarbons.
- Soil: Ecological investigation levels (EILs) for commercial/industrial land use for non-hydrocarbons.
- Groundwater: Groundwater Investigation Levels (GILs) for marine waters, as the marine environment is the ultimate ecological receptor for groundwater.



## 7.0 FIELDWORK

### 7.1 Soil Investigation

Details of the soil investigation methodology for the contamination assessment are summarised in **Table 2** below.

**Table 2: Field Activities - Drilling and Soil Sampling**

Activity	Details
Drilling	<p>Soil sampling for the original contamination assessment was conducted from 16 to 18 December 2015 and the supplementary investigation was conducted on 10 October 2016.</p> <p>Locations targeting potentiating contaminating activities are as follows:</p> <ul style="list-style-type: none"> <li>■ Broad scale site coverage for residues associated with historical use of AFFF at the airport: AM-BH1 to AM-BH9, AM-BH17, AM-BH19 and AM-BH28, AM-BH30 to AM-BH32.</li> <li>■ CSR Site 28 (black sands): AM-20 to AM-23 (some of these investigations locations are within the Stage 2 investigation area, but are included in this report for clarity).</li> </ul> <p>The boreholes were advanced to depths of 3 m using hollow flight augers or push tube technology, mounted on a light tracked vehicle. Borehole locations are presented in <b>Figure 1</b>.</p> <p>Borehole drilling was carried out under the supervision of a geotechnical engineer from Golder. Soil descriptions for the lithology encountered during drilling are presented as borehole logs in <b>Appendix B</b>.</p>
Borehole Survey	<p>Upon completion of intrusive investigations selected locations were surveyed by MPA Surveyors using differential GPS for easting, northing and RL. Remaining locations and levels were inferred from the survey plan provided by BAC (received 24 November 2015).</p>
Soil Sampling	<p>Soil samples for contamination assessment purposes were collected at 0.5 m intervals to 3 m bgl.</p>
Decontamination Procedure	<p>Samples were collected using disposable nitrile gloves and a decontaminated hand trowel. Non-dedicated soil sampling equipment was decontaminated using de-ionised water and rinsed with potable water between sampling locations.</p>
Soil Screening	<p>Collected soil samples were screened in the field using a photo-ionisation detector (PID) for the potential presence of volatile compounds.</p>
Samples Preservation and Handling	<p>Collected soil samples were placed in laboratory supplied containers. Sample containers were placed with ice, in eskies whilst on-site and in transit to the laboratory.</p> <p>All primary and duplicate samples were sent to Australian Laboratory Services (ALS) of Brisbane under Chain of Custody (CoC) procedures. Triplicate samples were sent to Eurofins of Brisbane under COC procedures.</p> <p>Laboratory documents are presented in <b>Appendix C</b>.</p>
QA/QC	<p>Quality Assurance/ Quality Control (QA/QC) programs were implemented for the original and supplementary investigations, and included the collection of duplicates and triplicates every 20 primary samples. No rinsate samples were collected.</p>
Soil Analysis	<p>Selected soil samples were analysed for the potential contaminants of concern identified in the desktop review, including:</p> <ul style="list-style-type: none"> <li>■ PFAS, extended suite.</li> <li>■ Total recoverable hydrocarbons (TRH) (with silica gel clean up)</li> <li>■ Benzene, toluene, ethylbenzene and xylenes (BTEX)</li> <li>■ Polycyclic aromatic hydrocarbons (PAH)</li> <li>■ Arsenic, cadmium, chromium, copper, lead, nickel, zinc and mercury (Heavy Metals)</li> <li>■ Organochlorine pesticides (OCP).</li> </ul> <p>Laboratory analytical reports are presented <b>Appendix C</b>.</p>



## 7.1 Groundwater Investigation

Details of groundwater investigation methodology are summarised in Table 3 below.

**Table 3: Field Activities - Groundwater Well Installation and Sampling**

Activity	Details
Monitoring Well Installation and Construction	Five boreholes (AM-BH01, AM-BH04, AM-BH08, AM-BH19 and AM-BH28) from the December 2015 investigation and one borehole (AM-BH31) from the October 2016 investigation were converted into groundwater monitoring wells. <b>Figure 1</b> presents these new monitoring well locations and pre-existing historical monitoring wells (BIP/MW1, BIP/MW2, BIP/MW6, BAC-MW07 and BAC-MW-24). New monitoring wells were constructed using 50 mm, Class 18 PVC threaded screen and casing. Construction details for monitoring wells are presented on borehole reports in <b>Appendix B</b> .
Well Development	Following installation the new wells were developed using dedicated disposable bailers.
Well Gauging	Standing water levels (SWLs) were measured on 4 January 2016 and on 25 October 2016, using a water level meter. Groundwater gauging data are presented in Section 8.2, Table 4 and Table 6.
Well Purging and Sampling	On 4 January 2016, the wells were purged and sampled using dedicated disposable bailers. On 25 October 2016 purging and sampling was completed using a low flow peristaltic pump, equipped with disposable tubing. Groundwater quality parameters and visual observations were recorded during purging. Purging continued until three well volumes were removed or to stabilisation of quality parameters.
Sample Preservation and Handling	Collected water samples were placed in laboratory supplied containers. Samples were placed with ice, in eskies whilst on-site and in transit to the laboratory. All samples were sent to ALS of Brisbane under CoC procedures. Triplicate samples were sent to Eurofins of Brisbane under COC procedures. Laboratory documents are presented in <b>Appendix C</b> .
QA/QC Samples	A QA/QC program was implemented for the contamination investigation which included the collection of duplicates and triplicates every 20 primary samples. No rinsate samples were collected.
Groundwater Analysis	The groundwater samples from all wells were analysed for PFAS, extended suite using ultra trace methods. Groundwater samples collected in the October 2016 monitoring round were analysed for PFAS and heavy metals. Laboratory analytical reports are presented in <b>Appendix C</b> .



## 8.0 INVESTIGATION FINDINGS

### 8.1 Sub-surface Conditions

Detailed information of subsurface conditions encountered at the site are described in Report of Boreholes (**Appendix B**).

A summary of typical subsurface conditions encountered is as follows:

- **Crust** – A desiccated layer generally comprising loose silty sand and sandy clay generally between 0.1 to 0.3 m bgl, over
- **Recent Alluvium (Holocene)** – Compressible, inter-bedded sandy clays and clayey sands (Upper Holocene) from approximately 0 to 3 m bgl (target depth).

The PID readings are considered to be indicative of background conditions. No odours or staining were noted that may indicate potential contamination.

### 8.2 Groundwater Levels and Quality

#### January 2016 Monitoring Event

Groundwater level readings were recorded during a site visit on 4 January 2016 in new and existing groundwater monitoring wells. **Table 4** summarises the groundwater measurements for the current investigation. It should be noted that BAC has not provided Golder with construction details and data of wells BAC-MW07 and BAC-MW24. Golder has assigned the respective identification to these monitoring wells for the purpose of this report only. Based on the measured groundwater levels, the general flow direction beneath the site is interpreted to be towards the west.

**Table 4: Summary of Groundwater Level Observations – January 2016**

Well ID	Depth to Groundwater (m bgl)	Groundwater RL (m AD)	Date and Time of Observations
AM-BH01	0.93	2.06	04/01/2016 AT 12:00 PM
AM-BH04	1.41	1.26	04/01/2015 AT 12.36 PM
AM-BH08	1.13	1.75	04/01/2016 AT 12:50 PM
AM-BH19	0.71	1.91	04/01/2016 AT 1:05 PM
AM-BH28	0.76	1.98	04/01/2016 AT 12:20 PM
BIP/MW1	1.27	1.53	04/01/2016 AT 12.36 PM
BIP/MW2	1.07	1.91	04/01/2016 AT 11:00 AM
BP/MW6	1.02	2.01	04/01/2016 AT 11:30 AM
BAC-MW07	1.24	1.66	04/01/2016 AT 1:32 PM
BAC-MW24	0.81	2.13	04/01/2016 AT 10:30 AM



Field measurements of groundwater quality parameters are summarised in **Table 5**.

**Table 5: Summary of Groundwater Quality Parameters – January 2016**

Well ID	pH	Conductivity (mS/cm)	Redox (mV)	Dissolved Oxygen (%)	Temperature (°C)
AM-BH01	5.74	34.6	33.2	49.1	22
AM-BH04	6.06	24.0	-16	36	22.2
AM-BH08	5.69	23.7	39.6	47.6	23.3
AM-BH19	5.68	32.5	40.1	44.5	22.9
AM-BH28	6.06	39.9	18	39	22.5
BIP/MW1	4.30	22.0	150.6	53.3	23.2
BIP/MW2	6.50	43.1	-91.4	15.8	23.3
BPI/MW6	6.86	42.8	-88.7	33	24.1
BAC-MW07	6.6	36.8	-81.5	46.2	22.7
BAC-MW24	6.85	50.6	-101.7	47.1	27.8

**October 2016 Monitoring Event**

Groundwater level readings were recorded during the groundwater monitoring event completed on 25 October 2016 from a selection of 3 new wells and 2 pre-existing groundwater monitoring wells. **Table 6** summarises the groundwater measurements for the current investigation. Based on the measured groundwater levels in the limited selection of wells, the general flow direction beneath the site is interpreted to be towards the south west.

**Table 6: Summary of Groundwater Level Observations – October 2016**

Well ID	Depth to Groundwater (m bTOC)	Groundwater RL (m AD)	Date and Time of Observations
AM-BH08	1.75	1.76	25/10/2016 at 11.20am
AM-BH19	1.32	1.86	25/10/2016 at 10.20am
AM-BH31/MW31	1.69	1.71	25/10/2016 at 12.40pm
BIP/MW1	1.33	1.87	25/10/2016 at 01.00pm
BIP/MW2	1.29	1.85	25/10/2016 at 01.50pm

In comparison with January 2016, groundwater RL is unchanged in the wells by more than 0.05 m, with the exception of BIP/MW1, where groundwater RL is measured 0.34 m higher.

Field measurements of groundwater quality parameters are summarised in **Table 7**.

**Table 7: Summary of Groundwater Quality Parameters – October 2016**

Well ID	pH	Conductivity (mS/cm)	Redox (mV)	Dissolved Oxygen (mg/L)	Temperature (°C)
AM-BH08	6.71	25.7	-19	0.80	22.6
AM-BH19	6.60	32.3	-323	0.62	20.4
AM-BH31/MW31	6.20	31.1	-171	1.39	20.7
BIP/MW1	3.65	20.0	227	1.83	21.5
BIP/MW2	6.74	42.3	-149	0.91	22.7



In comparison with January 2016, the following variations in groundwater quality are observed:

- pH has increased in the wells monitored, except BIP/MW1, where a decrease from 4.30 to 3.65 has occurred.
- electrical conductivity (and salinity) is generally unchanged, all wells fall in the brackish range
- redox conditions have moved from oxidising to reducing in wells AM-BH08 and AM-BH19, while oxidising conditions in BIP/MW1 and reducing conditions in BIP/MW2 are confirmed
- dissolved oxygen level appear to have significantly decreased.

### 8.3 Quality Assurance and Quality Control

#### 8.3.1.1 Field QA/QC

Sampling equipment utilised during the field investigation did not contain Teflon® to prevent false positive results for PFAS.

Soil and groundwater samples analysed for PFAS were placed into laboratory-issued bottles specifically for the analysis of PFAS, and therefore free of any Teflon® liners.

In January 2016, two soil duplicates and two triplicate soil samples were submitted for analysis. Analysis of one soil field duplicate was not conducted as a result of an error on the Chain of Custody/Test Request form. Whilst this resulted in a QC frequency for field duplicates of less than data objectives, it is not considered to impact on the overall quality of the investigation as all QA/QC results returned PFAS concentrations below the laboratory limit of reporting.

One groundwater duplicate and one triplicate were also analysed during this investigation.

No QA/QC samples were collected during October 2016 investigation (as this was combined with the investigation for Stage 2 area, and all the QA/QC samples collected are discussed in the Stage 2 investigation area report).

#### 8.3.1.2 Data Validation

The validity of analytical data was assessed by critical review of the QA/QC sample results. This was performed in accordance with USEPA guidelines as presented in the document *National Functional Guidelines for Superfund Organic Methods Data Review*, June 2008 (USEPA, 2008).

Accuracy and precision measurements from the appropriate QA/QC check samples were compared to assess the quality of the analytical data. The primary objective of the data validation process was to ensure that the data reported are suitable to be used to achieve the investigation objectives.

On the basis of the outcome of the validation procedures employed, the overall quality of the analytical data is considered to be of an acceptable standard for interpretive use. The following are noted:

- All samples were received under the appropriate COC documentation by the primary laboratory in appropriately preserved containers. A holding time breach was report for pH on a groundwater sample. Field pH measurement was utilised instead of this result. No holding time breaches were reported.
- A review of internal QA/QC checks indicates general compliance for internal laboratory duplicates, surrogates and method blanks. Minor non-conformances detected in matrix spikes (chromium and zinc) and laboratory control spikes (hexachlorobenzene) are not considered to limit the use of the laboratory results.
- Soil duplicate and triplicate samples yielded acceptable repeatability for PFAS.
- Groundwater duplicate and triplicate samples yielded acceptable repeatability for PFAS.

A data validation sheet has been completed and presented in **Appendix D**. Based on the above, we consider the laboratory test results to be representative and valid for the purposes of the investigation.



## **8.4 Soil Analysis**

Laboratory test results for soil samples of PFAS results are summarised in Table 8. Table 9 is a summary of the soil sample results for heavy metals, TRH, BTEX, PAH and OCP.

The laboratory results on soil samples indicated:

- Concentrations of PFAS were below the laboratory detection limit and the adopted initial screening criteria for human health and ecological (terrestrial) assessment in all samples collected in the December 2015 investigation; with reference to the 2016 investigation, detection of PFAS are reported in shallow soil collected at AM-MW31 (PFTeDA reported at 0.0005 mg/kg, corresponding to the laboratory limit of reporting) and at AM-BH32 in saturated soil (PFOS reported at 0.0002 mg/kg, corresponding to the laboratory limit of reporting).
- Concentrations of heavy metals, TRH, BTEX, PAH and OCP were below the adopted guidelines for human health and environment assessment.

These results indicate that the presence of PFAS, heavy metals, TRH, BTEX, PAH and OCP contamination is at low levels, below the selected screening levels in the soils from this area. Where disturbed, these soils should be suitable for reuse at other locations at the airport or may be suitable for offsite reuse (subject to more detailed PFAS sampling of excavated materials).





# AUTO MALL STAGE 1 CONTAMINATION ASSESSMENT

**Table 8: Soil Laboratory Results Summary for PFAS**

				Field_ID																	
				Sampled Date																	
				Sample Depth Range																	
				Lab Report Number																	
ChemName	output unit	EQL (Dec-15)	EQL (Oct-16)	Interim Screening Levels - Human health - industrial (direct contact only)1	Interim Screening Levels - Ecological (terrestrial, commercial/ industrial 60% protection, low reliability) 1	Maximum total concentration level in soil used as cover material of a operating QLD landfill (mg/kg)2	AM-BH01	AM-BH01	AM-BH02	AM-BH02	AM-BH03	AM-BH03	AM-BH04	AM-BH04	AM-BH05	AM-BH05	AM-BH06	AM-BH06	AM-BH07	AM-BH07	AM-BH08
				16/12/2015																	
				0.00-0.50																	
				EB1538408																	
N-Et-FOSA	mg/kg	0.001	0.0005				<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
N-Et-FOSE	mg/kg	0.001	0.0005				<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
N-Me-FOSA	mg/kg	0.001	0.0005				<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
N-Me-FOSE	mg/kg	0.001	0.0005				<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
PFDCS	mg/kg	0.0002	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Perfluorohexanesulfonic acid (PFHxS)	mg/kg	0.0002	0.0002	90	0.373	6	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Perfluorobutanesulfonic acid (PFBS)	mg/kg	0.0002	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Perfluorooctanesulfonamide (PFOSA)	mg/kg	0.0002	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Perfluorooctanesulfonic acid (PFOS)	mg/kg	0.0005	0.0002	90	0.373	6	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
PFHxS+PFOS <sup>4</sup>	mg/kg	-	0.0002	90	0.373	6	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Sum of detected related products <sup>3</sup> + PFOS	mg/kg	-	-	90	0.373	6	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Perfluorodecanoic acid (PFDA)	mg/kg	0.0002	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Perfluorododecanoic acid (PFDoA)	mg/kg	0.0002	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Perfluoroheptanoic acid (PFHpA)	mg/kg	0.0002	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Perfluorohexanoic acid (PFHxA)	mg/kg	0.0002	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Perfluorononanoic acid (PFNA)	mg/kg	0.0002	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Perfluorotetradecanoic acid (PFTeDA)	mg/kg	0.001	0.0005				<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Perfluorotridecanoic acid (PFTrDA)	mg/kg	0.0002	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Perfluoroundecanoic acid (PFUnA)	mg/kg	0.0002	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
8:2 Fluorotelomer sulfonate (8:2 FtS)	mg/kg	0.001	0.0005				<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
6:2 Fluorotelomer Sulfonate (6:2 FtS)	mg/kg	0.005	0.0005	900		60	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Perfluoroheptane sulfonic acid (PFOA)	mg/kg	0.0005	0.0002	240	3.73	16	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Sum of detected related products <sup>3</sup> + PFOA	mg/kg	0.0005	0.0005	240	3.73	16	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
10:2 Fluorotelomer sulfonic acid	mg/kg	-	0.0005				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4:2 Fluorotelomer sulfonic acid	mg/kg	-	0.0005				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perfluoro-n-pentanoic acid (PFPeA)	mg/kg	-	0.0002				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perfluorobutanoic acid (PFBA)	mg/kg	-	0.0002				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perfluoropentane sulfonic acid (PFPeS)	mg/kg	-	0.001				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N-methyl-perfluorooctanesulfonamidoacetic acid (MeFOSAA)	mg/kg	-	0.0002				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N-ethyl-perfluorooctanesulfonamidoacetic acid (EtFOSAA)	mg/kg	-	0.0002				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PFAS (Sum of total - Lab Reported)	mg/kg	-	0.0002				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

All concentrations are expressed in mg/kg unless indicated otherwise

"<" Denotes below detection limit and is in grey font

"-" Denotes analysis not requested for this sample

1. Airservices Australia, Managing PFC Contamination at Airports, Interim Contamination Management Strategy and Decision Framework, GHD, June 2015.

2. Model operating conditions, ERA 60 - Waste disposal Version 1, 2015, Department of Environment and Heritage Protection, Queensland Government.

3. Related products are suspected or may transform or degrade to PFOS or PFOA.

4. As per indication in Environmental Health Standing Committee (enHealth) of the Australian Health Protection Principal Committee, enHealth Statement: Interim national guidance on human health reference values for per- and poly-fluoroalkyl substances for use in site investigations in Australia, June 2016







AUTO MALL STAGE 1 CONTAMINATION ASSESSMENT

Table 9: Soil Laboratory Results Summary for Other Parameters

Table with columns: Chem\_Group, ChemName, output unit, EQL, 0-1m, 1-2m, NEPM 2013 Commercial/Industrial D, Sand Soil HSL for Vapour Intrusion, NEPM 2013 EILS-Commercial and industrial, NEPM 2013 ESLs-Commercial and industrial, Coarse Soil, NEPM 2013 HIL-Commercial/Industrial D Soil, Airports (EP) Regulations [AL] - General Areas (1), Maximum total concentration level in soil used as cover material of a operating QLD landfill (mg/kg)(3), Location Code, Depth, Sampled Date Time, Lab Report Number, AM-BH30, AM-BH31, AM-BH32.

All concentrations are expressed in mg/kg unless indicated otherwise

"<" Denotes below detection limit and is in grey font.

"-" Denotes analysis not requested for this sample

"\*" Denotes guidelines are based on the most conservative values.

1. Airports (Environmental Protection) Regulations 1997

2. NEPM - National Environment Protection (Assessment of Site Contamination) Measure (1999), amended May 2013.

3. Model operating conditions, ERA





### 8.5 Groundwater Analysis

Laboratory test results for groundwater sample results are summarised in **Table 10** for PFAS and **Table 11** for metals.

The laboratory results from the original and supplementary investigations indicated:

- With the exception of BAC-MW07, all 6:2 FtS concentrations in all groundwater samples are below laboratory limits of reporting (LORs). All 6:2 FtS concentrations were well below interim screening levels for human health (drinking water) and aquatic ecosystem protection. The laboratory detection limit exceeds the interim screening level for human consumption of fish.
- PFOA (including related products) concentrations in groundwater samples were below interim screening levels for human health (drinking water), aquatic ecosystem protection and human consumption of fish, as well as below enHealth drinking and recreational waters guidelines and below LORs, both in January 2016 and October 2016.
- PFOS+PFHxS (including related products) concentrations in all groundwater samples are below the interim screening levels for human health (drinking water) and aquatic ecosystems protection as well as below enHealth drinking and recreational waters guidelines and below LORs, both in January 2016 and October 2016. PFOS detected concentrations and the laboratory reporting limit exceed the interim screening level for human consumption of fish in both the 2016 sampling events.
- Other PFAS compounds were reported in wells AM-BH08, AM-BH09, BIP/MW1 and BIP/MW2 monitored in January and October 2016.
- Exceedances of the AEPR and NEPM GILs for marine waters are noted for nickel and zinc in well AM-MW31 (the only well tested for metals, in October 2016 only).

These results indicate that contamination management will be required if impacted groundwater is encountered and/or extracted (i.e. for dewatering) during construction works. Refer to CSM and qualitative risk assessment in Section 9 and Section 10 respectively.





**Table 11: Groundwater Laboratory Results Summary for Heavy Metals and mercury**

			Heavy Metals							
			Arsenic (Filtered)	Cadmium (Filtered)	Chromium (Filtered)	Copper (Filtered)	Lead (Filtered)	Mercury (Filtered)	Nickel (Filtered)	Zinc (Filtered)
			ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
EQL			1	0.1	1	1	1	0.1	1	5
<b>NEPM 2013 GILs, Recreational</b>			<b>100</b>	<b>20</b>		<b>20,000</b>	<b>100</b>	<b>10</b>	<b>200</b>	
<i>NEPM 2013 GILs, Marine Waters</i>				<i>0.7</i>	<i>27</i>	<i>1.3</i>	<i>4.4</i>	<i>0.1</i>	<i>7</i>	<i>15</i>
<i>AEPR 1997 - Marine Waters</i>			50	2	50	5	5	0.1	15	50
Field_ID	Sampled_Date_Time	Lab_Report_Number								
AM-MW31	25/10/2016	EB1625464	<5	<0.5	<5	<5	<5	<0.1	24	118

All concentrations are expressed in µg/L unless indicated otherwise  
 "<" Denotes below detection limit and is in grey font.

1. NEPM - National Environment Protection (Assessment of Site Contamination) Measure (1999), amended May 2013.
2. Airports (Environmental Protection) Regulations 1997



## 9.0 CONCEPTUAL SITE MODEL

### 9.1 Developing the Conceptual Site Model (CSM)

In accordance with Schedule B1 of the NEPM 2013, a CSM has been developed for the site to assess identified contamination in relation to its current condition and planned disturbances of soil and groundwater. The essential elements of the CSM have been identified in the guidelines as the following:

- Known and potential sources of contamination and contaminants of concern including the mechanism(s) of contamination (i.e. nature of the source release into the environment).
- Potentially affected media (soil, sediment, groundwater, surface water, indoor and ambient air). This project focuses on groundwater and surface water as the affected media.
- Human and ecological receptors.
- Potential and complete exposure pathways.

The above elements have been addressed in the following sections.

### 9.2 Contaminants of Interest

The results of the desktop assessment (Section 4) and the investigations (Section 8) identified the following contaminants of interest:

---

#### Groundwater

---

PFOS and its related products and 6:2 FtS detected in some groundwater samples at levels exceeding surface water interim screening level for human consumption of fish.

6:2 FtS and PFOS laboratory detection levels exceed surface water interim screening level for human consumption of fish.

Nickel and zinc exceed Marine Waters guidelines presented in the AEPR 1997 and NEPM 2013 (GILs) in one well installed on site.

---

The low levels of PFAS, heavy metals and TRH detected in the soils at the Stage 1 investigation area of the Auto Mall precinct are not considered to represent contamination requiring management if disturbed.

The site soils are considered to be suitable for reuse at other locations at the airport, without restriction.

Low levels of PFAS inside soil may become mobilised in groundwater as a result of surcharging activities consolidating these materials below the water table. It is not expected that these impacts will be greater than the level of PFAS currently detected in groundwater.

On this basis, soil contamination is not considered further in this CSM or in the Qualitative Risk Assessment.

PFAS and heavy metals contamination in groundwater is further considered in this CSM and Qualitative Risk Assessment.

### 9.3 Sources

A source of PFAS was not present at the Auto Mall Precinct site. Low level and diffuse PFAS impact was detected in five of the ten groundwater investigation locations.

Heavy metals identified in groundwater could potentially be associated with the historical use of the site as construction yard, but this is only inferred at this stage.

For dewatering activities in these areas, the extracted groundwater represents a source of contamination that could be released to the environment and will require management.



### 9.4 Receptors

The key receptors for identified groundwater contamination at the investigation sites comprise:

- **General public:** Persons who may consume fish or other aquatic species from surface water bodies into which groundwater has been discharged (either directly through dewatering discharge or indirectly as a groundwater discharge into the receiving environment), and may access the surface water bodies for recreational use. Adjacent surface water bodies comprise:
  - **Manmade surface drains:** Surface drain will be formed around the perimeter of the Auto Mall Precinct site. These drains will connect to existing artificial surface drains to the north and south west of site. The artificial drains are semi tidal and discharge into tidal drains (the Kedron Brook Floodway Drain about 1 km north west or a tributary of Shultz Canal 1.5 km south west of this site). Both of these drains discharge into Kedron Brook, which ultimately drains into Moreton Bay.
- **Aquatic ecosystems:** As heavy metals are reported in concentrations exceeding guidelines for the protection of the marine waters, aquatic ecosystems are considered as potential receptors in surface water bodies into which groundwater has been discharged (either directly through dewatering discharge or indirectly as a groundwater discharge into the receiving environment). Titanium is less likely than nickel and zinc to be mobile as it is part of the crystalline structure of the minerals.

Results of the groundwater investigation and other Golder investigations within the vicinity of the site indicate that the groundwater quality beneath the proposed development is impacted with low levels of PFAS, due to historical offsite activities, and heavy metals. No further impacts to groundwater are expected due to site contamination. Furthermore, the brackish nature of the groundwater would make it unviable as a source of potable water, and unsuitable for agriculture or other beneficial use.

Site workers who may come in direct contact with groundwater are not considered to be key receptors as the PFAS concentrations detected in all groundwater samples were well below interim screening levels for drinking water, and dermal absorption via direct contact is not a pathway for PFAS in humans.

Terrestrial ecosystems are not considered to be key receptors as the PFAS concentrations detected (in the parts per billion) in the groundwater are so low that their application to soil would not result in detection (in parts per million). The PFAS concentration reported in soils were below the ecological screening levels.

### 9.5 Pathways for Exposure to PFAS Impacted Groundwater

The key contaminant transport pathways for PFAS-impacted groundwater are:


- **Groundwater migration to surface water bodies:** localised groundwater flow beneath the site is expected to be in a westerly direction towards Landers Pocket drain, which discharges into the Kedron Brook Floodway Drain. Depending on the level of dilution and the resulting concentrations in the ultimate receiving water body, humans may be exposed to unacceptable concentrations of PFAS through the consumption of fish/aquatic species.
- **Surface water discharge of groundwater seepage entering excavations:** Currently planned construction activities include excavation of drainage channels to an invert level of RL 0.2 m AD across the site. Groundwater was recently measured at an average level of RL 1.2 m AD. It is expected that groundwater seepage will enter excavations for the drainage channels and be discharged to the existing surface drainage networks. Depending on the level of dilution and the resulting concentrations in the ultimate receiving water body, humans may be exposed to unacceptable concentrations of PFAS through the consumption of fish/aquatic species, and aquatic ecosystems to unacceptable concentrations of heavy metals.





## 9.6 Conceptual Site Model Schematic

A schematic of the Auto Mall Precinct CSM is shown below.





## 10.0 ENVIRONMENTAL RISK ASSESSMENT

### 10.1 Qualitative Assessment

Risk is measured as a function of the likelihood and consequence of an event occurring. This risk assessment has been completed with the consideration of source - pathway - receptors, as described in the conceptual site model above and is in general accordance with the NEPM 2013.

The qualitative risk assessment was undertaken in general accordance with AS/NZS ISO 31000:2009 Risk management - Principles and guidelines and adopting the likelihood, consequence rankings summarised below.

#### Qualitative Risk Assessment Rankings

Likelihood (L)	Description	Consequences (C)	Description
1) Rare	Impact is unlikely to occur within lifetime of project operations. No further management or engineering controls are required to minimise potential for occurrence	1) Low	Negligible or acceptable impact. No further management or engineering controls are required assuming no change to current conditions.
2) Low	Minor management control may need to be considered to reduce likelihood of occurrence.	2) Low to Moderate	Impact may be acceptable. Further monitoring is required to establish potential significance. Implementation of simple management controls.
3) Moderate	Impact has moderate likelihood of occurrence. Appropriate management control can result in low likelihood of occurrence.	3) Moderate	Moderate impact. Potentially acceptable if appropriate management controls are implemented.
4) High	Appropriate management control may not be sufficient to minimise likelihood and thus engineering or design solution may need to be considered.	4) Moderate to High	Impact has the potential to be unacceptable. Further monitoring may be required to establish potential significance. Implementation of appropriate management controls is required.
5) Almost Certain	Impact is believed to be inevitable or has already occurred. Management controls cannot practically minimise likelihood of occurrence to acceptable levels. Engineering or design solutions are required, if possible.	5) High	Unacceptable impact. The potential impact has a high severity and cannot necessarily be managed, should it occur.



## AUTO MALL STAGE 1 CONTAMINATION ASSESSMENT

The resulting qualitative risk ranking matrix adopted for the assessment is presented below.

### Qualitative Risk Assessment Ranking Matrix

Risk Ranking (RR)	Consequences (C)				
	1) Low	2) Low to Moderate	3) Moderate	4) Moderate to High	5) High
6) Rare	1 (Low)	2 (Low)	3 (Low)	4 (Low)	5 (Moderate)
7) Low	2 (Low)	4 (Low)	6 (Moderate)	8 (Moderate)	10 (Moderate)
8) Moderate	3 (Low)	6 (Moderate)	9 (Moderate)	12 (Moderate)	15 (High)
9) High	4 (Low)	8 (Moderate)	12 (Moderate)	16 (High)	20 (High)
10) Certain	5 (Moderate)	10 (Moderate)	15 (High)	20 (High)	25 (High)

Where:

- Low Risk Ranking: Score 0 to 4. Acceptable, no specific management and/or engineering controls typically necessary.
- Moderate Risk Ranking: Score 5 to 15. Potentially acceptable subject to appropriate management and/or engineering controls.
- High Risk Ranking: Score 15 and above. Not acceptable. Engineering controls generally required, possibly in conjunction with management controls.

Ranking for the source-pathway-receptor identified in the CSM are summarised below.

### Risk Rankings

Receptors	Pathways	Assessment Factors	L	C	RR	Summary Item
<b>Human Receptors</b>						
General Public	Consumption of Fish (Groundwater migration to surface water bodies) <u>PFAS</u>	A dilution factor of about 11 <sup>2</sup> would be required to reduce the highest detected groundwater PFAS concentrations below interim screening levels. A much greater dilution factor is expected for discharge of groundwater into the nearby surface water bodies	1	3	3	Low risk No further control measures
	Consumption of Fish (Groundwater seepage into proposed site drains and discharge into nearby surface water bodies) <u>PFAS</u>	The above considerations also apply to this pathway. It is expected that discharge of the volume of groundwater into the proposed drains alone (not including rainfall runoff) into connecting tidal drains will result in a much greater dilution factor than 11 (the dilution factor required for the highest detected groundwater PFAS concentration)..	1	3	3	Low risk No further control measures
<b>Ecological receptors</b>						
Aquatic ecosystems	Toxicity effects of <u>heavy metals</u> (Groundwater migration to surface water bodies)	A dilution factor of about 8 <sup>3</sup> would be required to reduce the highest detected groundwater heavy metal concentrations below the proposed guideline. A much greater dilution factor is expected for discharge of groundwater into the nearby surface water bodies	1	2	2	Low risk No further control measures

<sup>2</sup> Calculated as the maximum concentration of any PFAS compound in groundwater in January and October 2016 divided by the corresponding Human Health Screening Level.

<sup>3</sup> Calculated as the maximum concentration of any heavy metal exceeding guidelines in groundwater divided by the corresponding exceeded guideline.



## AUTO MALL STAGE 1 CONTAMINATION ASSESSMENT

Receptors	Pathways	Assessment Factors	L	C	RR	Summary Item
	Toxicity effects of <u>heavy metals</u> (Groundwater seepage into proposed site drain and discharge into nearby surface water bodies)	The above considerations also apply to this pathway. It is expected that discharge of the volume of groundwater into the proposed drains alone (not including rainfall runoff) into connecting tidal drains will result in a much greater dilution factor than 13 (the dilution factor required for the highest detected groundwater heavy metal concentration).	1	2	2	Low risk No further control measures



### 11.0 CONCLUSION AND RECOMMENDATIONS

Based on the results of the contamination assessment, the following conclusions are drawn for the Stage 1 investigation area of the Auto Mall precinct.

- A low potential for soil contamination was indicated by field investigation results. No PFAS, heavy metals, TRH, BTEX, PAH and OCP concentrations above the proposed screening levels were detected in any soil samples. Where disturbed, soils from this area should be suitable for reuse at other locations at the airport without restriction. The soils may also be suitable for offsite reuse subject to more detailed sampling of excavated materials.
- Low levels of PFAS impact were detected in groundwater samples from 5 of the 10 groundwater wells analysed in January 2016, and 4 of the 5 wells analysed in October 2016.
- Site workers who may come in direct contact with groundwater are not considered to be key receptors as the PFAS concentrations detected in all groundwater samples were well below interim screening levels for drinking water.
- Aquatic ecosystems are not considered to be key receptors, as the PFAS concentrations in groundwater are below the interim screening levels for toxicity effects on aquatic organisms. However, a residual low risk to aquatic ecosystems is represented by heavy metals concentrations in groundwater.
- All groundwater samples had PFAS concentrations exceeding the surface water interim screening level for human consumption of fish/aquatic species. It is noted that the interim screening level is a factor of 3 times lower than the limit of reporting available at commercial analytical laboratories in Australia, using Ultratrace® methods, and therefore even non-detect results exceed this interim screening level. The interim screening level applies to the receiving water after dilution and its use to evaluate groundwater concentration (without dilution considerations) is conservative.
- A qualitative risk assessment for the PFAS concentrations detected in groundwater beneath this site, suggests a low risk outcome for subsequent human consumption of fish/aquatic species associated with groundwater migration to the nearby and downstream surface water bodies.
- A qualitative risk assessment of expected PFAS impacted groundwater seepage entering the proposed site drain suggests a low risk outcome for subsequent human consumption of fish/aquatic species from downstream tidal drains and waterways.

Development of a Contamination Management Plan for the Stage 1 investigation area of the Auto Mall Precinct is not considered to be warranted.

### 12.0 IMPORTANT INFORMATION

Your attention is drawn to the document *Important Information Relating to this Report*, which is included in **Appendix E** of this report. The statements presented in that document are intended to inform a reader of the report about its proper use. There are important limitations as to who can use the report and how it can be used. It is important that a reader of the report understands and has realistic expectations about those matters. The Important Information document does not alter the obligations Golder Associates has under the contract between it and its client.



## Report Signature Page

**GOLDER ASSOCIATES PTY LTD**

Handwritten signature of Serena Curti in black ink.

Serena Curti  
Senior Environmental Engineer

Handwritten signature of Paul Scells in black ink.

Paul Scells  
Principal

SC/PKS/cs/hd



A.B.N. 64 006 107 857

Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation.

\\golder.gds\gap\brisbane\jobs\geo\2015\1538021-bac autoprecinct bne airport\correspondence out\1538021-013-r-rev1-auto mall stage 1 contamination report inc 2016.docx



# Figures




**LEGEND**

- ★ BAC CSR (2008)
- Current Investigation**
- ⊕ Well
- ⊕ Borehole
- Previous Investigation**
- ⊕ Monitoring Well
- ⊔ Site Boundary

**NOTES**

1. AERIAL PHOTOGRAPHY SUPPLIED BY NEARMAP LTD, DATED OCTOBER 2014
2. DEVELOPMENT YIELD PLAN LAYOUT SUPPLIED BY BAC AS CAD FILE 'BRIS0012 SK-004(E) DEVELOPMENT YIELD PLAN.PDF.DWG'
3. SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, DELORME, USGS, INTERMAP, INCREMENT P CORP., NRCAN, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), ESRI (THAILAND), MAPMYINDIA, © OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY



REFERENCE SCALE: 1:200,000 (AT A3)  
 PROJECTION: GDA 1994 MGA ZONE 56

CLIENT  
 BRISBANE AIRPORT CORPORATION

PROJECT  
 AUTO PRECINCT

**TITLE**  
**PROPOSED DEVELOPMENT WITH PREVIOUS AND CURRENT CONTAMINATION INVESTIGATION LOCATIONS**

CONSULTANT	YYYY-MM-DD	2016-12-01
	PREPARED	HG
	DESIGN	HG
	REVIEW	SC
	APPROVED	SC



Path: E:\01 Client\BAC\1538021\Programs\ArcGIS\03\1538021\_003\_Rev1\F001-Proposed Development with Previous and Current Investigation Locations - Copy.mxd


25mm IF THIS INSTRUMENT DOES NOT SHOW, THE SHEET HAS BEEN REPRODUCED FROM AN OUTDATED VERSION OF THE DRAWING.








# **APPENDIX A**

## **Current Staging Plan**




- INDICATIVE STAGE ONE
- INDICATIVE STAGE TWO
- INDICATIVE STAGE THREE





PRELIMINARY



Revision	Amendment	Approved	Revision Date
A	PRELIMINARY ISSUE	SRN	2016-09-02

**OPUS**  
Brisbane Office  
+61 7 3838 2400

PO Box 99  
Spring Hill QLD 4004  
Australia

Designed	Approved	Approved Date
J LUTWYCHE	S NOVAK	
Drawn	Scales	
J LUTWYCHE	1:2000 (A1), 1:4000 (A3)	

Project	
BRISBANE AIRPORT CORPORATION AUTO MALL PRECINCT	
Sheet	
SITE GRADING AND DRAINAGE LAYOUT PLAN	
Project No.	Sheet No.
Q-B4176.00	SK08
Revision	
A	



# **APPENDIX B**

## **Borehole Reports**



# REPORT OF BOREHOLE: AM-BH01

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510581.9 m E 6969493.9 m N MGA94 56  
 SURFACE RL: 2.99 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 16/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling				Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	PIEZOMETER DETAILS
			-1.0									
				2.99	J 0.00-0.50 m R = 0A PID = 1.3 ppm		SM	Silty SAND fine to medium grained, brown, with some rootlets up to 2 mm dia				
				0.25								
				2.74			CL	Sandy CLAY low plasticity, dark brown, fine grained sand, - dark brown high plasticity clay lense 50mm thick from 0.3m depth				
				0.65	J 0.50-1.00 m R = 0A PID = 1.4 ppm		CH	CLAY high plasticity, brown with pockets of orange, with some fine sand				
				2.34								
				1.20	J 1.00-1.50 m R = 0A PID = 1.1 ppm		SC	Clayey SAND fine to medium grained, grey with pockets of pale brown and orange				
				1.79								
				1.80	J 1.50-2.00 m R = 0A PID = 0.7 ppm		SP	SAND fine to medium grained, grey				
				1.19								
				2.00	J 2.00-2.50 m R = 0A							
				2.50	J 2.50-3.00 m R = 0A PID = 0.3 ppm							
				-0.01				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.30 m DEPTH STANDPIPE INSTALLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS				

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH02

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510535 m E 6969436 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: BJV DATE: 16/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description									
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS			
ADH	L	16/12/15	0.0	2.50	J 0.00-0.50 m R = 0A PID = 1.8 ppm		SM	Silty SAND fine to medium grained, brown	D						
			0.30	2.20	J 0.50-1.00 m R = 0A PID = 1.6 ppm		CL	Sandy CLAY low plasticity, brown with pockets of orange/red, fine grained sand	M	dark brown high plasticity clay 150 mm thick, trace wood, organic odour					
			0.70	1.80			CI	CLAY medium plasticity, brown with pockets of orange, trace fine sand							
			0.85	1.65			CH	CLAY high plasticity, grey, Sulphide/Sulphate odour							
			1.10	1.40	J 1.00-1.50 m R = 0B PID = 1 ppm										
			1.50	1.80	J 1.50-2.00 m R = 0B PID = 0.7 ppm										
			1.80	0.70	J 2.00-2.50 m R = 0A PID = 0.8 ppm										
2.20	0.30	J 2.50-3.00 m R = 0A													
			2.50	-0.50			SP	SAND fine to medium grained, grey	W						
			3.00	-0.50	END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 2.20 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS										

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH03

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510422.6 m E 6969350.5 m N MGA94 56  
 SURFACE RL: 2.92 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: BJV DATE: 16/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling				Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
ADH	L	16/12/15	0.0	2.92	J 0.00-0.50 m R = 0A PID = 1.3 ppm		SM	Silty SAND fine to medium grained, brown, trace fine, subangular gravel	D	D - M		
			0.10	2.82			CL					
			0.5	0.55	J 0.50-1.00 m R = 0A PID = 1.5 ppm		CI	CLAY medium plasticity, dark brown with orange pockets, trace fine sand	M			
			0.70	2.37			CH					
			0.90	2.22			CI	Sandy CLAY medium plasticity, grey, fine grained sand				
			1.0	2.02	J 1.00-1.50 m R = 0A PID = 0.6 ppm				M			
			1.5	1.50								
			2.0	1.42	J 1.50-2.00 m R = 0A PID = 0.6 ppm				W			
			2.5		J 2.00-2.50 m R = 0A PID = 1 ppm							
			3.0		J 2.50-3.00 m R = 0A PID = 0.3 ppm							
			-0.08				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 2.00 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS					
			3.5									
			4.0									
			4.5									
			5.0									

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH04

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation

COORDS: 510354.2 m E 6969321.2 m N MGA94 56

DRILL RIG: Comacchio 305

PROJECT: BAC Auto Mall Precinct

SURFACE RL: 2.67 m DATUM: AD

CONTRACTOR: MGS

LOCATION: Brisbane Airport

INCLINATION: -90°

LOGGED: BJV

DATE: 16/12/15

JOB NO: 1538021

HOLE DEPTH: 3.00 m

CHECKED: KRB

DATE: 21/1/16

Drilling				Sampling			Field Material Description			
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
			-1.0							1.0 m stick up PVC
			-0.5							50 mm dia. PVC
			0.0	2.67 R = 0A PID = 1 ppm	J 0.00-0.50 m R = 0A PID = 1 ppm	SM	Silty SAND fine to medium grained, brown	D		Concrete
			0.20			CI	CLAY medium plasticity, brown with pockets of orange			Bentonite seal
			0.40							
			0.50		J 0.50-1.00 m R = 0A PID = 1 ppm			M		
			0.70			CI	Sandy CLAY high plasticity, dark brown, fine to medium grained sand			Filter sand
			0.85				grey below 0.85 m			
			1.00		J 1.00-1.50 m R = 0A PID = 1 ppm					
			1.20			SP	SAND fine to medium grained, grey, trace clay			
			1.47							
			1.50		J 1.50-2.00 m R = 0A PID = 0.4 ppm					
			2.00		J 2.00-2.50 m R = 0A PID = 0.9 ppm			W		0.4 mm aperture slots
			2.50		J 2.50-3.00 m R = 0A PID = 0.2 ppm					
			3.00	-0.33			END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.20 m DEPTH STANDPIPE INSTALLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			End cap
			3.50							
			4.00							

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.





# REPORT OF BOREHOLE: AM-BH05

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510265 m E 6969259 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: BJV DATE: 16/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
ADH	L	16/12/15	0.0	2.50	J 0.00-0.50 m R = 0A PID = 0.6 ppm		SM	Silty SAND fine to medium grained, brown	D		
			0.33	2.17			CL-CI	CLAY low to medium plasticity, brown to dark brown with orange pockets			
			0.50	0.60	J 0.50-1.00 m R = 0A PID = 0.4 ppm		CH	CLAY high plasticity, dark brown	M		
			0.60	1.90			CL-CI	CLAY low to medium plasticity, brown to dark brown with orange pockets			
			1.00	1.30	J 1.00-1.50 m R = 0A PID = 0.3 ppm				W		
			1.20	1.20			SP	SAND fine to medium grained, grey, with some clay to 1.8 m depth			
			1.50	J 1.50-2.00 m R = 0A PID = 1.5 ppm							
			2.00	J 2.00-2.50 m R = 0A PID = 1.2 ppm							
			2.50	J 2.50-3.00 m R = 0A PID = 1.1 ppm							
			3.00	-0.50				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.30 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			
			3.50								
			4.00								
			4.50								
			5.00								

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH06

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510162 m E 6969192 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 16/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description								
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS			
ADH	L	16/12/15	0.0	2.50	J 0.00-0.50 m R = 0A PID = 1.5 ppm		SM	Silty SAND fine to medium grained, brown	D					
			0.25	0.30			trace wood fragments 10 to 20 mm							
			0.50	2.20	J 0.50-1.00 m R = 0A PID = 1.4 ppm		CL	Sandy CLAY low plasticity, brown with orange pockets, fine grained sand	M					
			0.80	1.70			CH	CLAY high plasticity, dark brown						
			1.00	1.60	J 1.00-1.50 m R = 0A PID = 0.6 ppm		CI	Sandy CLAY medium plasticity, brown with orange pockets, fine sand						
			1.50	1.20			CH	CLAY high plasticity, grey	M - W					
			1.60	1.30	J 1.50-2.00 m R = 0A PID = 1.2 ppm		CI-CH	Sandy CLAY medium to high plasticity, grey, fine sand						
			2.00		J 2.00-2.50 m R = 0A PID = 0.4 ppm									
			2.50		J 2.50-3.00 m R = 0A PID = 0.3 ppm									
			3.00	-0.50							END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.60 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			
			3.50											
			4.00											
4.50														
5.00														

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH07

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510045 m E 6969158 m N MGA94 56  
 SURFACE RL: 3.2 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description						
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
ADH	L	17/12/15	0.0	3.20	J 0.00-0.50 m R = 0A PID = 1.6 ppm		SM	Silty SAND fine to medium grained, brown, trace rootlets 2mm dia	D			FILL
			0.20	0.28			CI	Sandy CLAY medium plasticity, pale brown to brown, fine grained sand				
			0.50	0.60	J 0.50-1.00 m R = 0A PID = 1.9 ppm		CL	Sandy CLAY low plasticity, brown with orange pockets, fine grained sand, trace fine to angular gravel				
			1.00	1.00	J 1.00-1.50 m R = 0A PID = 1.6 ppm		CH	CLAY high plasticity, dark brown				
			1.50	1.60	J 1.50-2.00 m R = 0A PID = 0.5 ppm		CI	Sandy CLAY medium plasticity, brown with orange pockets, fine to medium grained sand				
			2.00	1.80	J 2.00-2.50 m R = 0A PID = 1.6 ppm		SC	Clayey SAND fine to medium grained, grey, trace wood fragments up to 4 mm to 2.4 m depth				
			2.50	1.40	J 2.50-3.00 m R = 0A PID = 1.2 ppm			becoming grey				
			3.00	0.20				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.80 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS				
			3.50									
			4.00									
			4.50									
			5.00									

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH08

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509991.0 m E 6969080.1 m N MGA94 56  
 SURFACE RL: 2.88 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling				Sampling			Field Material Description						
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	PIEZOMETER DETAILS	
			-1.0									<p>0.63 m stick up PVC (Monument cover)            50 mm dia. PVC            concrete            Bentonite seal            Filter sand            0.4 mm aperture slots            End cap</p>	
			0.35	2.88	J 0.00-0.50 m R = 0A PID = 1.8 ppm		SM	Silty SAND fine to medium grained, brown, with some angular gravel up to 35 mm dia.	D				
			0.70	2.53	J 0.50-1.00 m R = 0A PID = 2.4 ppm		CL	Sandy CLAY low plasticity, brown, fine grained sand	D - M				
			1.25	2.18	J 1.00-1.50 m R = 0A PID = 2.5 ppm		CI	CLAY medium plasticity, brown with orange pockets, trace rootlets					
			1.70	1.63	J 1.50-2.00 m R = 0A		CH	CLAY high plasticity, dark brown					
			2.60	1.18	J 2.00-2.50 m R = 0A PID = 1.9 ppm		CI	Sandy CLAY medium plasticity, grey, fine to medium grained sand, trace wood fragments	M				
			2.60	0.28	J 2.50-3.00 m R = 0A PID = 1.5 ppm		CH	CLAY high plasticity, grey					
				-0.12				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER NOT OBSERVED STANDPIPE INSTALLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS					

GAP 8-10.0 LIB\GLOB Log GAP NON-CORED FULL PAGE 1538021 - BAC-AUTOPRECINCT.GPJ <<DrawingFile>> 03/02/2016 10:51 8:30:04 Datgel Tools

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



## REPORT OF BOREHOLE: AM-BH09

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509916 m E 6969013 m N MGA94 56  
 SURFACE RL: 3.3 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

SHEET: 1 OF 1  
 DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS      DATE: 17/12/15  
 CHECKED: KRB      DATE: 21/1/16

Drilling				Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS		
ADH	L	H	0.0	3.30 0.70	J 0.00-0.50 m R = 0A PID = 1.6 ppm	SM	Silty SAND fine to medium grained, brown, trace rootlets	D	D	FILL		
			0.10	3.20	J 0.50-1.00 m R = 0A PID = 1.9 ppm	CL	Sandy CLAY medium plasticity, pale brown, fine sand				D - M	NATURAL
			0.20	2.65		CI	CLAY high plasticity, dark brown to black, trace wood fragments					
			0.50	1.00	J 1.50-2.00 m R = 0A PID = 0.5 ppm	CL	Sandy CLAY low plasticity, brown with orange pockets, fine sand				M	
			0.65	2.30		CH	CLAY high plasticity, dark brown to grey					
			1.00	1.15	J 2.00-2.50 m R = 0A PID = 1.6 ppm							
			1.15	1.20		SP	SAND fine to medium grained, grey, with some clay				W	
			1.50	1.75	1.55	SC	Clayey SAND fine to medium grained, grey					
1.75	2.40	0.90										
2.00	0.90	0.90										
			2.50	0.90	J 2.50-3.00 m R = 0A PID = 1.2 ppm							
			3.00	0.30		END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.75 m DEPTH BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS						

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.

GAP 8-10.0 LIB\GLOB Log GAP-NON-CORED FULL PAGE 1538021 - BAC-AUTOPRECINCT.GPJ <<DrawingFile>> 03/02/2016 10:51 8:30.004 Datgcl Tools



# REPORT OF BOREHOLE: AM-BH17

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510320.0 m E 6968843.5 m N MGA94 56  
 SURFACE RL: 2.46 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 18/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description								
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS		
L ADH		Groundwater not observed	0.0	2.46	PID = 2.4 ppm		CH	Sandy CLAY medium plasticity, brown, fine to medium sand						
			0.35	2.11				with some medium to coarse, angular gravel						
			0.5	0.60	J 0.50-1.00 m R = 0A PID = 2 ppm			CI						Sandy CLAY medium plasticity, brown/grey, fine to coarse sand, Sulphide/Sulphate odour
			0.60	1.86										
			1.0	0.97	J 1.00-1.50 m R = 0A			CH						CLAY high plasticity, grey, trace wood fragements up to 20 mm dia
			1.0	1.49										
			1.5		J 1.50-2.00 m R = 0B PID = 1.5 ppm									
			2.0		J 2.00-2.50 m R = 0B PID = 2.3 ppm									
			2.5		J 2.50-3.00 m R = 0A PID = 1.5 ppm									
			3.0	-0.54				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER NOT OBSERVED BACKFILLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS						
			3.5											
			4.0											
			4.5											
			5.0											

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH19

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509999.2 m E 6968856.0 m N MGA94 56  
 SURFACE RL: 2.62 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
			-1.0								
											0.61 m stick up PVC (Monument cover)
											50 mm dia. PVC
			0.05	2.57	J 0.00-0.50 m R = 0A PID = 1 ppm	SM CL CI		Silty SAND fine to medium grained, brown, trace rootlets CLAY low to medium plasticity, dark brown, trace rootlets	D		Cement
			0.60	2.02	J 0.50-1.00 m R = 0A PID = 1.3 ppm			dark brown/ black lense 200 mm thick	D - M		Bentonite seal
			0.80	1.82		CH		CLAY high plasticity, grey/brown, trace wood fragments	M		
			1.20	1.42	J 1.00-1.50 m R = 0A PID = 1.1 ppm						
			1.50		J 1.50-2.00 m R = 0A PID = 1.3 ppm						Filter sand
			2.00		J 2.00-2.50 m R = 0A PID = 1.3 ppm						0.4 mm aperture slots
			2.50		J 2.50-3.00 m R = 0A PID = 0.2 ppm						
			-0.38					END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 2.20 m DEPTH STANDPIPE INSTALLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			End cap
			3.50								
			4.00								

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.

GAP 8.10 LIB\GLB Log GAP NON-CORED FULL PAGE 1538021 - BAC AUTOPRECINCT.GPJ <-DrawingFile> 03/02/2016 10:51 8.30.004 Datgel Tools



# REPORT OF BOREHOLE: AM-BH20

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509944 m E 6968798 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 1.80 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
ADH	L	Groundwater not observed	0.0	2.50	J 0.00-0.50 m R = 0A PID = 0.1 ppm		GW	Sandy GRAVEL fine to coarse grained, angular, brown, fine to medium sand	D		FILL
			0.30	2.20			CL-CI	CLAY low to medium plasticity, dark brown			NATURAL
			0.50	1.80	J 0.50-1.00 m R = 0A PID = 0.3 ppm				brown with orange pockets, with some fine gravel		
			0.70	1.80	J 1.00-1.50 m R = 0A PID = 0.3 ppm				D - M		
			0.70	2.00				END OF BOREHOLE @ 1.80 m TARGET DEPTH GROUNDWATER NOT OBSERVED BACKFILLED CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			

GAP 8.10.0 LIB\GLB Log GAP NON-CORED FULL PAGE 1538021 - BAC AUTOPRECINCT.GPJ <<DrawingFile>> 03/02/2016 10:51 8.30.004 Datgel Tools

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.

GAP gINT FN. F01a  
RL3





# REPORT OF BOREHOLE: AM-BH21

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509926 m E 6968761 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 1.80 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling		Field Material Description							
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
ADH	L	Groundwater not observed	0.0	2.50	J 0.00-0.50 m R = 0A PID = 0.4 ppm		GW	Sandy GRAVEL fine to coarse grained, angular, fine to medium grained sand, trace rootlets	D			FILL
			0.25	2.25			CI	Sandy CLAY medium plasticity, brown, fine to medium grained sand				NATURAL
			0.50	0.60	J 0.50-1.00 m R = 0A PID = 0.5 ppm		CH	CLAY high plasticity, brown to grey with orange pockets	M			
			0.90	1.60	J 1.00-1.50 m R = 0A PID = 0.5 ppm		CI	Sandy CLAY medium plasticity, fine grained sand				
			1.40	1.10				pockets of red/orange				
			0.70				END OF BOREHOLE @ 1.80 m TARGET DEPTH GROUNDWATER NOT OBSERVED BACKFILLED CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS					

GAP 8.10.0 LIB\GLB Log GAP NON-CORED FULL PAGE 1538021 - BAC AUTOPRECINCT.GPJ <<DrawingFile>> 03/02/2016 10:51 8.30.004 Datgel Tools

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH22

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509904 m E 6968799 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 1.80 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling				Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
ADH	L	Groundwater not observed	0.0	2.50	J 0.00-0.50 m R = 0A PID = 0.3 ppm		SC	Clayey SAND fine to medium grained, brown, with some fine to coarse, subangular, up to 30 mm gravel, trace rootlets				FILL
			0.67	1.83	J 0.50-1.00 m R = 0A PID = 0.3 ppm		CH	CLAY high plasticity, dark brown, trace wood fragments to 1.3 m			NATURAL	
			1.30	1.20	J 1.00-1.50 m R = 0A PID = 0.7 ppm			grey				
			0.70					END OF BOREHOLE @ 1.80 m TARGET DEPTH GROUNDWATER NOT OBSERVED BACKFILLED CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS				

GAP 8.10.0 LIB\GLB Log GAP NON-CORED FULL PAGE 1538021 - BAC AUTOPRECINCT.GPJ <<DrawingFile>> 03/02/2016 10:51 8.30.004 Datgel Tools

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.

GAP gINT FN. F01a  
RL3



# REPORT OF BOREHOLE: AM-BH23

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509875 m E 6968821 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 1.80 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description						
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS	
ADH	L	17/12/15	0.0	2.50	J 0.00-0.50 m R = 0A PID = 0.4 ppm			BOULDERS	D		FILL	
			0.20	2.30			CH	CLAY high plasticity, dark brown to grey	D - M		NATURAL	
			0.45	2.05	J 0.50-1.00 m R = 0A PID = 0.7 ppm		CI	Sandy CLAY medium plasticity, grey, fine grained sand				
			0.60	1.87			CH	gravelly sand lense 30 mm thick				
			0.83	1.67			CI	CLAY high plasticity, dark brown to grey				
			1.0	1.67	J 1.00-1.50 m R = 0A PID = 0.3 ppm		CI	Sandy CLAY medium plasticity, grey with brown pockets, fine to medium grained sand	M			
			1.5	1.60			SP	SAND fine to medium grained, grey, with some clay lenses	W			
			1.60	0.90								
			2.0	0.70						END OF BOREHOLE @ 1.80 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.60 m DEPTH BACKFILLED CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS		
			2.5									
3.0												
3.5												
4.0												
4.5												
5.0												


This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

 COORDS: 510532.6 m E 6969155.6 m N MGA94 56  
 SURFACE RL: 2.74 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 3.00 m

 DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 18/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling				Sampling			Field Material Description			
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	PIEZOMETER DETAILS
			-1.0							
			-0.5							
			-0.0	2.74	J 0.00-0.50 m R = 0A	SP	Silty SAND fine to medium grained, brown, trace rootlets up to 10 mm dia.	D		
			0.30							
			2.44			CL	Sandy CLAY low plasticity, brown, fine to medium sand, trace rootlets			
			0.45							
			2.29		J 0.50-1.00 m R = 0A PID = 0.4 ppm	CH	CLAY high plasticity, brown, trace rootlets	D - M		
			0.70							
			2.04			CH	CLAY high plasticity, dark brown			
			1.0		J 1.00-1.50 m R = 0A					
			1.5		J 1.50-2.00 m R = 0B PID = 0.5 ppm		becoming grey, trace wood fragments up to 5 mm, Sulphide/Sulphate odour	M		
			1.60							
			1.14		J 2.00-2.50 m R = 0B					
			2.0							
			2.5		J 2.50-3.00 m R = 0A PID = 0.4 ppm	SP	SAND fine to medium grained, grey, with some clay	W		
			2.50							
			0.24							
			-3.0				END OF BOREHOLE @ 3.00 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 2.50 m DEPTH STANDPIPE INSTALLED ASS SAMPLES TAKEN AT 0.25 m INTERVALS TO 3.0 m. CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			
			-0.26							
			3.5							
			4.0							



This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH30

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510351.3 m E 6969177.0 m N MGA94 56  
 SURFACE RL: 2.74 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 10/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	2.74	ASS 0.00-0.25 m R = 0A PID = 3.2 ppm	X	ML-MH	Clayey Sandy SILT medium liquid limit, brown, fine to medium sand, trace rootlets				NATURAL
			0.20	2.54	ASS 0.25-0.50 m R = 0A	X	CI-CH	Silty CLAY medium to high plasticity, grey brown, with some fine to medium grain sand, trace rootlets				
			0.40	2.34	J 0.25-0.50 m R = 0A	X	CH	Silty CLAY high plasticity, dark grey				
			0.5	0.85	ASS 0.50-0.75 m R = 0A PID = 3.9 ppm	X						
			0.85	1.89	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A	X	CH	Silty CLAY high plasticity, brown grey, with some fine to medium grain sand				
			1.0	1.15	ASS 1.00-1.25 m R = 0A PID = 4.2 ppm	X		trace fine to medium sand from 1.15 m to 1.35 m				
			1.15	1.59	ASS 1.25-1.50 m R = 0A	X		colour change to dark grey				
			1.40	1.34	ASS 1.50-1.75 m R = 0A PID = 4 ppm	X						
			1.5		ASS 1.75-2.00 m R = 0A J 1.75-2.00 m R = 0A	X						
			2.0		ASS 2.00-2.25 m R = 0A PID = 3.4 ppm	X						
			2.5		ASS 2.25-2.50 m R = 0A	X						
			2.5		ASS 2.50-2.75 m R = 0A PID = 4.4 ppm	X						
			3.0		J 2.75-3.00 m R = 0A	X						
			3.0	-0.26				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED				
			3.5									
			4.0									
			4.5									
			5.0									

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH31/MW31

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510224.5 m E 6969041.3 m N MGA94 56  
 SURFACE RL: 2.75 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 10/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description				
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
			-1.0								
			-0.5								
			0.0	2.75	ASS 0.00-0.25 m R = 1A PID = 2.8 ppm	ML-MH	Clayey Sandy SILT medium liquid limit, brown, fine to medium sand, trace rootlets				
				2.65	ASS 0.25-0.50 m R = 1A J 0.25-0.50 m R = 1A	CH	Silty CLAY medium to high plasticity, brown mottled orange, with some fine to medium grain sand				
			0.5	0.50	ASS 0.50-0.75 m R = 0A PID = 3.3 ppm	CH	CLAY high plasticity, dark grey				
				2.25	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A						
			1.0	0.95	ASS 1.00-1.25 m R = 0A PID = 3.6 ppm	CI	Sandy CLAY dark grey, fine to medium sand				
				1.00	ASS 1.25-1.50 m R = 0A	SC	Clayey SAND fine to medium grained, grey				
				1.75	ASS 1.50-1.75 m R = 0A PID = 3.3 ppm	CH	CLAY high plasticity, dark grey				
				1.65	ASS 1.75-2.00 m R = 0A J 1.75-2.00 m R = 0A						
			1.5	2.35	ASS 2.00-2.25 m R = 0A PID = 3.1 ppm						
				0.40	ASS 2.25-2.50 m R = 0A						
				2.45	ASS 2.50-2.75 m R = 0A PID = 2.6 ppm	CI	Sandy CLAY medium plasticity, dark grey, fine to medium sand				
			2.5	0.20	ASS 2.75-3.00 m R = 0A J 2.75-3.00 m R = 0A	SC	Clayey SAND fine to medium grained, dark grey				
				0.10		SM	Silty SAND fine to medium grained, dark grey, with some low to medium plasticity clay				
			3.0	-0.25			END OF BOREHOLE @ 3.00 m TARGET DEPTH STANDPIPE INSTALLED				

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH32

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510120.5 m E 6969060.4 m N MGA94 56  
 SURFACE RL: 2.64 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 10/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description				
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	2.64	ASS 0.00-0.25 m R = 0A PID = 2.6 ppm		ML-MH	Clayey Sandy SILT medium liquid limit, brown, fine to medium sand, trace rootlets			NATURAL
					ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A				D - M		
			0.50	2.14	ASS 0.50-0.75 m R = 0A PID = 2.3 ppm		CH	CLAY high plasticity, dark grey			
					ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A					M	
					ASS 1.00-1.25 m R = 0A PID = 2.3 ppm						
			1.25	1.39	ASS 1.25-1.50 m R = 0A		CI	Sandy CLAY medium plasticity, dark grey, fine to medium sand, trace rootlets			
				1.35			CH	Silty CLAY high plasticity, dark grey			
				1.29	ASS 1.50-1.75 m R = 0A PID = 2.9 ppm						
					ASS 1.75-2.00 m R = 0A J 1.75-2.00 m R = 0A				trace rootlets from 1.8 m to 2.0 m		
			1.80	0.84	ASS 2.00-2.25 m R = 0A PID = 2.7 ppm					M - W	
					ASS 2.25-2.50 m R = 0A						
					ASS 2.50-2.75 m R = 0A PID = 2.6 ppm						
			2.70	-0.06	ASS 2.75-3.00 m R = 0A	CI	Sandy CLAY medium plasticity, dark grey, fine to medium sand				
				2.80							
				2.85	J 2.75-3.00 m R = 0A	SC	increasing sand content, fine to medium grain Clayey SAND fine to medium grained, grey, trace rootlets			W	
				-0.21							
				-0.36				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED			

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# **APPENDIX C**

## **Laboratory Documents**



## CERTIFICATE OF ANALYSIS

<b>Work Order</b> : <b>EB1538408</b> <b>Client</b> : <b>GOLDER ASSOCIATES</b> <b>Contact</b> : <b>MS KRYSTLE-RAE BIRAM</b> <b>Address</b> : <b>P O BOX 1734</b> <b>MILTON QLD, AUSTRALIA 4064</b>  <b>E-mail</b> : <b>kbiram@golder.com.au</b> <b>Telephone</b> : <b>+61 07 3721 5400</b> <b>Facsimile</b> : <b>+61 07 3721 5401</b> <b>Project</b> : <b>1538021</b> <b>Order number</b> : <b>1538021</b> <b>C-O-C number</b> : <b>----</b> <b>Sampler</b> : <b>TAMARA SICCAMA</b> <b>Site</b> : <b>----</b>  <b>Quote number</b> : <b>----</b>	<b>Page</b> : 1 of 13 <b>Laboratory</b> : Environmental Division Brisbane <b>Contact</b> : Tom Maloney <b>Address</b> : 2 Byth Street Stafford QLD Australia 4053  <b>E-mail</b> : Tom.Maloney@alsglobal.com <b>Telephone</b> : +61-7-3243 7222 <b>Facsimile</b> : +61-7-3243 7218 <b>QC Level</b> : NEPM 2013 B3 & ALS QC Standard <b>Date Samples Received</b> : 18-Dec-2015 16:00 <b>Date Analysis Commenced</b> : 23-Dec-2015 <b>Issue Date</b> : 08-Jan-2016 15:39  <b>No. of samples received</b> : 72 <b>No. of samples analysed</b> : 55
--	--

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Edwandy Fadjar	Organic Coordinator	Sydney Inorganics, Smithfield, NSW
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Shobhna Chandra	Metals Coordinator	Sydney Inorganics, Smithfield, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.

- Due to a Laboratory Error analysis on sample EB1538408-030 (AM-BH02-2.75-3.00) could not be conducted.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- PFOS and PFOA results are reported as an aggregate of linear and branched isomers.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH01 0.00-0.25	AM-BH01 0.25-0.50	AM-BH01 0.50-0.75	AM-BH01 0.75-1.00	AM-BH01 1.00-1.25
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-001	EB1538408-002	EB1538408-003	EB1538408-004	EB1538408-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.5	4.2	4.2	4.0	4.0	
pH (Fox)	----	0.1	pH Unit	2.4	2.4	2.4	2.4	2.4	
Reaction Rate	----	1	-	3	2	2	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH01 1.25-1.50	AM-BH01 1.50-1.75	AM-BH01 1.75-2.00	AM-BH01 2.00-2.25	AM-BH01 2.25-2.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-006	EB1538408-007	EB1538408-008	EB1538408-009	EB1538408-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.0	4.2	4.7	6.2	6.6	
pH (Fox)	----	0.1	pH Unit	2.2	2.3	2.6	1.9	1.9	
Reaction Rate	----	1	-	2	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH01 2.50-2.75	AM-BH01 2.75-3.00	AM-BH01 0.00-0.50	AM-BH01 2.50-3.00	Q1
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-011	EB1538408-012	EB1538408-013	EB1538408-018	EB1538408-019	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.8	6.9	----	----	----	
pH (Fox)	----	0.1	pH Unit	1.8	2.2	----	----	----	
Reaction Rate	----	1	-	3	4	----	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	13.7	20.3	21.0	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	<0.0005	
PFOA	335-67-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	<0.0005	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	<0.005	<0.005	<0.005	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	
PFOSA	754-91-6	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	
PFBS	375-73-5	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFHxS	355-46-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFHxA	307-24-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFHpA	375-85-9	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFNA	375-95-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFDCA	335-76-2	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFDoA	307-55-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	<0.0002	
PFTeA	376-06-7	0.001	mg/kg	----	----	<0.001	<0.001	<0.001	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH02 0.00-0.25	AM-BH02 0.50-0.75	AM-BH02 0.75-1.00	AM-BH02 1.00-1.25	AM-BH02 1.25-1.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-020	EB1538408-021	EB1538408-022	EB1538408-023	EB1538408-024	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	5.2	4.6	4.6	5.7	6.0	
pH (Fox)	----	0.1	pH Unit	2.9	2.7	2.4	2.9	3.8	
Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH02 1.50-1.75	AM-BH02 1.75-2.00	AM-BH02 2.00-2.25	AM-BH02 2.25-2.50	AM-BH02 2.50-2.75
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-025	EB1538408-026	EB1538408-027	EB1538408-028	EB1538408-029	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.5	6.8	6.6	6.6	6.6	
pH (Fox)	----	0.1	pH Unit	2.1	2.0	2.1	2.1	1.9	
Reaction Rate	----	1	-	3	4	4	4	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH02 0.00-0.50	AM-BH02 1.00-1.50	AM-BH03 0.00-0.25	AM-BH03 0.25-0.50	AM-BH03 0.50-0.75
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-031	EB1538408-033	EB1538408-037	EB1538408-038	EB1538408-039	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	----	----	5.3	4.3	4.2	
pH (Fox)	----	0.1	pH Unit	----	----	2.9	2.3	1.9	
Reaction Rate	----	1	-	----	----	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	36.6	37.2	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	<0.001	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFDCA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH03 0.75-1.00	AM-BH03 1.00-1.25	AM-BH03 1.25-1.50	AM-BH03 1.50-1.75	AM-BH03 1.75-2.00
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-040	EB1538408-041	EB1538408-042	EB1538408-043	EB1538408-044	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.2	4.4	4.3	4.6	5.8	
pH (Fox)	----	0.1	pH Unit	2.3	2.4	2.4	2.7	2.7	
Reaction Rate	----	1	-	2	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH03 2.00-2.25	AM-BH03 2.25-2.50	AM-BH03 2.50-2.75	AM-BH03 2.75-3.00	AM-BH03 0.00-0.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-045	EB1538408-046	EB1538408-047	EB1538408-048	EB1538408-049	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.0	6.3	6.4	6.5	----	
pH (Fox)	----	0.1	pH Unit	1.8	2.1	2.2	2.2	----	
Reaction Rate	----	1	-	3	4	4	4	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	13.8	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	<0.0005	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	<0.005	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	<0.001	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	<0.001	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	<0.001	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	<0.001	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	<0.001	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	<0.001	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH03 1.00-1.50	AM-BH04 0.00-0.25	AM-BH04 0.25-0.50	AM-BH04 0.50-0.75	AM-BH04 0.75-1.00
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-051	EB1538408-055	EB1538408-056	EB1538408-057	EB1538408-058	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	----	4.2	4.0	3.9	4.0	
pH (Fox)	----	0.1	pH Unit	----	1.9	2.0	2.0	2.1	
Reaction Rate	----	1	-	----	3	3	3	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	25.5	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	<0.0005	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	<0.0005	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDCA	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	<0.001	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH04 1.00-1.25	AM-BH04 1.25-1.50	AM-BH04 1.50-1.75	AM-BH04 1.75-2.00	AM-BH04 2.00-2.25
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-059	EB1538408-060	EB1538408-061	EB1538408-062	EB1538408-063	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.0	4.1	4.2	6.1	6.1	
pH (Fox)	----	0.1	pH Unit	2.3	2.3	2.1	2.4	2.3	
Reaction Rate	----	1	-	2	2	2	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH04 2.25-2.50	AM-BH04 2.50-2.75	AM-BH04 2.75-3.00	AM-BH04 0.00-0.50	AM-BH04 0.50-1.00
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538408-064	EB1538408-065	EB1538408-066	EB1538408-067	EB1538408-068	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.2	6.7	7.0	----	----	
pH (Fox)	----	0.1	pH Unit	2.5	2.5	2.2	----	----	
Reaction Rate	----	1	-	4	4	4	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	24.4	17.9	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	<0.0005	<0.0005	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	<0.0005	<0.0005	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	<0.005	<0.005	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	<0.001	<0.001	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	<0.001	<0.001	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	<0.001	<0.001	

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1538408</b>	<b>Page</b>	: 1 of 8
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Tom Maloney
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>E-mail</b>	: kbiram@golder.com.au	<b>E-mail</b>	: Tom.Maloney@alsglobal.com
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61-7-3243 7222
<b>Facsimile</b>	: +61 07 3721 5401	<b>Facsimile</b>	: +61-7-3243 7218
<b>Project</b>	: 1538021	<b>QC Level</b>	: NEPM 2013 B3 & ALS QC Standard
<b>Order number</b>	: 1538021	<b>Date Samples Received</b>	: 18-Dec-2015
<b>C-O-C number</b>	: ----	<b>Date Analysis Commenced</b>	: 23-Dec-2015
<b>Sampler</b>	: TAMARA SICCAMA	<b>Issue Date</b>	: 08-Jan-2016
<b>Site</b>	: ----	<b>No. of samples received</b>	: 72
<b>Quote number</b>	: ----	<b>No. of samples analysed</b>	: 55

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits



NATA Accredited  
Laboratory 825

Accredited for  
compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Edwandy Fadjar	Organic Coordinator	Sydney Inorganics, Smithfield, NSW
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Shobhna Chandra	Metals Coordinator	Sydney Inorganics, Smithfield, NSW



### **General Comments**

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
RPD = Relative Percentage Difference  
# = Indicates failed QC



## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR:- 0% - 50%; Result > 20 times LOR:0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 318589)</b>									
EB1538408-001	AM-BH01 0.00-0.25	EA037: pH (F)	----	0.1	pH Unit	4.5	4.5	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.4	2.3	4.26	0% - 20%
EB1538408-011	AM-BH01 2.50-2.75	EA037: pH (F)	----	0.1	pH Unit	6.8	6.7	1.48	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	1.8	1.9	5.40	0% - 50%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318590)</b>									
EB1538408-028	AM-BH02 2.25-2.50	EA037: pH (F)	----	0.1	pH Unit	6.6	6.7	1.50	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.1	2.1	0.00	0% - 20%
EB1538408-044	AM-BH03 1.75-2.00	EA037: pH (F)	----	0.1	pH Unit	5.8	5.9	1.71	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.7	2.8	3.64	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318591)</b>									
EB1538408-060	AM-BH04 1.25-1.50	EA037: pH (F)	----	0.1	pH Unit	4.1	4.1	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.3	2.4	4.26	0% - 20%
<b>EA055: Moisture Content (QC Lot: 319728)</b>									
EB1538408-068	AM-BH04 0.50-1.00	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	17.9	17.1	4.82	0% - 50%
<b>EA055: Moisture Content (QC Lot: 320540)</b>									
ES1539443-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	<1.0	<1.0	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 319989)</b>									
EB1538415-036	Anonymous	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
EB1538408-013	AM-BH01 0.00-0.50	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit





Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231: Perfluorinated Compounds (QC Lot: 319989) - continued</b>									
EB1538408-013	AM-BH01 0.00-0.50	EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 319990)</b>									
EB1538415-036	Anonymous	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit
EB1538408-013	AM-BH01 0.00-0.50	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 321095)</b>									
EB1538408-049	AM-BH03 0.00-0.50	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
<b>EP231: Perfluorinated Compounds (QC Lot: 321096)</b>									
EB1538408-049	AM-BH03 0.00-0.50	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit

Page : 5 of 8  
 Work Order : EB1538408  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: **SOIL**

				<i>Laboratory Duplicate (DUP) Report</i>					
<i>Laboratory sample ID</i>	<i>Client sample ID</i>	<i>Method: Compound</i>	<i>CAS Number</i>	<i>LOR</i>	<i>Unit</i>	<i>Original Result</i>	<i>Duplicate Result</i>	<i>RPD (%)</i>	<i>Recovery Limits (%)</i>
<b>EP231: Perfluorinated Compounds (QC Lot: 321096) - continued</b>									
EB1538408-049	AM-BH03 0.00-0.50	EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>									
EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	0.00625 mg/kg	82.6	50	130	
EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	0.00625 mg/kg	73.0	30	130	
EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	0.00625 mg/kg	110	50	130	
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	0.00625 mg/kg	118	30	130	
EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	71.5	50	130	
EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	103	50	130	
EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	76.7	50	130	
EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.9	50	130	
EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	80.4	50	130	
EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.2	36	130	
EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.0	50	130	
EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130	
EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.3	50	130	
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	0.00625 mg/kg	73.7	30	130	
EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	78.6	30	130	
EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130	
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>									
EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	0.00625 mg/kg	122	56	138	
EP231: 8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----	
EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	97.8	54	134	
EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	93.2	54	146	
<b>EP231: Perfluorinated Compounds (QCLot: 321095)</b>									
EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	0.00625 mg/kg	80.6	50	130	
EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	0.00625 mg/kg	99.5	30	130	
EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	0.00625 mg/kg	107	50	130	
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	0.00625 mg/kg	128	30	130	
EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	68.4	50	130	
EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	117	50	130	
EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.2	50	130	
EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	109	50	130	
EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	86.4	50	130	
EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	78.4	36	130	
EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.8	50	130	
EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	117	50	130	



Sub-Matrix: SOIL				Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%) LCS	Recovery Limits (%) Low High	
<b>EP231: Perfluorinated Compounds (QCLot: 321095) - continued</b>								
EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	72.1	50	130
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	0.00625 mg/kg	72.7	30	130
EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	84.2	30	130
EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	120	50	130
<b>EP231: Perfluorinated Compounds (QCLot: 321096)</b>								
EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	0.00625 mg/kg	105	56	138
EP231: 8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----
EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	100	54	134
EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	111	54	146

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL				Matrix Spike (MS) Report			
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Spike Concentration	Spike Recovery (%) MS	Recovery Limits (%) Low High	
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>							
EB1538408-013	AM-BH01 0.00-0.50	EP231-PFC: N-Et-FOSA	4151-50-2	0.00625 mg/kg	116	50	130
		EP231-PFC: N-Et-FOSE	1691-99-2	0.00625 mg/kg	114	30	130
		EP231-PFC: N-Me-FOSA	31506-32-8	0.00625 mg/kg	127	50	130
		EP231-PFC: N-Me-FOSE	2448-09-7	0.00625 mg/kg	106	30	130
		EP231-PFC: PFBS	375-73-5	0.00125 mg/kg	103	50	130
		EP231-PFC: PFDcA	335-76-2	0.00125 mg/kg	69.2	50	130
		EP231-PFC: PFDcS	67906-42-7	0.00125 mg/kg	67.7	50	130
		EP231-PFC: PFDoA	307-55-1	0.00125 mg/kg	113	50	130
		EP231-PFC: PFHpA	375-85-9	0.00125 mg/kg	101	50	130
		EP231-PFC: PFHxA	307-24-4	0.00125 mg/kg	79.3	30	130
		EP231-PFC: PFHxS	355-46-4	0.00125 mg/kg	106	50	130
		EP231-PFC: PFNA	375-95-1	0.00125 mg/kg	81.3	50	130
		EP231-PFC: PFOSA	754-91-6	0.00125 mg/kg	71.7	50	130
		EP231-PFC: PFTeA	376-06-7	0.00625 mg/kg	65.5	30	130
		EP231-PFC: PFTriA	72629-94-8	0.00125 mg/kg	114	30	130
EP231-PFC: PFUnA	2058-94-8	0.00125 mg/kg	123	50	130		
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>							
EB1538408-013	AM-BH01 0.00-0.50	EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.00625 mg/kg	131	56	138
		EP231: PFOA	335-67-1	0.00125 mg/kg	100	54	134
		EP231: PFOS	1763-23-1	0.00125 mg/kg	107	54	146



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery(%) MS	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 321095)</b>							
EB1538408-049	AM-BH03 0.00-0.50	EP231-PFC: N-Et-FOSA	4151-50-2	0.00625 mg/kg	121	50	130
		EP231-PFC: N-Et-FOSE	1691-99-2	0.00625 mg/kg	104	30	130
		EP231-PFC: N-Me-FOSA	31506-32-8	0.00625 mg/kg	108	50	130
		EP231-PFC: N-Me-FOSE	2448-09-7	0.00625 mg/kg	107	30	130
		EP231-PFC: PFBS	375-73-5	0.00125 mg/kg	71.7	50	130
		EP231-PFC: PFDcA	335-76-2	0.00125 mg/kg	80.2	50	130
		EP231-PFC: PFDcS	67906-42-7	0.00125 mg/kg	83.8	50	130
		EP231-PFC: PFDoA	307-55-1	0.00125 mg/kg	80.9	50	130
		EP231-PFC: PFHpA	375-85-9	0.00125 mg/kg	97.8	50	130
		EP231-PFC: PFHxA	307-24-4	0.00125 mg/kg	74.0	30	130
		EP231-PFC: PFHxS	355-46-4	0.00125 mg/kg	77.7	50	130
		EP231-PFC: PFNA	375-95-1	0.00125 mg/kg	110	50	130
		EP231-PFC: PFOSA	754-91-6	0.00125 mg/kg	66.3	50	130
		EP231-PFC: PFTeA	376-06-7	0.00625 mg/kg	68.0	30	130
		EP231-PFC: PFTriA	72629-94-8	0.00125 mg/kg	86.6	30	130
EP231-PFC: PFUnA	2058-94-8	0.00125 mg/kg	115	50	130		
<b>EP231: Perfluorinated Compounds (QCLot: 321096)</b>							
EB1538408-049	AM-BH03 0.00-0.50	EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.00625 mg/kg	117	56	138
		EP231: PFOA	335-67-1	0.00125 mg/kg	104	54	134
		EP231: PFOS	1763-23-1	0.00125 mg/kg	108	54	146

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1538408</b>	Page	: 1 of 5
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61-7-3243 7222
Project	: 1538021	Date Samples Received	: 18-Dec-2015
Site	: ----	Issue Date	: 08-Jan-2016
Sampler	: TAMARA SICCAMI	No. of samples received	: 72
Order number	: 1538021	No. of samples analysed	: 55

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **Quality Control Sample Frequency Outliers exist - please see following pages for full details.**



**Outliers : Frequency of Quality Control Samples**

Matrix: **SOIL**

Quality Control Sample Type Method	Count		Rate (%)		Quality Control Specification
	QC	Regular	Actual	Expected	
<b>Laboratory Duplicates (DUP)</b>					
Moisture Content	2	24	8.33	10.00	NEPM 2013 B3 & ALS QC Standard

**Analysis Holding Time Compliance**

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis</b>								
<b>Snap Lock Bag - frozen (EA037)</b>								
AM-BH01 0.00-0.25, AM-BH01 0.50-0.75, AM-BH01 1.00-1.25, AM-BH01 1.50-1.75, AM-BH01 2.00-2.25, AM-BH01 2.50-2.75, AM-BH02 0.00-0.25, AM-BH02 0.75-1.00, AM-BH02 1.25-1.50, AM-BH02 1.75-2.00, AM-BH02 2.25-2.50, AM-BH03 0.00-0.25, AM-BH03 0.50-0.75, AM-BH03 1.00-1.25, AM-BH03 1.50-1.75, AM-BH03 2.00-2.25, AM-BH03 2.50-2.75, AM-BH04 0.00-0.25, AM-BH04 0.50-0.75, AM-BH04 1.00-1.25, AM-BH04 1.50-1.75, AM-BH04 2.00-2.25, AM-BH04 2.50-2.75,	AM-BH01 0.25-0.50, AM-BH01 0.75-1.00, AM-BH01 1.25-1.50, AM-BH01 1.75-2.00, AM-BH01 2.25-2.50, AM-BH01 2.75-3.00, AM-BH02 0.50-0.75, AM-BH02 1.00-1.25, AM-BH02 1.50-1.75, AM-BH02 2.00-2.25, AM-BH02 2.50-2.75, AM-BH03 0.25-0.50, AM-BH03 0.75-1.00, AM-BH03 1.25-1.50, AM-BH03 1.75-2.00, AM-BH03 2.25-2.50, AM-BH03 2.75-3.00, AM-BH04 0.25-0.50, AM-BH04 0.75-1.00, AM-BH04 1.25-1.50, AM-BH04 1.75-2.00, AM-BH04 2.25-2.50, AM-BH04 2.75-3.00	16-Dec-2015	31-Dec-2015	13-Jun-2016	✔	31-Dec-2015	13-Jun-2016	✔



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA055: Moisture Content</b>								
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH01 0.00-0.50, Q1, AM-BH02 1.00-1.50, AM-BH04 0.50-1.00	AM-BH01 2.50-3.00, AM-BH02 0.00-0.50, AM-BH04 0.00-0.50,	16-Dec-2015	----	----	----	23-Dec-2015	30-Dec-2015	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH03 0.00-0.50,	AM-BH03 1.00-1.50	16-Dec-2015	----	----	----	24-Dec-2015	30-Dec-2015	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231)</b> AM-BH01 0.00-0.50, Q1, AM-BH02 1.00-1.50, AM-BH04 0.50-1.00	AM-BH01 2.50-3.00, AM-BH02 0.00-0.50, AM-BH04 0.00-0.50,	16-Dec-2015	24-Dec-2015	13-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>Soil Glass Jar - Unpreserved (EP231)</b> AM-BH03 0.00-0.50,	AM-BH03 1.00-1.50	16-Dec-2015	30-Dec-2015	13-Jun-2016	✓	30-Dec-2015	08-Feb-2016	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231-PFC)</b> AM-BH01 0.00-0.50, Q1, AM-BH02 1.00-1.50, AM-BH04 0.50-1.00	AM-BH01 2.50-3.00, AM-BH02 0.00-0.50, AM-BH04 0.00-0.50,	16-Dec-2015	24-Dec-2015	13-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>Soil Glass Jar - Unpreserved (EP231-PFC)</b> AM-BH03 0.00-0.50,	AM-BH03 1.00-1.50	16-Dec-2015	30-Dec-2015	13-Jun-2016	✓	30-Dec-2015	08-Feb-2016	✓





## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	5	46	10.87	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	2	24	8.33	10.00	✖	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	3	22	13.64	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	3	22	13.64	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	22	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In-house. A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	SOIL	In-House. A portion of soil is soaked in sodium hydroxide followed by extraction with methanol. The extract is neutralised with HCl and an aliquot taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.
Perfluorinated Compounds by LCMSMS	EP231-PFC	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.
<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Drying only	EN020D	SOIL	In House



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1538408**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 4
Order number	: 1538021	Quote number	: EM2015GOLASS0592 (EN-002-15)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: ----		
Sampler	: TAMARA SICCAMI		

**Dates**

Date Samples Received	: 18-Dec-2015 4:00 PM	Issue Date	: 22-Dec-2015
Client Requested Due Date	: 04-Jan-2016	Scheduled Reporting Date	: <b>04-Jan-2016</b>

**Delivery Details**

Mode of Delivery	: Client Drop Off	Security Seal	: Not Available
No. of coolers/boxes	: 6	Temperature	: 6.3, 8.2, 9.1, 0.9, 3.2, 3.7°C - Ice present
Receipt Detail	:	No. of samples received / analysed	: 72 / 56

**General Comments**

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFOS/PFOA analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The expected due date for this data is 11/01/2015.**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exist.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

Matrix: **SOIL**

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS
EB1538408-001	[ 16-Dec-2015 ]	AM-BH01 0.00-0.25		✓		
EB1538408-002	[ 16-Dec-2015 ]	AM-BH01 0.25-0.50		✓		
EB1538408-003	[ 16-Dec-2015 ]	AM-BH01 0.50-0.75		✓		
EB1538408-004	[ 16-Dec-2015 ]	AM-BH01 0.75-1.00		✓		
EB1538408-005	[ 16-Dec-2015 ]	AM-BH01 1.00-1.25		✓		
EB1538408-006	[ 16-Dec-2015 ]	AM-BH01 1.25-1.50		✓		
EB1538408-007	[ 16-Dec-2015 ]	AM-BH01 1.50-1.75		✓		
EB1538408-008	[ 16-Dec-2015 ]	AM-BH01 1.75-2.00		✓		
EB1538408-009	[ 16-Dec-2015 ]	AM-BH01 2.00-2.25		✓		
EB1538408-010	[ 16-Dec-2015 ]	AM-BH01 2.25-2.50		✓		
EB1538408-011	[ 16-Dec-2015 ]	AM-BH01 2.50-2.75		✓		
EB1538408-012	[ 16-Dec-2015 ]	AM-BH01 2.75-3.00		✓		
EB1538408-013	[ 16-Dec-2015 ]	AM-BH01 0.00-0.50			✓	✓
EB1538408-014	[ 16-Dec-2015 ]	AM-BH01 0.50-1.00	✓			
EB1538408-015	[ 16-Dec-2015 ]	AM-BH01 1.00-1.50	✓			
EB1538408-016	[ 16-Dec-2015 ]	AM-BH01 1.50-2.00	✓			
EB1538408-017	[ 16-Dec-2015 ]	AM-BH01 2.00-2.50	✓			
EB1538408-018	[ 16-Dec-2015 ]	AM-BH01 2.50-3.00			✓	✓
EB1538408-019	[ 16-Dec-2015 ]	Q1			✓	✓
EB1538408-020	[ 16-Dec-2015 ]	AM-BH02 0.00-0.25		✓		
EB1538408-021	[ 16-Dec-2015 ]	AM-BH02 0.50-0.75		✓		
EB1538408-022	[ 16-Dec-2015 ]	AM-BH02 0.75-1.00		✓		
EB1538408-023	[ 16-Dec-2015 ]	AM-BH02 1.00-1.25		✓		
EB1538408-024	[ 16-Dec-2015 ]	AM-BH02 1.25-1.50		✓		
EB1538408-025	[ 16-Dec-2015 ]	AM-BH02 1.50-1.75		✓		
EB1538408-026	[ 16-Dec-2015 ]	AM-BH02 1.75-2.00		✓		
EB1538408-027	[ 16-Dec-2015 ]	AM-BH02 2.00-2.25		✓		
EB1538408-028	[ 16-Dec-2015 ]	AM-BH02 2.25-2.50		✓		
EB1538408-029	[ 16-Dec-2015 ]	AM-BH02 2.50-2.75		✓		
EB1538408-030	[ 16-Dec-2015 ]	AM-BH02 2.75-3.00		✓		
EB1538408-031	[ 16-Dec-2015 ]	AM-BH02 0.00-0.50			✓	✓
EB1538408-032	[ 16-Dec-2015 ]	AM-BH02 0.50-1.00	✓			
EB1538408-033	[ 16-Dec-2015 ]	AM-BH02 1.00-1.50			✓	✓
EB1538408-034	[ 16-Dec-2015 ]	AM-BH02 1.50-2.00	✓			
EB1538408-035	[ 16-Dec-2015 ]	AM-BH02 2.00-2.50	✓			



			(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS
EB1538408-036	[ 16-Dec-2015 ]	AM-BH02 2.50-3.00	✓			
EB1538408-037	[ 16-Dec-2015 ]	AM-BH03 0.00-0.25		✓		
EB1538408-038	[ 16-Dec-2015 ]	AM-BH03 0.25-0.50		✓		
EB1538408-039	[ 16-Dec-2015 ]	AM-BH03 0.50-0.75		✓		
EB1538408-040	[ 16-Dec-2015 ]	AM-BH03 0.75-1.00		✓		
EB1538408-041	[ 16-Dec-2015 ]	AM-BH03 1.00-1.25		✓		
EB1538408-042	[ 16-Dec-2015 ]	AM-BH03 1.25-1.50		✓		
EB1538408-043	[ 16-Dec-2015 ]	AM-BH03 1.50-1.75		✓		
EB1538408-044	[ 16-Dec-2015 ]	AM-BH03 1.75-2.00		✓		
EB1538408-045	[ 16-Dec-2015 ]	AM-BH03 2.00-2.25		✓		
EB1538408-046	[ 16-Dec-2015 ]	AM-BH03 2.25-2.50		✓		
EB1538408-047	[ 16-Dec-2015 ]	AM-BH03 2.50-2.75		✓		
EB1538408-048	[ 16-Dec-2015 ]	AM-BH03 2.75-3.00		✓		
EB1538408-049	[ 16-Dec-2015 ]	AM-BH03 0.00-0.50			✓	✓
EB1538408-050	[ 16-Dec-2015 ]	AM-BH03 0.50-1.00	✓			
EB1538408-051	[ 16-Dec-2015 ]	AM-BH03 1.00-1.50			✓	✓
EB1538408-052	[ 16-Dec-2015 ]	AM-BH03 1.50-2.00	✓			
EB1538408-053	[ 16-Dec-2015 ]	AM-BH03 2.00-2.50	✓			
EB1538408-054	[ 16-Dec-2015 ]	AM-BH03 2.50-3.00	✓			
EB1538408-055	[ 16-Dec-2015 ]	AM-BH04 0.00-0.25		✓		
EB1538408-056	[ 16-Dec-2015 ]	AM-BH04 0.25-0.50		✓		
EB1538408-057	[ 16-Dec-2015 ]	AM-BH04 0.50-0.75		✓		
EB1538408-058	[ 16-Dec-2015 ]	AM-BH04 0.75-1.00		✓		
EB1538408-059	[ 16-Dec-2015 ]	AM-BH04 1.00-1.25		✓		
EB1538408-060	[ 16-Dec-2015 ]	AM-BH04 1.25-1.50		✓		
EB1538408-061	[ 16-Dec-2015 ]	AM-BH04 1.50-1.75		✓		
EB1538408-062	[ 16-Dec-2015 ]	AM-BH04 1.75-2.00		✓		
EB1538408-063	[ 16-Dec-2015 ]	AM-BH04 2.00-2.25		✓		
EB1538408-064	[ 16-Dec-2015 ]	AM-BH04 2.25-2.50		✓		
EB1538408-065	[ 16-Dec-2015 ]	AM-BH04 2.50-2.75		✓		
EB1538408-066	[ 16-Dec-2015 ]	AM-BH04 2.75-3.00		✓		
EB1538408-067	[ 16-Dec-2015 ]	AM-BH04 0.00-0.50			✓	✓
EB1538408-068	[ 16-Dec-2015 ]	AM-BH04 0.50-1.00			✓	✓
EB1538408-069	[ 16-Dec-2015 ]	AM-BH04 1.00-1.50	✓			
EB1538408-070	[ 16-Dec-2015 ]	AM-BH04 1.50-2.00	✓			
EB1538408-071	[ 16-Dec-2015 ]	AM-BH04 2.00-2.50	✓			
EB1538408-072	[ 16-Dec-2015 ]	AM-BH04 2.50-3.00	✓			

### Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.



Project ID: <b>1538021</b>	Quote/Order No.: <b>EN/002/15</b>	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location: <b>BNE Airport</b>	Lab Name: <b>ALS Environmental</b>	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled By: <b>Tamara Siccama</b>		Invoice to be sent to Accounts: <a href="mailto:aaaccounts@valdez@golder.com.au">aaaccounts@valdez@golder.com.au</a>	
Turnaround (Days): <b>5</b>	BY:	Project Manager: <b>Krystal-Rae Biram</b>	Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>
Report Format: <b>HARD</b>	FAX <b>DISK</b>	Email <b>BULLETIN BOARD</b>	Contact Phone: <b>07 37215400</b>
Email Format: <b>PDF</b>	Excel <b>Other</b>	Email Add: <a href="mailto:tsiccama@golder.com.au">tsiccama@golder.com.au</a>	

Comments/Special Instructions:								ANALYSIS REQUIRED																	
Samples from a declared Fire Ant Area:								No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/H <sub>2</sub> O <sub>2</sub> - Fast Screen	EN020PR - dry 88°C and pulverise	EP231-PPC PFS/PFOA extended suite with 20 analytes	S-28 (TRM)TEXNIPAH8 (metals)											
Samples taken from a known Weed and or Pest Area:																									
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE																				
1 AM-BH01	0.00	0.25	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
2 AM-BH01	0.25	0.50	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
3 AM-BH01	0.50	0.75	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
4 AM-BH01	0.75	1.00	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
5 AM-BH01	1.00	1.25	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
6 AM-BH01	1.25	1.50	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
7 AM-BH01	1.50	1.75	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
8 AM-BH01	1.75	2.00	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
9 AM-BH01	2.00	2.25	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
10 AM-BH01	2.25	2.50	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
11 AM-BH01	2.50	2.75	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
12 AM-BH01	2.75	3.00	Soil	16/12/2015	Bag	Frozen	1	N		x	x														
13 AM-BH01	0.00	0.50	Soil	16/12/2015	Jar	Chilled	1	N																	
14 AM-BH01	0.50	1.00	Soil	16/12/2015	Jar	Chilled	1	N		x															
15 AM-BH01	1.00	1.50	Soil	16/12/2015	Jar	Chilled	1	N		x															
16 AM-BH01	1.50	2.00	Soil	16/12/2015	Jar	Chilled	1	N		x															
17 AM-BH01	2.50	2.50	Soil	16/12/2015	Jar	Chilled	1	N		x															
18 AM-BH01	2.50	3.00	Soil	16/12/2015	Jar	Chilled	1	N																	
19 Q1			Soil	16/12/2015	Jar	Chilled	1	N																	

SAMPLE MATRIX = Soil/Sediment/Fill/Other SAMPLE TYPE = Core(CR) HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	Tamara Siccama	COMPANY	GOLDER	DATE	18/12/2015	TIME		SIGNATURE		COMPANY		DATE		TIME		Shipment Method	Shipping Ref:
RELEASED BY		RECEIVED BY															
RELEASED BY		RECEIVED BY						To Be Filled Out By Analysing Laboratory		LAB. BATCH NUMBER		Bill to:					
RELEASED BY		RECEIVED BY						Security Seal		Chilled		Address					
RELEASED BY		RECEIVED BY						Suitable Containers		Frozen							
RELEASED BY		RECEIVED BY						Cool Box		Ambient							

SCANNED

Environmental Division  
Brisbane  
Work Order Reference  
**EB1538408**



Telephone : + 61-7-3243 7222

**SPLIT BATCH**  
Test *Split due to no. of samples*  
Assoc. Batch No.  
EB1538415 & EB1538419

Project ID: 1538021		Quote/Order No.: EN/002/15		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400	
Site Location: BNE Airport		Lab Name: ALS Environmental		147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401	
Sampled By: Tamara Siccama		BY:		Invoice to be sent to Accounts: auaccounts@yable@golder.com.au		Project Manager: Krystal-Rae Biram	
Turnaround (Days): 5		Email: tsiccama@golder.com.au		Contact Phone: 07 37215400		Email: KBiram@golder.com.au	
Report Format: HARD FAX DISK EMAIL BULLETIN BOARD		Email Format: PDF Excel Other		ANALYSIS REQUIRED			
Comments/Special Instructions:							
Samples from a declared Fire Ant Area: N							
Samples taken from a known Weed and or Pest Area: N							
SAMPLE ID Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
20	AM-BH02 0.00 0.25	Soil	16/12/2015		Bag Frozen	1	N
	AM-BH02 0.25 0.50	Soil	16/12/2015		Bag Frozen	1	N
21	AM-BH02 0.50 0.75	Soil	16/12/2015		Bag Frozen	1	N
22	AM-BH02 0.75 1.00	Soil	16/12/2015		Bag Frozen	1	N
23	AM-BH02 1.00 1.25	Soil	16/12/2015		Bag Frozen	1	N
24	AM-BH02 1.25 1.50	Soil	16/12/2015		Bag Frozen	1	N
25	AM-BH02 1.50 1.75	Soil	16/12/2015		Bag Frozen	1	N
26	AM-BH02 1.75 2.00	Soil	16/12/2015		Bag Frozen	1	N
27	AM-BH02 2.00 2.25	Soil	16/12/2015		Bag Frozen	1	N
28	AM-BH02 2.25 2.50	Soil	16/12/2015		Bag Frozen	1	N
29	AM-BH02 2.50 2.75	Soil	16/12/2015		Bag Frozen	1	N
30	AM-BH02 2.75 3.00	Soil	16/12/2015		Bag Frozen	1	N
31	AM-BH02 0.00 0.50	Soil	16/12/2015		Jar Chilled	1	N
32	AM-BH02 0.50 1.00	Soil	16/12/2015		Jar Chilled	1	N
33	AM-BH02 1.00 1.50	Soil	16/12/2015		Jar Chilled	1	N
34	AM-BH02 1.50 2.00	Soil	16/12/2015		Jar Chilled	1	N
35	AM-BH02 2.00 2.50	Soil	16/12/2015		Jar Chilled	1	N
36	AM-BH02 2.50 3.00	Soil	16/12/2015		Jar Chilled	1	N
SAMPLE MATRIX = Soil/Sediment/FIH/Other		SAMPLE TYPE = Core(CR)		HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list			
Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P							
SIGNATURE		COMPANY		DATE		TIME	
RELEASER BY: Tamara Siccama		GOLDER		18/12/2015			
RECEIVED BY						Shipping Ref:	
RELEASER BY						LAB. BATCH NUMBER	
RECEIVED BY						Bill to:	
RELEASER BY						Address	
RECEIVED BY							



Project ID: 1538021	Quote/Order No.: EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location: BNE Airport	Lab Name: ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled By: Tamara Siccama		Invoice to be sent to Accounts: <a href="mailto:auaccounts@yablabz@golder.com.au">auaccounts@yablabz@golder.com.au</a>	
Turnaround (Days): 5	BY:	Project Manager: Krystal-Rae Biram	Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>
Report Format: HARD FAX DISK EMAIL BULLETIN BOARD		Contact Phone: 07 37215400	
Email Format: PDF Excel Other	Email Add: <a href="mailto:tsiccama@golder.com.au">tsiccama@golder.com.au</a>		

Comments/Special Instructions:							No CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED														
Samples from a declared Fire Ant Area: N									HOLD	EA037 - pH/pHFOX - East Screen	EN020PR - dry 85cc and pulverise	EP231-PFC (PFS/PFOA extended suite with 20 analytes)	S-26 (TRIGTEXNIPAH8 metals)										
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE																		
AM-BH03	0.00	0.25	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	0.25	0.50	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	0.50	0.75	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	0.75	1.00	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	1.00	1.25	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	1.25	1.50	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	1.50	1.75	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	1.75	2.00	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	2.00	2.25	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	2.25	2.50	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	2.50	2.75	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	2.75	3.00	Soil	16/12/2015	Bag	Frozen	1	N															
AM-BH03	0.00	0.50	Soil	16/12/2015	Jar	Chilled	1	N															
AM-BH03	0.50	1.00	Soil	16/12/2015	Jar	Chilled	1	N	x														
AM-BH03	1.00	1.50	Soil	16/12/2015	Jar	Chilled	1	N															
AM-BH03	1.50	2.00	Soil	16/12/2015	Jar	Chilled	1	N	x														
AM-BH03	2.00	2.50	Soil	16/12/2015	Jar	Chilled	1	N	x														
AM-BH03	2.50	3.00	Soil	16/12/2015	Jar	Chilled	1	N	x														

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list  
 Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

RELEASED BY: Tamara Siccama	SIGNATURE	COMPANY: GOLDER	DATE: 18/12/2015	TIME	RELEASED BY:	SIGNATURE	COMPANY	DATE	TIME	Shipment Method: Shipping Ref:
RECEIVED BY:					RECEIVED BY:					
RECEIVED BY:					To Be Filled Out By Analysing Laboratory			LAB. BATCH NUMBER		
RECEIVED BY:					Security Seal		Chilled		Bill to:	
RECEIVED BY:					Suitable Containers		Frozen		Address	
RECEIVED BY:					Cool Box		Ambient			

Project ID: 1538021	Quote/Order No.: EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location: BNE Airport	Lab Name: ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled By: Tamara Siccama	Report Format: HARD FAX DISK EMAIL BULLETIN BOARD	Project Manager: Krystal-Rae Biram	Invoice to be sent to Accounts: auaccounts@yababeir@golder.com.au
Turnaround (Days): 5	BY: tsiccama@golder.com.au	Contact Phone: 07 37215400	Email: KBiram@golder.com.au
Email Format: PDF Excel Other			

Comments/Special Instructions: ANALYSIS REQUIRED

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE		No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Past Screen	EN020PR - dry 85°C and pulverise	EP231-PFC (PFS/PPFOA extended suite with 20 analytes)	CO26 (TEX/ETEX/NIPAH/8 metals)	ANALYSIS REQUIRED											
AM-BH04	0.00 0.25	Soil	16/12/2015		Bag Frozen		1	N		x	x			Any issues with samples please email tsiccama@golder.com.au or phone 0421704311 - Tamara											
AM-BH04	0.25 0.50	Soil	16/12/2015		Bag Frozen		1	N		x	x														
AM-BH04	0.50 0.75	Soil	16/12/2015		Bag Frozen		1	N		x	x														
AM-BH04	0.75 1.00	Soil	16/12/2015		Bag Frozen		1	N		x	x														
AM-BH04	1.00 1.25	Soil	16/12/2015		Bag Frozen		1	N		x	x														
AM-BH04	1.25 1.50	Soil	16/12/2015		Bag Frozen		1	N		x	x														
AM-BH04	1.50 1.75	Soil	16/12/2015		Bag Frozen		1	N		x	x														
AM-BH04	1.75 2.00	Soil	16/12/2015		Bag Frozen		1	N		x	x														
AM-BH04	2.00 2.25	Soil	16/12/2015		Bag Frozen		1	N		x	x														
AM-BH04	2.25 2.50	Soil	16/12/2015		Bag Frozen		1	N		x	x														
AM-BH04	2.50 2.75	Soil	16/12/2015		Bag Frozen		1	N		x	x														
AM-BH04	2.75 3.00	Soil	16/12/2015		Bag Frozen		1	N		x	x														
AM-BH04	0.00 0.50	Soil	16/12/2015		Jar Chilled		1	N				x													
AM-BH04	0.50 1.00	Soil	16/12/2015		Jar Chilled		1	N				x													
AM-BH04	1.00 1.50	Soil	16/12/2015		Jar Chilled		1	N	x																
AM-BH04	1.50 2.00	Soil	16/12/2015		Jar Chilled		1	N	x																
AM-BH04	2.00 2.50	Soil	16/12/2015		Jar Chilled		1	N	x																
AM-BH04	2.50 3.00	Soil	16/12/2015		Jar Chilled		1	N	x																

56  
58  
59  
58  
59  
60  
61  
62  
63  
64  
65  
66  
68  
69  
70  
71  
72

SAMPLE MATRIX = Soil/Sediment/Fill/Other SAMPLE TYPE = Core(CR) HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

SIGNATURE		COMPANY		DATE	TIME	SIGNATURE		COMPANY		DATE	TIME	Shipment Method
RELEASED BY		GOLDER		18/12/2015		RELEASED BY						Shipping Ref.
RECEIVED BY						RECEIVED BY						
To Be Filled Out By Analysing Laboratory						LAB. BATCH NUMBER						
Security Seal						Chilled		LAB. BATCH NUMBER		Bill to:		
Suitable Containers						Frozen		Address		Address		
Cool Box						Ambient						

## CERTIFICATE OF ANALYSIS

<b>Work Order</b> : <b>EB1538415</b> <b>Client</b> : <b>GOLDER ASSOCIATES</b> <b>Contact</b> : <b>MS KRYSTLE-RAE BIRAM</b> <b>Address</b> : <b>P O BOX 1734</b> <b>MILTON QLD, AUSTRALIA 4064</b>  <b>E-mail</b> : <b>kbiram@golder.com.au</b> <b>Telephone</b> : <b>+61 07 3721 5400</b> <b>Facsimile</b> : <b>+61 07 3721 5401</b> <b>Project</b> : <b>1538021</b> <b>Order number</b> : <b>1538021</b> <b>C-O-C number</b> : <b>----</b> <b>Sampler</b> : <b>TAMARA SICCAMA</b> <b>Site</b> : <b>----</b>  <b>Quote number</b> : <b>----</b>	<b>Page</b> : 1 of 13 <b>Laboratory</b> : Environmental Division Brisbane <b>Contact</b> : Tom Maloney <b>Address</b> : 2 Byth Street Stafford QLD Australia 4053  <b>E-mail</b> : Tom.Maloney@alsglobal.com <b>Telephone</b> : +61-7-3243 7222 <b>Facsimile</b> : +61-7-3243 7218 <b>QC Level</b> : NEPM 2013 B3 & ALS QC Standard <b>Date Samples Received</b> : 18-Dec-2015 16:00 <b>Date Analysis Commenced</b> : 23-Dec-2015 <b>Issue Date</b> : 12-Jan-2016 12:51  <b>No. of samples received</b> : 70 <b>No. of samples analysed</b> : 55
--	--

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Acid Sulphate Soils, Stafford, QLD
Nanthini Coilparampi	Laboratory Manager - Inorganics	Sydney Inorganics, Smithfield, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.

- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- PFOS and PFOA results are reported as an aggregate of linear and branched isomers.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH05 0.00-0.25	AM-BH05 0.25-0.50	AM-BH05 0.50-0.75	AM-BH05 0.75-1.00	AM-BH05 1.00-1.25
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-001	EB1538415-002	EB1538415-003	EB1538415-004	EB1538415-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.7	5.8	4.9	4.1	3.9	
pH (Fox)	----	0.1	pH Unit	2.6	3.4	2.9	2.4	2.4	
Reaction Rate	----	1	-	3	2	2	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH05 1.25-1.50	AM-BH05 1.50-1.75	AM-BH05 1.75-2.00	AM-BH05 2.00-2.25	AM-BH05 2.25-2.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-006	EB1538415-007	EB1538415-008	EB1538415-009	EB1538415-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.0	4.4	5.3	5.2	5.8	
pH (Fox)	----	0.1	pH Unit	2.3	3.0	2.6	2.4	1.9	
Reaction Rate	----	1	-	2	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH05 2.50-2.75	AM-BH05 2.75-3.00	AM-BH05 0.50-1.00	AM-BH05 2.50-3.00	AM-BH06 0.00-0.25
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-011	EB1538415-012	EB1538415-014	EB1538415-018	EB1538415-019	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.3	6.6	----	----	4.8	
pH (Fox)	----	0.1	pH Unit	2.0	2.2	----	----	2.4	
Reaction Rate	----	1	-	4	4	----	----	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	26.6	24.7	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	<0.005	<0.005	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDCA	335-76-2	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	<0.001	<0.001	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH06 0.25-0.50	AM-BH06 0.50-0.75	AM-BH06 0.75-1.00	AM-BH06 1.00-1.25	AM-BH06 1.25-1.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-020	EB1538415-021	EB1538415-022	EB1538415-023	EB1538415-024	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.3	4.3	4.3	4.2	4.1	
pH (Fox)	----	0.1	pH Unit	2.4	2.4	2.2	2.3	2.4	
Reaction Rate	----	1	-	3	2	2	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH06 1.50-1.75	AM-BH06 1.75-2.00	AM-BH06 2.00-2.25	AM-BH06 2.25-2.50	AM-BH06 2.50-2.75
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-025	EB1538415-026	EB1538415-027	EB1538415-028	EB1538415-029	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.7	5.5	6.1	6.2	6.8	
pH (Fox)	----	0.1	pH Unit	2.6	2.6	1.7	1.6	1.9	
Reaction Rate	----	1	-	2	2	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH06 2.75-3.00	AM-BH06 0.50-1.00	AM-BH06 2.50-3.00	AM-BH07 0.00-0.25	AM-BH07 0.50-0.75
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-030	EB1538415-032	EB1538415-036	EB1538415-037	EB1538415-038	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	7.0	----	----	6.4	4.2	
pH (Fox)	----	0.1	pH Unit	2.0	----	----	3.2	2.2	
Reaction Rate	----	1	-	4	----	----	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	26.9	41.5	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	<0.0005	<0.0005	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	<0.0005	<0.0005	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	<0.005	<0.005	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	<0.001	<0.001	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	<0.001	<0.001	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFDCa	335-76-2	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	<0.001	<0.001	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH07 0.75-1.00	AM-BH07 1.00-1.25	AM-BH07 1.25-1.50	AM-BH07 1.50-1.75	AM-BH07 1.75-2.00
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-039	EB1538415-040	EB1538415-041	EB1538415-042	EB1538415-043	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	3.9	4.6	4.6	5.9	6.2	
pH (Fox)	----	0.1	pH Unit	2.0	3.0	2.6	2.9	2.3	
Reaction Rate	----	1	-	3	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH07 2.00-2.25	AM-BH07 2.25-2.50	AM-BH07 2.50-2.75	AM-BH07 2.75-3.00	AM-BH07 0.00-0.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-044	EB1538415-045	EB1538415-046	EB1538415-047	EB1538415-048	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.3	6.8	7.0	7.2	----	
pH (Fox)	----	0.1	pH Unit	1.4	1.8	1.8	1.9	----	
Reaction Rate	----	1	-	4	4	4	4	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	8.4	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	<0.0005	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	<0.005	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	<0.001	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	<0.001	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	<0.001	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	<0.001	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	<0.001	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	<0.001	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH07 1.50-2.00	AM-BH08 0.00-0.25	AM-BH08 0.25-0.50	AM-BH08 0.50-0.75	AM-BH08 0.75-1.00
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-050	EB1538415-053	EB1538415-054	EB1538415-055	EB1538415-056	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	----	7.0	5.9	4.3	3.9	
pH (Fox)	----	0.1	pH Unit	----	5.5	3.2	2.3	2.1	
Reaction Rate	----	1	-	----	2	3	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	42.5	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	<0.0005	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	<0.0005	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDCA	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	<0.001	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH08 1.00-1.25	AM-BH08 1.25-1.50	AM-BH08 1.50-1.75	AM-BH08 1.75-2.00	AM-BH08 2.00-2.25
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-057	EB1538415-058	EB1538415-059	EB1538415-060	EB1538415-061	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.2	5.2	4.9	6.2	6.5	
pH (Fox)	----	0.1	pH Unit	2.4	2.6	2.5	1.4	1.8	
Reaction Rate	----	1	-	2	3	2	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH08 2.25-2.50	AM-BH08 2.50-2.75	AM-BH08 2.75-3.00	AM-BH08 0.00-0.50	AM-BH08 1.00-1.50
Client sampling date / time				[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	[16-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538415-062	EB1538415-063	EB1538415-064	EB1538415-065	EB1538415-067	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.9	7.6	7.0	----	----	
pH (Fox)	----	0.1	pH Unit	1.8	1.6	1.5	----	----	
Reaction Rate	----	1	-	4	4	4	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	12.1	33.2	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	<0.0005	<0.0005	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	<0.0005	<0.0005	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	<0.005	<0.005	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	<0.001	<0.001	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	<0.001	<0.001	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	<0.001	<0.001	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDCS	67906-42-7	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDCA	335-76-2	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFUnA	2058-94-8	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	<0.0002	<0.0002	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	<0.001	<0.001	

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1538415</b>	<b>Page</b>	: 1 of 6
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Tom Maloney
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>E-mail</b>	: kbiram@golder.com.au	<b>E-mail</b>	: Tom.Maloney@alsglobal.com
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61-7-3243 7222
<b>Facsimile</b>	: +61 07 3721 5401	<b>Facsimile</b>	: +61-7-3243 7218
<b>Project</b>	: 1538021	<b>QC Level</b>	: NEPM 2013 B3 & ALS QC Standard
<b>Order number</b>	: 1538021	<b>Date Samples Received</b>	: 18-Dec-2015
<b>C-O-C number</b>	: ----	<b>Date Analysis Commenced</b>	: 23-Dec-2015
<b>Sampler</b>	: TAMARA SICCAMI	<b>Issue Date</b>	: 12-Jan-2016
<b>Site</b>	: ----	<b>No. of samples received</b>	: 70
<b>Quote number</b>	: ----	<b>No. of samples analysed</b>	: 55

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits



NATA Accredited  
Laboratory 825

Accredited for  
compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Acid Sulphate Soils, Stafford, QLD
Nanthini Coilparampi	Laboratory Manager - Inorganics	Sydney Inorganics, Smithfield, NSW



Page : 2 of 6  
Work Order : EB1538415  
Client : GOLDER ASSOCIATES  
Project : 1538021

---



### **General Comments**

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
RPD = Relative Percentage Difference  
# = Indicates failed QC

---



### Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR:- 0% - 50%; Result > 20 times LOR:0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 318592)</b>									
EB1538415-001	AM-BH05 0.00-0.25	EA037: pH (F)	----	0.1	pH Unit	4.7	4.7	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.6	2.6	0.00	0% - 20%
EB1538415-011	AM-BH05 2.50-2.75	EA037: pH (F)	----	0.1	pH Unit	6.3	6.4	1.57	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.0	2.0	0.00	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318593)</b>									
EB1538415-027	AM-BH06 2.00-2.25	EA037: pH (F)	----	0.1	pH Unit	6.1	6.0	1.65	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	1.7	1.7	0.00	0% - 50%
EB1538415-043	AM-BH07 1.75-2.00	EA037: pH (F)	----	0.1	pH Unit	6.2	6.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.3	2.2	4.44	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318594)</b>									
EB1538415-058	AM-BH08 1.25-1.50	EA037: pH (F)	----	0.1	pH Unit	5.2	5.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.6	2.6	0.00	0% - 20%
<b>EA055: Moisture Content (QC Lot: 319728)</b>									
EB1538408-068	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	17.9	17.1	4.82	0% - 50%
<b>EA055: Moisture Content (QC Lot: 319729)</b>									
EB1538419-013	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	10.8	9.5	13.0	0% - 50%
EB1538478-025	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	19.4	19.6	1.13	0% - 50%
<b>EP231: Perfluorinated Compounds (QC Lot: 319989)</b>									
EB1538415-036	AM-BH06 2.50-3.00	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EB1538408-013	Anonymous	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231: Perfluorinated Compounds (QC Lot: 319989) - continued</b>									
EB1538408-013	Anonymous	EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
<b>EP231: Perfluorinated Compounds (QC Lot: 319990)</b>									
EB1538415-036	AM-BH06 2.50-3.00	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit
EB1538408-013	Anonymous	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit



### Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
				Result	Spike	Recovery Limits (%)		
					Concentration	LCS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>								
EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	0.00625 mg/kg	82.6	50	130
EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	0.00625 mg/kg	73.0	30	130
EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	0.00625 mg/kg	110	50	130
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	0.00625 mg/kg	118	30	130
EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	71.5	50	130
EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	103	50	130
EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	76.7	50	130
EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.9	50	130
EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	80.4	50	130
EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.2	36	130
EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.0	50	130
EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130
EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.3	50	130
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	0.00625 mg/kg	73.7	30	130
EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	78.6	30	130
EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>								
EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	0.00625 mg/kg	122	56	138
EP231: 8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----
EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	97.8	54	134
EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	93.2	54	146

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
				Concentration	MS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>							
EB1538408-013	Anonymous	EP231-PFC: N-Et-FOSA	4151-50-2	0.00625 mg/kg	116	50	130
		EP231-PFC: N-Et-FOSE	1691-99-2	0.00625 mg/kg	114	30	130
		EP231-PFC: N-Me-FOSA	31506-32-8	0.00625 mg/kg	127	50	130
		EP231-PFC: N-Me-FOSE	2448-09-7	0.00625 mg/kg	106	30	130



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 319989) - continued</b>							
EB1538408-013	Anonymous	EP231-PFC: PFBS	375-73-5	0.00125 mg/kg	103	50	130
		EP231-PFC: PFDcA	335-76-2	0.00125 mg/kg	69.2	50	130
		EP231-PFC: PFDcS	67906-42-7	0.00125 mg/kg	67.7	50	130
		EP231-PFC: PFDoA	307-55-1	0.00125 mg/kg	113	50	130
		EP231-PFC: PFHpA	375-85-9	0.00125 mg/kg	101	50	130
		EP231-PFC: PFHxA	307-24-4	0.00125 mg/kg	79.3	30	130
		EP231-PFC: PFHxS	355-46-4	0.00125 mg/kg	106	50	130
		EP231-PFC: PFNA	375-95-1	0.00125 mg/kg	81.3	50	130
		EP231-PFC: PFOSA	754-91-6	0.00125 mg/kg	71.7	50	130
		EP231-PFC: PFTeA	376-06-7	0.00625 mg/kg	65.5	30	130
		EP231-PFC: PFTriA	72629-94-8	0.00125 mg/kg	114	30	130
		EP231-PFC: PFUnA	2058-94-8	0.00125 mg/kg	123	50	130
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>							
EB1538408-013	Anonymous	EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.00625 mg/kg	131	56	138
		EP231: PFOA	335-67-1	0.00125 mg/kg	100	54	134
		EP231: PFOS	1763-23-1	0.00125 mg/kg	107	54	146

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1538415</b>	Page	: 1 of 5
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61-7-3243 7222
Project	: 1538021	Date Samples Received	: 18-Dec-2015
Site	: ----	Issue Date	: 12-Jan-2016
Sampler	: TAMARA SICCAMI	No. of samples received	: 70
Order number	: 1538021	No. of samples analysed	: 55

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



## Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis</b>								
<b>Snap Lock Bag - frozen (EA037)</b>								
AM-BH05 0.00-0.25, AM-BH05 0.50-0.75, AM-BH05 1.00-1.25, AM-BH05 1.50-1.75, AM-BH05 2.00-2.25, AM-BH05 2.50-2.75, AM-BH06 0.00-0.25, AM-BH06 0.50-0.75, AM-BH06 1.00-1.25, AM-BH06 1.50-1.75, AM-BH06 2.00-2.25, AM-BH06 2.50-2.75, AM-BH07 0.00-0.25, AM-BH07 0.75-1.00, AM-BH07 1.25-1.50, AM-BH07 1.75-2.00, AM-BH07 2.25-2.50, AM-BH07 2.75-3.00, AM-BH08 0.00-0.25, AM-BH08 0.25-0.50, AM-BH08 0.75-1.00, AM-BH08 1.25-1.50, AM-BH08 1.75-2.00, AM-BH08 2.25-2.50, AM-BH08 2.75-3.00	AM-BH05 0.25-0.50, AM-BH05 0.75-1.00, AM-BH05 1.25-1.50, AM-BH05 1.75-2.00, AM-BH05 2.25-2.50, AM-BH05 2.75-3.00, AM-BH06 0.25-0.50, AM-BH06 0.75-1.00, AM-BH06 1.25-1.50, AM-BH06 1.75-2.00, AM-BH06 2.25-2.50, AM-BH06 2.75-3.00, AM-BH07 0.50-0.75, AM-BH07 1.00-1.25, AM-BH07 1.50-1.75, AM-BH07 2.00-2.25, AM-BH07 2.50-2.75, AM-BH08 0.50-0.75, AM-BH08 1.00-1.25, AM-BH08 1.50-1.75, AM-BH08 2.00-2.25, AM-BH08 2.50-2.75	16-Dec-2015	31-Dec-2015	13-Jun-2016	✓	31-Dec-2015	13-Jun-2016	✓
<b>EA055: Moisture Content</b>								
<b>Soil Glass Jar - Unpreserved (EA055-103)</b>								
AM-BH05 0.50-1.00, AM-BH06 0.50-1.00, AM-BH07 0.00-0.50, AM-BH08 0.00-0.50	AM-BH05 2.50-3.00, AM-BH06 2.50-3.00, AM-BH07 1.50-2.00, AM-BH08 1.00-1.50	16-Dec-2015	----	----	----	23-Dec-2015	30-Dec-2015	✓



Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231)</b>								
AM-BH05 0.50-1.00, AM-BH06 0.50-1.00, AM-BH07 0.00-0.50, AM-BH08 0.00-0.50,	AM-BH05 2.50-3.00, AM-BH06 2.50-3.00, AM-BH07 1.50-2.00, AM-BH08 1.00-1.50	16-Dec-2015	24-Dec-2015	13-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231-PFC)</b>								
AM-BH05 0.50-1.00, AM-BH06 0.50-1.00, AM-BH07 0.00-0.50, AM-BH08 0.00-0.50,	AM-BH05 2.50-3.00, AM-BH06 2.50-3.00, AM-BH07 1.50-2.00, AM-BH08 1.00-1.50	16-Dec-2015	24-Dec-2015	13-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓





## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	5	47	10.64	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	3	29	10.34	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Perfluorinated Compounds by LCMSMS	EP231-PFC	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In-house. A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	SOIL	In-House. A portion of soil is soaked in sodium hydroxide followed by extraction with methanol. The extract is neutralised with HCl and an aliquot taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.
Perfluorinated Compounds by LCMSMS	EP231-PFC	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.
<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Drying only	EN020D	SOIL	In House



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1538415**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 4
Order number	: ----	Quote number	: EM2015GOLASS0592 (EN-002-15)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: ----		
Sampler	:		

**Dates**

Date Samples Received	: 18-Dec-2015 4:00 PM	Issue Date	: 22-Dec-2015
Client Requested Due Date	: 04-Jan-2016	Scheduled Reporting Date	: <b>04-Jan-2016</b>

**Delivery Details**

Mode of Delivery	: Client Drop Off	Security Seal	: Not Available
No. of coolers/boxes	: 6	Temperature	: 6.3, 8.2, 9.1, 0.9, 3.2, 3.7°C - Ice present
Receipt Detail	:	No. of samples received / analysed	: 70 / 55

**General Comments**

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFOS/PFOA analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The expected due date for his data is 11/01/2016.**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exist.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

Matrix: **SOIL**

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS
EB1538415-001	[ 16-Dec-2015 ]	AM-BH05 0.00-0.25		✓		
EB1538415-002	[ 16-Dec-2015 ]	AM-BH05 0.25-0.50		✓		
EB1538415-003	[ 16-Dec-2015 ]	AM-BH05 0.50-0.75		✓		
EB1538415-004	[ 16-Dec-2015 ]	AM-BH05 0.75-1.00		✓		
EB1538415-005	[ 16-Dec-2015 ]	AM-BH05 1.00-1.25		✓		
EB1538415-006	[ 16-Dec-2015 ]	AM-BH05 1.25-1.50		✓		
EB1538415-007	[ 16-Dec-2015 ]	AM-BH05 1.50-1.75		✓		
EB1538415-008	[ 16-Dec-2015 ]	AM-BH05 1.75-2.00		✓		
EB1538415-009	[ 16-Dec-2015 ]	AM-BH05 2.00-2.25		✓		
EB1538415-010	[ 16-Dec-2015 ]	AM-BH05 2.25-2.50		✓		
EB1538415-011	[ 16-Dec-2015 ]	AM-BH05 2.50-2.75		✓		
EB1538415-012	[ 16-Dec-2015 ]	AM-BH05 2.75-3.00		✓		
EB1538415-013	[ 16-Dec-2015 ]	AM-BH05 0.00-0.50	✓			
EB1538415-014	[ 16-Dec-2015 ]	AM-BH05 0.50-1.00			✓	✓
EB1538415-015	[ 16-Dec-2015 ]	AM-BH05 1.00-1.50	✓			
EB1538415-016	[ 16-Dec-2015 ]	AM-BH05 1.50-2.00	✓			
EB1538415-017	[ 16-Dec-2015 ]	AM-BH05 2.00-2.50	✓			
EB1538415-018	[ 16-Dec-2015 ]	AM-BH05 2.50-3.00			✓	✓
EB1538415-019	[ 16-Dec-2015 ]	AM-BH06 0.00-0.25		✓		
EB1538415-020	[ 16-Dec-2015 ]	AM-BH06 0.25-0.50		✓		
EB1538415-021	[ 16-Dec-2015 ]	AM-BH06 0.50-0.75		✓		
EB1538415-022	[ 16-Dec-2015 ]	AM-BH06 0.75-1.00		✓		
EB1538415-023	[ 16-Dec-2015 ]	AM-BH06 1.00-1.25		✓		
EB1538415-024	[ 16-Dec-2015 ]	AM-BH06 1.25-1.50		✓		
EB1538415-025	[ 16-Dec-2015 ]	AM-BH06 1.50-1.75		✓		
EB1538415-026	[ 16-Dec-2015 ]	AM-BH06 1.75-2.00		✓		
EB1538415-027	[ 16-Dec-2015 ]	AM-BH06 2.00-2.25		✓		
EB1538415-028	[ 16-Dec-2015 ]	AM-BH06 2.25-2.50		✓		
EB1538415-029	[ 16-Dec-2015 ]	AM-BH06 2.50-2.75		✓		
EB1538415-030	[ 16-Dec-2015 ]	AM-BH06 2.75-3.00		✓		
EB1538415-031	[ 16-Dec-2015 ]	AM-BH06 0.00-0.50	✓			
EB1538415-032	[ 16-Dec-2015 ]	AM-BH06 0.50-1.00			✓	✓
EB1538415-033	[ 16-Dec-2015 ]	AM-BH06 1.00-1.50	✓			
EB1538415-034	[ 16-Dec-2015 ]	AM-BH06 1.50-2.00	✓			
EB1538415-035	[ 16-Dec-2015 ]	AM-BH06 2.00-2.50	✓			



			(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS
EB1538415-036	[ 16-Dec-2015 ]	AM-BH06 2.50-3.00			✓	✓
EB1538415-037	[ 16-Dec-2015 ]	AM-BH07 0.00-0.25		✓		
EB1538415-038	[ 16-Dec-2015 ]	AM-BH07 0.50-0.75		✓		
EB1538415-039	[ 16-Dec-2015 ]	AM-BH07 0.75-1.00		✓		
EB1538415-040	[ 16-Dec-2015 ]	AM-BH07 1.00-1.25		✓		
EB1538415-041	[ 16-Dec-2015 ]	AM-BH07 1.25-1.50		✓		
EB1538415-042	[ 16-Dec-2015 ]	AM-BH07 1.50-1.75		✓		
EB1538415-043	[ 16-Dec-2015 ]	AM-BH07 1.75-2.00		✓		
EB1538415-044	[ 16-Dec-2015 ]	AM-BH07 2.00-2.25		✓		
EB1538415-045	[ 16-Dec-2015 ]	AM-BH07 2.25-2.50		✓		
EB1538415-046	[ 16-Dec-2015 ]	AM-BH07 2.50-2.75		✓		
EB1538415-047	[ 16-Dec-2015 ]	AM-BH07 2.75-3.00		✓		
EB1538415-048	[ 16-Dec-2015 ]	AM-BH07 0.00-0.50			✓	✓
EB1538415-049	[ 16-Dec-2015 ]	AM-BH07 1.00-1.50	✓			
EB1538415-050	[ 16-Dec-2015 ]	AM-BH07 1.50-2.00			✓	✓
EB1538415-051	[ 16-Dec-2015 ]	AM-BH07 2.00-2.50	✓			
EB1538415-052	[ 16-Dec-2015 ]	AM-BH07 2.50-3.00	✓			
EB1538415-053	[ 16-Dec-2015 ]	AM-BH08 0.00-0.25		✓		
EB1538415-054	[ 16-Dec-2015 ]	AM-BH08 0.25-0.50		✓		
EB1538415-055	[ 16-Dec-2015 ]	AM-BH08 0.50-0.75		✓		
EB1538415-056	[ 16-Dec-2015 ]	AM-BH08 0.75-1.00		✓		
EB1538415-057	[ 16-Dec-2015 ]	AM-BH08 1.00-1.25		✓		
EB1538415-058	[ 16-Dec-2015 ]	AM-BH08 1.25-1.50		✓		
EB1538415-059	[ 16-Dec-2015 ]	AM-BH08 1.50-1.75		✓		
EB1538415-060	[ 16-Dec-2015 ]	AM-BH08 1.75-2.00		✓		
EB1538415-061	[ 16-Dec-2015 ]	AM-BH08 2.00-2.25		✓		
EB1538415-062	[ 16-Dec-2015 ]	AM-BH08 2.25-2.50		✓		
EB1538415-063	[ 16-Dec-2015 ]	AM-BH08 2.50-2.75		✓		
EB1538415-064	[ 16-Dec-2015 ]	AM-BH08 2.75-3.00		✓		
EB1538415-065	[ 16-Dec-2015 ]	AM-BH08 0.00-0.50			✓	✓
EB1538415-066	[ 16-Dec-2015 ]	AM-BH08 0.50-1.00	✓			
EB1538415-067	[ 16-Dec-2015 ]	AM-BH08 1.00-1.50			✓	✓
EB1538415-068	[ 16-Dec-2015 ]	AM-BH08 1.50-2.00	✓			
EB1538415-069	[ 16-Dec-2015 ]	AM-BH08 2.00-2.50	✓			
EB1538415-070	[ 16-Dec-2015 ]	AM-BH08 2.50-3.00	✓			

### Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.





Project ID: 1538021		Quote/Order No.: EN/002/15		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400	
Site Location: BNE Airport		Lab Name: ALS Environmental		147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401	
Sampled By: Tamara Siccama		BY:		Invoice to be sent to Accounts: auaccounts@valblea@golder.com.au		Project Manager: Krystal-Rae Biram	
Turnaround (Days): 5		Report Format: HARD FAX DISK EMAIL BULLETIN BOARD		Contact Phone: 07 37215400		Email: KBiram@golder.com.au	
Email Format: PDF Excel Other Email Add: tsiccama@golder.com.au		ANALYSIS REQUIRED					
Comments/Special Instructions:							
Samples from a declared Fire Ant Area: N							
Samples taken from a known Weed and or Pest Area: N							
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
19 AM-BH06	0.00	0.25 Soil	16/12/2015		Bag Frozen	1	N
20 AM-BH06	0.25	0.50 Soil	16/12/2015		Bag Frozen	1	N
21 AM-BH06	0.50	0.75 Soil	16/12/2015		Bag Frozen	1	N
22 AM-BH06	0.75	1.00 Soil	16/12/2015		Bag Frozen	1	N
23 AM-BH06	1.00	1.25 Soil	16/12/2015		Bag Frozen	1	N
24 AM-BH06	1.25	1.50 Soil	16/12/2015		Bag Frozen	1	N
25 AM-BH06	1.50	1.75 Soil	16/12/2015		Bag Frozen	1	N
26 AM-BH06	1.75	2.00 Soil	16/12/2015		Bag Frozen	1	N
27 AM-BH06	2.00	2.25 Soil	16/12/2015		Bag Frozen	1	N
28 AM-BH06	2.25	2.50 Soil	16/12/2015		Bag Frozen	1	N
29 AM-BH06	2.50	2.75 Soil	16/12/2015		Bag Frozen	1	N
30 AM-BH06	2.75	3.00 Soil	16/12/2015		Bag Frozen	1	N
31 AM-BH06	0.00	0.50 Soil	16/12/2015		Jar Chilled	1	N
32 AM-BH06	0.50	1.00 Soil	16/12/2015		Jar Chilled	1	N
33 AM-BH06	1.00	1.50 Soil	16/12/2015		Jar Chilled	1	N
34 AM-BH06	1.50	2.00 Soil	16/12/2015		Jar Chilled	1	N
35 AM-BH06	2.00	2.50 Soil	16/12/2015		Jar Chilled	1	N
36 AM-BH06	2.50	3.00 Soil	16/12/2015		Jar Chilled	1	N
SAMPLE MATRIX = Soil/Sediment/Fill/Other		SAMPLE TYPE = Core(CR)		HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list			
Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P							
SIGNATURE	Tamara Siccama	COMPANY	GOLDER	DATE	18/12/2015	TIME	
RELEASED BY		COMPANY		DATE		TIME	
RECEIVED BY		COMPANY		DATE		TIME	
RELEASED BY		COMPANY		DATE		TIME	
RECEIVED BY		COMPANY		DATE		TIME	
RELEASED BY		COMPANY		DATE		TIME	
RECEIVED BY		COMPANY		DATE		TIME	
To Be Filled Out By Analysing Laboratory		LAB. BATCH NUMBER		BILL to:		Address	
Security Seal		Chilled		Address			
Suitable Containers		Frozen					
Cool Box		Ambient					

Any issues with samples please email tsiccama@golder.com.au or phone 0421704311 - Tamara



Project ID: 1538021		Quote/Order No.: EN/002/15		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400	
Site Location: BNE Airport		Lab Name: ALS Environmental		147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401	
Sampled By: Tamara Siccama		BY:		Invoice to be sent to Accounts: auaccounts@payablez@golder.com.au			
Turnaround (Days): 5		EMAIL BULLETIN BOARD		Project Manager: Krystal-Rae Biram		Email: KBiram@golder.com.au	
Report Format: HARD		FAX DISK		Contact Phone: 07 37215400			
Email Format: PDF		Excel Other		Email Add: tsiccama@golder.com.au		ANALYSIS REQUIRED	
Comments/Special Instructions:							
Samples from a declared Fire Ant Area: N							
Samples taken from a known Weed and or Pest Area: N							
	SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	
37	AM-BH07	0.00	Soil	17/12/2015		Bag Frozen	1 N
	AM-BH07	0.25	Soil	17/12/2015		Bag Frozen	1 N
38	AM-BH07	0.50	Soil	17/12/2015		Bag Frozen	1 N
39	AM-BH07	0.75	Soil	17/12/2015		Bag Frozen	1 N
40	AM-BH07	1.00	Soil	17/12/2015		Bag Frozen	1 N
41	AM-BH07	1.25	Soil	17/12/2015		Bag Frozen	1 N
42	AM-BH07	1.50	Soil	17/12/2015		Bag Frozen	1 N
43	AM-BH07	1.75	Soil	17/12/2015		Bag Frozen	1 N
44	AM-BH07	2.00	Soil	17/12/2015		Bag Frozen	1 N
45	AM-BH07	2.25	Soil	17/12/2015		Bag Frozen	1 N
46	AM-BH07	2.50	Soil	17/12/2015		Bag Frozen	1 N
47	AM-BH07	2.75	Soil	17/12/2015		Bag Frozen	1 N
48	AM-BH07	3.00	Soil	17/12/2015		Bag Frozen	1 N
49	AM-BH07	0.00	Soil	17/12/2015		Jar Chilled	1 N
50	AM-BH07	0.50	Soil	17/12/2015		Jar Chilled	1 N
51	AM-BH07	1.00	Soil	17/12/2015		Jar Chilled	1 N
52	AM-BH07	1.50	Soil	17/12/2015		Jar Chilled	1 N
	AM-BH07	2.00	Soil	17/12/2015		Jar Chilled	1 N
	AM-BH07	2.50	Soil	17/12/2015		Jar Chilled	1 N
	AM-BH07	3.00	Soil	17/12/2015		Jar Chilled	1 N
SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list							
Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P							
SIGNATURE		COMPANY		DATE		TIME	
RELEASED BY: Tamara Siccama		GOLDER		18/12/2015			
RECEIVED BY						Shipping Ref:	
RECEIVED BY							
RECEIVED BY							
RECEIVED BY							
RECEIVED BY							
RECEIVED BY							
RECEIVED BY							
RECEIVED BY							
To Be Filled Out By Analysing Laboratory				LAB. BATCH NUMBER			
Security Seal				Chilled			
Suitable Containers				Frozen			
Cool Box				Ambient			
				Bill to:			
				Address			

Project ID: **1538021**      Quote/Order No.: **EN/002/15**      GOLDER ASSOCIATES PTY LTD      Phone: (07) 3721 5400  
 Site Location: **BNE Airport**      Lab Name: **ALS Environmental**      147 Coronation Drive, Milton, Qld 4064      Fax: (07) 3721 5401  
 Sampled By: **Tamara Siccama**      **Invoice to be sent to Accounts:**      auaccounts@valve/golder.com.au  
 Turnaround (Days): **5**      BY:      Project Manager: **Krystal-Rae Biram**      Email: **KBiram@golder.com.au**  
 Report Format: **HARD FAX DISK EMAIL BULLETIN BOARD**      Contact Phone: **07 37215400**

Comments/Special Instructions: **ANALYSIS REQUIRED**

Samples from a declared Fire Ant Area: **N**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Past Screen	EN020PR - dry 85°C and pulverise	EP231-PFC (PFS/PSFOA extended suite with 20 analytes)	S-26 (TSS/BTEX/PAHs (metals)	ANALYSIS REQUIRED																												
AM-BH08	0.00 0.25	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	0.25 0.50	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	0.50 0.75	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	0.75 1.00	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	1.00 1.25	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	1.25 1.50	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	1.50 1.75	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	1.75 2.00	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	2.00 2.25	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	2.25 2.50	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	2.50 2.75	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	2.75 3.00	Soil	17/12/2015		Bag Frozen	1	N		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																															
AM-BH08	0.00 0.50	Soil	17/12/2015		Jar Chilled	1	N																																		
AM-BH08	0.50 1.00	Soil	17/12/2015		Jar Chilled	1	N	<input checked="" type="checkbox"/>																																	
AM-BH08	1.00 1.50	Soil	17/12/2015		Jar Chilled	1	N																																		
AM-BH08	1.50 2.00	Soil	17/12/2015		Jar Chilled	1	N	<input checked="" type="checkbox"/>																																	
AM-BH08	2.00 2.50	Soil	17/12/2015		Jar Chilled	1	N	<input checked="" type="checkbox"/>																																	
AM-BH08	2.50 3.00	Soil	17/12/2015		Jar Chilled	1	N	<input checked="" type="checkbox"/>																																	

Any issues with samples please email tsiccama@golder.com.au or phone 0421704311 - Tamara

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

RELEASED BY	SIGNATURE	COMPANY	DATE	TIME	RELEASED BY	SIGNATURE	COMPANY	DATE	TIME	SHIPPING METHOD
RECEIVED BY	Tamara Siccama	GOLDER	18/12/2015							Shipping Ref:
RECEIVED BY										
RECEIVED BY										
RECEIVED BY										
RECEIVED BY										

To Be Filled Out By Analysing Laboratory

LAB. BATCH NUMBER	LAB. BATCH NUMBER

Billed to: \_\_\_\_\_ Address: \_\_\_\_\_

Chilled \_\_\_\_\_  
 Frozen \_\_\_\_\_  
 Ambient \_\_\_\_\_

Security Seal \_\_\_\_\_  
 Suitable Containers \_\_\_\_\_  
 Cool Box \_\_\_\_\_

53  
 54  
 56  
 58  
 58  
 60  
 62  
 62  
 64  
 64  
 66  
 66  
 68  
 68  
 70  
 70

## CERTIFICATE OF ANALYSIS

Work Order	: <b>EB1538419</b>	Page	: 1 of 47
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	QC Level	: NEPM 2013 B3 & ALS QC Standard
Order number	: 1538021	Date Samples Received	: 18-Dec-2015 16:00
C-O-C number	: ----	Date Analysis Commenced	: 23-Dec-2015
Sampler	: TAMARA SICCAMI	Issue Date	: 06-Jan-2016 16:55
Site	: ----		
Quote number	: ----	No. of samples received	: 77
		No. of samples analysed	: 54

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Hoa Nguyen	Senior Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Acid Sulphate Soils, Stafford, QLD
		Brisbane Inorganics, Stafford, QLD
		Brisbane Organics, Stafford, QLD
Matt Frost	Senior Organic Chemist	
Nanthini Coilparampi	Laboratory Manager - Inorganics	Sydney Inorganics, Smithfield, NSW



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.

- EG005T (Total Metals): Sample EB1538312-001 shows poor matrix spike recovery due to sample heterogeneity. Confirmed by visual inspection.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.  
Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.
- PFOS and PFOA results are reported as an aggregate of linear and branched isomers.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 0.00-0.25	AM-BH09 0.25-0.50	AM-BH09 0.50-0.75	AM-BH09 0.75-1.00	AM-BH09 1.00-1.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-001	EB1538419-002	EB1538419-003	EB1538419-004	EB1538419-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	7.3	7.4	4.6	3.8	5.5	
pH (Fox)	----	0.1	pH Unit	4.1	5.3	3.2	2.1	3.1	
Reaction Rate	----	1	-	3	3	2	2	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 0.00-0.25	AM-BH09 0.25-0.50	AM-BH09 0.50-0.75	AM-BH09 0.75-1.00	AM-BH09 1.00-1.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-001	EB1538419-002	EB1538419-003	EB1538419-004	EB1538419-005	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 0.00-0.25	AM-BH09 0.25-0.50	AM-BH09 0.50-0.75	AM-BH09 0.75-1.00	AM-BH09 1.00-1.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-001	EB1538419-002	EB1538419-003	EB1538419-004	EB1538419-005	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 0.00-0.25	AM-BH09 0.25-0.50	AM-BH09 0.50-0.75	AM-BH09 0.75-1.00	AM-BH09 1.00-1.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-001	EB1538419-002	EB1538419-003	EB1538419-004	EB1538419-005	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PfUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 1.25-1.50	AM-BH09 1.50-1.75	AM-BH09 1.75-2.00	AM-BH09 2.00-2.25	AM-BH09 2.25-2.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-006	EB1538419-007	EB1538419-008	EB1538419-009	EB1538419-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.8	4.5	4.3	4.2	4.3	
pH (Fox)	----	0.1	pH Unit	2.8	2.9	2.4	2.4	2.5	
Reaction Rate	----	1	-	4	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 1.25-1.50	AM-BH09 1.50-1.75	AM-BH09 1.75-2.00	AM-BH09 2.00-2.25	AM-BH09 2.25-2.50
Client sampling date / time					[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-006	EB1538419-007	EB1538419-008	EB1538419-009	EB1538419-010
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 1.25-1.50	AM-BH09 1.50-1.75	AM-BH09 1.75-2.00	AM-BH09 2.00-2.25	AM-BH09 2.25-2.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-006	EB1538419-007	EB1538419-008	EB1538419-009	EB1538419-010	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 1.25-1.50	AM-BH09 1.50-1.75	AM-BH09 1.75-2.00	AM-BH09 2.00-2.25	AM-BH09 2.25-2.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-006	EB1538419-007	EB1538419-008	EB1538419-009	EB1538419-010	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PfUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 2.50-2.75	AM-BH09 2.75-3.00	AM-BH09 0.00-0.50	AM-BH09 0.50-1.00	AM-BH17 0.00-0.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-011	EB1538419-012	EB1538419-013	EB1538419-014	EB1538419-019	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	5.3	4.8	----	----	6.1	
pH (Fox)	----	0.1	pH Unit	3.0	3.0	----	----	3.8	
Reaction Rate	----	1	-	3	2	----	----	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	10.8	19.4	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 2.50-2.75	AM-BH09 2.75-3.00	AM-BH09 0.00-0.50	AM-BH09 0.50-1.00	AM-BH17 0.00-0.25
Client sampling date / time					[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[18-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-011	EB1538419-012	EB1538419-013	EB1538419-014	EB1538419-019
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 2.50-2.75	AM-BH09 2.75-3.00	AM-BH09 0.00-0.50	AM-BH09 0.50-1.00	AM-BH17 0.00-0.25
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-011	EB1538419-012	EB1538419-013	EB1538419-014	EB1538419-019	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	<0.005	<0.005	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH09 2.50-2.75	AM-BH09 2.75-3.00	AM-BH09 0.00-0.50	AM-BH09 0.50-1.00	AM-BH17 0.00-0.25
Client sampling date / time					[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[18-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-011	EB1538419-012	EB1538419-013	EB1538419-014	EB1538419-019
					Result	Result	Result	Result	Result
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg		----	----	<0.0002	<0.0002	----
PfUnA	2058-94-8	0.0002	mg/kg		----	----	<0.0002	<0.0002	----
PFDoA	307-55-1	0.0002	mg/kg		----	----	<0.0002	<0.0002	----
PFTriA	72629-94-8	0.0002	mg/kg		----	----	<0.0002	<0.0002	----
PFTeA	376-06-7	0.001	mg/kg		----	----	<0.001	<0.001	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 0.25-0.50	AM-BH17 0.50-0.75	AM-BH17 0.75-1.00	AM-BH17 1.00-1.25	AM-BH17 1.25-1.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-020	EB1538419-021	EB1538419-022	EB1538419-023	EB1538419-024	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	5.8	7.9	8.0	8.1	8.5	
pH (Fox)	----	0.1	pH Unit	3.4	6.0	2.6	4.0	1.7	
Reaction Rate	----	1	-	2	3	4	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 0.25-0.50	AM-BH17 0.50-0.75	AM-BH17 0.75-1.00	AM-BH17 1.00-1.25	AM-BH17 1.25-1.50
Client sampling date / time					[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-020	EB1538419-021	EB1538419-022	EB1538419-023	EB1538419-024
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 0.25-0.50	AM-BH17 0.50-0.75	AM-BH17 0.75-1.00	AM-BH17 1.00-1.25	AM-BH17 1.25-1.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-020	EB1538419-021	EB1538419-022	EB1538419-023	EB1538419-024	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 0.25-0.50	AM-BH17 0.50-0.75	AM-BH17 0.75-1.00	AM-BH17 1.00-1.25	AM-BH17 1.25-1.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-020	EB1538419-021	EB1538419-022	EB1538419-023	EB1538419-024	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PfUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 1.50-1.75	AM-BH17 1.75-2.00	AM-BH17 2.00-2.25	AM-BH17 2.25-2.50	AM-BH17 2.50-2.75
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-025	EB1538419-026	EB1538419-027	EB1538419-028	EB1538419-029	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 1.50-1.75	AM-BH17 1.75-2.00	AM-BH17 2.00-2.25	AM-BH17 2.25-2.50	AM-BH17 2.50-2.75
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-025	EB1538419-026	EB1538419-027	EB1538419-028	EB1538419-029	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 1.50-1.75	AM-BH17 1.75-2.00	AM-BH17 2.00-2.25	AM-BH17 2.25-2.50	AM-BH17 2.50-2.75
Client sampling date / time					[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-025	EB1538419-026	EB1538419-027	EB1538419-028	EB1538419-029
					Result	Result	Result	Result	Result
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg		----	----	----	----	----
PfUnA	2058-94-8	0.0002	mg/kg		----	----	----	----	----
PFDoA	307-55-1	0.0002	mg/kg		----	----	----	----	----
PFTriA	72629-94-8	0.0002	mg/kg		----	----	----	----	----
PFTeA	376-06-7	0.001	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 2.75-3.00	AM-BH17 0.00-0.50	AM-BH17 1.00-1.50	AM-BH19 0.00-0.25	AM-BH19 0.25-0.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-030	EB1538419-031	EB1538419-033	EB1538419-038	EB1538419-039	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	8.5	----	----	7.4	5.0	
pH (Fox)	----	0.1	pH Unit	1.7	----	----	3.6	2.4	
Reaction Rate	----	1	-	4	----	----	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	15.8	54.2	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 2.75-3.00	AM-BH17 0.00-0.50	AM-BH17 1.00-1.50	AM-BH19 0.00-0.25	AM-BH19 0.25-0.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-030	EB1538419-031	EB1538419-033	EB1538419-038	EB1538419-039	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 2.75-3.00	AM-BH17 0.00-0.50	AM-BH17 1.00-1.50	AM-BH19 0.00-0.25	AM-BH19 0.25-0.50
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-030	EB1538419-031	EB1538419-033	EB1538419-038	EB1538419-039	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	<0.0005	<0.0005	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	<0.0005	<0.0005	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	<0.005	<0.005	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	<0.001	<0.001	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	<0.001	<0.001	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	<0.001	<0.001	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	<0.0002	<0.0002	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH17 2.75-3.00	AM-BH17 0.00-0.50	AM-BH17 1.00-1.50	AM-BH19 0.00-0.25	AM-BH19 0.25-0.50
Client sampling date / time					[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-030	EB1538419-031	EB1538419-033	EB1538419-038	EB1538419-039
					Result	Result	Result	Result	Result
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg		----	<0.0002	<0.0002	----	----
PfUnA	2058-94-8	0.0002	mg/kg		----	<0.0002	<0.0002	----	----
PFDoA	307-55-1	0.0002	mg/kg		----	<0.0002	<0.0002	----	----
PFTriA	72629-94-8	0.0002	mg/kg		----	<0.0002	<0.0002	----	----
PFTeA	376-06-7	0.001	mg/kg		----	<0.001	<0.001	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.50-0.75	AM-BH19 0.75-1.00	AM-BH19 1.00-1.25	AM-BH19 1.25-1.50	AM-BH19 1.50-1.75
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-040	EB1538419-041	EB1538419-042	EB1538419-043	EB1538419-044	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	4.5	4.4	4.3	6.0	6.3	
pH (Fox)	----	0.1	pH Unit	1.9	2.7	2.5	2.5	2.6	
Reaction Rate	----	1	-	3	3	2	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.50-0.75	AM-BH19 0.75-1.00	AM-BH19 1.00-1.25	AM-BH19 1.25-1.50	AM-BH19 1.50-1.75
Client sampling date / time					[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-040	EB1538419-041	EB1538419-042	EB1538419-043	EB1538419-044
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.50-0.75	AM-BH19 0.75-1.00	AM-BH19 1.00-1.25	AM-BH19 1.25-1.50	AM-BH19 1.50-1.75
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-040	EB1538419-041	EB1538419-042	EB1538419-043	EB1538419-044	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.50-0.75	AM-BH19 0.75-1.00	AM-BH19 1.00-1.25	AM-BH19 1.25-1.50	AM-BH19 1.50-1.75
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-040	EB1538419-041	EB1538419-042	EB1538419-043	EB1538419-044	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PfUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 1.75-2.00	AM-BH19 2.00-2.25	AM-BH19 2.25-2.50	AM-BH19 2.50-2.75	AM-BH19 2.75-3.00
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-045	EB1538419-046	EB1538419-047	EB1538419-048	EB1538419-049	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.4	6.4	6.5	6.2	6.1	
pH (Fox)	----	0.1	pH Unit	3.5	3.7	4.0	2.0	2.0	
Reaction Rate	----	1	-	3	3	3	4	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 1.75-2.00	AM-BH19 2.00-2.25	AM-BH19 2.25-2.50	AM-BH19 2.50-2.75	AM-BH19 2.75-3.00
Client sampling date / time					[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-045	EB1538419-046	EB1538419-047	EB1538419-048	EB1538419-049
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 1.75-2.00	AM-BH19 2.00-2.25	AM-BH19 2.25-2.50	AM-BH19 2.50-2.75	AM-BH19 2.75-3.00
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-045	EB1538419-046	EB1538419-047	EB1538419-048	EB1538419-049	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 1.75-2.00	AM-BH19 2.00-2.25	AM-BH19 2.25-2.50	AM-BH19 2.50-2.75	AM-BH19 2.75-3.00
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-045	EB1538419-046	EB1538419-047	EB1538419-048	EB1538419-049	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	----	----	----	
PfUnA	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.00-0.50	AM-BH19 1.50-2.00	AM-BH20 0.00-0.50	AM-BH21 0.50-1.00	AM-BH22 1.00-1.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-050	EB1538419-053	EB1538419-056	EB1538419-057	EB1538419-058	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	----	----	----	----	----	
pH (Fox)	----	0.1	pH Unit	----	----	----	----	----	
Reaction Rate	----	1	-	----	----	----	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	<b>32.7</b>	<b>26.9</b>	<b>31.6</b>	<b>24.5</b>	<b>39.8</b>	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	<b>25</b>	<b>11</b>	<b>20</b>	
Cadmium	7440-43-9	1	mg/kg	----	----	<1	<1	<1	
Chromium	7440-47-3	2	mg/kg	----	----	<b>30</b>	<b>54</b>	<b>58</b>	
Copper	7440-50-8	5	mg/kg	----	----	<b>30</b>	<b>12</b>	<b>19</b>	
Lead	7439-92-1	5	mg/kg	----	----	<b>35</b>	<b>7</b>	<b>42</b>	
Nickel	7440-02-0	2	mg/kg	----	----	<b>38</b>	<b>7</b>	<b>14</b>	
Zinc	7440-66-6	5	mg/kg	----	----	<b>90</b>	<b>25</b>	<b>35</b>	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	<0.1	<0.1	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.00-0.50	AM-BH19 1.50-2.00	AM-BH20 0.00-0.50	AM-BH21 0.50-1.00	AM-BH22 1.00-1.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-050	EB1538419-053	EB1538419-056	EB1538419-057	EB1538419-058	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	<0.2	<0.2	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	<0.05	<0.05	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	<0.2	<0.2	<0.2	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	<50	<50	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	120	<100	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	<100	<100	<100	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	120	<50	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	<50	<50	<50	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	<50	<50	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	<100	<100	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	<100	<100	<100	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	<50	<50	<50	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	<0.5	<0.5	<0.5	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.00-0.50	AM-BH19 1.50-2.00	AM-BH20 0.00-0.50	AM-BH21 0.50-1.00	AM-BH22 1.00-1.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-050	EB1538419-053	EB1538419-056	EB1538419-057	EB1538419-058	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	0.6	0.6	0.6	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	1.2	1.2	1.2	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	<10	<10	<10	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	<10	<10	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	<10	<10	<10	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	<0.2	<0.2	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	<0.2	<0.2	<0.2	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	<0.5	<0.5	<0.5	
Naphthalene	91-20-3	1	mg/kg	----	----	<1	<1	<1	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	<0.001	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFDCS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH19 0.00-0.50	AM-BH19 1.50-2.00	AM-BH20 0.00-0.50	AM-BH21 0.50-1.00	AM-BH22 1.00-1.50
Client sampling date / time				[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	[17-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-050	EB1538419-053	EB1538419-056	EB1538419-057	EB1538419-058	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PfUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	----	----	----	
PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	67.2	87.8	66.1	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	60.1	72.7	56.6	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	101	99.7	94.3	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	99.7	101	93.0	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	69.2	59.5	57.7	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	104	101	102	
Anthracene-d10	1719-06-8	0.5	%	----	----	95.9	91.7	90.9	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	101	107	104	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	93.3	103	81.5	
Toluene-D8	2037-26-5	0.2	%	----	----	75.4	103	77.0	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	71.2	86.3	68.0	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH23 0.50-1.00	AM-BH28 0.00-0.25	AM-BH28 0.25-0.50	AM-BH28 0.50-0.75	AM-BH28 1.50-1.75
Client sampling date / time				[17-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-059	EB1538419-060	EB1538419-061	EB1538419-062	EB1538419-063	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	----	4.9	4.8	5.4	6.9	
pH (Fox)	----	0.1	pH Unit	----	3.0	2.8	1.7	1.5	
Reaction Rate	----	1	-	----	3	3	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	26.8	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	14	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	30	----	----	----	----	
Copper	7440-50-8	5	mg/kg	8	----	----	----	----	
Lead	7439-92-1	5	mg/kg	13	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	6	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	24	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH23 0.50-1.00	AM-BH28 0.00-0.25	AM-BH28 0.25-0.50	AM-BH28 0.50-0.75	AM-BH28 1.50-1.75
Client sampling date / time				[17-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-059	EB1538419-060	EB1538419-061	EB1538419-062	EB1538419-063	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	<0.2	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	<100	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(b+)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	<0.5	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH23 0.50-1.00	AM-BH28 0.00-0.25	AM-BH28 0.25-0.50	AM-BH28 0.50-0.75	AM-BH28 1.50-1.75
Client sampling date / time				[17-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	
Compound	CAS Number	LOR	Unit	EB1538419-059	EB1538419-060	EB1538419-061	EB1538419-062	EB1538419-063	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	<10	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	<10	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	<0.2	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	<0.5	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	----	----	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	----	----	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	----	----	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	----	----	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	----	----	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	----	----	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	----	----	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	----	----	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	----	----	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH23 0.50-1.00	AM-BH28 0.00-0.25	AM-BH28 0.25-0.50	AM-BH28 0.50-0.75	AM-BH28 1.50-1.75
Client sampling date / time					[17-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]
Compound	CAS Number	LOR	Unit		EB1538419-059	EB1538419-060	EB1538419-061	EB1538419-062	EB1538419-063
					Result	Result	Result	Result	Result
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg		----	----	----	----	----
PfUnA	2058-94-8	0.0002	mg/kg		----	----	----	----	----
PFDoA	307-55-1	0.0002	mg/kg		----	----	----	----	----
PFTriA	72629-94-8	0.0002	mg/kg		----	----	----	----	----
PFTeA	376-06-7	0.001	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		81.4	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		66.3	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		96.2	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		98.9	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		55.8	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		103	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		87.5	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		104	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		72.4	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		68.4	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		75.2	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH28 2.50-2.75	AM-BH28 2.75-3.00	AM-BH28 0.00-0.50	AM-BH28 2.50-3.00	----
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	----	
Compound	CAS Number	LOR	Unit	EB1538419-064	EB1538419-065	EB1538419-066	EB1538419-069	-----	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
pH (F)	----	0.1	pH Unit	6.6	7.3	----	----	----	
pH (Fox)	----	0.1	pH Unit	2.0	2.1	----	----	----	
Reaction Rate	----	1	-	4	4	----	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	15.0	36.6	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH28 2.50-2.75	AM-BH28 2.75-3.00	AM-BH28 0.00-0.50	AM-BH28 2.50-3.00	----
Client sampling date / time					[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	----
Compound	CAS Number	LOR	Unit		EB1538419-064	EB1538419-065	EB1538419-066	EB1538419-069	-----
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg		----	----	----	----	----
C15 - C28 Fraction	----	100	mg/kg		----	----	----	----	----
C29 - C36 Fraction	----	100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2	205-82-3	0.5	mg/kg	----	----	----	----	----
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH28 2.50-2.75	AM-BH28 2.75-3.00	AM-BH28 0.00-0.50	AM-BH28 2.50-3.00	----
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	----	
Compound	CAS Number	LOR	Unit	EB1538419-064	EB1538419-065	EB1538419-066	EB1538419-069	-----	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
PFOA	335-67-1	0.0005	mg/kg	----	----	<0.0005	<0.0005	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	----	----	<0.005	<0.005	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFOSA	754-91-6	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
N-Me-FOSA	31506-32-8	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSA	4151-50-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Me-FOSE	2448-09-7	0.001	mg/kg	----	----	<0.001	<0.001	----	
N-Et-FOSE	1691-99-2	0.001	mg/kg	----	----	<0.001	<0.001	----	
PFBS	375-73-5	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxS	355-46-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDcS	67906-42-7	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHxA	307-24-4	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFHpA	375-85-9	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFNA	375-95-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH28 2.50-2.75	AM-BH28 2.75-3.00	AM-BH28 0.00-0.50	AM-BH28 2.50-3.00	----
Client sampling date / time				[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	[18-Dec-2015]	----	
Compound	CAS Number	LOR	Unit	EB1538419-064	EB1538419-065	EB1538419-066	EB1538419-069	-----	
				Result	Result	Result	Result	Result	
<b>EP231: Perfluorinated Compounds - Continued</b>									
PFDcA	335-76-2	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PfUnA	2058-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFDoA	307-55-1	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFTriA	72629-94-8	0.0002	mg/kg	----	----	<0.0002	<0.0002	----	
PFTeA	376-06-7	0.001	mg/kg	----	----	<0.001	<0.001	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	

## QUALITY CONTROL REPORT

Work Order	: <b>EB1538419</b>	Page	: 1 of 13
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	QC Level	: NEPM 2013 B3 & ALS QC Standard
Order number	: 1538021	Date Samples Received	: 18-Dec-2015
C-O-C number	: ----	Date Analysis Commenced	: 23-Dec-2015
Sampler	: TAMARA SICCAMI	Issue Date	: 06-Jan-2016
Site	: ----	No. of samples received	: 77
Quote number	: ----	No. of samples analysed	: 54

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
RPD = Relative Percentage Difference  
# = Indicates failed QC



NATA Accredited  
Laboratory 825

Accredited for  
compliance with  
ISO/IEC 17025.

## Signatories

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Hoa Nguyen	Senior Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Acid Sulphate Soils, Stafford, QLD
		Brisbane Inorganics, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD
Nanthini Coilparampi	Laboratory Manager - Inorganics	Sydney Inorganics, Smithfield, NSW



## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR:- 0% - 50%; Result > 20 times LOR:0% - 20%.

Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 318595)</b>									
EB1538419-001	AM-BH09 0.00-0.25	EA037: pH (F)	----	0.1	pH Unit	7.3	7.2	1.38	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.1	4.2	2.41	0% - 20%
EB1538419-011	AM-BH09 2.50-2.75	EA037: pH (F)	----	0.1	pH Unit	5.3	5.4	1.87	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.0	3.0	0.00	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318596)</b>									
EB1538419-027	AM-BH17 2.00-2.25	EA037: pH (F)	----	0.1	pH Unit	8.3	8.4	1.20	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	1.5	1.6	6.45	0% - 50%
EB1538419-044	AM-BH19 1.50-1.75	EA037: pH (F)	----	0.1	pH Unit	6.3	6.4	1.57	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.6	2.5	3.92	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 318597)</b>									
EB1538419-064	AM-BH28 2.50-2.75	EA037: pH (F)	----	0.1	pH Unit	6.6	6.5	1.53	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.0	1.9	5.13	0% - 20%
<b>EA055: Moisture Content (QC Lot: 319294)</b>									
EB1538235-006	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	15.1	14.1	6.52	0% - 50%
EB1538472-002	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	45.7	51.2	11.3	0% - 20%
<b>EA055: Moisture Content (QC Lot: 319729)</b>									
EB1538419-013	AM-BH09 0.00-0.50	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	10.8	9.5	13.0	0% - 50%
EB1538478-025	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	19.4	19.6	1.13	0% - 50%
<b>EG005T: Total Metals by ICP-AES (QC Lot: 319210)</b>									
EB1538312-002	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	4	4	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	11	11	0.00	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	3	5	37.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	7	7	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	69	71	2.72	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	78	80	2.88	0% - 50%
		EG005T: Zinc	7440-66-6	5	mg/kg	522	539	3.21	0% - 20%
EB1538596-003	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	6	6	0.00	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	4	5	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	13	13	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	41	42	3.58	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	104	108	3.44	0% - 20%
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 319209)</b>									
EB1538301-022	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 319209) - continued</b>									
EB1538596-003	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 319065)</b>									
EB1538419-056	AM-BH20 0.00-0.50	EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit		
EB1538142-002	Anonymous	EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)	
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 319065) - continued</b>										
EB1538142-002	Anonymous	EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit	
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit	
		EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit	
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QC Lot: 319066)</b>										
EB1538419-056	AM-BH20 0.00-0.50	EP071SG-S: C10 - C14 Fraction	----	25	mg/kg	<50	<50	0.00	No Limit	
		EP071SG-S: C15 - C28 Fraction	----	50	mg/kg	<100	<100	0.00	No Limit	
		EP071SG-S: C29 - C36 Fraction	----	50	mg/kg	<100	110	11.2	No Limit	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QC Lot: 319066)</b>										
EB1538419-056	AM-BH20 0.00-0.50	EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	120	140	17.6	No Limit	
		EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit	
		EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 319064)</b>										
EB1538142-002	Anonymous	EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
			205-82-3							
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Indeno(1,2,3,cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit			
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 318903)</b>										
EB1538419-056	AM-BH20 0.00-0.50	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 318903)</b>										
EB1538419-056	AM-BH20 0.00-0.50	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit	
<b>EP080: BTEXN (QC Lot: 318903)</b>										
EB1538419-056	AM-BH20 0.00-0.50	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit	
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP080: BTEXN (QC Lot: 318903) - continued</b>									
EB1538419-056	AM-BH20 0.00-0.50	EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
			106-42-3						
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 319989)</b>									
EB1538415-036	Anonymous	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EB1538408-013	Anonymous	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 319990)</b>									
EB1538415-036	Anonymous	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231: Perfluorinated Compounds (QC Lot: 319990) - continued</b>									
EB1538415-036	Anonymous	EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit
EB1538408-013	Anonymous	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 319991)</b>									
EB1538419-053	AM-BH19 1.50-2.00	EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	<0.001	0.00	No Limit		
<b>EP231: Perfluorinated Compounds (QC Lot: 319992)</b>									
EB1538419-053	AM-BH19 1.50-2.00	EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	<0.005	0.00	No Limit





### Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 319210)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	118.9 mg/kg	102	84	123	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.43 mg/kg	100	88	117	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	22.7 mg/kg	103	83	125	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55 mg/kg	107	86	122	
EG005T: Lead	7439-92-1	5	mg/kg	<5	72.1 mg/kg	105	84	119	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	16.6 mg/kg	96.3	89	126	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	182.3 mg/kg	110	87	127	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 319209)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.09821 mg/kg	88.9	78	122	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 319065)</b>									
EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	111	60	123	
EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	108	62	121	
EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	105	80	142	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	103	70	130	
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	104	54	121	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	107	51	125	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	109	49	121	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	109	61	122	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	114	57	118	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	97.3	61	122	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	106	67	129	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	112	55	125	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	104	60	137	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	108	52	125	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	115	55	129	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	97.4	55	129	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	115	65	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	114	58	118	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	# 120	54	112	
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	95.5	53	136	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	117	56	119	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 319066)</b>									
EP071SG-S: C10 - C14 Fraction	----	25	mg/kg	<20	318 mg/kg	79.6	47	112	
EP071SG-S: C15 - C28 Fraction	----	50	mg/kg	<50	531 mg/kg	86.6	55	108	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 319066) - continued</b>									
EP071SG-S: C29 - C36 Fraction	----	50	mg/kg	<50	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 319066)</b>									
EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	82.9	46	115	
EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	85.7	53	113	
EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 319064)</b>									
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	98.9	83	121	
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	84.0	74	118	
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	106	72	115	
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	68.6	64	120	
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	77.4	76	121	
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	87.8	59	129	
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	100	64	131	
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	90.0	70	129	
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	98.2	66	119	
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	86.2	45	134	
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	97.2	70	116	
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	95.0	81	116	
EP075(SIM): Indeno(1,2,3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	86.8	53	135	
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	93.8	74	119	
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	102	72	117	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	100	70	134	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 318903)</b>									
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	103	66	120	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 318903)</b>									
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	102	66	119	
<b>EP080: BTEXN (QCLot: 318903)</b>									
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	94.6	73	105	
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	76.2	67	104	
EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	2 mg/kg	82.2	66	106	
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	85.4	72	115	
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	81.6	68	105	
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	83.3	73	105	
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>									
EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	0.00625 mg/kg	82.6	50	130	
EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	0.00625 mg/kg	73.0	30	130	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP231: Perfluorinated Compounds (QCLot: 319989) - continued</b>									
EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	0.00625 mg/kg	110	50	130	
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	0.00625 mg/kg	118	30	130	
EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	71.5	50	130	
EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	103	50	130	
EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	76.7	50	130	
EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.9	50	130	
EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	80.4	50	130	
EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.2	36	130	
EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.0	50	130	
EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130	
EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	70.3	50	130	
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	0.00625 mg/kg	73.7	30	130	
EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	78.6	30	130	
EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130	
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>									
EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	0.00625 mg/kg	122	56	138	
EP231: 8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----	
EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	97.8	54	134	
EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	93.2	54	146	
<b>EP231: Perfluorinated Compounds (QCLot: 319991)</b>									
EP231-PFC: N-Et-FOSA	4151-50-2	0.001	mg/kg	<0.001	0.00625 mg/kg	87.8	50	130	
EP231-PFC: N-Et-FOSE	1691-99-2	0.001	mg/kg	<0.001	0.00625 mg/kg	87.5	30	130	
EP231-PFC: N-Me-FOSA	31506-32-8	0.001	mg/kg	<0.001	0.00625 mg/kg	100	50	130	
EP231-PFC: N-Me-FOSE	2448-09-7	0.001	mg/kg	<0.001	0.00625 mg/kg	113	30	130	
EP231-PFC: PFBS	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.2	50	130	
EP231-PFC: PFDcA	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.0	50	130	
EP231-PFC: PFDcS	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	82.7	50	130	
EP231-PFC: PFDoA	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	98.3	50	130	
EP231-PFC: PFHpA	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.7	50	130	
EP231-PFC: PFHxA	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.1	36	130	
EP231-PFC: PFHxS	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	82.9	50	130	
EP231-PFC: PFNA	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	107	50	130	
EP231-PFC: PFOSA	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	53.2	50	130	
EP231-PFC: PFTeA	376-06-7	0.001	mg/kg	<0.001	0.00625 mg/kg	88.8	30	130	
EP231-PFC: PFTriA	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	76.2	30	130	
EP231-PFC: PFUnA	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	116	50	130	
<b>EP231: Perfluorinated Compounds (QCLot: 319992)</b>									
EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.005	mg/kg	<0.005	0.00625 mg/kg	105	56	138	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
						LCS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 319992) - continued</b>								
EP231: 8:2 Fluorotelomer sulfonate	39108-34-4	0.001	mg/kg	<0.001	----	----	----	----
EP231: PFOA	335-67-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	108	54	134
EP231: PFOS	1763-23-1	0.0005	mg/kg	<0.0005	0.00125 mg/kg	94.6	54	146

**Matrix Spike (MS) Report**

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Spike Concentration	Matrix Spike (MS) Report		
					Spike Recovery(%) MS	Low	High
<b>EG005T: Total Metals by ICP-AES (QCLot: 319210)</b>							
EB1538312-001	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	93.5	70	130
		EG005T: Cadmium	7440-43-9	25 mg/kg	88.5	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	# 58.8	70	130
		EG005T: Copper	7440-50-8	50 mg/kg	# Not Determined	70	130
		EG005T: Lead	7439-92-1	50 mg/kg	83.4	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	77.7	70	130
		EG005T: Zinc	7440-66-6	50 mg/kg	# Not Determined	70	130
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 319209)</b>							
EB1538301-024	Anonymous	EG035T: Mercury	7439-97-6	5 mg/kg	78.8	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 319065)</b>							
EB1538142-007	Anonymous	EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	106	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	100	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	104	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	83.6	70	130
		EP068: gamma-BHC	58-89-9	0.5 mg/kg	102	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	108	70	130
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 319066)</b>							
EB1538419-057	AM-BH21 0.50-1.00	EP071SG-S: C10 - C14 Fraction	----	318 mg/kg	92.4	47	130
		EP071SG-S: C15 - C28 Fraction	----	531 mg/kg	100	55	130
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 319066)</b>							
EB1538419-057	AM-BH21 0.50-1.00	EP071SG-S: >C10 - C16 Fraction	----	428 mg/kg	97.1	46	130
		EP071SG-S: >C16 - C34 Fraction	----	395 mg/kg	97.4	53	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 319064)</b>							



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 319064) - continued</b>							
EB1538142-007	Anonymous	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	95.8	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	96.2	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 318903)</b>							
EB1538419-057	AM-BH21 0.50-1.00	EP080: C6 - C9 Fraction	----	8 mg/kg	80.6	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 318903)</b>							
EB1538419-057	AM-BH21 0.50-1.00	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	80.7	70	130
<b>EP080: BTEXN (QCLot: 318903)</b>							
EB1538419-057	AM-BH21 0.50-1.00	EP080: Benzene	71-43-2	2 mg/kg	84.6	70	130
		EP080: Toluene	108-88-3	2 mg/kg	85.1	70	130
<b>EP231: Perfluorinated Compounds (QCLot: 319989)</b>							
EB1538408-013	Anonymous	EP231-PFC: N-Et-FOSA	4151-50-2	0.00625 mg/kg	116	50	130
		EP231-PFC: N-Et-FOSE	1691-99-2	0.00625 mg/kg	114	30	130
		EP231-PFC: N-Me-FOSA	31506-32-8	0.00625 mg/kg	127	50	130
		EP231-PFC: N-Me-FOSE	2448-09-7	0.00625 mg/kg	106	30	130
		EP231-PFC: PFBS	375-73-5	0.00125 mg/kg	103	50	130
		EP231-PFC: PFDcA	335-76-2	0.00125 mg/kg	69.2	50	130
		EP231-PFC: PFDcS	67906-42-7	0.00125 mg/kg	67.7	50	130
		EP231-PFC: PFDcA	307-55-1	0.00125 mg/kg	113	50	130
		EP231-PFC: PFHpA	375-85-9	0.00125 mg/kg	101	50	130
		EP231-PFC: PFHxA	307-24-4	0.00125 mg/kg	79.3	30	130
		EP231-PFC: PFHxS	355-46-4	0.00125 mg/kg	106	50	130
		EP231-PFC: PFNA	375-95-1	0.00125 mg/kg	81.3	50	130
		EP231-PFC: PFOSA	754-91-6	0.00125 mg/kg	71.7	50	130
		EP231-PFC: PFTeA	376-06-7	0.00625 mg/kg	65.5	30	130
		EP231-PFC: PFTriA	72629-94-8	0.00125 mg/kg	114	30	130
EP231-PFC: PFUnA	2058-94-8	0.00125 mg/kg	123	50	130		
<b>EP231: Perfluorinated Compounds (QCLot: 319990)</b>							
EB1538408-013	Anonymous	EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.00625 mg/kg	131	56	138
		EP231: PFOA	335-67-1	0.00125 mg/kg	100	54	134
		EP231: PFOS	1763-23-1	0.00125 mg/kg	107	54	146
<b>EP231: Perfluorinated Compounds (QCLot: 319991)</b>							
EB1538419-053	AM-BH19 1.50-2.00	EP231-PFC: N-Et-FOSA	4151-50-2	0.00625 mg/kg	95.5	50	130
		EP231-PFC: N-Et-FOSE	1691-99-2	0.00625 mg/kg	92.6	30	130
		EP231-PFC: N-Me-FOSA	31506-32-8	0.00625 mg/kg	86.3	50	130
		EP231-PFC: N-Me-FOSE	2448-09-7	0.00625 mg/kg	124	30	130
		EP231-PFC: PFBS	375-73-5	0.00125 mg/kg	72.4	50	130
		EP231-PFC: PFDcA	335-76-2	0.00125 mg/kg	96.8	50	130



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231: Perfluorinated Compounds (QCLot: 319991) - continued</b>							
EB1538419-053	AM-BH19 1.50-2.00	EP231-PFC: PFDcS	67906-42-7	0.00125 mg/kg	70.7	50	130
		EP231-PFC: PFDoA	307-55-1	0.00125 mg/kg	80.4	50	130
		EP231-PFC: PFHpA	375-85-9	0.00125 mg/kg	74.3	50	130
		EP231-PFC: PFHxA	307-24-4	0.00125 mg/kg	80.1	30	130
		EP231-PFC: PFHxS	355-46-4	0.00125 mg/kg	95.8	50	130
		EP231-PFC: PFNA	375-95-1	0.00125 mg/kg	115	50	130
		EP231-PFC: PFOSA	754-91-6	0.00125 mg/kg	51.2	50	130
		EP231-PFC: PFTeA	376-06-7	0.00625 mg/kg	97.9	30	130
		EP231-PFC: PFTriA	72629-94-8	0.00125 mg/kg	73.4	30	130
		EP231-PFC: PFUnA	2058-94-8	0.00125 mg/kg	91.1	50	130
<b>EP231: Perfluorinated Compounds (QCLot: 319992)</b>							
EB1538419-053	AM-BH19 1.50-2.00	EP231: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.00625 mg/kg	123	56	138
		EP231: PFOA	335-67-1	0.00125 mg/kg	90.4	54	134
		EP231: PFOS	1763-23-1	0.00125 mg/kg	94.0	54	146

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1538419</b>	Page	: 1 of 7
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61-7-3243 7222
Project	: 1538021	Date Samples Received	: 18-Dec-2015
Site	: ----	Issue Date	: 06-Jan-2016
Sampler	: TAMARA SICCAMI	No. of samples received	: 77
Order number	: 1538021	No. of samples analysed	: 54

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- Laboratory Control outliers exist - please see following pages for full details.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



**Outliers : Quality Control Samples**

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Laboratory Control Spike (LCS) Recoveries</b>							
EP068A: Organochlorine Pesticides (OC)	QC-319065-002	----	<b>Hexachlorobenzene (HCB)</b>	118-74-1	120 %	54-112%	<b>Recovery greater than upper control limit</b>
<b>Matrix Spike (MS) Recoveries</b>							
EG005T: Total Metals by ICP-AES	EB1538312--001	Anonymous	<b>Chromium</b>	7440-47-3	58.8 %	70-130%	<b>Recovery less than lower data quality objective</b>
EG005T: Total Metals by ICP-AES	EB1538312--001	Anonymous	<b>Zinc</b>	7440-66-6	Not Determined	----	<b>MS recovery not determined, background level greater than or equal to 4x spike level.</b>

**Analysis Holding Time Compliance**

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis</b>								
<b>Snap Lock Bag - frozen (EA037)</b>								
AM-BH09 0.00-0.25, AM-BH09 0.50-0.75, AM-BH09 1.00-1.25, AM-BH09 1.50-1.75, AM-BH09 2.00-2.25, AM-BH09 2.50-2.75, AM-BH19 0.00-0.25, AM-BH19 0.50-0.75, AM-BH19 1.00-1.25, AM-BH19 1.50-1.75, AM-BH19 2.00-2.25, AM-BH19 2.50-2.75,	AM-BH09 0.25-0.50, AM-BH09 0.75-1.00, AM-BH09 1.25-1.50, AM-BH09 1.75-2.00, AM-BH09 2.25-2.50, AM-BH09 2.75-3.00, AM-BH19 0.25-0.50, AM-BH19 0.75-1.00, AM-BH19 1.25-1.50, AM-BH19 1.75-2.00, AM-BH19 2.25-2.50, AM-BH19 2.75-3.00	<b>17-Dec-2015</b>	<b>31-Dec-2015</b>	14-Jun-2016	✓	<b>31-Dec-2015</b>	14-Jun-2016	✓
<b>Snap Lock Bag - frozen (EA037)</b>								





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EA037: Ass Field Screening Analysis - Continued</b>									
AM-BH17 0.00-0.25, AM-BH17 0.50-0.75, AM-BH17 1.00-1.25, AM-BH17 1.50-1.75, AM-BH17 2.00-2.25, AM-BH17 2.50-2.75, AM-BH28 0.00-0.25, AM-BH28 0.50-0.75, AM-BH28 2.50-2.75,	AM-BH17 0.25-0.50, AM-BH17 0.75-1.00, AM-BH17 1.25-1.50, AM-BH17 1.75-2.00, AM-BH17 2.25-2.50, AM-BH17 2.75-3.00, AM-BH28 0.25-0.50, AM-BH28 1.50-1.75, AM-BH28 2.75-3.00	18-Dec-2015	31-Dec-2015	15-Jun-2016	✓	31-Dec-2015	15-Jun-2016	✓	
<b>EA055: Moisture Content</b>									
<b>Soil Glass Jar - Unpreserved (EA055-103)</b>									
AM-BH09 0.00-0.50, AM-BH19 0.00-0.50, AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH09 0.50-1.00, AM-BH19 1.50-2.00, AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	----	----	----	23-Dec-2015	31-Dec-2015	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b>									
AM-BH17 0.00-0.50, AM-BH28 0.00-0.50,	AM-BH17 1.00-1.50, AM-BH28 2.50-3.00	18-Dec-2015	----	----	----	23-Dec-2015	01-Jan-2016	✓	
<b>EG005T: Total Metals by ICP-AES</b>									
<b>Soil Glass Jar - Unpreserved (EG005T)</b>									
AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	24-Dec-2015	14-Jun-2016	✓	24-Dec-2015	14-Jun-2016	✓	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
<b>Soil Glass Jar - Unpreserved (EG035T)</b>									
AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	24-Dec-2015	14-Jan-2016	✓	29-Dec-2015	14-Jan-2016	✓	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
<b>Soil Glass Jar - Unpreserved (EP068)</b>									
AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	23-Dec-2015	31-Dec-2015	✓	29-Dec-2015	01-Feb-2016	✓	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b>									
AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	23-Dec-2015	31-Dec-2015	✓	30-Dec-2015	01-Feb-2016	✓	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b>									
AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	23-Dec-2015	31-Dec-2015	✓	29-Dec-2015	01-Feb-2016	✓	



Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH20 0.00-0.50, AM-BH22 1.00-1.50,	AM-BH21 0.50-1.00, AM-BH23 0.50-1.00	17-Dec-2015	23-Dec-2015	31-Dec-2015	✓	29-Dec-2015	31-Dec-2015	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231)</b> AM-BH09 0.00-0.50, AM-BH19 0.00-0.50,	AM-BH09 0.50-1.00, AM-BH19 1.50-2.00	17-Dec-2015	24-Dec-2015	14-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>Soil Glass Jar - Unpreserved (EP231)</b> AM-BH17 0.00-0.50, AM-BH28 0.00-0.50,	AM-BH17 1.00-1.50, AM-BH28 2.50-3.00	18-Dec-2015	24-Dec-2015	15-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>Soil Glass Jar - Unpreserved (EP231-PFC)</b> AM-BH09 0.00-0.50, AM-BH19 0.00-0.50,	AM-BH09 0.50-1.00, AM-BH19 1.50-2.00	17-Dec-2015	24-Dec-2015	14-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓
<b>Soil Glass Jar - Unpreserved (EP231-PFC)</b> AM-BH17 0.00-0.50, AM-BH28 0.00-0.50,	AM-BH17 1.00-1.50, AM-BH28 2.50-3.00	18-Dec-2015	24-Dec-2015	15-Jun-2016	✓	24-Dec-2015	02-Feb-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	5	42	11.90	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	1	7	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	3	23	13.04	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	3	23	13.04	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	11	18.18	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	12	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	13	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	4	25.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	10	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	11	9.09	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	11	9.09	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS	EP231-PFC	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	2	23	8.70	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	11	9.09	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Page : 6 of 7  
 Work Order : EB1538419  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **SOIL** Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
<i>Analytical Methods</i>							
<b>Matrix Spikes (MS) - Continued</b>							
TRH Volatiles/BTEX	EP080	1	10	10.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In-house. A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Pesticides by GCMS	EP068	SOIL	(USEPA SW 846 - 8270B) Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM (2013) Schedule B(3) (Method 504,505)
TRH - Semivolatle Fraction (Silica Gel Clean Up)	EP071SG-S	SOIL	(USEPA SW 846 - 8015A) Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
PAH/Phenols (SIM)	EP075(SIM)	SOIL	(USEPA SW 846 - 8270B) Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	(USEPA SW 846 - 8260B) Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve.
Perfluorooctyl Acids and Sulfonates by LC/MS/MS	EP231	SOIL	In-House. A portion of soil is soaked in sodium hydroxide followed by extraction with methanol. The extract is neutralised with HCl and an aliquot taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.
Perfluorinated Compounds by LCMSMS	EP231-PFC	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM.

Preparation Methods	Method	Matrix	Method Descriptions
Drying only	EN020D	SOIL	In House
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	(USEPA SW 846 - 5030A) 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids	ORG17	SOIL	In-house, Mechanical agitation (tumbler). 10g of sample, Na <sub>2</sub> SO <sub>4</sub> and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.

Project ID: 1538021		Quote/Order No.: EN/002/15		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400	
Site Location: BNE Airport		Lab Name: ALS Environmental		147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401	
Sampled By: Tamara Siccama				Invoice to be sent to Accounts: auaccounts@valbeir@golder.com.au			
Turnaround (Days): 5		BY:		Project Manager: Krystal-Rae Biram		Email: KRiram@golder.com.au	
Report Format: HARD FAX DISK EMAIL BULLETIN BOARD		Contact Phone: 07 37215400		ANALYSIS REQUIRED			
Email Format: PDF Excel Other		Email Addr: tsiccama@golder.com.au					

Comments/Special Instructions:			No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/Fe/PHOX - Fast Screen	EN020PR - dry 88°C and pulverise	EP231-RFC (PFS/PEOA) analysed suite with 20 analyses	S-26 (TRH/BTEX/PAH/8 metals)	ANALYSIS REQUIRED																												
Samples from a declared Fire Ant Area: Samples taken from a known Weed and or Pest Area:																																						
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Frozen																																
1	AM-BH09	0.00	0.25	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
2	AM-BH09	0.25	0.50	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
3	AM-BH09	0.50	0.75	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
4	AM-BH09	0.75	1.00	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
5	AM-BH09	1.00	1.25	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
6	AM-BH09	1.25	1.50	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
7	AM-BH09	1.50	1.75	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
8	AM-BH09	1.75	2.00	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
9	AM-BH09	2.00	2.25	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
10	AM-BH09	2.25	2.50	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
11	AM-BH09	2.50	2.75	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
12	AM-BH09	2.75	3.00	Soil	17/12/2015	Bag	Frozen	1	N		x	x																										
13	AM-BH09	0.00	0.50	Soil	17/12/2015	Jar	Chilled	1	N																													
14	AM-BH09	0.50	1.00	Soil	17/12/2015	Jar	Chilled	1	N																													
15	AM-BH09	1.00	1.50	Soil	17/12/2015	Jar	Chilled	1	N		x																											
16	AM-BH09	1.50	2.00	Soil	17/12/2015	Jar	Chilled	1	N		x																											
17	AM-BH09	2.00	2.50	Soil	17/12/2015	Jar	Chilled	1	N		x																											
18	AM-BH09	2.50	3.00	Soil	17/12/2015	Jar	Chilled	1	N		x																											

Any issues with samples please email tsiccama@golder.com.au or phone 0421704311 - Tamara

SCANNED

Environmental Division  
Brisbane  
Work Order Reference  
**EB1538419**

**SPLIT BATCH**  
Test Split due to no. of samples  
Assoc. Batch No.  
EB1538408 & EB1538415



Telephone : + 61-7-3243 7222



Project ID:	1538021	Quote/Order No.:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone:	(07) 3721 5400
Site Location:	BNE Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax:	(07) 3721 5401
Sampled By:	Tamara Siccama	BY:		Project Manager:	Krystal-Rae Biram	Email: KBiram@golder.com.au
Turnaround (Days):	5	Report Format:		Contact Phone:	07 37215400	
Email Format: PDF Excel Other				ANALYSIS REQUIRED		

Comments/Special Instructions:							No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pHF/pHFOX - Fast Screen	EN020PR - Dry 85°C and pulverise	EP231-PFC (PFS/PFOA extended suite with 20 analytes)	S-26 (17)BTEX/NP/AH/B (metals)	ANALYSIS REQUIRED												
Samples from a declared Fire Ant Area: N																										
Samples taken from a known Weed and or Pest Area: N																										
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE																					
38	AM-BH19	0.00	0.25	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
39	AM-BH19	0.25	0.50	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
40	AM-BH19	0.50	0.75	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
41	AM-BH19	0.75	1.00	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
42	AM-BH19	1.00	1.25	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
43	AM-BH19	1.25	1.50	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
44	AM-BH19	1.50	1.75	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
45	AM-BH19	1.75	2.00	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
46	AM-BH19	2.00	2.25	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
47	AM-BH19	2.25	2.50	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
48	AM-BH19	2.50	2.75	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
49	AM-BH19	2.75	3.00	Soil	17/12/2015	Bag	Frozen	1	N		x	x														
50	AM-BH19	0.00	0.50	Soil	17/12/2015	Jar	Chilled	1	N				x													
51	AM-BH19	0.50	1.00	Soil	17/12/2015	Jar	Chilled	1	N	x																
52	AM-BH19	1.00	1.50	Soil	17/12/2015	Jar	Chilled	1	N	x																
53	AM-BH19	1.50	2.00	Soil	17/12/2015	Jar	Chilled	1	N				x													
54	AM-BH19	2.00	2.50	Soil	17/12/2015	Jar	Chilled	1	N	x																
55	AM-BH19	2.50	3.00	Soil	17/12/2015	Jar	Chilled	1	N	x																

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

RELEASED BY	SIGNATURE	COMPANY	DATE	TIME	RELEASED BY	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
RECEIVED BY	Tamara Siccama	GOLDER	18/12/2015		RECEIVED BY					Shipping Ref:
RELEASED BY					RECEIVED BY					
RELEASED BY					To Be Filled Out By Analysing Laboratory		LAB. BATCH NUMBER			
RECEIVED BY					Security Seal		Chilled			Bill to
RELEASED BY					Suitable Containers		Frozen			Address
RECEIVED BY					Cool Box		Ambient			



Project ID: 1538021	Quote/Order No.: EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400																																																																						
Site Location: BNE Airport	Lab Name: ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401																																																																						
Sampled By: Tamara Siccama		Invoice to be sent to Accounts: <a href="mailto:auaccounts@valora@golder.com.au">auaccounts@valora@golder.com.au</a>																																																																							
Turnaround (Days): 5	BY:	Project Manager: Krystal-Rae Biram	Email: <a href="mailto:KRiram@golder.com.au">KRiram@golder.com.au</a>																																																																						
Report Format: HARD FAX DISK EMAIL BULLETIN BOARD		Contact Phone: 07 37215400																																																																							
Email Format: PDF Excel Other	Email Add: <a href="mailto:tsiccama@golder.com.au">tsiccama@golder.com.au</a>	ANALYSIS REQUIRED																																																																							
Comments/Special Instructions:																																																																									
<p>Samples from a declared Fire Ant Area: N</p> <p>Samples taken from a known Weed and or Pest Area: N</p> <table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>Location &amp; Depth</th> <th>SAMPLE MATRIX</th> <th>SAMPLE DATE</th> <th>SAMPLE TIME</th> <th>CONTAINER/PRESERVATIVE</th> <th>Chilled</th> <th>No CONTAINERS</th> <th>POSSIBLE HIGH CONCENTRATION</th> <th>HOLD</th> <th>EP231-PFC (PFS/PFOA) extracted suite with 20 analytes</th> <th>S75G (TRIB/TEN/PAH) - with silica gel clean up</th> <th>Organochlorine pesticides</th> <th>S2 - 8 Heavy Metals</th> </tr> </thead> <tbody> <tr> <td>AM-BH20</td> <td>0.00</td> <td>0.50</td> <td>Soil</td> <td>17/12/2015</td> <td>Jar</td> <td>Chilled</td> <td>1</td> <td>N</td> <td></td> <td>x</td> <td>x</td> <td>x</td> <td></td> </tr> <tr> <td>AM-BH21</td> <td>0.50</td> <td>1.00</td> <td>Soil</td> <td>17/12/2015</td> <td>Jar</td> <td>Chilled</td> <td>1</td> <td>N</td> <td></td> <td>x</td> <td>x</td> <td>x</td> <td></td> </tr> <tr> <td>AM-BH22</td> <td>1.00</td> <td>1.50</td> <td>Soil</td> <td>17/12/2015</td> <td>Jar</td> <td>Chilled</td> <td>1</td> <td>N</td> <td></td> <td>x</td> <td>x</td> <td>x</td> <td></td> </tr> <tr> <td>AM-BH23</td> <td>0.50</td> <td>1.00</td> <td>Soil</td> <td>17/12/2015</td> <td>jar</td> <td>Chilled</td> <td>1</td> <td>N</td> <td></td> <td>x</td> <td>x</td> <td>x</td> <td></td> </tr> </tbody> </table>	SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Chilled	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EP231-PFC (PFS/PFOA) extracted suite with 20 analytes	S75G (TRIB/TEN/PAH) - with silica gel clean up	Organochlorine pesticides	S2 - 8 Heavy Metals	AM-BH20	0.00	0.50	Soil	17/12/2015	Jar	Chilled	1	N		x	x	x		AM-BH21	0.50	1.00	Soil	17/12/2015	Jar	Chilled	1	N		x	x	x		AM-BH22	1.00	1.50	Soil	17/12/2015	Jar	Chilled	1	N		x	x	x		AM-BH23	0.50	1.00	Soil	17/12/2015	jar	Chilled	1	N		x	x	x				
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Chilled	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EP231-PFC (PFS/PFOA) extracted suite with 20 analytes	S75G (TRIB/TEN/PAH) - with silica gel clean up	Organochlorine pesticides	S2 - 8 Heavy Metals																																																												
AM-BH20	0.00	0.50	Soil	17/12/2015	Jar	Chilled	1	N		x	x	x																																																													
AM-BH21	0.50	1.00	Soil	17/12/2015	Jar	Chilled	1	N		x	x	x																																																													
AM-BH22	1.00	1.50	Soil	17/12/2015	Jar	Chilled	1	N		x	x	x																																																													
AM-BH23	0.50	1.00	Soil	17/12/2015	jar	Chilled	1	N		x	x	x																																																													
Any issues with samples please email <a href="mailto:tsiccama@golder.com.au">tsiccama@golder.com.au</a> or phone 0421704311 - Tamara																																																																									
SAMPLE MATRIX = Soil/Sediment/Fill/Other			SAMPLE TYPE = Core(CR)			HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list																																																																			
Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P																																																																									
SIGNATURE		COMPANY	DATE	TIME	SIGNATURE		COMPANY	DATE	TIME	Shipment Method																																																															
RELEASED BY		Tamara Siccama	GOLDER	18/12/2015	RELEASED BY					Shipping Ref.																																																															
RECEIVED BY					RECEIVED BY																																																																				
RECEIVED BY					To Be Filled Out By Analysing Laboratory		LAB. BATCH NUMBER																																																																		
RECEIVED BY					Security Seal			Chilled	Bill to:																																																																
RECEIVED BY					Suitable Containers			Frozen	Address																																																																
RECEIVED BY					Cool Box			Ambient																																																																	

56  
57  
58  
59



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1538419**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 4
Order number	: 1538021	Quote number	: EM2015GOLASS0592 (EN-002-15)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: ----		
Sampler	: TAMARA SICCAMI		

**Dates**

Date Samples Received	: 18-Dec-2015 4:00 PM	Issue Date	: 22-Dec-2015
Client Requested Due Date	: 04-Jan-2016	Scheduled Reporting Date	: <b>04-Jan-2016</b>

**Delivery Details**

Mode of Delivery	: Client Drop Off	Security Seal	: Not Available
No. of coolers/boxes	: 6	Temperature	: 6.3, 8.2, 9.1, 0.9, 3.2, 3.7°C - Ice present
Receipt Detail	:	No. of samples received / analysed	: 77 / 54

**General Comments**

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **Extra samples 'AM-BH20 0.5-1.0', 'AM-BH20 1.0-1.5', 'AM-BH21 0.0-0.5', 'AM-BH21 1.0-1.5', 'AM-BH22 0.0-0.5', 'AM-BH22 0.5-1.0', 'AM-BH23 0.0-0.5' and 'AM-BH23 1.0-1.5' were received. These samples will remain on hold until confirmation of analysis is received. Please contact ALS Brisbane Client Services Department to add a directive for these samples at ALSEnviro.Brisbane@alsglobal.com**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFOS/PFOA analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The expected due date for this data is 11/01/2016.**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**
- **Sample 'QC1' is listed on the COC twice though only one sample with this name was received. It is listed both as on hold and requiring PFOS/PFOA. This sample will be kept on hold until confirmation of analysis is received.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exist.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

Matrix: **SOIL**

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GC/MS	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-07 SG TRH/TEXN/PAH (SIM) inc Silica Gel Clean Up
EB1538419-001	[ 17-Dec-2015 ]	AM-BH09 0.00-0.25		✓					
EB1538419-002	[ 17-Dec-2015 ]	AM-BH09 0.25-0.50		✓					
EB1538419-003	[ 17-Dec-2015 ]	AM-BH09 0.50-0.75		✓					
EB1538419-004	[ 17-Dec-2015 ]	AM-BH09 0.75-1.00		✓					
EB1538419-005	[ 17-Dec-2015 ]	AM-BH09 1.00-1.25		✓					
EB1538419-006	[ 17-Dec-2015 ]	AM-BH09 1.25-1.50		✓					
EB1538419-007	[ 17-Dec-2015 ]	AM-BH09 1.50-1.75		✓					
EB1538419-008	[ 17-Dec-2015 ]	AM-BH09 1.75-2.00		✓					
EB1538419-009	[ 17-Dec-2015 ]	AM-BH09 2.00-2.25		✓					
EB1538419-010	[ 17-Dec-2015 ]	AM-BH09 2.25-2.50		✓					
EB1538419-011	[ 17-Dec-2015 ]	AM-BH09 2.50-2.75		✓					
EB1538419-012	[ 17-Dec-2015 ]	AM-BH09 2.75-3.00		✓					
EB1538419-013	[ 17-Dec-2015 ]	AM-BH09 0.00-0.50			✓		✓		
EB1538419-014	[ 17-Dec-2015 ]	AM-BH09 0.50-1.00			✓		✓		
EB1538419-015	[ 17-Dec-2015 ]	AM-BH09 1.00-1.50	✓						
EB1538419-016	[ 17-Dec-2015 ]	AM-BH09 1.50-2.00	✓						
EB1538419-017	[ 17-Dec-2015 ]	AM-BH09 2.00-2.50	✓						
EB1538419-018	[ 17-Dec-2015 ]	AM-BH09 2.50-3.00	✓						
EB1538419-019	[ 18-Dec-2015 ]	AM-BH17 0.00-0.25		✓					
EB1538419-020	[ 18-Dec-2015 ]	AM-BH17 0.25-0.50		✓					
EB1538419-021	[ 18-Dec-2015 ]	AM-BH17 0.50-0.75		✓					
EB1538419-022	[ 18-Dec-2015 ]	AM-BH17 0.75-1.00		✓					
EB1538419-023	[ 18-Dec-2015 ]	AM-BH17 1.00-1.25		✓					
EB1538419-024	[ 18-Dec-2015 ]	AM-BH17 1.25-1.50		✓					
EB1538419-025	[ 18-Dec-2015 ]	AM-BH17 1.50-1.75		✓					
EB1538419-026	[ 18-Dec-2015 ]	AM-BH17 1.75-2.00		✓					
EB1538419-027	[ 18-Dec-2015 ]	AM-BH17 2.00-2.25		✓					
EB1538419-028	[ 18-Dec-2015 ]	AM-BH17 2.25-2.50		✓					
EB1538419-029	[ 18-Dec-2015 ]	AM-BH17 2.50-2.75		✓					
EB1538419-030	[ 18-Dec-2015 ]	AM-BH17 2.75-3.00		✓					
EB1538419-031	[ 18-Dec-2015 ]	AM-BH17 0.00-0.50			✓		✓		
EB1538419-032	[ 18-Dec-2015 ]	AM-BH17 0.50-1.00	✓						
EB1538419-033	[ 18-Dec-2015 ]	AM-BH17 1.00-1.50			✓		✓		
EB1538419-034	[ 18-Dec-2015 ]	AM-BH17 1.50-2.00	✓						
EB1538419-035	[ 18-Dec-2015 ]	AM-BH17 2.00-2.50	✓						



			(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-07 SG TRH/BTEXN/PAH (SIM) inc Silica Gel Clean Up
EB1538419-036	[ 18-Dec-2015 ]	AM-BH17 2.50-3.00	✓						
EB1538419-037	[ 18-Dec-2015 ]	QC1	✓						
EB1538419-038	[ 17-Dec-2015 ]	AM-BH19 0.00-0.25		✓					
EB1538419-039	[ 17-Dec-2015 ]	AM-BH19 0.25-0.50		✓					
EB1538419-040	[ 17-Dec-2015 ]	AM-BH19 0.50-0.75		✓					
EB1538419-041	[ 17-Dec-2015 ]	AM-BH19 0.75-1.00		✓					
EB1538419-042	[ 17-Dec-2015 ]	AM-BH19 1.00-1.25		✓					
EB1538419-043	[ 17-Dec-2015 ]	AM-BH19 1.25-1.50		✓					
EB1538419-044	[ 17-Dec-2015 ]	AM-BH19 1.50-1.75		✓					
EB1538419-045	[ 17-Dec-2015 ]	AM-BH19 1.75-2.00		✓					
EB1538419-046	[ 17-Dec-2015 ]	AM-BH19 2.00-2.25		✓					
EB1538419-047	[ 17-Dec-2015 ]	AM-BH19 2.25-2.50		✓					
EB1538419-048	[ 17-Dec-2015 ]	AM-BH19 2.50-2.75		✓					
EB1538419-049	[ 17-Dec-2015 ]	AM-BH19 2.75-3.00		✓					
EB1538419-050	[ 17-Dec-2015 ]	AM-BH19 .00-0.50			✓		✓		
EB1538419-051	[ 17-Dec-2015 ]	AM-BH19 0.50-1.00	✓						
EB1538419-052	[ 17-Dec-2015 ]	AM-BH19 1.00-1.50	✓						
EB1538419-053	[ 17-Dec-2015 ]	AM-BH19 1.50-2.00			✓		✓		
EB1538419-054	[ 17-Dec-2015 ]	AM-BH19 2.00-2.50	✓						
EB1538419-055	[ 17-Dec-2015 ]	AM-BH19 2.50-3.00	✓						
EB1538419-056	[ 17-Dec-2015 ]	AM-BH20 0.00-0.50			✓	✓		✓	✓
EB1538419-057	[ 17-Dec-2015 ]	AM-BH21 0.50-1.00			✓	✓		✓	✓
EB1538419-058	[ 17-Dec-2015 ]	AM-BH22 1.00-1.50			✓	✓		✓	✓
EB1538419-059	[ 17-Dec-2015 ]	AM-BH23 0.50-1.00			✓	✓		✓	✓
EB1538419-060	[ 18-Dec-2015 ]	AM-BH28 0.00-0.25		✓					
EB1538419-061	[ 18-Dec-2015 ]	AM-BH28 0.25-0.50		✓					
EB1538419-062	[ 18-Dec-2015 ]	AM-BH28 0.50-0.75		✓					
EB1538419-063	[ 18-Dec-2015 ]	AM-BH28 1.50-1.75		✓					
EB1538419-064	[ 18-Dec-2015 ]	AM-BH28 2.50-2.75		✓					
EB1538419-065	[ 18-Dec-2015 ]	AM-BH28 2.75-3.00		✓					
EB1538419-066	[ 18-Dec-2015 ]	AM-BH28 0.00-0.50			✓		✓		
EB1538419-067	[ 18-Dec-2015 ]	AM-BH28 0.50-1.00	✓						
EB1538419-068	[ 18-Dec-2015 ]	AM-BH28 1.50-2.00	✓						
EB1538419-069	[ 18-Dec-2015 ]	AM-BH28 2.50-3.00			✓		✓		
EB1538419-071	[ 17-Dec-2015 ]	AM-BH20 0.5-1.0	✓						
EB1538419-072	[ 17-Dec-2015 ]	AM-BH20 1.0-1.5	✓						
EB1538419-073	[ 17-Dec-2015 ]	AM-BH21 0.0-0.5	✓						
EB1538419-074	[ 17-Dec-2015 ]	AM-BH21 1.0-1.5	✓						
EB1538419-075	[ 17-Dec-2015 ]	AM-BH22 0.0-0.5	✓						
EB1538419-076	[ 17-Dec-2015 ]	AM-BH22 0.5-1.0	✓						
EB1538419-077	[ 17-Dec-2015 ]	AM-BH23 0.0-0.5	✓						



EB1538419-078	[ 17-Dec-2015 ]	AM-BH23 1.0-1.5	(On Hold) SOIL No analysis requested SOIL - EA037 ASS Field Screening Analysis SOIL - EA055-103 Moisture Content SOIL - EP068A (solids) Organochlorine Pesticides by GCMS SOIL - EP231-PFC Perfluorinated Compounds by LC/MS/MS SOIL - S-02 8 Metals (incl. Digestion) SOIL - S-07 SG TRH/BTEXN/PAH (SIM) inc Silica Gel Clean Up	✓							
---------------	-----------------	-----------------	--	---	--	--	--	--	--	--	--

### Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.

### Requested Deliverables

#### ACCOUNTS PAYABLE

- A4 - AU Tax Invoice (INV) Email [auaccountspayable@golder.com.au](mailto:auaccountspayable@golder.com.au)

#### KRYSTLE-RAE BIRAM

- \*AU Certificate of Analysis - NATA (COA) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- Chain of Custody (CoC) (COC) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- EDI Format - EQUIS V5 Generic (EQUIS\_V5) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- EDI Format - ESDAT (ESDAT) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)
- EDI Format - GOLDER\_EXCEL (GOLDER\_EXCEL) Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

#### TAMARA SICCAMMA

- \*AU Certificate of Analysis - NATA (COA) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- Chain of Custody (CoC) (COC) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- EDI Format - EQUIS V5 Generic (EQUIS\_V5) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- EDI Format - ESDAT (ESDAT) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)
- EDI Format - GOLDER\_EXCEL (GOLDER\_EXCEL) Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

## CERTIFICATE OF ANALYSIS

<b>Work Order</b> : <b>EB1600085</b> <b>Client</b> : <b>GOLDER ASSOCIATES</b> <b>Contact</b> : <b>MS KRYSTLE-RAE BIRAM</b> <b>Address</b> : <b>P O BOX 1734</b> <b>MILTON QLD, AUSTRALIA 4064</b>  <b>E-mail</b> : <b>kbiram@golder.com.au</b> <b>Telephone</b> : <b>+61 07 3721 5400</b> <b>Facsimile</b> : <b>+61 07 3721 5401</b> <b>Project</b> : <b>1538021</b> <b>Order number</b> : <b>1538021</b> <b>C-O-C number</b> : <b>----</b> <b>Sampler</b> : <b>TAMARA SICCAMA</b> <b>Site</b> : <b>----</b>  <b>Quote number</b> : <b>----</b>	<b>Page</b> : 1 of 5 <b>Laboratory</b> : Environmental Division Brisbane <b>Contact</b> : Tom Maloney <b>Address</b> : 2 Byth Street Stafford QLD Australia 4053  <b>E-mail</b> : Tom.Maloney@alsglobal.com <b>Telephone</b> : +61-7-3243 7222 <b>Facsimile</b> : +61-7-3243 7218 <b>QC Level</b> : NEPM 2013 B3 & ALS QC Standard <b>Date Samples Received</b> : 04-Jan-2016 15:20 <b>Date Analysis Commenced</b> : 07-Jan-2016 <b>Issue Date</b> : 14-Jan-2016 13:05  <b>No. of samples received</b> : 11 <b>No. of samples analysed</b> : 11
--	---

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.

- EG020-F (Dissolved Metals by ICP-MS): Limit of reporting raised for some samples due to matrix interference.
- PFOS and PFOA results are reported as an aggregate of linear and branched isomers.



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH01	AM-BH04	AM-BH08	AM-BH19	AM-BH28
Client sampling date / time				[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	
Compound	CAS Number	LOR	Unit	EB1600085-001	EB1600085-002	EB1600085-003	EB1600085-004	EB1600085-005	
				Result	Result	Result	Result	Result	
<b>ED037P: Alkalinity by PC Titrator</b>									
Total Alkalinity as CaCO3	----	1	mg/L	32	33	84	11	300	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	374	353	372	392	176	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	3640	3140	4800	1940	2570	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	11400	7560	6920	11300	13500	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	3.59	<0.05	<0.05	0.06	<0.05	
Iron	7439-89-6	0.05	mg/L	122	118	125	117	29.8	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFOA	335-67-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PFOSA	754-91-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	
N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1	
N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1	
PFBS	375-73-5	0.002	µg/L	<0.002	<0.002	0.004	0.004	<0.002	
PFHxS	355-46-4	0.002	µg/L	<0.002	<0.002	<0.002	0.003	<0.002	
PFDCS	67906-42-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFHxA	307-24-4	0.002	µg/L	<0.002	<0.002	0.009	0.005	<0.002	
PFHpA	375-85-9	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFNA	375-95-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFDA	335-76-2	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFUnA	2058-94-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFDoA	307-55-1	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFTriA	72629-94-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFTeA	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	





## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	BIP/MW1	BIP/MW2	BP/MW6	BAC-MW07	BAC-MW24
Client sampling date / time				[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	[04-Jan-2016]	
Compound	CAS Number	LOR	Unit	EB1600085-006	EB1600085-007	EB1600085-008	EB1600085-009	EB1600085-010	
				Result	Result	Result	Result	Result	
<b>ED037P: Alkalinity by PC Titrator</b>									
Total Alkalinity as CaCO3	----	1	mg/L	<1	524	911	1300	800	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	735	120	121	213	139	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	2340	2410	2960	1690	1340	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	7480	14600	14200	12600	18000	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	8.18	<0.05	<0.05	<0.05	<0.05	
Iron	7439-89-6	0.05	mg/L	294	53.8	22.0	24.9	37.1	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFOA	335-67-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	<0.01	<0.01	0.03	<0.01	
8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
PFOSA	754-91-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	
N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1	
N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1	
PFBS	375-73-5	0.002	µg/L	0.006	0.002	<0.002	<0.002	<0.002	
PFHxS	355-46-4	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFDCS	67906-42-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFHxA	307-24-4	0.002	µg/L	0.007	<0.002	<0.002	<0.002	<0.002	
PFHpA	375-85-9	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFNA	375-95-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFDA	335-76-2	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
PFUnA	2058-94-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFDoA	307-55-1	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFTriA	72629-94-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
PFTeA	376-06-7	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	Q1 - Water	----	----	----	----
Client sampling date / time				[04-Jan-2016]	----	----	----	----	
Compound	CAS Number	LOR	Unit	EB1600085-011	-----	-----	-----	-----	
				Result	Result	Result	Result	Result	
<b>ED037P: Alkalinity by PC Titrator</b>									
Total Alkalinity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	----	----	----	----	----	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	----	----	----	----	----	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	----	----	----	----	----	
Iron	7439-89-6	0.05	mg/L	----	----	----	----	----	
<b>EP231: Perfluorinated Compounds</b>									
PFOS	1763-23-1	0.002	µg/L	<0.002	----	----	----	----	
PFOA	335-67-1	0.002	µg/L	<0.002	----	----	----	----	
6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	----	----	----	----	
8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	----	----	----	----	
PFOSA	754-91-6	0.002	µg/L	<0.002	----	----	----	----	
N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	----	----	----	----	
N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	----	----	----	----	
N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	----	----	----	----	
N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	----	----	----	----	
PFBS	375-73-5	0.002	µg/L	<0.002	----	----	----	----	
PFHxS	355-46-4	0.002	µg/L	<0.002	----	----	----	----	
PFDcS	67906-42-7	0.005	µg/L	<0.005	----	----	----	----	
PFHxA	307-24-4	0.002	µg/L	<0.002	----	----	----	----	
PFHpA	375-85-9	0.002	µg/L	<0.002	----	----	----	----	
PFNA	375-95-1	0.002	µg/L	<0.002	----	----	----	----	
PFDcA	335-76-2	0.002	µg/L	<0.002	----	----	----	----	
PFUnA	2058-94-8	0.005	µg/L	<0.005	----	----	----	----	
PFDcA	307-55-1	0.005	µg/L	<0.005	----	----	----	----	
PFTriA	72629-94-8	0.005	µg/L	<0.005	----	----	----	----	
PFTeA	376-06-7	0.05	µg/L	<0.05	----	----	----	----	

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1600085</b>	Page	: 1 of 6
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Tom Maloney
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>E-mail</b>	: kbiram@golder.com.au	<b>E-mail</b>	: Tom.Maloney@alsglobal.com
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61-7-3243 7222
<b>Facsimile</b>	: +61 07 3721 5401	<b>Facsimile</b>	: +61-7-3243 7218
<b>Project</b>	: 1538021	<b>QC Level</b>	: NEPM 2013 B3 & ALS QC Standard
<b>Order number</b>	: 1538021	<b>Date Samples Received</b>	: 04-Jan-2016
<b>C-O-C number</b>	: ----	<b>Date Analysis Commenced</b>	: 07-Jan-2016
<b>Sampler</b>	: TAMARA SICCAMI	<b>Issue Date</b>	: 14-Jan-2016
<b>Site</b>	: ----	<b>No. of samples received</b>	: 11
<b>Quote number</b>	: ----	<b>No. of samples analysed</b>	: 11

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits



NATA Accredited  
Laboratory 825

Accredited for  
compliance with  
ISO/IEC 17025.

### *Signatories*

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Gaston Allende	R&D Chemist	Sydney Organics, Smithfield, NSW
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



### **General Comments**

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
RPD = Relative Percentage Difference  
# = Indicates failed QC



## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR:- 0% - 50%; Result > 20 times LOR:0% - 20%.

Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>ED037P: Alkalinity by PC Titrator (QC Lot: 324901)</b>									
EB1600085-001	AM-BH01	ED037-P: Total Alkalinity as CaCO3	----	1	mg/L	32	26	18.3	0% - 20%
<b>ED038A: Acidity (QC Lot: 327200)</b>									
EB1600085-001	AM-BH01	ED038: Acidity as CaCO3	----	1	mg/L	374	365	2.60	0% - 20%
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QC Lot: 325426)</b>									
EB1600080-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	22	22	0.00	0% - 20%
EB1600114-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	14	13	0.00	0% - 50%
<b>ED045G: Chloride by Discrete Analyser (QC Lot: 325427)</b>									
EB1600080-001	Anonymous	ED045G: Chloride	16887-00-6	1	mg/L	53	54	0.00	0% - 20%
EB1600114-001	Anonymous	ED045G: Chloride	16887-00-6	1	mg/L	27	26	4.25	0% - 20%
<b>EG020F: Dissolved Metals by ICP-MS (QC Lot: 324939)</b>									
EB1600085-007	BIP/MW2	EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.05	<0.05	0.00	No Limit
		EG020A-F: Iron	7439-89-6	0.05	mg/L	53.8	53.9	0.00	0% - 20%
EB1600005-001	Anonymous	EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.05	<0.05	0.00	No Limit
		EG020A-F: Iron	7439-89-6	0.05	mg/L	0.52	0.54	3.05	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 325321)</b>									
EB1600085-001	AM-BH01	EP231PFC-LL: PFBS	375-73-5	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFDcA	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFHpA	375-85-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFHxA	307-24-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFHxS	355-46-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFNA	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFOSA	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFDcS	67906-42-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFDoA	307-55-1	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFTriA	72629-94-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFUnA	2058-94-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231PFC-LL: PFTeA	376-06-7	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231PFC-LL: N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	<0.1	0.00	No Limit
EP231PFC-LL: N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	<0.1	0.00	No Limit		
EB1600085-011	Q1 - Water	EP231PFC-LL: PFBS	375-73-5	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFDcA	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFHpA	375-85-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFHxA	307-24-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231: Perfluorinated Compounds (QC Lot: 325321) - continued</b>									
EB1600085-011	Q1 - Water	EP231PFC-LL: PFHxS	355-46-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFNA	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: PFOSA	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231PFC-LL: N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFDcS	67906-42-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFDoA	307-55-1	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFTriA	72629-94-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: PFUnA	2058-94-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231PFC-LL: N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231PFC-LL: PFTeA	376-06-7	0.05	µg/L	<0.05	<0.05	0.00	No Limit
		EP231PFC-LL: N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	<0.1	0.00	No Limit
		EP231PFC-LL: N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	<0.1	0.00	No Limit
<b>EP231: Perfluorinated Compounds (QC Lot: 325322)</b>									
EB1600085-001	AM-BH01	EP231-LL: PFOA	335-67-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231-LL: PFOS	1763-23-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231-LL: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	<0.01	0.00	No Limit
		EP231-LL: 8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit
EB1600085-011	Q1 - Water	EP231-LL: PFOA	335-67-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231-LL: PFOS	1763-23-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231-LL: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	<0.01	0.00	No Limit
		EP231-LL: 8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>ED037P: Alkalinity by PC Titrator (QCLot: 324901)</b>									
ED037-P: Total Alkalinity as CaCO3	----	----	mg/L	----	200 mg/L	100	87	112	
<b>ED038A: Acidity (QCLot: 327200)</b>									
ED038: Acidity as CaCO3	----	----	mg/L	----	100 mg/L	101	90	110	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 325426)</b>									
ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	<1 <1	25 mg/L 100 mg/L	96.1 101	85 85	118 118	
<b>ED045G: Chloride by Discrete Analyser (QCLot: 325427)</b>									
ED045G: Chloride	16887-00-6	1	mg/L	<1 <1	10 mg/L 1000 mg/L	108 100	90 90	115 115	
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 324939)</b>									
EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.01	0.5 mg/L	91.0	79	118	
EG020A-F: Iron	7439-89-6	0.05	mg/L	<0.05	0.5 mg/L	82.5	82	114	
<b>EP231: Perfluorinated Compounds (QCLot: 325321)</b>									
EP231PFC-LL: N-Et-FOSA	4151-50-2	0.005	µg/L	<0.005	0.1 µg/L	117	51	150	
EP231PFC-LL: N-Et-FOSE	1691-99-2	0.1	µg/L	<0.1	0.1 µg/L	95.2	30	130	
EP231PFC-LL: N-Me-FOSA	31506-32-8	0.05	µg/L	<0.05	0.1 µg/L	115	50	150	
EP231PFC-LL: N-Me-FOSE	2448-09-7	0.1	µg/L	<0.1	0.1 µg/L	93.2	36	130	
EP231PFC-LL: PFBS	375-73-5	0.002	µg/L	<0.002	0.02 µg/L	90.2	50	150	
EP231PFC-LL: PFDcA	335-76-2	0.002	µg/L	<0.002	0.02 µg/L	92.9	65	150	
EP231PFC-LL: PFDcS	67906-42-7	0.005	µg/L	<0.005	0.02 µg/L	102	50	150	
EP231PFC-LL: PFDoA	307-55-1	0.005	µg/L	<0.005	0.02 µg/L	83.0	50	150	
EP231PFC-LL: PFHpA	375-85-9	0.002	µg/L	<0.002	0.02 µg/L	110	61	150	
EP231PFC-LL: PFHxA	307-24-4	0.002	µg/L	<0.002	0.02 µg/L	105	50	150	
EP231PFC-LL: PFHxS	355-46-4	0.002	µg/L	<0.002	0.02 µg/L	107	50	150	
EP231PFC-LL: PFNA	375-95-1	0.002	µg/L	<0.002	0.02 µg/L	114	53	150	
EP231PFC-LL: PFOSA	754-91-6	0.002	µg/L	<0.002	0.02 µg/L	114	50	150	
EP231PFC-LL: PFTeA	376-06-7	0.05	µg/L	<0.05	0.1 µg/L	75.1	30	150	
EP231PFC-LL: PFTriA	72629-94-8	0.005	µg/L	<0.005	0.02 µg/L	78.4	30	150	
EP231PFC-LL: PFUnA	2058-94-8	0.005	µg/L	<0.005	0.02 µg/L	102	50	150	
<b>EP231: Perfluorinated Compounds (QCLot: 325322)</b>									
EP231-LL: 6:2 Fluorotelomer sulfonate (6:2 FtS)	27619-97-2	0.01	µg/L	<0.01	0.1 µg/L	89.2	60	130	
EP231-LL: 8:2 Fluorotelomer sulfonate	39108-34-4	0.01	µg/L	<0.01	0.1 µg/L	79.1	60	130	
EP231-LL: PFOA	335-67-1	0.002	µg/L	<0.002	0.02 µg/L	115	60	130	
EP231-LL: PFOS	1763-23-1	0.002	µg/L	<0.002	0.02 µg/L	102	60	130	



### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Spike	Spike Recovery(%)	Recovery Limits (%)	
				Concentration	MS	Low	High
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 325426)</b>							
EB1600080-002	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	20 mg/L	94.7	70	130
<b>ED045G: Chloride by Discrete Analyser (QCLot: 325427)</b>							
EB1600080-002	Anonymous	ED045G: Chloride	16887-00-6	400 mg/L	112	70	130
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 324939)</b>							
EB1600005-002	Anonymous	EG020A-F: Aluminium	7429-90-5	0.5 mg/L	103	70	130
<b>EP231: Perfluorinated Compounds (QCLot: 325321)</b>							
EB1600085-002	AM-BH04	EP231PFC-LL: N-Et-FOSA	4151-50-2	0.1 µg/L	116	50	150
		EP231PFC-LL: N-Me-FOSA	31506-32-8	0.1 µg/L	119	50	150
		EP231PFC-LL: PFBS	375-73-5	0.02 µg/L	106	50	150
		EP231PFC-LL: PFDcA	335-76-2	0.02 µg/L	87.9	50	150
		EP231PFC-LL: PFDoA	307-55-1	0.02 µg/L	86.6	50	150
		EP231PFC-LL: PFHpA	375-85-9	0.02 µg/L	79.3	50	150
		EP231PFC-LL: PFHxA	307-24-4	0.02 µg/L	84.7	50	150
		EP231PFC-LL: PFHxS	355-46-4	0.02 µg/L	110	50	150
		EP231PFC-LL: PFNA	375-95-1	0.02 µg/L	88.7	50	150
		EP231PFC-LL: PFOSA	754-91-6	0.02 µg/L	113	50	150
<b>EP231: Perfluorinated Compounds (QCLot: 325322)</b>							
EB1600085-002	AM-BH04	EP231-LL: 6:2 Fluorotelomer sulfonate (6:2 Fts)	27619-97-2	0.1 µg/L	97.0	60	130
		EP231-LL: 8:2 Fluorotelomer sulfonate	39108-34-4	0.1 µg/L	91.6	60	130
		EP231-LL: PFOA	335-67-1	0.02 µg/L	104	60	130
		EP231-LL: PFOS	1763-23-1	0.02 µg/L	114	60	130



## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1600085</b>	Page	: 1 of 5
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61-7-3243 7222
Project	: 1538021	Date Samples Received	: 04-Jan-2016
Site	: ----	Issue Date	: 14-Jan-2016
Sampler	: TAMARA SICCAMI	No. of samples received	: 11
Order number	: 1538021	No. of samples analysed	: 11

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



## Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
<b>ED037P: Alkalinity by PC Titrator</b>							
<b>Clear Plastic Bottle - Natural (ED037-P)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24	04-Jan-2016	----	----	----	07-Jan-2016	18-Jan-2016	✓
<b>ED038A: Acidity</b>							
<b>Clear Plastic Bottle - Natural (ED038)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24	04-Jan-2016	----	----	----	09-Jan-2016	18-Jan-2016	✓
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>							
<b>Clear Plastic Bottle - Natural (ED041G)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24	04-Jan-2016	----	----	----	08-Jan-2016	01-Feb-2016	✓
<b>ED045G: Chloride by Discrete Analyser</b>							
<b>Clear Plastic Bottle - Natural (ED045G)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24	04-Jan-2016	----	----	----	08-Jan-2016	01-Feb-2016	✓



Matrix: **WATER** Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG020F: Dissolved Metals by ICP-MS</b>								
<b>Clear Plastic Bottle - Filtered; Lab-acidified (EG020A-F)</b> AM-BH04, BAC-MW07	AM-BH08,	04-Jan-2016	----	----	----	07-Jan-2016	02-Jul-2016	✓
<b>Clear Plastic Bottle - Nitric Acid; Filtered (EG020A-F)</b> AM-BH01, AM-BH28, BIP/MW2, BAC-MW24	AM-BH19, BIP/MW1, BP/MW6,	04-Jan-2016	----	----	----	07-Jan-2016	02-Jul-2016	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>HDPE (no PTFE) (EP231-LL)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, Q1 - Water	AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24,	04-Jan-2016	07-Jan-2016	02-Jul-2016	✓	07-Jan-2016	02-Jul-2016	✓
<b>EP231: Perfluorinated Compounds</b>								
<b>HDPE (no PTFE) (EP231PFC-LL)</b> AM-BH01, AM-BH08, AM-BH28, BIP/MW2, BAC-MW07, Q1 - Water	AM-BH04, AM-BH19, BIP/MW1, BP/MW6, BAC-MW24,	04-Jan-2016	07-Jan-2016	02-Jul-2016	✓	07-Jan-2016	02-Jul-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **WATER** Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Acidity as Calcium Carbonate	ED038	1	10	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	10	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	2	12	16.67	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS - Low Level	EP231PFC-LL	2	11	18.18	10.00	✔	NEPM 2013 B3 & ALS QC Standard
PFOS, PFOA, 6:2- and 8:2-FtS	EP231-LL	2	11	18.18	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Acidity as Calcium Carbonate	ED038	1	10	10.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	10	10.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	12	8.33	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS - Low Level	EP231PFC-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
PFOS, PFOA, 6:2- and 8:2-FtS	EP231-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Chloride by Discrete Analyser	ED045G	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	12	8.33	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS - Low Level	EP231PFC-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
PFOS, PFOA, 6:2- and 8:2-FtS	EP231-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Chloride by Discrete Analyser	ED045G	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	12	8.33	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Perfluorinated Compounds by LCMSMS - Low Level	EP231PFC-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
PFOS, PFOA, 6:2- and 8:2-FtS	EP231-LL	1	11	9.09	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
Alkalinity by PC Titrator	ED037-P	WATER	In house: Referenced to APHA 2320 B This procedure determines alkalinity by automated measurement (e.g. PC Titrate) using pH 4.5 for indicating the total alkalinity end-point. This method is compliant with NEPM (2013) Schedule B(3)
Acidity as Calcium Carbonate	ED038	WATER	In house: Referenced to APHA 2310 B Acidity is determined by titration with a standardised alkali to an end-point pH of 8.3. This method is compliant with NEPM (2013) Schedule B(3)
Sulfate (Turbidimetric) as SO <sub>4</sub> <sup>2-</sup> by Discrete Analyser	ED041G	WATER	In house: Referenced to APHA 4500-SO <sub>4</sub> . Dissolved sulfate is determined in a 0.45um filtered sample. Sulfate ions are converted to a barium sulfate suspension in an acetic acid medium with barium chloride. Light absorbance of the BaSO <sub>4</sub> suspension is measured by a photometer and the SO <sub>4</sub> <sup>2-</sup> concentration is determined by comparison of the reading with a standard curve. This method is compliant with NEPM (2013) Schedule B(3)
Chloride by Discrete Analyser	ED045G	WATER	In house: Referenced to APHA 4500 Cl - G. The thiocyanate ion is liberated from mercuric thiocyanate through sequestration of mercury by the chloride ion to form non-ionised mercuric chloride. In the presence of ferric ions the liberated thiocyanate forms highly-coloured ferric thiocyanate which is measured at 480 nm APHA 21st edition seal method 2 017-1-L april 2003
Dissolved Metals by ICP-MS - Suite A	EG020A-F	WATER	In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. Samples are 0.45 um filtered prior to analysis. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector.
PFOS, PFOA, 6:2- and 8:2-FtS	EP231-LL	WATER	In-house: A portion of fresh or saline water is concentrated and cleaned up using a solid phase medium. Analysis by LC-Electrospray-MS-MS, Negative Mode using MRM.
Perfluorinated Compounds by LCMSMS - Low Level	EP231PFC-LL	WATER	In-house: Analysis of fresh and saline waters by solid phase extraction and LC-Electrospray-MS-MS, Negative Mode using MRM.



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1600085**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Tom Maloney
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: Tom.Maloney@alsglobal.com
Telephone	: +61 07 3721 5400	Telephone	: +61-7-3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 2
Order number	: 1538021	Quote number	: EM2015GOLASS0592 (EN-002-15)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: ----		
Sampler	: TAMARA SICCAMA		

**Dates**

Date Samples Received	: 04-Jan-2016 3:20 PM	Issue Date	: 04-Jan-2016
Client Requested Due Date	: 11-Jan-2016	Scheduled Reporting Date	: <b>11-Jan-2016</b>

**Delivery Details**

Mode of Delivery	: Carrier	Security Seal	: Intact.
No. of coolers/boxes	: 1	Temperature	: 1.8°C - Ice present
Receipt Detail	: MEDIUM ESKY	No. of samples received / analysed	: 11 / 11

**General Comments**

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **Ultra-Trace PFC analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The estimated date for this data is 13/01/2016.**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- **No sample container / preservation non-compliance exist.**

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

Matrix: **WATER**

Laboratory sample ID	Client sampling date / time	Client sample ID	WATER - ED037-P Alkalinity as CaCO3 (PCT)	WATER - ED038 Default Acidity as CaCO3 only	WATER - ED041G Sulfate (Turbidimetric) as SO4 2 by Discrete	WATER - ED045G Chloride by Discrete Analyser	WATER - EG020F Dissolved Metals by ICPMS	WATER - EP231PFC-LL PFOS+Extended AFFFs (20 analytes) Ultra trace
EB1600085-001	[ 04-Jan-2016 ]	AM-BH01	✓	✓	✓	✓	✓	✓
EB1600085-002	[ 04-Jan-2016 ]	AM-BH04	✓	✓	✓	✓	✓	✓
EB1600085-003	[ 04-Jan-2016 ]	AM-BH08	✓	✓	✓	✓	✓	✓
EB1600085-004	[ 04-Jan-2016 ]	AM-BH19	✓	✓	✓	✓	✓	✓
EB1600085-005	[ 04-Jan-2016 ]	AM-BH28	✓	✓	✓	✓	✓	✓
EB1600085-006	[ 04-Jan-2016 ]	BIP/MW1	✓	✓	✓	✓	✓	✓
EB1600085-007	[ 04-Jan-2016 ]	BIP/MW2	✓	✓	✓	✓	✓	✓
EB1600085-008	[ 04-Jan-2016 ]	BP/MW6	✓	✓	✓	✓	✓	✓
EB1600085-009	[ 04-Jan-2016 ]	BAC-MW07	✓	✓	✓	✓	✓	✓
EB1600085-010	[ 04-Jan-2016 ]	BAC-MW24	✓	✓	✓	✓	✓	✓
EB1600085-011	[ 04-Jan-2016 ]	Q1 - Water						✓

## Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.

## Requested Deliverables

### ACCOUNTS PAYABLE

- A4 - AU Tax Invoice (INV)

Email [auaccountspayable@golder.com.au](mailto:auaccountspayable@golder.com.au)

### KRYSTLE-RAE BIRAM

- \*AU Certificate of Analysis - NATA (COA)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)
- Chain of Custody (CoC) (COC)
- EDI Format - EQUIS V5 Generic (EQUIS\_V5)
- EDI Format - ESDAT (ESDAT)
- EDI Format - GOLDER\_EXCEL (GOLDER\_EXCEL)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

Email [kbiram@golder.com.au](mailto:kbiram@golder.com.au)

### TAMARA SICCAMI

- \*AU Certificate of Analysis - NATA (COA)
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)
- Chain of Custody (CoC) (COC)
- EDI Format - EQUIS V5 Generic (EQUIS\_V5)
- EDI Format - ESDAT (ESDAT)
- EDI Format - GOLDER\_EXCEL (GOLDER\_EXCEL)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

Email [TSiccama@golder.com.au](mailto:TSiccama@golder.com.au)

1538021		EN/002/15		GOLDER ASSOCIATES PTY LTD				Phone: (07) 3721 5400													
Brisbane Airport		ALS Environmental		147 Coronation Drive, Milton, Qld 4064				Fax: (07) 3721 5401													
Tamara Siccama				Invoice to be sent to Accounts: auaccountspayable@golder.com.au																	
5		BY:		Project Manager: Krystle-Rae Biram				Contact Phone: 07 37215400													
HARD FAX DISK		EMAIL BULLETIN BOARD		Contact Email: Email: KBiram@golder.com.au																	
PDF Excel Other		Email Add: tsiccama@golder.com.au																			
Comments/Special Instructions:							ANALYSIS REQUIRED														
Samples from a declared Fi N																					
Samples taken from a known Weed and or Pest Area: N																					
SAMPLE ID	Location & MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	PP31-LPCC-LJ (PFS/PROA extended suite with 20 analyses) - Ultra Trace	Chloride, Sulfate, Total Alkalinity, Total Acidity	Dissolved Metals (Al, Fe)											
AM-BH01	1 Water	04/01/2016		Bottle Chilled	3	N	x	x	x	x											
AM-BH04	2 Water	04/01/2016		Bottle Chilled	3	N	x	x	x	x											
AM-BH08	3 Water	04/01/2016		Bottle Chilled	3	N	x	x	x	x											
AM-BH19	4 Water	04/01/2016		Bottle Chilled	3	N	x	x	x	x											
AM-BH28	5 Water	04/01/2016		Bottle Chilled	3	N	x	x	x	x											
BIP/MW1	6 Water	04/01/2016		Bottle Chilled	3	N	x	x	x	x											
BIP/MW2	7 Water	04/01/2016		Bottle Chilled	3	N	x	x	x	x											
BP/MW6	8 Water	04/01/2016		Bottle Chilled	3	N	x	x	x	x											
BAC-MW07	9 Water	04/01/2016		Bottle Chilled	3	N	x	x	x	x											
BAC-MW24	10 Water	04/01/2016		Bottle Chilled	3	N	x	x	x	x											
Q1 - Water	11 Water	04/01/2016		Bottle Chilled	3	N	x														
SAMPLE MATRIX = Soil/Sediment/Fill/Other			SAMPLE TYPE = Core(CR)			HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list															
Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P																					
RELEASED BY	Tamara Siccama	COMPANY	GOLDER	DATE	04/01/2016	TIME		RELEASED BY		COMPANY		DATE		TIME		Shipment Method					
RECEIVED BY								RECEIVED BY								Shipping Ref:					
RECEIVED BY																					
RECEIVED BY																					
RECEIVED BY																					

RECIALS 04/01/16 15:20 JUSTIN.

Environmental Division  
 Brisbane  
 Work Order Reference  
 EB1600085



Telephone : + 61-7-3243 7222



**Golder Associates Pty Ltd**  
**147 Coronation Dve**  
**Milton**  
**QLD 4064**



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 1254**

Accredited for compliance with ISO/IEC 17025.  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Tamara Siccama**

**Report** **484067-S**  
 Project name **BNE AIRPORT**  
 Project ID **1538021**  
 Received Date **Dec 18, 2015**

Client Sample ID			Q2	QC-2
Sample Matrix			Soil	Soil
Eurofins   mgt Sample No.			B15-De19883	B15-De19884
Date Sampled			Dec 16, 2015	Dec 16, 2015
Test/Reference	LOR	Unit		
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				
Perfluorobutanesulfonic acid (PFBS)	0.005	mg/kg	< 0.005	< 0.005
Perfluorobutanoic acid (PFBA)	0.005	mg/kg	< 0.005	< 0.005
Perfluorohexanesulfonic acid (PFHxS)	0.005	mg/kg	< 0.005	< 0.005
Perfluorooctanesulfonic acid (PFOS)	0.005	mg/kg	< 0.005	< 0.005
Perfluorodecanesulfonic acid (PFDS)	0.005	mg/kg	< 0.005	< 0.005
Perfluoropentanoic acid (PFPeA)	0.005	mg/kg	< 0.005	< 0.005
Perfluorohexanoic acid (PFHxA)	0.005	mg/kg	< 0.005	< 0.005
Perfluoroheptanoic acid (PFHpA)	0.005	mg/kg	< 0.005	< 0.005
Perfluorooctanoic acid (PFOA)	0.005	mg/kg	< 0.005	< 0.005
Perfluorononanoic acid (PFNA)	0.005	mg/kg	< 0.005	< 0.005
Perfluorodecanoic acid (PFDA)	0.005	mg/kg	< 0.005	< 0.005
Perfluoroundecanoic acid (PFUnA)	0.005	mg/kg	< 0.005	< 0.005
Perfluorododecanoic acid (PFDoA)	0.005	mg/kg	< 0.005	< 0.005
Perfluorotridecanoic acid (PFTTrDA)	0.005	mg/kg	< 0.005	< 0.005
Perfluorotetradecanoic acid (PFTeDA)	0.005	mg/kg	< 0.005	< 0.005
Perfluorooctanesulfonamide (PFOSA)	0.01	mg/kg	< 0.01	< 0.01
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	0.01	mg/kg	< 0.01	< 0.01
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	0.01	mg/kg	< 0.01	< 0.01
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	0.005	mg/kg	< 0.005	< 0.005
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	0.01	mg/kg	< 0.01	< 0.01
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	0.005	mg/kg	< 0.005	< 0.005
d5-n-EtFOSAA (surr.)	1	%	113	104
13C-PFHxA (surr.)	1	%	70	71
13C8-PFOS (surr.)	1	%	79	73
% Moisture	0.1	%	23	39

### Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

### Description

Per- and Polyfluorinated Alkyl Substances (PFASs)

- Method: LTM-ORG-2100 Analysis of PFCs in environmental samples by LC-MS/MS

% Moisture

- Method: LTM-GEN-7080 Moisture

### Testing Site

Brisbane

Brisbane

### Extracted

Dec 19, 2015

Dec 18, 2015

### Holding Time

14 Day

14 Day

<b>Company Name:</b> Golder Associates Pty Ltd (Qld) <b>Address:</b> 147 Coronation Dve Milton QLD 4064  <b>Project Name:</b> BNE AIRPORT <b>Project ID:</b> 1538021	<b>Order No.:</b> <b>Report #:</b> 484067 <b>Phone:</b> (07) 3721 5400 <b>Fax:</b> (07) 3721 5401	<b>Received:</b> Dec 18, 2015 2:30 PM <b>Due:</b> Dec 29, 2015 <b>Priority:</b> 5 Day <b>Contact Name:</b> Tamara Siccama
<b>Eurofins   mgt Client Manager: Mark Rodriquez</b>		

<b>Sample Detail</b>					Per- and Polyfluorinated Alkyl Substances (PFASs)	Moisture Set
<b>Laboratory where analysis is conducted</b>						
Melbourne Laboratory - NATA Site # 1254 & 14271						
Sydney Laboratory - NATA Site # 18217						
Brisbane Laboratory - NATA Site # 20794					X	X
<b>External Laboratory</b>						
Sample ID	Sample Date	Sampling Time	Matrix	LAB ID		
Q2	Dec 16, 2015		Soil	B15-De19883	X	X
QC-2	Dec 16, 2015		Soil	B15-De19884	X	X

## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
4. Results are uncorrected for matrix spikes or surrogate recoveries.
5. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
6. Samples were analysed on an 'as received' basis. 7. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Advice.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per Kilogram

**mg/l:** milligrams per litre

**ug/l:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100ml:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery
<b>CRM</b>	Certified Reference Material - reported as percent recovery
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands. In the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>Batch Duplicate</b>	A second piece of analysis from a sample outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>Batch SPIKE</b>	Spike recovery reported on a sample from outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>ASLP</b>	Australian Standard Leaching Procedure (AS4439.3)
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries : Recoveries must lie between 50-150% - Phenols 20-130%.

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxophene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxophene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Arochlor 1260 in Matrix Spikes and LCS's.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPD's are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>							
Perfluorobutanesulfonic acid (PFBS)	mg/kg	< 0.005			0.005	Pass	
Perfluorobutanoic acid (PFBA)	mg/kg	< 0.005			0.005	Pass	
Perfluorohexanesulfonic acid (PFHxS)	mg/kg	< 0.005			0.005	Pass	
Perfluorooctanesulfonic acid (PFOS)	mg/kg	< 0.005			0.005	Pass	
Perfluorodecanesulfonic acid (PFDS)	mg/kg	< 0.005			0.005	Pass	
Perfluoropentanoic acid (PFPeA)	mg/kg	< 0.005			0.005	Pass	
Perfluorohexanoic acid (PFHxA)	mg/kg	< 0.005			0.005	Pass	
Perfluoroheptanoic acid (PFHpA)	mg/kg	< 0.005			0.005	Pass	
Perfluorooctanoic acid (PFOA)	mg/kg	< 0.005			0.005	Pass	
Perfluorononanoic acid (PFNA)	mg/kg	< 0.005			0.005	Pass	
Perfluorodecanoic acid (PFDA)	mg/kg	< 0.005			0.005	Pass	
Perfluoroundecanoic acid (PFUnA)	mg/kg	< 0.005			0.005	Pass	
Perfluorododecanoic acid (PFDoA)	mg/kg	< 0.005			0.005	Pass	
Perfluorotridecanoic acid (PFTTrDA)	mg/kg	< 0.005			0.005	Pass	
Perfluorotetradecanoic acid (PFTeDA)	mg/kg	< 0.005			0.005	Pass	
Perfluorooctanesulfonamide (PFOSA)	mg/kg	< 0.01			0.01	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	mg/kg	< 0.01			0.01	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	mg/kg	< 0.01			0.01	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	mg/kg	< 0.005			0.005	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	mg/kg	< 0.01			0.01	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	mg/kg	< 0.005			0.005	Pass	
<b>LCS - % Recovery</b>							
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>							
Perfluorobutanesulfonic acid (PFBS)	%	79			50-150	Pass	
Perfluorobutanoic acid (PFBA)	%	90			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	%	88			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	%	89			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	%	81			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	77			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	82			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	83			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	94			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	80			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	78			50-150	Pass	
Perfluoroundecanoic acid (PFUnA)	%	102			50-150	Pass	
Perfluorododecanoic acid (PFDoA)	%	101			50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	88			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	71			50-150	Pass	
Perfluorooctanesulfonamide (PFOSA)	%	120			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	%	125			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	%	104			70-130	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	%	84			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	%	93			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	%	129			50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>									
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1					
Perfluorobutanesulfonic acid (PFBS)	M15-De18013	NCP	%	84			50-150	Pass	
Perfluorobutanoic acid (PFBA)	M15-De18013	NCP	%	93			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M15-De18013	NCP	%	92			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M15-De18013	NCP	%	92			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M15-De18013	NCP	%	75			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M15-De18013	NCP	%	82			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M15-De18013	NCP	%	88			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M15-De18013	NCP	%	83			50-150	Pass	
Perfluorooctanoic acid (PFOA)	M15-De18013	NCP	%	92			50-150	Pass	
Perfluorononanoic acid (PFNA)	M15-De18013	NCP	%	83			50-150	Pass	
Perfluorodecanoic acid (PFDA)	M15-De18013	NCP	%	95			50-150	Pass	
Perfluoroundecanoic acid (PFUnA)	M15-De18013	NCP	%	102			50-150	Pass	
Perfluorododecanoic acid (PFDoA)	M15-De18013	NCP	%	100			50-150	Pass	
Perfluorotridecanoic acid (PFTrDA)	M15-De18013	NCP	%	92			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M15-De18013	NCP	%	86			50-150	Pass	
Perfluorooctanesulfonamide (PFOSA)	M15-De18013	NCP	%	97			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NETFOSAA)	M15-De18013	NCP	%	129			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	M15-De18013	NCP	%	92			70-130	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	M15-De18013	NCP	%	97			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	M15-De18013	NCP	%	100			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	M15-De18013	NCP	%	130			50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1	Result 2	RPD			
Perfluorobutanesulfonic acid (PFBS)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluorobutanoic acid (PFBA)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluorooctanesulfonic acid (PFOS)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluorodecanesulfonic acid (PFDS)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnA)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluorododecanoic acid (PFDoA)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1	Result 2	RPD	Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1	Result 2	RPD			
Perfluorotetradecanoic acid (PFTeDA)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
Perfluorooctanesulfonamide (PFOSA)	M15-De18012	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	M15-De18012	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	M15-De18012	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	M15-De18012	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	M15-De18012	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass	
<b>Duplicate</b>									
				Result 1	Result 2	RPD			
% Moisture	B15-De10372	NCP	%	20	20	1.0	30%	Pass	

**Comments**

**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Authorised By**

Mark Rodriguez	Analytical Services Manager
Bryan Wilson	Senior Analyst-Metal (QLD)
Richard Corner	Senior Analyst-Inorganic (QLD)
Richard Corner	Senior Analyst-Organic (QLD)



**Glenn Jackson**

**National Operations Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Uncertainty data is available on request

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.



## Sample Receipt Advice

Company name: **Golder Associates Pty Ltd (Qld)**  
Contact name: Tamara Siccama  
Project name: BNE AIRPORT  
Project ID: 1538021  
COC number: Not provided  
Turn around time: 5 Day  
Date/Time received: Dec 18, 2015 2:30 PM  
Eurofins | mgt reference: **484067**

### Sample information

- A detailed list of analytes logged into our LIMS, is included in the attached summary table.
  - Sample Temperature of a random sample selected from the batch as recorded by Eurofins | mgt Sample Receipt : 23.6 degrees Celsius.
  - All samples have been received as described on the above COC.
  - COC has been completed correctly.
  - Attempt to chill was evident.
  - Appropriately preserved sample containers have been used.
  - All samples were received in good condition.
  - Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
  - Appropriate sample containers have been used.
  - Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Contact notes

If you have any questions with respect to these samples please contact:

Mark Rodriquez on Phone : (+61) 8 8947 1557 or by e.mail: MarkRodriquez@eurofins.com.au

Results will be delivered electronically via e.mail to Tamara Siccama - tsiccama@golder.com.au.

<b>Company Name:</b> Golder Associates Pty Ltd (Qld) <b>Address:</b> 147 Coronation Dve Milton QLD 4064  <b>Project Name:</b> BNE AIRPORT <b>Project ID:</b> 1538021	<b>Order No.:</b> <b>Report #:</b> 484067 <b>Phone:</b> (07) 3721 5400 <b>Fax:</b> (07) 3721 5401	<b>Received:</b> Dec 18, 2015 2:30 PM <b>Due:</b> Dec 29, 2015 <b>Priority:</b> 5 Day <b>Contact Name:</b> Tamara Siccama
<b>Eurofins   mgt Client Manager: Mark Rodriquez</b>		

<b>Sample Detail</b>					Per- and Polyfluorinated Alkyl Substances (PFASs)	Moisture Set
<b>Laboratory where analysis is conducted</b>						
Melbourne Laboratory - NATA Site # 1254 & 14271						
Sydney Laboratory - NATA Site # 18217						
Brisbane Laboratory - NATA Site # 20794					X	X
<b>External Laboratory</b>						
Sample ID	Sample Date	Sampling Time	Matrix	LAB ID		
Q2	Dec 16, 2015		Soil	B15-De19883	X	X
QC-2	Dec 16, 2015		Soil	B15-De19884	X	X

Project ID:	1538021	Order/Order No.:																																																														
Site Location:	BNE Airport	Lab Name:																																																														
Sample By:	Tamara Siccama	BY:																																																														
Transportation (Dry):	5	FAX:	DISK:	EMAIL: BULLETIN BOARD																																																												
Report Format:	PDF	Excel:	Other:	Email Add:																																																												
Comment/Special Instructions:																																																																
Samples from a declared Fire and Area: Samples taken from a known West and/or Pest Area:	N		N																																																													
<table border="1"> <thead> <tr> <th>ID</th> <th>SAMPLE MATRIX</th> <th>SAMPLE DATE</th> <th>SAMPLE TIME</th> <th>SAMPLE CONTAINER PRESERVATIVE</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> <th>Childed Jar</th> </tr> </thead> <tbody> <tr> <td>02</td> <td>Soil</td> <td>16/12/2015</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>02-2</td> <td>Soil</td> <td>18/12/2015</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	ID	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	SAMPLE CONTAINER PRESERVATIVE	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	02	Soil	16/12/2015																		02-2	Soil	18/12/2015																		No CONTAINERS		POSSIBLE HIGH CONCENTRATION	
ID	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	SAMPLE CONTAINER PRESERVATIVE	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar	Childed Jar																																													
02	Soil	16/12/2015																																																														
02-2	Soil	18/12/2015																																																														
RELEASED BY RECEIVED BY RECEIVED BY RECEIVED BY RECEIVED BY	SIGNATURE Tamara Siccama B. Gode	COMPANY GOLDER	DATE 18/12/2015	TIME 3:30	RELEASED BY RECEIVED BY RECEIVED BY RECEIVED BY RECEIVED BY	SIGNATURE To Be Filled Out By Analyzing Laboratory Security Seal Sealed Containers Cool Box	COMPANY CHILLED FROZEN AMBIENT	LAB BATCH NUMBER Address Billing Address	DATE DATE DATE DATE	TIME TIME TIME TIME	Shipment Method Shipping Ref																																																					

23.6°C  
 ice  
 Returned  
 #484087

Any issues with samples please email tseckm@golder.com.au or phone 0421704311 - Tamara

SAMPLE MATRIX - Soil/Sediment/Other  
 Container Type and Preservative Codes: P = Natural Plastic; N = Nitrile Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydroxide Preserved Vial; VS = Sulphuric Acid P 5

SAMPLE TYPE - Core(CH)  
 HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

GOLDBER ASSOCIATES PTY LTD  
 1st Commercial Drive, Milton, QLD 4064  
 Project Manager: Kynan Bartram  
 Contact Phone: 07 37215400  
 Email: kbartram@golder.com.au  
 Phone: (07) 3721 5400  
 Fax: (07) 3721 5401  
 Email: tseckm@golder.com.au

ANALYSIS REQUIRED

## Certificate of Analysis

**Golder Associates Pty Ltd**  
**147 Coronation Dve**  
**Milton**  
**QLD 4064**



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 1254**

Accredited for compliance with ISO/IEC 17025.  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Krystle-Rae Biram**

**Report** **484700-W**  
 Project name **BRISBANE AIRPORT**  
 Project ID **1538021**  
 Received Date **Jan 04, 2016**

Client Sample ID			G02 <b>Q2-WATER</b>
Sample Matrix			<b>Water</b>
Eurofins   mgt Sample No.			<b>B16-Ja00085</b>
Date Sampled			<b>Jan 04, 2016</b>
Test/Reference	LOR	Unit	
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>			
Perfluorobutanesulfonic acid (PFBS)	0.00001	mg/L	< 0.0004
Perfluorobutanoic acid (PFBA)	0.00005	mg/L	< 0.002
Perfluorohexanesulfonic acid (PFHxS)	0.00001	mg/L	< 0.0004
Perfluorooctanesulfonic acid (PFOS)	0.00001	mg/L	< 0.0004
Perfluorodecanesulfonic acid (PFDS)	0.00001	mg/L	< 0.0004
Perfluoropentanoic acid (PFPeA)	0.00001	mg/L	< 0.0004
Perfluorohexanoic acid (PFHxA)	0.00001	mg/L	< 0.0004
Perfluoroheptanoic acid (PFHpA)	0.00001	mg/L	< 0.0004
Perfluorooctanoic acid (PFOA)	0.00001	mg/L	< 0.0004
Perfluorononanoic acid (PFNA)	0.00001	mg/L	< 0.0004
Perfluorodecanoic acid (PFDA)	0.00001	mg/L	< 0.0004
Perfluoroundecanoic acid (PFUnA)	0.00001	mg/L	< 0.0004
Perfluorododecanoic acid (PFDoA)	0.00001	mg/L	< 0.0004
Perfluorotridecanoic acid (PFTTrDA)	0.00001	mg/L	< 0.0004
Perfluorotetradecanoic acid (PFTeDA)	0.00001	mg/L	< 0.0004
Perfluorooctanesulfonamide (PFOSA)	0.00005	mg/L	< 0.002
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	0.00005	mg/L	< 0.002
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	0.00005	mg/L	< 0.002
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	0.00001	mg/L	< 0.0004
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	0.00005	mg/L	< 0.002
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	0.00001	mg/L	< 0.0004
d5-n-EtFOSAA (surr.)	1	%	62
13C-PFHxA (surr.)	1	%	107
13C8-PFOS (surr.)	1	%	56

**Sample History**

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

**Description**

Per- and Polyfluorinated Alkyl Substances (PFASs)

**Testing Site**

Brisbane

**Extracted**

Jan 04, 2016

**Holding Time**

14 Day

- Method: LTM-ORG-2100 Analysis of PFCs in environmental samples by LC-MS/MS

<b>Company Name:</b> Golder Associates Pty Ltd (Qld) <b>Address:</b> 147 Coronation Dve Milton QLD 4064  <b>Project Name:</b> BRISBANE AIRPORT <b>Project ID:</b> 1538021	<b>Order No.:</b> <b>Report #:</b> 484700 <b>Phone:</b> (07) 3721 5400 <b>Fax:</b> (07) 3721 5401	<b>Received:</b> Jan 4, 2016 4:15 PM <b>Due:</b> Jan 11, 2016 <b>Priority:</b> 5 Day <b>Contact Name:</b> Krystle-Rae Biram
<b>Eurofins   mgt Client Manager: Mark Rodriquez</b>		

<b>Sample Detail</b>					Per- and Polyfluorinated Alkyl Substances (PFASs)
<b>Laboratory where analysis is conducted</b>					
Melbourne Laboratory - NATA Site # 1254 & 14271					
Sydney Laboratory - NATA Site # 18217					
Brisbane Laboratory - NATA Site # 20794					X
<b>External Laboratory</b>					
Sample ID	Sample Date	Sampling Time	Matrix	LAB ID	
Q2-WATER	Jan 04, 2016		Water	B16-Ja00085	X

## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
4. Results are uncorrected for matrix spikes or surrogate recoveries.
5. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
6. Samples were analysed on an 'as received' basis. 7. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Advice.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per Kilogram

**mg/l:** milligrams per litre

**ug/l:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100ml:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery
<b>CRM</b>	Certified Reference Material - reported as percent recovery
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands. In the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>Batch Duplicate</b>	A second piece of analysis from a sample outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>Batch SPIKE</b>	Spike recovery reported on a sample from outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>ASLP</b>	Australian Standard Leaching Procedure (AS4439.3)
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries : Recoveries must lie between 50-150% - Phenols 20-130%.

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxophene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxophene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Arochlor 1260 in Matrix Spikes and LCS's.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPD's are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>							
Perfluorobutanesulfonic acid (PFBS)	mg/L	< 0.00001			0.00001	Pass	
Perfluorobutanoic acid (PFBA)	mg/L	< 0.00005			0.00005	Pass	
Perfluorohexanesulfonic acid (PFHxS)	mg/L	< 0.00001			0.00001	Pass	
Perfluorooctanesulfonic acid (PFOS)	mg/L	< 0.00001			0.00001	Pass	
Perfluorodecanesulfonic acid (PFDS)	mg/L	< 0.00001			0.00001	Pass	
Perfluoropentanoic acid (PFPeA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorohexanoic acid (PFHxA)	mg/L	< 0.00001			0.00001	Pass	
Perfluoroheptanoic acid (PFHpA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorooctanoic acid (PFOA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorononanoic acid (PFNA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorodecanoic acid (PFDA)	mg/L	< 0.00001			0.00001	Pass	
Perfluoroundecanoic acid (PFUnA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorododecanoic acid (PFDoA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorotridecanoic acid (PFTTrDA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorotetradecanoic acid (PFTTeDA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorooctanesulfonamide (PFOSA)	mg/L	< 0.00005			0.00005	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	mg/L	< 0.00005			0.00005	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	mg/L	< 0.00005			0.00005	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	mg/L	< 0.00001			0.00001	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	mg/L	< 0.00005			0.00005	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	mg/L	< 0.00001			0.00001	Pass	
<b>LCS - % Recovery</b>							
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>							
Perfluorobutanesulfonic acid (PFBS)	%	105			50-150	Pass	
Perfluorobutanoic acid (PFBA)	%	94			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	%	96			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	%	106			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	%	71			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	96			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	92			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	91			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	97			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	94			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	104			50-150	Pass	
Perfluoroundecanoic acid (PFUnA)	%	90			50-150	Pass	
Perfluorododecanoic acid (PFDoA)	%	73			50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	71			50-150	Pass	
Perfluorotetradecanoic acid (PFTTeDA)	%	73			50-150	Pass	
Perfluorooctanesulfonamide (PFOSA)	%	74			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	%	79			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	%	84			70-130	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	%	100			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	%	110			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	%	107			50-150	Pass	



Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1	Result 2	RPD			
Perfluorobutanesulfonic acid (PFBS)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorobutanoic acid (PFBA)	B16-Ja02131	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
Perfluorohexanesulfonic acid (PFHxS)	B16-Ja02131	NCP	mg/L	0.00009	0.00009	7.0	30%	Pass	
Perfluorooctanesulfonic acid (PFOS)	B16-Ja02131	NCP	mg/L	0.00020	0.00024	18	30%	Pass	
Perfluorodecanesulfonic acid (PFDS)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	B16-Ja02131	NCP	mg/L	0.00002	0.00002	4.0	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnA)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorododecanoic acid (PFDoA)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorooctanesulfonamide (PFOSA)	B16-Ja02131	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	B16-Ja02131	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	B16-Ja02131	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	B16-Ja02131	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	B16-Ja02131	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	

**Comments**

**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
G02	The LORs have been raised as there was insufficient sample provided for analysis

**Authorised By**

Mark Rodriguez	Analytical Services Manager
Richard Corner	Senior Analyst-Organic (QLD)



**Glenn Jackson**

**National Operations Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Uncertainty data is available on request

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

## Sample Receipt Advice

Company name: **Golder Associates Pty Ltd (Qld)**  
Contact name: **Krystle-Rae Biram**  
Project name: **BRISBANE AIRPORT**  
Project ID: **1538021**  
COC number: **Not provided**  
Turn around time: **5 Day**  
Date/Time received: **Jan 4, 2016 4:15 PM**  
Eurofins | mgt reference: **484700**

### Sample information

- A detailed list of analytes logged into our LIMS, is included in the attached summary table.
  - Sample Temperature of a random sample selected from the batch as recorded by Eurofins | mgt Sample Receipt : 4.8 degrees Celsius.
  - All samples have been received as described on the above COC.
  - COC has been completed correctly.
  - Attempt to chill was evident.
  - Appropriately preserved sample containers have been used.
  - All samples were received in good condition.
  - Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
  - Appropriate sample containers have been used.
  - Sample containers for volatile analysis received with zero headspace.
  - Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Contact notes

If you have any questions with respect to these samples please contact:

Mark Rodriquez on Phone : (+61) 8 8947 1557 or by e.mail: [MarkRodriquez@eurofins.com.au](mailto:MarkRodriquez@eurofins.com.au)

Results will be delivered electronically via e.mail to Krystle-Rae Biram - [KBiram@golder.com.au](mailto:KBiram@golder.com.au).

<b>Company Name:</b>	Golder Associates Pty Ltd (Qld)	<b>Order No.:</b>		<b>Received:</b>	Jan 4, 2016 4:15 PM
<b>Address:</b>	147 Coronation Dve Milton QLD 4064	<b>Report #:</b>	484700	<b>Due:</b>	Jan 11, 2016
<b>Project Name:</b>	BRISBANE AIRPORT	<b>Phone:</b>	(07) 3721 5400	<b>Priority:</b>	5 Day
<b>Project ID:</b>	1538021	<b>Fax:</b>	(07) 3721 5401	<b>Contact Name:</b>	Krystle-Rae Biram

**Eurofins | mgt Client Manager: Mark Rodriquez**

Sample Detail					Per- and Polyfluorinated Alkyl Substances (PFASs)
Laboratory where analysis is conducted					
Melbourne Laboratory - NATA Site # 1254 & 14271					
Sydney Laboratory - NATA Site # 18217					
Brisbane Laboratory - NATA Site # 20794					X
External Laboratory					
Sample ID	Sample Date	Sampling Time	Matrix	LAB ID	
Q2-WATER	Jan 04, 2016		Water	B16-Ja00085	X



## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1624693**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : MS KRYSTLE-RAE BIRAM  
**Address** : P O BOX 1734  
 MILTON QLD, AUSTRALIA 4064  
**Telephone** : +61 07 3721 5400  
**Project** : 1538021  
**Order number** : 1538021  
**C-O-C number** : ----  
**Sampler** : MORGAN MIDGLEY  
**Site** : Brisbane Airport  
**Quote number** : ----  
**No. of samples received** : 74  
**No. of samples analysed** : 73

**Page** : 1 of 78  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 14-Oct-2016 16:00  
**Date Analysis Commenced** : 18-Oct-2016  
**Issue Date** : 21-Oct-2016 17:01



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

∅ = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- EG005T (Total Metals): Sample EB1624693-002 shows poor duplicate results due to sample heterogeneity. Confirmed by visual inspection.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.  
Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.1	8.2	7.8	7.5	7.3	
ø pH (Fox)	----	0.1	pH Unit	4.8	6.3	5.8	5.5	5.4	
ø Reaction Rate	----	1	-	2	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	4.7	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	<5	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	211	----	----	----	
Copper	7440-50-8	5	mg/kg	----	70	----	----	----	
Lead	7439-92-1	5	mg/kg	----	<5	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	82	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	32	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	101	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	84.9	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	108	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	107	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	104	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	114	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	121	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	123	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	111	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	111	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	124	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	99.8	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	6.8	7.8	5.0	6.5	
ø pH (Fox)	----	0.1	pH Unit	5.4	4.2	2.9	3.0	4.8	
ø Reaction Rate	----	1	-	3	3	3	3	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.6	7.0	4.7	4.3	
ø pH (Fox)	----	0.1	pH Unit	5.3	5.8	3.6	2.9	2.8	
ø Reaction Rate	----	1	-	2	2	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	25.2	----	24.2	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	14	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	1	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	65	----	
Copper	7440-50-8	5	mg/kg	----	----	----	15	----	
Lead	7439-92-1	5	mg/kg	----	----	----	10	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	18	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	61	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	<0.5	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	<0.5	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	<b>0.6</b>	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	<b>1.2</b>	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	<10	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	<0.001	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	108	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	97.3	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	105	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	108	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	104	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	114	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	116	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	121	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	81.8	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	94.5	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	117	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	99.1	----	93.4	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.3	4.1	4.0	4.2	4.3	
ø pH (Fox)	----	0.1	pH Unit	2.7	2.6	2.3	2.6	2.7	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	27.7	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021
					Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg		----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	<0.0002



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	92.1	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.5	4.8	4.7	5.2	7.0	
ø pH (Fox)	----	0.1	pH Unit	2.7	3.0	2.9	3.2	4.4	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	9.1	8.0	7.6	7.6	6.8	
ø pH (Fox)	----	0.1	pH Unit	9.0	7.1	3.4	5.4	2.7	
ø Reaction Rate	----	1	-	4	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	5.7	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	<5	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	214	----	----	----	----	
Copper	7440-50-8	5	mg/kg	80	----	----	----	----	
Lead	7439-92-1	5	mg/kg	<5	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	82	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	38	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	<0.2	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	<0.2	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	<100	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	<10	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	<10	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	<0.2	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	100	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	92.7	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	101	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	103	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	98.9	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	109	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	110	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	117	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	110	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	106	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	120	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	89.7	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.6	5.0	5.4	5.2	5.8	
ø pH (Fox)	----	0.1	pH Unit	2.9	3.0	2.7	3.0	3.5	
ø Reaction Rate	----	1	-	3	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4,4'-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4,4'-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction		50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction		100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction		100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)		50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)		50	mg/kg		----	----	----	----	----
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction		50	mg/kg		----	----	----	----	----
C15 - C28 Fraction		100	mg/kg		----	----	----	----	----
C29 - C36 Fraction		100	mg/kg		----	----	----	----	----
^ C10 - C36 Fraction (sum)		50	mg/kg		----	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg		----	----	----	----	----
Acenaphthylene	208-96-8	0.5	mg/kg		----	----	----	----	----
Acenaphthene	83-32-9	0.5	mg/kg		----	----	----	----	----
Fluorene	86-73-7	0.5	mg/kg		----	----	----	----	----
Phenanthrene	85-01-8	0.5	mg/kg		----	----	----	----	----
Anthracene	120-12-7	0.5	mg/kg		----	----	----	----	----
Fluoranthene	206-44-0	0.5	mg/kg		----	----	----	----	----
Pyrene	129-00-0	0.5	mg/kg		----	----	----	----	----
Benz(a)anthracene	56-55-3	0.5	mg/kg		----	----	----	----	----
Chrysene	218-01-9	0.5	mg/kg		----	----	----	----	----
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036
					Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg		----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	8.0	7.2	7.8	7.7	
ø pH (Fox)	----	0.1	pH Unit	5.1	4.1	1.7	2.9	2.7	
ø Reaction Rate	----	1	-	3	3	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	24.5	----	43.4	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	33	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	<1	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	49	----	----	
Copper	7440-50-8	5	mg/kg	----	----	31	----	----	
Lead	7439-92-1	5	mg/kg	----	----	60	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	33	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	242	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	0.1	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	<0.05	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	<0.05	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	<0.05	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	<0.05	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	<0.05	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	<0.05	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	<0.05	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	<0.05	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	<0.05	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	<0.05	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	<0.05	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	<0.05	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	<0.05	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	<0.05	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	<0.05	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	<0.05	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	<0.05	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	<0.05	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	<0.05	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	<0.05	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	<0.2	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	<0.05	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	<0.2	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	<0.05	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	<0.05	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	<50	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	<100	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	<100	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	<50	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	<50	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	<50	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	<100	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	<100	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	<50	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	<0.5	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	<0.5	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	<0.5	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	<0.5	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	<0.5	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	<0.5	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	<0.5	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	<0.5	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	<0.5	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	<0.5	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	<0.5	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	<0.5	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	<0.5	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	<0.5	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	<0.5	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	<b>0.6</b>	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	<b>1.2</b>	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	<10	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	<10	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	<10	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	<0.2	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	<0.5	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	<0.5	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	<0.5	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	<0.5	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	<0.5	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	<0.2	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	<1	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		<0.001	----	<0.001	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		<0.0005	----	<0.0005	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		<0.0005	----	<0.0005	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		<0.0005	----	<0.0005	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		<0.0005	----	<0.0005	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		<0.0005	----	<0.0005	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		<0.0002	----	<0.0002	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	108	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	96.8	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	84.2	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	86.2	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	84.8	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	92.1	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	92.6	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	98.2	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	107	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	108	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	124	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	99.5	----	86.4	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.8	7.8	7.5	7.6	7.6	
ø pH (Fox)	----	0.1	pH Unit	2.8	1.7	1.7	1.8	1.6	
ø Reaction Rate	----	1	-	3	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	43.2	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	<0.0002	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	<0.001	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	<0.0005	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	105	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.7	7.4	7.6	4.4	4.7	
ø pH (Fox)	----	0.1	pH Unit	1.6	1.4	1.8	2.6	2.8	
ø Reaction Rate	----	1	-	4	4	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	15.4	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	14	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	<1	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	65	
Copper	7440-50-8	5	mg/kg	----	----	----	----	18	
Lead	7439-92-1	5	mg/kg	----	----	----	----	12	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	16	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	44	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	<0.05	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	<0.05	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	<0.05	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	<0.2	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	<0.05	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	<50	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	<0.5	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	<0.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	<b>0.6</b>	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	<b>1.2</b>	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	<10	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	<10	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	110	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	99.2	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	107	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	110	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	111	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	117	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	119	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	125	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	101	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	100	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	119	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	89.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.6	4.9	5.2	5.0	5.9	
ø pH (Fox)	----	0.1	pH Unit	2.6	2.2	1.4	1.6	1.6	
ø Reaction Rate	----	1	-	3	3	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057
					Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg		----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.6	6.6	6.8	7.1	7.1	
ø pH (Fox)	----	0.1	pH Unit	1.5	1.6	1.6	1.8	1.9	
ø Reaction Rate	----	1	-	4	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	27.4	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	<b>100</b>	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.2	7.9	5.9	4.5	4.1	
ø pH (Fox)	----	0.1	pH Unit	6.2	5.3	3.7	2.8	2.4	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	17.8	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	8	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	51	----	----	----	
Copper	7440-50-8	5	mg/kg	----	19	----	----	----	
Lead	7439-92-1	5	mg/kg	----	9	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	38	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	47	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	103	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	87.0	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	106	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	104	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	105	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	114	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	117	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	121	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	106	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	104	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	122	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	92.5	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.3	5.9	6.2	6.4	6.6	
ø pH (Fox)	----	0.1	pH Unit	2.6	3.5	3.6	3.8	3.7	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	25.8	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
^ Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	<0.0002	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	<0.0002	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	<0.001	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	<0.0005	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	<0.0002	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	<0.0002	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	<0.0002	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	<0.0005	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	<0.0005	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	<0.0005	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	<0.0005	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	<0.0002	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	<0.0002	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	112	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.2	7.5	----	----	----	
ø pH (Fox)	----	0.1	pH Unit	2.1	2.4	----	----	----	
ø Reaction Rate	----	1	-	3	4	----	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	15.6	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	7	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	<1	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	42	----	----	
Copper	7440-50-8	5	mg/kg	----	----	17	----	----	
Lead	7439-92-1	5	mg/kg	----	----	9	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	27	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	41	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	250	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	1.8	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	<0.1	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Surrogate Control Limits

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP068S: Organochlorine Pesticide Surrogate</b>			
Dibromo-DDE	21655-73-2	10	138
<b>EP068T: Organophosphorus Pesticide Surrogate</b>			
DEF	78-48-8	23	135
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	35	155
2-Chlorophenol-D4	93951-73-6	42	153
2,4,6-Tribromophenol	118-79-6	26	157
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	34	157
Anthracene-d10	1719-06-8	37	153
4-Terphenyl-d14	1718-51-0	42	172
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	53	134
Toluene-D8	2037-26-5	60	131
4-Bromofluorobenzene	460-00-4	59	127
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	70	130

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: EB1624693</b>	<b>Page</b>	: 1 of 13
<b>Client</b>	<b>: GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 14-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 18-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 21-Oct-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 74		
<b>No. of samples analysed</b>	: 73		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 620369)</b>									
EB1624693-001	AM-BH26 0-0.25	EA037: pH (F)	----	0.1	pH Unit	7.1	7.2	1.40	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.8	4.9	2.06	0% - 20%
EB1624693-011	AM-BH26 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	7.4	7.3	1.36	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.3	5.3	0.00	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620370)</b>									
EB1624693-022	AM-BH18 2-2.25	EA037: pH (F)	----	0.1	pH Unit	4.5	4.4	2.25	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.7	2.8	3.64	0% - 20%
EB1624693-032	AM-BH24 1.5-1.75	EA037: pH (F)	----	0.1	pH Unit	5.6	5.6	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.9	2.8	3.51	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620371)</b>									
EB1624693-043	AM-BH10 1-1.25	EA037: pH (F)	----	0.1	pH Unit	7.8	7.8	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.8	2.9	3.51	0% - 20%
EB1624693-053	AM-BH32 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	4.6	4.6	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.6	2.5	3.92	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620372)</b>									
EB1624693-063	AM-BH29 0-0.25	EA037: pH (F)	----	0.1	pH Unit	8.2	8.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	6.2	6.0	3.28	0% - 20%
EB1624693-073	AM-BH29 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	7.2	7.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.1	2.0	4.88	0% - 20%
<b>EA055: Moisture Content (QC Lot: 620270)</b>									
EB1624687-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	18.0	17.6	2.31	0% - 50%
EB1624766-002	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	10.0	9.8	1.20	No Limit
<b>EA055: Moisture Content (QC Lot: 624690)</b>									
EB1623981-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	4.8	4.6	4.61	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA055: Moisture Content (QC Lot: 624690) - continued</b>									
EB1623981-011	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	25.5	26.2	2.67	0% - 20%
<b>EG005T: Total Metals by ICP-AES (QC Lot: 620694)</b>									
EB1624766-004	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	8	9	0.00	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	10	11	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	5	<5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	6	6	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	16	13	23.5	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	33	34	0.00	No Limit
EB1624693-002	AM-BH26 0.25-0.5	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	211	# 264	22.2	0% - 20%
		EG005T: Nickel	7440-02-0	2	mg/kg	82	99	19.1	0% - 20%
		EG005T: Arsenic	7440-38-2	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	70	86	21.0	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	32	40	21.2	No Limit
<b>EG020T: Total Metals by ICP-MS (QC Lot: 620696)</b>									
EB1624693-075	AM-BH29 0-0.1	EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	1.8	2.2	20.8	No Limit
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 620695)</b>									
EB1624778-004	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
EB1624693-002	AM-BH26 0.25-0.5	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620261)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620261) - continued</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QC Lot: 620262)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QC Lot: 620262)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620263)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620268)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620268)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit	
<b>EP080: BTEXN (QC Lot: 620268)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit	
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
			106-42-3							
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 621845)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 621845)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit	
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit	
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	





Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 621845) - continued</b>									
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 621845)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 621845)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit

Page : 7 of 13  
 Work Order : EB1624693  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 621845) - continued</b>									
EB1624693-064	AM-BH29 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620694)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	118.9 mg/kg	113	84	123	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.87125 mg/kg	103	88	117	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	22.7 mg/kg	111	83	125	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55 mg/kg	93.3	86	122	
EG005T: Lead	7439-92-1	5	mg/kg	<5	72.1 mg/kg	103	84	119	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	16.6 mg/kg	102	89	126	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	182.3 mg/kg	109	87	127	
<b>EG020T: Total Metals by ICP-MS (QCLot: 620696)</b>									
EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	<0.5	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620695)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.09821 mg/kg	99.7	78	122	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261)</b>									
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	82.8	54	121	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	97.1	54	112	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	79.9	49	121	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	77.2	55	129	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	72.4	61	122	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	98.2	65	130	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	87.7	70	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	94.1	58	118	
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	94.4	56	119	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	79.5	51	125	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	90.7	57	118	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	83.7	67	129	
EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	93.0	62	121	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	83.6	60	137	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	76.3	61	122	
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	85.0	60	123	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	81.7	52	125	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	70.9	55	125	
EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	91.4	80	142	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	92.6	55	129	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
						LCS	Low	High
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261) - continued</b>								
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	104	53	136
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620262)</b>								
EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	97.4	47	112
EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	106	55	108
EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620262)</b>								
EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	93.1	46	115
EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	109	53	113
EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620263)</b>								
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	89.5	74	119
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	101	74	118
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	90.5	83	121
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	96.8	81	116
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	81.3	72	117
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	90.7	72	115
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	101	70	116
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	99.4	70	134
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	106	64	120
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	90.9	66	119
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	98.6	59	129
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	84.3	70	129
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	82.4	76	121
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	69.0	53	135
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	65.9	45	134
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	73.7	64	131
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268)</b>								
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	85.1	66	120
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620268)</b>								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	82.7	66	119
<b>EP080: BTEXN (QCLot: 620268)</b>								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	82.6	73	105
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	98.7	73	105



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP080: BTEXN (QCLot: 620268) - continued</b>									
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	97.6	67	104	
EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	2 mg/kg	102	66	106	
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	101	68	105	
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	97.2	72	115	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 621845)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	67.8	57	121	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.3	55	125	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.8	52	126	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.7	54	123	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.8	55	127	
EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	64.8	54	125	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 621845)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00125 mg/kg	94.7	52	128	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.8	54	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	104	58	127	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	111	57	128	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	110	60	134	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	121	63	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.8	55	130	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.6	62	130	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	69.6	53	134	
EP231X: Perfluorotridecanoic acid (PFTriDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	63.0	49	129	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	83.1	59	129	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 621845)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.6	52	132	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	78.4	65	126	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	79.6	64	126	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	86.3	63	124	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	68.2	58	125	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	118	61	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	120	55	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	89.3	54	130	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00125 mg/kg	107	61	130	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845) - continued</b>									
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	102	62	130	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00125 mg/kg	109	60	130	

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery(%) MS	Recovery Limits (%)	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620694)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EG005T: Arsenic	7440-38-2	50 mg/kg	103	70	130
		EG005T: Cadmium	7440-43-9	25 mg/kg	110	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	110	70	130
		EG005T: Copper	7440-50-8	50 mg/kg	101	70	130
		EG005T: Lead	7439-92-1	50 mg/kg	108	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	116	70	130
		EG005T: Zinc	7440-66-6	50 mg/kg	103	70	130
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620695)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EG035T: Mercury	7439-97-6	2.5 mg/kg	93.7	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP068: gamma-BHC	58-89-9	0.5 mg/kg	95.1	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	110	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	106	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	102	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	93.1	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	85.2	70	130
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620262)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP071SG-S: C10 - C14 Fraction	----	318 mg/kg	97.2	47	130
		EP071SG-S: C15 - C28 Fraction	----	531 mg/kg	104	55	130
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620262)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP071SG-S: >C10 - C16 Fraction	----	428 mg/kg	91.6	46	130
		EP071SG-S: >C16 - C34 Fraction	----	395 mg/kg	108	53	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620263)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	103	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	114	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268)</b>							



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268) - continued</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: C6 - C9 Fraction	----	8 mg/kg	91.2	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620268)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	91.8	70	130
<b>EP080: BTEXN (QCLot: 620268)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: Benzene	71-43-2	2 mg/kg	73.0	70	130
		EP080: Toluene	108-88-3	2 mg/kg	77.2	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00125 mg/kg	52.5	50	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00125 mg/kg	62.8	50	130
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00125 mg/kg	74.7	50	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00125 mg/kg	75.0	50	130
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00125 mg/kg	90.2	50	130
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.00125 mg/kg	82.4	50	130
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00125 mg/kg	91.2	50	130
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	55.5	50	130
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	80.0	50	130
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	100.0	50	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	77.1	50	130
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	96.7	50	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	106	50	130
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	99.8	50	130
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	101	50	130
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	103	30	130
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	75.0	30	130
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	95.2	50	130
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	85.6	50	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	73.3	50	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.00312 mg/kg	51.5	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	47.2	30	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	117	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	88.6	30	130

Page : 13 of 13  
 Work Order : EB1624693  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: **SOIL**

				<i>Matrix Spike (MS) Report</i>			
				<i>Spike</i>	<i>SpikeRecovery(%)</i>	<i>Recovery Limits (%)</i>	
<i>Laboratory sample ID</i>	<i>Client sample ID</i>	<i>Method: Compound</i>	<i>CAS Number</i>	<i>Concentration</i>	<i>MS</i>	<i>Low</i>	<i>High</i>
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00125 mg/kg	98.8	50	130
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00125 mg/kg	66.0	50	130
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.00125 mg/kg	112	50	130
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00125 mg/kg	111	50	130



## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1624693</b>	Page	: 1 of 9
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 14-Oct-2016
Site	: Brisbane Airport	Issue Date	: 21-Oct-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 74
Order number	: 1538021	No. of samples analysed	: 73

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- Duplicate outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



**Outliers : Quality Control Samples**

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Duplicate (DUP) RPDs</b>							
EG005T: Total Metals by ICP-AES	EB1624693--002	AM-BH26 0.25-0.5	<b>Chromium</b>	7440-47-3	22.2 %	0% - 20%	<b>RPD exceeds LOR based limits</b>

**Analysis Holding Time Compliance**

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis</b>								
<b>Snap Lock Bag - frozen (EA037)</b>								
AM-BH26 0-0.25, AM-BH26 0.5-0.75, AM-BH26 1-1.25, AM-BH26 1.5-1.75, AM-BH26 2-2.25, AM-BH26 2.5-2.75, AM-BH18 0-0.25, AM-BH18 0.5-0.75, AM-BH18 1-1.25, AM-BH18 1.5-1.75, AM-BH18 2-2.25, AM-BH18 2.5-2.75, AM-BH24 0-0.25, AM-BH24 0.5-0.75, AM-BH24 1-1.25, AM-BH24 1.5-1.75, AM-BH24 2-2.25, AM-BH24 2.5-2.75, AM-BH10 0-0.25, AM-BH10 0.5-0.75, AM-BH10 1-1.25, AM-BH10 1.5-1.75, AM-BH10 2-2.25, AM-BH10 2.5-2.75,	AM-BH26 0.25-0.5, AM-BH26 0.75-1, AM-BH26 1.25-1.5, AM-BH26 1.75-2, AM-BH26 2.25-2.5, AM-BH26 2.75-3, AM-BH18 0.25-0.5, AM-BH18 0.75-1, AM-BH18 1.25-1.5, AM-BH18 1.75-2, AM-BH18 2.25-2.5, AM-BH18 2.75-3, AM-BH24 0.25-0.5, AM-BH24 0.75-1, AM-BH24 1.25-1.5, AM-BH24 1.75-2, AM-BH24 2.25-2.5, AM-BH24 2.75-3, AM-BH10 0.25-0.5, AM-BH10 0.75-1, AM-BH10 1.25-1.5, AM-BH10 1.75-2, AM-BH10 2.25-2.5, AM-BH10 2.75-3	<b>06-Oct-2016</b>	<b>18-Oct-2016</b>	04-Apr-2017	✓	<b>18-Oct-2016</b>	04-Apr-2017	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis - Continued</b>								
<b>Snap Lock Bag - frozen (EA037)</b> AM-BH29 0-0.25, AM-BH29 0.5-0.75, AM-BH29 1-1.25, AM-BH29 1.5-1.75, AM-BH29 2-2.25, AM-BH29 2.5-2.75,	AM-BH29 0.25-0.5, AM-BH29 0.75-1, AM-BH29 1.25-1.5, AM-BH29 1.75-2, AM-BH29 2.25-2.5, AM-BH29 2.75-3	07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓
<b>Snap Lock Bag - frozen (EA037)</b> AM-BH32 0-0.25, AM-BH32 0.5-0.75, AM-BH32 1-1.25, AM-BH32 1.5-1.75, AM-BH32 2-2.25, AM-BH32 2.5-2.75,	AM-BH32 0.25-0.5, AM-BH32 0.75-1, AM-BH32 1.25-1.5, AM-BH32 1.75-2, AM-BH32 2.25-2.5, AM-BH32 2.75-3	10-Oct-2016	18-Oct-2016	08-Apr-2017	✓	18-Oct-2016	08-Apr-2017	✓
<b>EA055: Moisture Content</b>								
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH26 2.75-3, AM-BH24 2.75-3,	AM-BH18 1.75-2, AM-BH10 1.75-2	06-Oct-2016	----	----	----	20-Oct-2016	20-Oct-2016	✓
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH29 1.75-2		07-Oct-2016	----	----	----	20-Oct-2016	21-Oct-2016	✓
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH32 2.75-3		10-Oct-2016	----	----	----	20-Oct-2016	24-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	----	----	----	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	----	----	----	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH32 0.25-0.5		10-Oct-2016	----	----	----	18-Oct-2016	24-Oct-2016	✓
<b>EG005T: Total Metals by ICP-AES</b>								
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	04-Apr-2017	✓	18-Oct-2016	04-Apr-2017	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	08-Apr-2017	✓	18-Oct-2016	08-Apr-2017	✓
<b>EG020T: Total Metals by ICP-MS</b>								
<b>Soil Glass Jar - Unpreserved (EG020R-T)</b> AM-BH29 0-0.1		07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Soil Glass Jar - Unpreserved (EG035T) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	03-Nov-2016	✓	19-Oct-2016	03-Nov-2016	✓
Soil Glass Jar - Unpreserved (EG035T) AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	18-Oct-2016	04-Nov-2016	✓	19-Oct-2016	04-Nov-2016	✓
Soil Glass Jar - Unpreserved (EG035T) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	07-Nov-2016	✓	19-Oct-2016	07-Nov-2016	✓
<b>EP068A: Organochlorine Pesticides (OC)</b>								
Soil Glass Jar - Unpreserved (EP068) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP068) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP068) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>								
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>								
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>								
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP080: BTEXN</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231P: PFAS Sums</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	8	72	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	12	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	14	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	1	100.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	1	100.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Metals by ICP-MS - Suite R	EG020R-T	SOIL	In house: Referenced to APHA 3125; USEPA SW846 - 6020. Metals in solids are determined following an appropriate acid digestion. The ICPMS technique ionizes selected elements. Ions are passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass / charge ratios prior to measurement by a discrete dynode ion detector. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Pesticides by GCMS	EP068	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM (2013) Schedule B(3) (Method 504,505)
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
PAH/Phenols (SIM)	EP075(SIM)	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	In house: Referenced to USEPA SW 846 - 8260B Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.

Preparation Methods	Method	Matrix	Method Descriptions
Drying only	EN020D	SOIL	In house
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM (2013) Schedule B(3) (Method 202)



Page : 9 of 9  
Work Order : EB1624693  
Client : GOLDER ASSOCIATES  
Project : 1538021




<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Sample Extraction for PFAS	EP231-PR	SOIL	In house
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids	ORG17	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na2SO4 and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

Sheet ..... of .....

<b>Project ID:</b>	1538021	<b>Quote/Order No:</b>	EN/002/15	<b>GOLDER ASSOCIATES PTY LTD</b>	<b>Phone:</b> (07) 3721 5400																	
<b>Site Name:</b>	Brisbane Airport	<b>Lab Name:</b>	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	<b>Fax:</b> (07) 3721 5401																	
<b>Sampled By:</b>	Morgan Midgley	<b>BY:</b>		<b>Invoice to be sent to Accounts:</b>	<a href="mailto:auaccounts@payaible@golder.com.au">auaccounts@payaible@golder.com.au</a>																	
<b>Project Location:</b>	5	<b>Project Manager:</b> Krystle-Rae Biram																				
<b>Report Format:</b>	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	<b>Contact Phone:</b> 07 37215400																				
<b>Email Format:</b>	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	<b>Email Addr:</b> scurti@golder.com.au		<b>Email:</b> KBiram@golder.com.au																		
<b>Comments/Special Instructions:</b>			<b>ANALYSIS REQUIRED</b>																			
Samples from a declared Fire Ant Area: <span style="float:right;">Y</span>			<b>No CONTAINERS</b>	<b>POSSIBLE HIGH CONCENTRATION</b>	<b>HOLD</b>	<b>EAU17 - pH/pHFOX - Fast Screen</b>	<b>ENU00PR - dry 85°C and pulvise</b>	<b>S26 - SC TRH(C6-C40)/BTEXN /PAH plus 8 metals - silica gel cleanup</b>	<b>OC Pesticides - standard levels</b>	<b>PFAS - extended suite 28 parameters</b>	<b>S-2 8 metals</b>	<b>zinc/niobium</b>	<b>titanium</b>									
Samples taken from a known Weed and/or Pest Area: <span style="float:right;">N</span>																						
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage															
1	AM-BH26	0	0.25	soil	6/10/2016	bag					X	X										
2	AM-BH26	0.25	0.5	soil	6/10/2016	bag+2jar				X	X			X	X							
3	AM-BH26	0.5	0.75	soil	6/10/2016	bag				X	X											
4	AM-BH26	0.75	1	soil	6/10/2016	bag+jar				X	X											
5	AM-BH26	1	1.25	soil	6/10/2016	bag				X	X											
6	AM-BH26	1.25	1.5	soil	6/10/2016	bag				X	X											
7	AM-BH26	1.5	1.75	soil	6/10/2016	bag				X	X											
8	AM-BH26	1.75	2	soil	6/10/2016	bag+2 jars				X	X											
9	AM-BH26	2	2.25	soil	6/10/2016	bag				X	X											
10	AM-BH26	2.25	2.5	soil	6/10/2016	bag				X	X											
11	AM-BH26	2.5	2.75	soil	6/10/2016	bag				X	X											
12	AM-BH26	2.75	3	soil	6/10/2016	bag+jar				X	X				X							
13	AM-BH26	0	0.1	soil	6/10/2016	jar									X		X		X			

Environmental Division  
 Brisbane  
 Work Order Reference  
**EB1624693**



Telephone : 61-7-3243 7222

SAMPLE MATRIX = Soil/Sediment/Fill/Other SAMPLE TYPE = Core(CR) HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
RELEASED BY Morgan Midgley	GOLDER	14-10-16		RELEASED BY	GA	14-10-16		Shipping Ref: <input type="text"/>
RECEIVED BY	ALS	14/10/16	1600	RECEIVED BY				
RELEASED BY				TO BE RETURNED BY ANALYTICAL LABORATORY	LAB BATCH NUMBER			
RECEIVED BY				Scale Used	<input type="checkbox"/>	China	<input type="checkbox"/>	Bill No.
RELEASED BY				Sample Container	<input type="checkbox"/>	Plastic	<input type="checkbox"/>	Address
RECEIVED BY				Cell No.	<input type="checkbox"/>	Aluminum	<input type="checkbox"/>	

**WARNING!**

SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA

DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE

FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIERS; LABORATORY ON RECEIPT OF SAMPLES.**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

1538021		Order No.	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Brisbane Airport		Lab Name	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Morgan Midgley		BY:		Invoice to be sent to Accounts:	accounts.payable@golder.com.au
Report Format:	HARD <input type="checkbox"/>	FAX <input type="checkbox"/>	DISK <input type="checkbox"/>	EMAIL <input checked="" type="checkbox"/>	BULLETIN BOARD <input type="checkbox"/>
Email Format:	PDF <input checked="" type="checkbox"/>	Excel <input type="checkbox"/>	Other <input type="checkbox"/>	Email Addr:	gsurti@golder.com.au



Comments/Special Instructions:

Samples from a declared Fire Ant Area: Y

Samples taken from a known Weed and or Pest Area: N

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
14	AM-BH18	0 0.25	soil	6/10/2016		bag		1	N
15	AM-BH18	0.25 0.5	soil	6/10/2016		bag+2jar		3	N
16	AM-BH18	0.5 0.75	soil	6/10/2016		bag		1	N
17	AM-BH18	0.75 1	soil	6/10/2016		bag+jar		2	N
18	AM-BH18	1 1.25	soil	6/10/2016		bag		1	N
19	AM-BH18	1.25 1.5	soil	6/10/2016		bag		1	N
20	AM-BH18	1.5 1.75	soil	6/10/2016		bag		1	N
21	AM-BH18	1.75 2	soil	6/10/2016		bag+jar		2	N
22	AM-BH18	2 2.25	soil	6/10/2016		bag		1	N
23	AM-BH18	2.25 2.5	soil	6/10/2016		bag		1	N
24	AM-BH18	2.5 2.75	soil	6/10/2016		bag		1	N
25	AM-BH18	2.75 3	soil	6/10/2016		bag+jar		2	N

HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 850C and pulverise	S26 - SC TRH(CB-C40)/BTEXN /PAH Plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters	ANALYSIS REQUIRED															
	X	X	X	X	X																
			X	X																	
	X	X																			
	X	X																			
	X	X																			
	X	X								X											
	X	X								X											
	X	X								X											
	X	X								X											
	X	X								X											
	X	X								X											
	X	X								X											

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>Morgan Midgley</i>	GA	14-10-16		Shipping Ref:
CHRIS	ALS	14/10/16	1600					

**WARNING!**

SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA

DISPOSE OF SAMPLES IN ACCORDANCE WITH DEPT APPROVED PROCEDURE

**FREEZE OR BAKE ENTIRE SAMPLE**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

1538021	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Brisbane Airport	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Morgan Midgley		Invoice to be sent to Accounts: <a href="mailto:auaccountsnavable@golder.com.au">auaccountsnavable@golder.com.au</a>	
5	BY:	Project Manager: Krystle-Rae Biram	Contact Phone: 07 37215400
HARD <input type="checkbox"/>	FAX <input type="checkbox"/>	DISK <input type="checkbox"/>	EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>
PDF <input checked="" type="checkbox"/>	Excel <input type="checkbox"/>	Other <input type="checkbox"/>	Email Address: <a href="mailto:scurlif@golder.com.au">scurlif@golder.com.au</a>



Comments/Special Instructions:

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
26	AM-BH24	0 0.25	soil	6/10/2016		bag		1	N
27	AM-BH24	0.25 0.5	soil	6/10/2016		bag+2jars		3	N
28	AM-BH24	0.5 0.75	soil	6/10/2016		bag		1	N
29	AM-BH24	0.75 1	soil	6/10/2016		bag+jar		2	N
30	AM-BH24	1 1.25	soil	6/10/2016		bag		1	N
31	AM-BH24	1.25 1.5	soil	6/10/2016		bag		1	N
32	AM-BH24	1.5 1.75	soil	6/10/2016		bag		1	N
33	AM-BH24	1.75 2	soil	6/10/2016		bag+jar		2	N
34	AM-BH24	2 2.25	soil	6/10/2016		bag		1	N
35	AM-BH24	2.25 2.5	soil	6/10/2016		bag		1	N
36	AM-BH24	2.5 2.75	soil	6/10/2016		bag		1	N
37	AM-BH24	2.75 3	soil	6/10/2016		bag+jar		2	N
38	AM-BH24	1.1 1.2	soil	6/10/2016		jar		1	N

ANALYSIS REQUIRED										
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85oC and pulverise	S26 - SC TRHICs- C40/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters					
	X	X		X	X					
	X	X	X	X	X					
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
X									X	

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P


SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		[Signature]	GA	14/10		Shipping Ref:
CHAZS	ALS	14/10/16	1600					

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

1538021	Order No. [REDACTED]	EN/002/15
Brisbane Airport	Lab Name: ALS Environmental	
Morgan Midgley	BY: 5	
Report Format: <input checked="" type="checkbox"/> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		
File with Contact: <input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Addr: scurti@golder.com.au	

GOLDER ASSOCIATES PTY LTD 147 Coronation Drive, Milton, Qld 4064 Phone: (07) 3724 5400 Fax: (07) 3721 5401 Invoice to be sent to Accounts: <a href="mailto:auaccounts@payable@golder.com.au">auaccounts@payable@golder.com.au</a>	 <b>Golder Associates</b> Email: <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>
Project Manager: Krystle-Rae Biram Contact Phone: 07 37215400	

**Comments/Special Instructions:**

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
39	AM-BH10	0 0.25	soil	6/10/2016		bag	1	N
40	AM-BH10	0.25 0.5	soil	6/10/2016		bag+2jar	3	N
41	AM-BH10	0.5 0.75	soil	6/10/2016		bag	1	N
42	AM-BH10	0.75 1	soil	6/10/2016		bag+jar	2	N
43	AM-BH10	1 1.25	soil	6/10/2016		bag	1	N
44	AM-BH10	1.25 1.5	soil	6/10/2016		bag	1	N
45	AM-BH10	1.5 1.75	soil	6/10/2016		bag	1	N
46	AM-BH10	1.75 2	soil	6/10/2016		bag+jar	2	N
47	AM-BH10	2 2.25	soil	6/10/2016		bag	1	N
48	AM-BH10	2.25 2.5	soil	6/10/2016		bag	1	N
49	AM-BH10	2.5 2.75	soil	6/10/2016		bag	1	N
50	AM-BH10	2.75 3	soil	6/10/2016		bag+jar	2	N

ANALYSIS REQUIRED														
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85oC and pulverise	S26 - SC TRHCS - C40/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters									
	X	X												
	X	X	X	X	X									
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X							X					
	X	X												
	X	X												

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16	1600	<i>[Signature]</i>	GA	14/10		Shipping Ref.
CHRES	ALS	14/10/16	1600					

**WARNING!**  
**SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA**  
**DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE**  
**FREEZE OF BAKED ENTIRE SAMPLE**

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

1538021	Order Reference	EN/002/15
Brisbane Airport	Lab Name	ALS Environmental
Sampled By Morgan Midgley		
Volume (Litres)	BY:	
5		
Report Format:	<input type="checkbox"/> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> BULLETIN BOARD	
Email Format:	<input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/> Email Address: scurti@golder.com.au	

<b>GOLDER ASSOCIATES PTY LTD</b>	Phone: (07) 3721 5400	
147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401	
Invoice to be sent to Accounts:	Project Manager: Krystle-Rae Biram	auaccounts payable@golder.com.au
Contact Phone: 07 37215400		Email: K.Biram@golder.com.au

Comments/Special Instructions:									
Samples from a declared Fire Ant Area: <b>Y</b>									
Samples taken from a known Weed and/or Pest Area: <b>N</b>									
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
51	AM-BH32	0	0.25	soil	10/10/2016	bag		1	N
52	AM-BH32	0.25	0.5	soil	10/10/2016	bag+2jar		3	N
53	AM-BH32	0.5	0.75	soil	10/10/2016	bag		1	N
54	AM-BH32	0.75	1	soil	10/10/2016	bag+jar		2	N
55	AM-BH32	1	1.25	soil	10/10/2016	bag		1	N
56	AM-BH32	1.25	1.5	soil	10/10/2016	bag		1	N
57	AM-BH32	1.5	1.75	soil	10/10/2016	bag		1	N
58	AM-BH32	1.75	2	soil	10/10/2016	bag+jar		2	N
59	AM-BH32	2	2.25	soil	10/10/2016	bag		1	N
60	AM-BH32	2.25	2.5	soil	10/10/2016	bag		1	N
61	AM-BH32	2.5	2.75	soil	10/10/2016	bag		1	N
62	AM-BH32	2.75	3	soil	10/10/2016	bag+jar		2	N

ANALYSIS REQUIRED												
HOLD	EA037 - pHF/PHFOX - Fast Screen	EN020PR - dry 85oC and pulverise	S26 - SC TRH (C6-C40)/BT/EXN/PAH-plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters							
X	X	X		X	X							
X	X	X	X	X	X							
X	X	X										
X	X	X										
X	X	X										
X	X	X										
X	X	X										
X	X	X										
X	X	X										
X	X	X										
X	X	X										
X	X	X										
X	X	X								X		

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME
<b>RELEASED BY</b> Morgan Midgley	<b>GOLDER</b>	14-10-16	
<b>RECEIVED BY</b> <i>CHRS</i>	<b>ALS</b>	14/10/16	1600
<b>RELEASED BY</b>			
<b>RECEIVED BY</b>			
<b>RELEASED BY</b>			
<b>RECEIVED BY</b>			

SIGNATURE	COMPANY	DATE	TIME	Shipment Method
<b>RELEASED BY</b>				Shipping Ref:
<b>RECEIVED BY</b>				

LAB BATCH NUMBER


**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DEP APPROVED PROCEDURE  
 FREEZE OF BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

<b>1538021</b>	<b>EN/002/15</b>	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400	
<b>Brisbane Airport</b>	<b>ALS Environmental</b>	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401	
<b>Morgan Midgley</b>	<b>BY:</b>	Invoice to be sent to Accounts:		aaccounts@pavable@golder.com.au
<b>5</b>	<b>BY:</b>	Project Manager: <b>Krystle-Rae Biram</b>	Contact Phone: <b>07 37215400</b>	Email: <b>KBiram@golder.com.au</b>
Report Format: <b>HARD</b> <input type="checkbox"/> <b>FAX</b> <input type="checkbox"/> <b>DISK</b> <input type="checkbox"/> <b>EMAIL</b> <input checked="" type="checkbox"/> <b>BULLETIN BOARD</b> <input type="checkbox"/>				
Email Format: <b>PDF</b> <input checked="" type="checkbox"/> <b>Excel</b> <input type="checkbox"/> <b>Other</b> <input type="checkbox"/> Email Address: <b>scurlj@golder.com.au</b>				

**Comments/Special Instructions:**

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
63	AM-BH29 0 0.25	soil	7/10/2016		bag		1	N
64	AM-BH29 0.25 0.5	soil	7/10/2016		bag+2jar		3	N
65	AM-BH29 0.5 0.75	soil	7/10/2016		bag		1	N
66	AM-BH29 0.75 1	soil	7/10/2016		bag+jar		2	N
67	AM-BH29 1 1.25	soil	7/10/2016		bag		1	N
68	AM-BH29 1.25 1.5	soil	7/10/2016		bag		1	N
69	AM-BH29 1.5 1.75	soil	7/10/2016		bag		1	N
70	AM-BH29 1.75 2	soil	7/10/2016		bag+jar		2	N
71	AM-BH29 2 2.25	soil	7/10/2016		bag		1	N
72	AM-BH29 2.25 2.5	soil	7/10/2016		bag		1	N
73	AM-BH29 2.5 2.75	soil	7/10/2016		bag		1	N
74	AM-BH29 2.75 3	soil	7/10/2016		bag+jar		2	N
75	AM-BH29 0 0.1	soil	7/10/2016		jar		1	N

ANALYSIS REQUIRED														
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85°C and phosphate	IS26 - TRH (CB-C40)/BTEXN /PAH plus 8 metals	IS12 - OC/OP Pesticides	PFAS - extended suite 29 parameters	S-2 8 metals	zirconium	titanium						
	X	X	X	X	X									
	X	X	X		X									
	X	X												
	X	X												
	X	X												
	X	X			X									
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												
	X	X												

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipping Method
RELEASED BY: Morgan Midgley	GOLDER			RELEASED BY:				Shipping Ref:
RECEIVED BY: <i>CARLES</i>	ALS	14/10/16	1600	RECEIVED BY:				
RELEASED BY:				LAB BATCH NUMBER				
RECEIVED BY:				Soil: Soil	Gravel			Bill to:
RELEASED BY:				Suitable Containers:	Frizer			Address:
RECEIVED BY:				Condition:	Ambient			

**WARNING!**

SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA

DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE

FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF AND MUST BE RETURNED ON RECEIPT OF SAMPLES.



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1624693**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 4
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

Dates

Date Samples Received	: 14-Oct-2016 4:00 PM	Issue Date	: 17-Oct-2016
Client Requested Due Date	: 21-Oct-2016	Scheduled Reporting Date	: <b>21-Oct-2016</b>

Delivery Details

Mode of Delivery	: Carrier	Security Seal	: Intact.
No. of coolers/boxes	: 3	Temperature	: 0.1°C, 0.4°C, 1.2°C
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 74 / 73

General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **Please be advised that sample "AM-BH26 0-0.1" was not received at the laboratory (denoted SNR on the scanned COC).**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913).**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**





## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exists.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: SOIL

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH
EB1624693-001	[ 06-Oct-2016 ]	AM-BH26 0-0.25		✓					
EB1624693-002	[ 06-Oct-2016 ]	AM-BH26 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-003	[ 06-Oct-2016 ]	AM-BH26 0.5-0.75		✓					
EB1624693-004	[ 06-Oct-2016 ]	AM-BH26 0.75-1		✓					
EB1624693-005	[ 06-Oct-2016 ]	AM-BH26 1-1.25		✓					
EB1624693-006	[ 06-Oct-2016 ]	AM-BH26 1.25-1.5		✓					
EB1624693-007	[ 06-Oct-2016 ]	AM-BH26 1.5-1.75		✓					
EB1624693-008	[ 06-Oct-2016 ]	AM-BH26 1.75-2		✓					
EB1624693-009	[ 06-Oct-2016 ]	AM-BH26 2-2.25		✓					
EB1624693-010	[ 06-Oct-2016 ]	AM-BH26 2.25-2.5		✓					
EB1624693-011	[ 06-Oct-2016 ]	AM-BH26 2.5-2.75		✓					
EB1624693-012	[ 06-Oct-2016 ]	AM-BH26 2.75-3		✓	✓		✓		
EB1624693-014	[ 06-Oct-2016 ]	AM-BH18 0-0.25		✓					
EB1624693-015	[ 06-Oct-2016 ]	AM-BH18 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-016	[ 06-Oct-2016 ]	AM-BH18 0.5-0.75		✓					
EB1624693-017	[ 06-Oct-2016 ]	AM-BH18 0.75-1		✓					
EB1624693-018	[ 06-Oct-2016 ]	AM-BH18 1-1.25		✓					
EB1624693-019	[ 06-Oct-2016 ]	AM-BH18 1.25-1.5		✓					
EB1624693-020	[ 06-Oct-2016 ]	AM-BH18 1.5-1.75		✓					
EB1624693-021	[ 06-Oct-2016 ]	AM-BH18 1.75-2		✓	✓		✓		
EB1624693-022	[ 06-Oct-2016 ]	AM-BH18 2-2.25		✓					
EB1624693-023	[ 06-Oct-2016 ]	AM-BH18 2.25-2.5		✓					
EB1624693-024	[ 06-Oct-2016 ]	AM-BH18 2.5-2.75		✓					
EB1624693-025	[ 06-Oct-2016 ]	AM-BH18 2.75-3		✓					
EB1624693-026	[ 06-Oct-2016 ]	AM-BH24 0-0.25		✓					
EB1624693-027	[ 06-Oct-2016 ]	AM-BH24 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-028	[ 06-Oct-2016 ]	AM-BH24 0.5-0.75		✓					
EB1624693-029	[ 06-Oct-2016 ]	AM-BH24 0.75-1		✓					
EB1624693-030	[ 06-Oct-2016 ]	AM-BH24 1-1.25		✓					
EB1624693-031	[ 06-Oct-2016 ]	AM-BH24 1.25-1.5		✓					
EB1624693-032	[ 06-Oct-2016 ]	AM-BH24 1.5-1.75		✓					
EB1624693-033	[ 06-Oct-2016 ]	AM-BH24 1.75-2		✓					
EB1624693-034	[ 06-Oct-2016 ]	AM-BH24 2-2.25		✓					
EB1624693-035	[ 06-Oct-2016 ]	AM-BH24 2.25-2.5		✓					
EB1624693-036	[ 06-Oct-2016 ]	AM-BH24 2.5-2.75		✓					



			(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEX/NPAH
EB1624693-037	[ 06-Oct-2016 ]	AM-BH24 2.75-3		✓	✓		✓		
EB1624693-038	[ 06-Oct-2016 ]	AM-BH24 1.1-1.2	✓						
EB1624693-039	[ 06-Oct-2016 ]	AM-BH10 0-0.25		✓					
EB1624693-040	[ 06-Oct-2016 ]	AM-BH10 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-041	[ 06-Oct-2016 ]	AM-BH10 0.5-0.75		✓					
EB1624693-042	[ 06-Oct-2016 ]	AM-BH10 0.75-1		✓					
EB1624693-043	[ 06-Oct-2016 ]	AM-BH10 1-1.25		✓					
EB1624693-044	[ 06-Oct-2016 ]	AM-BH10 1.25-1.5		✓					
EB1624693-045	[ 06-Oct-2016 ]	AM-BH10 1.5-1.75		✓					
EB1624693-046	[ 06-Oct-2016 ]	AM-BH10 1.75-2		✓	✓		✓		
EB1624693-047	[ 06-Oct-2016 ]	AM-BH10 2-2.25		✓					
EB1624693-048	[ 06-Oct-2016 ]	AM-BH10 2.25-2.5		✓					
EB1624693-049	[ 06-Oct-2016 ]	AM-BH10 2.5-2.75		✓					
EB1624693-050	[ 06-Oct-2016 ]	AM-BH10 2.75-3		✓					
EB1624693-051	[ 10-Oct-2016 ]	AM-BH32 0-0.25		✓					
EB1624693-052	[ 10-Oct-2016 ]	AM-BH32 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-053	[ 10-Oct-2016 ]	AM-BH32 0.5-0.75		✓					
EB1624693-054	[ 10-Oct-2016 ]	AM-BH32 0.75-1		✓					
EB1624693-055	[ 10-Oct-2016 ]	AM-BH32 1-1.25		✓					
EB1624693-056	[ 10-Oct-2016 ]	AM-BH32 1.25-1.5		✓					
EB1624693-057	[ 10-Oct-2016 ]	AM-BH32 1.5-1.75		✓					
EB1624693-058	[ 10-Oct-2016 ]	AM-BH32 1.75-2		✓					
EB1624693-059	[ 10-Oct-2016 ]	AM-BH32 2-2.25		✓					
EB1624693-060	[ 10-Oct-2016 ]	AM-BH32 2.25-2.5		✓					
EB1624693-061	[ 10-Oct-2016 ]	AM-BH32 2.5-2.75		✓					
EB1624693-062	[ 10-Oct-2016 ]	AM-BH32 2.75-3		✓	✓		✓		
EB1624693-063	[ 07-Oct-2016 ]	AM-BH29 0-0.25		✓					
EB1624693-064	[ 07-Oct-2016 ]	AM-BH29 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-065	[ 07-Oct-2016 ]	AM-BH29 0.5-0.75		✓					
EB1624693-066	[ 07-Oct-2016 ]	AM-BH29 0.75-1		✓					
EB1624693-067	[ 07-Oct-2016 ]	AM-BH29 1-1.25		✓					
EB1624693-068	[ 07-Oct-2016 ]	AM-BH29 1.25-1.5		✓					
EB1624693-069	[ 07-Oct-2016 ]	AM-BH29 1.5-1.75		✓					
EB1624693-070	[ 07-Oct-2016 ]	AM-BH29 1.75-2		✓	✓		✓		
EB1624693-071	[ 07-Oct-2016 ]	AM-BH29 2-2.25		✓					
EB1624693-072	[ 07-Oct-2016 ]	AM-BH29 2.25-2.5		✓					
EB1624693-073	[ 07-Oct-2016 ]	AM-BH29 2.5-2.75		✓					
EB1624693-074	[ 07-Oct-2016 ]	AM-BH29 2.75-3		✓					
EB1624693-075	[ 07-Oct-2016 ]	AM-BH29 0-0.1			✓			✓	



## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1624749**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : **MS KRYSTLE-RAE BIRAM**  
**Address** : **P O BOX 1734**  
**MILTON QLD, AUSTRALIA 4064**  
**Telephone** : **+61 07 3721 5400**  
**Project** : **1538021**  
**Order number** : **1538021**  
**C-O-C number** : **----**  
**Sampler** : **MORGAN MIDGLEY**  
**Site** : **Brisbane Airport**  
**Quote number** : **----**  
**No. of samples received** : **90**  
**No. of samples analysed** : **85**

**Page** : 1 of 105  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 14-Oct-2016 16:00  
**Date Analysis Commenced** : 18-Oct-2016  
**Issue Date** : 25-Oct-2016 13:16



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Lana Nguyen	Senior LCMS Chemist	Sydney Organics, Smithfield, NSW
Matt Frost	Senior Organic Chemist	Brisbane Inorganics, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG005T (Total Metals): Sample EB1624685-033 shows poor matrix spike recovery due to sample heterogeneity. Confirmed by visual inspection.
- EG035T (Total Mercury): Sample EB1624685-033 shows poor spike recovery due to sample heterogeneity. Confirmed by visual inspection
- EP068 Pesticides: Sample 'AM-BH14 0.25-0.5' shows poor matrix spike recovery for 4,4/ due to matrix interference. Confirmed by re-extraction and re-analysis.
- EP068 Pesticides: High LCS recovery deemed acceptable as all associated analyte results are less than LOR.
- EP075(SIM): High LCS recovery deemed acceptable as all associated analyte results are less than LOR.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.  
Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.6	7.6	6.9	7.1	
ø pH (Fox)	----	0.1	pH Unit	5.2	5.6	5.7	5.2	4.4	
ø Reaction Rate	----	1	-	1	2	2	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	9.8	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	7	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	9	----	----	----	
Copper	7440-50-8	5	mg/kg	----	23	----	----	----	
Lead	7439-92-1	5	mg/kg	----	14	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	9	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	30	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	114	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	102	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	122	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	118	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	100	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	121	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	113	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	132	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	99.4	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	84.9	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	88.2	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	93.7	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.8	5.9	5.0	5.7	
ø pH (Fox)	----	0.1	pH Unit	4.2	4.4	3.0	3.4	3.3	
ø Reaction Rate	----	1	-	3	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID				
				AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015
				Result	Result	Result	Result	Result
<b>EA037: Ass Field Screening Analysis</b>								
ø pH (F)	----	0.1	pH Unit	5.7	6.5	7.0	7.8	5.9
ø pH (Fox)	----	0.1	pH Unit	3.4	4.8	4.7	6.0	2.7
ø Reaction Rate	----	1	-	2	2	3	3	4
<b>EA055: Moisture Content</b>								
Moisture Content (dried @ 103°C)	----	1	%	----	25.2	----	11.2	----
<b>EG005T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	----	----	----	8	----
Cadmium	7440-43-9	1	mg/kg	----	----	----	<1	----
Chromium	7440-47-3	2	mg/kg	----	----	----	21	----
Copper	7440-50-8	5	mg/kg	----	----	----	24	----
Lead	7439-92-1	5	mg/kg	----	----	----	13	----
Nickel	7440-02-0	2	mg/kg	----	----	----	14	----
Zinc	7440-66-6	5	mg/kg	----	----	----	40	----
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----
<b>EG020T: Total Metals by ICP-MS</b>								
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----
<b>EP068A: Organochlorine Pesticides (OC)</b>								
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	0.6	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	1.2	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	<10	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	<10	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	<0.2	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	<0.5	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	<0.5	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	<0.5	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	<0.5	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	<0.5	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	<0.2	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	<1	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	<0.0002	----	<b>0.0003</b>	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	<0.001	----	<0.001	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	0.0003	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	0.0003	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	0.0003	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	119	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	112	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	116	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	109	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	95.1	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	116	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	108	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	132	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	94.1	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	79.3	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	92.0	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	96.0	----	104	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.3	5.2	8.0	5.5	5.7	
ø pH (Fox)	----	0.1	pH Unit	2.4	2.5	3.2	2.9	3.0	
ø Reaction Rate	----	1	-	4	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	6.8	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		90.5	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	7.2	7.2	7.3	7.0	
ø pH (Fox)	----	0.1	pH Unit	5.0	5.6	5.7	5.7	1.8	
ø Reaction Rate	----	1	-	2	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.0	6.5	7.2	7.0	7.3	
ø pH (Fox)	----	0.1	pH Unit	5.4	4.4	5.0	4.8	4.8	
ø Reaction Rate	----	1	-	3	2	3	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	23.9	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	14	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	41	----	----	----	----	
Copper	7440-50-8	5	mg/kg	22	----	----	----	----	
Lead	7439-92-1	5	mg/kg	10	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	39	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	90	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	<0.2	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	<0.2	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	<0.05	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	<0.05	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	<0.05	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	<0.05	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	<0.05	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	<0.2	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	<0.05	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	<0.05	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	<0.05	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	<10	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	EB1624749-030
				Result	Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	<10	----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg	<100	----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg	<0.5	----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg	<0.2	----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030
				Result	Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	113	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	106	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	108	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	105	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	102	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	103	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	110	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	123	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	99.0	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	89.6	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	97.4	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	96.0	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.1	6.9	6.9	7.0	7.0	
ø pH (Fox)	----	0.1	pH Unit	4.6	4.4	4.2	4.4	2.5	
ø Reaction Rate	----	1	-	3	3	3	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	25.4	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	<0.0002	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	<0.001	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	<0.0005	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	<0.0005	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	<0.0002	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	<0.0002	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	<0.0002	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	94.3	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.3	----	----	7.2	6.3	
ø pH (Fox)	----	0.1	pH Unit	2.5	----	----	3.1	4.3	
ø Reaction Rate	----	1	-	4	----	----	3	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	16.8	23.4	----	24.2	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	8	13	----	<5	
Cadmium	7440-43-9	1	mg/kg	----	<1	<1	----	<1	
Chromium	7440-47-3	2	mg/kg	----	46	39	----	55	
Copper	7440-50-8	5	mg/kg	----	34	31	----	20	
Lead	7439-92-1	5	mg/kg	----	10	17	----	6	
Nickel	7440-02-0	2	mg/kg	----	52	59	----	18	
Zinc	7440-66-6	5	mg/kg	----	56	236	----	33	
Titanium	7440-32-6	10	mg/kg	----	360	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	1.4	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	<0.1	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	<0.05	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	<0.05	----	<0.05	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	<0.05	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	<0.05	----	<0.05	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	<0.05	----	<0.05	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	<0.05	----	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	<0.2	----	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	<0.2	----	<0.2	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	<0.05	----	<0.05	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	<0.2	----	<0.2	
Dimethoate	60-51-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Diazinon	333-41-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	<0.05	----	<0.05	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	<0.2	----	<0.2	
Malathion	121-75-5	0.05	mg/kg	----	----	<0.05	----	<0.05	
Fenthion	55-38-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
Parathion	56-38-2	0.2	mg/kg	----	----	<0.2	----	<0.2	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	<0.05	----	<0.05	
Ethion	563-12-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	<0.05	----	<0.05	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	<0.5	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	<0.5	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	<b>0.6</b>	----	<b>0.6</b>	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	<b>1.2</b>	----	<b>1.2</b>	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	<10	----	<10	
C10 - C14 Fraction	----	50	mg/kg	----	----	<50	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	<100	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	<100	----	<100	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	<50	----	<50	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	<10	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	<10	----	<10	
>C10 - C16 Fraction	----	50	mg/kg	----	----	<50	----	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	<100	----	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	<100	----	<100	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	<50	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	<50	----	<50	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	<0.2	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	<0.5	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	<0.2	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	<1	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	<b>0.0004</b>	----	<0.0002	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	<0.001	----	<0.001	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	112	----	116	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	101	----	106	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	109	----	119	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	103	----	110	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	97.8	----	106	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	104	----	103	
Anthracene-d10	1719-06-8	0.5	%	----	----	104	----	113	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	116	----	125	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	98.0	----	110	
Toluene-D8	2037-26-5	0.2	%	----	----	86.8	----	90.0	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	95.4	----	101	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	101	----	92.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID				
				AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
				Result	Result	Result	Result	Result
<b>EA037: Ass Field Screening Analysis</b>								
ø pH (F)	----	0.1	pH Unit	4.5	5.3	5.9	6.4	6.7
ø pH (Fox)	----	0.1	pH Unit	2.6	3.2	3.8	3.4	3.5
ø Reaction Rate	----	1	-	2	2	2	3	3
<b>EA055: Moisture Content</b>								
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----
<b>EG005T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----
Copper	7440-50-8	5	mg/kg	----	----	----	----	----
Lead	7439-92-1	5	mg/kg	----	----	----	----	----
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----
<b>EG020T: Total Metals by ICP-MS</b>								
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----
<b>EP068A: Organochlorine Pesticides (OC)</b>								
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----
^ Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.3	6.2	6.5	6.4	7.1	
ø pH (Fox)	----	0.1	pH Unit	3.7	3.6	3.3	1.7	2.2	
ø Reaction Rate	----	1	-	3	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	23.9	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	91.6	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	----	----	6.7	4.3	5.9	
ø pH (Fox)	----	0.1	pH Unit	----	----	3.8	4.6	4.0	
ø Reaction Rate	----	1	-	----	----	3	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	19.1	23.7	----	11.6	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	11	8	----	10	----	
Cadmium	7440-43-9	1	mg/kg	<1	<1	----	<1	----	
Chromium	7440-47-3	2	mg/kg	37	54	----	54	----	
Copper	7440-50-8	5	mg/kg	25	30	----	41	----	
Lead	7439-92-1	5	mg/kg	17	13	----	15	----	
Nickel	7440-02-0	2	mg/kg	18	33	----	31	----	
Zinc	7440-66-6	5	mg/kg	65	42	----	44	----	
Titanium	7440-32-6	10	mg/kg	340	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	3.0	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	<0.05	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	<0.2	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	<0.05	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	<0.05	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	<0.05	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	<0.2	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	<0.05	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	<0.05	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	<0.05	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	<0.2	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	<0.05	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	<0.05	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	<0.05	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	<0.05	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	<0.05	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	<0.05	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	<0.05	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	<b>0.6</b>	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	<b>1.2</b>	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	<10	----	
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	0.0004	----	0.0005	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	0.0004	----	0.0020	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	<0.001	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	0.0008	----	0.0025	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	0.0008	----	0.0025	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	0.0008	----	0.0025	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	115	----	108	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	103	----	98.5	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	119	----	117	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	109	----	108	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	102	----	94.1	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	105	----	116	----	
Anthracene-d10	1719-06-8	0.5	%	----	113	----	117	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	132	----	128	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	104	----	93.1	----	
Toluene-D8	2037-26-5	0.2	%	----	89.4	----	83.0	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	97.6	----	83.7	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	95.2	----	93.4	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.9	6.0	6.1	4.7	5.9	
ø pH (Fox)	----	0.1	pH Unit	3.2	3.5	4.1	2.9	4.5	
ø Reaction Rate	----	1	-	3	3	3	2	1	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.6	----	4.5	3.9	4.2	
ø pH (Fox)	----	0.1	pH Unit	5.4	----	2.8	2.2	2.5	
ø Reaction Rate	----	1	-	2	----	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	25.2	28.6	----	15.1	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	8	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	<1	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	39	----	
Copper	7440-50-8	5	mg/kg	----	----	----	16	----	
Lead	7439-92-1	5	mg/kg	----	----	----	12	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	24	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	54	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	0.6	----	0.6	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	1.2	----	1.2	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	<10	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	<0.001	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	104	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	98.4	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	113	----	104	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	102	----	97.1	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	106	----	91.9	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	100	----	110	----	
Anthracene-d10	1719-06-8	0.5	%	----	111	----	115	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	116	----	122	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	88.7	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	77.2	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	85.4	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	91.5	----	----	86.5	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		86.4	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.0	8.1	8.2	5.2	4.2	
ø pH (Fox)	----	0.1	pH Unit	2.4	2.0	2.0	3.0	2.4	
ø Reaction Rate	----	1	-	4	4	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	17.5	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	19	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	<1	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	41	
Copper	7440-50-8	5	mg/kg	----	----	----	----	20	
Lead	7439-92-1	5	mg/kg	----	----	----	----	13	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	41	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	63	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	<0.05	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	<0.05	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	<0.05	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	<0.2	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	----	----	----	----	<0.05	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	<100	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	<50	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	0.6	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	1.2	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	<10	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	<10	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<b>0.0005</b>	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	0.0005	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	110	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	100	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	108	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	99.3	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	94.6	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	113	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	118	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	126	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	100	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	79.5	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	94.5	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	95.6	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	3.9	5.7	5.1	5.8	6.5	
ø pH (Fox)	----	0.1	pH Unit	2.2	3.9	2.5	1.8	1.9	
ø Reaction Rate	----	1	-	2	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.0	7.1	7.4	7.8	7.8	
ø pH (Fox)	----	0.1	pH Unit	1.8	1.7	1.7	2.0	1.7	
ø Reaction Rate	----	1	-	4	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	36.0	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		82.9	----	----	----	----



## Surrogate Control Limits

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP068S: Organochlorine Pesticide Surrogate</b>			
Dibromo-DDE	21655-73-2	10	138
<b>EP068T: Organophosphorus Pesticide Surrogate</b>			
DEF	78-48-8	23	135
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	35	155
2-Chlorophenol-D4	93951-73-6	42	153
2,4,6-Tribromophenol	118-79-6	26	157
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	34	157
Anthracene-d10	1719-06-8	37	153
4-Terphenyl-d14	1718-51-0	42	172
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	53	134
Toluene-D8	2037-26-5	60	131
4-Bromofluorobenzene	460-00-4	59	127
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	70	130

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1624749</b>	<b>Page</b>	: 1 of 19
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 14-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 18-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 25-Oct-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 90		
<b>No. of samples analysed</b>	: 85		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Lana Nguyen	Senior LCMS Chemist	Sydney Organics, Smithfield, NSW
Matt Frost	Senior Organic Chemist	Brisbane Inorganics, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 621294)</b>									
EB1624749-001	AM-BH13 0-0.25	EA037: pH (F)	----	0.1	pH Unit	7.4	7.4	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.2	5.1	1.94	0% - 20%
EB1624749-011	AM-BH13 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	5.7	5.5	3.57	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.4	3.5	2.90	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621295)</b>									
EB1624749-021	AM-BH14 2-2.25	EA037: pH (F)	----	0.1	pH Unit	6.8	7.0	2.90	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.0	4.8	4.08	0% - 20%
EB1624749-031	AM-BH15 1.5-1.75	EA037: pH (F)	----	0.1	pH Unit	7.1	7.0	1.42	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.6	4.5	2.20	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621296)</b>									
EB1624749-045	AM-BH16 1-1.25	EA037: pH (F)	----	0.1	pH Unit	5.9	5.8	1.71	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.8	3.8	0.00	0% - 20%
EB1624749-059	AM-BH25 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	5.9	6.0	1.68	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.0	3.9	2.53	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621297)</b>									
EB1624749-070	AM-BH30 0.75-1	EA037: pH (F)	----	0.1	pH Unit	5.4	5.5	1.83	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.8	3.7	2.67	0% - 20%
EB1624749-081	AM-BH31 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	3.9	3.9	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.2	2.3	4.44	0% - 20%
<b>EA055: Moisture Content (QC Lot: 620751)</b>									
EB1624685-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	16.4	16.6	1.12	0% - 50%
EB1624685-023	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	3.8	3.9	0.00	No Limit
<b>EA055: Moisture Content (QC Lot: 620757)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	9.8	9.6	2.30	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA055: Moisture Content (QC Lot: 620766)</b>									
EB1624685-005	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	8.3	8.2	0.00	No Limit
<b>EA055: Moisture Content (QC Lot: 624690)</b>									
EB1623981-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	4.8	4.6	4.61	No Limit
EB1623981-011	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	25.5	26.2	2.67	0% - 20%
<b>EA055: Moisture Content (QC Lot: 624691)</b>									
EB1624749-052	AM-BH16 2.75-3	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	23.9	23.3	2.31	0% - 20%
<b>EG005T: Total Metals by ICP-AES (QC Lot: 620763)</b>									
EB1624685-032	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	25	25	0.00	0% - 50%
		EG005T: Nickel	7440-02-0	2	mg/kg	2	<2	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	6	5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	12	12	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	<5	<5	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	54	53	0.00	0% - 20%
		EG005T: Nickel	7440-02-0	2	mg/kg	31	31	0.00	0% - 50%
		EG005T: Arsenic	7440-38-2	5	mg/kg	10	11	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	41	40	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	15	16	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	44	44	0.00	No Limit
<b>EG020T: Total Metals by ICP-MS (QC Lot: 620765)</b>									
EB1624749-037	AM-BH15 0-0.1	EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	1.4	1.7	13.2	No Limit
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 620764)</b>									
EB1624685-032	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620748)</b>									
EB1624685-001	Anonymous	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	0.08	0.07	14.7	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620748) - continued</b>									
EB1624685-001	Anonymous	EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	0.08	0.07	13.3	No Limit
		EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit		
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620755)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620755) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
			-1						
		EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620748)</b>									
EB1624685-001	Anonymous	EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	<0.2	0.00	No Limit		
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit		
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620755)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620755) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QC Lot: 620754)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QC Lot: 620754)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620746)</b>									
EB1624685-023	Anonymous	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	205-82-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EB1624685-001	Anonymous	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5
EP075(SIM): Acenaphthylene	208-96-8			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Acenaphthene	83-32-9			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Fluorene	86-73-7			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Phenanthrene	85-01-8			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Anthracene	120-12-7			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Fluoranthene	206-44-0			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Pyrene	129-00-0			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Benz(a)anthracene	56-55-3			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Chrysene	218-01-9			0.5	mg/kg	<0.5	<0.5	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620746) - continued</b>									
EB1624685-001	Anonymous	EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	0.5	<0.5	0.00	No Limit
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620753)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620747)</b>									
EB1624685-033	Anonymous	EP071: C15 - C28 Fraction	----	100	mg/kg	<100	100	0.00	No Limit
		EP071: C29 - C36 Fraction	----	100	mg/kg	100	120	15.1	No Limit
		EP071: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EB1624685-001	Anonymous	EP071: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit
EB1624685-033	Anonymous	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620747)</b>									
EB1624685-033	Anonymous	EP071: >C16 - C34 Fraction	----	100	mg/kg	160	190	14.4	No Limit
		EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EB1624685-001	Anonymous	EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
EB1624685-033	Anonymous	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080: BTEXN (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
EB1624685-033	Anonymous	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
<b>EP080: BTEXN (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 624743) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	0.0005	0.0006	18.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	0.0020	0.0022	12.4	0% - 50%
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorononanoic acid (PFNA)	375-95-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7			0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4			0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 624743) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	118.9 mg/kg	93.9	84	123	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.87125 mg/kg	102	88	117	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	22.7 mg/kg	95.9	83	125	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55 mg/kg	105	86	122	
EG005T: Lead	7439-92-1	5	mg/kg	<5	72.1 mg/kg	102	84	119	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	16.6 mg/kg	109	89	126	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	182.3 mg/kg	104	87	127	
<b>EG020T: Total Metals by ICP-MS (QCLot: 620765)</b>									
EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	<0.5	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620764)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.09821 mg/kg	100	78	122	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748)</b>									
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	81.7	54	121	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	101	54	112	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	89.2	49	121	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	85.1	55	129	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	79.8	61	122	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	103	65	130	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	102	70	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	106	58	118	
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	107	56	119	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	101	51	125	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	105	57	118	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	100	67	129	
EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	110	62	121	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	108	60	137	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	94.4	61	122	
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	106	60	123	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	97.5	52	125	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	87.0	55	125	
EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	80.2	80	142	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	98.4	55	129	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748) - continued</b>									
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	98.1	53	136	
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620755)</b>									
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	96.5	54	121	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	# 114	54	112	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	99.7	49	121	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	95.5	55	129	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	84.1	61	122	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	119	65	130	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	108	70	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	116	58	118	
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	115	56	119	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	103	51	125	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	113	57	118	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	106	67	129	
EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	118	62	121	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	113	60	137	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	102	61	122	
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	106	60	123	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	97.4	52	125	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	93.6	55	125	
EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	107	80	142	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	121	55	129	
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	111	53	136	
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748)</b>									
EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	0.5 mg/kg	99.2	41	114	
EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	65.7	25	120	
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	0.5 mg/kg	113	35	135	
EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	0.5 mg/kg	94.8	44	131	
EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	0.5 mg/kg	98.7	70	131	





Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748) - continued</b>									
EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	0.5 mg/kg	109	70	130	
EP068: Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	0.5 mg/kg	80.0	60	122	
EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	0.5 mg/kg	96.5	64	125	
EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	0.5 mg/kg	103	69	115	
EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	0.5 mg/kg	92.9	66	120	
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	0.5 mg/kg	102	57	118	
EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	0.5 mg/kg	121	70	130	
EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	0.5 mg/kg	117	62	127	
EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	0.5 mg/kg	106	80	130	
EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	0.5 mg/kg	98.5	55	106	
EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	0.5 mg/kg	101	80	134	
EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	0.5 mg/kg	120	61	123	
EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	0.5 mg/kg	119	57	124	
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	0.5 mg/kg	46.7	35	127	
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620755)</b>									
EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	0.5 mg/kg	102	41	114	
EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	67.2	25	120	
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	0.5 mg/kg	112	35	135	
EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	0.5 mg/kg	97.1	44	131	
EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	0.5 mg/kg	111	70	131	
EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	0.5 mg/kg	107	70	130	
EP068: Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	0.5 mg/kg	81.3	60	122	
EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	0.5 mg/kg	105	64	125	
EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	0.5 mg/kg	108	69	115	
EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	0.5 mg/kg	98.5	66	120	
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	0.5 mg/kg	102	57	118	
EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	0.5 mg/kg	# 131	70	130	
EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	0.5 mg/kg	123	62	127	
EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	0.5 mg/kg	114	80	130	
EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	0.5 mg/kg	103	55	106	
EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	0.5 mg/kg	107	80	134	
EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	0.5 mg/kg	112	61	123	
EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	0.5 mg/kg	# 126	57	124	
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	0.5 mg/kg	35.5	35	127	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754)</b>									
EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	61.8	47	112	
EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	72.0	55	108	
EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620754)</b>									
EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	65.8	46	115	
EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	70.9	53	113	
EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620746)</b>									
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	101	74	119	
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	102	74	118	
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	106	83	121	
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	104	81	116	
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	110	72	117	
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	113	72	115	
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	112	70	116	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	114	70	134	
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	107	64	120	
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	110	66	119	
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	108	59	129	
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	112	70	129	
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	85.5	76	121	
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	91.9	53	135	
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	88.7	45	134	
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	106	64	131	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620753)</b>									
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	106	74	119	
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	111	74	118	
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	116	83	121	
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	111	81	116	
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	112	72	117	
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	# 122	72	115	
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	# 127	70	116	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	132	70	134	
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	109	64	120	
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	# 125	66	119	
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	110	59	129	
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	115	70	129	
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	110	76	121	
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	113	53	135	
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	114	45	134	
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	120	64	131	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
						LCS	Low	High
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620747)</b>								
EP071: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	82.6	79	123
EP071: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	87.4	77	123
EP071: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620750)</b>								
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	96.3	66	120
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620756)</b>								
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	71.8	66	120
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620747)</b>								
EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	84.9	81	122
EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	83.5	74	122
EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620750)</b>								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	89.8	66	119
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620756)</b>								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	67.4	66	119
<b>EP080: BTEXN (QCLot: 620750)</b>								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	90.9	73	105
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	97.1	73	105
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	92.5	67	104
EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	2 mg/kg	94.6	66	106
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	98.7	68	105
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	101	72	115
<b>EP080: BTEXN (QCLot: 620756)</b>								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	86.8	73	105
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	93.3	73	105
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	89.1	67	104
EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	2 mg/kg	86.8	66	106
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	90.0	68	105
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	100	72	115
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743)</b>								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	101	57	121
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.6	55	125
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.6	52	126
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	54	123
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.6	55	127
EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	103	54	125



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 624743)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00125 mg/kg	83.2	52	128	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	104	54	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	86.0	58	127	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.3	57	128	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.4	60	134	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	98.3	63	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.4	55	130	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	110	62	130	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	105	53	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	49	129	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	91.6	59	129	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 624743)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	105	52	132	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	103	65	126	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	91.1	64	126	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	96.3	63	124	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	89.6	58	125	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	99.1	61	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	99.5	55	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 624743)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	87.1	54	130	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00125 mg/kg	90.0	61	130	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	76.4	62	130	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00125 mg/kg	87.6	60	130	

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report				
				Spike Concentration	Spike Recovery(%)		Recovery Limits (%)	
					MS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763)</b>								
EB1624685-033	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	# Not Determined	70	130	



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763) - continued</b>							
EB1624685-033	Anonymous	EG005T: Cadmium	7440-43-9	25 mg/kg	114	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	# Not Determined	70	130
		EG005T: Copper	7440-50-8	50 mg/kg	# 9.19	70	130
		EG005T: Lead	7439-92-1	50 mg/kg	97.1	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	123	70	130
		EG005T: Zinc	7440-66-6	50 mg/kg	# Not Determined	70	130
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620764)</b>							
EB1624685-033	Anonymous	EG035T: Mercury	7439-97-6	2.5 mg/kg	# 139	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748)</b>							
EB1624685-007	Anonymous	EP068: gamma-BHC	58-89-9	0.5 mg/kg	97.6	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	90.7	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	97.4	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	104	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	103	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	81.4	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620755)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP068: gamma-BHC	58-89-9	0.5 mg/kg	70.5	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	84.5	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	74.9	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	90.2	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	94.2	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	# 57.7	70	130
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748)</b>							
EB1624685-007	Anonymous	EP068: Diazinon	333-41-5	0.5 mg/kg	90.0	70	130
		EP068: Chlorpyrifos-methyl	5598-13-0	0.5 mg/kg	75.8	70	130
		EP068: Pirimphos-ethyl	23505-41-1	0.5 mg/kg	105	70	130
		EP068: Bromophos-ethyl	4824-78-6	0.5 mg/kg	111	70	130
		EP068: Prothiofos	34643-46-4	0.5 mg/kg	103	70	130
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620755)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP068: Diazinon	333-41-5	0.5 mg/kg	89.6	70	130
		EP068: Chlorpyrifos-methyl	5598-13-0	0.5 mg/kg	86.5	70	130
		EP068: Pirimphos-ethyl	23505-41-1	0.5 mg/kg	107	70	130
		EP068: Bromophos-ethyl	4824-78-6	0.5 mg/kg	95.6	70	130
		EP068: Prothiofos	34643-46-4	0.5 mg/kg	93.6	70	130
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754)</b>							



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754) - continued</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP071SG-S: C10 - C14 Fraction	----	318 mg/kg	62.5	47	130
		EP071SG-S: C15 - C28 Fraction	----	531 mg/kg	68.3	55	130
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620754)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP071SG-S: >C10 - C16 Fraction	----	428 mg/kg	64.4	46	130
		EP071SG-S: >C16 - C34 Fraction	----	395 mg/kg	66.8	53	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620746)</b>							
EB1624685-002	Anonymous	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	101	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	110	70	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620753)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	116	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	124	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620747)</b>							
EB1624685-004	Anonymous	EP071: C10 - C14 Fraction	----	318 mg/kg	82.4	70	130
		EP071: C15 - C28 Fraction	----	531 mg/kg	87.3	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: C6 - C9 Fraction	----	8 mg/kg	95.0	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: C6 - C9 Fraction	----	8 mg/kg	78.2	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620747)</b>							
EB1624685-004	Anonymous	EP071: >C10 - C16 Fraction	----	428 mg/kg	84.2	70	130
		EP071: >C16 - C34 Fraction	----	395 mg/kg	84.9	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	93.8	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	76.0	70	130
<b>EP080: BTEXN (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: Benzene	71-43-2	2 mg/kg	93.3	70	130
		EP080: Toluene	108-88-3	2 mg/kg	91.1	70	130
<b>EP080: BTEXN (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: Benzene	71-43-2	2 mg/kg	80.5	70	130
		EP080: Toluene	108-88-3	2 mg/kg	76.5	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00125 mg/kg	75.2	50	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00125 mg/kg	77.1	50	130
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00125 mg/kg	72.6	50	130



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743) - continued</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00125 mg/kg	94.9	50	130
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00125 mg/kg	86.0	50	130
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.00125 mg/kg	81.3	50	130
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00125 mg/kg	67.8	50	130
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	82.2	50	130
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	67.8	50	130
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	90.2	50	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	109	50	130
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	112	50	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	102	50	130
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	114	50	130
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	91.6	50	130
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.00125 mg/kg	105	30	130
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	94.9	30	130
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	99.4	50	130
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	89.7	50	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	89.9	50	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.00312 mg/kg	94.3	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	73.4	30	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	112	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	109	30	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00125 mg/kg	98.6	50	130
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00125 mg/kg	110	50	130
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.00125 mg/kg	87.3	50	130
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00125 mg/kg	103	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1624749</b>	Page	: 1 of 13
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 14-Oct-2016
Site	: Brisbane Airport	Issue Date	: 25-Oct-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 90
Order number	: 1538021	No. of samples analysed	: 85

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- Laboratory Control outliers exist - please see following pages for full details.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.





### Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Laboratory Control Spike (LCS) Recoveries</b>							
EP068A: Organochlorine Pesticides (OC)	QC-620755-002	----	Hexachlorobenzene (HCB)	118-74-1	114 %	54-112%	Recovery greater than upper control limit
EP068B: Organophosphorus Pesticides (OP)	QC-620755-002	----	Pirimphos-ethyl	23505-41-1	131 %	70-130%	Recovery greater than upper control limit
EP068B: Organophosphorus Pesticides (OP)	QC-620755-002	----	Carbophenothion	786-19-6	126 %	57-124%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Anthracene	120-12-7	122 %	72-115%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Fluoranthene	206-44-0	127 %	70-116%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Chrysene	218-01-9	125 %	66-119%	Recovery greater than upper control limit
<b>Matrix Spike (MS) Recoveries</b>							
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Arsenic	7440-38-2	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Chromium	7440-47-3	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Copper	7440-50-8	9.19 %	70-130%	Recovery less than lower data quality objective
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Zinc	7440-66-6	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG035T: Total Recoverable Mercury by FIMS	EB1624685--033	Anonymous	Mercury	7439-97-6	139 %	70-130%	Recovery greater than upper data quality objective
EP068A: Organochlorine Pesticides (OC)	EB1624749--014	AM-BH14 0.25-0.5	4,4'-DDT	50-29-3	57.7 %	70-130%	Recovery less than lower data quality objective

### Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.







Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EA037: Ass Field Screening Analysis - Continued</b>									
AM-BH30 0-0.25, AM-BH30 0.5-0.75, AM-BH30 1-1.25, AM-BH30 1.5-1.75, AM-BH30 2-2.25, AM-BH30 2.5-2.75, AM-BH31 0.25-0.5, AM-BH31 0.75-1, AM-BH31 1.25-1.5, AM-BH31 1.75-2, AM-BH31 2.25-2.5, AM-BH31 2.75-3	AM-BH30 0.25-0.5, AM-BH30 0.75-1, AM-BH30 1.25-1.5, AM-BH30 1.75-2, AM-BH30 2.25-2.5, AM-BH31 0-0.25, AM-BH31 0.5-0.75, AM-BH31 1-1.25, AM-BH31 1.5-1.75, AM-BH31 2-2.25, AM-BH31 2.5-2.75,	10-Oct-2016	19-Oct-2016	08-Apr-2017	✓	19-Oct-2016	08-Apr-2017	✓	
<b>EA055: Moisture Content</b>									
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH13 2.75-3,	AM-BH14 0.75-1	06-Oct-2016	----	----	----	20-Oct-2016	20-Oct-2016	✓	
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH15 1.75-2, AM-BH25 2.75-3	AM-BH16 2.75-3,	07-Oct-2016	----	----	----	20-Oct-2016	21-Oct-2016	✓	
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH30 0.75-1,	AM-BH31 1.75-2	10-Oct-2016	----	----	----	20-Oct-2016	24-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	----	----	----	18-Oct-2016	20-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5,	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001, AM-BH25 0.5-0.6	07-Oct-2016	----	----	----	18-Oct-2016	21-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	----	----	----	18-Oct-2016	24-Oct-2016	✓	
<b>EG005T: Total Metals by ICP-AES</b>									
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	19-Oct-2016	04-Apr-2017	✓	19-Oct-2016	04-Apr-2017	✓	
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001,	07-Oct-2016	19-Oct-2016	05-Apr-2017	✓	19-Oct-2016	05-Apr-2017	✓	
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	19-Oct-2016	08-Apr-2017	✓	19-Oct-2016	08-Apr-2017	✓	
<b>EG020T: Total Metals by ICP-MS</b>									
<b>Soil Glass Jar - Unpreserved (EG020R-T)</b> AM-BH15 0-0.1,	AM-BH16 0-0.1	07-Oct-2016	19-Oct-2016	05-Apr-2017	✓	19-Oct-2016	05-Apr-2017	✓	



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	19-Oct-2016	03-Nov-2016	✓	19-Oct-2016	03-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001,	07-Oct-2016	19-Oct-2016	04-Nov-2016	✓	19-Oct-2016	04-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	19-Oct-2016	07-Nov-2016	✓	19-Oct-2016	07-Nov-2016	✓
<b>EP068A: Organochlorine Pesticides (OC)</b>								
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5,	QAQC005, QAQC001	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>EP068B: Organophosphorus Pesticides (OP)</b>								
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5,	QAQC005, QAQC001	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>								
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>								
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>								
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.5-0.6	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
Soil Glass Jar - Unpreserved (EP080) AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
Soil Glass Jar - Unpreserved (EP080) AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
Soil Glass Jar - Unpreserved (EP080) AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
Soil Glass Jar - Unpreserved (EP080) AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
Soil Glass Jar - Unpreserved (EP080) AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
Soil Glass Jar - Unpreserved (EP080) AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓
<b>EP080: BTEXN</b>								
Soil Glass Jar - Unpreserved (EP080) AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
Soil Glass Jar - Unpreserved (EP080) AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
Soil Glass Jar - Unpreserved (EP080) AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>EP231P: PFAS Sums</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓





## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	8	80	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	7	58	12.07	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	3	25	12.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	13	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	13	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	2	50.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	2	16	12.50	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	3	21	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	2	50.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Page : 11 of 13  
 Work Order : EB1624749  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **SOIL** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
<i>Analytical Methods</i>							
<b>Matrix Spikes (MS) - Continued</b>							
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Metals by ICP-MS - Suite R	EG020R-T	SOIL	In house: Referenced to APHA 3125; USEPA SW846 - 6020. Metals in solids are determined following an appropriate acid digestion. The ICPMS technique ionizes selected elements. Ions are passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass / charge ratios prior to measurement by a discrete dynode ion detector. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Pesticides by GCMS	EP068	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM (2013) Schedule B(3) (Method 504,505)
TRH - Semivolatile Fraction	EP071	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
PAH/Phenols (SIM)	EP075(SIM)	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	In house: Referenced to USEPA SW 846 - 8260B Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.
Preparation Methods	Method	Matrix	Method Descriptions
Drying only	EN020D	SOIL	In house

Page : 13 of 13  
Work Order : EB1624749  
Client : GOLDER ASSOCIATES  
Project : 1538021



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM (2013) Schedule B(3) (Method 202)
Sample Extraction for PFAS	EP231-PR	SOIL	In house
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids	ORG17	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na2SO4 and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.


SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sheet ..... of.....

<b>Sample ID:</b> 1538021	<b>Sample Order No:</b> EN/002/15	<b>Company:</b> GOLDER ASSOCIATES PTY LTD	<b>Phone:</b> (07) 3721 5400
<b>Site Location:</b> Brisbane Airport	<b>Lab Name:</b> ALS Environmental	147 Coronation Drive, Milton, Qld 4064	<b>Fax:</b> (07) 3721 5401
<b>Sampled By:</b> Morgan Midgley	<b>BY:</b>	<b>Invoice to be sent to Accounts:</b> <a href="mailto:accounts payable@golder.com.au">accounts payable@golder.com.au</a>	
<b>Transportation Mode:</b> 5		<b>Project Manager:</b> Krystle-Rae Biram	
<b>Report Format:</b> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		<b>Contact Phone:</b> 07 37215400	<b>Email:</b> <a href="mailto:KBiram@golder.com.au">KBiram@golder.com.au</a>
<b>Email Format:</b> PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	<b>Email Address:</b> <a href="mailto:scurti@golder.com.au">scurti@golder.com.au</a>	<b>ANALYSIS REQUIRED</b>	

Comments/Special Instructions:							No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA007 - pH/pH/FOX - Fast Screen	EN020PR - dry 85°C and pulverise	S26 - SC TRH/C6-CA0/TEXN/PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters
Samples from a declared Fire Ant Area: Y														
Samples taken from a known Weed and or Pest Area: N														
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE								
AM-BH13	0	0.25	soil	6/10/2016		bag	1	N	X	X				
AM-BH13	0.25	0.5	soil	6/10/2016		bag+jar	3	N	X	X	X	X	X	
AM-BH13	0.5	0.75	soil	6/10/2016		bag	1	N	X	X				
AM-BH13	0.75	1	soil	6/10/2016		bag+jar	2	N	X	X				
AM-BH13	1	1.25	soil	6/10/2016		bag	1	N	X	X				
AM-BH13	1.25	1.5	soil	6/10/2016		bag	1	N	X	X				
AM-BH13	1.5	1.75	soil	6/10/2016		bag	1	N	X	X				
AM-BH13	1.75	2	soil	6/10/2016		bag+jar	2	N	X	X				
AM-BH13	2	2.25	soil	6/10/2016		bag	1	N	X	X				
AM-BH13	2.25	2.5	soil	6/10/2016		bag	1	N	X	X				
AM-BH13	2.5	2.75	soil	6/10/2016		bag	1	N	X	X				
AM-BH13	2.75	3	soil	6/10/2016		bag+jar	2	N	X	X			X	

Environmental Division  
Brisbane  
Work Order Reference  
**EB1624749**



Telephone - 61-7-3243 7222

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14-10-16		Shipping Ref:
<i>CHRES</i>	ALS	14/10/16	1600					

WARNING!

SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
FREEZE OF BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

Sheet ..... of.....

Project ID:	1538021	Contract Reference:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location:	Brisbane Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled By:	Morgan Midgley	Invoice to be sent to Accounts: auaccounts payable@golder.com.au			
Prepared By/Date:	5 BY:	Project Manager: Krystle-Rae Biram			
Report Format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	Contact Phone: 07 37215400			
Email Format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/> Email Address: scurti@golder.com.au	Email: K.Biram@golder.com.au			



**Comments/Special Instructions:**

Samples from a declared Fire Ant Area: Y

Samples taken from a known Weed and or Pest Area: N

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
AM-BH14	0	0.25	soil	6/10/2016		bag		1	N
AM-BH14	0.25	0.5	soil	6/10/2016		bag+2jar		3	N
AM-BH14	0.5	0.75	soil	6/10/2016		bag		1	N
AM-BH14	0.75	1	soil	6/10/2016		bag+jar		2	N
AM-BH14	1	1.25	soil	6/10/2016		bag		1	N
AM-BH14	1.25	1.5	soil	6/10/2016		bag		1	N
AM-BH14	1.5	1.75	soil	6/10/2016		bag		1	N
AM-BH14	1.75	2	soil	6/10/2016		bag+jar		2	N
AM-BH14	2	2.25	soil	6/10/2016		bag		1	N
AM-BH14	2.25	2.5	soil	6/10/2016		bag		1	N
AM-BH14	2.5	2.75	soil	6/10/2016		bag		1	N
AM-BH14	2.75	3	soil	6/10/2016		bag+jar		2	N


ANALYSIS REQUIRED													
HOLD	EA037 - pH/pHFOX - Fast Screen	EN201PR - dry 85oC and pulverise	S26 - SC TRH/CS-C40/STEXN/PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters								
	X	X											
	X	X	X	X	X								
	X	X											
	X	X											
	X	X											
	X	X											
	X	X											
	X	X											
	X	X											
	X	X											
	X	X											
	X	X											

13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		[Signature]	GA	14-10-16		Shipping Ref:
CHRIS	ALS	14/10/16	1600					
RECEIVED BY								
RECEIVED BY								
RECEIVED BY								
RECEIVED BY								



**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Reference No:	1538021	Order/Order No:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location:	Brisbane Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled by:	Morgan Midgley	BY:		Invoice to be sent to Accounts:	auaccounts payable@golder.com.au
Report Format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	Project Manager:	Krystle-Rac Biram	Contact Phone:	07 37215400
Email Format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address:	scurti@golder.com.au	Email:	K.Biram@golder.com.au



Comments/Special Instructions:							ANALYSIS REQUIRED																	
Samples from a declared Fire Ant Area: Y							No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 850C and pulvertac	S26 - TRH (CF-C40)/BTEXN/PAH plus 8 metals	S12 - OC/OP Pesticides	PFAS - extended suite 28 parameters	S-2 metals	zinc/cadmium	titanium							
Samples taken from a known Weed and or Pest Area: N																								
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage																	
25	AM-BH15	0	0.25	soil	7/10/2016	bag		1	N		X	X												
26	AM-BH15	0.25	0.5	soil	7/10/2016	bag+2jar		3	N		X	X	X											
27	AM-BH15	0.5	0.75	soil	7/10/2016	bag		1	N		X	X												
28	AM-BH15	0.75	1	soil	7/10/2016	bag+jar		2	N		X	X												
29	AM-BH15	1	1.25	soil	7/10/2016	bag		1	N		X	X												
30	AM-BH15	1.25	1.5	soil	7/10/2016	bag		1	N		X	X												
31	AM-BH15	1.5	1.75	soil	7/10/2016	bag		1	N		X	X												
32	AM-BH15	1.75	2	soil	7/10/2016	bag+jar		2	N		X	X												
33	AM-BH15	2	2.25	soil	7/10/2016	bag		1	N		X	X												
34	AM-BH15	2.25	2.5	soil	7/10/2016	bag		1	N		X	X												
35	AM-BH15	2.5	2.75	soil	7/10/2016	bag		1	N		X	X												
36	AM-BH15	2.75	3	soil	7/10/2016	bag+jar		2	N		X	X												
37	AM-BH15	0	0.1	soil	7/10/2016	jar		1	N						X	X	X							
38	QAQC005			soil	7/10/2016	jar		1	N				X	X										
39	QAQC006			soil	7/10/2016	jar		1	N															
40	QAQC007			soil	7/10/2016	jar		1	N	X														
	QAQC008			soil	7/10/2016	jar		1	N	X														

SAMPLE MATRIX = Soil/Sediment/Fill/Other SAMPLE TYPE = Core(CR) HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P


SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>Morgan Midgley</i>	GA	14-10-16		
CHRIS	ALS	14/10/16	1600					

RELEASED BY	RECEIVED BY	LAB BATCH NUMBER

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Project ID: <b>1538021</b>		Job Order No: <b>EN/002/15</b>		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400														
Site Location: <b>Brisbane Airport</b>		Lab Name: <b>ALS Environmental</b>		147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401														
Sampler: <b>Morgan Midgley</b>		BY: <b>S</b>		Invoice to be sent to Accounts: <b>auaccounts payable@golder.com.au</b>																
Report Format: <b>HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/></b>		Project Manager: <b>Krystle-Rae Biram</b>		Contact Phone: <b>07 37215400</b>		Email: <b>KBiram@golder.com.au</b>														
Email Format: <b>PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/></b>		Email Address: <b>scurti@golder.com.au</b>		<b>ANALYSIS REQUIRED</b>																
Comments/Special Instructions:  Samples from a declared Fire Ant Area: <b>Y</b> Samples taken from a known Weed and or Pest Area: <b>N</b>				No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85°C and pulverise	S26 - TRH (C6-C40)/BTEX/PAH plus 8 metals	S12 - OC/OP Pesticides	PFAS - extended suite 28 parameters	S-2 & metals	zirconium	titanium						
						SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage							
AM-BH16	0 0.25		soil	7/10/2016		bag														
AM-BH16	0.25 0.5		soil	7/10/2016		bag+2jar														
AM-BH16	0.5 0.75		soil	7/10/2016		bag														
AM-BH16	0.75 1		soil	7/10/2016		bag+jar														
AM-BH16	1 1.25		soil	7/10/2016		bag														
AM-BH16	1.25 1.5		soil	7/10/2016		bag														
AM-BH16	1.5 1.75		soil	7/10/2016		bag														
AM-BH16	1.75 2		soil	7/10/2016		bag+jar														
AM-BH16	2 2.25		soil	7/10/2016		bag														
AM-BH16	2.25 2.5		soil	7/10/2016		bag														
AM-BH16	2.5 2.75		soil	7/10/2016		bag														
AM-BH16	2.75 3		soil	7/10/2016		bag+jar														
AM-BH16	0 0.1		soil	7/10/2016		jar														
QAQC001			soil	7/10/2016		jar														
QAQC002			soil	7/10/2016		jar														
QAQC003			soil	7/10/2016		jar														
QAQC004			soil	7/10/2016		jar														

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE		COMPANY		DATE		TIME		SIGNATURE		COMPANY		DATE		TIME		Shipment Method	
RELEASED BY		Morgan Midgley		GOLDER		14-10-16				EA		14-10-16		1600		Shipping Ref:	
RECEIVED BY		CHAS		ALS		14/10/16											
RECEIVED BY																	
RECEIVED BY																	
RECEIVED BY																	
RECEIVED BY																	

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT  
 RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE  
 WITH DPI APPROVED PROCEDURE FREEZE  
 OF BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**



SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

<b>Sample ID:</b>	1538021	<b>Order Ref. No.:</b>	EN/002/15	<b>GOLDER ASSOCIATES PTY LTD</b>	<b>Phone:</b>	(07) 3721 5400
<b>Site Location:</b>	Brisbane Airport	<b>ALS Name:</b>	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	<b>Fax:</b>	(07) 3721 5401
<b>Sampled By:</b>	Morgan Midgley			<b>Invoice to be sent to Accounts:</b>	auaccounts@payable@golder.com.au	
<b>Duration (Days):</b>	5	<b>BY:</b>		<b>Project Manager:</b>	Krystic-Rae Biram	
<b>Report Format:</b>	HARD <input type="checkbox"/>	FAX <input type="checkbox"/>	DISK <input type="checkbox"/>	<b>Contact Phone:</b>	07 37215400	
<b>Email Format:</b>	PDF <input checked="" type="checkbox"/>	Excel <input type="checkbox"/>	Other <input type="checkbox"/>			<b>Email:</b> KBiram@golder.com.au



**Comments/Special Instructions:**

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
AM-BH25	0	0.25	soil			bag		1	N
AM-BH25	0.25	0.5	soil			bag+ 2 jars		3	N
AM-BH25	0.5	0.75	soil			bag		1	N
AM-BH25	1.5	1.75	soil			bag		2	N
AM-BH25	1.75	2	soil			bag+jar		1	N
AM-BH25	2	2.25	soil			bag		1	N
AM-BH25	2.25	2.5	soil			bag		1	N
AM-BH25	2.5	2.75	soil			bag		2	N
AM-BH25	2.75	3	soil			bag+jar		1	N
AM-BH25	0.5	0.6	soil			jar		1	N

ANALYSIS REQUIRED											
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 83°C and pulv/verse	S26 - SC TRH(C6-C40)/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters	EP075B - PAHs					
	X	X									
	X	X	X	X	X						
	X	X									
	X	X									
	X	X									
	X	X									
	X	X									
	X	X			X						
						X					

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P											
SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipping Method			
RELEASED BY: Morgan Midgley	GOLDER	14-10-16		RELEASED BY: <i>[Signature]</i>	GA	14-10-16		Shipping Ref:			
RECEIVED BY: CHRES	ALS	14/10/16	1600	RECEIVED BY:							

RELEASED BY	RECEIVED BY	DATE	TIME	LABORATORY	ANALYSIS	STORAGE	ADDRESS
				Safety Seal	Chilled		Room
				Suitable Containers	Frozen		Address
				Cool Box	Ambient		

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OF BAK & ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sheet ..... of.....



Project ID:	1538021	Quote Order Number:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location:	Brisbane Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Submitted By:	Morgan Midgley	Invoice to be sent to Accounts: <a href="mailto:aaaccounts@payable@golder.com.au">aaaccounts@payable@golder.com.au</a>			
Administrative (Days):	5	Project Manager: Krystle-Rae Biram			
Report Format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	Contact Phone: 07 37215400			
Small Format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email: KBiram@golder.com.au			

Comments/Special Instructions:								ANALYSIS REQUIRED																			
Samples from a declared Fire Ant Area: <b>Y</b> Samples taken from a known Weed and or Pest Area: <b>N</b>								No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pH/FOX - Fast Screen	EN020PR - dry 85°C and pulverise	S28 - SC TRH (Cd-Cd)/TEXN /PAH plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters												
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage																				
AM-BH30	0	0.25	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	0.25	0.5	soil	10/10/2016		bag+2jar		3	N		X	X	X		X	X											
AM-BH30	0.5	0.75	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	0.75	1	soil	10/10/2016		bag+jar		2	N		X	X			X												
AM-BH30	1	1.25	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	1.25	1.5	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	1.5	1.75	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	1.75	2	soil	10/10/2016		bag+jar		2	N		X	X															
AM-BH30	2	2.25	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	2.25	2.5	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	2.5	2.75	soil	10/10/2016		bag		1	N		X	X															
AM-BH30	2.75	3	soil	10/10/2016		jar		1	N		X	X															

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER							Shipping Ref:
CHRIS	ALS	14/10/16	1600					

To be filled in by Receiving Laboratory		LAB BATCH NUMBER	
Security Seal:		Chilled	Bill to:
Surrogate Container:		Frozen	Address:
Cool Box:		Ambient	

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Project ID: 1538021		Quote Order No: EN/002/15		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400																				
Site Location: Brisbane Airport		Lab Name: ALS Environmental		L47 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401																				
Sampled By: Morgan Midgley		BY:		Invoice to be sent to Accounts: auaccounts payable@golder.com.au		Project Manager: Krystle-Rae Biram																				
Preparation (Days): 5		Report Format: <input type="checkbox"/> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		Contact Phone: 07 37215400		Email: KBiram@golder.com.au																				
Email Format: <input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>		Email Address: scurti@golder.com.au		ANALYSIS REQUIRED																						
Comments/Special Instructions:																										
Samples from a declared Fire Ant Area: Y																										
Samples taken from a known Weed and or Pest Area: N																										
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Fast Screen	EN1020PR - dry 85°C and pulverise	S26 - SC TRH (Cd, C40)/BTEX/PAH plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters											
AM-BH31	0	0.25	soil	10/10/2016		bag		1	N		X	X														
AM-BH31	0.25	0.5	soil	10/10/2016		bag+2jar		3	N		X	X	X	X	X											
AM-BH31	0.5	0.75	soil	10/10/2016		bag		1	N		X	X														
AM-BH31	0.75	1	soil	10/10/2016		bag+jar		2	N		X	X														
AM-BH31	1	1.25	soil	10/10/2016		bag		1	N		X	X														
AM-BH31	1.25	1.5	soil	10/10/2016		bag		1	N		X	X														
AM-BH31	1.5	1.75	soil	10/10/2016		bag		1	N		X	X														
AM-BH31	1.75	2	soil	10/10/2016		bag+jar		2	N		X	X				X										
AM-BH31	2	2.25	soil	10/10/2016		bag		1	N		X	X														
AM-BH31	2.25	2.5	soil	10/10/2016		bag		1	N		X	X														
AM-BH31	2.5	2.75	soil	10/10/2016		bag		1	N		X	X														
AM-BH31	2.75	3	soil	10/10/2016		bag+jar		2	N		X	X														

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16						Shipping Ref:
<i>CHRIS</i>	<i>ALS</i>	<i>N/A</i>	1600					

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.



## SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1624749**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 5
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

### Dates

Date Samples Received	: 14-Oct-2016 4:00 PM	Issue Date	: 18-Oct-2016
Client Requested Due Date	: 21-Oct-2016	Scheduled Reporting Date	: <b>21-Oct-2016</b>

### Delivery Details

Mode of Delivery	: Carrier	Security Seal	: Intact.
No. of coolers/boxes	: 3	Temperature	: 1.5, 1.2, 1.7°C
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 90 / 85

### General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **As only a soil jar suitable for PFAS testing was received for "AM-BH30 2.75-3" (ALS #78), pH Field and Fox (EA037) will not be tested on this sample.**
- **Samples "QAQC006" and "QAQC002" will be forwarded to Eurofins, as requested.**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The estimated due date for this data is the 25/10/16.**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Please be advised that a soil jar for PFAS testing was not received for "AM-BH14 1-1.25" (ALS #17), however one was received for "AM-BH14 0.75-1" (ALS #16). PFAS testing has been assigned to ALS #16, however if testing for this is not required on this sample, please contact ALS Client Services at [ALSEnviro.Brisbane@alsglobal.com](mailto:ALSEnviro.Brisbane@alsglobal.com) , ASAP.**
- Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exists.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: **SOIL**

Laboratory sample ID	Client sampling date / time	Client sample ID	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-001	[ 06-Oct-2016 ]	AM-BH13 0-0.25	✓						
EB1624749-002	[ 06-Oct-2016 ]	AM-BH13 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-003	[ 06-Oct-2016 ]	AM-BH13 0.5-0.75	✓						
EB1624749-004	[ 06-Oct-2016 ]	AM-BH13 0.75-1	✓						
EB1624749-005	[ 06-Oct-2016 ]	AM-BH13 1-1.25	✓						
EB1624749-006	[ 06-Oct-2016 ]	AM-BH13 1.25-1.5	✓						
EB1624749-007	[ 06-Oct-2016 ]	AM-BH13 1.5-1.75	✓						
EB1624749-008	[ 06-Oct-2016 ]	AM-BH13 1.75-2	✓						
EB1624749-009	[ 06-Oct-2016 ]	AM-BH13 2-2.25	✓						
EB1624749-010	[ 06-Oct-2016 ]	AM-BH13 2.25-2.5	✓						
EB1624749-011	[ 06-Oct-2016 ]	AM-BH13 2.5-2.75	✓						
EB1624749-012	[ 06-Oct-2016 ]	AM-BH13 2.75-3	✓	✓		✓			
EB1624749-013	[ 06-Oct-2016 ]	AM-BH14 0-0.25	✓						
EB1624749-014	[ 06-Oct-2016 ]	AM-BH14 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-015	[ 06-Oct-2016 ]	AM-BH14 0.5-0.75	✓						
EB1624749-016	[ 06-Oct-2016 ]	AM-BH14 0.75-1	✓	✓		✓			
EB1624749-017	[ 06-Oct-2016 ]	AM-BH14 1-1.25	✓						
EB1624749-018	[ 06-Oct-2016 ]	AM-BH14 1.25-1.5	✓						
EB1624749-019	[ 06-Oct-2016 ]	AM-BH14 1.5-1.75	✓						
EB1624749-020	[ 06-Oct-2016 ]	AM-BH14 1.75-2	✓						
EB1624749-021	[ 06-Oct-2016 ]	AM-BH14 2-2.25	✓						
EB1624749-022	[ 06-Oct-2016 ]	AM-BH14 2.25-2.5	✓						
EB1624749-023	[ 06-Oct-2016 ]	AM-BH14 2.5-2.75	✓						
EB1624749-024	[ 06-Oct-2016 ]	AM-BH14 2.75-3	✓						
EB1624749-025	[ 07-Oct-2016 ]	AM-BH15 0-0.25	✓						
EB1624749-026	[ 07-Oct-2016 ]	AM-BH15 0.25-0.5	✓	✓		✓	✓		✓
EB1624749-027	[ 07-Oct-2016 ]	AM-BH15 0.5-0.75	✓						
EB1624749-028	[ 07-Oct-2016 ]	AM-BH15 0.75-1	✓						
EB1624749-029	[ 07-Oct-2016 ]	AM-BH15 1-1.25	✓						
EB1624749-030	[ 07-Oct-2016 ]	AM-BH15 1.25-1.5	✓						
EB1624749-031	[ 07-Oct-2016 ]	AM-BH15 1.5-1.75	✓						
EB1624749-032	[ 07-Oct-2016 ]	AM-BH15 1.75-2	✓	✓		✓			
EB1624749-033	[ 07-Oct-2016 ]	AM-BH15 2-2.25	✓						
EB1624749-034	[ 07-Oct-2016 ]	AM-BH15 2.25-2.5	✓						
EB1624749-035	[ 07-Oct-2016 ]	AM-BH15 2.5-2.75	✓						



			SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-036	[ 07-Oct-2016 ]	AM-BH15 2.75-3	✓						
EB1624749-037	[ 07-Oct-2016 ]	AM-BH15 0-0.1		✓					
EB1624749-038	[ 07-Oct-2016 ]	QAQC005		✓		✓	✓		✓
EB1624749-041	[ 07-Oct-2016 ]	AM-BH16 0-0.25	✓						
EB1624749-042	[ 07-Oct-2016 ]	AM-BH16 0.25-0.5	✓	✓		✓	✓		✓
EB1624749-043	[ 07-Oct-2016 ]	AM-BH16 0.5-0.75	✓						
EB1624749-044	[ 07-Oct-2016 ]	AM-BH16 0.75-1	✓						
EB1624749-045	[ 07-Oct-2016 ]	AM-BH16 1-1.25	✓						
EB1624749-046	[ 07-Oct-2016 ]	AM-BH16 1.25-1.5	✓						
EB1624749-047	[ 07-Oct-2016 ]	AM-BH16 1.5-1.75	✓						
EB1624749-048	[ 07-Oct-2016 ]	AM-BH16 1.75-2	✓						
EB1624749-049	[ 07-Oct-2016 ]	AM-BH16 2-2.25	✓						
EB1624749-050	[ 07-Oct-2016 ]	AM-BH16 2.25-2.5	✓						
EB1624749-051	[ 07-Oct-2016 ]	AM-BH16 2.5-2.75	✓						
EB1624749-052	[ 07-Oct-2016 ]	AM-BH16 2.75-3	✓	✓		✓			
EB1624749-053	[ 07-Oct-2016 ]	AM-BH16 0-0.1		✓					
EB1624749-054	[ 07-Oct-2016 ]	QAQC001		✓		✓	✓		✓
EB1624749-057	[ 07-Oct-2016 ]	AM-BH25 0-0.25	✓						
EB1624749-058	[ 07-Oct-2016 ]	AM-BH25 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-059	[ 07-Oct-2016 ]	AM-BH25 0.5-0.75	✓						
EB1624749-060	[ 07-Oct-2016 ]	AM-BH25 1.5-1.75	✓						
EB1624749-061	[ 07-Oct-2016 ]	AM-BH25 1.75-2	✓						
EB1624749-062	[ 07-Oct-2016 ]	AM-BH25 2-2.25	✓						
EB1624749-063	[ 07-Oct-2016 ]	AM-BH25 2.25-2.5	✓						
EB1624749-064	[ 07-Oct-2016 ]	AM-BH25 2.5-2.75	✓						
EB1624749-065	[ 07-Oct-2016 ]	AM-BH25 2.75-3	✓	✓		✓			
EB1624749-066	[ 07-Oct-2016 ]	AM-BH25 0.5-0.6		✓					
EB1624749-067	[ 10-Oct-2016 ]	AM-BH30 0-0.25	✓						
EB1624749-068	[ 10-Oct-2016 ]	AM-BH30 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-069	[ 10-Oct-2016 ]	AM-BH30 0.5-0.75	✓						
EB1624749-070	[ 10-Oct-2016 ]	AM-BH30 0.75-1	✓	✓		✓			
EB1624749-071	[ 10-Oct-2016 ]	AM-BH30 1-1.25	✓						
EB1624749-072	[ 10-Oct-2016 ]	AM-BH30 1.25-1.5	✓						
EB1624749-073	[ 10-Oct-2016 ]	AM-BH30 1.5-1.75	✓						
EB1624749-074	[ 10-Oct-2016 ]	AM-BH30 1.75-2	✓						
EB1624749-075	[ 10-Oct-2016 ]	AM-BH30 2-2.25	✓						
EB1624749-076	[ 10-Oct-2016 ]	AM-BH30 2.25-2.5	✓						
EB1624749-077	[ 10-Oct-2016 ]	AM-BH30 2.5-2.75	✓						
EB1624749-079	[ 10-Oct-2016 ]	AM-BH31 0-0.25	✓						
EB1624749-080	[ 10-Oct-2016 ]	AM-BH31 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-081	[ 10-Oct-2016 ]	AM-BH31 0.5-0.75	✓						



			SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-082	[ 10-Oct-2016 ]	AM-BH31 0.75-1	✓						
EB1624749-083	[ 10-Oct-2016 ]	AM-BH31 1-1.25	✓						
EB1624749-084	[ 10-Oct-2016 ]	AM-BH31 1.25-1.5	✓						
EB1624749-085	[ 10-Oct-2016 ]	AM-BH31 1.5-1.75	✓						
EB1624749-086	[ 10-Oct-2016 ]	AM-BH31 1.75-2	✓	✓		✓			
EB1624749-087	[ 10-Oct-2016 ]	AM-BH31 2-2.25	✓						
EB1624749-088	[ 10-Oct-2016 ]	AM-BH31 2.25-2.5	✓						
EB1624749-089	[ 10-Oct-2016 ]	AM-BH31 2.5-2.75	✓						
EB1624749-090	[ 10-Oct-2016 ]	AM-BH31 2.75-3	✓						

Matrix: SOIL

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EG005T (solids) Total Metals by ICP-AES	SOIL - EG020T (solids) Total Metals by ICP-MS	SOIL - EP075 SIM PAH only SIM - PAH only	SOIL - S-02 8 Metals (incl. Digestion)
EB1624749-037	[ 07-Oct-2016 ]	AM-BH15 0-0.1		✓	✓		✓
EB1624749-039	[ 07-Oct-2016 ]	QAQC007	✓				
EB1624749-040	[ 07-Oct-2016 ]	QAQC008	✓				
EB1624749-053	[ 07-Oct-2016 ]	AM-BH16 0-0.1		✓	✓		✓
EB1624749-055	[ 07-Oct-2016 ]	QAQC003	✓				
EB1624749-056	[ 07-Oct-2016 ]	QAQC004	✓				
EB1624749-066	[ 07-Oct-2016 ]	AM-BH25 0.5-0.6				✓	
EB1624749-078	[ 10-Oct-2016 ]	AM-BH30 2.75-3	✓				

### Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.





**Golder Associates Pty Ltd**  
**147 Coronation Dve**  
**Milton**  
**QLD 4064**



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 20794**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Serena Curti**

**Report** **521151-S**  
 Project name **BRISBANE AIRPORT**  
 Project ID **1538021**  
 Received Date **Oct 26, 2016**

Client Sample ID			QAQC006	QAQC002
Sample Matrix			Soil	Soil
Eurofins   mgt Sample No.			B16-Oc24499	B16-Oc24500
Date Sampled			Oct 07, 2016	Oct 14, 2016
Test/Reference	LOR	Unit		
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				
TRH C6-C9	20	mg/kg	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50
TRH C10-36 (Total)	50	mg/kg	< 50	< 50
<b>BTEX</b>				
Benzene	0.1	mg/kg	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	68	67
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20
<b>Polycyclic Aromatic Hydrocarbons</b>				
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5
Benzo(a)anthracene	0.5	mg/kg	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5

Client Sample ID			QAQC006	QAQC002
Sample Matrix			Soil	Soil
Eurofins   mgt Sample No.			B16-Oc24499	B16-Oc24500
Date Sampled			Oct 07, 2016	Oct 14, 2016
Test/Reference	LOR	Unit		
<b>Polycyclic Aromatic Hydrocarbons</b>				
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	98	82
p-Terphenyl-d14 (surr.)	1	%	69	55
<b>Organochlorine Pesticides</b>				
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05
a-BHC	0.05	mg/kg	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05
b-BHC	0.05	mg/kg	< 0.05	< 0.05
d-BHC	0.05	mg/kg	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05
Toxaphene	1	mg/kg	< 1	< 1
Dibutylchloroendate (surr.)	1	%	95	79
Tetrachloro-m-xylene (surr.)	1	%	79	68
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				
Perfluorobutanesulfonic acid (PFBS)	0.005	mg/kg	< 0.005	-
Perfluorobutanoic acid (PFBA)	0.005	mg/kg	< 0.005	-
Perfluorohexanesulfonic acid (PFHxS)	0.005	mg/kg	< 0.005	-
Perfluorooctanesulfonic acid (PFOS)	0.005	mg/kg	< 0.005	-
Perfluorodecanesulfonic acid (PFDS)	0.005	mg/kg	< 0.005	-
Perfluoropentanoic acid (PFPeA)	0.005	mg/kg	< 0.005	-
Perfluorohexanoic acid (PFHxA)	0.005	mg/kg	< 0.005	-
Perfluoroheptanoic acid (PFHpA)	0.005	mg/kg	< 0.005	-
Perfluorooctanoic acid (PFOA)	0.005	mg/kg	< 0.005	-
Perfluorononanoic acid (PFNA)	0.005	mg/kg	< 0.005	-
Perfluorodecanoic acid (PFDA)	0.005	mg/kg	< 0.005	-
Perfluoroundecanoic acid (PFUnA)	0.005	mg/kg	< 0.005	-
Perfluorododecanoic acid (PFDoA)	0.005	mg/kg	< 0.005	-
Perfluorotridecanoic acid (PFTTrDA)	0.005	mg/kg	< 0.005	-

Client Sample ID			QAQC006	QAQC002
Sample Matrix			Soil	Soil
Eurofins   mgt Sample No.			B16-Oc24499	B16-Oc24500
Date Sampled			Oct 07, 2016	Oct 14, 2016
Test/Reference	LOR	Unit		
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				
Perfluorotetradecanoic acid (PFTeDA)	0.005	mg/kg	< 0.005	-
Perfluorooctanesulfonamide (PFOSA)	0.01	mg/kg	< 0.01	-
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	0.01	mg/kg	< 0.01	-
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	0.01	mg/kg	< 0.01	-
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	0.005	mg/kg	< 0.005	-
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	0.01	mg/kg	< 0.01	-
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	0.005	mg/kg	< 0.005	-
d5-n-EtFOSAA (surr.)	1	%	119	-
13C-PFHxA (surr.)	1	%	104	-
13C8-PFOS (surr.)	1	%	115	-
<b>Heavy Metals</b>				
Arsenic	2	mg/kg	17	20
Cadmium	0.4	mg/kg	< 0.4	< 0.4
Chromium	5	mg/kg	49	53
Copper	5	mg/kg	26	19
Lead	5	mg/kg	13	12
Mercury	0.1	mg/kg	< 0.1	< 0.1
Nickel	5	mg/kg	45	30
Zinc	5	mg/kg	120	49
<b>% Moisture</b>				
	1	%	25	21

### Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Eurofins   mgt Suite B7			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: TRH C6-C36 - LTM-ORG-2010	Melbourne	Oct 27, 2016	14 Day
BTEX - Method: TRH C6-C40 - LTM-ORG-2010	Melbourne	Oct 27, 2016	14 Day
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: TRH C6-C40 - LTM-ORG-2010	Melbourne	Oct 27, 2016	14 Day
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: TRH C6-C40 - LTM-ORG-2010	Melbourne	Oct 27, 2016	14 Day
Polycyclic Aromatic Hydrocarbons - Method: USEPA 8270 Polycyclic Aromatic Hydrocarbons	Melbourne	Oct 27, 2016	14 Day
Metals M8 - Method: LTM-MET-3030 by ICP-OES (hydride ICP-OES for Mercury)	Melbourne	Oct 27, 2016	28 Days
Organochlorine Pesticides - Method: USEPA 8081 Organochlorine Pesticides	Melbourne	Oct 27, 2016	14 Day
Per- and Polyfluorinated Alkyl Substances (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluorinated Alkyl Substances by LC-MS/MS	Brisbane	Oct 27, 2016	180 Day
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	Oct 26, 2016	14 Day

<b>Company Name:</b> Golder Associates Pty Ltd (Qld) <b>Address:</b> 147 Coronation Dve Milton QLD 4064  <b>Project Name:</b> BRISBANE AIRPORT <b>Project ID:</b> 1538021	<b>Order No.:</b> <b>Report #:</b> 521151 <b>Phone:</b> (07) 3721 5400 <b>Fax:</b> (07) 3721 5401	<b>Received:</b> Oct 26, 2016 9:00 AM <b>Due:</b> Nov 2, 2016 <b>Priority:</b> 5 Day <b>Contact Name:</b> Krystle-Rae Biram
Eurofins   mgt Analytical Services Manager : Ryan Gilbert		

Sample Detail						Organochlorine Pesticides	Per- and Polyfluorinated Alkyl Substances (PFASs)	Moisture Set	Eurofins   mgt Suite B7
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X
Sydney Laboratory - NATA Site # 18217									
Brisbane Laboratory - NATA Site # 20794							X		
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	QAQC006	Oct 07, 2016		Soil	B16-Oc24499	X	X	X	X
2	QAQC002	Oct 14, 2016		Soil	B16-Oc24500	X		X	X
<b>Test Counts</b>						2	1	2	2

## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
4. Results are uncorrected for matrix spikes or surrogate recoveries.
5. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
6. Samples were analysed on an 'as received' basis. 7. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Advice.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per Kilogram

**mg/l:** milligrams per litre

**ug/l:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100ml:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery
<b>CRM</b>	Certified Reference Material - reported as percent recovery
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands. In the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>Batch Duplicate</b>	A second piece of analysis from a sample outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>Batch SPIKE</b>	Spike recovery reported on a sample from outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 50-150%-Phenols & PFASs 20-130%

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	mg/kg	< 20			20	Pass	
TRH C10-C14	mg/kg	< 20			20	Pass	
TRH C15-C28	mg/kg	< 50			50	Pass	
TRH C29-C36	mg/kg	< 50			50	Pass	
<b>Method Blank</b>							
<b>BTEX</b>							
Benzene	mg/kg	< 0.1			0.1	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Xylenes - Total	mg/kg	< 0.3			0.3	Pass	
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>							
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4,4'-DDD	mg/kg	< 0.05			0.05	Pass	
4,4'-DDE	mg/kg	< 0.05			0.05	Pass	
4,4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-BHC	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-BHC	mg/kg	< 0.05			0.05	Pass	
d-BHC	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	
Endosulfan II	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-BHC (Lindane)	mg/kg	< 0.05			0.05	Pass	
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 1			1	Pass	
<b>Method Blank</b>							
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>							
Perfluorobutanesulfonic acid (PFBS)	mg/kg	< 0.005			0.005	Pass	
Perfluorobutanoic acid (PFBA)	mg/kg	< 0.005			0.005	Pass	
Perfluorohexanesulfonic acid (PFHxS)	mg/kg	< 0.005			0.005	Pass	
Perfluorooctanesulfonic acid (PFOS)	mg/kg	< 0.005			0.005	Pass	
Perfluorodecanesulfonic acid (PFDS)	mg/kg	< 0.005			0.005	Pass	
Perfluoropentanoic acid (PFPeA)	mg/kg	< 0.005			0.005	Pass	
Perfluorohexanoic acid (PFHxA)	mg/kg	< 0.005			0.005	Pass	
Perfluoroheptanoic acid (PFHpA)	mg/kg	< 0.005			0.005	Pass	
Perfluorooctanoic acid (PFOA)	mg/kg	< 0.005			0.005	Pass	
Perfluorononanoic acid (PFNA)	mg/kg	< 0.005			0.005	Pass	
Perfluorodecanoic acid (PFDA)	mg/kg	< 0.005			0.005	Pass	
Perfluoroundecanoic acid (PFUnA)	mg/kg	< 0.005			0.005	Pass	
Perfluorododecanoic acid (PFDoA)	mg/kg	< 0.005			0.005	Pass	
Perfluorotridecanoic acid (PFTrDA)	mg/kg	< 0.005			0.005	Pass	
Perfluorotetradecanoic acid (PFTeDA)	mg/kg	< 0.005			0.005	Pass	
Perfluorooctanesulfonamide (PFOSA)	mg/kg	< 0.01			0.01	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	mg/kg	< 0.01			0.01	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	mg/kg	< 0.01			0.01	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	mg/kg	< 0.005			0.005	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	mg/kg	< 0.01			0.01	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	mg/kg	< 0.005			0.005	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Nickel	mg/kg	< 5			5	Pass	
Zinc	mg/kg	< 5			5	Pass	
<b>LCS - % Recovery</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	%	99			70-130	Pass	
TRH C10-C14	%	118			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>BTEX</b>							
Benzene	%	105			70-130	Pass	
Toluene	%	109			70-130	Pass	
Ethylbenzene	%	107			70-130	Pass	
m&p-Xylenes	%	105			70-130	Pass	
Xylenes - Total	%	104			70-130	Pass	



Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>LCS - % Recovery</b>						
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene	%	123		70-130	Pass	
TRH C6-C10	%	95		70-130	Pass	
TRH >C10-C16	%	124		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Polycyclic Aromatic Hydrocarbons</b>						
Acenaphthene	%	81		70-130	Pass	
Acenaphthylene	%	82		70-130	Pass	
Anthracene	%	90		70-130	Pass	
Benz(a)anthracene	%	90		70-130	Pass	
Benzo(a)pyrene	%	82		70-130	Pass	
Benzo(b&i)fluoranthene	%	70		70-130	Pass	
Benzo(g,h,i)perylene	%	83		70-130	Pass	
Benzo(k)fluoranthene	%	86		70-130	Pass	
Chrysene	%	94		70-130	Pass	
Dibenz(a,h)anthracene	%	102		70-130	Pass	
Fluoranthene	%	80		70-130	Pass	
Fluorene	%	80		70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	89		70-130	Pass	
Naphthalene	%	82		70-130	Pass	
Phenanthrene	%	82		70-130	Pass	
Pyrene	%	79		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Organochlorine Pesticides</b>						
4,4'-DDD	%	129		70-130	Pass	
4,4'-DDE	%	109		70-130	Pass	
4,4'-DDT	%	95		70-130	Pass	
a-BHC	%	118		70-130	Pass	
Aldrin	%	112		70-130	Pass	
b-BHC	%	106		70-130	Pass	
d-BHC	%	122		70-130	Pass	
Dieldrin	%	119		70-130	Pass	
Endosulfan I	%	103		70-130	Pass	
Endosulfan II	%	104		70-130	Pass	
Endosulfan sulphate	%	105		70-130	Pass	
Endrin	%	102		70-130	Pass	
Endrin aldehyde	%	107		70-130	Pass	
Endrin ketone	%	127		70-130	Pass	
g-BHC (Lindane)	%	114		70-130	Pass	
Heptachlor	%	100		70-130	Pass	
Heptachlor epoxide	%	109		70-130	Pass	
Hexachlorobenzene	%	100		70-130	Pass	
Methoxychlor	%	73		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS)	%	100		50-150	Pass	
Perfluorobutanoic acid (PFBA)	%	86		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	%	100		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	%	92		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	%	114		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	97		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	89		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	99		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
Perfluorooctanoic acid (PFOA)	%	93			50-150	Pass		
Perfluorononanoic acid (PFNA)	%	118			50-150	Pass		
Perfluorodecanoic acid (PFDA)	%	118			50-150	Pass		
Perfluoroundecanoic acid (PFUnA)	%	121			50-150	Pass		
Perfluorododecanoic acid (PFDoA)	%	103			50-150	Pass		
Perfluorotridecanoic acid (PFTrDA)	%	98			50-150	Pass		
Perfluorotetradecanoic acid (PFTeDA)	%	105			50-150	Pass		
Perfluorooctanesulfonamide (PFOSA)	%	99			50-150	Pass		
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	%	132			50-150	Pass		
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	%	103			50-150	Pass		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	%	105			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	%	94			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	%	123			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>Heavy Metals</b>								
Arsenic	%	108			80-120	Pass		
Cadmium	%	106			80-120	Pass		
Chromium	%	112			80-120	Pass		
Copper	%	112			80-120	Pass		
Lead	%	119			80-120	Pass		
Mercury	%	115			75-125	Pass		
Nickel	%	111			80-120	Pass		
Zinc	%	109			80-120	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				Result 1				
TRH C6-C9	M16-No01063	NCP	%	77		70-130	Pass	
TRH C10-C14	M16-Oc26395	NCP	%	120		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>BTEX</b>				Result 1				
Benzene	M16-No01063	NCP	%	88		70-130	Pass	
Toluene	M16-No01063	NCP	%	87		70-130	Pass	
Ethylbenzene	M16-No01063	NCP	%	86		70-130	Pass	
m&p-Xylenes	M16-No01063	NCP	%	86		70-130	Pass	
o-Xylene	M16-No01063	NCP	%	85		70-130	Pass	
Xylenes - Total	M16-No01063	NCP	%	85		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				Result 1				
Naphthalene	M16-No01063	NCP	%	117		70-130	Pass	
TRH C6-C10	M16-No01063	NCP	%	70		70-130	Pass	
TRH >C10-C16	M16-Oc26395	NCP	%	126		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1				
Acenaphthene	M16-Oc22487	NCP	%	99		70-130	Pass	
Acenaphthylene	M16-Oc22487	NCP	%	100		70-130	Pass	
Anthracene	M16-Oc22487	NCP	%	111		70-130	Pass	
Benz(a)anthracene	M16-Oc22487	NCP	%	97		70-130	Pass	
Benzo(a)pyrene	M16-Oc22487	NCP	%	124		70-130	Pass	
Benzo(b&j)fluoranthene	M16-Oc22487	NCP	%	96		70-130	Pass	
Benzo(g,h,i)perylene	M16-Oc22487	NCP	%	110		70-130	Pass	
Benzo(k)fluoranthene	M16-Oc22487	NCP	%	110		70-130	Pass	
Chrysene	M16-Oc22487	NCP	%	101		70-130	Pass	
Dibenz(a,h)anthracene	M16-Oc22487	NCP	%	129		70-130	Pass	
Fluoranthene	M16-Oc22487	NCP	%	93		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Fluorene	M16-Oc22487	NCP	%	100		70-130	Pass	
Indeno(1.2.3-cd)pyrene	M16-Oc22487	NCP	%	120		70-130	Pass	
Naphthalene	M16-Oc22487	NCP	%	98		70-130	Pass	
Phenanthrene	M16-Oc22487	NCP	%	103		70-130	Pass	
Pyrene	M16-Oc22487	NCP	%	91		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Organochlorine Pesticides</b>				Result 1				
4.4'-DDD	M16-Oc23089	NCP	%	116		70-130	Pass	
4.4'-DDE	M16-Oc23089	NCP	%	109		70-130	Pass	
4.4'-DDT	M16-Oc23089	NCP	%	91		70-130	Pass	
a-BHC	M16-Oc23089	NCP	%	129		70-130	Pass	
Aldrin	M16-Oc23089	NCP	%	123		70-130	Pass	
b-BHC	M16-Oc23089	NCP	%	107		70-130	Pass	
d-BHC	M16-Oc23089	NCP	%	121		70-130	Pass	
Dieldrin	M16-Oc23089	NCP	%	123		70-130	Pass	
Endosulfan I	M16-Oc23089	NCP	%	106		70-130	Pass	
Endosulfan II	M16-Oc23089	NCP	%	101		70-130	Pass	
Endosulfan sulphate	M16-Oc23089	NCP	%	100		70-130	Pass	
Endrin	M16-Oc23089	NCP	%	105		70-130	Pass	
Endrin aldehyde	M16-Oc23089	NCP	%	98		70-130	Pass	
Endrin ketone	M16-Oc23089	NCP	%	123		70-130	Pass	
g-BHC (Lindane)	M16-Oc23089	NCP	%	122		70-130	Pass	
Heptachlor	M16-Oc23089	NCP	%	111		70-130	Pass	
Heptachlor epoxide	M16-Oc23089	NCP	%	119		70-130	Pass	
Hexachlorobenzene	M16-Oc23089	NCP	%	108		70-130	Pass	
Methoxychlor	M16-Oc23089	NCP	%	89		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1				
Perfluorobutanesulfonic acid (PFBS)	S16-Oc24506	NCP	%	100		50-150	Pass	
Perfluorobutanoic acid (PFBA)	S16-Oc24506	NCP	%	85		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	S16-Oc24506	NCP	%	98		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	S16-Oc24506	NCP	%	92		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	S16-Oc24506	NCP	%	114		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	S16-Oc24506	NCP	%	96		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	S16-Oc24506	NCP	%	89		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	S16-Oc24506	NCP	%	98		50-150	Pass	
Perfluorooctanoic acid (PFOA)	S16-Oc24506	NCP	%	91		50-150	Pass	
Perfluorononanoic acid (PFNA)	S16-Oc24506	NCP	%	119		50-150	Pass	
Perfluorodecanoic acid (PFDA)	S16-Oc24506	NCP	%	99		50-150	Pass	
Perfluoroundecanoic acid (PFUnA)	S16-Oc24506	NCP	%	132		50-150	Pass	
Perfluorododecanoic acid (PFDoA)	S16-Oc24506	NCP	%	114		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	S16-Oc24506	NCP	%	89		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	S16-Oc24506	NCP	%	73		50-150	Pass	
Perfluorooctanesulfonamide (PFOSA)	S16-Oc24506	NCP	%	83		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NETFOSAA)	S16-Oc24506	NCP	%	124		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	S16-Oc24506	NCP	%	102		50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	S16-Oc24506	NCP	%	92			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	S16-Oc24506	NCP	%	105			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	S16-Oc24506	NCP	%	119			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>				Result 1					
Arsenic	M16-Oc24734	NCP	%	108			75-125	Pass	
Cadmium	M16-Oc24734	NCP	%	108			75-125	Pass	
Chromium	M16-Oc24734	NCP	%	103			75-125	Pass	
Copper	M16-Oc24734	NCP	%	106			75-125	Pass	
Lead	M16-Oc24734	NCP	%	105			75-125	Pass	
Mercury	M16-Oc23342	NCP	%	116			70-130	Pass	
Nickel	M16-Oc24734	NCP	%	107			75-125	Pass	
Zinc	M16-Oc24734	NCP	%	106			75-125	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				Result 1	Result 2	RPD			
TRH C6-C9	M16-No01062	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C10-C14	M16-Oc26394	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C15-C28	M16-Oc26394	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH C29-C36	M16-Oc26394	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
<b>Duplicate</b>									
<b>BTEX</b>				Result 1	Result 2	RPD			
Benzene	M16-No01062	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Toluene	M16-No01062	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Ethylbenzene	M16-No01062	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
m&p-Xylenes	M16-No01062	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
o-Xylene	M16-No01062	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Xylenes - Total	M16-No01062	NCP	mg/kg	< 0.3	< 0.3	<1	30%	Pass	
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				Result 1	Result 2	RPD			
Naphthalene	M16-No01062	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
TRH C6-C10	M16-No01062	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH >C10-C16	M16-Oc26394	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH >C16-C34	M16-Oc26394	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
TRH >C34-C40	M16-Oc26394	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
<b>Duplicate</b>									
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1	Result 2	RPD			
Acenaphthene	M16-Oc24927	NCP	mg/kg	8.1	7.7	5.0	30%	Pass	
Acenaphthylene	M16-Oc24927	NCP	mg/kg	0.6	< 0.5	57	30%	Fail	Q15
Anthracene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benz(a)anthracene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(a)pyrene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(b&j)fluoranthene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(g,h,i)perylene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(k)fluoranthene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Chrysene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Dibenz(a,h)anthracene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Fluoranthene	M16-Oc24927	NCP	mg/kg	0.6	< 0.5	30	30%	Pass	
Fluorene	M16-Oc24927	NCP	mg/kg	6.2	6.0	3.0	30%	Pass	
Indeno(1.2.3-cd)pyrene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Duplicate								
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1	Result 2	RPD		
Naphthalene	M16-Oc24927	NCP	mg/kg	15	14	8.0	30%	Pass
Phenanthrene	M16-Oc24927	NCP	mg/kg	6.1	5.2	16	30%	Pass
Pyrene	M16-Oc24927	NCP	mg/kg	1.0	1.0	2.0	30%	Pass
Duplicate								
<b>Organochlorine Pesticides</b>				Result 1	Result 2	RPD		
Chlordanes - Total	M16-Oc26538	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4,4'-DDD	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDE	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDT	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-BHC	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-BHC	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-BHC	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-BHC (Lindane)	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M16-Oc26538	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Duplicate								
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorobutanoic acid (PFBA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	B16-Oc25773	NCP	mg/kg	0.008	0.008	3.0	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorononanoic acid (PFNA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluoroundecanoic acid (PFUnA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorododecanoic acid (PFDoA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorooctanesulfonamide (PFOSA)	B16-Oc25773	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (NETFOSAA)	B16-Oc25773	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	B16-Oc25773	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass

<b>Duplicate</b>								
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	B16-Oc25773	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
<b>Duplicate</b>								
<b>Heavy Metals</b>				Result 1	Result 2	RPD		
Arsenic	M16-Oc24733	NCP	mg/kg	6.8	7.1	4.0	30%	Pass
Cadmium	M16-Oc24733	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M16-Oc24733	NCP	mg/kg	21	19	10	30%	Pass
Copper	M16-Oc24733	NCP	mg/kg	18	19	2.0	30%	Pass
Lead	M16-Oc24733	NCP	mg/kg	53	54	1.0	30%	Pass
Mercury	M16-Oc24733	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Nickel	M16-Oc24733	NCP	mg/kg	7.1	5.8	21	30%	Pass
Zinc	M16-Oc24733	NCP	mg/kg	190	160	17	30%	Pass
<b>Duplicate</b>								
				Result 1	Result 2	RPD		
% Moisture	B16-Oc24496	NCP	%	27	24	12	30%	Pass

## Comments

### Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

### Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
Q15	The RPD reported passes Eurofins   mgt's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report.

### Authorised By

Ryan Gilbert	Analytical Services Manager
Alex Petridis	Senior Analyst-Metal (VIC)
Alex Petridis	Senior Analyst-Organic (VIC)
Harry Bacalis	Senior Analyst-Volatile (VIC)
Huong Le	Senior Analyst-Inorganic (VIC)
Jonathon Angell	Senior Analyst-Organic (QLD)
Joseph Edouard	Senior Analyst-Organic (VIC)



### Glenn Jackson

#### National Operations Manager

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

<b>Project ID:</b> 1538021	<b>Queue/Order No.:</b> 160715Q	<b>Lab Name:</b> EUROFINS	<b>GOLDR ASSOCIATES PTY LTD</b> 147 Comenium Drive, Milton, Qld 4064 Project Manager: Krysztina Dhan Contact Phone: 07 37215400
<b>Site Location:</b> Brisbane Airport Morgan Midgley	<b>Turnaround (Days):</b> 5	<b>BY:</b> [Signature]	Phone: (07) 3721 5400 Fax: (07) 3721 5401 Email: <a href="mailto:klhanna@goldr.com.au">klhanna@goldr.com.au</a>
<b>Report Format:</b> HARD <input type="checkbox"/> PDF <input type="checkbox"/> FAX <input type="checkbox"/> EXCEL <input type="checkbox"/> Other <input type="checkbox"/>	<b>EMAIL ADDRESS:</b> Please CC results to: <a href="mailto:samir.f.sadiq@goldr.com.au">samir.f.sadiq@goldr.com.au</a> <a href="mailto:pramodkumar@goldr.com.au">pramodkumar@goldr.com.au</a>		
<b>Comments/Special Instructions:</b> Samples taken from a declared Fire Ant Area: Y N Samples taken from a known Weed and/or Pest Area: Y N			

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	CONTAINERS		HOLD	PFAS EXTENDED	B7 TRH/ BTEXN/ PAH/ As, Cd, Cr, Cu, Ni, Pb, Zn, Hg	OOPs	ANALYSIS REQUIRED					
						No CONTAINERS	POSSIBLE HIGH CONCENTRATION										
QAQCC006		soil	7-14/10/2016		2 jars	2	N		X	X	X						
QAQCC002		soil	14/10/2016		1 jar	1	N				X						

<b>SAMPLE MATRIX</b> - Soil/Sediment/Fill/Other				<b>SAMPLE TYPE</b> = Core(Ch)				<b>HIGH CONCENTRATION</b> - Tick box and circle expected parameters in analysis list							
<b>Container Type and Preservation Codes:</b> P = Natural Plastic, N = Nitric Acid Preserved, C = Sodium Hydroxide Preserved, J = Solvent Washed Acid Rinse Jars, S = Solvent Washed Acid Rinse Glass Bottle, VC = Hydrochloric Preserved Vial, VS = Sulphuric Acid P															
RELEASED BY	SIGNATURE	COMPANY	DATE	TIME	RELEASED BY	SIGNATURE	COMPANY	DATE	TIME	LAB. BATCH NUMBER	SHIPMENT METHOD				
RECEIVED BY		GOLDR	19/10/2016	11am							Shipping Ref				
RECEIVED BY					To Be Filled Out By: Analyzing Laboratory										
RECEIVED BY					Security Seal			Chilled		Bill to: Address					
RECEIVED BY					Sealable Containers			Frozen		Address					
RECEIVED BY					Cool Box			Ambient		Address					

**THIS FORM IS TO BE SIGNED BY GOLDR STAFF, COURIER/S, LABORATORY ON RECEIPT OF SAMPLES.**



## Sample Receipt Advice

Company name: **Golder Associates Pty Ltd (Qld)**  
Contact name: **Krystle-Rae Biram**  
Project name: **BRISBANE AIRPORT**  
Project ID: **1538021**  
COC number: **Not provided**  
Turn around time: **5 Day**  
Date/Time received: **Oct 26, 2016 9:00 AM**  
Eurofins | mgt reference: **521151**

### Sample information

- A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- All samples have been received as described on the above COC.
- COC has been completed correctly.
- Attempt to chill was evident.
- Appropriately preserved sample containers have been used.
- All samples were received in good condition.
- Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- Appropriate sample containers have been used.
- Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Contact notes

If you have any questions with respect to these samples please contact:

Ryan Gilbert on Phone : or by e.mail: [RyanGilbert@eurofins.com](mailto:RyanGilbert@eurofins.com)

Results will be delivered electronically via e.mail to Krystle-Rae Biram - [KBiram@golder.com.au](mailto:KBiram@golder.com.au).

## CERTIFICATE OF ANALYSIS

<b>Work Order</b>	: <b>EB1625464</b>	Page	: 1 of 12
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
<b>Contact</b>	: K BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 25-Oct-2016 15:15
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 27-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 01-Nov-2016 22:12
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 12		
<b>No. of samples analysed</b>	: 12		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Greg Vogel	Laboratory Manager	Brisbane Inorganics, Stafford, QLD
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG020-F (Dissolved Metals): LOR's have been raised for some samples due to matrix interference.



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time				25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15	
Compound	CAS Number	LOR	Unit	EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005	
				Result	Result	Result	Result	Result	
<b>EA005P: pH by PC Titrator</b>									
pH Value	----	0.01	pH Unit	----	----	----	----	----	
<b>EA010P: Conductivity by PC Titrator</b>									
Electrical Conductivity @ 25°C	----	1	µS/cm	----	----	----	----	----	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	----	----	----	----	----	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	----	----	----	----	----	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	----	----	----	----	----	
Total Alkalinity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	----	----	----	----	----	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	----	----	----	----	----	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	----	----	----	----	----	
Magnesium	7439-95-4	1	mg/L	----	----	----	----	----	
Sodium	7440-23-5	1	mg/L	----	----	----	----	----	
Potassium	7440-09-7	1	mg/L	----	----	----	----	----	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	----	----	----	----	----	
Arsenic	7440-38-2	0.001	mg/L	----	----	----	----	----	
Cadmium	7440-43-9	0.0001	mg/L	----	----	----	----	----	
Chromium	7440-47-3	0.001	mg/L	----	----	----	----	----	
Copper	7440-50-8	0.001	mg/L	----	----	----	----	----	
Nickel	7440-02-0	0.001	mg/L	----	----	----	----	----	
Lead	7439-92-1	0.001	mg/L	----	----	----	----	----	
Zinc	7440-66-6	0.005	mg/L	----	----	----	----	----	
Iron	7439-89-6	0.05	mg/L	----	----	----	----	----	
<b>EG035F: Dissolved Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	----	----	----	----	----	
<b>EN055: Ionic Balance</b>									
Total Anions	----	0.01	meq/L	----	----	----	----	----	
Total Cations	----	0.01	meq/L	----	----	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time				25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15	
Compound	CAS Number	LOR	Unit	EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005	
				Result	Result	Result	Result	Result	
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	0.008	0.005	<0.002	0.008	0.002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	0.005	0.003	<0.002	0.004	<0.002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	0.007	0.012	<0.002	0.011	<0.002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	<0.002	<0.002	0.004	<0.002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	0.002	<0.002	<0.002	0.006	<0.002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time					25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15
Compound	CAS Number	LOR	Unit	EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005	
				Result	Result	Result	Result	Result	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L	0.022	0.020	<0.002	0.033	0.002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L	0.007	0.012	<0.002	0.011	<0.002	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%	92.4	109	91.0	82.7	90.7	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EA005P: pH by PC Titrator</b>									
pH Value	----	0.01	pH Unit	6.65	6.26	6.43	6.06	6.99	
<b>EA010P: Conductivity by PC Titrator</b>									
Electrical Conductivity @ 25°C	----	1	µS/cm	35300	20400	9120	14800	51400	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	<1	<1	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	341	362	185	95	297	
Total Alkalinity as CaCO3	----	1	mg/L	341	362	185	95	297	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	242	570	218	388	260	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	2620	2660	1140	1760	2400	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	13300	6920	2750	4900	20700	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	436	348	192	242	407	
Magnesium	7439-95-4	1	mg/L	1010	649	265	335	1220	
Sodium	7440-23-5	1	mg/L	6800	3500	1420	2460	10700	
Potassium	7440-09-7	1	mg/L	238	54	39	63	375	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	0.10	0.08	<0.01	<0.01	<0.05	
Arsenic	7440-38-2	0.001	mg/L	<0.005	<0.005	0.001	0.004	<0.005	
Cadmium	7440-43-9	0.0001	mg/L	<0.0005	<0.0005	<0.0001	<0.0001	<0.0005	
Chromium	7440-47-3	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Copper	7440-50-8	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Nickel	7440-02-0	0.001	mg/L	0.024	0.074	0.018	0.032	0.018	
Lead	7439-92-1	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Zinc	7440-66-6	0.005	mg/L	0.118	0.194	0.076	0.118	0.134	
Iron	7439-89-6	0.05	mg/L	12.2	87.6	7.58	87.6	<0.05	
<b>EG035F: Dissolved Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
<b>EN055: Ionic Balance</b>									
Total Anions	----	0.01	meq/L	436	258	105	177	640	
Total Cations	----	0.01	meq/L	407	224	94.2	148	596	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%	3.53	6.93	5.45	8.77	3.57	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	0.171	0.011	0.037	0.006	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	0.084	0.006	0.029	0.008	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	0.394	0.054	0.293	0.062	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	<0.002	0.002	<0.002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	0.011	<0.002	0.021	0.004	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.004	<0.002	0.005	<0.002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	0.019	<0.002	0.023	0.003	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	<0.002	<0.002	0.005	<0.002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	0.003	<0.002	0.016	0.004	
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	





## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L	<0.002	<b>0.686</b>	<b>0.071</b>	<b>0.431</b>	<b>0.087</b>	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L	<0.002	<b>0.405</b>	<b>0.054</b>	<b>0.314</b>	<b>0.066</b>	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%	<b>87.2</b>	<b>89.4</b>	<b>86.8</b>	<b>102</b>	<b>87.7</b>	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)		Client sample ID		QAQC100	QAQC300	----	----	----
Client sampling date / time		25-Oct-2016 09:07		25-Oct-2016 14:30		----	----	----
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----
				Result	Result	----	----	----
<b>EA005P: pH by PC Titrator</b>								
pH Value	----	0.01	pH Unit	----	----	----	----	----
<b>EA010P: Conductivity by PC Titrator</b>								
Electrical Conductivity @ 25°C	----	1	µS/cm	----	----	----	----	----
<b>ED037P: Alkalinity by PC Titrator</b>								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	----	----	----	----	----
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	----	----	----	----	----
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	----	----	----	----	----
Total Alkalinity as CaCO3	----	1	mg/L	----	----	----	----	----
<b>ED038A: Acidity</b>								
Acidity as CaCO3	----	1	mg/L	----	----	----	----	----
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	----	----	----	----	----
<b>ED045G: Chloride by Discrete Analyser</b>								
Chloride	16887-00-6	1	mg/L	----	----	----	----	----
<b>ED093F: Dissolved Major Cations</b>								
Calcium	7440-70-2	1	mg/L	----	----	----	----	----
Magnesium	7439-95-4	1	mg/L	----	----	----	----	----
Sodium	7440-23-5	1	mg/L	----	----	----	----	----
Potassium	7440-09-7	1	mg/L	----	----	----	----	----
<b>EG020F: Dissolved Metals by ICP-MS</b>								
Aluminium	7429-90-5	0.01	mg/L	----	----	----	----	----
Arsenic	7440-38-2	0.001	mg/L	0.004	<0.001	----	----	----
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	----	----	----
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	----	----	----
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	----	----	----
Nickel	7440-02-0	0.001	mg/L	0.032	<0.001	----	----	----
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	----	----	----
Zinc	7440-66-6	0.005	mg/L	0.120	<0.005	----	----	----
Iron	7439-89-6	0.05	mg/L	----	----	----	----	----
<b>EG035F: Dissolved Mercury by FIMS</b>								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	----	----	----
<b>EN055: Ionic Balance</b>								
Total Anions	----	0.01	meq/L	----	----	----	----	----
Total Cations	----	0.01	meq/L	----	----	----	----	----



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	QAQC100	QAQC300	----	----	----
Client sampling date / time				25-Oct-2016 09:07	25-Oct-2016 14:30	----	----	----	
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----	
				Result	Result	----	----	----	
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	0.036	<0.002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	0.029	<0.002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	0.291	<0.002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	0.023	<0.002	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	0.005	<0.002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	0.022	<0.002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	0.005	<0.002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	0.011	<0.002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	QAQC100	QAQC300	----	----	----
Client sampling date / time				25-Oct-2016 09:07	25-Oct-2016 14:30	----	----	----	
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----	
				Result	Result	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L	<b>0.422</b>	<0.002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L	<b>0.314</b>	<0.002	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%	<b>82.4</b>	<b>94.5</b>	----	----	----	



### Surrogate Control Limits

Sub-Matrix: <b>WATER</b>		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
<b>13C4-PFOS</b>	----	70	120

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1625464</b>	Page	: 1 of 9
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: K BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 25-Oct-2016
Order number	: 1538021	Date Analysis Commenced	: 27-Oct-2016
C-O-C number	: ----	Issue Date	: 01-Nov-2016
Sampler	: MORGAN MIDGLEY		
Site	: Brisbane Airport		
Quote number	: ----		
No. of samples received	: 12		
No. of samples analysed	: 12		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Greg Vogel	Laboratory Manager	Brisbane Inorganics, Stafford, QLD
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA005P: pH by PC Titrator (QC Lot: 632975)</b>									
EB1625473-001	Anonymous	EA005-P: pH Value	----	0.01	pH Unit	6.75	6.90	2.20	0% - 20%
EB1625444-001	Anonymous	EA005-P: pH Value	----	0.01	pH Unit	7.56	7.53	0.398	0% - 20%
<b>EA010P: Conductivity by PC Titrator (QC Lot: 632976)</b>									
EB1625444-001	Anonymous	EA010-P: Electrical Conductivity @ 25°C	----	1	µS/cm	431	431	0.00	0% - 20%
<b>ED037P: Alkalinity by PC Titrator (QC Lot: 632978)</b>									
EB1625444-001	Anonymous	ED037-P: Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	0.00	No Limit
		ED037-P: Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	0.00	No Limit
		ED037-P: Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	46	48	4.58	0% - 20%
		ED037-P: Total Alkalinity as CaCO3	----	1	mg/L	46	48	4.58	0% - 20%
<b>ED038A: Acidity (QC Lot: 634475)</b>									
EB1625246-001	Anonymous	ED038: Acidity as CaCO3	----	1	mg/L	6	6	0.00	No Limit
EB1625464-009	AM-MW16	ED038: Acidity as CaCO3	----	1	mg/L	388	400	3.08	0% - 20%
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QC Lot: 630949)</b>									
EB1625413-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	5620	5460	2.91	0% - 20%
<b>ED045G: Chloride by Discrete Analyser (QC Lot: 630948)</b>									
EB1625413-001	Anonymous	ED045G: Chloride	16887-00-6	1	mg/L	2410	2510	4.32	0% - 20%
<b>ED093F: Dissolved Major Cations (QC Lot: 631832)</b>									
EB1625502-003	Anonymous	ED093F: Calcium	7440-70-2	1	mg/L	494	493	0.253	0% - 20%
		ED093F: Magnesium	7439-95-4	1	mg/L	51	51	0.00	0% - 20%
		ED093F: Sodium	7440-23-5	1	mg/L	254	250	1.60	0% - 20%
		ED093F: Potassium	7440-09-7	1	mg/L	191	190	0.00	0% - 20%
EB1625464-006	AM-MW31	ED093F: Calcium	7440-70-2	1	mg/L	436	448	2.77	0% - 20%
		ED093F: Magnesium	7439-95-4	1	mg/L	1010	1040	3.01	0% - 20%
		ED093F: Sodium	7440-23-5	1	mg/L	6800	6940	2.00	0% - 20%



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>ED093F: Dissolved Major Cations (QC Lot: 631832) - continued</b>									
EB1625464-006	AM-MW31	ED093F: Potassium	7440-09-7	1	mg/L	238	244	2.52	0% - 20%
<b>EG020F: Dissolved Metals by ICP-MS (QC Lot: 631833)</b>									
EB1625502-003	Anonymous	EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	0.0006	0.0006	0.00	No Limit
		EG020A-F: Arsenic	7440-38-2	0.001	mg/L	0.023	0.024	0.00	0% - 20%
		EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Nickel	7440-02-0	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	0.00	No Limit
EB1625464-006	AM-MW31	EG020A-F: Iron	7439-89-6	0.05	mg/L	1.31	1.25	4.96	0% - 20%
		EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	<0.0005	<0.0005	0.00	No Limit
		EG020A-F: Arsenic	7440-38-2	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Nickel	7440-02-0	0.001	mg/L	0.024	0.024	0.00	No Limit
		EG020A-F: Zinc	7440-66-6	0.005	mg/L	0.118	0.123	3.52	No Limit
		EG020A-F: Aluminium	7429-90-5	0.01	mg/L	0.10	0.08	14.9	No Limit
		EG020A-F: Iron	7439-89-6	0.05	mg/L	12.2	12.6	3.41	0% - 20%
<b>EG035F: Dissolved Mercury by FIMS (QC Lot: 631834)</b>									
EB1625507-001	Anonymous	EG035F: Mercury	7439-97-6	0.0001	mg/L	0.0001	0.0001	0.00	No Limit
EB1625464-006	AM-MW31	EG035F: Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	0.00	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	2.61	2.51	4.02	0% - 20%
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	1.64	1.57	4.06	0% - 20%
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	7.91	7.58	4.36	0% - 20%
		EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	0.042	0.041	3.36	0% - 20%
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	0.347	0.393	12.5	0% - 20%
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit





Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 633504) - continued</b>									
EB1625464-003	BIP-MW07	EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	0.00	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	0.042	0.034	18.9	0% - 20%
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	0.422	0.418	0.952	0% - 20%
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	0.009	0.007	26.8	No Limit
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	0.025	0.022	15.3	0% - 50%
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.002	0.00	No Limit
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 633504) - continued</b>									
EB1625449-001	Anonymous	EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	0.00	No Limit



### Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EA005P: pH by PC Titrator (QCLot: 632975)</b>									
EA005-P: pH Value	----	----	pH Unit	----	4 pH Unit	100	98	102	
				----	7 pH Unit	101	98	102	
<b>EA010P: Conductivity by PC Titrator (QCLot: 632976)</b>									
EA010-P: Electrical Conductivity @ 25°C	----	1	µS/cm	<1	4000 µS/cm	95.7	91	107	
				<1	12890 µS/cm	96.0	91	107	
<b>ED037P: Alkalinity by PC Titrator (QCLot: 632978)</b>									
ED037-P: Total Alkalinity as CaCO3	----	----	mg/L	----	200 mg/L	106	80	120	
<b>ED038A: Acidity (QCLot: 634475)</b>									
ED038: Acidity as CaCO3	----	----	mg/L	----	100 mg/L	104	90	110	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 630949)</b>									
ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	<1	25 mg/L	96.2	85	118	
				<1	100 mg/L	93.0	85	118	
<b>ED045G: Chloride by Discrete Analyser (QCLot: 630948)</b>									
ED045G: Chloride	16887-00-6	1	mg/L	<1	10 mg/L	96.2	90	115	
				<1	1000 mg/L	106	90	115	
<b>ED093F: Dissolved Major Cations (QCLot: 631832)</b>									
ED093F: Calcium	7440-70-2	1	mg/L	<1	----	----	----	----	
ED093F: Magnesium	7439-95-4	1	mg/L	<1	----	----	----	----	
ED093F: Sodium	7440-23-5	1	mg/L	<1	----	----	----	----	
ED093F: Potassium	7440-09-7	1	mg/L	<1	----	----	----	----	
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 631833)</b>									
EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.01	0.5 mg/L	89.7	79	118	
EG020A-F: Arsenic	7440-38-2	0.001	mg/L	<0.001	0.1 mg/L	99.8	88	116	
EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	<0.0001	0.1 mg/L	100	88	108	
EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.001	0.1 mg/L	97.0	87	113	
EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.001	0.2 mg/L	96.0	88	114	
EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.001	0.1 mg/L	91.2	89	110	
EG020A-F: Nickel	7440-02-0	0.001	mg/L	<0.001	0.1 mg/L	99.9	89	113	
EG020A-F: Zinc	7440-66-6	0.005	mg/L	<0.005	0.2 mg/L	97.6	87	113	
EG020A-F: Iron	7439-89-6	0.05	mg/L	<0.05	0.5 mg/L	85.5	82	114	
<b>EG035F: Dissolved Mercury by FIMS (QCLot: 631834)</b>									
EG035F: Mercury	7439-97-6	0.0001	mg/L	<0.0001	0.01 mg/L	96.9	84	118	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504)</b>									



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504) - continued</b>									
EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	0.05 µg/L	103	60	130	
EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	0.05 µg/L	99.4	60	130	
EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	0.05 µg/L	120	60	130	
EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	0.05 µg/L	121	60	130	
EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	0.05 µg/L	115	60	130	
EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	0.05 µg/L	91.2	60	130	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504)</b>									
EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	0.05 µg/L	101	60	130	
EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.05 µg/L	90.2	60	130	
EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	0.05 µg/L	104	60	130	
EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	0.05 µg/L	104	60	130	
EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	0.05 µg/L	90.2	60	130	
EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	0.05 µg/L	96.0	60	130	
EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	0.05 µg/L	115	60	130	
EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	0.05 µg/L	84.8	60	130	
EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	0.05 µg/L	85.0	60	130	
EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	0.05 µg/L	78.6	60	130	
EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	0.125 µg/L	71.0	60	130	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 633504)</b>									
EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	0.05 µg/L	120	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	0.125 µg/L	106	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	0.125 µg/L	83.0	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	0.125 µg/L	90.8	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	0.125 µg/L	76.4	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	0.05 µg/L	86.6	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	0.05 µg/L	117	60	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 633504)</b>									
EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	0.05 µg/L	97.8	60	130	
EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	0.05 µg/L	110	60	130	
EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	0.05 µg/L	81.2	60	130	
EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	0.05 µg/L	78.2	60	130	



The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: WATER

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery(%) MS	Recovery Limits (%)	
				Low	High		
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 630949)</b>							
EB1625451-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	20 mg/L	# Not Determined	70	130
<b>ED045G: Chloride by Discrete Analyser (QCLot: 630948)</b>							
EB1625451-001	Anonymous	ED045G: Chloride	16887-00-6	400 mg/L	89.9	70	130
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 631833)</b>							
EB1625464-007	AM-MW14	EG020A-F: Aluminium	7429-90-5	0.5 mg/L	117	70	130
		EG020A-F: Arsenic	7440-38-2	0.1 mg/L	110	70	130
		EG020A-F: Cadmium	7440-43-9	0.1 mg/L	101	70	130
		EG020A-F: Chromium	7440-47-3	0.1 mg/L	90.5	70	130
		EG020A-F: Copper	7440-50-8	0.2 mg/L	86.0	70	130
		EG020A-F: Lead	7439-92-1	0.1 mg/L	110	70	130
		EG020A-F: Nickel	7440-02-0	0.1 mg/L	88.5	70	130
		EG020A-F: Zinc	7440-66-6	0.2 mg/L	99.6	70	130
<b>EG035F: Dissolved Mercury by FIMS (QCLot: 631834)</b>							
EB1625464-007	AM-MW14	EG035F: Mercury	7439-97-6	0.01 mg/L	71.3	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.05 µg/L	94.0	50	130
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.05 µg/L	# Not Determined	60	130
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.05 µg/L	90.8	50	130
		<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504)</b>					
EB1625449-002	Anonymous	EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.05 µg/L	55.9	50	130
		EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.05 µg/L	71.0	50	130
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.05 µg/L	64.4	61	130
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.05 µg/L	69.4	60	130
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.05 µg/L	79.8	50	130
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.05 µg/L	96.0	65	130
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.05 µg/L	72.8	50	130



Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504) - continued</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.05 µg/L	67.0	50	130
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.05 µg/L	60.4	30	130
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.125 µg/L	47.4	30	130
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05 µg/L	103	50	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.125 µg/L	83.4	50	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.125 µg/L	70.5	50	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.125 µg/L	63.7	36	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.125 µg/L	60.0	30	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05 µg/L	62.8	50	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05 µg/L	64.0	50	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05 µg/L	84.4	50	130
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05 µg/L	69.8	60	130
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05 µg/L	76.2	60	130
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05 µg/L	60.2	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1625464</b>	Page	: 1 of 8
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: K BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 25-Oct-2016
Site	: Brisbane Airport	Issue Date	: 01-Nov-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 12
Order number	: 1538021	No. of samples analysed	: 12

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Duplicate outliers occur.**
- **NO Laboratory Control outliers occur.**
- **Matrix Spike outliers exist - please see following pages for full details.**
- **For all regular sample matrices, NO surrogate recovery outliers occur.**

#### Outliers : Analysis Holding Time Compliance

- **Analysis Holding Time Outliers exist - please see following pages for full details.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



### Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **WATER**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Matrix Spike (MS) Recoveries</b>							
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA	EB1625451--001	Anonymous	Sulfate as SO4 - Turbidimetric	14808-79-8	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorobutane sulfonic acid (PFBS)	375-73-5	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorohexane sulfonic acid (PFHxS)	355-46-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorooctane sulfonic acid (PFOS)	1763-23-1	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231B: Perfluoroalkyl Carboxylic Acids	EB1625449--002	Anonymous	Perfluorohexanoic acid (PFHxA)	307-24-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.

### Outliers : Analysis Holding Time Compliance

Matrix: **WATER**

Method	Container / Client Sample ID(s)	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Days overdue	Date analysed	Due for analysis	Days overdue
<b>EA005P: pH by PC Titrator</b>							
<b>Clear Plastic Bottle - Natural</b>							
AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	----	----	----	27-Oct-2016	25-Oct-2016	2

### Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for **VOC in soils** vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.





Matrix: **WATER** Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA005P: pH by PC Titrator</b>								
Clear Plastic Bottle - Natural (EA005-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	25-Oct-2016	✖
<b>EA010P: Conductivity by PC Titrator</b>								
Clear Plastic Bottle - Natural (EA010-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✔
<b>ED037P: Alkalinity by PC Titrator</b>								
Clear Plastic Bottle - Natural (ED037-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	08-Nov-2016	✔
<b>ED038A: Acidity</b>								
Clear Plastic Bottle - Natural (ED038) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	28-Oct-2016	08-Nov-2016	✔
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>								
Clear Plastic Bottle - Natural (ED041G) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✔
<b>ED045G: Chloride by Discrete Analyser</b>								
Clear Plastic Bottle - Natural (ED045G) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✔
<b>ED093F: Dissolved Major Cations</b>								
Clear Plastic Bottle - Nitric Acid; Filtered (ED093F) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✔
<b>EG020F: Dissolved Metals by ICP-MS</b>								
Clear Plastic Bottle - Natural (EG020A-F) QAQC300		25-Oct-2016	----	----	----	01-Nov-2016	23-Apr-2017	✔
Clear Plastic Bottle - Nitric Acid; Filtered (EG020A-F) AM-MW31, AM-MW15, AM-MW10,	AM-MW14, AM-MW16, QAQC100	25-Oct-2016	----	----	----	01-Nov-2016	23-Apr-2017	✔



Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
<b>EG035F: Dissolved Mercury by FIMS</b>							
<b>Clear Plastic Bottle - Natural (EG035F)</b> QAQC300	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✓
<b>Clear Plastic Bottle - Nitric Acid; Filtered (EG035F)</b> AM-MW31, AM-MW15, AM-MW10, AM-MW14, AM-MW16, QAQC100	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✓
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231C: Perfluoroalkyl Sulfonamides</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓

Page : 5 of 8  
 Work Order : EB1625464  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231P: PFAS Sums</b>								
<b>HDPE (no PTFE) (EP231X-LL)</b>								
AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100,	AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **WATER** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Acidity as Calcium Carbonate	ED038	2	16	12.50	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	7	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Major Cations - Dissolved	ED093F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH by PC Titrator	EA005-P	2	17	11.76	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Acidity as Calcium Carbonate	ED038	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH by PC Titrator	EA005-P	2	17	11.76	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Chloride by Discrete Analyser	ED045G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Major Cations - Dissolved	ED093F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Chloride by Discrete Analyser	ED045G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH by PC Titrator	EA005-P	WATER	In house: Referenced to APHA 4500 H+ B. This procedure determines pH of water samples by automated ISE. This method is compliant with NEPM (2013) Schedule B(3)
Conductivity by PC Titrator	EA010-P	WATER	In house: Referenced to APHA 2510 B. This procedure determines conductivity by automated ISE. This method is compliant with NEPM (2013) Schedule B(3)
Alkalinity by PC Titrator	ED037-P	WATER	In house: Referenced to APHA 2320 B This procedure determines alkalinity by automated measurement (e.g. PC Titrate) using pH 4.5 for indicating the total alkalinity end-point. This method is compliant with NEPM (2013) Schedule B(3)
Acidity as Calcium Carbonate	ED038	WATER	In house: Referenced to APHA 2310 B Acidity is determined by titration with a standardised alkali to an end-point pH of 8.3. This method is compliant with NEPM (2013) Schedule B(3)
Sulfate (Turbidimetric) as SO <sub>4</sub> <sup>2-</sup> by Discrete Analyser	ED041G	WATER	In house: Referenced to APHA 4500-SO <sub>4</sub> . Dissolved sulfate is determined in a 0.45µm filtered sample. Sulfate ions are converted to a barium sulfate suspension in an acetic acid medium with barium chloride. Light absorbance of the BaSO <sub>4</sub> suspension is measured by a photometer and the SO <sub>4</sub> <sup>2-</sup> concentration is determined by comparison of the reading with a standard curve. This method is compliant with NEPM (2013) Schedule B(3)
Chloride by Discrete Analyser	ED045G	WATER	In house: Referenced to APHA 4500 Cl - G. The thiocyanate ion is liberated from mercuric thiocyanate through sequestration of mercury by the chloride ion to form non-ionised mercuric chloride. In the presence of ferric ions the liberated thiocyanate forms highly-coloured ferric thiocyanate which is measured at 480 nm APHA 21st edition seal method 2 017-1-L april 2003
Major Cations - Dissolved	ED093F	WATER	In house: Referenced to APHA 3120 and 3125; USEPA SW 846 - 6010 and 6020; Cations are determined by either ICP-AES or ICP-MS techniques. This method is compliant with NEPM (2013) Schedule B(3)  Sodium Adsorption Ratio is calculated from Ca, Mg and Na which determined by ALS in house method QWI-EN/ED093F. This method is compliant with NEPM (2013) Schedule B(3)  Hardness parameters are calculated based on APHA 2340 B. This method is compliant with NEPM (2013) Schedule B(3)
Dissolved Metals by ICP-MS - Suite A	EG020A-F	WATER	In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. Samples are 0.45µm filtered prior to analysis. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector.
Dissolved Mercury by FIMS	EG035F	WATER	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) Samples are 0.45µm filtered prior to analysis. FIM-AAS is an automated flameless atomic absorption technique. A bromate/bromide reagent is used to oxidise any organic mercury compounds in the filtered sample. The ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Ionic Balance by PCT DA and Turbi SO <sub>4</sub> DA	EN055 - PG	WATER	In house: Referenced to APHA 1030F. This method is compliant with NEPM (2013) Schedule B(3)

Page : 8 of 8  
Work Order : EB1625464  
Client : GOLDER ASSOCIATES  
Project : 1538021



<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	WATER	In-house: Analysis of fresh and saline waters by solid phase extraction followed by LC-Electrospray-MS-MS, Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.

<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
SPE preparation for LL and saline PFCs	EP231-SPE	WATER	In house

Project ID	1538021	Order No.	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone : (07) 3721 5400
Site Location	Brisbane Airport	Lab Name	ALS	147 Coronation Drive, Milton Qld 4064	Fax : (07) 3721 5401
Sampled By	Morgan Midgley			Invoice to be sent to Accounts Aust: <a href="mailto:aaaccounts@payable@golder.com.au">aaaccounts@payable@golder.com.au</a>	
Turnaround (Days)	5 days	BY:		Project Manager: K Biram	
Report Format	Please provide data in ESDAT format			Contact Phone: 37215400	Email: <a href="mailto:scurti@golder.com.au">scurti@golder.com.au</a>

Comments/Special Instructions:					No. CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED													
Copy results to: <a href="mailto:pscels@golder.com.au">pscels@golder.com.au</a> <a href="mailto:scurti@golder.com.au">scurti@golder.com.au</a>							PFAS extended suite 28 - ultra trace levels	pH	Major Anions - Cl, So4, alkalinity	Electrical conductivity	Major Cations - Ca, Mg, K, Na	Acidity	W-2 8 metals	Dissolved Al + Fe						
SAMPLE ID	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE																
AM-BH08	Water	25-10-16	12:06	Ice	2	2	X													
AM-BH19	Water	25-10-16	10:54	Ice	2	2	X													
BIP-MW07	Water	25-10-16	12:32	Ice	2	2	X													
BIP-MW1	Water	25-10-16	13:33	Ice	2	2	X													
BIP-MW2	Water	25-10-16	15:15	Ice	2	2	X													
AM-MW31	Water	25-10-16	13:12	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW14	Water	25-10-16	09:40	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW15	Water	25-10-16	10:32	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW16	Water	25-10-16	9:07	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AM-MW10	Water	25-10-16	11:27	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X
QAQC100	Water	25-10-16	9:07	Ice	4	2	X							X						
QAQC300	Water	25-10-16	14:30	Ice	3	2	X							X						
<b>HOLD ALL OTHER BOTTLES NOT SELECTED FOR ANALYSIS</b>																				

Environmental Division  
Brisbane  
Work Order Reference  
**EB1625464**



Telephone : +61-7-3243 7222

SAMPLE MATRIX =Water      SAMPLE TYPE = Discrete(DC)      POSSIBLE HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list  
 Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid Preserved Vial; BS = Sulphuric Acid Preserved Glass Bottle; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottle; ST = Sterile Bottle; O = Other

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Method of Shipment
<i>[Signature]</i>	GOLDER	25/10/16	15:15					Shipping Ref.
<i>[Signature]</i>	ALS							
				LAB BATCH NUMBER				
				LAB BATCH NUMBER				
				LAB BATCH NUMBER				
				LAB BATCH NUMBER				

2 = 200 + 10 + 50 + 10



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1625464**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: K BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 3
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

**Dates**

Date Samples Received	: 25-Oct-2016 3:15 PM	Issue Date	: 25-Oct-2016
Client Requested Due Date	: 01-Nov-2016	Scheduled Reporting Date	: <b>01-Nov-2016</b>

**Delivery Details**

Mode of Delivery	: Client Drop Off	Security Seal	: Intact.
No. of coolers/boxes	: 2	Temperature	: 5.4°C, 5.8°C - Ice present
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 12 / 12

**General Comments**

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913).**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**





## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

Method Client sample ID	Sample Container Received	Preferred Sample Container for Analysis
<b>Dissolved Mercury by FIMS : EG035F</b>		
<b>QAQC300</b>	- Clear Plastic Bottle - Natural	- Clear Plastic Bottle - Nitric Acid; Filtered
<b>Dissolved Metals by ICP-MS - Suite A : EG020A-F</b>		
<b>QAQC300</b>	- Clear Plastic Bottle - Natural	- Clear Plastic Bottle - Nitric Acid; Filtered

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: **WATER**

Laboratory sample ID	Client sampling date / time	Client sample ID	WATER - EA005P pH (PC)	WATER - EA010P Conductivity (PC)	WATER - ED038 Default Acidity as CaCO3 only	WATER - EG020F Dissolved Metals by ICPMS	WATER - EP231X-LL PFAS - Full Suite Low Level (28 analytes)	WATER - NT-01 & 02 Ca, Mg, Na, K, Cl, SO4, Alkalinity	WATER - W-02 8 Metals
EB1625464-001	25-Oct-2016 12:06	AM-BH08					✓		
EB1625464-002	25-Oct-2016 10:54	AM-BH19					✓		
EB1625464-003	25-Oct-2016 12:32	BIP-MW07					✓		
EB1625464-004	25-Oct-2016 13:33	BIP-MW1					✓		
EB1625464-005	25-Oct-2016 14:15	BIP-MW2					✓		
EB1625464-006	25-Oct-2016 13:12	AM-MW31	✓	✓	✓	✓	✓	✓	✓
EB1625464-007	25-Oct-2016 09:40	AM-MW14	✓	✓	✓	✓	✓	✓	✓
EB1625464-008	25-Oct-2016 10:32	AM-MW15	✓	✓	✓	✓	✓	✓	✓
EB1625464-009	25-Oct-2016 09:07	AM-MW16	✓	✓	✓	✓	✓	✓	✓
EB1625464-010	25-Oct-2016 11:27	AM-MW10	✓	✓	✓	✓	✓	✓	✓
EB1625464-011	25-Oct-2016 09:07	QAQC100					✓		✓
EB1625464-012	25-Oct-2016 14:30	QAQC300					✓		✓

## Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.



## *Requested Deliverables*

### **ACCOUNTS PAYABLE**

- A4 - AU Tax Invoice (INV) Email auaccountspayable@golder.com.au

### **K BIRAM**

- \*AU Certificate of Analysis - NATA (COA) Email kbiram@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email kbiram@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email kbiram@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email kbiram@golder.com.au  
- Chain of Custody (CoC) (COC) Email kbiram@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email kbiram@golder.com.au

### **PAUL SCELLS**

- \*AU Certificate of Analysis - NATA (COA) Email pscells@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email pscells@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email pscells@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email pscells@golder.com.au  
- Chain of Custody (CoC) (COC) Email pscells@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email pscells@golder.com.au

### **SERENA CURTI**

- \*AU Certificate of Analysis - NATA (COA) Email scurti@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email scurti@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email scurti@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email scurti@golder.com.au  
- Chain of Custody (CoC) (COC) Email scurti@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email scurti@golder.com.au

**Golder Associates Pty Ltd**  
**147 Coronation Dve**  
**Milton**  
**QLD 4064**



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 20794**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Serena Curti**

**Report** **521162-W**  
 Project name **BRISBANE AIRPORT**  
 Project ID **1538021**  
 Received Date **Oct 26, 2016**

Client Sample ID			<b>QAQC200</b>
Sample Matrix			<b>Water</b>
Eurofins   mgt Sample No.			<b>B16-Oc24663</b>
Date Sampled			<b>Oct 25, 2016</b>
Test/Reference	LOR	Unit	
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>			
Perfluorobutanesulfonic acid (PFBS)	0.00001	mg/L	0.00002
Perfluorobutanoic acid (PFBA)	0.00005	mg/L	< 0.00005
Perfluorohexanesulfonic acid (PFHxS)	0.00001	mg/L	<sup>NO9</sup> 0.00012
Perfluorooctanesulfonic acid (PFOS)	0.00001	mg/L	<sup>NO9</sup> 0.00004
Perfluorodecanesulfonic acid (PFDS)	0.00001	mg/L	< 0.00001
Perfluoropentanoic acid (PFPeA)	0.00001	mg/L	< 0.00001
Perfluorohexanoic acid (PFHxA)	0.00001	mg/L	<sup>NO9</sup> 0.00005
Perfluoroheptanoic acid (PFHpA)	0.00001	mg/L	< 0.00001
Perfluorooctanoic acid (PFOA)	0.00001	mg/L	<sup>NO9</sup> 0.00002
Perfluorononanoic acid (PFNA)	0.00001	mg/L	< 0.00001
Perfluorodecanoic acid (PFDA)	0.00001	mg/L	< 0.00001
Perfluoroundecanoic acid (PFUnA)	0.00001	mg/L	< 0.00001
Perfluorododecanoic acid (PFDoA)	0.00001	mg/L	< 0.00001
Perfluorotridecanoic acid (PFTriDA)	0.00001	mg/L	< 0.00001
Perfluorotetradecanoic acid (PFTeDA)	0.00001	mg/L	< 0.00001
Perfluorooctanesulfonamide (PFOSA)	0.00005	mg/L	< 0.00005
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	0.00005	mg/L	< 0.00005
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	0.00005	mg/L	< 0.00005
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	0.00001	mg/L	< 0.00001
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	0.00005	mg/L	< 0.00005
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	0.00001	mg/L	< 0.00001
d5-n-EtFOSAA (surr.)	1	%	26
13C-PFHxA (surr.)	1	%	69
13C8-PFOS (surr.)	1	%	49
<b>Heavy Metals</b>			
Arsenic	0.001	mg/L	0.005
Cadmium	0.0002	mg/L	0.0002
Chromium	0.001	mg/L	< 0.001
Copper	0.001	mg/L	< 0.001
Lead	0.001	mg/L	< 0.001
Mercury	0.0001	mg/L	< 0.0001
Nickel	0.001	mg/L	0.031
Zinc	0.005	mg/L	0.12

### Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

### Description

Per- and Polyfluorinated Alkyl Substances (PFASs)

- Method: LTM-ORG-2100 Per- and Polyfluorinated Alkyl Substances by LC-MS/MS

Metals M8

- Method: LTM-MET-3040 Metals in Waters by ICP-MS

Testing Site	Extracted	Holding Time
Brisbane	Oct 26, 2016	14 Day
Melbourne	Oct 26, 2016	28 Days

<b>Company Name:</b> Golder Associates Pty Ltd (Qld) <b>Address:</b> 147 Coronation Dve Milton QLD 4064  <b>Project Name:</b> BRISBANE AIRPORT <b>Project ID:</b> 1538021	<b>Order No.:</b> <b>Report #:</b> 521162 <b>Phone:</b> (07) 3721 5400 <b>Fax:</b> (07) 3721 5401	<b>Received:</b> Oct 26, 2016 9:00 AM <b>Due:</b> Nov 2, 2016 <b>Priority:</b> 5 Day <b>Contact Name:</b> Krystle-Rae Biram
Eurofins   mgt Analytical Services Manager : Ryan Gilbert		

Sample Detail						Metals M8	Per- and Polyfluorinated Alkyl Substances (PFASs)
Melbourne Laboratory - NATA Site # 1254 & 14271						X	
Sydney Laboratory - NATA Site # 18217							
Brisbane Laboratory - NATA Site # 20794							X
External Laboratory							
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID		
1	QAQC200	Oct 25, 2016		Water	B16-Oc24663	X	X
<b>Test Counts</b>						1	1

## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
4. Results are uncorrected for matrix spikes or surrogate recoveries.
5. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
6. Samples were analysed on an 'as received' basis. 7. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Advice.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per Kilogram

**mg/l:** milligrams per litre

**ug/l:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100ml:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery
<b>CRM</b>	Certified Reference Material - reported as percent recovery
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands. In the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>Batch Duplicate</b>	A second piece of analysis from a sample outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>Batch SPIKE</b>	Spike recovery reported on a sample from outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 50-150%-Phenols & PFASs 20-130%

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>							
Perfluorobutanesulfonic acid (PFBS)	mg/L	< 0.00001			0.00001	Pass	
Perfluorobutanoic acid (PFBA)	mg/L	< 0.00005			0.00005	Pass	
Perfluorohexanesulfonic acid (PFHxS)	mg/L	< 0.00001			0.00001	Pass	
Perfluorooctanesulfonic acid (PFOS)	mg/L	< 0.00001			0.00001	Pass	
Perfluorodecanesulfonic acid (PFDS)	mg/L	< 0.00001			0.00001	Pass	
Perfluoropentanoic acid (PFPeA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorohexanoic acid (PFHxA)	mg/L	< 0.00001			0.00001	Pass	
Perfluoroheptanoic acid (PFHpA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorooctanoic acid (PFOA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorononanoic acid (PFNA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorodecanoic acid (PFDA)	mg/L	< 0.00001			0.00001	Pass	
Perfluoroundecanoic acid (PFUnA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorododecanoic acid (PFDoA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorotridecanoic acid (PFTTrDA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorotetradecanoic acid (PFTeDA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorooctanesulfonamide (PFOSA)	mg/L	< 0.00005			0.00005	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	mg/L	< 0.00005			0.00005	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	mg/L	< 0.00005			0.00005	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	mg/L	< 0.00001			0.00001	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	mg/L	< 0.00005			0.00005	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	mg/L	< 0.00001			0.00001	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic	mg/L	< 0.001			0.001	Pass	
Cadmium	mg/L	< 0.0002			0.0002	Pass	
Chromium	mg/L	< 0.001			0.001	Pass	
Copper	mg/L	< 0.001			0.001	Pass	
Lead	mg/L	< 0.001			0.001	Pass	
Mercury	mg/L	< 0.0001			0.0001	Pass	
Nickel	mg/L	< 0.001			0.001	Pass	
Zinc	mg/L	< 0.005			0.005	Pass	
<b>LCS - % Recovery</b>							
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>							
Perfluorobutanesulfonic acid (PFBS)	%	80			50-150	Pass	
Perfluorobutanoic acid (PFBA)	%	86			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	%	82			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	%	83			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	%	52			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	74			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	87			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	79			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	84			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	101			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	97			50-150	Pass	
Perfluoroundecanoic acid (PFUnA)	%	75			50-150	Pass	
Perfluorododecanoic acid (PFDoA)	%	53			50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	54			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	65			50-150	Pass	
Perfluorooctanesulfonamide (PFOSA)	%	70			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	%	58			50-150	Pass	

Test		Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)		%	61			50-150	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)		%	76			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)		%	89			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)		%	81			50-150	Pass	
<b>LCS - % Recovery</b>								
<b>Heavy Metals</b>								
Arsenic		%	89			80-120	Pass	
Cadmium		%	90			80-120	Pass	
Chromium		%	87			80-120	Pass	
Copper		%	86			80-120	Pass	
Lead		%	85			80-120	Pass	
Mercury		%	86			75-125	Pass	
Nickel		%	89			80-120	Pass	
Zinc		%	91			80-120	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>								
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1				
Perfluorobutanesulfonic acid (PFBS)	M16-Oc24616	NCP	%	81		50-150	Pass	
Perfluorobutanoic acid (PFBA)	M16-Oc24616	NCP	%	94		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M16-Oc24616	NCP	%	83		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M16-Oc24616	NCP	%	91		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M16-Oc24616	NCP	%	54		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M16-Oc24616	NCP	%	76		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M16-Oc24616	NCP	%	94		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M16-Oc24616	NCP	%	80		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M16-Oc24616	NCP	%	92		50-150	Pass	
Perfluorononanoic acid (PFNA)	M16-Oc24616	NCP	%	98		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M16-Oc24616	NCP	%	97		50-150	Pass	
Perfluoroundecanoic acid (PFUnA)	M16-Oc24616	NCP	%	86		50-150	Pass	
Perfluorododecanoic acid (PFDoA)	M16-Oc24616	NCP	%	57		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	M16-Oc24616	NCP	%	53		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M16-Oc24616	NCP	%	62		50-150	Pass	
Perfluorooctanesulfonamide (PFOSA)	M16-Oc24616	NCP	%	67		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	M16-Oc24616	NCP	%	64		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	M16-Oc24616	NCP	%	68		50-150	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	M16-Oc24616	NCP	%	62		50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	M16-Oc24616	NCP	%	95		50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	M16-Oc24616	NCP	%	76		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Heavy Metals</b>				Result 1				
Arsenic	B16-Oc24501	NCP	%	92		75-125	Pass	
Cadmium	B16-Oc24501	NCP	%	89		75-125	Pass	
Chromium	B16-Oc24501	NCP	%	87		75-125	Pass	



Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Copper	B16-Oc24501	NCP	%	83			75-125	Pass	
Lead	B16-Oc24501	NCP	%	82			75-125	Pass	
Mercury	B16-Oc24501	NCP	%	86			70-130	Pass	
Nickel	B16-Oc24501	NCP	%	88			75-125	Pass	
Zinc	B16-Oc24501	NCP	%	87			75-125	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1	Result 2	RPD			
Perfluorobutanesulfonic acid (PFBS)	M16-Oc24593	NCP	mg/L	0.00011	0.00012	6.0	30%	Pass	
Perfluorobutanoic acid (PFBA)	M16-Oc24615	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M16-Oc24593	NCP	mg/L	0.0017	0.0019	7.0	30%	Pass	
Perfluorooctanesulfonic acid (PFOS)	M16-Oc24593	NCP	mg/L	0.030	0.031	2.0	30%	Pass	
Perfluorodecanesulfonic acid (PFDS)	M16-Oc24593	NCP	mg/L	< 0.00002	< 0.00002	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorododecanoic acid (PFDoA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorotridecanoic acid (PFTTrDA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorooctanesulfonamide (PFOSA)	M16-Oc24615	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NETFOSAA)	M16-Oc24615	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	M16-Oc24615	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	M16-Oc24593	NCP	mg/L	< 0.00002	< 0.00002	<1	30%	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	M16-Oc24593	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	M16-Oc24593	NCP	mg/L	< 0.00002	< 0.00002	<1	30%	Pass	
<b>Duplicate</b>									
<b>Heavy Metals</b>				Result 1	Result 2	RPD			
Arsenic	B16-Oc24501	NCP	mg/L	< 0.005	< 0.005	<1	30%	Pass	
Cadmium	B16-Oc24501	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass	
Chromium	B16-Oc24501	NCP	mg/L	< 0.005	< 0.005	<1	30%	Pass	
Copper	B16-Oc24501	NCP	mg/L	< 0.005	< 0.005	<1	30%	Pass	
Lead	B16-Oc24501	NCP	mg/L	< 0.005	< 0.005	<1	30%	Pass	
Mercury	B16-Oc24501	NCP	mg/L	< 0.0005	< 0.0005	<1	30%	Pass	
Nickel	B16-Oc24501	NCP	mg/L	< 0.005	< 0.005	<1	30%	Pass	
Zinc	B16-Oc24501	NCP	mg/L	0.013	0.010	21	30%	Pass	

## Quality Control Analyte Summary Compliance

The table below is the actual occurrence of QC performed on the batch of samples within this report and as defined below

Analysis	Samples Analysed	Laboratory Duplicates Reported	Laboratory Matrix Spikes Reported	Method Blanks Reported	Laboratory Control Samples Reported
Per- and Polyfluorinated Alkyl Substances	1	1	1	1	1
Heavy Metals	1	1	1	1	1

Quality Control Parameter Frequency Compliance follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure April 2011, Schedule B3, Guideline on Laboratory Analysis of Potentially Contaminated Soils and US EPA SW-846 Chapter 1: 'Quality Control'.

It comprises the following when a laboratory process batch is deemed to consist of up to 20 samples that are similar in terms of matrix and test procedure, and are processed as one unit for QC purposes. If more than 20 samples are being processed, they are considered as more than one batch.

### Method blank

One method blank per process batch.

### Laboratory duplicate

There should be at least one duplicate per process batch, or two duplicates if the process batch exceeds 10 samples.

### Laboratory control sample (LCS)

There should be at least one LCS per process batch.

### Matrix spikes

There should be one matrix spike per matrix type per process batch.

**Comments**

**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
N09	Quantification of linear and branched isomers has been conducted as a single total response using the relative response factor for the corresponding linear/branched standard.

**Authorised By**

Ryan Gilbert	Analytical Services Manager
Alex Petridis	Senior Analyst-Metal (VIC)
Jonathon Angell	Senior Analyst-Organic (QLD)



**Glenn Jackson**

**National Operations Manager**

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

CHAIN OF CUSTODY DOCUMENTATION - WATER

Project ID: 1538021		Quote/Order No.: EN/002/15	
Site Location: Brisbane Airport		Lab Name: Eurofins	
Sampled By: Morgan Midgley		BY:	
Turnaround (Days): 5 days		Please provide data in ESDAT format	
Report Format:		Project Manager: K Biram	
Comments/Special Instructions:		Contact Phone: 37215400	
Copy results to: pssells@golder.com.au scurti@golder.com.au		Email: MMidgley@golder.com.au	
Project ID: 1538021		GOLDER ASSOCIATES PTY LTD	
Site Location: Brisbane Airport		147 Coronation Drive, Milton Qld 4064	
Sampled By: Morgan Midgley		Phone: (07) 3721 5400	
Turnaround (Days): 5 days		Fax: (07) 3721 5401	
Report Format:		Invoice to be sent to Accounts Aust: auaccounts payable@golder.com.au	
Comments/Special Instructions:		Project Manager: K Biram	
Copy results to: pssells@golder.com.au scurti@golder.com.au		Contact Phone: 37215400	

SAMPLE ID	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	ANALYSIS REQUIRED
QAQC200	Water	25.10.16	9.07am	ice	PFS extended suite 28 X M8 Metals (As, Cd, Cr, Cu, Ni, Pb, Zn, Hg) X

RELEASED BY	SIGNATURE	COMPANY	DATE	TIME	DATE	TIME	METHOD OF SHIPMENT
RELEASED BY	<i>[Signature]</i>	GOLDER	25.10.16	3.30pm			Shipping Ref.
RECEIVED BY	<i>[Signature]</i>	Eurofins	26/10/16	10:50am			
RECEIVED BY							
RECEIVED BY							
RECEIVED BY							
RECEIVED BY							

POSSIBLE HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list SAMPLE TYPE = Discrete(DC) Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid Preserved Vial; BS = Sulphuric Acid Preserved Glass Bottle; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottle; ST = Sterile Bottle; O = Other Preserved Glass Bottle.			
Security Seal	Chilled	LAB. BATCH NUMBER	Bill to:
Suitable Containers	Frozen		Address
Cool Box	Ambient		

## Sample Receipt Advice

Company name: **Golder Associates Pty Ltd (Qld)**  
Contact name: **Krystle-Rae Biram**  
Project name: **BRISBANE AIRPORT**  
Project ID: **1538021**  
COC number: **Not provided**  
Turn around time: **5 Day**  
Date/Time received: **Oct 26, 2016 9:00 AM**  
Eurofins | mgt reference: **521162**

### Sample information

- A detailed list of analytes logged into our LIMS, is included in the attached summary table.
  - Sample Temperature of a random sample selected from the batch as recorded by Eurofins | mgt Sample Receipt : 4.3 degrees Celsius.
  - All samples have been received as described on the above COC.
  - COC has been completed correctly.
  - Attempt to chill was evident.
  - Appropriately preserved sample containers have been used.
  - All samples were received in good condition.
  - Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
  - Appropriate sample containers have been used.
  - Sample containers for volatile analysis received with zero headspace.
  - Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Contact notes

If you have any questions with respect to these samples please contact:

Ryan Gilbert on Phone : or by e.mail: [RyanGilbert@eurofins.com](mailto:RyanGilbert@eurofins.com)

Results will be delivered electronically via e.mail to Krystle-Rae Biram - [KBiram@golder.com.au](mailto:KBiram@golder.com.au).



# **APPENDIX D**

## **Data Validation**



DATA VALIDATION SUMMARY SHEET

<b>Project Name:</b> BAC Auto-Mall Precinct		<b>Project Number:</b> 1538021	
<b>Primary Laboratory:</b> ALS		<b>Workorder Number:</b> EB1538408, EB1538419 and EB1600085	
<b>Secondary Laboratory:</b> Eurofins		<b>Workorder Number:</b> 484067	
<b>Date Sampled:</b>		<b>Sample Medium:</b>	
<b>Sample Information</b>			
Contam Investigation - 28 soil and 10 water			
<b>Number of Primary Samples:</b> water		<b>Number of Triplicate Samples:</b> 2 soil	
<b>Number of Duplicate Samples:</b> 2 soil and 1 water		<b>Number of Other QAQC Samples:</b> 0	
<b>Documentation and Sample Handling Information</b>			
<b>COC completed properly?</b>		Y/N	
<b>All requested analysis completed?</b>		<b>Comments</b>	
		Workorder EB1538419 Q1 sampled 18/12/2015. Sample 'QC1' is listed on the COC twice though only one sample with this name was received. It is listed both as on hold and requiring PFOS/PFOA. This sample was placed on hold.	
		Due to a Laboratory Error analysis on sample EB1538408-030 (AM-BH02-2.75-3.00) could not be conducted.	
<b>Samples received intact and chilled?</b>		Y	
<b>Samples analysed within appropriate holding times?</b>		Y	
<b>Sample volumes sufficient for QC analysis?</b>		Y	
<b>Are there non-NATA accredited methods used?</b>		N	
<b>Chromatograms supplied as appropriate?</b>		NA	
<b>Laboratory reports signed by authorised personnel?</b>		Y	
<b>QAQC Sample Information (Method Blank - MB, Rinsate Blank - RB, Field Blank - FB, Trip Blank - TB)</b>			
<b>Type</b>		<b>Sample ID</b>	
MB		No MB outliers occurred.	
<b>Trip Spike Information</b>			
<b>Analyte</b>	<b>Spike Concentrations</b>	<b>Recovery Concentration</b>	<b>% Recovery</b>
<b>Comments</b>			
No trip spike collected.			
<b>Laboratory Control Spike (LCS) Analyses</b>			
<b>Analyte Group</b>		<b>Comments</b>	
Organochlorine Pesticides		Workorder EB1538419 QC sample Hexachlorobenzene recovery greater than upper control limit.	
		For all remaining samples no LCS outlier or frequency outliers occurred.	
<b>Matrix Spike (MS) Analyses</b>			
<b>Analyte Group</b>		<b>Comments</b>	
Metals		Workorder EB1538419 anonymous sample for chromium recovery less than lower data quality objective, due to sample heterogeneity. Confirmed by visual inspection by ALS.	
Metals		Workorder EB1538419 anonymous sample for zinc: MS recovery not determined, background level greater than or equal to 4x spike level.	
		For all remaining samples no MS outlier or frequency outliers occurred.	
<b>Laboratory Duplicates (LD) Analyses</b>			
<b>Analyte Group</b>	<b>Analyte(s)</b>	<b>Sample ID</b>	<b>Comments</b>
Moisture			LD frequency analysis outlier.
			For all remaining samples no LD outlier or frequency outliers occurred.
<b>Field Duplicates (FD) Analyses</b>			
<b>Analyte Group</b>	<b>Primary ID</b>	<b>Duplicate ID</b>	<b>Comments</b>
	AM-BH01 2.5 - 3.0	Q1 (soil)	All results are below LOR and a RPD could not be calculated.
	AM-BH28 2.5 - 3.0	QC1 (soil)	COC error resulted in QC1 (soil) was not analysed.
	AM-BH01	QC1(water)	All results are below LOR and a RPD could not be calculated.
<b>Field Triplicates (FT) Analyses</b>			
<b>Analyte Group</b>	<b>Primary ID</b>	<b>Triplicate ID</b>	<b>Comments</b>
	AM-BH01 2.5 - 3.0	Q2 (soil)	All results are below LOR and a RPD could not be calculated.
	AM-BH28 2.5 - 3.0	QC-2 (soil)	All results are below LOR and a RPD could not be calculated.
	AM-BH01	Q2-water	All results are below LOR and a RPD could not be calculated.
<b>Surrogate Compound Monitoring Analyses</b>			
<b>Analyte Group</b>	<b>Analyte(s)</b>	<b>Comments</b>	
		No outliers occurred for surrogate compound monitoring analyses	
<b>Overall Comments</b>			
Minor non-conformances detected in matrix spike (metals) and laboratory control spike (organochlorine pesticides) are not considered to limit the use of the laboratory results.			
Due to a Laboratory Error analysis on sample EB1538408-030 (AM-BH02-2.75-3.00) could not be conducted. This is a acid sulphate soil sample and not limit the results of the contamination investigation.			
Analysis of one soil field duplicate was not conducted as a result of a COC error. Whilst the analysis frequency of field duplicates was not meet, it is not of concern as all results are below the laboratory limit of reporting.			
This batch has been validated and is considered suitable for environmental interpretive use.			

Note: Data validation assesses each analyte in terms of all the data validation variables and only the exceedances and outliers are reported in this form.

\*When concentrations are less than the LOR for both primary and duplicate/triplicate results, no RPDs are calculated

**Performed By:** Emma Cornish  
**Date:** 4/02/2015

**Checked By:** Paul Scells  
**Date:** 9/02/2016

Soil Duplicate Analysis RPDs

Sample ID	AM-BH01 2.5 - 3.0	Q1 (soil)	Q2 (soil)	AM-BH28 2.5 - 3.0	QC1 (soil)	QC-2 (soil)
Sample Type	Primary	Field Duplicate	Field Triplicate	Primary	Field Duplicate	Field Triplicate
Lab Reference	EB1538408	EB1538408	484067	EB1538419	EB1538419	484067
Date Sampled	16/12/2015	16/12/2015	16/12/2015	18/12/2015	18/12/2015	18/12/2015

Analyte	Units	LOR	RPDs				RPDs					
			Primary vs Duplicate	Primary vs Triplicate	Primary vs Duplicate	Primary vs Triplicate						
8:2 Fluorotelomer sulfonate	mg/kg	0.001	<0.001	<0.001	< 0.005	ND	ND	<0.001	-	< 0.005	-	ND
N-EI-FOSA	mg/kg	0.001	<0.001	<0.001	< 0.01	ND	ND	<0.001	-	< 0.01	-	ND
N-EI-FOSE	mg/kg	0.001	<0.001	<0.001	< 0.005	ND	ND	<0.001	-	< 0.005	-	ND
N-Me-FOSA	mg/kg	0.001	<0.001	<0.001	< 0.005	ND	ND	<0.001	-	< 0.005	-	ND
N-Me-FOSE	mg/kg	0.001	<0.001	<0.001	< 0.01	ND	ND	<0.001	-	< 0.01	-	ND
PFDS	mg/kg	0.0002	<0.0002	<0.0002	< 0.005	ND	ND	<0.0002	-	< 0.005	-	ND
Perfluorobutanesulfonic acid (PFBS)	mg/kg	0.0002	<0.0002	<0.0002	< 0.005	ND	ND	<0.0002	-	< 0.005	-	ND
Perfluorodecanic acid (PFDA)	mg/kg	0.0002	<0.0002	<0.0002	< 0.005	ND	ND	<0.0002	-	< 0.005	-	ND
Perfluorododecanic acid (PFDA)	mg/kg	0.0002	<0.0002	<0.0002	< 0.005	ND	ND	<0.0002	-	< 0.005	-	ND
Perfluorooctadecanoic acid (PFOS)3	mg/kg	0.0002	<0.0002	<0.0002	< 0.005	ND	ND	<0.0002	-	< 0.005	-	ND
Perfluorohexanoic acid (PFHxA)	mg/kg	0.0002	<0.0002	<0.0002	< 0.005	ND	ND	<0.0002	-	< 0.005	-	ND
Perfluorohexanesulfonic acid (PFHxS)	mg/kg	0.0002	<0.0002	<0.0002	< 0.005	ND	ND	<0.0002	-	< 0.005	-	ND
Perfluorohexanoic acid (PFHxA)	mg/kg	0.0002	<0.0002	<0.0002	< 0.005	ND	ND	<0.0002	-	< 0.005	-	ND
Perfluorononanoic acid (PFNA)	mg/kg	0.0002	<0.0002	<0.0002	< 0.005	ND	ND	<0.0002	-	< 0.005	-	ND
Perfluorooctanesulfonamide (PFOSA)	mg/kg	0.0002	<0.0002	<0.0002	< 0.01	ND	ND	<0.0002	-	< 0.01	-	ND
Perfluorotetradecanoic acid (PFTeDA)	mg/kg	0.001	<0.001	<0.001	< 0.005	ND	ND	<0.001	-	< 0.005	-	ND
Perfluorooctanesulfonic acid (PFOS)3	mg/kg	0.0005	<0.0005	<0.0005	< 0.005	ND	ND	<0.0005	-	< 0.005	-	ND
Perfluorotridecanoic acid (PFTriDA)	mg/kg	0.0002	<0.0002	<0.0002	< 0.005	ND	ND	<0.0002	-	< 0.005	-	ND
Perfluoroundecanoic acid (PFUnA)	mg/kg	0.0002	<0.0002	<0.0002	< 0.005	ND	ND	<0.0002	-	< 0.005	-	ND
6:2 Fluorotelomer Sulfonate (6:2 FTS)	mg/kg	0.005	<0.005	<0.005	< 0.01	ND	ND	<0.005	-	< 0.01	-	ND
Perfluorooctanoate	mg/kg	0.0005	<0.0005	<0.0005	< 0.005	ND	ND	<0.0005	-	< 0.005	-	ND

Legend

ND = Not Detected (RPDs not calculated if both primary and duplicate results are below LOR)  
 - = Not analysed/calculated

Acceptable RPDs:

RPD <= 30%  
 RPD > 30%, Analysis result < 10 times LOR  
 RPD <= 50%, Analysis result > 10 times LOR and < 20 times LOR

Groundwater Duplicate Analysis RPDs

Sample ID	AM-BH01	QC1(water)	QC2-water
Sample Type	Primary	Field Duplicate	Field Triplicate
Lab Reference	EB1600085	EB1600085	484700
Date Sampled	4/01/2016	4/01/2016	4/01/2016

Analyte	Units	LOR	RPDs				
			Primary vs Duplicate	Primary vs Inter Duplicate	Primary vs Duplicate	Primary vs Inter Duplicate	
8:2 Fluorotelomer sulfonate	mg/L	0.00001	<0.00001	<0.00001	< 0.0004	ND	ND
N-EI-FOSA	mg/L	0.000005	<0.000005	<0.000005	< 0.002	ND	ND
N-EI-FOSE	mg/L	0.0001	<0.0001	<0.0001	< 0.0004	ND	ND
N-Me-FOSA	mg/L	0.00005	<0.00005	<0.00005	< 0.002	ND	ND
N-Me-FOSE	mg/L	0.0001	<0.0001	<0.0001	< 0.0004	ND	ND
PFDS	mg/L	0.000005	<0.000005	<0.000005	< 0.0004	ND	ND
Perfluorobutanesulfonic acid (PFBS)	µg/L	0.002	<0.002	<0.002	< 0.0004	ND	ND
Perfluorodecanic acid (PFDA)	µg/L	0.002	<0.002	<0.002	< 0.0004	ND	ND
Perfluorododecanic acid (PFDA)	µg/L	0.005	<0.005	<0.005	< 0.0004	ND	ND
Perfluorooctadecanoic acid (PFOS)3	µg/L	0.002	<0.002	<0.002	< 0.0004	ND	ND
Perfluorohexanoic acid (PFHxA)	µg/L	0.002	<0.002	<0.002	< 0.0004	ND	ND
Perfluorohexanesulfonic acid (PFHxS)	µg/L	0.002	<0.002	<0.002	< 0.0004	ND	ND
Perfluorohexanoic acid (PFHxA)	µg/L	0.002	<0.002	<0.002	< 0.0004	ND	ND
Perfluorononanoic acid (PFNA)	µg/L	0.002	<0.002	<0.002	< 0.0004	ND	ND
Perfluorooctanesulfonamide (PFOSA)	µg/L	0.002	<0.002	<0.002	< 0.0004	ND	ND
Perfluorotetradecanoic acid (PFTeDA)	µg/L	0.05	<0.05	<0.05	< 0.0004	ND	ND
Perfluorooctanesulfonic acid (PFOS)3	µg/L	0.002	<0.002	<0.002	< 0.0004	ND	ND
Perfluorotridecanoic acid (PFTriDA)	µg/L	0.005	<0.005	<0.005	< 0.0004	ND	ND
Perfluoroundecanoic acid (PFUnA)	µg/L	0.005	<0.005	<0.005	< 0.0004	ND	ND
6:2 Fluorotelomer Sulfonate (6:2 FTS)	µg/L	0.01	<0.01	<0.01	< 0.002	ND	ND
Perfluorooctanoate	µg/L	0.002	<0.002	<0.002	< 0.0004	ND	ND

Legend

ND = Not Detected (RPDs not calculated if both primary and duplicate results are below LOR)  
 - = Not analysed/calculated

Acceptable RPDs:

RPD <= 30%  
 RPD > 30%, Analysis result < 10 times LOR  
 RPD <= 50%, Analysis result > 10 times LOR and < 20 times LOR





DATA VALIDATION SUMMARY SHEET

<b>Project Name:</b>	BAC Auto-Mall Precinct	<b>Project Number:</b>	1538021
<b>Primary Laboratory:</b>	ALS	<b>Workorder Number:</b>	EB1625464 (Water) and EB1624693 / EB1624749 (Soil)
<b>Secondary Laboratory:</b>	Eurofins	<b>Workorder Number:</b>	521162 (water) and 521151 (soil)
<b>Date Sampled:</b>	25/ October 2016 & 06-10 October 2016	<b>Sample Medium:</b>	Water and Soil
<b>Sample Information</b>			
<b>Number of Primary Samples:</b>	10 (water) and 133 (soil)	<b>Number of Triplicate Samples:</b>	1 (water) & 2 (Soil)
<b>Number of Duplicate Samples:</b>	1 (water) and 2 (soil)	<b>Number of Other QAQC Samples:</b>	1 (rinsate)
<b>Documentation and Sample Handling Information</b>			
	<b>Y/N</b>	<b>Comments</b>	
COC completed properly?	Y		
All requested analysis completed?	Y		
Samples received intact and chilled?	Y		
Samples analysed within appropriate holding times?	N	Holding time exceeded for workorder EB1625464 water quality parameters samples: AM-MW31, AM-MW14, AM-MW15, AM-MW16, AM-MW10	
Sample volumes sufficient for QC analysis?	Y		
Are there non-NATA accredited methods used?	N		
Chromatograms supplied as appropriate?	NA		
Laboratory reports signed by authorised personnel?	Y		
<b>QAQC Sample Information (Method Blank - MB, Rinsate Blank - RB, Field Blank - FB, Trip Blank - TB)</b>			
<b>Type</b>	<b>Sample ID</b>	<b>Comments</b>	
Rinsate		All results below LOR for workorder EB1625464 sample QAQC300	
MB		No value outliers exist for workorder EB1625464, 521162, EB1624749 and EB1624693	
<b>Trip Spike Information</b>			
<b>Analyte</b>	<b>Spike Concentrations</b>	<b>Recovery Concentration</b>	<b>% Recovery</b>
			No trip spike collected.
<b>Laboratory Control Spike (LCS) Analyses</b>			
<b>Analyte Group</b>	<b>Comments</b>		
Heavy Metals and Per- and Polyfluorinated Alkyl Substances (PFASs)	No outliers exist for workorder EB1625464, 521162 and EB1624693		
Organochlorine Pesticides, Organophosphorus Pesticides, Polynuclear Aromatic Hydrocarbons	Outliers exist for workorder EB1624749 analyte Hexachlorobenzene (HCB), Pirimphos-ethyl, Carbophenothion, Anthracene, Fluoranthene, Chrysene failed QC		
<b>Matrix Spike (MS) Analyses</b>			
<b>Analyte Group</b>	<b>Comments</b>		
Sulfate	Workorder EB1625464 anonymous sample for Sulfate: MS recovery not determined, background level greater than or equal to 4x spike level.		
Perfluoroalkyl Sulfonic Acids	Workorder EB1625464 anonymous sample for Perfluorobutane sulfonic acid (PFBS), Perfluoropentane sulfonic acid (PFPeS), Perfluorohexane sulfonic acid (PFHxS) and Perfluorooctane 1763-23-1 sulfonic acid (PFOS): MS recovery not determined, background level greater than or equal to 4x spike level.		
Perfluoroalkyl Carboxylic Acids	Workorder EB1625464 anonymous sample for Perfluorohexanoic acid (PFHxA): MS recovery not determined, background level greater than or equal to 4x spike level.		
	For all remaining samples for workorder EB1625464 no MS outlier or frequency outliers occurred.		
Total Metals & Organochlorine Pesticides	Workorder EB1624749 anonymous sample for arsenic, chromium and zinc: MS recovery not determined, background level greater than or equal to 4x spike level. Sample AM-BH14 0.25-0.5 analyte 4.4 DDT and sample anonymous, analyte mercury failed QC.		
Heavy Metals and Per- and Polyfluorinated Alkyl Substances (PFASs)	No MS outlier or frequency outliers occurred for workorder 521162 and EB1624693		
<b>Laboratory Duplicates (LD) Analyses</b>			
<b>Analyte Group</b>	<b>Analyte(s)</b>	<b>Sample ID</b>	<b>Comments</b>
			For workorders EB1625464, EB1624749 and 521162 no LD outlier or frequency outliers occurred.
Total metals	Chromium	AM-BH26 0.25-0.5	For workorders EB1624693 LD outlier or frequency outliers occurred.
<b>Field Duplicates (FD) Analyses</b>			
<b>Analyte Group</b>	<b>Primary ID</b>	<b>Duplicate ID</b>	<b>Comments</b>
Heavy Metals and Perfluorinated Compounds	AM-MW16	QAQC100	No RPD exceedances, where results are below LOR a RPD could not be calculated.
Heavy Metals and Perfluorinated Compounds	AM-BH16 0.25-0.5	QAQC001	No RPD exceedances, where results are below LOR a RPD could not be calculated.
Heavy Metals and Perfluorinated Compounds	AM-BH15 0.25-0.5	QAQC005	RPD exceeded for zinc.
<b>Field Triplicates (FT) Analyses</b>			
<b>Analyte Group</b>	<b>Primary ID</b>	<b>Triplicate ID</b>	<b>Comments</b>
Perfluorinated Compounds	AM-MW16	QAQC200	RPD exceeded for Perfluorohexanesulfonic acid (PFHxS).
Heavy Metals	AM-BH16 0.25-0.5	QAQC002	No RPD exceedances, where results are below LOR a RPD could not be calculated.
	AM-BH15 0.25-0.5	QAQC006	No RPD exceedances, where results are below LOR a RPD could not be calculated.
<b>Surrogate Compound Monitoring Analyses</b>			
<b>Analyte Group</b>	<b>Analyte(s)</b>	<b>Comments</b>	
		No outliers occurred for surrogate compound monitoring analyses	
<b>Overall Comments</b>			
Minor non-conformances detected in matrix spikes (MS), laboratory control spikes (LCS) and laboratory duplicates (LD) analyses are not considered to limit the use of the laboratory results.			
RPD exceedances were calculated for analysis in triplicate (QAQC200) sample when compared with the primary sample (AM-MW16) and duplicate (QAQC002) sample when compared with the primary sample AM-BH16 0.25-0.5 .			
This batch has been validated and is considered suitable for environmental interpretive use.			

Note: Data validation assesses each analyte in terms of all the data validation variables and only the exceedances and outliers are reported in this form.

\*When concentrations are less than the LOR for both primary and duplicate/triplicate results, no RPDs are calculated

**Performed By:** Bianca Vanzati  
**Date:** 14/11/2016

**Checked By:** Serena Curti  
**Date:** 14/11/2016



Field Duplicates (water) RPDs

Lab Report Number	EB1625464	EB1625464		EB1625464	521162	
Field ID	AM-MW16	QAQC100	RPD	AM-MW16	QAQC200	RPD
Sampled Date	25/10/2016	25/10/2016		25/10/2016	25/10/2016	

Chem_Group	ChemName	Units	EQL						
PFAS	10:2 Fluorotelomer sulfonic acid	µg/L	0.005	<0.005	<0.005	0	<0.005		
	4:2 Fluorotelomer sulfonic acid	µg/L	0.005 : 0.01 (Interlab)	<0.005	<0.005	ND	<0.005	<0.01	ND
	8:2 Fluorotelomer sulfonate	µg/L	0.005 : 0.01 (Interlab)	<0.005	<0.005	ND	<0.005	<0.01	ND
	N-Et-FOSA	µg/L	0.005 : 0.05 (Interlab)	<0.005	<0.005	ND	<0.005	<0.05	ND
	N-Et-FOSE	µg/L	0.005	<0.005	<0.005	ND	<0.005		
	N-Me-FOSA	µg/L	0.005 : 0.05 (Interlab)	<0.005	<0.005	ND	<0.005	<0.05	ND
	N-Me-FOSE	µg/L	0.005	<0.005	<0.005	ND	<0.005		
	Perfluorobutanoic acid (PFBA)	µg/L	0.01 : 0.05 (Interlab)	<0.01	<0.01	ND	<0.01	<0.05	ND
	Perfluoroheptane sulfonic acid	µg/L	0.002	0.002	<0.002	0	0.002		
	Perfluoro-n-pentanoic acid (PFPeA)	µg/L	0.002 : 0.01 (Interlab)	0.005	0.005	0	0.005	<0.01	0
	Perfluoropentane sulfonic acid	µg/L	0.002	0.029	0.029	0	0.029		
	PFAS (Sum of total - Lab Reported)	µg/L	0.002	0.431	0.422	2	0.431		
	PFDCS	µg/L	0.002	<0.002	<0.002	ND	<0.002		
	Sum of PFHxS and PFOS	µg/L	0.002	0.314	0.314	0	0.314		
	N-methyl-perfluorooctanesulfonamidoacetic acid	µg/L	0.002	<0.002	<0.002	ND	<0.002		
	Perfluorobutanesulfonic acid (PFBS)	µg/L	0.002 : 0.01 (Interlab)	0.037	0.036	3	0.037	0.02	60
	Perfluorodecanoic acid (PFDA)	µg/L	0.002 : 0.01 (Interlab)	<0.002	<0.002	ND	<0.002	<0.01	ND
	Perfluorododecanoic acid (PFDoA)	µg/L	0.002 : 0.01 (Interlab)	<0.002	<0.002	ND	<0.002	<0.01	ND
	Perfluoroheptanoic acid (PFHpA)	µg/L	0.002 : 0.01 (Interlab)	0.005	0.005	0	0.005	<0.01	0
	Perfluorooctanesulfonic acid (PFOS)3	µg/L	0.002 : 0.01 (Interlab)	0.021	0.023	9	0.021	0.04	62
	Perfluorooctanoate (PFOA)	µg/L	0.002 : 0.01 (Interlab)	0.016	0.011	37	0.016	0.02	22
	Perfluorohexanesulfonic acid (PFHxS)	µg/L	0.002 : 0.01 (Interlab)	0.293	0.291	1	<b>0.293</b>	<b>0.12</b>	<b>84</b>
	Perfluorononanoic acid (PFNA)	µg/L	0.002 : 0.01 (Interlab)	<0.002	<0.002	ND	<0.002	<0.01	ND
	Perfluorohexanoic acid (PFHxA)	µg/L	0.002 : 0.01 (Interlab)	0.023	0.022	4	0.023	0.05	74
	6:2 Fluorotelomer Sulfonate (6:2 FtS)	µg/L	0.005 : 0.05 (Interlab)	<0.005	<0.005	ND	<0.005	<0.05	ND
	N-ethyl-perfluorooctanesulfonamidoacetic acid	µg/L	0.002	<0.002	<0.002	ND	<0.002		
	Perfluorooctanesulfonamide (PFOSA)	µg/L	0.002 : 0.05 (Interlab)	<0.002	<0.002	ND	<0.002	<0.05	ND
	Perfluorotetradecanoic acid (PFTeDA)	µg/L	0.005 : 0.01 (Interlab)	<0.005	<0.005	ND	<0.005	<0.01	ND
	Perfluorotridecanoic acid (PFTrDA)	µg/L	0.002 : 0.01 (Interlab)	<0.002	<0.002	ND	<0.002	<0.01	ND
	Perfluoroundecanoic acid (PFUnA)	µg/L	0.002 : 0.01 (Interlab)	<0.002	<0.002	ND	<0.002	<0.01	ND
Heavy Metals	Arsenic (Filtered)	mg/l	0.001	0.004	0.004	0	0.004	0.005	0
	Cadmium (Filtered)	mg/l	0.0001	<0.0001	<0.0001	ND	<0.0001	0.0002	0
	Chromium (Filtered)	mg/l	0.001	<0.001	<0.001	ND	<0.001	<0.001	ND
	Copper (Filtered)	mg/l	0.001	<0.001	<0.001	ND	<0.001	<0.001	ND
	Lead (Filtered)	mg/l	0.001	<0.001	<0.001	ND	<0.001	<0.001	ND
	Mercury (Filtered)	mg/l	0.0001	<0.0001	<0.0001	ND	<0.0001	<0.0001	ND
	Nickel (Filtered)	mg/l	0.001	0.032	0.032	0	0.032	0.031	0
	Zinc (Filtered)	mg/l	0.005	0.118	0.12	2	0.118	0.12	2

Legend

ND = Not Detected (RPDs not calculated if both primary and duplicate results are below LOR)

- = Not analysed/calculated

Acceptable RPDs: RPD <= 30%

RPD > 30%, Analysis result < 10 times LOR

RPD <= 50%, Analysis result > 10 times LOR and < 20 times LOR

Field Blanks (water): Rinsate

<b>Lab Report Number</b>	EB1625464
<b>Field ID</b>	QAQC300
<b>Sampled Date</b>	25-Oct-16
<b>Sample Type</b>	Rinsate

Chem Group	Chemical Name	Units	EQL	
Heavy Metals	Aluminium (Filtered)	mg/l	0.01	
	Arsenic (Filtered)	mg/l	0.001	<0.001
	Cadmium (Filtered)	mg/l	0.0001	<0.0001
	Chromium (Filtered)	mg/l	0.001	<0.001
	Copper (Filtered)	mg/L	0.001	<0.001
	Iron (Filtered)	mg/l	0.05	
	Lead (Filtered)	mg/L	0.001	<0.001
	Mercury (Filtered)	mg/l	0.0001	<0.0001
	Nickel (Filtered)	mg/l	0.001	<0.001
	Zinc (Filtered)	mg/l	0.005	<0.005
Perfluorinated Compounds	10:2 Fluorotelomer sulfonic acid	µg/L	0.005	<0.005
	4:2 Fluorotelomer sulfonic acid	µg/L	0.005	<0.005
	8:2 Fluorotelomer sulfonate	µg/L	0.005	<0.005
	N-Et-FOSA	µg/L	0.005	<0.005
	N-Et-FOSE	µg/L	0.005	<0.005
	N-Me-FOSA	µg/L	0.005	<0.005
	N-Me-FOSE	µg/L	0.005	<0.005
	Perfluorobutanoic acid (PFBA)	µg/L	0.01	<0.01
	Perfluoroheptane sulfonic acid	µg/L	0.002	<0.002
	Perfluoro-n-pentanoic acid (PFPeA)	µg/L	0.002	<0.002
	Perfluoropentane sulfonic acid	µg/L	0.002	<0.002
	PFAS (Sum of total - Lab Reported)	µg/L	0.002	<0.002
	PFDCS	µg/L	0.002	<0.002
	Sum of PFHxS and PFOS	µg/L	0.002	<0.002
	N-methyl-perfluorooctanesulfonamidoacetic acid	µg/L	0.002	<0.002
	Perfluorobutanesulfonic acid (PFBS)	µg/L	0.002	<0.002
	Perfluorodecanoic acid (PFDA)	µg/L	0.002	<0.002
	Perfluorododecanoic acid (PFDoA)	µg/L	0.002	<0.002
	Perfluoroheptanoic acid (PFHpA)	µg/L	0.002	<0.002
	Perfluorooctanesulfonic acid (PFOS)3	µg/L	0.002	<0.002
	Perfluorooctanoate (PFOA)	µg/L	0.002	<0.002
	Perfluorohexanesulfonic acid (PFHxS)	µg/L	0.002	<0.002
	Perfluorononanoic acid (PFNA)	µg/L	0.002	<0.002
	Perfluorohexanoic acid (PFHxA)	µg/L	0.002	<0.002
	6:2 Fluorotelomer Sulfonate (6:2 Fts)	µg/L	0.005	<0.005
	N-ethyl-perfluorooctanesulfonamidoacetic acid	µg/L	0.002	<0.002
	Perfluorooctanesulfonamide (PFOSA)	µg/L	0.002	<0.002
	Perfluorotetradecanoic acid (PFTeDA)	µg/L	0.005	<0.005
	Perfluorotridecanoic acid (PFTrDA)	µg/L	0.002	<0.002
	Perfluoroundecanoic acid (PFUnA)	µg/L	0.002	<0.002



# **APPENDIX E**

## **Important Information Relating to this Report**



## IMPORTANT INFORMATION RELATING TO THIS REPORT

The document (“Report”) to which this page is attached and which this page forms a part of, has been issued by Golder Associates Pty Ltd (“Golder”) subject to the important limitations and other qualifications set out below.

This Report constitutes or is part of services (“Services”) provided by Golder to its client (“Client”) under and subject to a contract between Golder and its Client (“Contract”). The contents of this page are not intended to and do not alter Golder’s obligations (including any limits on those obligations) to its Client under the Contract.

This Report is provided for use solely by Golder’s Client and persons acting on the Client’s behalf, such as its professional advisers. Golder is responsible only to its Client for this Report. Golder has no responsibility to any other person who relies or makes decisions based upon this Report or who makes any other use of this Report. Golder accepts no responsibility for any loss or damage suffered by any person other than its Client as a result of any reliance upon any part of this Report, decisions made based upon this Report or any other use of it.

This Report has been prepared in the context of the circumstances and purposes referred to in, or derived from, the Contract and Golder accepts no responsibility for use of the Report, in whole or in part, in any other context or circumstance or for any other purpose.

The scope of Golder’s Services and the period of time they relate to are determined by the Contract and are subject to restrictions and limitations set out in the Contract. If a service or other work is not expressly referred to in this Report, do not assume that it has been provided or performed. If a matter is not addressed in this Report, do not assume that any determination has been made by Golder in regards to it.

At any location relevant to the Services conditions may exist which were not detected by Golder, in particular due to the specific scope of the investigation Golder has been engaged to undertake. Conditions can only be verified at the exact location of any tests undertaken. Variations in conditions may occur between tested locations and there may be conditions which have not been revealed by the investigation and which have not therefore been taken into account in this Report.

Golder accepts no responsibility for and makes no representation as to the accuracy or completeness of the information provided to it by or on behalf of the Client or sourced from any third party. Golder has assumed that such information is correct unless otherwise stated and no responsibility is accepted by Golder for incomplete or inaccurate data supplied by its Client or any other person for whom Golder is not responsible. Golder has not taken account of matters that may have existed when the Report was prepared but which were only later disclosed to Golder.

Having regard to the matters referred to in the previous paragraphs on this page in particular, carrying out the Services has allowed Golder to form no more than an opinion as to the actual conditions at any relevant location. That opinion is necessarily constrained by the extent of the information collected by Golder or otherwise made available to Golder. Further, the passage of time may affect the accuracy, applicability or usefulness of the opinions, assessments or other information in this Report. This Report is based upon the information and other circumstances that existed and were known to Golder when the Services were performed and this Report was prepared. Golder has not considered the effect of any possible future developments including physical changes to any relevant location or changes to any laws or regulations relevant to such location.

Where permitted by the Contract, Golder may have retained subconsultants affiliated with Golder to provide some or all of the Services. However, it is Golder which remains solely responsible for the Services and there is no legal recourse against any of Golder’s affiliated companies or the employees, officers or directors of any of them.

By date, or revision, the Report supersedes any prior report or other document issued by Golder dealing with any matter that is addressed in the Report.

**Any uncertainty as to the extent to which this Report can be used or relied upon in any respect should be referred to Golder for clarification.**

As a global, employee-owned organisation with over 50 years of experience, Golder Associates is driven by our purpose to engineer earth's development while preserving earth's integrity. We deliver solutions that help our clients achieve their sustainable development goals by providing a wide range of independent consulting, design and construction services in our specialist areas of earth, environment and energy.

For more information, visit [golder.com](http://golder.com)

Africa	+ 27 11 254 4800
Asia	+ 86 21 6258 5522
Australasia	+ 61 3 8862 3500
Europe	+ 44 1628 851851
North America	+ 1 800 275 3281
South America	+ 56 2 2616 2000

[solutions@golder.com](mailto:solutions@golder.com)  
[www.golder.com](http://www.golder.com)

**Golder Associates Pty Ltd**  
**147 Coronation Drive**  
**Milton, Queensland 4064**  
**Australia**  
**T: +61 7 3721 5400**





8 December 2016

# CONTAMINATION ASSESSMENT

## Auto Mall Precinct Stage 2

**Submitted to:**  
Mr Nicholas Jackson-Hope  
Brisbane Airport Corporation  
PO Box 61  
Hamilton Central Q 4007

REPORT

**Report Number.** 1538021-011-R-Rev1

**Distribution:**  
1 Electronic Copy







## Table of Contents

<b>1.0 INTRODUCTION</b>	<b>1</b>
<b>2.0 PROJECT DETAILS</b>	<b>1</b>
<b>3.0 SITE DESCRIPTION</b>	<b>1</b>
<b>4.0 BACKGROUND INFORMATION</b>	<b>2</b>
<b>5.0 REGULATORY FRAMEWORK</b>	<b>3</b>
5.1 General	3
5.2 Per- and Poly-fluoroalkyl Substances (PFAS)	3
<b>6.0 ASSESSMENT CRITERIA</b>	<b>4</b>
6.1 PFAS	4
6.2 Other Parameters	5
<b>7.0 FIELDWORK</b>	<b>6</b>
7.1 Soil Investigation	6
7.2 Groundwater Investigation	7
<b>8.0 INVESTIGATION FINDINGS</b>	<b>8</b>
8.1 Sub-surface Conditions	8
8.2 Groundwater Levels and Quality	8
8.3 Quality Assurance and Quality Control	9
8.4 Soil Analysis	10
8.5 Groundwater Analysis	14
<b>9.0 CONCEPTUAL SITE MODEL</b>	<b>17</b>
9.1 Developing the Conceptual Site Model (CSM)	17
9.2 Contaminants of Interest	17
9.3 Sources	18
9.4 Pathways for Exposure to PFAS Impacted Groundwater	18
9.5 Receptors	18
9.6 Conceptual Site Model Schematic	20
<b>10.0 ENVIRONMENTAL RISK ASSESSMENT</b>	<b>21</b>
10.1 Qualitative Assessment	21
<b>11.0 CONCLUSION AND RECOMMENDATIONS</b>	<b>24</b>
<b>12.0 IMPORTANT INFORMATION</b>	<b>25</b>



**TABLES**

Table 1: Interim Screening Levels for PFAS .....4  
Table 2: Field Activities - Drilling and Soil Sampling.....6  
Table 3: Field Activities - Groundwater Well Installation and Sampling.....7  
Table 4: Summary of Groundwater Level Observations.....8  
Table 5: Summary of Groundwater Quality Parameters.....8  
Table 6: Soil Laboratory Results Summary for PFAS .....11  
Table 7: Soil Laboratory Results Summary for Other Parameters .....13  
Table 8: Groundwater Laboratory Results Summary for PFAS .....15  
Table 9: Groundwater Laboratory Results Summary for Heavy Metals and Mercury .....16

**FIGURES**

Figure 1: Proposed Development with Previous and Current Investigation Locations

**APPENDICES**

**APPENDIX A**

Proposed Development Plans

**APPENDIX B**

Borehole Reports

**APPENDIX C**

Laboratory Documents

**APPENDIX D**

Data Validation

**APPENDIX E**

95% UCL calculations

**APPENDIX F**

Important Information Relating to This Report



## 1.0 INTRODUCTION

Brisbane Airport Corporation Pty Ltd (BAC) commissioned Golder Associates Pty Ltd (Golder) to undertake a contamination assessment for Stage 2 of the Auto Mall Precinct project at the Brisbane Airport (see **Figure 1**). Golder has previously conducted a desktop study contamination and Acid Sulfate Soil (ASS) review of the Auto Mall Precinct for BAC (reference 1460490-002-R-Rev0, February 2015), as well as contamination and ASS investigations in the adjacent Stage 1 (reference 1538021-003-R-Rev0, August 2016 and 1538021-005-R-Rev0, February 2015). The purpose of the contamination assessment is to inform the detailed design of the proposed development for Stage 2.

Combined contamination, ASS and geotechnical investigations were completed in October 2016, based on the scope of work defined in our proposal (Golder document reference no. P1538021-003-P-Rev0 dated 9 February 2016).

This report presents the contamination assessment findings for Stage 2 of the Auto Mall Precinct ("site"). The assessment results from the geotechnical and ASS investigations for Stage 2, and a limited supplementary soil and groundwater monitoring event from 6 wells located in Stage 1 are provided in separate reports.

## 2.0 PROJECT DETAILS

An Auto Mall Precinct is proposed to be developed on an area between Moreton Drive, Nancy Bird Way and Airport Drive at the Brisbane Airport. Refer attached **Figure 1** for the location plan. The proposed development comprises a test track in the middle of the site, surrounded by development lots for future commercial use. Private roads are located around the perimeter of the site. An Energex substation and easement is present on the site.

At the time of writing, we understand that the site is to be developed in three stages as follows:

- Development Stage 1: Track, roads and selected development lots; lots north of the Energex easement between the track and Moreton Drive, and the Track and Nancy Bird Way.
- Development Stage 2: development lots south of the Energex easement.
- Development Stage 3: development lots north of the Energex easement between the track and Airport Drive.

Drainage channels will run along site perimeter, with invert levels as low as of RL 0.2 m AD in the western portion of the site. Site drainage channels will discharge into nearby surface water drains

The current staging plan is provided in **Appendix A**.

However, for consistency with previous works, we refer to the portion of the site north of the Energex easement as Stage 1, and the portion to the south as Stage 2. This report focusses on Stage 2 investigation results (hereinafter referred to as "the site").

## 3.0 SITE DESCRIPTION

The site currently has an average surface RL of about 2.4 m AD<sup>1</sup> and is heavily vegetated with casuarina forest and mangroves. Stage 2 of the development covers an area of approximately 500 m by 300 m.

Landers Pocket drain is the closest surface water body feature, located at least 100 m west of the project area. Surface water in Landers Pocket drain flows north-east and south-west before discharging into Kedron Brook Floodway Drain. The Kedron Brook Floodway Drain discharges into Kedron Brook. The ultimate receiving environment of surface water is Moreton Bay. Proposed surface water drains will discharge into Landers Pocket drain.

---

<sup>1</sup> Aerodrome Datum



### 4.0 BACKGROUND INFORMATION

Golder previously conducted a desktop assessment of ASS, groundwater and contamination for the site in 2014. The findings of this desktop assessment were reported in Golder report reference No. 1416490-002-R-Rev0.

Relevant contamination findings for Stage 2 from the desktop assessment are summarised below:

- Brisbane Airport Corporation (BAC) maintains a Contaminated Sites Register (CSR). CSR listed site 28 (black sands) is located at the southern end of the Auto Mall Precinct within the Stage 2 investigation area, on the boundary with the Stage 1 investigation area. Potential contaminants of concern associated with the black sands include heavy metals, minerals and radioactivity.
- All remaining CSR listed sites were located outside of the Auto Mall Precinct area and were considered to have a low potential to cause impact to the current development site.
- In addition to the CSR, the desktop study completed for the Auto Mall Precinct in 2015 identified a construction yard in the southern portion of Stage 2 investigation area in 2009, likely associated with the works for the construction of Moreton Drive. This potential contamination source includes the possible contaminants of concern of hydrocarbons, heavy metals and organochlorine pesticides.

It is understood that mineral sands may have been placed on site in the past. The mineral sands are likely to be sourced from the mining activities on North Stradbroke Island where rutile, zircon and ilmenite were mined (and still are). These minerals contain titanium and zirconium metals as well as associated naturally occurring radioactive materials (NORMs).

Per- and poly-fluoroalkyl substances (PFAS) are emerging contaminants of concern at airports and airfields. PFAS (including PFOS and PFOA) are associated with historical use in aqueous film forming foams (AFFF) used for firefighting. PFAS are persistent chemicals with high groundwater mobility. Known PFAS source areas at the Brisbane Airport include the fire rescue training facilities and fire stations but PFAS have been widely detected in groundwater across the airport. The nearest potential sources of PFAS comprise:

- Satellite Fire Station located about 3.9 km north of the site.
- Fire Rescue Training Area located about 4.8 km north of the site.
- Main Fire Station located about 2.3 km north east of the site.

Since the desktop study was completed, fuel storage facilities were also identified as potential PFAS sources, due to the storage of large volumes of firefighting liquids. The closest fuel facilities to the site include:

- JUHI facility along Hakea Street, located about 780 m north-east of the site
- Former JUHI facility along Lomandra Drive, located about 1.3 km south of the site.

Previous groundwater investigations for PFAS conducted on Stage 1 indicated PFAS are diffused at low levels.

As the use of PFOS and PFOA has been discontinued in AFFF, existing groundwater contamination from these source areas or incidental use elsewhere at the airport is not expected to increase over time.

**No known or potential PFAS contaminating activities were identified occurring (presently or in the past) on or in the immediate vicinity of the site.** However, PFAS has been widely encountered in groundwater across the airport and therefore the need for a Preliminary Investigation (under GEM-002) is considered to be triggered at this site.

Based on the desktop assessment the main contaminants of interest (COI) for the investigation site comprise the following:

- PFAS, including PFOS and PFOA, in soil and groundwater associated with historical use in AFFF used for firefighting elsewhere at the airport.
- Heavy metals, mineral and radioactivity associated with the CSR site 28
- Hydrocarbons, heavy metals and organochlorine pesticides in soil associated with the former constructions yard.



### 5.0 REGULATORY FRAMEWORK

The following key regulatory drivers and guidance documents have been considered and utilised in conducting this assessment:

#### 5.1 General

- Office of Legislative Drafting Attorney-General's Department, *Airports (Environment Protection) Regulations 1997* (AEPR 1997 guidelines).
- *Queensland Water Quality Guidelines 2009*, as amended in 2013 (QWQG 2009), which provides an overarching framework for the management of waters (including groundwater) under the Environmental Protection Act 1994.
- Provisions for the assessment and management of contaminated land under the *Environmental Protection Act 1994*
- *ASC National Environment Protection (Assessment of Site Contamination) Measure 1999* as amended in 2013 (NEPM 2013). The NEPM has been recognised as the primary national guidance document for the assessment of site contamination in Australia.

#### 5.2 Per- and Poly-fluoroalkyl Substances (PFAS)

- Australian Government Department of Infrastructure and Regional Development *Guideline for Environmental Management – PFC Management Actions Advice* (GEM-002), Version June 2015.
- *Managing PFC Contamination at Airports Interim Contamination Management Strategy and Decision Framework*, GHD, June 2015.
- *Model Operating Conditions – ERA 60 – Waste Disposal* Version 1.1, Qld EHP, 30 January 2015.
- Environmental Health Standing Committee (enHealth) of the Australian Health Protection Principal Committee, *enHealth Statement: Interim national guidance on human health reference values for per- and poly-fluoroalkyl substances for use in site investigations in Australia*, June 2016.



**6.0 ASSESSMENT CRITERIA**

**6.1 PFAS**

Current Australian guidelines, including AEPR 1997, do not include screening or acceptable levels for PFAS. GEM-002 indicates that until national standards for the management of PFAS contamination are agreed, the framework for PFAS management developed by consultancy firm GHD (2015) - *Managing PFC Contamination at Airports Interim Contamination Management Strategy and Decision Framework* - is available to airports and is intended to facilitate discussion on PFAS management at leased federal airports.

The following Interim Screening Levels (from GHD 2015) for PFAS in soil, groundwater and surface water have been adopted as Tier 1 values for the initial assessment of risk.

**Table 1: Interim Screening Levels for PFAS**

Exposure Scenario	PFOS	PFOA / 8:2FTS	6:2FTS	Comment
<b>Soil</b>				
Human health (direct contact – offsite/soil reuse)	6 mg/kg	16 mg/kg	60 mg/kg	These are residential screening levels that are protective of human health via direct contact (ingestion, dermal and dust inhalation). These levels are conservative for consideration of construction workers and general public in the airport (commercial/industrial) setting.
Human health (direct contact – onsite/construction workers)	90 mg/kg	240 mg/kg	900 mg/kg	These interim screening levels are suitable for commercial/industrial land use settings. They are protective of adult worker and the general public health via direct contact (ingestion, dermal and dust inhalation). These levels do not consider the potential for leaching to groundwater.
Ecological (terrestrial)	0.373 mg/kg	3.73 mg/kg	n/a	Screening level is a low reliability, predicted no effect concentration and should provide 95% protection of terrestrial species.
<b>Groundwater</b>				
Human health (drinking water only)	0.2 µg/L	0.4 µg/L	5.0 µg/L	Based on a drinking water endpoint protective of human health and do not include allowance for other exposures or effects that might arise from use or disposal of water after use.
Ecological	In most cases the assessment of ecological impact will relate to the discharge of groundwater to a nearby surface water body, and impact on the aquatic ecosystem of the surface water. In assessing risk to surface waters, consideration should be given to the flux of the chemical in groundwater and the resulting dilution that will occur in the surface water. This can then be compared to the surface water screening values.			
<b>Surface Water</b>				
Ecological (toxicity effects on aquatic organisms)	6.66 µg/L	2,900 µg/L	n/a	95% species protection
Human Health (consumption of fish)	0.00065 µg/L*	0.3µg/L	0.0065 µg/L	Based on consumption of fish and applies to the receiving water <b>after</b> dilution.

\*It is noted that this concentration is factor of 3 times lower than the limit of reporting (LOR) available at commercial analytical laboratories in Australia, using Ultratrace® methods. The concentration is also below the reported treatment levels using current technology/methods for saline waters. On this basis, the level of dilution that may be achieved prior to discharge into waterways becomes the critical factor rather than comparison to this interim screening level.

Additionally, the Queensland government has published maximum PFAS soil concentrations for use as day cover at landfills (*Model Operating Conditions – ERA 60 – Waste Disposal* Version 1.1, Qld EHP, 30 January 2015). These have been adopted to assess, suitability of PFAS-impacted soil to be disposed of offsite.



## AUTO MALL STAGE 1 CONTAMINATION ASSESSMENT

Further guidance on acceptable PFAS levels was recently provided in *enHealth Statement: Interim national guidance on human health reference values for per- and poly-fluoroalkyl substances for use in site investigations in Australia*, prepared by the Environmental Health Standing Committee (enHealth) of the Australian Health Protection Principal Committee in June 2016.

The enHealth guidelines were also adopted as Tier 1 values for the initial assessment of risk for drinking water and surface water (recreational) exposure pathways.

Exposure Scenario	PFOS / PFHxS	PFOA	Comment
<b>Groundwater</b>			
Human health (drinking water)	0.5 µg/L	5 µg/L	The interim drinking water guideline values are not intended to be a guide for drinking water utility providers across Australia, but rather for use to confirm the quality of drinking water supplies potentially affected by specific instances of site contamination.
<b>Surface Water</b>			
Human Health (recreational)	5 µg/L	50 µg/L	Ten times the drinking water levels

## 6.2 Other Parameters

*Airports (Environmental Protection) Regulations 1997 (AEPR – 1997)* apply for airports in Australia and to all BAC land. The site is not listed as an Area of Environmental Significance at Brisbane Airport, as such results were compared with:

- Soil: Acceptable Limits for general areas (Schedule 3, Table 1 of AEPR).
- Groundwater: Accepted limits for marine Water (Schedule 2, Table 1 of AEPR).

In addition, the following guidelines derived from the *National Environment Protection (Assessment of Site Contamination) Amendment Measure 2013 (No. 1) (NEPM, 2013) Schedule B1* were also referenced as a general environmental screening tool for soil and groundwater:

- Soil: Ecological Screening Levels (ESLs) for commercial/industrial land use (coarse soil) for petroleum hydrocarbon compounds.
- Soil and groundwater: Human health exposure via vapour intrusion from volatile hydrocarbon impacts in soil (Hydrocarbon Screening Levels – HSLs). HSLs have been developed for selected petroleum compounds and fractions and are applicable to assessing human health risk via the inhalation pathway. The HSLs depend on specific soil physicochemical properties, land use scenarios, and the characteristics of building structures. They apply to different soil types, and depths below surface to greater than 8 m. For the program of works, the analytical data has been initially screened against the most conservative investigation level arising from the sand soil category.
- Soil: Health investigation Levels (HILs) for commercial/industrial land use for non-hydrocarbons.
- Soil: Ecological investigation levels (EILs) for commercial/industrial land use for non-hydrocarbons.
- Groundwater: Groundwater Investigation Levels (GILs) for marine waters, as the marine environment is the ultimate ecological receptor for groundwater.



## 7.0 FIELDWORK

### 7.1 Soil Investigation

Details of the soil investigation methodology for the contamination assessment are summarised in **Table 2** below.

**Table 2: Field Activities - Drilling and Soil Sampling**

Activity	Details
Drilling	<p>Soil sampling for contamination assessment was conducted between 6 and 10 October 2016.</p> <p>Locations targeting potentiating contaminating activities are as follows:</p> <ul style="list-style-type: none"><li>▪ Broad scale site coverage for residues associated with historical use of AFFF at the airport: AM-BH10, AM-BH13 to AM-BH16, AM-BH18, AM-BH24 to AM-BH26, AM-BH29 and AM-BH30.</li><li>▪ CSR Site 28 (black sands) was targeted by locations AM-BH20 to AM-BH23, completed as part of Stage 1 investigation.</li></ul> <p>The boreholes were advanced to depths of 3 m using hollow flight augers mounted on a light tracked vehicle.</p> <p>Borehole locations are presented in <b>Figure 1</b>.</p> <p>Borehole drilling was carried out under the supervision of a geotechnical engineer from Golder. Soil descriptions for the lithology encountered during drilling are presented as borehole logs in <b>Appendix B</b>.</p>
Borehole Survey	<p>Upon completion of intrusive investigations, selected locations were surveyed by MPA Surveyors using differential GPS for easting, northing and RL. Remaining locations and levels were inferred from the survey plan provided by BAC (received 24 November 2015).</p>
Soil Sampling	<p>Soil samples for contamination assessment purposes were collected at 0.25 m, 0.5 m, 1 m, 2 m and 3 m bgl.</p>
Decontamination Procedure	<p>Samples were collected using disposable nitrile gloves and a decontaminated hand trowel. Non-dedicated soil sampling equipment was decontaminated using Decon 90 and rinsed with potable water between sampling events.</p>
Soil Screening	<p>Collected soil samples were screened in the field using a photo-ionisation detector (PID) for the potential presence of volatile compounds.</p>
Samples Preservation and Handling	<p>Collected soil samples were placed in laboratory supplied containers. Sample containers were placed with ice, in eskies whilst on-site and in transit to the laboratory.</p> <p>All primary samples were sent to Australian Laboratory Services (ALS) of Brisbane under Chain of Custody (CoC) procedures. Secondary samples being the triplicate were sent to Eurofins of Brisbane under COC procedures.</p> <p>Laboratory documents are presented in <b>Appendix C</b>.</p>
QA/QC	<p>A Quality Assurance/ Quality Control (QA/QC) program was implemented for the contamination investigation which included the collection of duplicates and triplicates at the rate of a pair every 20 samples. No rinsate samples were collected.</p>
Soil Analysis	<p>Selected soil samples were analysed for the potential contaminants of concern identified in the desktop review:</p> <ul style="list-style-type: none"><li>▪ PFAS, extended suite.</li><li>▪ Total recoverable hydrocarbons (TRH) (with silica gel clean up)</li><li>▪ Benzene, toluene, ethylbenzene and xylenes (BTEX)</li><li>▪ Polycyclic aromatic hydrocarbons (PAH)</li></ul>





## AUTO MALL STAGE 1 CONTAMINATION ASSESSMENT

Activity	Details
	<ul style="list-style-type: none"><li>▪ Arsenic, cadmium, chromium, copper, lead, mercury, nickel and zinc (Heavy Metals)</li><li>▪ Organochlorine pesticides (OCP)</li><li>▪ Titanium and zirconium in 3 shallow soil samples where suspected black sands were noted.</li></ul> Laboratory analytical reports are presented <b>Appendix C</b> .

### 7.2 Groundwater Investigation

Details of groundwater investigation methodology are summarised in **Table 3** below.

**Table 3: Field Activities - Groundwater Well Installation and Sampling**

Activity	Details
Monitoring Well Installation and Construction	Four boreholes (AM-BH10, AM-BH14, AM-BH15 and AM-BH16) were converted into new groundwater monitoring wells (renamed AM-MW10, AM-MW13, AM-MW14, AM-MW15 and AM-MW16). <b>Figure 1</b> presents the new monitoring well locations. New monitoring wells were constructed using 50 mm, Class 18 PVC threaded screen and casing. Construction details for monitoring wells are presented on borehole reports in <b>Appendix B</b> .
Well Development	Following installation the new wells were developed using dedicated disposable bailers.
Well Gauging	Standing water levels (SWLs) were measured on 25 October 2016 prior to purging and sampling using a calibrated water level meter. Groundwater gauging data are presented in Section 8.2 Table 4.
Well Purging	The wells were purged prior to sampling using a low flow pump (peristaltic). Groundwater quality parameters and visual observations were recorded during purging. Purging continued until stabilisation of parameters.
Groundwater Sampling	Groundwater samples were collected directly from the pump.
Sample Preservation and Handling	Collected water samples were placed in laboratory supplied containers. Samples were placed with ice, in eskies whilst on-site and in transit to the laboratory. All samples were sent to ALS of Brisbane under Chain of Custody (CoC) procedures. Secondary samples being the triplicate were sent to Eurofins of Brisbane under COC procedures. Laboratory documents are presented in <b>Appendix C</b> .
QA/QC Samples	A QA/QC program was implemented for the contamination investigation which included the collection of duplicates and triplicates at a rate of one set every 20 samples (or less). One rinsate sample was collected as part of this investigation.
Groundwater Analysis	The groundwater samples from all wells were analysed for PFAS, extended suite using ultra trace methods and heavy metals and mercury. Laboratory analytical reports are presented in <b>Appendix C</b> .



## 8.0 INVESTIGATION FINDINGS

### 8.1 Sub-surface Conditions

Detailed information of subsurface conditions encountered at the site are described in Report of Boreholes (**Appendix B**).

A summary of typical subsurface conditions encountered is as follows:

- **Topsoil** - Generally comprising loose silty sand and sandy clay, found at most locations to depths between 0.1 to 0.3 m bgl, overlying
- **Recent Alluvium (Holocene)** – Compressible, inter-bedded sandy clays and clayey sands (Upper Holocene) from approximately 0 to 3 m bgl (target depth).

Thicker layers of fill comprising gravelly material, with various percentages of fines, were encountered at several locations (AM-BH13, AM-BH14, AM-BH18, AM-BH24, AM-BH26), to a maximum depth of 1.65 m bgl.

The PID readings (<10 ppm at all locations) are considered to be indicative of background conditions.

Layers of material possibly associated with mineral sand deposition, known to have been historically present in the site surroundings, were noted at the following locations:

- AM-BH26 at 1.75-2.0 m (black mottling in clay)
- AM-BH25 at 0.5-0.6 m bgl (black fine to coarse sand in clay)
- AM-BH15 at 0.0-0.1 m bgl (dark brown silty sand)
- AM-BH16 at 0.0-0.1 m bgl (black sand in silty clay)
- AM-BH29 at 0.0-0.1 m bgl (dark brown silty sand).

Samples at these locations were tested for the presence of NORMS using a radioactivity meter<sup>2</sup>, but no levels higher than background were reported<sup>3</sup>. Furthermore, a walkover was conducted at the site measuring radioactivity levels at ground level, and no levels higher than background were reported.

No odours or staining were noted that may indicate potential contamination.

### 8.2 Groundwater Levels and Quality

Groundwater level measurements were recorded during groundwater monitoring on 25 October 2016 in the new groundwater monitoring wells. **Table 4** summarises the groundwater measurements for the current investigation.

Based on the measured groundwater levels, the general flow direction beneath the site is interpreted to be towards the north-east.

**Table 4: Summary of Groundwater Level Observations**

Well ID	Depth to Groundwater (m bgl)	Groundwater RL (m AD)
AM-MW10	1.19	1.18
AM-MW14	2.57	1.51
AM-MW15	1.90	1.24
AM-MW16	1.55	0.87

Field measurements of groundwater quality parameters are summarised in **Table 5**.

**Table 5: Summary of Groundwater Quality Parameters**

<sup>2</sup> Model Thermo Scientific RadEye™ suitable for characterising characterizing alpha, beta, gamma and X-ray radiation.

<sup>3</sup> Natural background radiation levels away from any potential source were measured at 0.09 to 0.12 µSv/h. None of the samples tested reported readings above 0.12 µSv/h.



Well ID	pH	Conductivity (mS/cm)	Redox (mV)	Dissolved Oxygen (%)	Temperature (C)
AM-MW10	6.33	45.605	100.0	1.70	20.9
AM-MW14	5.56	17.880	-40.2	1.15	21.9
AM-MW15	6.11	7.953	51.1	1.21	21.1
AM-MW16	5.71	13.241	50.8	1.73	22.4

Based on groundwater quality parameters the following is noted:

- pH levels indicate groundwater is slightly acidic at all locations
- conductivity indicates groundwater is brackish to saline at all locations
- redox potential indicates groundwater conditions are oxidising in MW10, MW15 and MW16, and reducing in MW14
- dissolved oxygen levels are generally low.

### 8.3 Quality Assurance and Quality Control

#### 8.3.1.1 Field QA/QC

Sampling equipment utilised during the field investigation did not contain Teflon® to prevent false positive results for PFAS. Soil and groundwater samples analysed for PFAS were placed into laboratory-issued bottles specifically for the analysis of PFAS, and therefore free of any Teflon® liners.

Two soil duplicates and two triplicate soil samples were submitted for analysis, in compliance with the data objectives for the number of primary samples (26). One groundwater duplicate and one triplicate were analysed during the groundwater investigation, as well as one rinsate.

#### 8.3.1.2 Data Validation

The validity of analytical data was assessed by critical review of the QA/QC sample results. This was performed in accordance with USEPA guidelines as presented in the document *National Functional Guidelines for Superfund Organic Methods Data Review*, June 2008 (USEPA, 2008).

Accuracy and precision measurements from the appropriate QA/QC check samples were compared to assess the quality of the analytical data. The primary objective of the data validation process was to ensure that the data reported are suitable to be used to achieve the investigation objectives.

On the basis of the outcome of the validation procedures employed, the overall quality of the analytical data is considered to be of an acceptable standard for interpretive use. The following are noted:

- All samples were received under the appropriate COC documentation by the primary laboratory in appropriately preserved containers. Holding time breaches were reported for pH in groundwater samples, due to the short holding time for pH. Field pH measurement was utilised instead of laboratory results. No other holding time breaches were reported.
- A review of internal QA/QC checks indicates general compliance for surrogates and method blanks. Non-conformances are reported in laboratory control spikes (OCPs and PAHs), matrix spikes (PFAS, heavy metals and OCPs) and laboratory duplicates (frequency outlier); however these are not considered to limit the use of the laboratory results.
- Soil duplicate and triplicate samples yielded acceptable repeatability for the analysed compounds, with the exception of zinc in sample AM-BH15 0.25-0.5 and duplicate QAQC500 which reported an RPD of 90%. This is likely due to the heterogeneity in the material and is considered a minor non-compliance. The highest result among primary, duplicate and triplicate was used in the assessment.

Groundwater duplicate and triplicate samples yielded acceptable repeatability for the analysed compounds, with the exception of PFHxS in sample AM-MW16 and triplicate QAQC200, which reported an RPD of 84%. The highest result among primary, duplicate and triplicate was used in the assessment.

A data validation sheet has been completed and presented in **Appendix D**. Based on the above, we consider the laboratory test results to be representative and valid for the purposes of the investigation.



### 8.4 Soil Analysis

Laboratory test results for soil samples analysed for PFAS are summarised in **Table 5**. **Table 6** is a summary of the soil sample results for heavy metals, TRH, BTEX, PAH and OCP.

The laboratory results on soil samples indicated:

- Concentrations of PFAS were below the laboratory reporting limit and the adopted initial screening guidelines for human health and ecological (terrestrial) assessment in the analysed samples, with the exceptions of the following:
  - AM-BH14 at 0.25-0.5 m bgl, where PFOS is reported at 0.0003 mg/kg
  - AM-BH25 at 0.25-0.5 m bgl, where PFOS is reported at 0.0020 mg/kg and PFHxS at 0.0005 mg/kg
  - QAQC001, duplicate sample of BH16 at 0.25-0.5, where PFOS is reported at 0.0004 mg/kg and PFHxS at 0.0004 mg/kg
  - QAQC005, duplicate sample of BH15 at 0.25-0.5 m bgl, where PFOS is reported at 0.0004 mg/kg
- With reference to heavy metals, no exceedances of the AEPR guidelines are noted in the samples for the compounds tested. With reference to NEPM guidelines, exceedances of the EILs<sup>4</sup> are noted:
  - for nickel in 2 samples (AM-BH24 at 0.25-0.5 m and AM-BH26 at 0.25-0.5 m) in the western portion of the site
  - for zinc in 2 samples (AM-BH10 at 0.25-0.5 m and AM-BH15 0.25-0.5, in duplicate QAQC005), in the western and eastern portions of the site respectively
  - however, the 95% upper confidence limit of the mean concentration (UCL) calculated for nickel and zinc for the 14 samples of shallow soils collected at the site is equal to 34.64 mg/kg and 62.36 mg/kg respectively, with the standard deviations at 23.07 mg/kg and 54.14 mg/kg respectively. No individual result exceeded 250% of the assessment guidelines, therefore no 'hot spots', as defined in the NEPM 2013, have been identified, and standard deviations are lower than 50% of the respective guidelines. Therefore, based on this statistical approach, the overall soil quality is considered to meet the EILs for heavy metals for the site. The 95% UCL calculations sheets are attached in **Appendix E**.
- Titanium and zirconium were tested in 3 shallow soil samples: the results indicate that titanium concentrations are generally elevated (>250 mg/kg) in shallow soils of AM-BH15, AM-BH16 and AM-BH29, while zirconium is reported at low levels at all the locations (<3 mg/kg). This suggests that residual amounts of either rutile or ilmenite (or both) may be present and mixed in with the surface soil.
- Concentrations of TRH, BTEX, PAH and OCP were below the respective LORs in the samples (with the exception of TRH F3 in AM-BH20 at 0.25-0.5 m, reported at 120 mg/kg). Compound concentrations in the samples were below the adopted guidelines for human health and environment assessment.

The results indicate low levels of widespread contamination by PFAS in shallow soil, in the western and eastern portions of Stage 2. As the reported levels are below the Interim Screening Levels for human health and ecological receptors, soil is considered suitable for re-use at other locations at the airport with the same contamination profile (low risk), as well as day cover at landfills licenced to accept PFAS containing soils.

<sup>4</sup> EILs have been calculated using conservative values for CEC, as no analysis for site specific parameters were completed, and a pH of 4, as per the most conservative result of ASS analysis for shallow soils.





**AUTO MALL STAGE 1 CONTAMINATION ASSESSMENT**

**Table 6 (continued): Soil Laboratory Results Summary for PFAS**

				Location Code		AM-BH18	AM-BH18	AM-BH24	AM-BH24	AM-BH25	AM-BH25	AM-BH26	AM-BH26	AM-BH29	AM-BH29	
				Depth		0.25-0.5	1.75-2	0.25-0.5	2.75-3	0.25-0.5	2.75-3	0.25-0.5	2.75-3	0.25-0.5	1.75-2	
				Sampled Date Time		6/10/2016	6/10/2016	6/10/2016	6/10/2016	7/10/2016	7/10/2016	6/10/2016	6/10/2016	7/10/2016	7/10/2016	
				Lab Report Number		EB1624693	EB1624693	EB1624693	EB1624693	EB1624749	EB1624749	EB1624693	EB1624693	EB1624693	EB1624693	
Chem Group	ChemName	unit	EQL	Interim Screening Levels - Human health - industrial (direct contact only) <sup>1</sup>	Interim Screening Levels - Ecological (terrestrial, commercial/ industrial 60% protection, low reliability) <sup>1</sup>	Maximum total concentration level in soil used as cover material of a operating QLD landfill (mg/kg) <sup>2</sup>										
Perfluorinated Compounds	10:2 Fluorotelomer sulfonic acid	mg/kg	0.0005				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	4:2 Fluorotelomer sulfonic acid	mg/kg	0.0005				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	8:2 Fluorotelomer sulfonate	mg/kg	0.0005				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	N-Et-FOSA	mg/kg	0.0005				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	N-Et-FOSE	mg/kg	0.0005				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	N-Me-FOSA	mg/kg	0.0005				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	N-Me-FOSE	mg/kg	0.0005				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	Perfluorobutanoic acid (PFBA)	mg/kg	0.001				<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
	Perfluoroheptane sulfonic acid	mg/kg	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluoro-n-pentanoic acid (PFPeA)	mg/kg	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluoropentane sulfonic acid	mg/kg	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	PFDCs	mg/kg	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	N-methyl-perfluorooctanesulfonamidoacetic acid	mg/kg	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluorobutanesulfonic acid (PFBS)	mg/kg	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluorodecanoic acid (PFDA)	mg/kg	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluorododecanoic acid (PFDoA)	mg/kg	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluoroheptanoic acid (PFHpA)	mg/kg	0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluorooctanesulfonic acid (PFOS)	mg/kg	0.0002		<b>90</b>	<b>0.373</b>	<b>6</b>	<0.0002	<0.0002	<0.0002	<b>0.002</b>	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluorooctanoate (PFOA)	mg/kg	0.0002		<b>240</b>	<b>3.73</b>	<b>16</b>	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluorohexanesulfonic acid (PFHxS)	mg/kg	0.0002					<0.0002	<0.0002	<0.0002	<b>0.0005</b>	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluorononanoic acid (PFNA)	mg/kg	0.0002					<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluorohexanoic acid (PFHxA)	mg/kg	0.0002					<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	6:2 Fluorotelomer Sulfonate (6:2 FtS)	mg/kg	0.0005		<b>900</b>		<b>60</b>	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
	N-ethyl-perfluorooctanesulfonamidoacetic acid	mg/kg	0.0002					<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
	Perfluorooctanesulfonamide (PFOSA)	mg/kg	0.0002					<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Perfluorotetradecanoic acid (PFTeDA)	mg/kg	0.0005					<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
Perfluorotridecanoic acid (PFTrDA)	mg/kg	0.0002					<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Perfluoroundecanoic acid (PFUnA)	mg/kg	0.0002					<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
PFAS (Sum of total - Lab Reported)	mg/kg	0.0002					<0.0002	<0.0002	<0.0002	<b>0.0025</b>	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	

All concentrations are expressed in mg/kg unless indicated otherwise

"<" Denotes below detection limit and is in grey font

"-" Denotes analysis not requested for this sample

1. Airservices Australia, Managing PFC Contamination at Airports, Interim Contamination Management Strategy and Decision Framework, GHD, June 2015.

2. Model operating conditions, ERA 60 - Waste disposal Version 1, 2015, Department of Environment and Heritage Protection, Queensland Government.





### 8.5 Groundwater Analysis

Laboratory test results for the groundwater samples collected from wells in Stage 2 are summarised in **Table 8**, and indicated:

- PFAS are widespread in groundwater at Stage 2, with a minimum of 3 compounds present in any well.
- PFOS concentrations in the groundwater samples are below the interim screening levels for human health (drinking water) and aquatic ecosystems protection. PFOS concentrations were above the LOR, with the exception of AM-MW15. PFOS concentrations and the LOR exceed the interim screening level for human consumption of fish.
- PFOA concentrations in groundwater samples were below interim screening levels for human health (drinking water), aquatic ecosystem protection and human consumption of fish. PFOA concentrations were above the LOR, with the exception of AM-MW15.
- 6:2 FTS and 8:2 FTS concentrations in the groundwater samples are below LOR (0.005 µg/L), hence also below interim screening levels for human health (drinking water and consumption of fish) and ecological receptors (available for 8:2 FTS only).
- No PFAS compounds are measured at concentrations above the enHealth guidelines for human health (recreational scenario) and ecological ecosystems protection.
- With reference to heavy metals, exceedances of the AEPR Marine Waters guideline and NEPM 2013 Marine Waters GILs are noted in all wells for nickel and zinc.

These results indicate that contamination management will be required if impacted groundwater is encountered and/or extracted (i.e. for dewatering) during construction works. Refer to CSM and qualitative risk assessment in **Section 9** and **Section 10** respectively.





## AUTO MALL STAGE 1 CONTAMINATION ASSESSMENT

**Table 8: Groundwater Laboratory Results Summary for PFAS**

								Field_ID	AM-MW10	AM-MW14	AM-MW15	AM-MW16	
								Sampled_Date	25/10/2016	25/10/2016	25/10/2016	25/10/2016	
								Lab_Report_Number	EB1625464	EB1625464	EB1625464	EB1625464	
				Interim Screening Levels - Groundwater - Human Health (drinking water only) (1)	Interim Screening Levels - Surface Water - Ecological (toxicity effects on aquatic organisms) (1)	Interim Screening Levels - Surface Water - Human Health (consumption of fish) (1)	enHealth Guidelines - Groundwater - Human Health (drinking water) (2)	enHealth Guidelines - Surface Water - Human Health (recreational) (2)					
				EQL									
Perfluorinated Compounds	8:2 Fluorotelomer sulfonate	µg/L	0.005	0.4	2,900	0.3			<0.005	<0.005	<0.005	<0.005	
	N-Et-FOSA	µg/L	0.005						<0.005	<0.005	<0.005	<0.005	
	N-Et-FOSE	µg/L	0.005						<0.005	<0.005	<0.005	<0.005	
	N-Me-FOSA	µg/L	0.005						<0.005	<0.005	<0.005	<0.005	
	N-Me-FOSE	µg/L	0.005						<0.005	<0.005	<0.005	<0.005	
	Perfluorobutanoic acid (PFBA)	µg/L	0.01						<0.01	<0.01	<0.01	<0.01	
	Perfluoro-n-pentanoic acid (PFPeA)	µg/L	0.002						<0.002	0.004	<0.002	0.005	
	PFDCs	µg/L	0.002						<0.002	<0.002	<0.002	<0.002	
	Perfluorobutanesulfonic acid (PFBS)	µg/L	0.002						0.006	0.171	0.011	0.037	
	Perfluorodecanoic acid (PFDA)	µg/L	0.002						<0.002	<0.002	<0.002	<0.002	
	Perfluorododecanoic acid (PFDoA)	µg/L	0.002						<0.002	<0.002	<0.002	<0.002	
	Perfluoroheptanoic acid (PFHpA)	µg/L	0.002						<0.002	<0.002	<0.002	0.005	
	Perfluorohexanesulfonic acid (PFHxS)	µg/L	0.002					0.5	5	0.062	0.394	0.054	0.293
	Perfluorohexanoic acid (PFHxA)	µg/L	0.002							0.003	0.019	<0.002	0.023
	Perfluorononanoic acid (PFNA)	µg/L	0.002							<0.002	<0.002	<0.002	<0.002
	N-ethyl-perfluorooctanesulfonamidoacetic acid (MeFOSA)	µg/L	0.002							<0.002	<0.002	<0.002	<0.002
	Perfluorooctanesulfonamide (PFOSA)	µg/L	0.002							<0.002	<0.002	<0.002	<0.002
	Perfluorotetradecanoic acid (PFTeDA)	µg/L	0.005							<0.005	<0.005	<0.005	<0.005
	Perfluorooctanesulfonic acid (PFOS)	µg/L	0.002	0.2	6.66	0.00065	0.5	5	0.004	0.011	<0.002	0.021	
	Perfluorotridecanoic acid (PFTTrDA)	µg/L	0.002							<0.002	<0.002	<0.002	<0.002
	Perfluoroundecanoic acid (PFUnA)	µg/L	0.002							<0.002	<0.002	<0.002	<0.002
	6:2 Fluorotelomer Sulfonate (6:2 FTS)	µg/L	0.005	60	900					<0.005	<0.005	<0.005	<0.005
	Perfluorooctanoate (PFOA)	µg/L	0.002	0.4	2900	0.3	5	50	0.004	0.003	<0.002	0.016	
10:2 Fluorotelomer sulfonic acid	µg/L	0.005							<0.005	<0.005	<0.005	<0.005	
4:2 Fluorotelomer sulfonic acid	µg/L	0.005							<0.005	<0.005	<0.005	<0.005	
Perfluoroheptane sulfonic acid	µg/L	0.002							<0.002	<0.002	<0.002	0.002	
Perfluoropentane sulfonic acid	µg/L	0.002							0.008	0.084	0.006	0.029	
Sum of PFHxS and PFOS	mg/L	0.000002	0.2	6.66	0.00065	0.5	5	0.000066	0.000405	0.000054	0.000314		
PFAS (Sum of total - Lab Reported)	µg/L	0.000002						0.087	0.686	0.071	0.431		

All concentrations are expressed in µg/L unless indicated otherwise  
 "<" Denotes below detection limit

- Airservices Australia, *Managing PFC Contamination at Airports, Interim Contamination Management Strategy and Decision Framework*, GHD, June 2015.
- Environmental Health Standing Committee (enHealth) of the Australian Health Protection Principal Committee, *enHealth Statement: Interim national guidance on human health reference values for per- and poly-fluoroalkyl substances for use in site investigations in Australia*, June 2016



## AUTO MALL STAGE 1 CONTAMINATION ASSESSMENT

**Table 9: Groundwater Laboratory Results Summary for Heavy Metals and Mercury**

				Field_ID	AM-MW10	AM-MW14	AM-MW15	AM-MW16		
				Sampled_Date_Time	25/10/2016	25/10/2016	25/10/2016	25/10/2016		
				Lab_Report_Number	EB1625464	EB1625464	EB1625464	EB1625464		
				NEPM 2013 GILs, Recreational (1)	NEPM 2013 GILs, Marine Waters (1)	AEPR 1997 - Marine Waters (2)				
				EQL						
Heavy Metals	Arsenic (Filtered)	ug/L	1	100		50	<5	<5	1	4
	Cadmium (Filtered)	ug/L	0.1	20	0.7	2	<0.5	<0.5	<0.1	<0.1
	Chromium (Filtered)	ug/L	1		27	50	<5	<5	<1	<1
	Copper (Filtered)	ug/L	1	20,000	1.3	5	<5	<5	<1	<1
	Lead (Filtered)	ug/L	1	100	4.4	5	<5	<5	<1	<1
	Mercury (Filtered)	ug/L	0.1	10	0.1	0.1	<0.1	<0.1	<0.1	<0.1
	Nickel (Filtered)	ug/L	1	200	7	15	18	74	18	32
Zinc (Filtered)	ug/L	5		15	50	134	194	76	118	

All concentrations are expressed in µg/L unless indicated otherwise

"<" Denotes below detection limit

1. NEPM - National Environment Protection (Assessment of Site Contamination) Measure (1999), amended May 2013

2. Airports (Environmental Protection) Regulations 1997



## 9.0 CONCEPTUAL SITE MODEL

### 9.1 Developing the Conceptual Site Model (CSM)

In accordance with Schedule B2 of the NEPM 2013, a CSM has been developed for the site to assess identified contamination in relation to its current condition and planned disturbances of soil and groundwater. The essential elements of the CSM have been identified in the guidelines as the following:

- Known and potential sources of contamination and contaminants of concern including the mechanism(s) of contamination (i.e. nature of the source release into the environment).
- Potentially affected media (soil, sediment, groundwater, surface water, indoor and ambient air). This project focuses on groundwater and soil as the affected media.
- Potential and complete exposure pathways.
- Human and ecological receptors.

The above elements have been addressed in the following sections.

### 9.2 Contaminants of Interest

The results of the desktop assessment (Section 4) and the investigations (Section 8) identified the following contaminants of interest:

Soil	Groundwater
<p>PFOS and/or PFHxS are present in soil, though not at concentrations exceeding any of the proposed guidelines.</p> <p>Nickel and zinc are reported in shallow soils in concentrations exceeding the EILs at locations in the western and eastern portions of the site; however, statistical assessment of the data indicated that the concentrations are suitable to remain on site under the current land use setting.</p> <p>Titanium is also present in soils along the eastern portion of the site.</p>	<p>PFOS detected concentrations (and the laboratory reporting limits for wells where it was not detected) exceed the interim screening level for human consumption of fish.</p> <p>Nickel and zinc exceed Marine Waters guidelines presented in the AEPR 1997 and NEPM 2013 (GILs) in all wells installed on site.</p>

The low levels of PFAS, heavy metals and TRH detected in the soils at the Stage 2 investigation area of the Auto Mall precinct are not considered to represent contamination requiring management if disturbed.

The site soils are considered to be suitable for reuse at other locations at the airport, without restriction.

Low levels of PFAS inside soil may become mobilised in groundwater as a result of surcharging activities consolidating these materials below the water table. It is not expected that these impacts will be greater than the level of PFAS currently detected in groundwater.

However, the presence of heavy metals in shallow soil at concentrations exceeding NEPM 2013 ecological investigation levels will be further assessed.

PFAS and heavy metals contamination in groundwater is further considered in this CSM and Qualitative Risk Assessment.



### 9.3 Sources

Active or historical primary sources of PFAS were not identified at the Auto Mall Precinct site.

Low level and diffuse PFAS impacts were detected in the four groundwater investigation locations.

Heavy metals identified in soil and groundwater could potentially be associated with the historical use of the site as construction yard, but this is only inferred at this stage.

For dewatering activities at the site, the extracted groundwater represents a source of contamination that could be released to the environment if not managed properly.

### 9.4 Pathways for Exposure to PFAS Impacted Groundwater

The key contaminant transport pathways for impacted groundwater are:

- **Groundwater migration to surface water bodies:** localised groundwater flow beneath the site is expected to be in a westerly direction towards Landers Pocket drain, which discharges into the Kedron Brook Floodway Drain. Depending on the level of dilution and the resulting concentrations in the ultimate receiving water body, humans may be exposed to unacceptable concentrations of PFAS through the consumption of fish/aquatic species.
- **Surface water discharge of groundwater seepage entering excavations:** Currently planned construction activities include excavation of drainage channels to an invert level of RL 0.2 m AD across the site. Groundwater was recently measured at an average level of RL 1.2 m AD. It is expected that groundwater seepage will enter excavations for the drainage channels and be discharged to the existing surface drainage networks. Depending on the level of dilution and the resulting concentrations in the ultimate receiving water body, humans may be exposed to unacceptable concentrations of PFAS through the consumption of fish/aquatic species, and aquatic ecosystems to unacceptable concentrations of heavy metals.
- **Direct contact with soil:** Ecological receptors and humans (workers and airport visitors) can be exposed to the contamination if growing in, existing in or coming into contact with contaminated soil and groundwater. PFAS and metals do not readily enter humans via dermal contact, but may via ingestion. Ecological receptors are more susceptible as they are more likely to take up PFAS and metals while being immersed in the contaminated media.

### 9.5 Receptors

The key receptors for identified groundwater contamination at the investigation sites comprise:

- **General public:** Persons who may consume fish or other aquatic species from surface water bodies into which groundwater has been discharged (either directly through dewatering discharge or indirectly as a groundwater discharge into the receiving environment), and may access the surface water bodies for recreational use. Adjacent surface water bodies comprise:
  - An artificial surface drain will be formed on the Auto Mall Precinct site. This will connect to an existing artificial surface drain about 100 m west of the site. This drain is semi tidal and discharges into a tidal drain (the Kedron Brook Floodway Drain about 1.5 km south west of this site) and then into Kedron Brook, which ultimately drains into Moreton Bay.
- **Aquatic ecosystems:** As heavy metals are reported in concentrations exceeding guidelines for the protection of the marine waters, aquatic ecosystems are considered as potential receptors in surface water bodies into which groundwater has been discharged (either directly through dewatering discharge or indirectly as a groundwater discharge into the receiving environment). Titanium is less likely than nickel and zinc to be mobile as it is part of the crystalline structure of the minerals.

Terrestrial ecosystems are not considered to be key receptors for the PFAS contamination as concentrations reported (in the parts per billion) in the groundwater are so low that their application to soil would not result in detection (in parts per million). The presence of nickel and zinc in soil has been assessed for the site using the 95% UCL approach and the results suggest that terrestrial ecosystems, in the current, undeveloped land use setting, are not a potential receptor. Titanium in the mineral sands has low bioavailability and is considered not to pose a risk to terrestrial ecosystems.




Results of the groundwater investigation and other Golder investigations within the vicinity of the site indicate that the groundwater quality beneath the proposed development is impacted with low levels of PFAS, due to historical offsite activities, and heavy metals. No further impacts to groundwater are expected due to site contamination. Furthermore, the brackish nature of the groundwater would make it unviable as a source of potable water, and unsuitable for agriculture or other beneficial use.

Site workers who may come in direct contact with groundwater are not considered to be key receptors as the PFAS concentrations detected in all groundwater samples were well below interim screening levels for drinking water, and dermal absorption via direct contact is not a pathway for PFAS in humans.



## 9.6 Conceptual Site Model Schematic

A schematic of the Auto Mall Precinct CSM is shown below.





## 10.0 ENVIRONMENTAL RISK ASSESSMENT

### 10.1 Qualitative Assessment

Risk is measured as a function of the likelihood and consequence of an event occurring. This risk assessment has been completed with the consideration of source - pathway - receptors, as described in the conceptual site model above and is in general accordance with the NEPM 2013.

The qualitative risk assessment was undertaken in general accordance with AS/NZS ISO 31000:2009 Risk management - Principles and guidelines and adopting the likelihood, consequence rankings summarised below.

#### Qualitative Risk Assessment Rankings

Likelihood (L)	Description	Consequences (C)	Description
1) Rare	Impact is unlikely to occur within lifetime of project operations. No further management or engineering controls are required to minimise potential for occurrence	1) Low	Negligible or acceptable impact. No further management or engineering controls are required assuming no change to current conditions.
2) Low	Minor management control may need to be considered to reduce likelihood of occurrence.	2) Low to Moderate	Impact may be acceptable. Further monitoring is required to establish potential significance. Implementation of simple management controls.
3) Moderate	Impact has moderate likelihood of occurrence. Appropriate management control can result in low likelihood of occurrence.	3) Moderate	Moderate impact. Potentially acceptable if appropriate management controls are implemented.
4) High	Appropriate management control may not be sufficient to minimise likelihood and thus engineering or design solution may need to be considered.	4) Moderate to High	Impact has the potential to be unacceptable. Further monitoring may be required to establish potential significance. Implementation of appropriate management controls is required.
5) Almost Certain	Impact is believed to be inevitable or has already occurred. Management controls cannot practically minimise likelihood of occurrence to acceptable levels. Engineering or design solutions are required, if possible.	5) High	Unacceptable impact. The potential impact has a high severity and cannot necessarily be managed, should it occur.



## AUTO MALL STAGE 1 CONTAMINATION ASSESSMENT

The resulting qualitative risk ranking matrix adopted for the assessment is presented below.

### Qualitative Risk Assessment Ranking Matrix

Risk Ranking (RR)	Consequences (C)				
	1) Low	2) Low to Moderate	3) Moderate	4) Moderate to High	5) High
1) Rare	1 (Low)	2 (Low)	3 (Low)	4 (Low)	5 (Moderate)
2) Low	2 (Low)	4 (Low)	6 (Moderate)	8 (Moderate)	10 (Moderate)
3) Moderate	3 (Low)	6 (Moderate)	9 (Moderate)	12 (Moderate)	15 (High)
4) High	4 (Low)	8 (Moderate)	12 (Moderate)	16 (High)	20 (High)
5) Certain	5 (Moderate)	10 (Moderate)	15 (High)	20 (High)	25 (High)

Where:

- Low Risk Ranking: Score 0 to 4. Acceptable, no specific management and/or engineering controls typically necessary.
- Moderate Risk Ranking: Score 5 to 15. Potentially acceptable subject to appropriate management and/or engineering controls.
- High Risk Ranking: Score 15 and above. Not acceptable. Engineering controls generally required, possibly in conjunction with management controls. Ranking for the source-pathway-receptor identified in the CSM are summarised below.

### Risk Rankings

Receptors	Pathways	Assessment Factors	L	C	RR	Summary Item
<b>Human Receptors</b>						
General Public	Consumption of Fish (Groundwater migration to surface water bodies) <u>PFAS</u>	A dilution factor of about 32 <sup>5</sup> would be required to reduce the highest detected groundwater PFAS concentrations below interim screening levels. A much greater dilution factor is expected for discharge of groundwater into the nearby surface water bodies	1	3	3	Low risk No further control measures
	Consumption of Fish (Groundwater seepage into proposed site drains and discharge into nearby surface water bodies) <u>PFAS</u>	The above considerations also apply to this pathway. It is expected that discharge of the volume of groundwater into the proposed drains alone (not including rainfall runoff) into connecting tidal drains will result in a much greater dilution factor than 32 (the dilution factor required for the highest detected groundwater PFAS concentration)..	1	3	3	Low risk No further control measures
	Consumption of Fish (Stormwater runoff and stormwater discharge into proposed site drain and into nearby surface water bodies) <u>PFAS</u>	Concentrations of PFAS compounds in soil are in the same order of magnitude as in groundwater (when expressed as ppb). However, the extent of soil contamination is limited to a few locations, and not as diffused as in groundwater. Therefore the magnitude of PFAS impacts from erosion and leaching to surface water and hence fish, is considered low.	3	1	3	Low risk No further control measures

<sup>5</sup> Calculated as the maximum concentration of any PFAS compound in groundwater divided by the corresponding Human Health Screening Level.





## AUTO MALL STAGE 1 CONTAMINATION ASSESSMENT

Receptors	Pathways	Assessment Factors	L	C	RR	Summary Item
<b>Ecological Receptors</b>						
Aquatic ecosystems	Toxicity effects of <u>heavy metals</u> (Groundwater migration to surface water bodies)	A dilution factor of about 13 <sup>6</sup> would be required to reduce the highest detected groundwater heavy metal concentrations below the proposed guideline. A much greater dilution factor is expected for discharge of groundwater into the nearby surface water bodies	1	2	2	Low risk No further control measures
	Toxicity effects of <u>heavy metals</u> (Groundwater seepage into proposed site drain and discharge into nearby surface water bodies)	The above considerations also apply to this pathway. It is expected that discharge of the volume of groundwater into the proposed drains alone (not including rainfall runoff) into connecting tidal drains will result in a much greater dilution factor than 13 (the dilution factor required for the highest detected groundwater heavy metal concentration).	1	2	2	Low risk No further control measures
	Toxicity effects of <u>heavy metals</u> (Stormwater runoff and stormwater discharge into proposed site drain and into nearby surface water bodies)	Concentrations of heavy metals compounds in soil are 3 orders of magnitude higher than in groundwater (when expressed as ppb). However, the extent of soil contamination is limited to a few locations, and not as diffused as in groundwater. Therefore the contribution of heavy metals impacts from erosion and leaching to surface water quality degradation is considered low.	3	1	3	Low risk No further control measures

<sup>6</sup> Calculated as the maximum concentration of any heavy metal exceeding guidelines in groundwater divided by the corresponding exceeded guideline.



### 11.0 CONCLUSION AND RECOMMENDATIONS

Based on the results of the contamination assessment, the following conclusions are drawn for Stage 2 of the Auto Mall precinct.

- No TRH, BTEX, PAH and OCP concentrations above the interim screening levels were detected in any soil samples.
- With reference to PFAS, diffuse low levels are noted in shallow soil at 4 locations, in the eastern and western portions of the site, though at levels not exceeding the adopted guidelines. Where disturbed, soils from this area should be suitable for reuse at other locations at the airport without restriction. The soils may also be suitable for offsite reuse subject to more detailed sampling of excavated materials.
- With reference to heavy metals, no exceedances of the AEPR guidelines are noted in the samples for any compounds. With reference to NEPM Guidelines, exceedances of the EILs are noted for nickel and zinc at a total of 4 locations in the eastern and western portions of the site. However, the 95% UCL statistical approach applied to shallow soil throughout the whole of Stage 2 indicated that the EILs are not exceeded. Titanium concentrations also appear elevated in shallow soil along the eastern portion of the site, possibly relating to the historical placement of mineral sands.
- PFAS impacts were reported in groundwater samples in all the 4 groundwater wells analysed. PFOS concentrations and the laboratory reporting limit exceed the interim screening level for human consumption of fish.
- Heavy metals exceedances of the AEPR Marine Waters guideline and NEPM 2013 Marine Waters GILs are noted in all wells for nickel and zinc.
- With reference to Ecological Receptors:
  - Aquatic ecosystems are not considered to be key receptors, as the PFAS concentrations in groundwater are below the interim screening levels for toxicity effects on aquatic organisms. However, a residual low risk to aquatic ecosystems is represented by heavy metals concentrations in groundwater and soil.
  - Terrestrial ecosystems are not considered susceptible to the impacts of PFAS or heavy metals contamination in soil.
- With reference to Human Receptors:
  - Site workers who may come in direct contact with groundwater are not considered to be key receptors, as the PFAS concentrations detected in all groundwater samples were well below interim screening levels for drinking water.
  - All groundwater samples had PFAS concentrations exceeding the surface water interim screening level for human consumption of fish/aquatic species. The interim screening level applies to the receiving water after dilution and its use to evaluate groundwater concentration (without dilution considerations) is conservative.
  - A qualitative risk assessment for the PFAS concentrations detected in groundwater beneath this site suggests a low risk outcome for subsequent human consumption of fish/aquatic species associated with groundwater migration to the nearby and downstream surface water bodies.
  - A qualitative risk assessment of expected PFAS impacted groundwater seepage entering the proposed site drain suggests a low risk outcome for subsequent human consumption of fish/aquatic species from downstream tidal drains and waterways.

Development of a Contamination Management Plan for Stage 2 of the Auto Mall Precinct is not considered to be warranted.



## **12.0 IMPORTANT INFORMATION**

Your attention is drawn to the document *Important Information Relating to this Report*, which is included in **Appendix F** of this report. The statements presented in that document are intended to inform a reader of the report about its proper use. There are important limitations as to who can use the report and how it can be used. It is important that a reader of the report understands and has realistic expectations about those matters. The Important Information document does not alter the obligations Golder Associates has under the contract between it and its client.



## Report Signature Page

**GOLDER ASSOCIATES PTY LTD**

Serena Curti  
Senior Environmental Engineer

Andrew Howes  
Principal Environmental Scientist

SC/AWH/cs


A.B.N. 64 006 107 857

Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation.

\\golder.gds\gap\brisbane\jobs\geo\2015\1538021-bac autoprecinct bne airport\correspondence out\1538021-011-r-rev1-auto mall stage 2 contamination report.docx



# FIGURE



- LEGEND**
- BAC CSR (2008)
  - Site Boundary
  - Current Investigation**
  - Borehole
  - Monitoring Well
  - Previous Investigations**
  - Borehole
  - Monitoring Well

**NOTES**

1. AERIAL PHOTOGRAPHY SUPPLIED BY NEARMAP LTD, DATED OCTOBER 2014
2. DEVELOPMENT YIELD PLAN LAYOUT SUPPLIED BY BAC AS CAD FILE 'BRIS0012 SK-004[E] DEVELOPMENT YIELD PLAN.PDF.DWG'
3. SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, DELORME, USGS, INTERMAP, INCREMENT P CORP., NRCAN, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), ESRI (THAILAND), MAPMYINDIA, © OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER © COMMUNITY



REFERENCE SCALE: 1:4,500 (AT A3)  
 PROJECTION: GDA 1994 MGA ZONE 56

CLIENT BRISBANE AIRPORT CORPORATION	
PROJECT AUTO PRECINCT	
TITLE <b>PROPOSED DEVELOPMENT WITH PREVIOUS AND CURRENT CONTAMINATION INVESTIGATION LOCATIONS</b>	
CONSULTANT	YYYY-MM-DD 2016-11-14
	PREPARED DP
	DESIGN DP
	REVIEW SC
	APPROVED SC
PROJECT No. 1538021	CONTROL 011
	Rev. 0
	FIGURE 1


Path: \\golder\gds\GIS\Brisbane\GIS\01\1538021\1538021\_011\_Rev01\F001\Proposed Development with Previous and Current Investigation Locations.mxd

THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN ON THE OTHER SIDE HAS BEEN MODIFIED FROM




# **APPENDIX A**


## **Proposed Development Plans**




- INDICATIVE STAGE ONE
- INDICATIVE STAGE TWO
- INDICATIVE STAGE THREE







PRELIMINARY



Revision	Amendment	Approved	Revision Date
A	PRELIMINARY ISSUE	SRN	2016-09-02

**OPUS**  
Brisbane Office  
+61 7 3838 2400

PO Box 99  
Spring Hill QLD 4004  
Australia

Designed	Approved	Approved Date
J LUTWYCHE	S NOVAK	
Drawn	Scales	
J LUTWYCHE	1:2000 (A1), 1:4000 (A3)	

Project		BRISBANE AIRPORT CORPORATION AUTO MALL PRECINCT	
Sheet		SITE GRADING AND DRAINAGE LAYOUT PLAN	
Project No.	Sheet No.	Revision	
Q-B4176.00	SK08	A	



# **APPENDIX B**

## **Borehole Reports**



# REPORT OF BOREHOLE: AM-BH10/MW10

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509477.0 m E 6969430.4 m N MGA94 56  
 SURFACE RL: 3.14 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description			
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
			-1.0							
			0.15	ASS 0.00-0.25 m R = 0A PID = 0.8 ppm	SM		TOPSOIL: Silty SAND fine to medium grained, brown, with some fine to medium, sub-angular gravel	D - M		650 mm stick up PVC 50 mm dia. PVC
			2.99	ASS 0.25-0.50 m R = 0B J 0.25-0.50 m R = 0B	CH		CLAY high plasticity, dark grey			Concrete
			0.5	ASS 0.50-0.75 m R = 0B PID = 0.6 ppm						Bentonite seal
			1.10	ASS 0.75-1.00 m R = 0B J 0.75-1.00 m R = 0B						
			2.04	ASS 1.00-1.25 m R = 0B PID = 0.8 ppm			trace rootlets from 1.1 m to 1.15 m			
			1.5	ASS 1.25-1.50 m R = 0B						
			2.0	ASS 1.50-1.75 m R = 0B PID = 1.3 ppm						Filter sand
			2.5	ASS 1.75-2.00 m R = 0B J 1.75-2.00 m R = 0B						0.4 mm aperture slots
			3.0	ASS 2.00-2.25 m R = 0B PID = 1.8 ppm						
			3.5	ASS 2.25-2.50 m R = 0B						
			4.0	ASS 2.50-2.75 m R = 0B PID = 1.8 ppm						
			4.0	ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B						End cap
			3.0	0.14			END OF BOREHOLE @ 3.00 m TARGET DEPTH STANDPIPE INSTALLED			

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH13

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509616.0 m E 6968587.8 m N MGA94 56  
 SURFACE RL: 4.22 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	4.22	ASS 0.00-0.25 m R = 0A PID = 4.5 ppm		SM	Silty SAND fine to medium grained, brown, trace rootlets	D		TOPSOIL
			0.20	4.02	ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A		CI	Sandy CLAY medium plasticity, red brown, fine to medium sand			FILL
			0.50	3.72	ASS 0.50-0.75 m R = 0A PID = 4.4 ppm			some fine to medium, sub-angular gravel from 0.5 m to 0.75 m	D - M		
			0.75	3.47	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A		GW	Sandy Clayey GRAVEL fine to medium grained, to 20 mm, sub-angular, pale brown, fine to coarse sand			
			1.00	3.22	ASS 1.00-1.25 m R = 0A PID = 5.5 ppm		GW	Clayey Sandy GRAVEL fine to medium grained, to 15 mm, sub-angular, red brown, fine to coarse sand			
			1.25	2.97	ASS 1.25-1.50 m R = 0A			change to dark grey	D		
			1.50	1.65	ASS 1.50-1.75 m R = 0B PID = 4.7 ppm						
			1.65	2.57	ASS 1.75-2.00 m R = 0B J 1.75-2.00 m R = 0B		CH	Silty CLAY high plasticity, dark grey black			NATURAL
			2.00		ASS 2.00-2.25 m R = 0B PID = 3.3 ppm				M		
			2.25	2.35	ASS 2.25-2.50 m R = 0B						
			2.35	1.87	ASS 2.50-2.75 m R = 0B PID = 3.4 ppm		SC	Clayey SAND fine to medium grained, dark grey, medium to high plasticity clay	M - W		
			2.50		ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B				W		
			3.00	1.22				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED			

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH14/MW14


SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
PROJECT: BAC Auto Mall Precinct  
LOCATION: Brisbane Airport  
JOB NO: 1538021

COORDS: 509585.9 m E 6968479.0 m N MGA94 56  
SURFACE RL: 4.08 m DATUM: AD  
INCLINATION: -90°  
HOLE DIA: 100 mm HOLE DEPTH: 2.80 m

DRILL RIG: Geoprobe 7822  
CONTRACTOR: Numac  
LOGGED: MJM DATE: 6/10/16  
CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	PIEZOMETER DETAILS
			-1.0									
			-0.5									
			-0.0									
			0.08	4.08	ASS 0.00-0.25 m R = 0A PID = 0.6 ppm	[Yellow with small black dots]	SM	TOPSOIL: Silty SAND fine to medium grained, brown, trace rootlets				
			0.20									
			0.35		ASS 0.25-0.50 m R = 0A	[Blue with small black dots]	GP	FILL: Clayey GRAVEL fine to medium grained, to 12 mm, sub-angular to angular, grey, medium to high plasticity clay, with some fine to medium grain sand				
			0.37		J 0.25-0.50 m R = 0A		CH					
			0.55		ASS 0.50-0.75 m R = 0A PID = 0.7 ppm	[Brown with small black dots]	GM	FILL: CLAY high plasticity, brown, with some fine to medium grain sand				
			0.57					FILL: Silty SAND fine to medium grained, to 15 mm, angular, grey, fine to coarse sand				
			1.10		ASS 0.75-1.00 m R = 0A	[Blue with small black dots]						
			1.12		J 0.75-1.00 m R = 0A							
			1.20		ASS 1.00-1.25 m R = 1A PID = 0.7 ppm	[Orange with small black dots]	CL	Sandy CLAY low to medium plasticity, grey mottled yellow, fine to medium sand, with some fine, sub-angular grain gravel				
			1.22				CH					
			1.28		ASS 1.25-1.50 m R = 0A	[Red with small black dots]	CH	CLAY high plasticity, red brown, trace fine, sub-angular grain gravel				
			1.30									
			1.45		ASS 1.50-1.75 m R = 1A PID = 0.6 ppm	[Dark grey with small black dots]	CH	Silty CLAY medium to high plasticity, dark grey brown				
			1.63					CLAY high plasticity, dark grey mottled yellow				
			2.15		ASS 1.75-2.00 m R = 1A	[Orange with small black dots]	CI	Sandy CLAY medium plasticity, grey mottled orange, fine to medium sand				
			2.17		J 1.75-2.00 m R = 1A							
			2.28		ASS 2.00-2.25 m R = 1A PID = 0.7 ppm							
			2.30									
			2.45		ASS 2.25-2.50 m R = 1A							
			2.63		ASS 2.50-2.75 m R = 0A PID = 1 ppm	[Yellow with small black dots]	SC	Clayey SAND fine to medium grained, brown, medium to high plasticity clay				
			2.80		ASS 2.75-2.80 m R = 0A J 2.75-2.80 m R = 0A			END OF BOREHOLE @ 2.80 m TARGET DEPTH STANDPIPE INSTALLED				
			3.0									
			3.5									
			4.0									



GAP 8-10.0 LIB\GLOB Log GAP NON-CORED FULL PAGE 1538021 - BAC AUTOPRECINCT.GPJ <<DrawingFile>> 22/11/2016 16:11 8:30:04 Datgel Tools

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.

GAP gINT FN. F01d  
RL3



# REPORT OF BOREHOLE: AM-BH15/MW15

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509902.6 m E 6968555.4 m N MGA94 56  
 SURFACE RL: 3.14 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 7/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling				Sampling			Field Material Description				
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	PIEZOMETER DETAILS
				-1.0							
				0.0	ASS 0.00-0.25 m R = 0A	x . . . x	SM	TOPSOIL: Silty SAND fine to medium grained, dark brown, trace rootlets			
				0.10	J 0.00-0.10 m R = 0A	x . . . x	CI-CH	Silty CLAY medium to high plasticity, dark brown, with some fine to medium sand	D - M		
				0.35	ASS 0.25-0.50 m R = 0A	x . . . x	SM	Silty SAND fine to medium grained, pale yellow			
				0.40	J 0.25-0.50 m R = 0A	x . . . x	CH	CLAY high plasticity, brown mottled orange, trace fine to coarse sand			
				0.55	ASS 0.50-0.75 m R = 1B	x . . . x	CH	CLAY high plasticity, grey, with some fine to medium sand			
				2.59	ASS 0.75-1.00 m R = 0B	x . . . x			M		
					J 0.75-1.00 m R = 0B	x . . . x					
					ASS 1.00-1.25 m R = 0B	x . . . x					
					ASS 1.25-1.50 m R = 0B	x . . . x					
					ASS 1.50-1.75 m R = 0B	x . . . x					
					ASS 1.75-2.00 m R = 1B	x . . . x	CI	Sandy CLAY medium plasticity, grey mottled orange, fine to medium sand			
					J 1.75-2.00 m R = 1B	x . . . x			W		
					ASS 2.00-2.25 m R = 1B	x . . . x					
					ASS 2.25-2.50 m R = 1B	x . . . x					
					ASS 2.50-2.75 m R = 0B	x . . . x	SC	Clayey SAND fine to medium grained, dark grey, trace timber up to 10 mm dia			
					J 2.75-3.00 m R = 0B	x . . . x	CI-CH	CLAY medium to high plasticity, dark grey, with some fine to medium sand	M - W		
					ASS 2.75-3.00 m R = 0B	x . . . x					
					END OF BOREHOLE @ 3.00 m TARGET DEPTH STANDPIPE INSTALLED						

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.

GAP 8-10.0 LIB\GIB Log GAP NON-CORED FULL PAGE 1538021 - BAC AUTOPRECINCT.GPJ <<DrawingFile>> 22/11/2016 16:11 8:30:04 Datgel Tools














# REPORT OF BOREHOLE: AM-BH16/MW16

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510075.2 m E 6968683.3 m N MGA94 56  
 SURFACE RL: 2.42 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 7/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description						
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	PIEZOMETER DETAILS	
			-1.0									
			-0.5									
			-0.0	2.42	ASS 0.00-0.25 m R = 0A PID = 3.5 ppm		Cl-CH	Silty CLAY medium to high plasticity, dark brown, with some fine to medium grain sand, trace rootlets	D		Concrete	
			0.15		ASS 0.25-0.50 m R = 1B J 0.25-0.50 m R = 1B		CH	CLAY high plasticity, grey mottled orange			Bentonite seal	
			0.27		ASS 0.50-0.75 m R = 1B PID = 2.9 ppm							
			0.5		ASS 0.75-1.00 m R = 1B J 0.75-1.00 m R = 1B				M			
			1.0		ASS 1.00-1.25 m R = 1B PID = 2.3 ppm							
			1.30		ASS 1.25-1.50 m R = 1B			with some fine to medium sand from 1.3 m to 2.1 m				
			1.5		ASS 1.50-1.75 m R = 1B PID = 3.4 ppm							
			2.0		ASS 1.75-2.00 m R = 1B J 1.75-2.00 m R = 1B				M-W		Filter sand	
			2.10		ASS 2.00-2.25 m R = 1B PID = 3.4 ppm		SC	Clayey SAND fine to medium grained, dark grey mottled green			0.4 mm aperture slots	
			2.60		ASS 2.25-2.50 m R = 0B							
			-0.18		ASS 2.50-2.75 m R = 0B PID = 2.5 ppm		Cl	Sandy CLAY medium plasticity, dark grey, fine to medium sand	W			
			2.85		ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B		SC	Clayey SAND fine to medium grained, dark grey				
			-0.43								End cap	
			-3.0	-0.58	END OF BOREHOLE @ 3.00 m TARGET DEPTH STANDPIPE INSTALLED							
			3.5									
			4.0									

GAP 8.100 LIB/CLB Log GAP NON-CORED FULL PAGE 1538021 - BAC AUTOPRECINCT.GPJ <<DrawingFile>> 22/11/2016 16:11 8.30.004 Datgel Tools

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.

GAP gINT FN. F01d  
RL3



# REPORT OF BOREHOLE: AM-BH21

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509926 m E 6968761 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 1.80 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling		Field Material Description							
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
ADH	L	Groundwater not observed	0.0	2.50	J 0.00-0.50 m R = 0A PID = 0.4 ppm		GW	Sandy GRAVEL fine to coarse grained, angular, fine to medium grained sand, trace rootlets	D			FILL
			0.25	2.25			CI	Sandy CLAY medium plasticity, brown, fine to medium grained sand				NATURAL
			0.50	0.60	J 0.50-1.00 m R = 0A PID = 0.5 ppm		CH	CLAY high plasticity, brown to grey with orange pockets	M			
			0.90	1.60	J 1.00-1.50 m R = 0A PID = 0.5 ppm		CI	Sandy CLAY medium plasticity, fine grained sand				
			1.40	1.10				pockets of red/orange				
			0.70				END OF BOREHOLE @ 1.80 m TARGET DEPTH GROUNDWATER NOT OBSERVED BACKFILLED CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS					

GAP 8.10.0 LIB\GLB Log GAP NON-CORED FULL PAGE 1538021 - BAC AUTOPRECINCT.GPJ <<DrawingFile>> 03/02/2016 10:51 8.30.004 Datgel Tools

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.





# REPORT OF BOREHOLE: AM-BH22

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509904 m E 6968799 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 1.80 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
ADH	L	Groundwater not observed	0.0	2.50	J 0.00-0.50 m R = 0A PID = 0.3 ppm		SC	Clayey SAND fine to medium grained, brown, with some fine to coarse, subangular, up to 30 mm gravel, trace rootlets			FILL
			0.67	1.83	J 0.50-1.00 m R = 0A PID = 0.3 ppm		CH	CLAY high plasticity, dark brown, trace wood fragments to 1.3 m		NATURAL	
			1.30	1.20	J 1.00-1.50 m R = 0A PID = 0.7 ppm			grey			
			0.70					END OF BOREHOLE @ 1.80 m TARGET DEPTH GROUNDWATER NOT OBSERVED BACKFILLED CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS			

GAP 8.10.0 LIB\GLB Log GAP NON-CORED FULL PAGE 1538021 - BAC AUTOPRECINCT.GPJ <<DrawingFile>> 03/02/2016 10:51 8.30.004 Datgel Tools

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.

GAP gINT FN. F01a  
RL3



# REPORT OF BOREHOLE: AM-BH23

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509875 m E 6968821 m N MGA94 56  
 SURFACE RL: 2.5 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DEPTH: 1.80 m

DRILL RIG: Comacchio 305  
 CONTRACTOR: MGS  
 LOGGED: TAS DATE: 17/12/15  
 CHECKED: KRB DATE: 21/1/16

Drilling			Sampling		Field Material Description										
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS			
ADH	L	17/12/15	0.0	2.50	J 0.00-0.50 m R = 0A PID = 0.4 ppm			BOULDERS	D			FILL			
			0.20	2.30			CH	CLAY high plasticity, dark brown to grey	D - M				NATURAL		
			0.45	2.05	J 0.50-1.00 m R = 0A PID = 0.7 ppm		CI	Sandy CLAY medium plasticity, grey, fine grained sand							
			0.60	1.87			CH	gravelly sand lense 30 mm thick							
			0.83	1.67				CLAY high plasticity, dark brown to grey							
			1.0	1.67	J 1.00-1.50 m R = 0A PID = 0.3 ppm		CI	Sandy CLAY medium plasticity, grey with brown pockets, fine to medium grained sand			M				
			1.5	1.60				SAND fine to medium grained, grey, with some clay lenses				W			
			1.60	0.90											
			2.0	0.70						END OF BOREHOLE @ 1.80 m TARGET DEPTH GROUNDWATER ENCOUNTERED @ 1.60 m DEPTH BACKFILLED CONTAM SAMPLES TAKEN AT 0.5 m INTERVALS					
			2.5												
3.0															
3.5															
4.0															
4.5															
5.0															

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH18

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509880.4 m E 6968707.0 m N MGA94 56  
 SURFACE RL: 2.75 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	2.75	ASS 0.00-0.25 m R = 0A PID = 2.1 ppm		GP	Silty Sandy GRAVEL fine to medium grained, to 15 mm, angular, grey, fine to medium sand, trace rootlets	D		FILL
			0.40	2.35	ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A		CI	Sandy CLAY medium plasticity, brown, fine to medium sand	M		NATURAL
			0.50	0.80	ASS 0.50-0.75 m R = 0A PID = 2.6 ppm		CH	CLAY high plasticity, grey	M		
			0.80	1.95	ASS 0.75-1.00 m R = 0B J 0.75-1.00 m R = 0B		CI	Sandy CLAY medium to high plasticity, grey mottled orange, fine sand	M		
			1.00	1.10	ASS 1.00-1.25 m R = 0B PID = 2.3 ppm		CI	Sandy CLAY medium to high plasticity, grey mottled orange, fine sand	M		
			1.10	1.65	ASS 1.25-1.50 m R = 0B		CI	Sandy CLAY medium to high plasticity, grey mottled orange, fine sand	M		
			1.50	2.05	ASS 1.50-1.75 m R = 0B PID = 2.3 ppm		CI	Sandy CLAY medium to high plasticity, grey mottled orange, fine sand	M		
			1.75	2.05	ASS 1.75-2.00 m R = 0B J 1.75-2.00 m R = 1B		CI	Sandy CLAY medium to high plasticity, grey mottled orange, fine sand	M		
			2.00	2.05	ASS 2.00-2.25 m R = 1B PID = 2.1 ppm		SC	Clayey SAND fine to medium grained, grey mottled orange, medium to high plasticity clay	M		
			2.25	2.05	ASS 2.25-2.50 m R = 1B		SC	Clayey SAND fine to medium grained, grey mottled orange, medium to high plasticity clay	M		
			2.50	2.05	ASS 2.50-2.75 m R = 1B PID = 1.7 ppm		SC	Clayey SAND fine to medium grained, grey mottled orange, medium to high plasticity clay	M		
			2.75	2.90	ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B		CL-CI	Sandy CLAY low to medium plasticity, dark grey, fine to medium sand	W		
			3.00	-0.15			CL-CI	Sandy CLAY low to medium plasticity, dark grey, fine to medium sand	W		
				-0.25				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED			

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH24

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509682.3 m E 6968611.5 m N MGA94 56  
 SURFACE RL: 4.19 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description					
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
PT	L	06/10/16	0.0	4.19	ASS 0.00-0.25 m R = 0A		SM	Silty SAND fine to medium grained, brown, trace rootlets	D		TOPSOIL
			0.15	4.04	ASS 0.25-0.50 m R = 0A		GW	Silty Sandy GRAVEL fine to medium grained, to 15 mm, angular, grey, fine to coarse sand			FILL
			0.40	3.79	J 0.25-0.50 m R = 0A		GC	Clayey GRAVEL fine to medium grained, to 10 mm, sub-angular, red grey, medium to high plasticity clay, with some fine to medium grain sand	D - M		
			0.5	0.80	ASS 0.50-0.75 m R = 0A		CI-CH	CLAY medium to high plasticity, dark grey mottled green, with some fine to medium grain, rounded gravel			NATURAL
			0.80	3.39	J 0.75-1.00 m R = 0A						
			1.0	1.30	ASS 1.00-1.25 m R = 0A						
			1.10	2.89	J 1.10-1.20 m R = 1A						
			1.25	1.45	ASS 1.25-1.50 m R = 0A		ML-MH	Clayey Sandy SILT low to medium liquid limit, pale red mottled white, fine to medium sand, with some medium grain, sub-angular to angular gravel			
			1.5	2.74	ASS 1.50-1.75 m R = 0A		CH	CLAY medium to high plasticity, dark grey, with some fine to medium grain sand	M		
			1.75	2.05	ASS 1.75-2.00 m R = 1B						
			2.0	2.14	J 1.75-2.00 m R = 1B						
			2.05	2.35	ASS 2.00-2.25 m R = 0B						
2.14	2.35	ASS 2.25-2.50 m R = 1B									
2.35	1.84	ASS 2.50-2.75 m R = 1B		SC	Clayey SAND fine to medium grained, brown grey, medium to high plasticity clay	M - W					
2.74	1.84	ASS 2.75-3.00 m R = 1B									
3.0	1.19	J 2.75-3.00 m R = 1B									
			3.0	1.19	END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED						

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH25

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509624.7 m E 6968635.0 m N MGA94 56  
 SURFACE RL: 3.79 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description						
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED	GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	3.79	ASS 0.00-0.25 m R = 0A PID = 5.9 ppm			SM	Silty SAND fine to medium grained, brown, trace rootlets	D		TOPSOIL
			0.15	3.64				SM	Silty Gravelly SAND fine to medium grained, brown, fine to medium, sub-angular gravel			FILL
			0.25	3.54	ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A			CL-CH	Silty CLAY medium to high plasticity, dark grey black, with some fine to coarse grain sand, trace rootlets	D - M		NATURAL
			0.5	0.70	ASS 0.50-0.75 m R = 0A J 0.50-0.60 m R = 1A				NO SAMPLE RECOVERED			
			1.0	3.09								
			1.5	1.50	ASS 1.50-1.75 m R = 0B PID = 8 ppm			CH	CLAY high plasticity, dark grey mottled green, with some fine to coarse grain sand	M		
			2.0	2.29	ASS 1.75-2.00 m R = 1B J 1.75-2.00 m R = 1B							
			2.5	2.15	ASS 2.00-2.25 m R = 0B PID = 5.8 ppm			CL-CI	Sandy CLAY low to medium plasticity, grey mottled orange, fine to medium sand	M - W		
			3.0	1.64	ASS 2.25-2.50 m R = 0A							
			3.5	2.70	ASS 2.50-2.75 m R = 0A PID = 4.4 ppm			SC	Clayey SAND fine to medium grained, brown grey	W		
			4.0	1.09	ASS 2.75-3.00 m R = 0A J 2.75-3.00 m R = 0A							
			4.5	0.79					END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED			
			5.0									

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH26

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 509604.2 m E 6968536.0 m N MGA94 56  
 SURFACE RL: 4.03 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 6/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling			Field Material Description						
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS
			0.0	4.03	ASS 0.00-0.25 m R = 0A PID = 3.6 ppm		SM	Silty SAND fine to medium grained, brown, trace rootlets				TOPSOIL
			0.30	3.73	ASS 0.25-0.50 m R = 0A J 0.25-0.50 m R = 0A		GM	Silty Sandy GRAVEL fine to medium grained, to 15 mm, angular, grey, fine to coarse sand		D		FILL
			0.60	3.43	ASS 0.50-0.75 m R = 0A PID = 4.4 ppm		GP	GRAVEL fine to medium grained, to 12 mm, angular, grey, with some fine to coarse grain sand				
			0.80	3.33	ASS 0.75-1.00 m R = 0A J 0.75-1.00 m R = 0A		GW	GRAVEL fine to medium grained, to 12 mm, angular, grey, with some fine to coarse grain sand				
			1.05	2.93	ASS 1.00-1.25 m R = 0A PID = 4.7 ppm		CI	Silty Sandy GRAVEL fine to medium grained, to 10 mm, angular, grey, fine to coarse sand				
			1.30	2.73	ASS 1.25-1.50 m R = 0A		GP	Sandy CLAY medium plasticity, grey brown, fine to coarse sand, with some fine grain, sub-angular gravel		D - M		NATURAL
			1.75	2.28	ASS 1.50-1.75 m R = 0B PID = 4.8 ppm		CH	GRAVEL fine to medium grained, to 20 mm, angular, grey, with some fine to coarse grain sand				
			2.00	2.30	ASS 1.75-2.00 m R = 1B J 1.75-2.00 m R = 1B		CH	Silty CLAY medium to high plasticity, grey brown, with some fine to coarse grain sand				
			2.25	1.73	ASS 2.00-2.25 m R = 0B PID = 4.3 ppm		CH	CLAY high plasticity, dark brown				
			2.50	1.73	ASS 2.25-2.50 m R = 0A		SC	Clayey SAND fine to medium grained, brown grey		M - W		
			2.75		ASS 2.50-2.75 m R = 0A PID = 3.7 ppm							
			3.00		ASS 2.75-3.00 m R = 0A J 2.75-3.00 m R = 0A					W		
			3.00	1.03				END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED				

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# REPORT OF BOREHOLE: AM-BH29

SHEET: 1 OF 1

CLIENT: Brisbane Airport Corporation  
 PROJECT: BAC Auto Mall Precinct  
 LOCATION: Brisbane Airport  
 JOB NO: 1538021

COORDS: 510018.4 m E 6968636.0 m N MGA94 56  
 SURFACE RL: 2.95 m DATUM: AD  
 INCLINATION: -90°  
 HOLE DIA: 100 mm HOLE DEPTH: 3.00 m

DRILL RIG: Geoprobe 7822  
 CONTRACTOR: Numac  
 LOGGED: MJM DATE: 7/10/16  
 CHECKED: KRB DATE: 22/11/16

Drilling			Sampling		Field Material Description								
METHOD	PENETRATION RESISTANCE	WATER	DEPTH (metres)	DEPTH RL	SAMPLE OR FIELD TEST	RECOVERED GRAPHIC LOG	USCS SYMBOL	SOIL/ROCK MATERIAL DESCRIPTION	MOISTURE CONDITION	CONSISTENCY	DENSITY	STRUCTURE AND ADDITIONAL OBSERVATIONS	
			0.0	2.90	ASS 0.00-0.25 m R = 0A J 0.00-0.10 m R = 0A PID = 9 ppm		SM	Silty SAND fine to medium grained, dark brown, trace rootlets	D			TOPSOIL FILL	
			0.30	2.65	ASS 0.25-0.50 m R = 1A J 0.25-0.50 m R = 1A ASS 0.50-0.75 m R = 1A PID = 9.1 ppm		CI-CH	Silty CLAY medium to high plasticity, dark brown, with some fine to medium grain sand, trace rootlets mottled orange from 0.3 m to 1.0 m	D - M				
			1.00	1.95	ASS 0.75-1.00 m R = 1B J 0.75-1.00 m R = 1B ASS 1.00-1.25 m R = 1B PID = 9.2 ppm		CI	Sandy CLAY medium plasticity, dark grey mottled orange, fine to medium sand	M				NATURAL
			1.50	1.45	ASS 1.25-1.50 m R = 1B ASS 1.50-1.75 m R = 1B PID = 9.2 ppm		SC	Clayey SAND fine to medium grained, dark grey mottled orange					
			2.00		ASS 1.75-2.00 m R = 1B J 1.75-2.00 m R = 1B ASS 2.00-2.25 m R = 1B PID = 9.5 ppm								
			2.50		ASS 2.25-2.50 m R = 1B ASS 2.50-2.75 m R = 1B PID = 4 ppm								
			2.85	0.10	ASS 2.75-3.00 m R = 0B J 2.75-3.00 m R = 0B		CI	Sandy CLAY medium plasticity, dark grey, fine to medium sand					
			3.00	-0.05					END OF BOREHOLE @ 3.00 m TARGET DEPTH BACKFILLED				

This report of borehole must be read in conjunction with accompanying notes and abbreviations. It has been prepared for geotechnical purposes only, without attempt to assess possible contamination. Any references to potential contamination are for information only and do not necessarily indicate the presence or absence of soil or groundwater contamination.



# **APPENDIX C**

## **Laboratory Documents**



## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1624693**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : MS KRYSTLE-RAE BIRAM  
**Address** : P O BOX 1734  
 MILTON QLD, AUSTRALIA 4064  
**Telephone** : +61 07 3721 5400  
**Project** : 1538021  
**Order number** : 1538021  
**C-O-C number** : ----  
**Sampler** : MORGAN MIDGLEY  
**Site** : Brisbane Airport  
**Quote number** : ----  
**No. of samples received** : 74  
**No. of samples analysed** : 73

**Page** : 1 of 78  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 14-Oct-2016 16:00  
**Date Analysis Commenced** : 18-Oct-2016  
**Issue Date** : 21-Oct-2016 17:01



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG005T (Total Metals): Sample EB1624693-002 shows poor duplicate results due to sample heterogeneity. Confirmed by visual inspection.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.  
Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.1	8.2	7.8	7.5	7.3	
ø pH (Fox)	----	0.1	pH Unit	4.8	6.3	5.8	5.5	5.4	
ø Reaction Rate	----	1	-	2	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	4.7	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	<5	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	211	----	----	----	
Copper	7440-50-8	5	mg/kg	----	70	----	----	----	
Lead	7439-92-1	5	mg/kg	----	<5	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	82	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	32	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 0-0.25	AM-BH26 0.25-0.5	AM-BH26 0.5-0.75	AM-BH26 0.75-1	AM-BH26 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-001	EB1624693-002	EB1624693-003	EB1624693-004	EB1624693-005	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	101	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	84.9	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	108	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	107	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	104	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	114	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	121	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	123	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	111	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	111	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	124	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	99.8	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	6.8	7.8	5.0	6.5	
ø pH (Fox)	----	0.1	pH Unit	5.4	4.2	2.9	3.0	4.8	
ø Reaction Rate	----	1	-	3	3	3	3	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010
					Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg		----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 1.25-1.5	AM-BH26 1.5-1.75	AM-BH26 1.75-2	AM-BH26 2-2.25	AM-BH26 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-006	EB1624693-007	EB1624693-008	EB1624693-009	EB1624693-010	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.6	7.0	4.7	4.3	
ø pH (Fox)	----	0.1	pH Unit	5.3	5.8	3.6	2.9	2.8	
ø Reaction Rate	----	1	-	2	2	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	25.2	----	24.2	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	14	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	1	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	65	----	
Copper	7440-50-8	5	mg/kg	----	----	----	15	----	
Lead	7439-92-1	5	mg/kg	----	----	----	10	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	18	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	61	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	<0.5	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	<0.5	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	<b>0.6</b>	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	<b>1.2</b>	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	<10	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	<0.001	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH26 2.5-2.75	AM-BH26 2.75-3	AM-BH18 0-0.25	AM-BH18 0.25-0.5	AM-BH18 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-011	EB1624693-012	EB1624693-014	EB1624693-015	EB1624693-016	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	108	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	97.3	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	105	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	108	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	104	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	114	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	116	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	121	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	81.8	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	94.5	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	117	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	99.1	----	93.4	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.3	4.1	4.0	4.2	4.3	
ø pH (Fox)	----	0.1	pH Unit	2.7	2.6	2.3	2.6	2.7	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	27.7	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021
					Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg		----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	<0.0002



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 0.75-1	AM-BH18 1-1.25	AM-BH18 1.25-1.5	AM-BH18 1.5-1.75	AM-BH18 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-017	EB1624693-018	EB1624693-019	EB1624693-020	EB1624693-021	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	92.1	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.5	4.8	4.7	5.2	7.0	
ø pH (Fox)	----	0.1	pH Unit	2.7	3.0	2.9	3.2	4.4	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH18 2-2.25	AM-BH18 2.25-2.5	AM-BH18 2.5-2.75	AM-BH18 2.75-3	AM-BH24 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-022	EB1624693-023	EB1624693-024	EB1624693-025	EB1624693-026	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	9.1	8.0	7.6	7.6	6.8	
ø pH (Fox)	----	0.1	pH Unit	9.0	7.1	3.4	5.4	2.7	
ø Reaction Rate	----	1	-	4	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	5.7	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	<5	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	214	----	----	----	----	
Copper	7440-50-8	5	mg/kg	80	----	----	----	----	
Lead	7439-92-1	5	mg/kg	<5	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	82	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	38	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	<0.2	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	<0.2	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	<100	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	<b>0.6</b>	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	<b>1.2</b>	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	<10	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	<10	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	<0.2	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 0.25-0.5	AM-BH24 0.5-0.75	AM-BH24 0.75-1	AM-BH24 1-1.25	AM-BH24 1.25-1.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-027	EB1624693-028	EB1624693-029	EB1624693-030	EB1624693-031	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	100	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	92.7	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	101	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	103	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	98.9	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	109	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	110	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	117	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	110	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	106	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	120	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	89.7	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.6	5.0	5.4	5.2	5.8	
ø pH (Fox)	----	0.1	pH Unit	2.9	3.0	2.7	3.0	3.5	
ø Reaction Rate	----	1	-	3	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036
					Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg		----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 1.5-1.75	AM-BH24 1.75-2	AM-BH24 2-2.25	AM-BH24 2.25-2.5	AM-BH24 2.5-2.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-032	EB1624693-033	EB1624693-034	EB1624693-035	EB1624693-036	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	8.0	7.2	7.8	7.7	
ø pH (Fox)	----	0.1	pH Unit	5.1	4.1	1.7	2.9	2.7	
ø Reaction Rate	----	1	-	3	3	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	24.5	----	43.4	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	33	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	<1	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	49	----	----	
Copper	7440-50-8	5	mg/kg	----	----	31	----	----	
Lead	7439-92-1	5	mg/kg	----	----	60	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	33	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	242	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	0.1	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	<0.05	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	<0.05	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	<0.05	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	<0.05	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	<0.05	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	<0.05	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	<0.05	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	<0.05	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	<0.05	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	<0.05	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	<0.05	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	<0.05	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	<0.05	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	<0.05	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	<0.05	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	<0.05	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	<0.05	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	<0.05	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	<0.05	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	<0.05	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	<0.2	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	<0.05	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	<0.2	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	<0.05	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	<0.05	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	<50	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	<100	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	<100	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	<50	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	<50	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	<50	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	<100	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	<100	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	<50	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	<0.5	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	<0.5	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	<0.5	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	<0.5	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	<0.5	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	<0.5	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	<0.5	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	<0.5	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	<0.5	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	<0.5	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	<0.5	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	<0.5	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	<0.5	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	<0.5	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	<0.5	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	<0.5	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	<b>0.6</b>	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	<b>1.2</b>	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	<10	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	<10	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	<10	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	<0.2	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	<0.5	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	<0.5	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	<0.5	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	<0.5	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	<0.5	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	<0.2	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	<1	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	<0.001	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH24 2.75-3	AM-BH10 0-0.25	AM-BH10 0.25-0.5	AM-BH10 0.5-0.75	AM-BH10 0.75-1
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-037	EB1624693-039	EB1624693-040	EB1624693-041	EB1624693-042	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	<0.0005	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	<0.0002	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	108	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	96.8	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	84.2	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	86.2	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	84.8	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	92.1	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	92.6	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	98.2	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	107	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	108	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	124	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	99.5	----	86.4	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.8	7.8	7.5	7.6	7.6	
ø pH (Fox)	----	0.1	pH Unit	2.8	1.7	1.7	1.8	1.6	
ø Reaction Rate	----	1	-	3	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	43.2	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	<0.0002	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	<0.001	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 1-1.25	AM-BH10 1.25-1.5	AM-BH10 1.5-1.75	AM-BH10 1.75-2	AM-BH10 2-2.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-043	EB1624693-044	EB1624693-045	EB1624693-046	EB1624693-047	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	<0.0005	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	105	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.7	7.4	7.6	4.4	4.7	
ø pH (Fox)	----	0.1	pH Unit	1.6	1.4	1.8	2.6	2.8	
ø Reaction Rate	----	1	-	4	4	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	15.4	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	14	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	<1	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	65	
Copper	7440-50-8	5	mg/kg	----	----	----	----	18	
Lead	7439-92-1	5	mg/kg	----	----	----	----	12	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	16	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	44	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	<0.05	
^ Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	<0.05	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	<0.05	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	<0.05	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	<0.05	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	<0.05	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	<0.2	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	<0.05	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	<0.2	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	<0.05	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	<50	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	<0.5	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	<0.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	<b>0.6</b>	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	<b>1.2</b>	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	<10	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	<10	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH10 2.25-2.5	AM-BH10 2.5-2.75	AM-BH10 2.75-3	AM-BH32 0-0.25	AM-BH32 0.25-0.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-048	EB1624693-049	EB1624693-050	EB1624693-051	EB1624693-052	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	110	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	99.2	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	107	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	110	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	111	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	117	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	119	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	125	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	101	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	100	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	119	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	89.5	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.6	4.9	5.2	5.0	5.9	
ø pH (Fox)	----	0.1	pH Unit	2.6	2.2	1.4	1.6	1.6	
ø Reaction Rate	----	1	-	3	3	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
^ Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4,4'-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4,4'-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 0.5-0.75	AM-BH32 0.75-1	AM-BH32 1-1.25	AM-BH32 1.25-1.5	AM-BH32 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-053	EB1624693-054	EB1624693-055	EB1624693-056	EB1624693-057	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.6	6.6	6.8	7.1	7.1	
ø pH (Fox)	----	0.1	pH Unit	1.5	1.6	1.6	1.8	1.9	
ø Reaction Rate	----	1	-	4	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	27.4	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	0.0002	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062
					Result	Result	Result	Result	Result
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	<0.0002
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	<0.001
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	<0.0005
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	<0.0002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	<0.0005
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	<0.0005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	<0.0005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	<0.0005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	<0.0002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	<0.0002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH32 1.75-2	AM-BH32 2-2.25	AM-BH32 2.25-2.5	AM-BH32 2.5-2.75	AM-BH32 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-058	EB1624693-059	EB1624693-060	EB1624693-061	EB1624693-062	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<b>0.0002</b>	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	<b>100</b>	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.2	7.9	5.9	4.5	4.1	
ø pH (Fox)	----	0.1	pH Unit	6.2	5.3	3.7	2.8	2.4	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	17.8	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	8	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	51	----	----	----	
Copper	7440-50-8	5	mg/kg	----	19	----	----	----	
Lead	7439-92-1	5	mg/kg	----	9	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	38	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	47	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 0-0.25	AM-BH29 0.25-0.5	AM-BH29 0.5-0.75	AM-BH29 0.75-1	AM-BH29 1-1.25
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-063	EB1624693-064	EB1624693-065	EB1624693-066	EB1624693-067	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	103	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	87.0	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	106	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	104	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	105	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	114	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	117	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	121	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	106	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	104	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	122	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	92.5	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	4.3	5.9	6.2	6.4	6.6	
ø pH (Fox)	----	0.1	pH Unit	2.6	3.5	3.6	3.8	3.7	
ø Reaction Rate	----	1	-	3	3	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	25.8	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072
					Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg		----	----	----	----	----
Benzo(a)pyrene	50-32-8	0.5	mg/kg		----	----	----	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg		----	----	----	----	----
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg		----	----	----	----	----
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg		----	----	----	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg		----	----	----	----	----
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg		----	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	<0.0002	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	<0.0002	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	<0.0002	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	<0.0002	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	<0.0002	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	<0.0002	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	<0.001	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	<0.0002	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	<0.0005	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	<0.0002	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	<0.0005	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	<0.0002	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	<0.0002	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 1.25-1.5	AM-BH29 1.5-1.75	AM-BH29 1.75-2	AM-BH29 2-2.25	AM-BH29 2.25-2.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624693-068	EB1624693-069	EB1624693-070	EB1624693-071	EB1624693-072	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	<0.0005	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	<0.0005	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	<0.0005	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	<0.0005	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	<0.0002	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	<0.0002	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	<0.0002	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	112	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.2	7.5	----	----	----	
ø pH (Fox)	----	0.1	pH Unit	2.1	2.4	----	----	----	
ø Reaction Rate	----	1	-	3	4	----	----	----	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	15.6	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	7	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	<1	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	42	----	----	
Copper	7440-50-8	5	mg/kg	----	----	17	----	----	
Lead	7439-92-1	5	mg/kg	----	----	9	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	27	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	41	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	250	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	1.8	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	<0.1	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
^ Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>									
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids - Continued</b>									
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH29 2.5-2.75	AM-BH29 2.75-3	AM-BH29 0-0.1	----	----
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	----	----	
Compound	CAS Number	LOR	Unit	EB1624693-073	EB1624693-074	EB1624693-075	-----	-----	
				Result	Result	Result	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Surrogate Control Limits

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP068S: Organochlorine Pesticide Surrogate</b>			
Dibromo-DDE	21655-73-2	10	138
<b>EP068T: Organophosphorus Pesticide Surrogate</b>			
DEF	78-48-8	23	135
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	35	155
2-Chlorophenol-D4	93951-73-6	42	153
2,4,6-Tribromophenol	118-79-6	26	157
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	34	157
Anthracene-d10	1719-06-8	37	153
4-Terphenyl-d14	1718-51-0	42	172
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	53	134
Toluene-D8	2037-26-5	60	131
4-Bromofluorobenzene	460-00-4	59	127
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	70	130

## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1624693</b>	<b>Page</b>	: 1 of 13
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 14-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 18-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 21-Oct-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 74		
<b>No. of samples analysed</b>	: 73		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key : Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 620369)</b>									
EB1624693-001	AM-BH26 0-0.25	EA037: pH (F)	----	0.1	pH Unit	7.1	7.2	1.40	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.8	4.9	2.06	0% - 20%
EB1624693-011	AM-BH26 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	7.4	7.3	1.36	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.3	5.3	0.00	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620370)</b>									
EB1624693-022	AM-BH18 2-2.25	EA037: pH (F)	----	0.1	pH Unit	4.5	4.4	2.25	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.7	2.8	3.64	0% - 20%
EB1624693-032	AM-BH24 1.5-1.75	EA037: pH (F)	----	0.1	pH Unit	5.6	5.6	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.9	2.8	3.51	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620371)</b>									
EB1624693-043	AM-BH10 1-1.25	EA037: pH (F)	----	0.1	pH Unit	7.8	7.8	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.8	2.9	3.51	0% - 20%
EB1624693-053	AM-BH32 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	4.6	4.6	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.6	2.5	3.92	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 620372)</b>									
EB1624693-063	AM-BH29 0-0.25	EA037: pH (F)	----	0.1	pH Unit	8.2	8.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	6.2	6.0	3.28	0% - 20%
EB1624693-073	AM-BH29 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	7.2	7.2	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.1	2.0	4.88	0% - 20%
<b>EA055: Moisture Content (QC Lot: 620270)</b>									
EB1624687-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	18.0	17.6	2.31	0% - 50%
EB1624766-002	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	10.0	9.8	1.20	No Limit
<b>EA055: Moisture Content (QC Lot: 624690)</b>									
EB1623981-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	4.8	4.6	4.61	No Limit





Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA055: Moisture Content (QC Lot: 624690) - continued</b>									
EB1623981-011	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	25.5	26.2	2.67	0% - 20%
<b>EG005T: Total Metals by ICP-AES (QC Lot: 620694)</b>									
EB1624766-004	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	8	9	0.00	No Limit
		EG005T: Nickel	7440-02-0	2	mg/kg	10	11	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	5	<5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	6	6	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	16	13	23.5	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	33	34	0.00	No Limit
EB1624693-002	AM-BH26 0.25-0.5	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	211	# 264	22.2	0% - 20%
		EG005T: Nickel	7440-02-0	2	mg/kg	82	99	19.1	0% - 20%
		EG005T: Arsenic	7440-38-2	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	70	86	21.0	0% - 50%
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	32	40	21.2	No Limit
<b>EG020T: Total Metals by ICP-MS (QC Lot: 620696)</b>									
EB1624693-075	AM-BH29 0-0.1	EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	1.8	2.2	20.8	No Limit
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 620695)</b>									
EB1624778-004	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
EB1624693-002	AM-BH26 0.25-0.5	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620261)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620261) - continued</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QC Lot: 620262)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QC Lot: 620262)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620263)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620268)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620268)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit	
<b>EP080: BTEXN (QC Lot: 620268)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit	
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: meta- & para-Xylene	108-38-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
			106-42-3							
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit	
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 621845)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 621845)</b>										
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit	
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit	
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit	



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 621845) - continued</b>									
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 621845)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624693-064	AM-BH29 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 621845)</b>									
EB1624693-002	AM-BH26 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit

Page : 7 of 13  
 Work Order : EB1624693  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 621845) - continued</b>									
EB1624693-064	AM-BH29 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620694)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	118.9 mg/kg	113	84	123	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.87125 mg/kg	103	88	117	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	22.7 mg/kg	111	83	125	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55 mg/kg	93.3	86	122	
EG005T: Lead	7439-92-1	5	mg/kg	<5	72.1 mg/kg	103	84	119	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	16.6 mg/kg	102	89	126	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	182.3 mg/kg	109	87	127	
<b>EG020T: Total Metals by ICP-MS (QCLot: 620696)</b>									
EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	<0.5	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620695)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.09821 mg/kg	99.7	78	122	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261)</b>									
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	82.8	54	121	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	97.1	54	112	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	79.9	49	121	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	77.2	55	129	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	72.4	61	122	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	98.2	65	130	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	87.7	70	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	94.1	58	118	
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	94.4	56	119	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	79.5	51	125	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	90.7	57	118	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	83.7	67	129	
EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	93.0	62	121	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	83.6	60	137	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	76.3	61	122	
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	85.0	60	123	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	81.7	52	125	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	70.9	55	125	
EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	91.4	80	142	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	92.6	55	129	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261) - continued</b>									
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	104	53	136	
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620262)</b>									
EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	97.4	47	112	
EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	106	55	108	
EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620262)</b>									
EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	93.1	46	115	
EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	109	53	113	
EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620263)</b>									
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	89.5	74	119	
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	101	74	118	
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	90.5	83	121	
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	96.8	81	116	
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	81.3	72	117	
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	90.7	72	115	
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	101	70	116	
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	99.4	70	134	
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	106	64	120	
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	90.9	66	119	
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	98.6	59	129	
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	84.3	70	129	
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	82.4	76	121	
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	69.0	53	135	
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	65.9	45	134	
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	73.7	64	131	
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268)</b>									
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	85.1	66	120	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620268)</b>									
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	82.7	66	119	
<b>EP080: BTEXN (QCLot: 620268)</b>									
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	82.6	73	105	
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	98.7	73	105	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP080: BTEXN (QCLot: 620268) - continued</b>									
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	97.6	67	104	
EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	2 mg/kg	102	66	106	
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	101	68	105	
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	97.2	72	115	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 621845)</b>									
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	67.8	57	121	
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	88.3	55	125	
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	94.8	52	126	
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	85.7	54	123	
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.8	55	127	
EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	64.8	54	125	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 621845)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00125 mg/kg	94.7	52	128	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	73.8	54	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	104	58	127	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	111	57	128	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	110	60	134	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	121	63	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	96.8	55	130	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	89.6	62	130	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	69.6	53	134	
EP231X: Perfluorotridecanoic acid (PFTriDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	63.0	49	129	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	83.1	59	129	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 621845)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.6	52	132	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	78.4	65	126	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	79.6	64	126	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	86.3	63	124	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	68.2	58	125	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	118	61	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	120	55	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	89.3	54	130	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00125 mg/kg	107	61	130	





Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
						LCS	Low	High
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845) - continued</b>								
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	102	62	130
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00125 mg/kg	109	60	130

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Spike Concentration	Matrix Spike (MS) Report		
					Spike Recovery(%) MS	Recovery Limits (%)	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620694)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EG005T: Arsenic	7440-38-2	50 mg/kg	103	70	130
		EG005T: Cadmium	7440-43-9	25 mg/kg	110	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	110	70	130
		EG005T: Copper	7440-50-8	50 mg/kg	101	70	130
		EG005T: Lead	7439-92-1	50 mg/kg	108	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	116	70	130
		EG005T: Zinc	7440-66-6	50 mg/kg	103	70	130
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620695)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EG035T: Mercury	7439-97-6	2.5 mg/kg	93.7	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620261)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP068: gamma-BHC	58-89-9	0.5 mg/kg	95.1	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	110	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	106	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	102	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	93.1	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	85.2	70	130
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620262)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP071SG-S: C10 - C14 Fraction	----	318 mg/kg	97.2	47	130
		EP071SG-S: C15 - C28 Fraction	----	531 mg/kg	104	55	130
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620262)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP071SG-S: >C10 - C16 Fraction	----	428 mg/kg	91.6	46	130
		EP071SG-S: >C16 - C34 Fraction	----	395 mg/kg	108	53	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620263)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	103	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	114	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268)</b>							



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620268) - continued</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: C6 - C9 Fraction	----	8 mg/kg	91.2	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620268)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	91.8	70	130
<b>EP080: BTEXN (QCLot: 620268)</b>							
EB1624693-015	AM-BH18 0.25-0.5	EP080: Benzene	71-43-2	2 mg/kg	73.0	70	130
		EP080: Toluene	108-88-3	2 mg/kg	77.2	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00125 mg/kg	52.5	50	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00125 mg/kg	62.8	50	130
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00125 mg/kg	74.7	50	130
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00125 mg/kg	75.0	50	130
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00125 mg/kg	90.2	50	130
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.00125 mg/kg	82.4	50	130
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00125 mg/kg	91.2	50	130
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	55.5	50	130
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	80.0	50	130
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	100.0	50	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	77.1	50	130
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	96.7	50	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	106	50	130
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	99.8	50	130
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	101	50	130
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.00125 mg/kg	103	30	130
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	75.0	30	130
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	95.2	50	130
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	85.6	50	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	73.3	50	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.00312 mg/kg	51.5	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	47.2	30	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	117	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	88.6	30	130

Page : 13 of 13  
 Work Order : EB1624693  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Sub-Matrix: **SOIL**

				<i>Matrix Spike (MS) Report</i>			
				<i>Spike</i>	<i>SpikeRecovery(%)</i>	<i>Recovery Limits (%)</i>	
<i>Laboratory sample ID</i>	<i>Client sample ID</i>	<i>Method: Compound</i>	<i>CAS Number</i>	<i>Concentration</i>	<i>MS</i>	<i>Low</i>	<i>High</i>
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 621845)</b>							
EB1624693-002	AM-BH26 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00125 mg/kg	98.8	50	130
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00125 mg/kg	66.0	50	130
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.00125 mg/kg	112	50	130
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00125 mg/kg	111	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1624693</b>	Page	: 1 of 9
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 14-Oct-2016
Site	: Brisbane Airport	Issue Date	: 21-Oct-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 74
Order number	: 1538021	No. of samples analysed	: 73

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO Method Blank value outliers occur.**
- **NO Laboratory Control outliers occur.**
- **NO Matrix Spike outliers occur.**
- Duplicate outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO Analysis Holding Time Outliers exist.**

#### Outliers : Frequency of Quality Control Samples

- **NO Quality Control Sample Frequency Outliers exist.**



**Outliers : Quality Control Samples**

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Duplicate (DUP) RPDs</b>							
EG005T: Total Metals by ICP-AES	EB1624693--002	AM-BH26 0.25-0.5	Chromium	7440-47-3	22.2 %	0% - 20%	RPD exceeds LOR based limits

**Analysis Holding Time Compliance**

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis</b>								
<b>Snap Lock Bag - frozen (EA037)</b>								
AM-BH26 0-0.25, AM-BH26 0.5-0.75, AM-BH26 1-1.25, AM-BH26 1.5-1.75, AM-BH26 2-2.25, AM-BH26 2.5-2.75, AM-BH18 0-0.25, AM-BH18 0.5-0.75, AM-BH18 1-1.25, AM-BH18 1.5-1.75, AM-BH18 2-2.25, AM-BH18 2.5-2.75, AM-BH24 0-0.25, AM-BH24 0.5-0.75, AM-BH24 1-1.25, AM-BH24 1.5-1.75, AM-BH24 2-2.25, AM-BH24 2.5-2.75, AM-BH10 0-0.25, AM-BH10 0.5-0.75, AM-BH10 1-1.25, AM-BH10 1.5-1.75, AM-BH10 2-2.25, AM-BH10 2.5-2.75,	AM-BH26 0.25-0.5, AM-BH26 0.75-1, AM-BH26 1.25-1.5, AM-BH26 1.75-2, AM-BH26 2.25-2.5, AM-BH26 2.75-3, AM-BH18 0.25-0.5, AM-BH18 0.75-1, AM-BH18 1.25-1.5, AM-BH18 1.75-2, AM-BH18 2.25-2.5, AM-BH18 2.75-3, AM-BH24 0.25-0.5, AM-BH24 0.75-1, AM-BH24 1.25-1.5, AM-BH24 1.75-2, AM-BH24 2.25-2.5, AM-BH24 2.75-3, AM-BH10 0.25-0.5, AM-BH10 0.75-1, AM-BH10 1.25-1.5, AM-BH10 1.75-2, AM-BH10 2.25-2.5, AM-BH10 2.75-3	06-Oct-2016	18-Oct-2016	04-Apr-2017	✓	18-Oct-2016	04-Apr-2017	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA037: Ass Field Screening Analysis - Continued</b>								
<b>Snap Lock Bag - frozen (EA037)</b> AM-BH29 0-0.25, AM-BH29 0.5-0.75, AM-BH29 1-1.25, AM-BH29 1.5-1.75, AM-BH29 2-2.25, AM-BH29 2.5-2.75,	AM-BH29 0.25-0.5, AM-BH29 0.75-1, AM-BH29 1.25-1.5, AM-BH29 1.75-2, AM-BH29 2.25-2.5, AM-BH29 2.75-3	07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓
<b>Snap Lock Bag - frozen (EA037)</b> AM-BH32 0-0.25, AM-BH32 0.5-0.75, AM-BH32 1-1.25, AM-BH32 1.5-1.75, AM-BH32 2-2.25, AM-BH32 2.5-2.75,	AM-BH32 0.25-0.5, AM-BH32 0.75-1, AM-BH32 1.25-1.5, AM-BH32 1.75-2, AM-BH32 2.25-2.5, AM-BH32 2.75-3	10-Oct-2016	18-Oct-2016	08-Apr-2017	✓	18-Oct-2016	08-Apr-2017	✓
<b>EA055: Moisture Content</b>								
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH26 2.75-3, AM-BH24 2.75-3,	AM-BH18 1.75-2, AM-BH10 1.75-2	06-Oct-2016	----	----	----	20-Oct-2016	20-Oct-2016	✓
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH29 1.75-2		07-Oct-2016	----	----	----	20-Oct-2016	21-Oct-2016	✓
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH32 2.75-3		10-Oct-2016	----	----	----	20-Oct-2016	24-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	----	----	----	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	----	----	----	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH32 0.25-0.5		10-Oct-2016	----	----	----	18-Oct-2016	24-Oct-2016	✓
<b>EG005T: Total Metals by ICP-AES</b>								
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	04-Apr-2017	✓	18-Oct-2016	04-Apr-2017	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	08-Apr-2017	✓	18-Oct-2016	08-Apr-2017	✓
<b>EG020T: Total Metals by ICP-MS</b>								
<b>Soil Glass Jar - Unpreserved (EG020R-T)</b> AM-BH29 0-0.1		07-Oct-2016	18-Oct-2016	05-Apr-2017	✓	18-Oct-2016	05-Apr-2017	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Soil Glass Jar - Unpreserved (EG035T) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	03-Nov-2016	✓	19-Oct-2016	03-Nov-2016	✓
Soil Glass Jar - Unpreserved (EG035T) AM-BH29 0.25-0.5,	AM-BH29 0-0.1	07-Oct-2016	18-Oct-2016	04-Nov-2016	✓	19-Oct-2016	04-Nov-2016	✓
Soil Glass Jar - Unpreserved (EG035T) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	07-Nov-2016	✓	19-Oct-2016	07-Nov-2016	✓
<b>EP068A: Organochlorine Pesticides (OC)</b>								
Soil Glass Jar - Unpreserved (EP068) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP068) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP068) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>								
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>								
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP071SG-S) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>								
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
Soil Glass Jar - Unpreserved (EP075(SIM)) AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP080: BTEXN</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH26 0.25-0.5, AM-BH24 0.25-0.5,	AM-BH18 0.25-0.5, AM-BH10 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	18-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH29 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	18-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH32 0.25-0.5		10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	18-Oct-2016	24-Oct-2016	✓
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>EP231P: PFAS Sums</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH26 0.25-0.5, AM-BH18 0.25-0.5, AM-BH24 0.25-0.5, AM-BH10 0.25-0.5,	AM-BH26 2.75-3, AM-BH18 1.75-2, AM-BH24 2.75-3, AM-BH10 1.75-2	06-Oct-2016	20-Oct-2016	04-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH29 0.25-0.5,	AM-BH29 1.75-2	07-Oct-2016	20-Oct-2016	05-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH32 0.25-0.5,	AM-BH32 2.75-3	10-Oct-2016	20-Oct-2016	08-Apr-2017	✓	20-Oct-2016	29-Nov-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	8	72	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	12	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	14	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	1	100.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	1	100.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	14	7.14	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	1	6	16.67	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Metals by ICP-MS - Suite R	EG020R-T	SOIL	In house: Referenced to APHA 3125; USEPA SW846 - 6020. Metals in solids are determined following an appropriate acid digestion. The ICPMS technique ionizes selected elements. Ions are passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass / charge ratios prior to measurement by a discrete dynode ion detector. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Pesticides by GCMS	EP068	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM (2013) Schedule B(3) (Method 504,505)
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
PAH/Phenols (SIM)	EP075(SIM)	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	In house: Referenced to USEPA SW 846 - 8260B Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.

Preparation Methods	Method	Matrix	Method Descriptions
Drying only	EN020D	SOIL	In house
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM (2013) Schedule B(3) (Method 202)

Page : 9 of 9  
Work Order : EB1624693  
Client : GOLDER ASSOCIATES  
Project : 1538021



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Sample Extraction for PFAS	EP231-PR	SOIL	In house
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids	ORG17	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na2SO4 and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

<b>Project ID:</b>	1538021	<b>Order/Quote No:</b>	EN/002/15	<b>GOLDER ASSOCIATES PTY LTD</b>	<b>Phone:</b>	(07) 3721 5400
<b>Site/Location:</b>	Brisbane Airport	<b>Lab Name:</b>	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	<b>Fax:</b>	(07) 3721 5401
<b>Sampled By:</b>	Morgan Midgley	<b>BY:</b>		<b>Invoice to be sent to Accounts:</b>	auaccounts payable@golder.com.au	
<b>Container (Type):</b>	5					
<b>Report Format:</b>	HARD <input type="checkbox"/>	FAX <input type="checkbox"/>	DISK <input type="checkbox"/>	EMAIL <input checked="" type="checkbox"/>	BULLETIN BOARD <input type="checkbox"/>	
<b>Email Format:</b>	PDF <input checked="" type="checkbox"/>	Excel <input type="checkbox"/>	Other <input type="checkbox"/>	<b>Email Addr:</b>	scurti@golder.com.au	
<b>Comments/Special Instructions:</b>				<b>Project Manager:</b>	Krystle-Rae Biram	
				<b>Contact Phone:</b>	07 37215400	
				<b>Email:</b>	KBiram@golder.com.au	



**Comments/Special Instructions:**

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
1	AM-BH26 0 0.25	soil	6/10/2016		bag		1	N
2	AM-BH26 0.25 0.5	soil	6/10/2016		bag+2jar		3	N
3	AM-BH26 0.5 0.75	soil	6/10/2016		bag		1	N
4	AM-BH26 0.75 1	soil	6/10/2016		bag+jar		2	N
5	AM-BH26 1 1.25	soil	6/10/2016		bag		1	N
6	AM-BH26 1.25 1.5	soil	6/10/2016		bag		1	N
7	AM-BH26 1.5 1.75	soil	6/10/2016		bag		1	N
8	AM-BH26 1.75 2	soil	6/10/2016		bag+2 jars		3	N
9	AM-BH26 2 2.25	soil	6/10/2016		bag		1	N
10	AM-BH26 2.25 2.5	soil	6/10/2016		bag		1	N
11	AM-BH26 2.5 2.75	soil	6/10/2016		bag		1	N
12	AM-BH26 2.75 3	soil	6/10/2016		bag+jar		2	N
13	AM-BH26 0 0.1	soil	6/10/2016		jar		1	N

ANALYSIS REQUIRED										
HOLD	EA017 - pH/pHFOX - Fast Screen	EN020PR - dry 85°C and pulvise	S26 - SC TRH(C6-C40)/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters	S-2 8 metals	zinc/cadmium	titanium		
	X	X		X	X					
	X	X	X	X	X					
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X								
	X	X				X				
	X	X					X	X	X	

**Environmental Division**  
Brisbane  
Work Order Reference  
**EB1624693**

Telephone - 61-7-3243 7222

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
RELEASED BY: Morgan Midgley	GOLDER	14-10-16		RELEASED BY: [Signature]	GA	14-10-16		Shipping Ref:
RECEIVED BY: CHRES	ALS	14/10/16	1600	RECEIVED BY:				
RELEASED BY:				TO BE RETURNED BY: Analytical Laboratory	LAB BATCH NUMBER:			
RECEIVED BY:				Sample Sent:	Chilled:			
RELEASED BY:				Suitable Container:	Frozen:			
RECEIVED BY:				Cell Box:	Ammonia:			

**WARNING!**  
SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIERS; LABORATORY ON RECEIPT OF SAMPLES.**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sheet ..... of.....

1538021	<b>EN/002/15</b>	<b>GOLDER ASSOCIATES PTY LTD</b>	Phone: (07) 3721 5400
Brisbane Airport	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Morgan Midgley		<i>Invoice to be sent to Accounts:</i>	accounts.payable@golder.com.au
S	BY:	Project Manager:	Krystle-Rae Biram
HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		Contact Phone:	07 37215400
PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/> Email Addr: spurti@golder.com.au			Email: KBiram@golder.com.au



Comments/Special Instructions:

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
14	AM-BH18	0 0.25	soil	6/10/2016		bag		1	N
15	AM-BH18	0.25 0.5	soil	6/10/2016		bag+2jar		3	N
16	AM-BH18	0.5 0.75	soil	6/10/2016		bag		1	N
17	AM-BH18	0.75 1	soil	6/10/2016		bag+jar		2	N
18	AM-BH18	1 1.25	soil	6/10/2016		bag		1	N
19	AM-BH18	1.25 1.5	soil	6/10/2016		bag		1	N
20	AM-BH18	1.5 1.75	soil	6/10/2016		bag		1	N
21	AM-BH18	1.75 2	soil	6/10/2016		bag+jar		2	N
22	AM-BH18	2 2.25	soil	6/10/2016		bag		1	N
23	AM-BH18	2.25 2.5	soil	6/10/2016		bag		1	N
24	AM-BH18	2.5 2.75	soil	6/10/2016		bag		1	N
25	AM-BH18	2.75 3	soil	6/10/2016		bag+jar		2	N

ANALYSIS REQUIRED									
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 850C and pulvise	S26 - SC TRH(CB- C40)/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters				
	X	X	X	X	X				
	X	X	X	X	X				
	X	X	X	X	X				
	X	X	X	X	X				
	X	X	X	X	X				
	X	X	X	X	X				
	X	X	X	X	X				
	X	X	X	X	X				
	X	X	X	X	X				
	X	X	X	X	X				
	X	X	X	X	X				
	X	X	X	X	X				
	X	X	X	X	X				

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		[Signature]	GA	14-10-16		Shipping Ref:
CHRIS	ALS	14/10/16	1600					

**WARNING!**

SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA

DISPOSE OF SAMPLES IN ACCORDANCE WITH DEPT. APPROVED PROCEDURE

**FREEZE OR BAKE ENTIRE SAMPLE**

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

1538021 Brisbane Airport Morgan Midgley	EN/002/15 ALS Environmental	GOLDER ASSOCIATES PTY LTD 147 Coronation Drive, Milton, Qld 4064 Phone: (07) 3721 5400 Fax: (07) 3721 5401	Invoice to be sent to Accounts: Project Manager: Krystle-Rae Biram Contact Phone: 07 37215400 Email: KBiram@golder.com.au
Turnaround (Days) <b>5</b> BY:		auaccounts@vavable@golder.com.au	
Copy/Format: <input type="checkbox"/> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		Invoice to be sent to Accounts:	
Email Formats: <input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/> Email Address: scurti@golder.com.au		Project Manager: Krystle-Rae Biram Contact Phone: 07 37215400 Email: KBiram@golder.com.au	

**Comments/Special Instructions:**

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
26	AM-BH24	0 0.25	soil	6/10/2016		bag		1	N
27	AM-BH24	0.25 0.5	soil	6/10/2016		bag+2jars		3	N
28	AM-BH24	0.5 0.75	soil	6/10/2016		bag		1	N
29	AM-BH24	0.75 1	soil	6/10/2016		bag+jar		2	N
30	AM-BH24	1 1.25	soil	6/10/2016		bag		1	N
31	AM-BH24	1.25 1.5	soil	6/10/2016		bag		1	N
32	AM-BH24	1.5 1.75	soil	6/10/2016		bag		1	N
33	AM-BH24	1.75 2	soil	6/10/2016		bag+jar		2	N
34	AM-BH24	2 2.25	soil	6/10/2016		bag		1	N
35	AM-BH24	2.25 2.5	soil	6/10/2016		bag		1	N
36	AM-BH24	2.5 2.75	soil	6/10/2016		bag		1	N
37	AM-BH24	2.75 3	soil	6/10/2016		bag+jar		2	N
38	AM-BH24	1.1 1.2	soil	6/10/2016		jar		1	N

ANALYSIS REQUIRED									
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85oC and pulvise	S26 - SC TRHIC6-C40/BTEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters				
	X	X							
	X	X	X	X	X				
	X	X							
	X	X							
	X	X							
	X	X							
	X	X							
	X	X							
	X	X							
	X	X							
X					X				

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14/10		Shipping Ref:
<i>CHAZ</i>	ALS	14/10/16	1600					

**WARNING!**

SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA


DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE

FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sheet ..... of.....

1538021	Order No.	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3724 5400	
Brisbane Airport	Lab Name	ALS Environmental	147 Coreonation Drive, Milton, Qld 4064	Fax: (07) 3721 5401	
Sampled By: Morgan Midgley	BY:		Invoice to be sent to Accounts: auaccounts@payable@golder.com.au		
Report Format: <input type="checkbox"/> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>			Project Manager: Krystle-Rae Biram		
Print Contact: <input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Addr: scurti@golder.com.au		Contact Phone: 07 37215400	Email: KBiram@golder.com.au	

Comments/Special Instructions:								No CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED											
Samples from a declared Fire Ant Area: Y										HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85oC and pulverise	S26 - SC TRHC8-C40/BTEXN /PAH plus 8 metals - silica gel cleanup	CC Pesticides - standard levels	PFAS - extended suite 28 parameters						
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE															
39	AM-BH10	0	0.25	soil	6/10/2016	bag		1	N	X	X										
40	AM-BH10	0.25	0.5	soil	6/10/2016	bag+2jar		3	N	X	X										
41	AM-BH10	0.5	0.75	soil	6/10/2016	bag		1	N	X	X										
42	AM-BH10	0.75	1	soil	6/10/2016	bag+jar		2	N	X	X										
43	AM-BH10	1	1.25	soil	6/10/2016	bag		1	N	X	X										
44	AM-BH10	1.25	1.5	soil	6/10/2016	bag		1	N	X	X										
45	AM-BH10	1.5	1.75	soil	6/10/2016	bag		1	N	X	X										
46	AM-BH10	1.75	2	soil	6/10/2016	bag+jar		2	N	X	X										X
47	AM-BH10	2	2.25	soil	6/10/2016	bag		1	N	X	X										
48	AM-BH10	2.25	2.5	soil	6/10/2016	bag		1	N	X	X										
49	AM-BH10	2.5	2.75	soil	6/10/2016	bag		1	N	X	X										
50	AM-BH10	2.75	3	soil	6/10/2016	bag+jar		2	N	X	X										

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P


SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14/10		Shipping Ref.
CHRES	ALS	14/10/16	1600					

**WARNING!**  
**SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA**  
**DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE**  
**FREEZE OF BAKED ENTIRE SAMPLE**

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**



SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

1538021 Brisbane Airport Morgan Midgley	Order No: EN/002/15 Lab Name: ALS Environmental	GOLDER ASSOCIATES PTY LTD 147 Coronation Drive, Milton, Qld 4064 Phone: (07) 3721 5400 Fax: (07) 3721 5401 auaccounts@payable@golder.com.au	
Sampled By: Morgan Midgley Date: 5 BY:		Invoice to be sent to Accounts: Project Manager: Krystle Rae Biram Contact Phone: 07 37215400 Email: K.Biram@golder.com.au	
Report Format: <input type="checkbox"/> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input checked="" type="checkbox"/> EMAIL <input type="checkbox"/> BULLETIN BOARD			
Email Format: <input checked="" type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Other Email Address: scurti@golder.com.au			

Comments/Special Instructions:									ANALYSIS REQUIRED																			
Samples from a declared Fire Ant Area: <b>Y</b> Samples taken from a known Weed and/or Pest Area: <b>N</b>									No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/F/PHFOX - Fast Screen	EN020PR - dry 85oC and pulverise	S26 - SC TRH (C6-C40)/BTXN /PAH-plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters												
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage																					
51	AM-BH32	0	0.25	soil	10/10/2016	bag		1	N	X	X																	
52	AM-BH32	0.25	0.5	soil	10/10/2016	bag+2jar		3	N	X	X		X															
53	AM-BH32	0.5	0.75	soil	10/10/2016	bag		1	N	X	X																	
54	AM-BH32	0.75	1	soil	10/10/2016	bag+jar		2	N	X	X																	
55	AM-BH32	1	1.25	soil	10/10/2016	bag		1	N	X	X																	
56	AM-BH32	1.25	1.5	soil	10/10/2016	bag		1	N	X	X																	
57	AM-BH32	1.5	1.75	soil	10/10/2016	bag		1	N	X	X																	
58	AM-BH32	1.75	2	soil	10/10/2016	bag+jar		2	N	X	X																	
59	AM-BH32	2	2.25	soil	10/10/2016	bag		1	N	X	X																	
60	AM-BH32	2.25	2.5	soil	10/10/2016	bag		1	N	X	X																	
61	AM-BH32	2.5	2.75	soil	10/10/2016	bag		1	N	X	X																	
62	AM-BH32	2.75	3	soil	10/10/2016	bag+jar		2	N	X	X						X											

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipping Method
RELEASED BY: Morgan Midgley	GOLDER	14-10-16		RELEASED BY:				Shipping Ref:
RECEIVED BY: <i>CURTIS</i>	ALS	14/10/16	1600	RECEIVED BY:				

TO: BIRAM OPERATIONS LABORATORY		LAB BATCH NUMBER	
Security Seal	Checked	Bill to	
Suitable Containers	Traced	Address	
Cool Box	Checked		

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DEP APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sheet ..... of.....

<b>1538021</b>	<b>EN/002/15</b>	<b>GOLDER ASSOCIATES PTY LTD</b>	Phone: (07) 3721 5400
<b>Brisbane Airport</b>	<b>ALS Environmental</b>	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
<b>Morgan Midgley</b>	<b>BY:</b>	<b>Project Manager:</b> Krystle-Rae Biram	<b>Email:</b> KBiram@golder.com.au
<b>5</b>	<b>EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/></b>	<b>Contact Phone:</b> 07 37215400	<b>Invoice to be sent to Accounts:</b> anaccounts@pavable@golder.com.au
<b>HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/></b>	<b>PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/></b>	<b>Email Address:</b> scurji@golder.com.au	



Comments/Special Instructions:								ANALYSIS REQUIRED																		
Samples from a declared Fire Ant Area: <b>Y</b> Samples taken from a known Weed and or Pest Area: <b>N</b>								No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 85°C and pH/uvise	S26 - TRH (CB-C40)/BTEXN /PAH plus 8 metals	S12 - OC/OP Pesticides	PFAS - extended suite 29 parameters	S-2 8 metals	zirconium	titanium								
								SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage												
63	AM-BH29	0	0.25	soil	7/10/2016	bag		1	N	X	X															
64	AM-BH29	0.25	0.5	soil	7/10/2016	bag+2jar		3	N	X	X	X	X													
65	AM-BH29	0.5	0.75	soil	7/10/2016	bag		1	N	X	X															
66	AM-BH29	0.75	1	soil	7/10/2016	bag+jar		2	N	X	X															
67	AM-BH29	1	1.25	soil	7/10/2016	bag		1	N	X	X															
68	AM-BH29	1.25	1.5	soil	7/10/2016	bag		1	N	X	X															
69	AM-BH29	1.5	1.75	soil	7/10/2016	bag		1	N	X	X															
70	AM-BH29	1.75	2	soil	7/10/2016	bag+jar		2	N	X	X	X														
71	AM-BH29	2	2.25	soil	7/10/2016	bag		1	N	X	X															
72	AM-BH29	2.25	2.5	soil	7/10/2016	bag		1	N	X	X															
73	AM-BH29	2.5	2.75	soil	7/10/2016	bag		1	N	X	X															
74	AM-BH29	2.75	3	soil	7/10/2016	bag+jar		2	N	X	X															
75	AM-BH29	0	0.1	soil	7/10/2016	jar		1	N					X	X	X										

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipping Method
RELEASED BY: Morgan Midgley	GOLDER			RELEASED BY:				Shipping Ref:
RECEIVED BY: <i>CARLES</i>	<i>ALS</i>	<i>14/10/16</i>	<i>1600</i>	RECEIVED BY:				
RELEASED BY:				LAB BATCH NUMBER: Scanned by: _____      Gilled: _____ Suitable Containers: _____      Frozen: _____      Billed to: _____ Condition: _____      Ambient: _____      Address: _____				
RECEIVED BY:								

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF AND MUST BE RETURNED ON RECEIPT OF SAMPLES.**



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1624693**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 4
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

Dates

Date Samples Received	: 14-Oct-2016 4:00 PM	Issue Date	: 17-Oct-2016
Client Requested Due Date	: 21-Oct-2016	Scheduled Reporting Date	: <b>21-Oct-2016</b>

Delivery Details

Mode of Delivery	: Carrier	Security Seal	: Intact.
No. of coolers/boxes	: 3	Temperature	: 0.1°C, 0.4°C, 1.2°C
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 74 / 73

General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **Please be advised that sample "AM-BH26 0-0.1" was not received at the laboratory (denoted SNR on the scanned COC).**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913).**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exists.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: SOIL

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH
EB1624693-001	[ 06-Oct-2016 ]	AM-BH26 0-0.25		✓					
EB1624693-002	[ 06-Oct-2016 ]	AM-BH26 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-003	[ 06-Oct-2016 ]	AM-BH26 0.5-0.75		✓					
EB1624693-004	[ 06-Oct-2016 ]	AM-BH26 0.75-1		✓					
EB1624693-005	[ 06-Oct-2016 ]	AM-BH26 1-1.25		✓					
EB1624693-006	[ 06-Oct-2016 ]	AM-BH26 1.25-1.5		✓					
EB1624693-007	[ 06-Oct-2016 ]	AM-BH26 1.5-1.75		✓					
EB1624693-008	[ 06-Oct-2016 ]	AM-BH26 1.75-2		✓					
EB1624693-009	[ 06-Oct-2016 ]	AM-BH26 2-2.25		✓					
EB1624693-010	[ 06-Oct-2016 ]	AM-BH26 2.25-2.5		✓					
EB1624693-011	[ 06-Oct-2016 ]	AM-BH26 2.5-2.75		✓					
EB1624693-012	[ 06-Oct-2016 ]	AM-BH26 2.75-3		✓	✓		✓		
EB1624693-014	[ 06-Oct-2016 ]	AM-BH18 0-0.25		✓					
EB1624693-015	[ 06-Oct-2016 ]	AM-BH18 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-016	[ 06-Oct-2016 ]	AM-BH18 0.5-0.75		✓					
EB1624693-017	[ 06-Oct-2016 ]	AM-BH18 0.75-1		✓					
EB1624693-018	[ 06-Oct-2016 ]	AM-BH18 1-1.25		✓					
EB1624693-019	[ 06-Oct-2016 ]	AM-BH18 1.25-1.5		✓					
EB1624693-020	[ 06-Oct-2016 ]	AM-BH18 1.5-1.75		✓					
EB1624693-021	[ 06-Oct-2016 ]	AM-BH18 1.75-2		✓	✓		✓		
EB1624693-022	[ 06-Oct-2016 ]	AM-BH18 2-2.25		✓					
EB1624693-023	[ 06-Oct-2016 ]	AM-BH18 2.25-2.5		✓					
EB1624693-024	[ 06-Oct-2016 ]	AM-BH18 2.5-2.75		✓					
EB1624693-025	[ 06-Oct-2016 ]	AM-BH18 2.75-3		✓					
EB1624693-026	[ 06-Oct-2016 ]	AM-BH24 0-0.25		✓					
EB1624693-027	[ 06-Oct-2016 ]	AM-BH24 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-028	[ 06-Oct-2016 ]	AM-BH24 0.5-0.75		✓					
EB1624693-029	[ 06-Oct-2016 ]	AM-BH24 0.75-1		✓					
EB1624693-030	[ 06-Oct-2016 ]	AM-BH24 1-1.25		✓					
EB1624693-031	[ 06-Oct-2016 ]	AM-BH24 1.25-1.5		✓					
EB1624693-032	[ 06-Oct-2016 ]	AM-BH24 1.5-1.75		✓					
EB1624693-033	[ 06-Oct-2016 ]	AM-BH24 1.75-2		✓					
EB1624693-034	[ 06-Oct-2016 ]	AM-BH24 2-2.25		✓					
EB1624693-035	[ 06-Oct-2016 ]	AM-BH24 2.25-2.5		✓					
EB1624693-036	[ 06-Oct-2016 ]	AM-BH24 2.5-2.75		✓					



			(On Hold) SOIL No analysis requested	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-02 8 Metals (incl. Digestion)	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEX/NPAH
EB1624693-037	[ 06-Oct-2016 ]	AM-BH24 2.75-3		✓	✓		✓		
EB1624693-038	[ 06-Oct-2016 ]	AM-BH24 1.1-1.2	✓						
EB1624693-039	[ 06-Oct-2016 ]	AM-BH10 0-0.25		✓					
EB1624693-040	[ 06-Oct-2016 ]	AM-BH10 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-041	[ 06-Oct-2016 ]	AM-BH10 0.5-0.75		✓					
EB1624693-042	[ 06-Oct-2016 ]	AM-BH10 0.75-1		✓					
EB1624693-043	[ 06-Oct-2016 ]	AM-BH10 1-1.25		✓					
EB1624693-044	[ 06-Oct-2016 ]	AM-BH10 1.25-1.5		✓					
EB1624693-045	[ 06-Oct-2016 ]	AM-BH10 1.5-1.75		✓					
EB1624693-046	[ 06-Oct-2016 ]	AM-BH10 1.75-2		✓	✓		✓		
EB1624693-047	[ 06-Oct-2016 ]	AM-BH10 2-2.25		✓					
EB1624693-048	[ 06-Oct-2016 ]	AM-BH10 2.25-2.5		✓					
EB1624693-049	[ 06-Oct-2016 ]	AM-BH10 2.5-2.75		✓					
EB1624693-050	[ 06-Oct-2016 ]	AM-BH10 2.75-3		✓					
EB1624693-051	[ 10-Oct-2016 ]	AM-BH32 0-0.25		✓					
EB1624693-052	[ 10-Oct-2016 ]	AM-BH32 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-053	[ 10-Oct-2016 ]	AM-BH32 0.5-0.75		✓					
EB1624693-054	[ 10-Oct-2016 ]	AM-BH32 0.75-1		✓					
EB1624693-055	[ 10-Oct-2016 ]	AM-BH32 1-1.25		✓					
EB1624693-056	[ 10-Oct-2016 ]	AM-BH32 1.25-1.5		✓					
EB1624693-057	[ 10-Oct-2016 ]	AM-BH32 1.5-1.75		✓					
EB1624693-058	[ 10-Oct-2016 ]	AM-BH32 1.75-2		✓					
EB1624693-059	[ 10-Oct-2016 ]	AM-BH32 2-2.25		✓					
EB1624693-060	[ 10-Oct-2016 ]	AM-BH32 2.25-2.5		✓					
EB1624693-061	[ 10-Oct-2016 ]	AM-BH32 2.5-2.75		✓					
EB1624693-062	[ 10-Oct-2016 ]	AM-BH32 2.75-3		✓	✓		✓		
EB1624693-063	[ 07-Oct-2016 ]	AM-BH29 0-0.25		✓					
EB1624693-064	[ 07-Oct-2016 ]	AM-BH29 0.25-0.5		✓	✓	✓	✓		✓
EB1624693-065	[ 07-Oct-2016 ]	AM-BH29 0.5-0.75		✓					
EB1624693-066	[ 07-Oct-2016 ]	AM-BH29 0.75-1		✓					
EB1624693-067	[ 07-Oct-2016 ]	AM-BH29 1-1.25		✓					
EB1624693-068	[ 07-Oct-2016 ]	AM-BH29 1.25-1.5		✓					
EB1624693-069	[ 07-Oct-2016 ]	AM-BH29 1.5-1.75		✓					
EB1624693-070	[ 07-Oct-2016 ]	AM-BH29 1.75-2		✓	✓		✓		
EB1624693-071	[ 07-Oct-2016 ]	AM-BH29 2-2.25		✓					
EB1624693-072	[ 07-Oct-2016 ]	AM-BH29 2.25-2.5		✓					
EB1624693-073	[ 07-Oct-2016 ]	AM-BH29 2.5-2.75		✓					
EB1624693-074	[ 07-Oct-2016 ]	AM-BH29 2.75-3		✓					
EB1624693-075	[ 07-Oct-2016 ]	AM-BH29 0-0.1			✓			✓	



## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1624749**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : MS KRYSTLE-RAE BIRAM  
**Address** : P O BOX 1734  
 MILTON QLD, AUSTRALIA 4064  
**Telephone** : +61 07 3721 5400  
**Project** : 1538021  
**Order number** : 1538021  
**C-O-C number** : ----  
**Sampler** : MORGAN MIDGLEY  
**Site** : Brisbane Airport  
**Quote number** : ----  
**No. of samples received** : 90  
**No. of samples analysed** : 85

**Page** : 1 of 105  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 14-Oct-2016 16:00  
**Date Analysis Commenced** : 18-Oct-2016  
**Issue Date** : 25-Oct-2016 13:16



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Lana Nguyen	Senior LCMS Chemist	Sydney Organics, Smithfield, NSW
Matt Frost	Senior Organic Chemist	Brisbane Inorganics, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
∅ = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- EG005T (Total Metals): Sample EB1624685-033 shows poor matrix spike recovery due to sample heterogeneity. Confirmed by visual inspection.
- EG035T (Total Mercury): Sample EB1624685-033 shows poor spike recovery due to sample heterogeneity. Confirmed by visual inspection
- EP068 Pesticides: Sample 'AM-BH14 0.25-0.5' shows poor matrix spike recovery for 4,4/ due to matrix interference. Confirmed by re-extraction and re-analysis.
- EP068 Pesticides: High LCS recovery deemed acceptable as all associated analyte results are less than LOR.
- EP075(SIM): High LCS recovery deemed acceptable as all associated analyte results are less than LOR.
- ASS: EA037 (Rapid Field and F(ox) screening): pH F(ox) Reaction Rate: 1 - Slight; 2 - Moderate; 3 - Strong; 4 - Extreme
- EA037 ASS Field Screening: NATA accreditation does not cover performance of this service.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero, for 'TEQ 1/2LOR' are treated as half the reported LOR, and for 'TEQ LOR' are treated as being equal to the reported LOR.  
Note: TEQ 1/2LOR and TEQ LOR will calculate as 0.6mg/Kg and 1.2mg/Kg respectively for samples with non-detects for all of the eight TEQ PAHs.





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.6	7.6	6.9	7.1	
ø pH (Fox)	----	0.1	pH Unit	5.2	5.6	5.7	5.2	4.4	
ø Reaction Rate	----	1	-	1	2	2	2	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	9.8	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	7	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	<1	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	9	----	----	----	
Copper	7440-50-8	5	mg/kg	----	23	----	----	----	
Lead	7439-92-1	5	mg/kg	----	14	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	9	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	30	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	<0.05	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	<0.05	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	<0.05	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	<0.05	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	<0.05	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	<0.2	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	<0.05	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	<0.2	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	<0.05	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	<0.05	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	<50	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	<100	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	<100	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 0-0.25	AM-BH13 0.25-0.5	AM-BH13 0.5-0.75	AM-BH13 0.75-1	AM-BH13 1-1.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-001	EB1624749-002	EB1624749-003	EB1624749-004	EB1624749-005	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	114	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	102	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	122	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	118	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	100	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	121	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	113	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	132	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	99.4	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	84.9	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	88.2	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	93.7	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.4	7.8	5.9	5.0	5.7	
ø pH (Fox)	----	0.1	pH Unit	4.2	4.4	3.0	3.4	3.3	
ø Reaction Rate	----	1	-	3	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 1.25-1.5	AM-BH13 1.5-1.75	AM-BH13 1.75-2	AM-BH13 2-2.25	AM-BH13 2.25-2.5
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-006	EB1624749-007	EB1624749-008	EB1624749-009	EB1624749-010
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID				
				AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015
				Result	Result	Result	Result	Result
<b>EA037: Ass Field Screening Analysis</b>								
ø pH (F)	----	0.1	pH Unit	5.7	6.5	7.0	7.8	5.9
ø pH (Fox)	----	0.1	pH Unit	3.4	4.8	4.7	6.0	2.7
ø Reaction Rate	----	1	-	2	2	3	3	4
<b>EA055: Moisture Content</b>								
Moisture Content (dried @ 103°C)	----	1	%	----	25.2	----	11.2	----
<b>EG005T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	----	----	----	8	----
Cadmium	7440-43-9	1	mg/kg	----	----	----	<1	----
Chromium	7440-47-3	2	mg/kg	----	----	----	21	----
Copper	7440-50-8	5	mg/kg	----	----	----	24	----
Lead	7439-92-1	5	mg/kg	----	----	----	13	----
Nickel	7440-02-0	2	mg/kg	----	----	----	14	----
Zinc	7440-66-6	5	mg/kg	----	----	----	40	----
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----
<b>EG020T: Total Metals by ICP-MS</b>								
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----
<b>EP068A: Organochlorine Pesticides (OC)</b>								
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	0.6	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	1.2	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	<10	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	<10	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	<0.2	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	<0.5	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	<0.5	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	<0.5	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	<0.5	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	<0.5	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	<0.2	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	<1	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	<0.0002	----	<b>0.0003</b>	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	<0.0002	----	<0.0002	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	<0.001	----	<0.001	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	<0.0002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	<0.0005



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH13 2.5-2.75	AM-BH13 2.75-3	AM-BH14 0-0.25	AM-BH14 0.25-0.5	AM-BH14 0.5-0.75
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-011	EB1624749-012	EB1624749-013	EB1624749-014	EB1624749-015	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	<0.0002	----	0.0003	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	<0.0002	----	0.0003	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	<0.0002	----	0.0003	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	119	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	112	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	116	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	109	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	95.1	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	116	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	108	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	132	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	94.1	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	79.3	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	92.0	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	96.0	----	104	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.3	5.2	8.0	5.5	5.7	
ø pH (Fox)	----	0.1	pH Unit	2.4	2.5	3.2	2.9	3.0	
ø Reaction Rate	----	1	-	4	4	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	6.8	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		<0.001	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 0.75-1	AM-BH14 1-1.25	AM-BH14 1.25-1.5	AM-BH14 1.5-1.75	AM-BH14 1.75-2
Client sampling date / time					[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-016	EB1624749-017	EB1624749-018	EB1624749-019	EB1624749-020
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		90.5	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.8	7.2	7.2	7.3	7.0	
ø pH (Fox)	----	0.1	pH Unit	5.0	5.6	5.7	5.7	1.8	
ø Reaction Rate	----	1	-	2	2	2	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH14 2-2.25	AM-BH14 2.25-2.5	AM-BH14 2.5-2.75	AM-BH14 2.75-3	AM-BH15 0-0.25
Client sampling date / time				[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[06-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-021	EB1624749-022	EB1624749-023	EB1624749-024	EB1624749-025	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.0	6.5	7.2	7.0	7.3	
ø pH (Fox)	----	0.1	pH Unit	5.4	4.4	5.0	4.8	4.8	
ø Reaction Rate	----	1	-	3	2	3	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	23.9	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	14	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	<1	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	41	----	----	----	----	
Copper	7440-50-8	5	mg/kg	22	----	----	----	----	
Lead	7439-92-1	5	mg/kg	10	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	39	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	90	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	<0.05	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	<0.05	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	<0.05	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	<0.05	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	<0.05	----	----	----	----	







## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	<0.5	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	<0.5	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	<0.5	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	<0.5	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	<0.5	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	<0.5	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	0.6	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	1.2	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	<10	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	<50	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	<100	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	<10	----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	<10	----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg	<50	----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg	<100	----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	<50	----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	<50	----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	<0.2	----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg	<0.5	----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg	<0.5	----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg	<0.2	----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg	<1	----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 0.25-0.5	AM-BH15 0.5-0.75	AM-BH15 0.75-1	AM-BH15 1-1.25	AM-BH15 1.25-1.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-026	EB1624749-027	EB1624749-028	EB1624749-029	EB1624749-030	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	113	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	106	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	108	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	105	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	102	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	103	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	110	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	123	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	99.0	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	89.6	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	97.4	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	96.0	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.1	6.9	6.9	7.0	7.0	
ø pH (Fox)	----	0.1	pH Unit	4.6	4.4	4.2	4.4	2.5	
ø Reaction Rate	----	1	-	3	3	3	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	25.4	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	----	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	----	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	----	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	----	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	----	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	----	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	----	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	----	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	----	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg	----	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		----	<0.0002	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		----	<0.0002	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		----	<0.001	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 1.5-1.75	AM-BH15 1.75-2	AM-BH15 2-2.25	AM-BH15 2.25-2.5	AM-BH15 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-031	EB1624749-032	EB1624749-033	EB1624749-034	EB1624749-035
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	<0.0005	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	<0.0005	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	<0.0002	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	<0.0002	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	<0.0002	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	94.3	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.3	----	----	7.2	6.3	
ø pH (Fox)	----	0.1	pH Unit	2.5	----	----	3.1	4.3	
ø Reaction Rate	----	1	-	4	----	----	3	2	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	16.8	23.4	----	24.2	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	8	13	----	<5	
Cadmium	7440-43-9	1	mg/kg	----	<1	<1	----	<1	
Chromium	7440-47-3	2	mg/kg	----	46	39	----	55	
Copper	7440-50-8	5	mg/kg	----	34	31	----	20	
Lead	7439-92-1	5	mg/kg	----	10	17	----	6	
Nickel	7440-02-0	2	mg/kg	----	52	59	----	18	
Zinc	7440-66-6	5	mg/kg	----	56	236	----	33	
Titanium	7440-32-6	10	mg/kg	----	360	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	1.4	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	<0.1	<0.1	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	<0.05	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	<0.05	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	<0.05	----	<0.05	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	<0.05	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	<0.05	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	<0.05	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	<0.05	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	<0.05	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	<0.05	----	<0.05	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	<0.05	----	<0.05
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	<0.05	----	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	<0.05	----	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	<0.05	----	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	<0.05	----	<0.05
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	<0.2	----	<0.2
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	<0.05	----	<0.05
Methoxychlor	72-43-5	0.2	mg/kg		----	----	<0.2	----	<0.2
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	<0.05	----	<0.05
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	<0.05	----	<0.05
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	<0.05	----	<0.05
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	<0.05	----	<0.05
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	<0.2	----	<0.2
Dimethoate	60-51-5	0.05	mg/kg		----	----	<0.05	----	<0.05
Diazinon	333-41-5	0.05	mg/kg		----	----	<0.05	----	<0.05
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	<0.05	----	<0.05
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	<0.2	----	<0.2
Malathion	121-75-5	0.05	mg/kg		----	----	<0.05	----	<0.05
Fenthion	55-38-9	0.05	mg/kg		----	----	<0.05	----	<0.05
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	<0.05	----	<0.05
Parathion	56-38-2	0.2	mg/kg		----	----	<0.2	----	<0.2
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	<0.05	----	<0.05
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	<0.05	----	<0.05
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	<0.05	----	<0.05
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	<0.05	----	<0.05
Prothiofos	34643-46-4	0.05	mg/kg		----	----	<0.05	----	<0.05
Ethion	563-12-2	0.05	mg/kg		----	----	<0.05	----	<0.05
Carbophenothion	786-19-6	0.05	mg/kg		----	----	<0.05	----	<0.05
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	<0.05	----	<0.05
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	<0.5	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benz(a)anthracene	56-55-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	<0.5	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	<0.5	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	<b>0.6</b>	----	<b>0.6</b>	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	<b>1.2</b>	----	<b>1.2</b>	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	<10	----	<10	
C10 - C14 Fraction	----	50	mg/kg	----	----	<50	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	<100	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	<100	----	<100	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	<50	----	<50	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	<10	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	<10	----	<10	
>C10 - C16 Fraction	----	50	mg/kg	----	----	<50	----	<50	
>C16 - C34 Fraction	----	100	mg/kg	----	----	<100	----	<100	
>C34 - C40 Fraction	----	100	mg/kg	----	----	<100	----	<100	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	<50	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	<50	----	<50	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	<0.2	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	<0.5	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	<0.5	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	<0.5	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	<0.2	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	<1	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	<b>0.0004</b>	----	<0.0002	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	<0.001	----	<0.001	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	<0.0002	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH15 2.75-3	AM-BH15 0-0.1	QAQC005	AM-BH16 0-0.25	AM-BH16 0.25-0.5
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-036	EB1624749-037	EB1624749-038	EB1624749-041	EB1624749-042	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	<0.0005	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	0.0004	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	112	----	116	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	101	----	106	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	109	----	119	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	103	----	110	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	97.8	----	106	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	104	----	103	
Anthracene-d10	1719-06-8	0.5	%	----	----	104	----	113	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	116	----	125	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	98.0	----	110	
Toluene-D8	2037-26-5	0.2	%	----	----	86.8	----	90.0	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	95.4	----	101	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	101	----	92.5	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID				
				AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
				Result	Result	Result	Result	Result
<b>EA037: Ass Field Screening Analysis</b>								
ø pH (F)	----	0.1	pH Unit	4.5	5.3	5.9	6.4	6.7
ø pH (Fox)	----	0.1	pH Unit	2.6	3.2	3.8	3.4	3.5
ø Reaction Rate	----	1	-	2	2	2	3	3
<b>EA055: Moisture Content</b>								
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----
<b>EG005T: Total Metals by ICP-AES</b>								
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----
Copper	7440-50-8	5	mg/kg	----	----	----	----	----
Lead	7439-92-1	5	mg/kg	----	----	----	----	----
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----
<b>EG020T: Total Metals by ICP-MS</b>								
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----
<b>EG035T: Total Recoverable Mercury by FIMS</b>								
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----
<b>EP068A: Organochlorine Pesticides (OC)</b>								
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0.5-0.75	AM-BH16 0.75-1	AM-BH16 1-1.25	AM-BH16 1.25-1.5	AM-BH16 1.5-1.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-043	EB1624749-044	EB1624749-045	EB1624749-046	EB1624749-047
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.3	6.2	6.5	6.4	7.1	
ø pH (Fox)	----	0.1	pH Unit	3.7	3.6	3.3	1.7	2.2	
ø Reaction Rate	----	1	-	3	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	23.9	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	----	----	----	<0.0005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	----	----	----	<0.0002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	----	----	----	<0.0005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	----	----	----	<0.0005	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 1.75-2	AM-BH16 2-2.25	AM-BH16 2.25-2.5	AM-BH16 2.5-2.75	AM-BH16 2.75-3
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-048	EB1624749-049	EB1624749-050	EB1624749-051	EB1624749-052	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	91.6	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	----	----	6.7	4.3	5.9	
ø pH (Fox)	----	0.1	pH Unit	----	----	3.8	4.6	4.0	
ø Reaction Rate	----	1	-	----	----	3	2	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	19.1	23.7	----	11.6	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	11	8	----	10	----	
Cadmium	7440-43-9	1	mg/kg	<1	<1	----	<1	----	
Chromium	7440-47-3	2	mg/kg	37	54	----	54	----	
Copper	7440-50-8	5	mg/kg	25	30	----	41	----	
Lead	7439-92-1	5	mg/kg	17	13	----	15	----	
Nickel	7440-02-0	2	mg/kg	18	33	----	31	----	
Zinc	7440-66-6	5	mg/kg	65	42	----	44	----	
Titanium	7440-32-6	10	mg/kg	340	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	3.0	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	<0.05	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	<0.05	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	<0.05	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	<0.05	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	<0.05	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	<0.05	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	<0.05	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	<0.05	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	<0.05	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	<0.2	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	<0.05	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	<0.2	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	<0.05	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	<0.05	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	<0.05	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	<0.05	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	<0.2	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	<0.05	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	<0.05	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	<0.05	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	<0.2	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	<0.05	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	<0.05	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	<0.05	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	<0.2	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	<0.05	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	<0.05	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	<0.05	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	<0.05	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	<0.05	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	<0.05	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	<0.05	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	<0.05	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	<b>0.6</b>	----	<b>0.6</b>	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	<b>1.2</b>	----	<b>1.2</b>	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	<10	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	<50	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	<100	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	<100	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	<10	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	<10	----	<10	----	
>C10 - C16 Fraction	----	50	mg/kg	----	<50	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	<100	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	<100	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	<50	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	<50	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	<0.2	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	<0.5	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	<0.2	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	<1	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	<b>0.0004</b>	----	<b>0.0005</b>	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	<b>0.0004</b>	----	<b>0.0020</b>	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	<0.001	----	<0.001	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	----	<0.0002	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH16 0-0.1	QAQC001	AM-BH25 0-0.25	AM-BH25 0.25-0.5	AM-BH25 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-053	EB1624749-054	EB1624749-057	EB1624749-058	EB1624749-059	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	<0.0005	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	0.0008	----	0.0025	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	0.0008	----	0.0025	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	0.0008	----	0.0025	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	115	----	108	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	103	----	98.5	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	119	----	117	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	109	----	108	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	102	----	94.1	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	105	----	116	----	
Anthracene-d10	1719-06-8	0.5	%	----	113	----	117	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	132	----	128	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	104	----	93.1	----	
Toluene-D8	2037-26-5	0.2	%	----	89.4	----	83.0	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	97.6	----	83.7	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	95.2	----	93.4	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.9	6.0	6.1	4.7	5.9	
ø pH (Fox)	----	0.1	pH Unit	3.2	3.5	4.1	2.9	4.5	
ø Reaction Rate	----	1	-	3	3	3	2	1	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
^ Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 1.5-1.75	AM-BH25 1.75-2	AM-BH25 2-2.25	AM-BH25 2.25-2.5	AM-BH25 2.5-2.75
Client sampling date / time					[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]	[07-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-060	EB1624749-061	EB1624749-062	EB1624749-063	EB1624749-064
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		----	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		----	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		----	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		----	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		----	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		----	----	----	----	----





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	6.6	----	4.5	3.9	4.2	
ø pH (Fox)	----	0.1	pH Unit	5.4	----	2.8	2.2	2.5	
ø Reaction Rate	----	1	-	2	----	3	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	25.2	28.6	----	15.1	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	8	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	<1	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	39	----	
Copper	7440-50-8	5	mg/kg	----	----	----	16	----	
Lead	7439-92-1	5	mg/kg	----	----	----	12	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	24	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	54	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	<0.1	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	<0.05	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	<0.05	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	<0.05	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	<0.05	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	<0.05	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	<0.05	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	<0.05	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	<0.05	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	<0.05	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	<0.05	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	<0.05	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	<0.05	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	<0.05	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg	----	----	----	<0.05	----	
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDD	72-54-8	0.05	mg/kg	----	----	----	<0.05	----	
Endrin aldehyde	7421-93-4	0.05	mg/kg	----	----	----	<0.05	----	
Endosulfan sulfate	1031-07-8	0.05	mg/kg	----	----	----	<0.05	----	
4.4`-DDT	50-29-3	0.2	mg/kg	----	----	----	<0.2	----	
Endrin ketone	53494-70-5	0.05	mg/kg	----	----	----	<0.05	----	
Methoxychlor	72-43-5	0.2	mg/kg	----	----	----	<0.2	----	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	----	----	----	<0.05	----	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	----	----	----	<0.05	----	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg	----	----	----	----	----	
Demeton-S-methyl	919-86-8	0.05	mg/kg	----	----	----	----	----	
Monocrotophos	6923-22-4	0.2	mg/kg	----	----	----	----	----	
Dimethoate	60-51-5	0.05	mg/kg	----	----	----	----	----	
Diazinon	333-41-5	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	----	----	----	----	----	
Parathion-methyl	298-00-0	0.2	mg/kg	----	----	----	----	----	
Malathion	121-75-5	0.05	mg/kg	----	----	----	----	----	
Fenthion	55-38-9	0.05	mg/kg	----	----	----	----	----	
Chlorpyrifos	2921-88-2	0.05	mg/kg	----	----	----	----	----	
Parathion	56-38-2	0.2	mg/kg	----	----	----	----	----	
Pirimphos-ethyl	23505-41-1	0.05	mg/kg	----	----	----	----	----	
Chlorfenvinphos	470-90-6	0.05	mg/kg	----	----	----	----	----	
Bromophos-ethyl	4824-78-6	0.05	mg/kg	----	----	----	----	----	
Fenamiphos	22224-92-6	0.05	mg/kg	----	----	----	----	----	
Prothiofos	34643-46-4	0.05	mg/kg	----	----	----	----	----	
Ethion	563-12-2	0.05	mg/kg	----	----	----	----	----	
Carbophenothion	786-19-6	0.05	mg/kg	----	----	----	----	----	
Azinphos Methyl	86-50-0	0.05	mg/kg	----	----	----	----	----	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	<50	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	<100	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	<100	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	<50	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	<50	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	<100	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	<100	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	<50	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluorene	86-73-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Anthracene	120-12-7	0.5	mg/kg	----	<0.5	----	<0.5	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Pyrene	129-00-0	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Chrysene	218-01-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	<0.5	----	<0.5	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	<0.5	----	<0.5	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	<0.5	----	<0.5	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	<0.5	----	<0.5	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	0.6	----	0.6	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	1.2	----	1.2	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	<10	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	<10	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	<10	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	<0.2	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	<0.5	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	<0.5	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	<0.5	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	<0.5	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	<0.5	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	<0.2	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	<1	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	<0.001	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH25 2.75-3	AM-BH25 0.5-0.6	AM-BH30 0-0.25	AM-BH30 0.25-0.5	AM-BH30 0.5-0.75
Client sampling date / time				[07-Oct-2016]	[07-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-065	EB1624749-066	EB1624749-067	EB1624749-068	EB1624749-069	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	----	----	<0.0005	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	<0.0002	----	----	<0.0002	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	104	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	98.4	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	113	----	104	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	102	----	97.1	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	106	----	91.9	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	100	----	110	----	
Anthracene-d10	1719-06-8	0.5	%	----	111	----	115	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	116	----	122	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	88.7	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	77.2	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	85.4	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	91.5	----	----	86.5	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	5.4	6.4	6.8	7.1	7.2	
ø pH (Fox)	----	0.1	pH Unit	3.8	4.2	4.0	1.8	1.8	
ø Reaction Rate	----	1	-	2	3	3	3	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	34.4	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----







## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg		----	----	----	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg		----	----	----	----	----
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----
^ >C10 - C40 Fraction (sum)	----	50	mg/kg		----	----	----	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg		----	----	----	----	----
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg		----	----	----	----	----
Toluene	108-88-3	0.5	mg/kg		----	----	----	----	----
Ethylbenzene	100-41-4	0.5	mg/kg		----	----	----	----	----
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg		----	----	----	----	----
ortho-Xylene	95-47-6	0.5	mg/kg		----	----	----	----	----
^ Total Xylenes	1330-20-7	0.5	mg/kg		----	----	----	----	----
^ Sum of BTEX	----	0.2	mg/kg		----	----	----	----	----
Naphthalene	91-20-3	1	mg/kg		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg		<0.001	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 0.75-1	AM-BH30 1-1.25	AM-BH30 1.25-1.5	AM-BH30 1.5-1.75	AM-BH30 1.75-2
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-070	EB1624749-071	EB1624749-072	EB1624749-073	EB1624749-074
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		86.4	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	8.0	8.1	8.2	5.2	4.2	
ø pH (Fox)	----	0.1	pH Unit	2.4	2.0	2.0	3.0	2.4	
ø Reaction Rate	----	1	-	4	4	4	3	3	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	17.5	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	19	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	<1	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	41	
Copper	7440-50-8	5	mg/kg	----	----	----	----	20	
Lead	7439-92-1	5	mg/kg	----	----	----	----	13	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	41	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	63	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	<0.1	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	<0.05	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	<0.05	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	<0.05	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	<0.05	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	<0.05	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	<0.05	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	<0.05	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	<0.05	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	<0.05	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	<0.05	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	<0.05	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	<0.05	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	<0.05	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	<0.05	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	<0.05
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	<0.05
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	<0.05
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	<0.05
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	<0.05
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	<0.2
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	<0.05
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	<0.2
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	<0.05
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	<0.05
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	<50
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	<100
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	<100



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	<50	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	<50	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	<100	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	<100	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	<50	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	<0.5	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	<0.5	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	<0.5	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	<0.5	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	<0.5	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	<0.5	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	<0.5	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	<0.5	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	<0.5	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	<0.5	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	0.6	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	1.2	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	<10	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	<10	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	<10	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	<0.2	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	<0.5	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	<0.5	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	<0.5	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	<0.5	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	<0.5	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	<0.2	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	<1	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	<0.001	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	<0.0002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	<b>0.0005</b>
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	<0.0002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	<0.0005
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	<0.0005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	<0.0005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	<0.0005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	<0.0002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	<0.0002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	<0.0005
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	<0.0005



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH30 2-2.25	AM-BH30 2.25-2.5	AM-BH30 2.5-2.75	AM-BH31 0-0.25	AM-BH31 0.25-0.5
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-075	EB1624749-076	EB1624749-077	EB1624749-079	EB1624749-080	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	<0.0005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	<0.0005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	0.0005	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	<0.0002	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	<0.0002	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	110	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	100	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	108	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	99.3	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	94.6	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	113	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	118	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	126	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	100	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	79.5	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	94.5	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	95.6	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	3.9	5.7	5.1	5.8	6.5	
ø pH (Fox)	----	0.1	pH Unit	2.2	3.9	2.5	1.8	1.9	
ø Reaction Rate	----	1	-	2	3	3	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	----	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	----	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	----	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	----	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg		----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg		----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg		----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg		----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg		----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg		----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg		----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg		----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg		----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg		----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg		----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg		----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg		----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 0.5-0.75	AM-BH31 0.75-1	AM-BH31 1-1.25	AM-BH31 1.25-1.5	AM-BH31 1.5-1.75
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-081	EB1624749-082	EB1624749-083	EB1624749-084	EB1624749-085	
				Result	Result	Result	Result	Result	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	----	----	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	----	----	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg	----	----	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg	----	----	----	----	----	
Sum of PFAS (WA DER List)	----	0.0002	mg/kg	----	----	----	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%	----	----	----	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%	----	----	----	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%	----	----	----	----	----	
2-Chlorophenol-D4	93951-73-6	0.5	%	----	----	----	----	----	
2,4,6-Tribromophenol	118-79-6	0.5	%	----	----	----	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%	----	----	----	----	----	
Anthracene-d10	1719-06-8	0.5	%	----	----	----	----	----	
4-Terphenyl-d14	1718-51-0	0.5	%	----	----	----	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%	----	----	----	----	----	
Toluene-D8	2037-26-5	0.2	%	----	----	----	----	----	
4-Bromofluorobenzene	460-00-4	0.2	%	----	----	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%	----	----	----	----	----	





## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090	
				Result	Result	Result	Result	Result	
<b>EA037: Ass Field Screening Analysis</b>									
ø pH (F)	----	0.1	pH Unit	7.0	7.1	7.4	7.8	7.8	
ø pH (Fox)	----	0.1	pH Unit	1.8	1.7	1.7	2.0	1.7	
ø Reaction Rate	----	1	-	4	4	4	4	4	
<b>EA055: Moisture Content</b>									
Moisture Content (dried @ 103°C)	----	1	%	36.0	----	----	----	----	
<b>EG005T: Total Metals by ICP-AES</b>									
Arsenic	7440-38-2	5	mg/kg	----	----	----	----	----	
Cadmium	7440-43-9	1	mg/kg	----	----	----	----	----	
Chromium	7440-47-3	2	mg/kg	----	----	----	----	----	
Copper	7440-50-8	5	mg/kg	----	----	----	----	----	
Lead	7439-92-1	5	mg/kg	----	----	----	----	----	
Nickel	7440-02-0	2	mg/kg	----	----	----	----	----	
Zinc	7440-66-6	5	mg/kg	----	----	----	----	----	
Titanium	7440-32-6	10	mg/kg	----	----	----	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Zirconium	7440-67-7	0.5	mg/kg	----	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.1	mg/kg	----	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.05	mg/kg	----	----	----	----	----	
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	----	----	----	----	----	
beta-BHC	319-85-7	0.05	mg/kg	----	----	----	----	----	
gamma-BHC	58-89-9	0.05	mg/kg	----	----	----	----	----	
delta-BHC	319-86-8	0.05	mg/kg	----	----	----	----	----	
Heptachlor	76-44-8	0.05	mg/kg	----	----	----	----	----	
Aldrin	309-00-2	0.05	mg/kg	----	----	----	----	----	
Heptachlor epoxide	1024-57-3	0.05	mg/kg	----	----	----	----	----	
<sup>^</sup> Total Chlordane (sum)	----	0.05	mg/kg	----	----	----	----	----	
trans-Chlordane	5103-74-2	0.05	mg/kg	----	----	----	----	----	
alpha-Endosulfan	959-98-8	0.05	mg/kg	----	----	----	----	----	
cis-Chlordane	5103-71-9	0.05	mg/kg	----	----	----	----	----	
Dieldrin	60-57-1	0.05	mg/kg	----	----	----	----	----	
4,4'-DDE	72-55-9	0.05	mg/kg	----	----	----	----	----	
Endrin	72-20-8	0.05	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>									
beta-Endosulfan	33213-65-9	0.05	mg/kg		----	----	----	----	----
^ Endosulfan (sum)	115-29-7	0.05	mg/kg		----	----	----	----	----
4.4`-DDD	72-54-8	0.05	mg/kg		----	----	----	----	----
Endrin aldehyde	7421-93-4	0.05	mg/kg		----	----	----	----	----
Endosulfan sulfate	1031-07-8	0.05	mg/kg		----	----	----	----	----
4.4`-DDT	50-29-3	0.2	mg/kg		----	----	----	----	----
Endrin ketone	53494-70-5	0.05	mg/kg		----	----	----	----	----
Methoxychlor	72-43-5	0.2	mg/kg		----	----	----	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg		----	----	----	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg		----	----	----	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
Dichlorvos	62-73-7	0.05	mg/kg		----	----	----	----	----
Demeton-S-methyl	919-86-8	0.05	mg/kg		----	----	----	----	----
Monocrotophos	6923-22-4	0.2	mg/kg		----	----	----	----	----
Dimethoate	60-51-5	0.05	mg/kg		----	----	----	----	----
Diazinon	333-41-5	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg		----	----	----	----	----
Parathion-methyl	298-00-0	0.2	mg/kg		----	----	----	----	----
Malathion	121-75-5	0.05	mg/kg		----	----	----	----	----
Fenthion	55-38-9	0.05	mg/kg		----	----	----	----	----
Chlorpyrifos	2921-88-2	0.05	mg/kg		----	----	----	----	----
Parathion	56-38-2	0.2	mg/kg		----	----	----	----	----
Pirimphos-ethyl	23505-41-1	0.05	mg/kg		----	----	----	----	----
Chlorfenvinphos	470-90-6	0.05	mg/kg		----	----	----	----	----
Bromophos-ethyl	4824-78-6	0.05	mg/kg		----	----	----	----	----
Fenamiphos	22224-92-6	0.05	mg/kg		----	----	----	----	----
Prothiofos	34643-46-4	0.05	mg/kg		----	----	----	----	----
Ethion	563-12-2	0.05	mg/kg		----	----	----	----	----
Carbophenothion	786-19-6	0.05	mg/kg		----	----	----	----	----
Azinphos Methyl	86-50-0	0.05	mg/kg		----	----	----	----	----
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
>C10 - C16 Fraction	----	50	mg/kg		----	----	----	----	----
>C16 - C34 Fraction	----	100	mg/kg		----	----	----	----	----
>C34 - C40 Fraction	----	100	mg/kg		----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090	
				Result	Result	Result	Result	Result	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup - Continued</b>									
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>									
Naphthalene	91-20-3	0.5	mg/kg	----	----	----	----	----	
Acenaphthylene	208-96-8	0.5	mg/kg	----	----	----	----	----	
Acenaphthene	83-32-9	0.5	mg/kg	----	----	----	----	----	
Fluorene	86-73-7	0.5	mg/kg	----	----	----	----	----	
Phenanthrene	85-01-8	0.5	mg/kg	----	----	----	----	----	
Anthracene	120-12-7	0.5	mg/kg	----	----	----	----	----	
Fluoranthene	206-44-0	0.5	mg/kg	----	----	----	----	----	
Pyrene	129-00-0	0.5	mg/kg	----	----	----	----	----	
Benzo(a)anthracene	56-55-3	0.5	mg/kg	----	----	----	----	----	
Chrysene	218-01-9	0.5	mg/kg	----	----	----	----	----	
Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	----	----	----	----	----	
Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	----	----	----	----	----	
Benzo(a)pyrene	50-32-8	0.5	mg/kg	----	----	----	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	----	----	----	----	----	
Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	----	----	----	----	----	
Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	----	----	----	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (half LOR)	----	0.5	mg/kg	----	----	----	----	----	
^ Benzo(a)pyrene TEQ (LOR)	----	0.5	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Petroleum Hydrocarbons</b>									
C6 - C9 Fraction	----	10	mg/kg	----	----	----	----	----	
C10 - C14 Fraction	----	50	mg/kg	----	----	----	----	----	
C15 - C28 Fraction	----	100	mg/kg	----	----	----	----	----	
C29 - C36 Fraction	----	100	mg/kg	----	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time				[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	
Compound	CAS Number	LOR	Unit	EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090	
				Result	Result	Result	Result	Result	
<b>EP080/071: Total Petroleum Hydrocarbons - Continued</b>									
^ C10 - C36 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>									
C6 - C10 Fraction	C6_C10	10	mg/kg	----	----	----	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	10	mg/kg	----	----	----	----	----	
>C10 - C16 Fraction	----	50	mg/kg	----	----	----	----	----	
>C16 - C34 Fraction	----	100	mg/kg	----	----	----	----	----	
>C34 - C40 Fraction	----	100	mg/kg	----	----	----	----	----	
^ >C10 - C40 Fraction (sum)	----	50	mg/kg	----	----	----	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	50	mg/kg	----	----	----	----	----	
<b>EP080: BTEXN</b>									
Benzene	71-43-2	0.2	mg/kg	----	----	----	----	----	
Toluene	108-88-3	0.5	mg/kg	----	----	----	----	----	
Ethylbenzene	100-41-4	0.5	mg/kg	----	----	----	----	----	
meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	----	----	----	----	----	
ortho-Xylene	95-47-6	0.5	mg/kg	----	----	----	----	----	
^ Total Xylenes	1330-20-7	0.5	mg/kg	----	----	----	----	----	
^ Sum of BTEX	----	0.2	mg/kg	----	----	----	----	----	
Naphthalene	91-20-3	1	mg/kg	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	----	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	----	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	----	----	----	----	



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP231B: Perfluoroalkyl Carboxylic Acids - Continued</b>									
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	----	----	----	----	----
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	----	----	----	----	----
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	----	----	----	----	----
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	----	----	----	----	----
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	----	----	----	----	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	----	----	----	----	----



## Analytical Results

Sub-Matrix: SOIL (Matrix: SOIL)				Client sample ID	AM-BH31 1.75-2	AM-BH31 2-2.25	AM-BH31 2.25-2.5	AM-BH31 2.5-2.75	AM-BH31 2.75-3
Client sampling date / time					[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]	[10-Oct-2016]
Compound	CAS Number	LOR	Unit		EB1624749-086	EB1624749-087	EB1624749-088	EB1624749-089	EB1624749-090
					Result	Result	Result	Result	Result
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued</b>									
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg		<0.0005	----	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg		<0.0005	----	----	----	----
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.0002	mg/kg		<0.0002	----	----	----	----
Sum of PFAS (WA DER List)	----	0.0002	mg/kg		<0.0002	----	----	----	----
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.05	%		----	----	----	----	----
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.05	%		----	----	----	----	----
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	0.5	%		----	----	----	----	----
2-Chlorophenol-D4	93951-73-6	0.5	%		----	----	----	----	----
2,4,6-Tribromophenol	118-79-6	0.5	%		----	----	----	----	----
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	0.5	%		----	----	----	----	----
Anthracene-d10	1719-06-8	0.5	%		----	----	----	----	----
4-Terphenyl-d14	1718-51-0	0.5	%		----	----	----	----	----
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	0.2	%		----	----	----	----	----
Toluene-D8	2037-26-5	0.2	%		----	----	----	----	----
4-Bromofluorobenzene	460-00-4	0.2	%		----	----	----	----	----
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.0002	%		82.9	----	----	----	----



## Surrogate Control Limits

Sub-Matrix: SOIL		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP068S: Organochlorine Pesticide Surrogate</b>			
Dibromo-DDE	21655-73-2	10	138
<b>EP068T: Organophosphorus Pesticide Surrogate</b>			
DEF	78-48-8	23	135
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	35	155
2-Chlorophenol-D4	93951-73-6	42	153
2,4,6-Tribromophenol	118-79-6	26	157
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	34	157
Anthracene-d10	1719-06-8	37	153
4-Terphenyl-d14	1718-51-0	42	172
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	53	134
Toluene-D8	2037-26-5	60	131
4-Bromofluorobenzene	460-00-4	59	127
<b>EP231S: PFAS Surrogate</b>			
13C4-PFOS	----	70	130

## QUALITY CONTROL REPORT

<b>Work Order</b>	<b>: EB1624749</b>	<b>Page</b>	: 1 of 19
<b>Client</b>	<b>: GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: MS KRYSTLE-RAE BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 14-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 18-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 25-Oct-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 90		
<b>No. of samples analysed</b>	: 85		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Andrew Epps	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD
Ben Felgendrejeris		Brisbane Acid Sulphate Soils, Stafford, QLD
Lana Nguyen	Senior LCMS Chemist	Sydney Organics, Smithfield, NSW
Matt Frost	Senior Organic Chemist	Brisbane Inorganics, Stafford, QLD
Matt Frost	Senior Organic Chemist	Brisbane Organics, Stafford, QLD





## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA037: Ass Field Screening Analysis (QC Lot: 621294)</b>									
EB1624749-001	AM-BH13 0-0.25	EA037: pH (F)	----	0.1	pH Unit	7.4	7.4	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.2	5.1	1.94	0% - 20%
EB1624749-011	AM-BH13 2.5-2.75	EA037: pH (F)	----	0.1	pH Unit	5.7	5.5	3.57	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.4	3.5	2.90	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621295)</b>									
EB1624749-021	AM-BH14 2-2.25	EA037: pH (F)	----	0.1	pH Unit	6.8	7.0	2.90	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	5.0	4.8	4.08	0% - 20%
EB1624749-031	AM-BH15 1.5-1.75	EA037: pH (F)	----	0.1	pH Unit	7.1	7.0	1.42	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.6	4.5	2.20	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621296)</b>									
EB1624749-045	AM-BH16 1-1.25	EA037: pH (F)	----	0.1	pH Unit	5.9	5.8	1.71	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.8	3.8	0.00	0% - 20%
EB1624749-059	AM-BH25 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	5.9	6.0	1.68	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	4.0	3.9	2.53	0% - 20%
<b>EA037: Ass Field Screening Analysis (QC Lot: 621297)</b>									
EB1624749-070	AM-BH30 0.75-1	EA037: pH (F)	----	0.1	pH Unit	5.4	5.5	1.83	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	3.8	3.7	2.67	0% - 20%
EB1624749-081	AM-BH31 0.5-0.75	EA037: pH (F)	----	0.1	pH Unit	3.9	3.9	0.00	0% - 20%
		EA037: pH (Fox)	----	0.1	pH Unit	2.2	2.3	4.44	0% - 20%
<b>EA055: Moisture Content (QC Lot: 620751)</b>									
EB1624685-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	16.4	16.6	1.12	0% - 50%
EB1624685-023	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	3.8	3.9	0.00	No Limit
<b>EA055: Moisture Content (QC Lot: 620757)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	9.8	9.6	2.30	No Limit



Sub-Matrix: **SOIL**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA055: Moisture Content (QC Lot: 620766)</b>									
EB1624685-005	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	8.3	8.2	0.00	No Limit
<b>EA055: Moisture Content (QC Lot: 624690)</b>									
EB1623981-001	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	4.8	4.6	4.61	No Limit
EB1623981-011	Anonymous	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	25.5	26.2	2.67	0% - 20%
<b>EA055: Moisture Content (QC Lot: 624691)</b>									
EB1624749-052	AM-BH16 2.75-3	EA055-103: Moisture Content (dried @ 103°C)	----	1	%	23.9	23.3	2.31	0% - 20%
<b>EG005T: Total Metals by ICP-AES (QC Lot: 620763)</b>									
EB1624685-032	Anonymous	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	25	25	0.00	0% - 50%
		EG005T: Nickel	7440-02-0	2	mg/kg	2	<2	0.00	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	6	5	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	<5	<5	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	12	12	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	<5	<5	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EG005T: Cadmium	7440-43-9	1	mg/kg	<1	<1	0.00	No Limit
		EG005T: Chromium	7440-47-3	2	mg/kg	54	53	0.00	0% - 20%
		EG005T: Nickel	7440-02-0	2	mg/kg	31	31	0.00	0% - 50%
		EG005T: Arsenic	7440-38-2	5	mg/kg	10	11	0.00	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	41	40	0.00	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	15	16	0.00	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	44	44	0.00	No Limit
<b>EG020T: Total Metals by ICP-MS (QC Lot: 620765)</b>									
EB1624749-037	AM-BH15 0-0.1	EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	1.4	1.7	13.2	No Limit
<b>EG035T: Total Recoverable Mercury by FIMS (QC Lot: 620764)</b>									
EB1624685-032	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620748)</b>									
EB1624685-001	Anonymous	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	0.08	0.07	14.7	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620748) - continued</b>									
EB1624685-001	Anonymous	EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	0.08	0.07	13.3	No Limit
		EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620755)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068A: Organochlorine Pesticides (OC) (QC Lot: 620755) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620748)</b>									
EB1624685-001	Anonymous	EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit		
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	<0.2	0.00	No Limit		
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit		
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620755)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
		EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	<0.05	0.00	No Limit
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	<0.05	0.00	No Limit		



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP068B: Organophosphorus Pesticides (OP) (QC Lot: 620755) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QC Lot: 620754)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QC Lot: 620754)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620746)</b>									
EB1624685-023	Anonymous	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	205-82-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a.h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g.h.i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EB1624685-001	Anonymous	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5
EP075(SIM): Acenaphthylene	208-96-8			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Acenaphthene	83-32-9			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Fluorene	86-73-7			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Phenanthrene	85-01-8			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Anthracene	120-12-7			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Fluoranthene	206-44-0			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Pyrene	129-00-0			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Benz(a)anthracene	56-55-3			0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Chrysene	218-01-9			0.5	mg/kg	<0.5	<0.5	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620746) - continued</b>									
EB1624685-001	Anonymous	EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	0.5	<0.5	0.00	No Limit
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QC Lot: 620753)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
			205-82-3						
		EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	<0.5	0.00	No Limit		
		EP075(SIM): Benzo(a)pyrene TEQ (zero)	----	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620747)</b>									
EB1624685-033	Anonymous	EP071: C15 - C28 Fraction	----	100	mg/kg	<100	100	0.00	No Limit
		EP071: C29 - C36 Fraction	----	100	mg/kg	100	120	15.1	No Limit
		EP071: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EB1624685-001	Anonymous	EP071: C15 - C28 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: C29 - C36 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: C10 - C14 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit
EB1624685-033	Anonymous	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080/071: Total Petroleum Hydrocarbons (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: C6 - C9 Fraction	----	10	mg/kg	<10	<10	0.00	No Limit



Sub-Matrix: SOIL

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620747)</b>									
EB1624685-033	Anonymous	EP071: >C16 - C34 Fraction	----	100	mg/kg	160	190	14.4	No Limit
		EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
EB1624685-001	Anonymous	EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	<100	0.00	No Limit
		EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	<50	0.00	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
EB1624685-033	Anonymous	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	<10	0.00	No Limit
<b>EP080: BTEXN (QC Lot: 620750)</b>									
EB1624685-001	Anonymous	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
EB1624685-033	Anonymous	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
<b>EP080: BTEXN (QC Lot: 620756)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	<0.2	0.00	No Limit
		EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	<0.5	0.00	No Limit
		EP080: Naphthalene	91-20-3	1	mg/kg	<1	<1	0.00	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit



Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 624743) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	0.0005	0.0006	18.0	No Limit
		EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	0.0020	0.0022	12.4	0% - 50%
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	<0.001	0.00	No Limit
		EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	<0.0002
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorononanoic acid (PFNA)	375-95-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8			0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7			0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4			0.001	mg/kg	<0.001	<0.001	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit





Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 624743) - continued</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	<0.0002	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 624743)</b>									
EB1624749-002	AM-BH13 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
EB1624749-058	AM-BH25 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	<0.0005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **SOIL**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763)</b>									
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	118.9 mg/kg	93.9	84	123	
EG005T: Cadmium	7440-43-9	1	mg/kg	<1	1.87125 mg/kg	102	88	117	
EG005T: Chromium	7440-47-3	2	mg/kg	<2	22.7 mg/kg	95.9	83	125	
EG005T: Copper	7440-50-8	5	mg/kg	<5	55 mg/kg	105	86	122	
EG005T: Lead	7439-92-1	5	mg/kg	<5	72.1 mg/kg	102	84	119	
EG005T: Nickel	7440-02-0	2	mg/kg	<2	16.6 mg/kg	109	89	126	
EG005T: Zinc	7440-66-6	5	mg/kg	<5	182.3 mg/kg	104	87	127	
<b>EG020T: Total Metals by ICP-MS (QCLot: 620765)</b>									
EG020R-T: Zirconium	7440-67-7	0.5	mg/kg	<0.5	----	----	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620764)</b>									
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.09821 mg/kg	100	78	122	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748)</b>									
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	81.7	54	121	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	101	54	112	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	89.2	49	121	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	85.1	55	129	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	79.8	61	122	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	103	65	130	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	102	70	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	106	58	118	
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	107	56	119	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	101	51	125	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	105	57	118	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	100	67	129	
EP068: 4,4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	110	62	121	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	108	60	137	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	94.4	61	122	
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
EP068: 4,4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	106	60	123	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	97.5	52	125	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	87.0	55	125	
EP068: 4,4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	80.2	80	142	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	98.4	55	129	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748) - continued</b>									
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	98.1	53	136	
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620755)</b>									
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	96.5	54	121	
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	# 114	54	112	
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	99.7	49	121	
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	95.5	55	129	
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	84.1	61	122	
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	119	65	130	
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	108	70	130	
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	116	58	118	
EP068: Total Chlordane (sum)	----	0.05	mg/kg	<0.05	----	----	----	----	
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	115	56	119	
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	103	51	125	
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	113	57	118	
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	106	67	129	
EP068: 4.4'-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	118	62	121	
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	113	60	137	
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	102	61	122	
EP068: Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	----	----	----	----	
EP068: 4.4'-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	106	60	123	
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	97.4	52	125	
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	93.6	55	125	
EP068: 4.4'-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	107	80	142	
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	121	55	129	
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	111	53	136	
EP068: Sum of DDD + DDE + DDT	72-54-8/72-5 5-9/50-2	0.05	mg/kg	<0.05	----	----	----	----	
EP068: Sum of Aldrin + Dieldrin	309-00-2/60- 57-1	0.05	mg/kg	<0.05	----	----	----	----	
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748)</b>									
EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	0.5 mg/kg	99.2	41	114	
EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	65.7	25	120	
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	0.5 mg/kg	113	35	135	
EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	0.5 mg/kg	94.8	44	131	
EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	0.5 mg/kg	98.7	70	131	



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike	Spike Recovery (%)		Recovery Limits (%)	
					Concentration	LCS	Low	High	
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748) - continued</b>									
EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	0.5 mg/kg	109	70	130	
EP068: Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	0.5 mg/kg	80.0	60	122	
EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	0.5 mg/kg	96.5	64	125	
EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	0.5 mg/kg	103	69	115	
EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	0.5 mg/kg	92.9	66	120	
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	0.5 mg/kg	102	57	118	
EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	0.5 mg/kg	121	70	130	
EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	0.5 mg/kg	117	62	127	
EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	0.5 mg/kg	106	80	130	
EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	0.5 mg/kg	98.5	55	106	
EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	0.5 mg/kg	101	80	134	
EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	0.5 mg/kg	120	61	123	
EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	0.5 mg/kg	119	57	124	
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	0.5 mg/kg	46.7	35	127	
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620755)</b>									
EP068: Dichlorvos	62-73-7	0.05	mg/kg	<0.05	0.5 mg/kg	102	41	114	
EP068: Demeton-S-methyl	919-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	67.2	25	120	
EP068: Monocrotophos	6923-22-4	0.2	mg/kg	<0.2	0.5 mg/kg	112	35	135	
EP068: Dimethoate	60-51-5	0.05	mg/kg	<0.05	0.5 mg/kg	97.1	44	131	
EP068: Diazinon	333-41-5	0.05	mg/kg	<0.05	0.5 mg/kg	111	70	131	
EP068: Chlorpyrifos-methyl	5598-13-0	0.05	mg/kg	<0.05	0.5 mg/kg	107	70	130	
EP068: Parathion-methyl	298-00-0	0.2	mg/kg	<0.2	0.5 mg/kg	81.3	60	122	
EP068: Malathion	121-75-5	0.05	mg/kg	<0.05	0.5 mg/kg	105	64	125	
EP068: Fenthion	55-38-9	0.05	mg/kg	<0.05	0.5 mg/kg	108	69	115	
EP068: Chlorpyrifos	2921-88-2	0.05	mg/kg	<0.05	0.5 mg/kg	98.5	66	120	
EP068: Parathion	56-38-2	0.2	mg/kg	<0.2	0.5 mg/kg	102	57	118	
EP068: Pirimphos-ethyl	23505-41-1	0.05	mg/kg	<0.05	0.5 mg/kg	# 131	70	130	
EP068: Chlorfenvinphos	470-90-6	0.05	mg/kg	<0.05	0.5 mg/kg	123	62	127	
EP068: Bromophos-ethyl	4824-78-6	0.05	mg/kg	<0.05	0.5 mg/kg	114	80	130	
EP068: Fenamiphos	22224-92-6	0.05	mg/kg	<0.05	0.5 mg/kg	103	55	106	
EP068: Prothiofos	34643-46-4	0.05	mg/kg	<0.05	0.5 mg/kg	107	80	134	
EP068: Ethion	563-12-2	0.05	mg/kg	<0.05	0.5 mg/kg	112	61	123	
EP068: Carbophenothion	786-19-6	0.05	mg/kg	<0.05	0.5 mg/kg	# 126	57	124	
EP068: Azinphos Methyl	86-50-0	0.05	mg/kg	<0.05	0.5 mg/kg	35.5	35	127	
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754)</b>									
EP071SG-S: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	61.8	47	112	
EP071SG-S: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	72.0	55	108	
EP071SG-S: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----	



Sub-Matrix: SOIL

Method: Compound				Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)
CAS Number	LOR	Unit	Result	LCS		Low	High	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620754)</b>								
EP071SG-S: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	65.8	46	115
EP071SG-S: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	70.9	53	113
EP071SG-S: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620746)</b>								
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	101	74	119
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	102	74	118
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	106	83	121
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	104	81	116
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	110	72	117
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	113	72	115
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	112	70	116
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	114	70	134
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	107	64	120
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	110	66	119
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	108	59	129
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	112	70	129
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	85.5	76	121
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	91.9	53	135
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	88.7	45	134
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	106	64	131
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620753)</b>								
EP075(SIM): Naphthalene	91-20-3	0.5	mg/kg	<0.5	1.5 mg/kg	106	74	119
EP075(SIM): Acenaphthylene	208-96-8	0.5	mg/kg	<0.5	1.5 mg/kg	111	74	118
EP075(SIM): Acenaphthene	83-32-9	0.5	mg/kg	<0.5	1.5 mg/kg	116	83	121
EP075(SIM): Fluorene	86-73-7	0.5	mg/kg	<0.5	1.5 mg/kg	111	81	116
EP075(SIM): Phenanthrene	85-01-8	0.5	mg/kg	<0.5	1.5 mg/kg	112	72	117
EP075(SIM): Anthracene	120-12-7	0.5	mg/kg	<0.5	1.5 mg/kg	# 122	72	115
EP075(SIM): Fluoranthene	206-44-0	0.5	mg/kg	<0.5	1.5 mg/kg	# 127	70	116
EP075(SIM): Pyrene	129-00-0	0.5	mg/kg	<0.5	1.5 mg/kg	132	70	134
EP075(SIM): Benz(a)anthracene	56-55-3	0.5	mg/kg	<0.5	1.5 mg/kg	109	64	120
EP075(SIM): Chrysene	218-01-9	0.5	mg/kg	<0.5	1.5 mg/kg	# 125	66	119
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2 205-82-3	0.5	mg/kg	<0.5	1.5 mg/kg	110	59	129
EP075(SIM): Benzo(k)fluoranthene	207-08-9	0.5	mg/kg	<0.5	1.5 mg/kg	115	70	129
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	mg/kg	<0.5	1.5 mg/kg	110	76	121
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	0.5	mg/kg	<0.5	1.5 mg/kg	113	53	135
EP075(SIM): Dibenz(a,h)anthracene	53-70-3	0.5	mg/kg	<0.5	1.5 mg/kg	114	45	134
EP075(SIM): Benzo(g,h,i)perylene	191-24-2	0.5	mg/kg	<0.5	1.5 mg/kg	120	64	131



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%)	Recovery Limits (%)	
						LCS	Low	High
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620747)</b>								
EP071: C10 - C14 Fraction	----	50	mg/kg	<50	318 mg/kg	82.6	79	123
EP071: C15 - C28 Fraction	----	100	mg/kg	<100	531 mg/kg	87.4	77	123
EP071: C29 - C36 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620750)</b>								
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	96.3	66	120
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620756)</b>								
EP080: C6 - C9 Fraction	----	10	mg/kg	<10	16 mg/kg	71.8	66	120
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620747)</b>								
EP071: >C10 - C16 Fraction	----	50	mg/kg	<50	428 mg/kg	84.9	81	122
EP071: >C16 - C34 Fraction	----	100	mg/kg	<100	395 mg/kg	83.5	74	122
EP071: >C34 - C40 Fraction	----	100	mg/kg	<100	----	----	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620750)</b>								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	89.8	66	119
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620756)</b>								
EP080: C6 - C10 Fraction	C6_C10	10	mg/kg	<10	18.5 mg/kg	67.4	66	119
<b>EP080: BTEXN (QCLot: 620750)</b>								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	90.9	73	105
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	97.1	73	105
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	92.5	67	104
EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	2 mg/kg	94.6	66	106
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	98.7	68	105
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	101	72	115
<b>EP080: BTEXN (QCLot: 620756)</b>								
EP080: Benzene	71-43-2	0.2	mg/kg	<0.2	1 mg/kg	86.8	73	105
EP080: Toluene	108-88-3	0.5	mg/kg	<0.5	1 mg/kg	93.3	73	105
EP080: Ethylbenzene	100-41-4	0.5	mg/kg	<0.5	1 mg/kg	89.1	67	104
EP080: meta- & para-Xylene	108-38-3 106-42-3	0.5	mg/kg	<0.5	2 mg/kg	86.8	66	106
EP080: ortho-Xylene	95-47-6	0.5	mg/kg	<0.5	1 mg/kg	90.0	68	105
EP080: Naphthalene	91-20-3	1	mg/kg	<1	1 mg/kg	100	72	115
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743)</b>								
EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.0002	mg/kg	<0.0002	0.00125 mg/kg	101	57	121
EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.6	55	125
EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	87.6	52	126
EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	54	123
EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	97.6	55	127
EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.0002	mg/kg	<0.0002	0.00125 mg/kg	103	54	125



Sub-Matrix: SOIL

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report Result	Laboratory Control Spike (LCS) Report				
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 624743)</b>									
EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.001	mg/kg	<0.001	0.00125 mg/kg	83.2	52	128	
EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.0002	mg/kg	<0.0002	0.00125 mg/kg	104	54	129	
EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.0002	mg/kg	<0.0002	0.00125 mg/kg	86.0	58	127	
EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	92.3	57	128	
EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	95.4	60	134	
EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	98.3	63	130	
EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.0002	mg/kg	<0.0002	0.00125 mg/kg	93.4	55	130	
EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	110	62	130	
EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.0002	mg/kg	<0.0002	0.00125 mg/kg	105	53	134	
EP231X: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.0002	mg/kg	<0.0002	0.00125 mg/kg	102	49	129	
EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	91.6	59	129	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 624743)</b>									
EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	105	52	132	
EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.0005	mg/kg	<0.0005	0.00312 mg/kg	103	65	126	
EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	91.1	64	126	
EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.0005	mg/kg	<0.0005	0.00312 mg/kg	96.3	63	124	
EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.0005	mg/kg	<0.0005	0.00312 mg/kg	89.6	58	125	
EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.0002	mg/kg	<0.0002	0.00125 mg/kg	99.1	61	130	
EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.0002	mg/kg	<0.0002	0.00125 mg/kg	99.5	55	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 624743)</b>									
EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	87.1	54	130	
EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.0005	mg/kg	<0.0005	0.00125 mg/kg	90.0	61	130	
EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.0005	mg/kg	<0.0005	0.00125 mg/kg	76.4	62	130	
EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.0005	mg/kg	<0.0005	0.00125 mg/kg	87.6	60	130	

### Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report				
				Spike Concentration	Spike Recovery(%)		Recovery Limits (%)	
					MS	Low	High	
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763)</b>								
EB1624685-033	Anonymous	EG005T: Arsenic	7440-38-2	50 mg/kg	# Not Determined	70	130	



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EG005T: Total Metals by ICP-AES (QCLot: 620763) - continued</b>							
EB1624685-033	Anonymous	EG005T: Cadmium	7440-43-9	25 mg/kg	114	70	130
		EG005T: Chromium	7440-47-3	50 mg/kg	# Not Determined	70	130
		EG005T: Copper	7440-50-8	50 mg/kg	# 9.19	70	130
		EG005T: Lead	7439-92-1	50 mg/kg	97.1	70	130
		EG005T: Nickel	7440-02-0	50 mg/kg	123	70	130
		EG005T: Zinc	7440-66-6	50 mg/kg	# Not Determined	70	130
<b>EG035T: Total Recoverable Mercury by FIMS (QCLot: 620764)</b>							
EB1624685-033	Anonymous	EG035T: Mercury	7439-97-6	2.5 mg/kg	# 139	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620748)</b>							
EB1624685-007	Anonymous	EP068: gamma-BHC	58-89-9	0.5 mg/kg	97.6	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	90.7	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	97.4	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	104	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	103	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	81.4	70	130
<b>EP068A: Organochlorine Pesticides (OC) (QCLot: 620755)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP068: gamma-BHC	58-89-9	0.5 mg/kg	70.5	70	130
		EP068: Heptachlor	76-44-8	0.5 mg/kg	84.5	70	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	74.9	70	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	90.2	70	130
		EP068: Endrin	72-20-8	0.5 mg/kg	94.2	70	130
		EP068: 4,4'-DDT	50-29-3	0.5 mg/kg	# 57.7	70	130
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620748)</b>							
EB1624685-007	Anonymous	EP068: Diazinon	333-41-5	0.5 mg/kg	90.0	70	130
		EP068: Chlorpyrifos-methyl	5598-13-0	0.5 mg/kg	75.8	70	130
		EP068: Pirimphos-ethyl	23505-41-1	0.5 mg/kg	105	70	130
		EP068: Bromophos-ethyl	4824-78-6	0.5 mg/kg	111	70	130
		EP068: Prothiofos	34643-46-4	0.5 mg/kg	103	70	130
<b>EP068B: Organophosphorus Pesticides (OP) (QCLot: 620755)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP068: Diazinon	333-41-5	0.5 mg/kg	89.6	70	130
		EP068: Chlorpyrifos-methyl	5598-13-0	0.5 mg/kg	86.5	70	130
		EP068: Pirimphos-ethyl	23505-41-1	0.5 mg/kg	107	70	130
		EP068: Bromophos-ethyl	4824-78-6	0.5 mg/kg	95.6	70	130
		EP068: Prothiofos	34643-46-4	0.5 mg/kg	93.6	70	130
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754)</b>							





Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP071 SG: Total Petroleum Hydrocarbons - Silica gel cleanup (QCLot: 620754) - continued</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP071SG-S: C10 - C14 Fraction	----	318 mg/kg	62.5	47	130
		EP071SG-S: C15 - C28 Fraction	----	531 mg/kg	68.3	55	130
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup (QCLot: 620754)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP071SG-S: >C10 - C16 Fraction	----	428 mg/kg	64.4	46	130
		EP071SG-S: >C16 - C34 Fraction	----	395 mg/kg	66.8	53	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620746)</b>							
EB1624685-002	Anonymous	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	101	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	110	70	130
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons (QCLot: 620753)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP075(SIM): Acenaphthene	83-32-9	1.5 mg/kg	116	70	130
		EP075(SIM): Pyrene	129-00-0	1.5 mg/kg	124	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620747)</b>							
EB1624685-004	Anonymous	EP071: C10 - C14 Fraction	----	318 mg/kg	82.4	70	130
		EP071: C15 - C28 Fraction	----	531 mg/kg	87.3	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: C6 - C9 Fraction	----	8 mg/kg	95.0	70	130
<b>EP080/071: Total Petroleum Hydrocarbons (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: C6 - C9 Fraction	----	8 mg/kg	78.2	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620747)</b>							
EB1624685-004	Anonymous	EP071: >C10 - C16 Fraction	----	428 mg/kg	84.2	70	130
		EP071: >C16 - C34 Fraction	----	395 mg/kg	84.9	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	93.8	70	130
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: C6 - C10 Fraction	C6_C10	8 mg/kg	76.0	70	130
<b>EP080: BTEXN (QCLot: 620750)</b>							
EB1624685-004	Anonymous	EP080: Benzene	71-43-2	2 mg/kg	93.3	70	130
		EP080: Toluene	108-88-3	2 mg/kg	91.1	70	130
<b>EP080: BTEXN (QCLot: 620756)</b>							
EB1624749-014	AM-BH14 0.25-0.5	EP080: Benzene	71-43-2	2 mg/kg	80.5	70	130
		EP080: Toluene	108-88-3	2 mg/kg	76.5	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.00125 mg/kg	75.2	50	130
		EP231X: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.00125 mg/kg	77.1	50	130
		EP231X: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.00125 mg/kg	72.6	50	130



Sub-Matrix: SOIL

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 624743) - continued</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.00125 mg/kg	94.9	50	130
		EP231X: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.00125 mg/kg	86.0	50	130
		EP231X: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.00125 mg/kg	81.3	50	130
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorobutanoic acid (PFBA)	375-22-4	0.00125 mg/kg	67.8	50	130
		EP231X: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.00125 mg/kg	82.2	50	130
		EP231X: Perfluorohexanoic acid (PFHxA)	307-24-4	0.00125 mg/kg	67.8	50	130
		EP231X: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.00125 mg/kg	90.2	50	130
		EP231X: Perfluorooctanoic acid (PFOA)	335-67-1	0.00125 mg/kg	109	50	130
		EP231X: Perfluorononanoic acid (PFNA)	375-95-1	0.00125 mg/kg	112	50	130
		EP231X: Perfluorodecanoic acid (PFDA)	335-76-2	0.00125 mg/kg	102	50	130
		EP231X: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.00125 mg/kg	114	50	130
		EP231X: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.00125 mg/kg	91.6	50	130
		EP231X: Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.00125 mg/kg	105	30	130
		EP231X: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.00312 mg/kg	94.9	30	130
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.00125 mg/kg	99.4	50	130
		EP231X: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.00312 mg/kg	89.7	50	130
		EP231X: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.00312 mg/kg	89.9	50	130
		EP231X: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.00312 mg/kg	94.3	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.00312 mg/kg	73.4	30	130
		EP231X: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.00125 mg/kg	112	30	130
		EP231X: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.00125 mg/kg	109	30	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 624743)</b>							
EB1624749-002	AM-BH13 0.25-0.5	EP231X: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.00125 mg/kg	98.6	50	130
		EP231X: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.00125 mg/kg	110	50	130
		EP231X: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.00125 mg/kg	87.3	50	130
		EP231X: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.00125 mg/kg	103	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1624749</b>	Page	: 1 of 13
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 14-Oct-2016
Site	: Brisbane Airport	Issue Date	: 25-Oct-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 90
Order number	: 1538021	No. of samples analysed	: 85

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- Laboratory Control outliers exist - please see following pages for full details.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



### Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **SOIL**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Laboratory Control Spike (LCS) Recoveries</b>							
EP068A: Organochlorine Pesticides (OC)	QC-620755-002	----	Hexachlorobenzene (HCB)	118-74-1	114 %	54-112%	Recovery greater than upper control limit
EP068B: Organophosphorus Pesticides (OP)	QC-620755-002	----	Pirimphos-ethyl	23505-41-1	131 %	70-130%	Recovery greater than upper control limit
EP068B: Organophosphorus Pesticides (OP)	QC-620755-002	----	Carbophenothion	786-19-6	126 %	57-124%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Anthracene	120-12-7	122 %	72-115%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Fluoranthene	206-44-0	127 %	70-116%	Recovery greater than upper control limit
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons	QC-620753-002	----	Chrysene	218-01-9	125 %	66-119%	Recovery greater than upper control limit
<b>Matrix Spike (MS) Recoveries</b>							
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Arsenic	7440-38-2	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Chromium	7440-47-3	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Copper	7440-50-8	9.19 %	70-130%	Recovery less than lower data quality objective
EG005T: Total Metals by ICP-AES	EB1624685--033	Anonymous	Zinc	7440-66-6	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EG035T: Total Recoverable Mercury by FIMS	EB1624685--033	Anonymous	Mercury	7439-97-6	139 %	70-130%	Recovery greater than upper data quality objective
EP068A: Organochlorine Pesticides (OC)	EB1624749--014	AM-BH14 0.25-0.5	4,4'-DDT	50-29-3	57.7 %	70-130%	Recovery less than lower data quality objective

### Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Page : 3 of 13  
 Work Order : EB1624749  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **SOIL**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
Container / Client Sample ID(s)							





Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EA037: Ass Field Screening Analysis - Continued</b>									
AM-BH30 0-0.25, AM-BH30 0.5-0.75, AM-BH30 1-1.25, AM-BH30 1.5-1.75, AM-BH30 2-2.25, AM-BH30 2.5-2.75, AM-BH31 0.25-0.5, AM-BH31 0.75-1, AM-BH31 1.25-1.5, AM-BH31 1.75-2, AM-BH31 2.25-2.5, AM-BH31 2.75-3	AM-BH30 0.25-0.5, AM-BH30 0.75-1, AM-BH30 1.25-1.5, AM-BH30 1.75-2, AM-BH30 2.25-2.5, AM-BH31 0-0.25, AM-BH31 0.5-0.75, AM-BH31 1-1.25, AM-BH31 1.5-1.75, AM-BH31 2-2.25, AM-BH31 2.5-2.75,	10-Oct-2016	19-Oct-2016	08-Apr-2017	✓	19-Oct-2016	08-Apr-2017	✓	
<b>EA055: Moisture Content</b>									
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH13 2.75-3,	AM-BH14 0.75-1	06-Oct-2016	----	----	----	20-Oct-2016	20-Oct-2016	✓	
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH15 1.75-2, AM-BH25 2.75-3	AM-BH16 2.75-3,	07-Oct-2016	----	----	----	20-Oct-2016	21-Oct-2016	✓	
<b>Snap Lock Bag - frozen (EA055-103)</b> AM-BH30 0.75-1,	AM-BH31 1.75-2	10-Oct-2016	----	----	----	20-Oct-2016	24-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	----	----	----	18-Oct-2016	20-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5,	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001, AM-BH25 0.5-0.6	07-Oct-2016	----	----	----	18-Oct-2016	21-Oct-2016	✓	
<b>Soil Glass Jar - Unpreserved (EA055-103)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	----	----	----	18-Oct-2016	24-Oct-2016	✓	
<b>EG005T: Total Metals by ICP-AES</b>									
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	19-Oct-2016	04-Apr-2017	✓	19-Oct-2016	04-Apr-2017	✓	
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001,	07-Oct-2016	19-Oct-2016	05-Apr-2017	✓	19-Oct-2016	05-Apr-2017	✓	
<b>Soil Glass Jar - Unpreserved (EG005T)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	19-Oct-2016	08-Apr-2017	✓	19-Oct-2016	08-Apr-2017	✓	
<b>EG020T: Total Metals by ICP-MS</b>									
<b>Soil Glass Jar - Unpreserved (EG020R-T)</b> AM-BH15 0-0.1,	AM-BH16 0-0.1	07-Oct-2016	19-Oct-2016	05-Apr-2017	✓	19-Oct-2016	05-Apr-2017	✓	



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis				
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	19-Oct-2016	03-Nov-2016	✓	19-Oct-2016	03-Nov-2016	✓	
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 0-0.1, AM-BH25 0.25-0.5	AM-BH15 0-0.1, AM-BH16 0.25-0.5, QAQC001,	07-Oct-2016	19-Oct-2016	04-Nov-2016	✓	19-Oct-2016	04-Nov-2016	✓	
<b>Soil Glass Jar - Unpreserved (EG035T)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	19-Oct-2016	07-Nov-2016	✓	19-Oct-2016	07-Nov-2016	✓	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓	
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5,	QAQC005, QAQC001	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓	
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓	
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓	
<b>EP068B: Organophosphorus Pesticides (OP)</b>									
<b>Soil Glass Jar - Unpreserved (EP068)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5,	QAQC005, QAQC001	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓	
<b>EP071 SG: Total Recoverable Hydrocarbons - NEPM 2013 Fractions - Silica gel cleanup</b>									
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓	
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓	
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓	
<b>EP071 SG-S: Total Petroleum Hydrocarbons in Soil - Silica gel cleanup</b>									
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓	
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓	
<b>Soil Glass Jar - Unpreserved (EP071SG-S)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓	





Matrix: **SOIL**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.5-0.6	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH25 0.25-0.5		07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>Soil Glass Jar - Unpreserved (EP075(SIM))</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	20-Oct-2016	27-Nov-2016	✓
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓
<b>EP080: BTEXN</b>								
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH13 0.25-0.5,	AM-BH14 0.25-0.5	06-Oct-2016	18-Oct-2016	20-Oct-2016	✓	19-Oct-2016	20-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH15 0.25-0.5, AM-BH16 0.25-0.5, AM-BH25 0.25-0.5	QAQC005, QAQC001,	07-Oct-2016	18-Oct-2016	21-Oct-2016	✓	19-Oct-2016	21-Oct-2016	✓
<b>Soil Glass Jar - Unpreserved (EP080)</b> AM-BH30 0.25-0.5,	AM-BH31 0.25-0.5	10-Oct-2016	18-Oct-2016	24-Oct-2016	✓	19-Oct-2016	24-Oct-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>EP231C: Perfluoroalkyl Sulfonamides</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓



Matrix: SOIL

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>EP231P: PFAS Sums</b>								
<b>HDPE Soil Jar (EP231X)</b> AM-BH13 0.25-0.5, AM-BH14 0.25-0.5,	AM-BH13 2.75-3, AM-BH14 0.75-1	06-Oct-2016	21-Oct-2016	04-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH15 0.25-0.5, QAQC005, AM-BH16 2.75-3, AM-BH25 0.25-0.5,	AM-BH15 1.75-2, AM-BH16 0.25-0.5, QAQC001, AM-BH25 2.75-3	07-Oct-2016	21-Oct-2016	05-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓
<b>HDPE Soil Jar (EP231X)</b> AM-BH30 0.25-0.5, AM-BH31 0.25-0.5,	AM-BH30 0.75-1, AM-BH31 1.75-2	10-Oct-2016	21-Oct-2016	08-Apr-2017	✓	21-Oct-2016	30-Nov-2016	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **SOIL**

Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
ASS Field Screening Analysis	EA037	8	80	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Moisture Content	EA055-103	7	58	12.07	10.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (SIM)	EP075(SIM)	3	25	12.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	13	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	13	15.38	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	2	50.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	2	16	12.50	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	3	21	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite R	EG020R-T	1	2	50.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
PAH/Phenols (SIM)	EP075(SIM)	2	25	8.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	14	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	13	7.69	5.00	✓	NEPM 2013 B3 & ALS QC Standard

Page : 11 of 13  
 Work Order : EB1624749  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **SOIL** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Regular	Actual	Expected	Evaluation	
<i>Analytical Methods</i>							
<b>Matrix Spikes (MS) - Continued</b>							
TRH - Semivolatile Fraction	EP071	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	1	5	20.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
TRH Volatiles/BTEX	EP080	2	21	9.52	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
ASS Field Screening Analysis	* EA037	SOIL	In house: Referenced to Acid Sulfate Soils Laboratory Methods Guidelines, version 2.1 June 2004. As received samples are tested for pH field and pH fox and assessed for a reaction rating.
Moisture Content	EA055-103	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 103-105 degrees C. This method is compliant with NEPM (2013) Schedule B(3) Section 7.1 and Table 1 (14 day holding time).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM (2013) Schedule B(3)
Total Metals by ICP-MS - Suite R	EG020R-T	SOIL	In house: Referenced to APHA 3125; USEPA SW846 - 6020. Metals in solids are determined following an appropriate acid digestion. The ICPMS technique ionizes selected elements. Ions are passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass / charge ratios prior to measurement by a discrete dynode ion detector. This method is compliant with NEPM (2013) Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Pesticides by GCMS	EP068	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM (2013) Schedule B(3) (Method 504,505)
TRH - Semivolatile Fraction	EP071	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
TRH - Semivolatile Fraction (Silica Gel Clean Up)	EP071SG-S	SOIL	In house: Referenced to USEPA SW 846 - 8015A Sample extracts are analysed by Capillary GC/FID and quantified against alkane standards over the range C10 - C40.
PAH/Phenols (SIM)	EP075(SIM)	SOIL	In house: Referenced to USEPA SW 846 - 8270D Extracts are analysed by Capillary GC/MS in Selective Ion Mode (SIM) and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM (2013) Schedule B(3) (Method 502 and 507)
TRH Volatiles/BTEX	EP080	SOIL	In house: Referenced to USEPA SW 846 - 8260B Extracts are analysed by Purge and Trap, Capillary GC/MS. Quantification is by comparison against an established 5 point calibration curve.
Per- and Polyfluoroalkyl Substances (PFAS) by LCMSMS	EP231X	SOIL	In-House. A portion of soil is extracted with MTBE. The extract is taken to dryness, made up in mobile phase. Analysis is by LC/MSMS, ESI Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.
Preparation Methods	Method	Matrix	Method Descriptions
Drying only	EN020D	SOIL	In house



<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM (2013) Schedule B(3) (Method 202)
Sample Extraction for PFAS	EP231-PR	SOIL	In house
Methanolic Extraction of Soils for Purge and Trap	ORG16	SOIL	In house: Referenced to USEPA SW 846 - 5030A. 5g of solid is shaken with surrogate and 10mL methanol prior to analysis by Purge and Trap - GC/MS.
Tumbler Extraction of Solids	ORG17	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na2SO4 and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sample ID: 1538021	Sample Origin No: EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location: Brisbane Airport	Lab Name: ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled By: Morgan Midgley	BY:	Project Manager: Krystle-Rae Biram	Invoice to be sent to Accounts: <a href="mailto:accounts payable@golder.com.au">accounts payable@golder.com.au</a>
Transportation Mode: 5	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	Contact Phone: 07 37215400	Email: KBiram@golder.com.au
Report Format: PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address: <a href="mailto:scurti@golder.com.au">scurti@golder.com.au</a>	ANALYSIS REQUIRED	

Comments/Special Instructions:


Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
AM-BH13	0	0.25	soil	6/10/2016	bag	1	N
AM-BH13	0.25	0.5	soil	6/10/2016	bag+jar	3	N
AM-BH13	0.5	0.75	soil	6/10/2016	bag	1	N
AM-BH13	0.75	1	soil	6/10/2016	bag+jar	2	N
AM-BH13	1	1.25	soil	6/10/2016	bag	1	N
AM-BH13	1.25	1.5	soil	6/10/2016	bag	1	N
AM-BH13	1.5	1.75	soil	6/10/2016	bag	1	N
AM-BH13	1.75	2	soil	6/10/2016	bag+jar	2	N
AM-BH13	2	2.25	soil	6/10/2016	bag	1	N
AM-BH13	2.25	2.5	soil	6/10/2016	bag	1	N
AM-BH13	2.5	2.75	soil	6/10/2016	bag	1	N
AM-BH13	2.75	3	soil	6/10/2016	bag+jar	2	N

HOLD	EA007 - pH/pH/FOX - Fast Screen	EN020PR - dry 85°C and pulverise	S26 - SC TRH/C6-CA0/TEXN/PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters
	X	X			
	X	X	X	X	X
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			
	X	X			X

Environmental Division  
Brisbane  
Work Order Reference  
**EB1624749**



Telephone - 61-7-3243 7222

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		<i>[Signature]</i>	GA	14-10-16		Shipping Ref:
CHRES	ALS	14/10/16	1600					

Released by	Received by	Released by	Received by

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OF BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY



SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Project ID: 1538021	Contract Order No: EN/002/15	GOLDER ASSOCIATES PTY LTD 147 Coronation Drive, Milton, Qld 4064 Phone: (07) 3721 5400 Fax: (07) 3721 5401 Email: auaccounts payable@golder.com.au
Site Location: Brisbane Airport	Lab Name: ALS Environmental	Invoice to be sent to Accounts: Project Manager: Krystle-Rae Biram Contact Phone: 07 37215400 Email: KBiram@golder.com.au
Sampled By: Morgan Midgley	BY:	
Report Format: HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		
Email Format: PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address: scurtk@golder.com.au	



Comments/Special Instructions:

Samples from a declared Fire Ant Area: Y

Samples taken from a known Weed and or Pest Area: N

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
AM-BH14	0	0.25	soil	6/10/2016		bag		1	N
AM-BH14	0.25	0.5	soil	6/10/2016		bag+2jar		3	N
AM-BH14	0.5	0.75	soil	6/10/2016		bag		1	N
AM-BH14	0.75	1	soil	6/10/2016		bag+jar		2	N
AM-BH14	1	1.25	soil	6/10/2016		bag		1	N
AM-BH14	1.25	1.5	soil	6/10/2016		bag		1	N
AM-BH14	1.5	1.75	soil	6/10/2016		bag		1	N
AM-BH14	1.75	2	soil	6/10/2016		bag+jar		2	N
AM-BH14	2	2.25	soil	6/10/2016		bag		1	N
AM-BH14	2.25	2.5	soil	6/10/2016		bag		1	N
AM-BH14	2.5	2.75	soil	6/10/2016		bag		1	N
AM-BH14	2.75	3	soil	6/10/2016		bag+jar		2	N

ANALYSIS REQUIRED											
HOLD	EA037 - pH/pHFOX - Fast Screen	EN20PR - dry 85oC and pulverise	S26 - SC TRH/CS- C40/STEXN/PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X						
	X	X	X	X	X						

13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24

SAMPLE MATRIX = Soil/Sediment/Fill/Other SAMPLE TYPE = Core(CR) HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

SIGNATURE		COMPANY	DATE	TIME	SIGNATURE		COMPANY	DATE	TIME	Shipment Method
RELEASED BY	Morgan Midgley	GOLDER	14-10-16		RELEASED BY	AMidgley	GA	14-10-16		Shipping Ref:
RECEIVED BY	CHRES	ALS	14/10/16	1600	RECEIVED BY					

RECEIVED BY	DATE	TIME	LAB BATCH NUMBER
RECEIVED BY			
RECEIVED BY			
RECEIVED BY			
RECEIVED BY			

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Reference No:	1538021	Order/Order No:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone:	(07) 3721 5400
Site Location:	Brisbane Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax:	(07) 3721 5401
Sampled by:	Morgan Midgley	BY:		<i>Invoice to be sent to Accounts:</i>	auaccounts payable@golder.com.au	
Amount (Days):	5			Project Manager:	Krystle-Rac Biram	
Report format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>			Contact Phone:	07 37215400	
Email format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>		Email Address:	scurtl@golder.com.au		



Comments/Special Instructions:

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
AM-BH15	0	0.25	soil	7/10/2016		bag		1	N
AM-BH15	0.25	0.5	soil	7/10/2016		bag+2jar		3	N
AM-BH15	0.5	0.75	soil	7/10/2016		bag		1	N
AM-BH15	0.75	1	soil	7/10/2016		bag+jar		2	N
AM-BH15	1	1.25	soil	7/10/2016		bag		1	N
AM-BH15	1.25	1.5	soil	7/10/2016		bag		1	N
AM-BH15	1.5	1.75	soil	7/10/2016		bag		1	N
AM-BH15	1.75	2	soil	7/10/2016		bag+jar		2	N
AM-BH15	2	2.25	soil	7/10/2016		bag		1	N
AM-BH15	2.25	2.5	soil	7/10/2016		bag		1	N
AM-BH15	2.5	2.75	soil	7/10/2016		bag		1	N
AM-BH15	2.75	3	soil	7/10/2016		bag+jar		2	N
AM-BH15	0	0.1	soil	7/10/2016		jar		1	N
QAQC005			soil	7/10/2016		jar		1	N
QAQC006			soil	7/10/2016		jar		1	N
QAQC007			soil	7/10/2016		jar		1	N
QAQC008			soil	7/10/2016		jar		1	N

ANALYSIS REQUIRED												
HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 850C and pulverise	S26 - TRH (CF-C40)/BTEXN/PAH plus 8 metals	S12 - OC/OP Pesticides	PFAS - extended suite 28 parameters	S-2 metals	zinc/cadmium	titanium				
	X	X		X	X							
	X	X	X	X	X							
	X	X										
	X	X										
	X	X										
	X	X										
	X	X			X							
	X	X										
	X	X										
	X	X										
	X	X										
	X	X										
			X	X	X	X	X	X				
			PLEASE SHIP TO EUROFINs									
X												
X												

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		[Signature]	GA	14-10-16		Shipping Ref.
[Signature]	ALS	14/10/16	1600					

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT  
 RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE  
 WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Project ID:	1538021	Job Name:	EN/002/15	GOLDER ASSOCIATES PTY LTD 147 Coronation Drive, Milton, Qld 4064 Phone: (07) 3721 5400 Fax: (07) 3721 5401
Site Location:	Brisbane Airport	Lab Name:	ALS Environmental	Invoice to be sent to Accounts: <a href="mailto:auaccounts payable@golder.com.au">auaccounts payable@golder.com.au</a> Project Manager: Krystle-Rae Biram Contact Phone: 07 37215400 Email: KBiram@golder.com.au
Sample By:	Morgan Midgley			
Turnaround (Days):	S	BY:		
Report Format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>			
Output Format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address: <a href="mailto:scarti@golder.com.au">scarti@golder.com.au</a>		



Comments/Special Instructions:							ANALYSIS REQUIRED																															
Samples from a declared Fire Ant Area: Y							No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/pHFOX - Fast Screen	EN1020PR - dry 8toC and pulvise	S26 - TRH (C6-C40)/BTEX/PAH plus 8 metals	S12 - OC/OP Pesticides	PFAS - extended suite 28 parameters	S-2 8 metals	zirconium	titanium																					
Samples taken from a known Weed and or Pest Area: N																																						
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage																															
AM-BH16	0	0.25	soil	7/10/2016		bag		1	N	X	X																											
AM-BH16	0.25	0.5	soil	7/10/2016		bag+jar		3	N	X	X	X																										
AM-BH16	0.5	0.75	soil	7/10/2016		bag		1	N	X	X																											
AM-BH16	0.75	1	soil	7/10/2016		bag+jar		2	N	X	X																											
AM-BH16	1	1.25	soil	7/10/2016		bag		1	N	X	X																											
AM-BH16	1.25	1.5	soil	7/10/2016		bag		1	N	X	X																											
AM-BH16	1.5	1.75	soil	7/10/2016		bag		1	N	X	X																											
AM-BH16	1.75	2	soil	7/10/2016		bag+jar		2	N	X	X																											
AM-BH16	2	2.25	soil	7/10/2016		bag		1	N	X	X																											
AM-BH16	2.25	2.5	soil	7/10/2016		bag		1	N	X	X																											
AM-BH16	2.5	2.75	soil	7/10/2016		bag		1	N	X	X																											
AM-BH16	2.75	3	soil	7/10/2016		bag+jar		2	N	X	X																											
AM-BH16	0	0.1	soil	7/10/2016		jar		1	N																													
QAQC001			soil	7/10/2016		jar		2	N				X																									
QAQC002			soil	7/10/2016		jar		2	N																													
QAQC003			soil	7/10/2016		jar		1	N	X																												
QAQC004			soil	7/10/2016		jar		1	N	X																												

SAMPLE MATRIX = Soil/Sediment/Fill/Other SAMPLE TYPE = Core(CR) HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
Morgan Midgley	GOLDER	14-10-16		[Signature]	GA	14-10-16		Shipping Ref:
Charles	ALS	14/10/16	1600					

RELEASED BY	RECEIVED BY	DATE	TIME	LAB BATCH NUMBER

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE FREEZE OF BAKE ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sample ID: 1538021	Client/Project Name: EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400
Site Location: Brisbane Airport	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401
Sampled By: Morgan Midgley		Invoice to be sent to Accounts: auaccountspayable@golder.com.au	
Duration (Days): 5	BY:	Project Manager: Krystie-Rae Biram	Contact Phone: 07 37215400
Report Format: HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>			Email: KBiram@golder.com.au
Email Format: PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address: scurti@golder.com.au		

Comments/Special Instructions:							No CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED															
Samples from a declared Fire Ant Area: Y									HOLD	EA037 - pH/pHFOX - Fast Screen	EN020PR - dry 83°C and pulvise	S26 - SC TRH(C6-C40)/TEXN /PAH plus 8 metals - silica gel cleanup	OC Pesticides - standard levels	PFAS - extended suite 28 parameters	EP075B - PAHs									
Samples taken from a known Weed and or Pest Area: N																								
SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage																	
AM-BH25	0	0.25	soil			bag		1	N		X													
AM-BH25	0.25	0.5	soil			bag+ 2 jars		3	N		X	X	X	X										
AM-BH25	0.5	0.75	soil			bag		1	N		X	X												
AM-BH25	1.5	1.75	soil			bag		2	N		X	X												
AM-BH25	1.75	2	soil			bag+jar		1	N		X	X												
AM-BH25	2	2.25	soil			bag		1	N		X	X												
AM-BH25	2.25	2.5	soil			bag		1	N		X	X												
AM-BH25	2.5	2.75	soil			bag		2	N		X	X												
AM-BH25	2.75	3	soil			bag+jar		1	N		X	X								X				
AM-BH25	0.5	0.6	soil			jar		1	N												X			

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipping Method
Morgan Midgley	GOLDER	14-10-16		[Signature]	GA	14-10-16		
CHRES	ALS	14/10/16	1600					

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipping Method

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OF BAC & ENTIRE SAMPLE

THIS FORM IS TO BE SIGNED BY GOLDER STAFF, COURIER/S, LABORATORY ON RECEIPT OF SAMPLES.

**SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL**

Sheet ..... of.....



Project ID:	1538021	Order/Quote Number:	EN/002/15	GOLDER ASSOCIATES PTY LTD	Phone: (07) 3721 5400	
Site Location:	Brisbane Airport	Lab Name:	ALS Environmental	147 Coronation Drive, Milton, Qld 4064	Fax: (07) 3721 5401	
Submitted By:	Morgan Midgley	BY:		Invoice to be sent to Accounts:	aaaccounts payable@golder.com.au	
Turnaround (Days):	5	Project Manager: Krystle-Rae Biram				
Report Format:	HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input checked="" type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>	Contact Phone: 07 37215400				Email: KBiram@golder.com.au
Email Format:	PDF <input checked="" type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>	Email Address: scurti@golder.com.au		ANALYSIS REQUIRED		

**Comments/Special Instructions:**

**Samples from a declared Fire Ant Area:** Y

**Samples taken from a known Weed and/or Pest Area:** N

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION	HOLD	EA037 - pH/P/PHOX - Fast Screen	EN020PR - dry 85°C and pulverise	S28 - SC TRH (Cd-C40)/TEXN /PAH plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters	ANALYSIS REQUIRED																											
AM-BH30	0	0.25	soil	10/10/2016		bag		1	N																																		
AM-BH30	0.25	0.5	soil	10/10/2016		bag+2jar		3	N		X	X		X																													
AM-BH30	0.5	0.75	soil	10/10/2016		bag		1	N		X	X																															
AM-BH30	0.75	1	soil	10/10/2016		bag+jar		2	N		X	X					X																										
AM-BH30	1	1.25	soil	10/10/2016		bag		1	N		X	X																															
AM-BH30	1.25	1.5	soil	10/10/2016		bag		1	N		X	X																															
AM-BH30	1.5	1.75	soil	10/10/2016		bag		1	N		X	X																															
AM-BH30	1.75	2	soil	10/10/2016		bag+jar		2	N		X	X																															
AM-BH30	2	2.25	soil	10/10/2016		bag		1	N		X	X																															
AM-BH30	2.25	2.5	soil	10/10/2016		bag		1	N		X	X																															
AM-BH30	2.5	2.75	soil	10/10/2016		bag		1	N		X	X																															
AM-BH30	2.75	3	soil	10/10/2016		jar		1	N		X	X																															

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE		COMPANY	DATE	TIME	SIGNATURE		COMPANY	DATE	TIME	Shipment Method
RELEASED BY: Morgan Midgley		GOLDER			RELEASED BY:					Shipping Ref:
RECEIVED BY: CHRETS		ALS	14/10/16	1600	RECEIVED BY:					
RELEASED BY:					To be filled out by receiving Laboratory		LAB BATCH NUMBER			
RECEIVED BY:					Security Seal:			Chilled		Billed
RELEASED BY:					Surrogate Container:			Frozen		Added
RECEIVED BY:					Cool Box:			Ambient		

**WARNING!**  
 SAMPLES TAKEN FROM A FIRE ANT RESTRICTED AREA  
 DISPOSE OF SAMPLES IN ACCORDANCE WITH DPI APPROVED PROCEDURE  
 FREEZE OR BAKE ENTIRE SAMPLE

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Sheet.....of.....

<b>Project ID:</b>	1538021	<b>Quote Order No:</b>	EN/002/15	<b>GOLDER ASSOCIATES PTY LTD</b>	<b>Phone: (07) 3721 5400</b>
<b>Site Location:</b>	<b>Brisbane Airport</b>	<b>Lab Name:</b>	<b>ALS Environmental</b>	<b>L47 Coronation Drive, Milton, Qld 4064</b>	<b>Fax: (07) 3721 5401</b>
<b>Sampled By:</b>	<b>Morgan Midgley</b>	<b>BY:</b>		<b>Invoice to be sent to Accounts:</b>	awaccounts payable@golder.com.au
<b>Preparation (Days):</b>	<b>5</b>			<b>Project Manager:</b>	Krystle-Rae Biram
<b>Report Format:</b>	<b>HARD <input type="checkbox"/></b>	<b>FAX <input type="checkbox"/></b>	<b>DISK <input type="checkbox"/></b>	<b>EMAIL <input checked="" type="checkbox"/></b>	<b>BULLETIN BOARD <input type="checkbox"/></b>
<b>Small Format:</b>	<b>PDF <input checked="" type="checkbox"/></b>	<b>Excel <input type="checkbox"/></b>	<b>Other <input type="checkbox"/></b>	<b>Email Address:</b>	scurti@golder.com.au



**Comments/Special Instructions:**

Samples from a declared Fire Ant Area: **Y**

Samples taken from a known Weed and/or Pest Area: **N**

SAMPLE ID	Location & Depth		SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE	Storage	No CONTAINERS	POSSIBLE HIGH CONCENTRATION
AM-BH31	0	0.25	soil	10/10/2016		bag		1	N
AM-BH31	0.25	0.5	soil	10/10/2016		bag+2jar		3	N
AM-BH31	0.5	0.75	soil	10/10/2016		bag		1	N
AM-BH31	0.75	1	soil	10/10/2016		bag+jar		2	N
AM-BH31	1	1.25	soil	10/10/2016		bag		1	N
AM-BH31	1.25	1.5	soil	10/10/2016		bag		1	N
AM-BH31	1.5	1.75	soil	10/10/2016		bag		1	N
AM-BH31	1.75	2	soil	10/10/2016		bag+jar		2	N
AM-BH31	2	2.25	soil	10/10/2016		bag		1	N
AM-BH31	2.25	2.5	soil	10/10/2016		bag		1	N
AM-BH31	2.5	2.75	soil	10/10/2016		bag		1	N
AM-BH31	2.75	3	soil	10/10/2016		bag+jar		2	N


ANALYSIS REQUIRED													
HOLD	EA037 - pH/pHFOX - Fast Screen	EN202PR - dry 85oC and pulverise	S26 - SC TRH (Cd, C40)/BTEXN/PAH plus 8 metals - SILICA GEL CLEANUP	OC Pesticides - standard levels	PFAS - extended suite 28 parameters								
	X	X		X									
	X	X	X	X	X								
	X	X											
	X	X											
	X	X											
	X	X							X				
	X	X											
	X	X											
	X	X											
	X	X											

SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list

Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid P

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Shipment Method
RELEASED BY: Morgan Midgley	GOLDER	14-10-16		RELEASED BY:				Shipping Ref:
RECEIVED BY: CHRIS	ALS	N/A	1600	RECEIVED BY:				

LAB BATCH NUMBER	LABORATORY	
	Core Soil	
	Suitable Containers	
	Cool Box	



**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**



## SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1624749**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: MS KRYSTLE-RAE BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 5
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

### Dates

Date Samples Received	: 14-Oct-2016 4:00 PM	Issue Date	: 18-Oct-2016
Client Requested Due Date	: 21-Oct-2016	Scheduled Reporting Date	: <b>21-Oct-2016</b>

### Delivery Details

Mode of Delivery	: Carrier	Security Seal	: Intact.
No. of coolers/boxes	: 3	Temperature	: 1.5, 1.2, 1.7°C
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 90 / 85

### General Comments

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- **As only a soil jar suitable for PFAS testing was received for "AM-BH30 2.75-3" (ALS #78), pH Field and Fox (EA037) will not be tested on this sample.**
- **Samples "QAQC006" and "QAQC002" will be forwarded to Eurofins, as requested.**
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913). The estimated due date for this data is the 25/10/16.**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Please be advised that a soil jar for PFAS testing was not received for "AM-BH14 1-1.25" (ALS #17), however one was received for "AM-BH14 0.75-1" (ALS #16). PFAS testing has been assigned to ALS #16, however if testing for this is not required on this sample, please contact ALS Client Services at [ALSEnviro.Brisbane@alsglobal.com](mailto:ALSEnviro.Brisbane@alsglobal.com) , ASAP.**
- Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exists.

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: SOIL

Laboratory sample ID	Client sampling date / time	Client sample ID	SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-001	[ 06-Oct-2016 ]	AM-BH13 0-0.25	✓						
EB1624749-002	[ 06-Oct-2016 ]	AM-BH13 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-003	[ 06-Oct-2016 ]	AM-BH13 0.5-0.75	✓						
EB1624749-004	[ 06-Oct-2016 ]	AM-BH13 0.75-1	✓						
EB1624749-005	[ 06-Oct-2016 ]	AM-BH13 1-1.25	✓						
EB1624749-006	[ 06-Oct-2016 ]	AM-BH13 1.25-1.5	✓						
EB1624749-007	[ 06-Oct-2016 ]	AM-BH13 1.5-1.75	✓						
EB1624749-008	[ 06-Oct-2016 ]	AM-BH13 1.75-2	✓						
EB1624749-009	[ 06-Oct-2016 ]	AM-BH13 2-2.25	✓						
EB1624749-010	[ 06-Oct-2016 ]	AM-BH13 2.25-2.5	✓						
EB1624749-011	[ 06-Oct-2016 ]	AM-BH13 2.5-2.75	✓						
EB1624749-012	[ 06-Oct-2016 ]	AM-BH13 2.75-3	✓	✓		✓			
EB1624749-013	[ 06-Oct-2016 ]	AM-BH14 0-0.25	✓						
EB1624749-014	[ 06-Oct-2016 ]	AM-BH14 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-015	[ 06-Oct-2016 ]	AM-BH14 0.5-0.75	✓						
EB1624749-016	[ 06-Oct-2016 ]	AM-BH14 0.75-1	✓	✓		✓			
EB1624749-017	[ 06-Oct-2016 ]	AM-BH14 1-1.25	✓						
EB1624749-018	[ 06-Oct-2016 ]	AM-BH14 1.25-1.5	✓						
EB1624749-019	[ 06-Oct-2016 ]	AM-BH14 1.5-1.75	✓						
EB1624749-020	[ 06-Oct-2016 ]	AM-BH14 1.75-2	✓						
EB1624749-021	[ 06-Oct-2016 ]	AM-BH14 2-2.25	✓						
EB1624749-022	[ 06-Oct-2016 ]	AM-BH14 2.25-2.5	✓						
EB1624749-023	[ 06-Oct-2016 ]	AM-BH14 2.5-2.75	✓						
EB1624749-024	[ 06-Oct-2016 ]	AM-BH14 2.75-3	✓						
EB1624749-025	[ 07-Oct-2016 ]	AM-BH15 0-0.25	✓						
EB1624749-026	[ 07-Oct-2016 ]	AM-BH15 0.25-0.5	✓	✓		✓	✓		✓
EB1624749-027	[ 07-Oct-2016 ]	AM-BH15 0.5-0.75	✓						
EB1624749-028	[ 07-Oct-2016 ]	AM-BH15 0.75-1	✓						
EB1624749-029	[ 07-Oct-2016 ]	AM-BH15 1-1.25	✓						
EB1624749-030	[ 07-Oct-2016 ]	AM-BH15 1.25-1.5	✓						
EB1624749-031	[ 07-Oct-2016 ]	AM-BH15 1.5-1.75	✓						
EB1624749-032	[ 07-Oct-2016 ]	AM-BH15 1.75-2	✓	✓		✓			
EB1624749-033	[ 07-Oct-2016 ]	AM-BH15 2-2.25	✓						
EB1624749-034	[ 07-Oct-2016 ]	AM-BH15 2.25-2.5	✓						
EB1624749-035	[ 07-Oct-2016 ]	AM-BH15 2.5-2.75	✓						





			SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-036	[ 07-Oct-2016 ]	AM-BH15 2.75-3	✓						
EB1624749-037	[ 07-Oct-2016 ]	AM-BH15 0-0.1		✓					
EB1624749-038	[ 07-Oct-2016 ]	QAQC005		✓		✓	✓		✓
EB1624749-041	[ 07-Oct-2016 ]	AM-BH16 0-0.25	✓						
EB1624749-042	[ 07-Oct-2016 ]	AM-BH16 0.25-0.5	✓	✓		✓	✓		✓
EB1624749-043	[ 07-Oct-2016 ]	AM-BH16 0.5-0.75	✓						
EB1624749-044	[ 07-Oct-2016 ]	AM-BH16 0.75-1	✓						
EB1624749-045	[ 07-Oct-2016 ]	AM-BH16 1-1.25	✓						
EB1624749-046	[ 07-Oct-2016 ]	AM-BH16 1.25-1.5	✓						
EB1624749-047	[ 07-Oct-2016 ]	AM-BH16 1.5-1.75	✓						
EB1624749-048	[ 07-Oct-2016 ]	AM-BH16 1.75-2	✓						
EB1624749-049	[ 07-Oct-2016 ]	AM-BH16 2-2.25	✓						
EB1624749-050	[ 07-Oct-2016 ]	AM-BH16 2.25-2.5	✓						
EB1624749-051	[ 07-Oct-2016 ]	AM-BH16 2.5-2.75	✓						
EB1624749-052	[ 07-Oct-2016 ]	AM-BH16 2.75-3	✓	✓		✓			
EB1624749-053	[ 07-Oct-2016 ]	AM-BH16 0-0.1		✓					
EB1624749-054	[ 07-Oct-2016 ]	QAQC001		✓		✓	✓		✓
EB1624749-057	[ 07-Oct-2016 ]	AM-BH25 0-0.25	✓						
EB1624749-058	[ 07-Oct-2016 ]	AM-BH25 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-059	[ 07-Oct-2016 ]	AM-BH25 0.5-0.75	✓						
EB1624749-060	[ 07-Oct-2016 ]	AM-BH25 1.5-1.75	✓						
EB1624749-061	[ 07-Oct-2016 ]	AM-BH25 1.75-2	✓						
EB1624749-062	[ 07-Oct-2016 ]	AM-BH25 2-2.25	✓						
EB1624749-063	[ 07-Oct-2016 ]	AM-BH25 2.25-2.5	✓						
EB1624749-064	[ 07-Oct-2016 ]	AM-BH25 2.5-2.75	✓						
EB1624749-065	[ 07-Oct-2016 ]	AM-BH25 2.75-3	✓	✓		✓			
EB1624749-066	[ 07-Oct-2016 ]	AM-BH25 0.5-0.6		✓					
EB1624749-067	[ 10-Oct-2016 ]	AM-BH30 0-0.25	✓						
EB1624749-068	[ 10-Oct-2016 ]	AM-BH30 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-069	[ 10-Oct-2016 ]	AM-BH30 0.5-0.75	✓						
EB1624749-070	[ 10-Oct-2016 ]	AM-BH30 0.75-1	✓	✓		✓			
EB1624749-071	[ 10-Oct-2016 ]	AM-BH30 1-1.25	✓						
EB1624749-072	[ 10-Oct-2016 ]	AM-BH30 1.25-1.5	✓						
EB1624749-073	[ 10-Oct-2016 ]	AM-BH30 1.5-1.75	✓						
EB1624749-074	[ 10-Oct-2016 ]	AM-BH30 1.75-2	✓						
EB1624749-075	[ 10-Oct-2016 ]	AM-BH30 2-2.25	✓						
EB1624749-076	[ 10-Oct-2016 ]	AM-BH30 2.25-2.5	✓						
EB1624749-077	[ 10-Oct-2016 ]	AM-BH30 2.5-2.75	✓						
EB1624749-079	[ 10-Oct-2016 ]	AM-BH31 0-0.25	✓						
EB1624749-080	[ 10-Oct-2016 ]	AM-BH31 0.25-0.5	✓	✓	✓	✓		✓	
EB1624749-081	[ 10-Oct-2016 ]	AM-BH31 0.5-0.75	✓						



			SOIL - EA037 ASS Field Screening Analysis	SOIL - EA055-103 Moisture Content	SOIL - EP068A (solids) Organochlorine Pesticides by GCMS	SOIL - EP231X PFAS - Full Suite (28 analytes)	SOIL - S-12 OC/OP Pesticides	SOIL - S-26 SG 8 metals/TRH (Silica Gel Clean Up)/BTEXN/PAH	SOIL - S-26 8 metals/TRH/BTEXN/PAH
EB1624749-082	[ 10-Oct-2016 ]	AM-BH31 0.75-1	✓						
EB1624749-083	[ 10-Oct-2016 ]	AM-BH31 1-1.25	✓						
EB1624749-084	[ 10-Oct-2016 ]	AM-BH31 1.25-1.5	✓						
EB1624749-085	[ 10-Oct-2016 ]	AM-BH31 1.5-1.75	✓						
EB1624749-086	[ 10-Oct-2016 ]	AM-BH31 1.75-2	✓	✓		✓			
EB1624749-087	[ 10-Oct-2016 ]	AM-BH31 2-2.25	✓						
EB1624749-088	[ 10-Oct-2016 ]	AM-BH31 2.25-2.5	✓						
EB1624749-089	[ 10-Oct-2016 ]	AM-BH31 2.5-2.75	✓						
EB1624749-090	[ 10-Oct-2016 ]	AM-BH31 2.75-3	✓						

Matrix: SOIL

Laboratory sample ID	Client sampling date / time	Client sample ID	(On Hold) SOIL No analysis requested	SOIL - EG005T (solids) Total Metals by ICP-AES	SOIL - EG020T (solids) Total Metals by ICP-MS	SOIL - EP075 SIM PAH only SIM - PAH only	SOIL - S-02 8 Metals (incl. Digestion)
EB1624749-037	[ 07-Oct-2016 ]	AM-BH15 0-0.1		✓	✓		✓
EB1624749-039	[ 07-Oct-2016 ]	QAQC007	✓				
EB1624749-040	[ 07-Oct-2016 ]	QAQC008	✓				
EB1624749-053	[ 07-Oct-2016 ]	AM-BH16 0-0.1		✓	✓		✓
EB1624749-055	[ 07-Oct-2016 ]	QAQC003	✓				
EB1624749-056	[ 07-Oct-2016 ]	QAQC004	✓				
EB1624749-066	[ 07-Oct-2016 ]	AM-BH25 0.5-0.6				✓	
EB1624749-078	[ 10-Oct-2016 ]	AM-BH30 2.75-3	✓				

### Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.



**Golder Associates Pty Ltd**  
**147 Coronation Dve**  
**Milton**  
**QLD 4064**



**NATA Accredited**  
**Accreditation Number 1261**  
**Site Number 20794**

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

**Attention:** **Serena Curti**

**Report** **521151-S**  
 Project name **BRISBANE AIRPORT**  
 Project ID **1538021**  
 Received Date **Oct 26, 2016**

Client Sample ID			QAQC006	QAQC002
Sample Matrix			Soil	Soil
Eurofins   mgt Sample No.			B16-Oc24499	B16-Oc24500
Date Sampled			Oct 07, 2016	Oct 14, 2016
Test/Reference	LOR	Unit		
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				
TRH C6-C9	20	mg/kg	< 20	< 20
TRH C10-C14	20	mg/kg	< 20	< 20
TRH C15-C28	50	mg/kg	< 50	< 50
TRH C29-C36	50	mg/kg	< 50	< 50
TRH C10-36 (Total)	50	mg/kg	< 50	< 50
<b>BTEX</b>				
Benzene	0.1	mg/kg	< 0.1	< 0.1
Toluene	0.1	mg/kg	< 0.1	< 0.1
Ethylbenzene	0.1	mg/kg	< 0.1	< 0.1
m&p-Xylenes	0.2	mg/kg	< 0.2	< 0.2
o-Xylene	0.1	mg/kg	< 0.1	< 0.1
Xylenes - Total	0.3	mg/kg	< 0.3	< 0.3
4-Bromofluorobenzene (surr.)	1	%	68	67
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				
Naphthalene <sup>N02</sup>	0.5	mg/kg	< 0.5	< 0.5
TRH C6-C10	20	mg/kg	< 20	< 20
TRH >C10-C16	50	mg/kg	< 50	< 50
TRH >C16-C34	100	mg/kg	< 100	< 100
TRH >C34-C40	100	mg/kg	< 100	< 100
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				
TRH >C10-C16 less Naphthalene (F2) <sup>N01</sup>	50	mg/kg	< 50	< 50
TRH C6-C10 less BTEX (F1) <sup>N04</sup>	20	mg/kg	< 20	< 20
<b>Polycyclic Aromatic Hydrocarbons</b>				
Benzo(a)pyrene TEQ (lower bound) *	0.5	mg/kg	< 0.5	< 0.5
Benzo(a)pyrene TEQ (medium bound) *	0.5	mg/kg	0.6	0.6
Benzo(a)pyrene TEQ (upper bound) *	0.5	mg/kg	1.2	1.2
Acenaphthene	0.5	mg/kg	< 0.5	< 0.5
Acenaphthylene	0.5	mg/kg	< 0.5	< 0.5
Anthracene	0.5	mg/kg	< 0.5	< 0.5
Benzo(a)anthracene	0.5	mg/kg	< 0.5	< 0.5
Benzo(a)pyrene	0.5	mg/kg	< 0.5	< 0.5
Benzo(b&j)fluoranthene <sup>N07</sup>	0.5	mg/kg	< 0.5	< 0.5
Benzo(g,h,i)perylene	0.5	mg/kg	< 0.5	< 0.5
Benzo(k)fluoranthene	0.5	mg/kg	< 0.5	< 0.5
Chrysene	0.5	mg/kg	< 0.5	< 0.5

Client Sample ID			QAQC006	QAQC002
Sample Matrix			Soil	Soil
Eurofins   mgt Sample No.			B16-Oc24499	B16-Oc24500
Date Sampled			Oct 07, 2016	Oct 14, 2016
Test/Reference	LOR	Unit		
<b>Polycyclic Aromatic Hydrocarbons</b>				
Dibenz(a,h)anthracene	0.5	mg/kg	< 0.5	< 0.5
Fluoranthene	0.5	mg/kg	< 0.5	< 0.5
Fluorene	0.5	mg/kg	< 0.5	< 0.5
Indeno(1.2.3-cd)pyrene	0.5	mg/kg	< 0.5	< 0.5
Naphthalene	0.5	mg/kg	< 0.5	< 0.5
Phenanthrene	0.5	mg/kg	< 0.5	< 0.5
Pyrene	0.5	mg/kg	< 0.5	< 0.5
Total PAH*	0.5	mg/kg	< 0.5	< 0.5
2-Fluorobiphenyl (surr.)	1	%	98	82
p-Terphenyl-d14 (surr.)	1	%	69	55
<b>Organochlorine Pesticides</b>				
Chlordanes - Total	0.1	mg/kg	< 0.1	< 0.1
4.4'-DDD	0.05	mg/kg	< 0.05	< 0.05
4.4'-DDE	0.05	mg/kg	< 0.05	< 0.05
4.4'-DDT	0.05	mg/kg	< 0.05	< 0.05
a-BHC	0.05	mg/kg	< 0.05	< 0.05
Aldrin	0.05	mg/kg	< 0.05	< 0.05
b-BHC	0.05	mg/kg	< 0.05	< 0.05
d-BHC	0.05	mg/kg	< 0.05	< 0.05
Dieldrin	0.05	mg/kg	< 0.05	< 0.05
Endosulfan I	0.05	mg/kg	< 0.05	< 0.05
Endosulfan II	0.05	mg/kg	< 0.05	< 0.05
Endosulfan sulphate	0.05	mg/kg	< 0.05	< 0.05
Endrin	0.05	mg/kg	< 0.05	< 0.05
Endrin aldehyde	0.05	mg/kg	< 0.05	< 0.05
Endrin ketone	0.05	mg/kg	< 0.05	< 0.05
g-BHC (Lindane)	0.05	mg/kg	< 0.05	< 0.05
Heptachlor	0.05	mg/kg	< 0.05	< 0.05
Heptachlor epoxide	0.05	mg/kg	< 0.05	< 0.05
Hexachlorobenzene	0.05	mg/kg	< 0.05	< 0.05
Methoxychlor	0.05	mg/kg	< 0.05	< 0.05
Toxaphene	1	mg/kg	< 1	< 1
Dibutylchloroendate (surr.)	1	%	95	79
Tetrachloro-m-xylene (surr.)	1	%	79	68
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				
Perfluorobutanesulfonic acid (PFBS)	0.005	mg/kg	< 0.005	-
Perfluorobutanoic acid (PFBA)	0.005	mg/kg	< 0.005	-
Perfluorohexanesulfonic acid (PFHxS)	0.005	mg/kg	< 0.005	-
Perfluorooctanesulfonic acid (PFOS)	0.005	mg/kg	< 0.005	-
Perfluorodecanesulfonic acid (PFDS)	0.005	mg/kg	< 0.005	-
Perfluoropentanoic acid (PFPeA)	0.005	mg/kg	< 0.005	-
Perfluorohexanoic acid (PFHxA)	0.005	mg/kg	< 0.005	-
Perfluoroheptanoic acid (PFHpA)	0.005	mg/kg	< 0.005	-
Perfluorooctanoic acid (PFOA)	0.005	mg/kg	< 0.005	-
Perfluorononanoic acid (PFNA)	0.005	mg/kg	< 0.005	-
Perfluorodecanoic acid (PFDA)	0.005	mg/kg	< 0.005	-
Perfluoroundecanoic acid (PFUnA)	0.005	mg/kg	< 0.005	-
Perfluorododecanoic acid (PFDoA)	0.005	mg/kg	< 0.005	-
Perfluorotridecanoic acid (PFTTrDA)	0.005	mg/kg	< 0.005	-

Client Sample ID			QAQC006	QAQC002
Sample Matrix			Soil	Soil
Eurofins   mgt Sample No.			B16-Oc24499	B16-Oc24500
Date Sampled			Oct 07, 2016	Oct 14, 2016
Test/Reference	LOR	Unit		
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				
Perfluorotetradecanoic acid (PFTeDA)	0.005	mg/kg	< 0.005	-
Perfluorooctanesulfonamide (PFOSA)	0.01	mg/kg	< 0.01	-
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	0.01	mg/kg	< 0.01	-
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	0.01	mg/kg	< 0.01	-
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	0.005	mg/kg	< 0.005	-
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	0.01	mg/kg	< 0.01	-
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	0.005	mg/kg	< 0.005	-
d5-n-EtFOSAA (surr.)	1	%	119	-
13C-PFHxA (surr.)	1	%	104	-
13C8-PFOS (surr.)	1	%	115	-
<b>Heavy Metals</b>				
Arsenic	2	mg/kg	17	20
Cadmium	0.4	mg/kg	< 0.4	< 0.4
Chromium	5	mg/kg	49	53
Copper	5	mg/kg	26	19
Lead	5	mg/kg	13	12
Mercury	0.1	mg/kg	< 0.1	< 0.1
Nickel	5	mg/kg	45	30
Zinc	5	mg/kg	120	49
<b>% Moisture</b>				
	1	%	25	21

### Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Eurofins   mgt Suite B7			
Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: TRH C6-C36 - LTM-ORG-2010	Melbourne	Oct 27, 2016	14 Day
BTEX - Method: TRH C6-C40 - LTM-ORG-2010	Melbourne	Oct 27, 2016	14 Day
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: TRH C6-C40 - LTM-ORG-2010	Melbourne	Oct 27, 2016	14 Day
Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: TRH C6-C40 - LTM-ORG-2010	Melbourne	Oct 27, 2016	14 Day
Polycyclic Aromatic Hydrocarbons - Method: USEPA 8270 Polycyclic Aromatic Hydrocarbons	Melbourne	Oct 27, 2016	14 Day
Metals M8 - Method: LTM-MET-3030 by ICP-OES (hydride ICP-OES for Mercury)	Melbourne	Oct 27, 2016	28 Days
Organochlorine Pesticides - Method: USEPA 8081 Organochlorine Pesticides	Melbourne	Oct 27, 2016	14 Day
Per- and Polyfluorinated Alkyl Substances (PFASs) - Method: LTM-ORG-2100 Per- and Polyfluorinated Alkyl Substances by LC-MS/MS	Brisbane	Oct 27, 2016	180 Day
% Moisture - Method: LTM-GEN-7080 Moisture	Melbourne	Oct 26, 2016	14 Day

<b>Company Name:</b> Golder Associates Pty Ltd (Qld) <b>Address:</b> 147 Coronation Dve Milton QLD 4064  <b>Project Name:</b> BRISBANE AIRPORT <b>Project ID:</b> 1538021	<b>Order No.:</b> <b>Report #:</b> 521151 <b>Phone:</b> (07) 3721 5400 <b>Fax:</b> (07) 3721 5401	<b>Received:</b> Oct 26, 2016 9:00 AM <b>Due:</b> Nov 2, 2016 <b>Priority:</b> 5 Day <b>Contact Name:</b> Krystle-Rae Biram
Eurofins   mgt Analytical Services Manager : Ryan Gilbert		

Sample Detail						Organochlorine Pesticides	Per- and Polyfluorinated Alkyl Substances (PFASs)	Moisture Set	Eurofins   mgt Suite B7
Melbourne Laboratory - NATA Site # 1254 & 14271						X		X	X
Sydney Laboratory - NATA Site # 18217									
Brisbane Laboratory - NATA Site # 20794							X		
External Laboratory									
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID				
1	QAQC006	Oct 07, 2016		Soil	B16-Oc24499	X	X	X	X
2	QAQC002	Oct 14, 2016		Soil	B16-Oc24500	X		X	X
<b>Test Counts</b>						2	1	2	2



## Internal Quality Control Review and Glossary

### General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
- All soil results are reported on a dry basis, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis. 7. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Advice.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per Kilogram

**mg/l:** milligrams per litre

**ug/l:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100ml:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery
<b>CRM</b>	Certified Reference Material - reported as percent recovery
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands. In the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>Batch Duplicate</b>	A second piece of analysis from a sample outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>Batch SPIKE</b>	Spike recovery reported on a sample from outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 50-150%-Phenols & PFASs 20-130%

### QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
- Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
- Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
- Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
- For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	mg/kg	< 20			20	Pass	
TRH C10-C14	mg/kg	< 20			20	Pass	
TRH C15-C28	mg/kg	< 50			50	Pass	
TRH C29-C36	mg/kg	< 50			50	Pass	
<b>Method Blank</b>							
<b>BTEX</b>							
Benzene	mg/kg	< 0.1			0.1	Pass	
Toluene	mg/kg	< 0.1			0.1	Pass	
Ethylbenzene	mg/kg	< 0.1			0.1	Pass	
m&p-Xylenes	mg/kg	< 0.2			0.2	Pass	
o-Xylene	mg/kg	< 0.1			0.1	Pass	
Xylenes - Total	mg/kg	< 0.3			0.3	Pass	
<b>Method Blank</b>							
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>							
Naphthalene	mg/kg	< 0.5			0.5	Pass	
TRH C6-C10	mg/kg	< 20			20	Pass	
TRH >C10-C16	mg/kg	< 50			50	Pass	
TRH >C16-C34	mg/kg	< 100			100	Pass	
TRH >C34-C40	mg/kg	< 100			100	Pass	
<b>Method Blank</b>							
<b>Polycyclic Aromatic Hydrocarbons</b>							
Acenaphthene	mg/kg	< 0.5			0.5	Pass	
Acenaphthylene	mg/kg	< 0.5			0.5	Pass	
Anthracene	mg/kg	< 0.5			0.5	Pass	
Benz(a)anthracene	mg/kg	< 0.5			0.5	Pass	
Benzo(a)pyrene	mg/kg	< 0.5			0.5	Pass	
Benzo(b&j)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Benzo(g,h,i)perylene	mg/kg	< 0.5			0.5	Pass	
Benzo(k)fluoranthene	mg/kg	< 0.5			0.5	Pass	
Chrysene	mg/kg	< 0.5			0.5	Pass	
Dibenz(a,h)anthracene	mg/kg	< 0.5			0.5	Pass	
Fluoranthene	mg/kg	< 0.5			0.5	Pass	
Fluorene	mg/kg	< 0.5			0.5	Pass	
Indeno(1,2,3-cd)pyrene	mg/kg	< 0.5			0.5	Pass	
Naphthalene	mg/kg	< 0.5			0.5	Pass	
Phenanthrene	mg/kg	< 0.5			0.5	Pass	
Pyrene	mg/kg	< 0.5			0.5	Pass	
<b>Method Blank</b>							
<b>Organochlorine Pesticides</b>							
Chlordanes - Total	mg/kg	< 0.1			0.1	Pass	
4,4'-DDD	mg/kg	< 0.05			0.05	Pass	
4,4'-DDE	mg/kg	< 0.05			0.05	Pass	
4,4'-DDT	mg/kg	< 0.05			0.05	Pass	
a-BHC	mg/kg	< 0.05			0.05	Pass	
Aldrin	mg/kg	< 0.05			0.05	Pass	
b-BHC	mg/kg	< 0.05			0.05	Pass	
d-BHC	mg/kg	< 0.05			0.05	Pass	
Dieldrin	mg/kg	< 0.05			0.05	Pass	
Endosulfan I	mg/kg	< 0.05			0.05	Pass	
Endosulfan II	mg/kg	< 0.05			0.05	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Endosulfan sulphate	mg/kg	< 0.05			0.05	Pass	
Endrin	mg/kg	< 0.05			0.05	Pass	
Endrin aldehyde	mg/kg	< 0.05			0.05	Pass	
Endrin ketone	mg/kg	< 0.05			0.05	Pass	
g-BHC (Lindane)	mg/kg	< 0.05			0.05	Pass	
Heptachlor	mg/kg	< 0.05			0.05	Pass	
Heptachlor epoxide	mg/kg	< 0.05			0.05	Pass	
Hexachlorobenzene	mg/kg	< 0.05			0.05	Pass	
Methoxychlor	mg/kg	< 0.05			0.05	Pass	
Toxaphene	mg/kg	< 1			1	Pass	
<b>Method Blank</b>							
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>							
Perfluorobutanesulfonic acid (PFBS)	mg/kg	< 0.005			0.005	Pass	
Perfluorobutanoic acid (PFBA)	mg/kg	< 0.005			0.005	Pass	
Perfluorohexanesulfonic acid (PFHxS)	mg/kg	< 0.005			0.005	Pass	
Perfluorooctanesulfonic acid (PFOS)	mg/kg	< 0.005			0.005	Pass	
Perfluorodecanesulfonic acid (PFDS)	mg/kg	< 0.005			0.005	Pass	
Perfluoropentanoic acid (PFPeA)	mg/kg	< 0.005			0.005	Pass	
Perfluorohexanoic acid (PFHxA)	mg/kg	< 0.005			0.005	Pass	
Perfluoroheptanoic acid (PFHpA)	mg/kg	< 0.005			0.005	Pass	
Perfluorooctanoic acid (PFOA)	mg/kg	< 0.005			0.005	Pass	
Perfluorononanoic acid (PFNA)	mg/kg	< 0.005			0.005	Pass	
Perfluorodecanoic acid (PFDA)	mg/kg	< 0.005			0.005	Pass	
Perfluoroundecanoic acid (PFUnA)	mg/kg	< 0.005			0.005	Pass	
Perfluorododecanoic acid (PFDoA)	mg/kg	< 0.005			0.005	Pass	
Perfluorotridecanoic acid (PFTrDA)	mg/kg	< 0.005			0.005	Pass	
Perfluorotetradecanoic acid (PFTeDA)	mg/kg	< 0.005			0.005	Pass	
Perfluorooctanesulfonamide (PFOSA)	mg/kg	< 0.01			0.01	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	mg/kg	< 0.01			0.01	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	mg/kg	< 0.01			0.01	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	mg/kg	< 0.005			0.005	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	mg/kg	< 0.01			0.01	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	mg/kg	< 0.005			0.005	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic	mg/kg	< 2			2	Pass	
Cadmium	mg/kg	< 0.4			0.4	Pass	
Chromium	mg/kg	< 5			5	Pass	
Copper	mg/kg	< 5			5	Pass	
Lead	mg/kg	< 5			5	Pass	
Mercury	mg/kg	< 0.1			0.1	Pass	
Nickel	mg/kg	< 5			5	Pass	
Zinc	mg/kg	< 5			5	Pass	
<b>LCS - % Recovery</b>							
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>							
TRH C6-C9	%	99			70-130	Pass	
TRH C10-C14	%	118			70-130	Pass	
<b>LCS - % Recovery</b>							
<b>BTEX</b>							
Benzene	%	105			70-130	Pass	
Toluene	%	109			70-130	Pass	
Ethylbenzene	%	107			70-130	Pass	
m&p-Xylenes	%	105			70-130	Pass	
Xylenes - Total	%	104			70-130	Pass	

Test	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>LCS - % Recovery</b>						
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>						
Naphthalene	%	123		70-130	Pass	
TRH C6-C10	%	95		70-130	Pass	
TRH >C10-C16	%	124		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Polycyclic Aromatic Hydrocarbons</b>						
Acenaphthene	%	81		70-130	Pass	
Acenaphthylene	%	82		70-130	Pass	
Anthracene	%	90		70-130	Pass	
Benz(a)anthracene	%	90		70-130	Pass	
Benzo(a)pyrene	%	82		70-130	Pass	
Benzo(b&i)fluoranthene	%	70		70-130	Pass	
Benzo(g,h,i)perylene	%	83		70-130	Pass	
Benzo(k)fluoranthene	%	86		70-130	Pass	
Chrysene	%	94		70-130	Pass	
Dibenz(a,h)anthracene	%	102		70-130	Pass	
Fluoranthene	%	80		70-130	Pass	
Fluorene	%	80		70-130	Pass	
Indeno(1,2,3-cd)pyrene	%	89		70-130	Pass	
Naphthalene	%	82		70-130	Pass	
Phenanthrene	%	82		70-130	Pass	
Pyrene	%	79		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Organochlorine Pesticides</b>						
4,4'-DDD	%	129		70-130	Pass	
4,4'-DDE	%	109		70-130	Pass	
4,4'-DDT	%	95		70-130	Pass	
a-BHC	%	118		70-130	Pass	
Aldrin	%	112		70-130	Pass	
b-BHC	%	106		70-130	Pass	
d-BHC	%	122		70-130	Pass	
Dieldrin	%	119		70-130	Pass	
Endosulfan I	%	103		70-130	Pass	
Endosulfan II	%	104		70-130	Pass	
Endosulfan sulphate	%	105		70-130	Pass	
Endrin	%	102		70-130	Pass	
Endrin aldehyde	%	107		70-130	Pass	
Endrin ketone	%	127		70-130	Pass	
g-BHC (Lindane)	%	114		70-130	Pass	
Heptachlor	%	100		70-130	Pass	
Heptachlor epoxide	%	109		70-130	Pass	
Hexachlorobenzene	%	100		70-130	Pass	
Methoxychlor	%	73		70-130	Pass	
<b>LCS - % Recovery</b>						
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>						
Perfluorobutanesulfonic acid (PFBS)	%	100		50-150	Pass	
Perfluorobutanoic acid (PFBA)	%	86		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	%	100		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	%	92		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	%	114		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	97		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	89		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	99		50-150	Pass	

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code	
Perfluorooctanoic acid (PFOA)	%	93			50-150	Pass		
Perfluorononanoic acid (PFNA)	%	118			50-150	Pass		
Perfluorodecanoic acid (PFDA)	%	118			50-150	Pass		
Perfluoroundecanoic acid (PFUnA)	%	121			50-150	Pass		
Perfluorododecanoic acid (PFDoA)	%	103			50-150	Pass		
Perfluorotridecanoic acid (PFTrDA)	%	98			50-150	Pass		
Perfluorotetradecanoic acid (PFTeDA)	%	105			50-150	Pass		
Perfluorooctanesulfonamide (PFOSA)	%	99			50-150	Pass		
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	%	132			50-150	Pass		
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	%	103			50-150	Pass		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	%	105			50-150	Pass		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	%	94			50-150	Pass		
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	%	123			50-150	Pass		
<b>LCS - % Recovery</b>								
<b>Heavy Metals</b>								
Arsenic	%	108			80-120	Pass		
Cadmium	%	106			80-120	Pass		
Chromium	%	112			80-120	Pass		
Copper	%	112			80-120	Pass		
Lead	%	119			80-120	Pass		
Mercury	%	115			75-125	Pass		
Nickel	%	111			80-120	Pass		
Zinc	%	109			80-120	Pass		
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				Result 1				
TRH C6-C9	M16-No01063	NCP	%	77		70-130	Pass	
TRH C10-C14	M16-Oc26395	NCP	%	120		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>BTEX</b>				Result 1				
Benzene	M16-No01063	NCP	%	88		70-130	Pass	
Toluene	M16-No01063	NCP	%	87		70-130	Pass	
Ethylbenzene	M16-No01063	NCP	%	86		70-130	Pass	
m&p-Xylenes	M16-No01063	NCP	%	86		70-130	Pass	
o-Xylene	M16-No01063	NCP	%	85		70-130	Pass	
Xylenes - Total	M16-No01063	NCP	%	85		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				Result 1				
Naphthalene	M16-No01063	NCP	%	117		70-130	Pass	
TRH C6-C10	M16-No01063	NCP	%	70		70-130	Pass	
TRH >C10-C16	M16-Oc26395	NCP	%	126		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1				
Acenaphthene	M16-Oc22487	NCP	%	99		70-130	Pass	
Acenaphthylene	M16-Oc22487	NCP	%	100		70-130	Pass	
Anthracene	M16-Oc22487	NCP	%	111		70-130	Pass	
Benz(a)anthracene	M16-Oc22487	NCP	%	97		70-130	Pass	
Benzo(a)pyrene	M16-Oc22487	NCP	%	124		70-130	Pass	
Benzo(b&j)fluoranthene	M16-Oc22487	NCP	%	96		70-130	Pass	
Benzo(g,h,i)perylene	M16-Oc22487	NCP	%	110		70-130	Pass	
Benzo(k)fluoranthene	M16-Oc22487	NCP	%	110		70-130	Pass	
Chrysene	M16-Oc22487	NCP	%	101		70-130	Pass	
Dibenz(a,h)anthracene	M16-Oc22487	NCP	%	129		70-130	Pass	
Fluoranthene	M16-Oc22487	NCP	%	93		70-130	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
Fluorene	M16-Oc22487	NCP	%	100		70-130	Pass	
Indeno(1.2.3-cd)pyrene	M16-Oc22487	NCP	%	120		70-130	Pass	
Naphthalene	M16-Oc22487	NCP	%	98		70-130	Pass	
Phenanthrene	M16-Oc22487	NCP	%	103		70-130	Pass	
Pyrene	M16-Oc22487	NCP	%	91		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Organochlorine Pesticides</b>				Result 1				
4.4'-DDD	M16-Oc23089	NCP	%	116		70-130	Pass	
4.4'-DDE	M16-Oc23089	NCP	%	109		70-130	Pass	
4.4'-DDT	M16-Oc23089	NCP	%	91		70-130	Pass	
a-BHC	M16-Oc23089	NCP	%	129		70-130	Pass	
Aldrin	M16-Oc23089	NCP	%	123		70-130	Pass	
b-BHC	M16-Oc23089	NCP	%	107		70-130	Pass	
d-BHC	M16-Oc23089	NCP	%	121		70-130	Pass	
Dieldrin	M16-Oc23089	NCP	%	123		70-130	Pass	
Endosulfan I	M16-Oc23089	NCP	%	106		70-130	Pass	
Endosulfan II	M16-Oc23089	NCP	%	101		70-130	Pass	
Endosulfan sulphate	M16-Oc23089	NCP	%	100		70-130	Pass	
Endrin	M16-Oc23089	NCP	%	105		70-130	Pass	
Endrin aldehyde	M16-Oc23089	NCP	%	98		70-130	Pass	
Endrin ketone	M16-Oc23089	NCP	%	123		70-130	Pass	
g-BHC (Lindane)	M16-Oc23089	NCP	%	122		70-130	Pass	
Heptachlor	M16-Oc23089	NCP	%	111		70-130	Pass	
Heptachlor epoxide	M16-Oc23089	NCP	%	119		70-130	Pass	
Hexachlorobenzene	M16-Oc23089	NCP	%	108		70-130	Pass	
Methoxychlor	M16-Oc23089	NCP	%	89		70-130	Pass	
<b>Spike - % Recovery</b>								
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1				
Perfluorobutanesulfonic acid (PFBS)	S16-Oc24506	NCP	%	100		50-150	Pass	
Perfluorobutanoic acid (PFBA)	S16-Oc24506	NCP	%	85		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	S16-Oc24506	NCP	%	98		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	S16-Oc24506	NCP	%	92		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	S16-Oc24506	NCP	%	114		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	S16-Oc24506	NCP	%	96		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	S16-Oc24506	NCP	%	89		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	S16-Oc24506	NCP	%	98		50-150	Pass	
Perfluorooctanoic acid (PFOA)	S16-Oc24506	NCP	%	91		50-150	Pass	
Perfluorononanoic acid (PFNA)	S16-Oc24506	NCP	%	119		50-150	Pass	
Perfluorodecanoic acid (PFDA)	S16-Oc24506	NCP	%	99		50-150	Pass	
Perfluoroundecanoic acid (PFUnA)	S16-Oc24506	NCP	%	132		50-150	Pass	
Perfluorododecanoic acid (PFDoA)	S16-Oc24506	NCP	%	114		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	S16-Oc24506	NCP	%	89		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	S16-Oc24506	NCP	%	73		50-150	Pass	
Perfluorooctanesulfonamide (PFOSA)	S16-Oc24506	NCP	%	83		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NETFOSAA)	S16-Oc24506	NCP	%	124		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	S16-Oc24506	NCP	%	102		50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	S16-Oc24506	NCP	%	92			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	S16-Oc24506	NCP	%	105			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	S16-Oc24506	NCP	%	119			50-150	Pass	
<b>Spike - % Recovery</b>									
<b>Heavy Metals</b>				Result 1					
Arsenic	M16-Oc24734	NCP	%	108			75-125	Pass	
Cadmium	M16-Oc24734	NCP	%	108			75-125	Pass	
Chromium	M16-Oc24734	NCP	%	103			75-125	Pass	
Copper	M16-Oc24734	NCP	%	106			75-125	Pass	
Lead	M16-Oc24734	NCP	%	105			75-125	Pass	
Mercury	M16-Oc23342	NCP	%	116			70-130	Pass	
Nickel	M16-Oc24734	NCP	%	107			75-125	Pass	
Zinc	M16-Oc24734	NCP	%	106			75-125	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons - 1999 NEPM Fractions</b>				Result 1	Result 2	RPD			
TRH C6-C9	M16-No01062	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C10-C14	M16-Oc26394	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH C15-C28	M16-Oc26394	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH C29-C36	M16-Oc26394	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
<b>Duplicate</b>									
<b>BTEX</b>				Result 1	Result 2	RPD			
Benzene	M16-No01062	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Toluene	M16-No01062	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Ethylbenzene	M16-No01062	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
m&p-Xylenes	M16-No01062	NCP	mg/kg	< 0.2	< 0.2	<1	30%	Pass	
o-Xylene	M16-No01062	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass	
Xylenes - Total	M16-No01062	NCP	mg/kg	< 0.3	< 0.3	<1	30%	Pass	
<b>Duplicate</b>									
<b>Total Recoverable Hydrocarbons - 2013 NEPM Fractions</b>				Result 1	Result 2	RPD			
Naphthalene	M16-No01062	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
TRH C6-C10	M16-No01062	NCP	mg/kg	< 20	< 20	<1	30%	Pass	
TRH >C10-C16	M16-Oc26394	NCP	mg/kg	< 50	< 50	<1	30%	Pass	
TRH >C16-C34	M16-Oc26394	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
TRH >C34-C40	M16-Oc26394	NCP	mg/kg	< 100	< 100	<1	30%	Pass	
<b>Duplicate</b>									
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1	Result 2	RPD			
Acenaphthene	M16-Oc24927	NCP	mg/kg	8.1	7.7	5.0	30%	Pass	
Acenaphthylene	M16-Oc24927	NCP	mg/kg	0.6	< 0.5	57	30%	Fail	Q15
Anthracene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benz(a)anthracene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(a)pyrene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(b&j)fluoranthene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(g,h,i)perylene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Benzo(k)fluoranthene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Chrysene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Dibenz(a,h)anthracene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	
Fluoranthene	M16-Oc24927	NCP	mg/kg	0.6	< 0.5	30	30%	Pass	
Fluorene	M16-Oc24927	NCP	mg/kg	6.2	6.0	3.0	30%	Pass	
Indeno(1.2.3-cd)pyrene	M16-Oc24927	NCP	mg/kg	< 0.5	< 0.5	<1	30%	Pass	

Duplicate								
<b>Polycyclic Aromatic Hydrocarbons</b>				Result 1	Result 2	RPD		
Naphthalene	M16-Oc24927	NCP	mg/kg	15	14	8.0	30%	Pass
Phenanthrene	M16-Oc24927	NCP	mg/kg	6.1	5.2	16	30%	Pass
Pyrene	M16-Oc24927	NCP	mg/kg	1.0	1.0	2.0	30%	Pass
Duplicate								
<b>Organochlorine Pesticides</b>				Result 1	Result 2	RPD		
Chlordanes - Total	M16-Oc26538	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
4,4'-DDD	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDE	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
4,4'-DDT	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
a-BHC	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Aldrin	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
b-BHC	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
d-BHC	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Dieldrin	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan I	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan II	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endosulfan sulphate	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin aldehyde	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Endrin ketone	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
g-BHC (Lindane)	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Heptachlor epoxide	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Hexachlorobenzene	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Methoxychlor	M16-Oc26538	NCP	mg/kg	< 0.05	< 0.05	<1	30%	Pass
Toxaphene	M16-Oc26538	NCP	mg/kg	< 1	< 1	<1	30%	Pass
Duplicate								
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorobutanoic acid (PFBA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	B16-Oc25773	NCP	mg/kg	0.008	0.008	3.0	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluoropentanoic acid (PFPeA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorohexanoic acid (PFHxA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluoroheptanoic acid (PFHpA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorooctanoic acid (PFOA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorononanoic acid (PFNA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorodecanoic acid (PFDA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluoroundecanoic acid (PFUnA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorododecanoic acid (PFDoA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorotridecanoic acid (PFTrDA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorotetradecanoic acid (PFTeDA)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Perfluorooctanesulfonamide (PFOSA)	B16-Oc25773	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (NETFOSAA)	B16-Oc25773	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	B16-Oc25773	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass



Duplicate								
Per- and Polyfluorinated Alkyl Substances (PFASs)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	B16-Oc25773	NCP	mg/kg	< 0.01	< 0.01	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	B16-Oc25773	NCP	mg/kg	< 0.005	< 0.005	<1	30%	Pass
Duplicate								
Heavy Metals				Result 1	Result 2	RPD		
Arsenic	M16-Oc24733	NCP	mg/kg	6.8	7.1	4.0	30%	Pass
Cadmium	M16-Oc24733	NCP	mg/kg	< 0.4	< 0.4	<1	30%	Pass
Chromium	M16-Oc24733	NCP	mg/kg	21	19	10	30%	Pass
Copper	M16-Oc24733	NCP	mg/kg	18	19	2.0	30%	Pass
Lead	M16-Oc24733	NCP	mg/kg	53	54	1.0	30%	Pass
Mercury	M16-Oc24733	NCP	mg/kg	< 0.1	< 0.1	<1	30%	Pass
Nickel	M16-Oc24733	NCP	mg/kg	7.1	5.8	21	30%	Pass
Zinc	M16-Oc24733	NCP	mg/kg	190	160	17	30%	Pass
Duplicate								
				Result 1	Result 2	RPD		
% Moisture	B16-Oc24496	NCP	%	27	24	12	30%	Pass

## Comments

### Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

### Qualifier Codes/Comments

Code	Description
N01	F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis).
N02	Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid.
N04	F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes.
N07	Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs
Q15	The RPD reported passes Eurofins   mgt's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report.

### Authorised By

Ryan Gilbert	Analytical Services Manager
Alex Petridis	Senior Analyst-Metal (VIC)
Alex Petridis	Senior Analyst-Organic (VIC)
Harry Bacalis	Senior Analyst-Volatile (VIC)
Huong Le	Senior Analyst-Inorganic (VIC)
Jonathon Angell	Senior Analyst-Organic (QLD)
Joseph Edouard	Senior Analyst-Organic (VIC)



### Glenn Jackson

#### National Operations Manager

Final report - this Report replaces any previously issued Report


- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

SAMPLE CHAIN OF CUSTODY DOCUMENTATION - SOIL

Project ID: 1538021		Quote/Order No.: 160715Q		GOLDER ASSOCIATES PTY LTD		Phone: (07) 3721 5400				
Site Location: Brisbane Airport		Lab Name: EUROFINS		147 Coronation Drive, Milton, Qld 4064		Fax: (07) 3721 5401				
Sampled By: Morgan Midgley		BY: 5		Invoice to be sent to Accounts: auaccounts payable@golder.com.au		Project Manager: Krystle-Rae Biram				
Turnaround (Days): 5		Report Format: <input type="checkbox"/> HARD <input type="checkbox"/> FAX <input type="checkbox"/> DISK <input type="checkbox"/> EMAIL <input type="checkbox"/> BULLETIN BOARD <input type="checkbox"/>		Contact Phone: 07 37215400		Email: KBiram@golder.com.au		<b>ANALYSIS REQUIRED</b> <div style="font-size: 2em; color: blue; margin-top: 20px;">#520188</div> <div style="font-size: 2em; color: blue; margin-top: 20px;">#520186</div>		
Email Format: <input type="checkbox"/> PDF <input type="checkbox"/> Excel <input type="checkbox"/> Other <input type="checkbox"/>		Email Address: mmidgley@golder.com.au		Comments/Special Instructions: Please CC results to scurti@golder.com.au						
Samples from a declared Fire Ant Area: Y		Samples taken from a known Weed and or Pest Area: N		No CONTAINERS		POSSIBLE HIGH CONCENTRATION				
SAMPLE ID	Location & Depth	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE					
QAQC006		soil	7-14/10/2016		2 jars	2	N			
QAQC002		soil	14/10/2016		1 jar	1	N			
SAMPLE MATRIX = Soil/Sediment/Fill/Other      SAMPLE TYPE = Core(CR)      HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list Container Type and Preservative Codes P = Natural Plastic, N = Nitric Acid Preserved, C = Sodium Hydroxide Preserved, J = Solvent Washed Acid Rinsed Jar, S = Solvent Washed Acid Rinsed Glass Bottle, VC = Hydrochloric Preserved Vial, VS = Sulphuric Acid P										
SIGNATURE		COMPANY	DATE	TIME	SIGNATURE		COMPANY	DATE	TIME	Shipment Method
RELEASED BY: Serena Curti		GOLDER	19/10/2016	11am	RELEASED BY:					Shipping Ref
RECEIVED BY:					RECEIVED BY:					
RECEIVED BY:					RECEIVED BY:					
RECEIVED BY:					RECEIVED BY:					
To Be Filled Out By Analysing Laboratory						LAB. BATCH NUMBER				
Security Seal			Chilled		LAB. BATCH NUMBER		Bill to:			
Suitable Containers			Frozen		LAB. BATCH NUMBER		Address			
Cool Box			Ambient		LAB. BATCH NUMBER					

**THIS FORM IS TO BE SIGNED BY GOLDER STAFF; COURIER/S; LABORATORY ON RECEIPT OF SAMPLES.**

## Sample Receipt Advice

Company name: **Golder Associates Pty Ltd (Qld)**  
Contact name: **Krystle-Rae Biram**  
Project name: **BRISBANE AIRPORT**  
Project ID: **1538021**  
COC number: **Not provided**  
Turn around time: **5 Day**  
Date/Time received: **Oct 26, 2016 9:00 AM**  
Eurofins | mgt reference: **521151**

### Sample information

- A detailed list of analytes logged into our LIMS, is included in the attached summary table.
- All samples have been received as described on the above COC.
- COC has been completed correctly.
- Attempt to chill was evident.
- Appropriately preserved sample containers have been used.
- All samples were received in good condition.
- Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
- Appropriate sample containers have been used.
- Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Contact notes

If you have any questions with respect to these samples please contact:

Ryan Gilbert on Phone : or by e.mail: [RyanGilbert@eurofins.com](mailto:RyanGilbert@eurofins.com)

Results will be delivered electronically via e.mail to Krystle-Rae Biram - [KBiram@golder.com.au](mailto:KBiram@golder.com.au).

## CERTIFICATE OF ANALYSIS

**Work Order** : **EB1625464**  
**Client** : **GOLDER ASSOCIATES**  
**Contact** : K BIRAM  
**Address** : P O BOX 1734  
 MILTON QLD, AUSTRALIA 4064  
**Telephone** : +61 07 3721 5400  
**Project** : 1538021  
**Order number** : 1538021  
**C-O-C number** : ----  
**Sampler** : MORGAN MIDGLEY  
**Site** : Brisbane Airport  
**Quote number** : ----  
**No. of samples received** : 12  
**No. of samples analysed** : 12

**Page** : 1 of 12  
**Laboratory** : Environmental Division Brisbane  
**Contact** : Carsten Emrich  
**Address** : 2 Byth Street Stafford QLD Australia 4053  
**Telephone** : +61 7 3243 7222  
**Date Samples Received** : 25-Oct-2016 15:15  
**Date Analysis Commenced** : 27-Oct-2016  
**Issue Date** : 01-Nov-2016 22:12



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Greg Vogel	Laboratory Manager	Brisbane Inorganics, Stafford, QLD
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

∅ = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- EG020-F (Dissolved Metals): LOR's have been raised for some samples due to matrix interference.



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time				25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15	
Compound	CAS Number	LOR	Unit	EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005	
				Result	Result	Result	Result	Result	
<b>EA005P: pH by PC Titrator</b>									
pH Value	----	0.01	pH Unit	----	----	----	----	----	
<b>EA010P: Conductivity by PC Titrator</b>									
Electrical Conductivity @ 25°C	----	1	µS/cm	----	----	----	----	----	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	----	----	----	----	----	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	----	----	----	----	----	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	----	----	----	----	----	
Total Alkalinity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	----	----	----	----	----	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	----	----	----	----	----	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	----	----	----	----	----	
Magnesium	7439-95-4	1	mg/L	----	----	----	----	----	
Sodium	7440-23-5	1	mg/L	----	----	----	----	----	
Potassium	7440-09-7	1	mg/L	----	----	----	----	----	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	----	----	----	----	----	
Arsenic	7440-38-2	0.001	mg/L	----	----	----	----	----	
Cadmium	7440-43-9	0.0001	mg/L	----	----	----	----	----	
Chromium	7440-47-3	0.001	mg/L	----	----	----	----	----	
Copper	7440-50-8	0.001	mg/L	----	----	----	----	----	
Nickel	7440-02-0	0.001	mg/L	----	----	----	----	----	
Lead	7439-92-1	0.001	mg/L	----	----	----	----	----	
Zinc	7440-66-6	0.005	mg/L	----	----	----	----	----	
Iron	7439-89-6	0.05	mg/L	----	----	----	----	----	
<b>EG035F: Dissolved Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	----	----	----	----	----	
<b>EN055: Ionic Balance</b>									
Total Anions	----	0.01	meq/L	----	----	----	----	----	
Total Cations	----	0.01	meq/L	----	----	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time					25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15
Compound	CAS Number	LOR	Unit		EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005
					Result	Result	Result	Result	Result
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%		----	----	----	----	----
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L		0.008	0.005	<0.002	0.008	0.002
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L		0.005	0.003	<0.002	0.004	<0.002
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L		0.007	0.012	<0.002	0.011	<0.002
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L		<0.01	<0.01	<0.01	<0.01	<0.01
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L		<0.002	<0.002	<0.002	0.004	<0.002
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L		0.002	<0.002	<0.002	0.006	<0.002
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005





## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-BH08	AM-BH19	BIP-MW07	BIP-MW1	BIP-MW2
Client sampling date / time					25-Oct-2016 12:06	25-Oct-2016 10:54	25-Oct-2016 12:32	25-Oct-2016 13:33	25-Oct-2016 14:15
Compound	CAS Number	LOR	Unit		EB1625464-001	EB1625464-002	EB1625464-003	EB1625464-004	EB1625464-005
					Result	Result	Result	Result	Result
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L		<0.002	<0.002	<0.002	<0.002	<0.002
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L		<0.005	<0.005	<0.005	<0.005	<0.005
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L		0.022	0.020	<0.002	0.033	0.002
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L		0.007	0.012	<0.002	0.011	<0.002
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%		92.4	109	91.0	82.7	90.7



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EA005P: pH by PC Titrator</b>									
pH Value	----	0.01	pH Unit	6.65	6.26	6.43	6.06	6.99	
<b>EA010P: Conductivity by PC Titrator</b>									
Electrical Conductivity @ 25°C	----	1	µS/cm	35300	20400	9120	14800	51400	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	<1	<1	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	341	362	185	95	297	
Total Alkalinity as CaCO3	----	1	mg/L	341	362	185	95	297	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	242	570	218	388	260	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	2620	2660	1140	1760	2400	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	13300	6920	2750	4900	20700	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	436	348	192	242	407	
Magnesium	7439-95-4	1	mg/L	1010	649	265	335	1220	
Sodium	7440-23-5	1	mg/L	6800	3500	1420	2460	10700	
Potassium	7440-09-7	1	mg/L	238	54	39	63	375	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	0.10	0.08	<0.01	<0.01	<0.05	
Arsenic	7440-38-2	0.001	mg/L	<0.005	<0.005	0.001	0.004	<0.005	
Cadmium	7440-43-9	0.0001	mg/L	<0.0005	<0.0005	<0.0001	<0.0001	<0.0005	
Chromium	7440-47-3	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Copper	7440-50-8	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Nickel	7440-02-0	0.001	mg/L	0.024	0.074	0.018	0.032	0.018	
Lead	7439-92-1	0.001	mg/L	<0.005	<0.005	<0.001	<0.001	<0.005	
Zinc	7440-66-6	0.005	mg/L	0.118	0.194	0.076	0.118	0.134	
Iron	7439-89-6	0.05	mg/L	12.2	87.6	7.58	87.6	<0.05	
<b>EG035F: Dissolved Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
<b>EN055: Ionic Balance</b>									
Total Anions	----	0.01	meq/L	436	258	105	177	640	
Total Cations	----	0.01	meq/L	407	224	94.2	148	596	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%	3.53	6.93	5.45	8.77	3.57	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	0.171	0.011	0.037	0.006	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	0.084	0.006	0.029	0.008	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	0.394	0.054	0.293	0.062	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	<0.002	0.002	<0.002	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	0.011	<0.002	0.021	0.004	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.004	<0.002	0.005	<0.002	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	0.019	<0.002	0.023	0.003	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	<0.002	<0.002	0.005	<0.002	
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	0.003	<0.002	0.016	0.004	
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorotridecanoic acid (PFTTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	AM-MW31	AM-MW14	AM-MW15	AM-MW16	AM-MW10
Client sampling date / time				25-Oct-2016 13:12	25-Oct-2016 09:40	25-Oct-2016 10:32	25-Oct-2016 09:07	25-Oct-2016 11:27	
Compound	CAS Number	LOR	Unit	EB1625464-006	EB1625464-007	EB1625464-008	EB1625464-009	EB1625464-010	
				Result	Result	Result	Result	Result	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	<0.002	<0.002	<0.002	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	<0.005	<0.005	<0.005	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L	<0.002	<b>0.686</b>	<b>0.071</b>	<b>0.431</b>	<b>0.087</b>	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L	<0.002	<b>0.405</b>	<b>0.054</b>	<b>0.314</b>	<b>0.066</b>	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%	<b>87.2</b>	<b>89.4</b>	<b>86.8</b>	<b>102</b>	<b>87.7</b>	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)		Client sample ID			QAQC100	QAQC300	----	----	----
		Client sampling date / time			25-Oct-2016 09:07	25-Oct-2016 14:30	----	----	----
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----	
				Result	Result	----	----	----	
<b>EA005P: pH by PC Titrator</b>									
pH Value	----	0.01	pH Unit	----	----	----	----	----	
<b>EA010P: Conductivity by PC Titrator</b>									
Electrical Conductivity @ 25°C	----	1	µS/cm	----	----	----	----	----	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	----	----	----	----	----	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	----	----	----	----	----	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	----	----	----	----	----	
Total Alkalinity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED038A: Acidity</b>									
Acidity as CaCO3	----	1	mg/L	----	----	----	----	----	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	----	----	----	----	----	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	----	----	----	----	----	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	----	----	----	----	----	
Magnesium	7439-95-4	1	mg/L	----	----	----	----	----	
Sodium	7440-23-5	1	mg/L	----	----	----	----	----	
Potassium	7440-09-7	1	mg/L	----	----	----	----	----	
<b>EG020F: Dissolved Metals by ICP-MS</b>									
Aluminium	7429-90-5	0.01	mg/L	----	----	----	----	----	
Arsenic	7440-38-2	0.001	mg/L	0.004	<0.001	----	----	----	
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	<0.0001	----	----	----	
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	----	----	----	
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	----	----	----	
Nickel	7440-02-0	0.001	mg/L	0.032	<0.001	----	----	----	
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	----	----	----	
Zinc	7440-66-6	0.005	mg/L	0.120	<0.005	----	----	----	
Iron	7439-89-6	0.05	mg/L	----	----	----	----	----	
<b>EG035F: Dissolved Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	----	----	----	
<b>EN055: Ionic Balance</b>									
Total Anions	----	0.01	meq/L	----	----	----	----	----	
Total Cations	----	0.01	meq/L	----	----	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	QAQC100	QAQC300	----	----	----
Client sampling date / time				25-Oct-2016 09:07	25-Oct-2016 14:30	----	----	----	
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----	
				Result	Result	----	----	----	
<b>EN055: Ionic Balance - Continued</b>									
Ionic Balance	----	0.01	%	----	----	----	----	----	
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>									
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	0.036	<0.002	----	----	----	
Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	0.029	<0.002	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	0.291	<0.002	----	----	----	
Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	0.023	<0.002	----	----	----	
Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	----	----	----	
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>									
Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	0.005	<0.002	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	0.022	<0.002	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	0.005	<0.002	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	0.011	<0.002	----	----	----	
Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	----	----	----	
Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides</b>									
Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	----	----	----	
N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	QAQC100	QAQC300	----	----	----
Client sampling date / time				25-Oct-2016 09:07	25-Oct-2016 14:30	----	----	----	
Compound	CAS Number	LOR	Unit	EB1625464-011	EB1625464-012	-----	-----	-----	
				Result	Result	----	----	----	
<b>EP231C: Perfluoroalkyl Sulfonamides - Continued</b>									
N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	----	----	----	
N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	----	----	----	
N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	----	----	----	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>									
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	----	----	----	
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	----	----	----	
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	----	----	----	
<b>EP231P: PFAS Sums</b>									
Sum of PFAS	----	0.002	µg/L	<b>0.422</b>	<0.002	----	----	----	
Sum of PFHxS and PFOS	375-85-9/1763-23-1	0.002	µg/L	<b>0.314</b>	<0.002	----	----	----	
<b>EP231S: PFAS Surrogate</b>									
13C4-PFOS	----	0.002	%	<b>82.4</b>	<b>94.5</b>	----	----	----	



### Surrogate Control Limits

Sub-Matrix: <b>WATER</b>		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP231S: PFAS Surrogate</b>			
<b>13C4-PFOS</b>	----	70	120



## QUALITY CONTROL REPORT

<b>Work Order</b>	: <b>EB1625464</b>	<b>Page</b>	: 1 of 9
<b>Client</b>	: <b>GOLDER ASSOCIATES</b>	<b>Laboratory</b>	: Environmental Division Brisbane
<b>Contact</b>	: K BIRAM	<b>Contact</b>	: Carsten Emrich
<b>Address</b>	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	<b>Address</b>	: 2 Byth Street Stafford QLD Australia 4053
<b>Telephone</b>	: +61 07 3721 5400	<b>Telephone</b>	: +61 7 3243 7222
<b>Project</b>	: 1538021	<b>Date Samples Received</b>	: 25-Oct-2016
<b>Order number</b>	: 1538021	<b>Date Analysis Commenced</b>	: 27-Oct-2016
<b>C-O-C number</b>	: ----	<b>Issue Date</b>	: 01-Nov-2016
<b>Sampler</b>	: MORGAN MIDGLEY		
<b>Site</b>	: Brisbane Airport		
<b>Quote number</b>	: ----		
<b>No. of samples received</b>	: 12		
<b>No. of samples analysed</b>	: 12		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

### *Signatories*

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Alex Rossi	Organic Chemist	Sydney Organics, Smithfield, NSW
Greg Vogel	Laboratory Manager	Brisbane Inorganics, Stafford, QLD
Kim McCabe	Senior Inorganic Chemist	Brisbane Inorganics, Stafford, QLD



## General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key :  
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot  
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
 LOR = Limit of reporting  
 RPD = Relative Percentage Difference  
 # = Indicates failed QC

## Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EA005P: pH by PC Titrator (QC Lot: 632975)</b>									
EB1625473-001	Anonymous	EA005-P: pH Value	----	0.01	pH Unit	6.75	6.90	2.20	0% - 20%
EB1625444-001	Anonymous	EA005-P: pH Value	----	0.01	pH Unit	7.56	7.53	0.398	0% - 20%
<b>EA010P: Conductivity by PC Titrator (QC Lot: 632976)</b>									
EB1625444-001	Anonymous	EA010-P: Electrical Conductivity @ 25°C	----	1	µS/cm	431	431	0.00	0% - 20%
<b>ED037P: Alkalinity by PC Titrator (QC Lot: 632978)</b>									
EB1625444-001	Anonymous	ED037-P: Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	0.00	No Limit
		ED037-P: Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	0.00	No Limit
		ED037-P: Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	46	48	4.58	0% - 20%
		ED037-P: Total Alkalinity as CaCO3	----	1	mg/L	46	48	4.58	0% - 20%
<b>ED038A: Acidity (QC Lot: 634475)</b>									
EB1625246-001	Anonymous	ED038: Acidity as CaCO3	----	1	mg/L	6	6	0.00	No Limit
EB1625464-009	AM-MW16	ED038: Acidity as CaCO3	----	1	mg/L	388	400	3.08	0% - 20%
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QC Lot: 630949)</b>									
EB1625413-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	5620	5460	2.91	0% - 20%
<b>ED045G: Chloride by Discrete Analyser (QC Lot: 630948)</b>									
EB1625413-001	Anonymous	ED045G: Chloride	16887-00-6	1	mg/L	2410	2510	4.32	0% - 20%
<b>ED093F: Dissolved Major Cations (QC Lot: 631832)</b>									
EB1625502-003	Anonymous	ED093F: Calcium	7440-70-2	1	mg/L	494	493	0.253	0% - 20%
		ED093F: Magnesium	7439-95-4	1	mg/L	51	51	0.00	0% - 20%
		ED093F: Sodium	7440-23-5	1	mg/L	254	250	1.60	0% - 20%
		ED093F: Potassium	7440-09-7	1	mg/L	191	190	0.00	0% - 20%
EB1625464-006	AM-MW31	ED093F: Calcium	7440-70-2	1	mg/L	436	448	2.77	0% - 20%
		ED093F: Magnesium	7439-95-4	1	mg/L	1010	1040	3.01	0% - 20%
		ED093F: Sodium	7440-23-5	1	mg/L	6800	6940	2.00	0% - 20%



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>ED093F: Dissolved Major Cations (QC Lot: 631832) - continued</b>									
EB1625464-006	AM-MW31	ED093F: Potassium	7440-09-7	1	mg/L	238	244	2.52	0% - 20%
<b>EG020F: Dissolved Metals by ICP-MS (QC Lot: 631833)</b>									
EB1625502-003	Anonymous	EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	0.0006	0.0006	0.00	No Limit
		EG020A-F: Arsenic	7440-38-2	0.001	mg/L	0.023	0.024	0.00	0% - 20%
		EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Nickel	7440-02-0	0.001	mg/L	<0.001	<0.001	0.00	No Limit
		EG020A-F: Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.01	<0.01	0.00	No Limit
EB1625464-006	AM-MW31	EG020A-F: Iron	7439-89-6	0.05	mg/L	1.31	1.25	4.96	0% - 20%
		EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	<0.0005	<0.0005	0.00	No Limit
		EG020A-F: Arsenic	7440-38-2	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.005	<0.005	0.00	No Limit
		EG020A-F: Nickel	7440-02-0	0.001	mg/L	0.024	0.024	0.00	No Limit
		EG020A-F: Zinc	7440-66-6	0.005	mg/L	0.118	0.123	3.52	No Limit
		EG020A-F: Aluminium	7429-90-5	0.01	mg/L	0.10	0.08	14.9	No Limit
		EG020A-F: Iron	7439-89-6	0.05	mg/L	12.2	12.6	3.41	0% - 20%
<b>EG035F: Dissolved Mercury by FIMS (QC Lot: 631834)</b>									
EB1625507-001	Anonymous	EG035F: Mercury	7439-97-6	0.0001	mg/L	0.0001	0.0001	0.00	No Limit
EB1625464-006	AM-MW31	EG035F: Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	0.00	No Limit
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	2.61	2.51	4.02	0% - 20%
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	1.64	1.57	4.06	0% - 20%
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	7.91	7.58	4.36	0% - 20%
		EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	0.042	0.041	3.36	0% - 20%
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	0.347	0.393	12.5	0% - 20%
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit



Sub-Matrix: **WATER**

				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QC Lot: 633504) - continued</b>									
EB1625464-003	BIP-MW07	EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	<0.002	0.00	No Limit
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	0.042	0.034	18.9	0% - 20%
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	0.422	0.418	0.952	0% - 20%
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	0.009	0.007	26.8	No Limit
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	0.025	0.022	15.3	0% - 50%
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.002	0.00	No Limit
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	<0.01	0.00	No Limit
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit



Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Recovery Limits (%)
<b>EP231C: Perfluoroalkyl Sulfonamides (QC Lot: 633504) - continued</b>									
EB1625449-001	Anonymous	EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	<0.002	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QC Lot: 633504)</b>									
EB1625449-001	Anonymous	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	0.00	No Limit
EB1625464-003	BIP-MW07	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	<0.005	0.00	No Limit
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	<0.005	0.00	No Limit



## Method Blank (MB) and Laboratory Control Spike (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Spike (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **WATER**

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB) Report	Laboratory Control Spike (LCS) Report				
				Result	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
						LCS	Low	High	
<b>EA005P: pH by PC Titrator (QCLot: 632975)</b>									
EA005-P: pH Value	----	----	pH Unit	----	4 pH Unit	100	98	102	
				----	7 pH Unit	101	98	102	
<b>EA010P: Conductivity by PC Titrator (QCLot: 632976)</b>									
EA010-P: Electrical Conductivity @ 25°C	----	1	µS/cm	<1	4000 µS/cm	95.7	91	107	
				<1	12890 µS/cm	96.0	91	107	
<b>ED037P: Alkalinity by PC Titrator (QCLot: 632978)</b>									
ED037-P: Total Alkalinity as CaCO3	----	----	mg/L	----	200 mg/L	106	80	120	
<b>ED038A: Acidity (QCLot: 634475)</b>									
ED038: Acidity as CaCO3	----	----	mg/L	----	100 mg/L	104	90	110	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 630949)</b>									
ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	<1	25 mg/L	96.2	85	118	
				<1	100 mg/L	93.0	85	118	
<b>ED045G: Chloride by Discrete Analyser (QCLot: 630948)</b>									
ED045G: Chloride	16887-00-6	1	mg/L	<1	10 mg/L	96.2	90	115	
				<1	1000 mg/L	106	90	115	
<b>ED093F: Dissolved Major Cations (QCLot: 631832)</b>									
ED093F: Calcium	7440-70-2	1	mg/L	<1	----	----	----	----	
ED093F: Magnesium	7439-95-4	1	mg/L	<1	----	----	----	----	
ED093F: Sodium	7440-23-5	1	mg/L	<1	----	----	----	----	
ED093F: Potassium	7440-09-7	1	mg/L	<1	----	----	----	----	
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 631833)</b>									
EG020A-F: Aluminium	7429-90-5	0.01	mg/L	<0.01	0.5 mg/L	89.7	79	118	
EG020A-F: Arsenic	7440-38-2	0.001	mg/L	<0.001	0.1 mg/L	99.8	88	116	
EG020A-F: Cadmium	7440-43-9	0.0001	mg/L	<0.0001	0.1 mg/L	100	88	108	
EG020A-F: Chromium	7440-47-3	0.001	mg/L	<0.001	0.1 mg/L	97.0	87	113	
EG020A-F: Copper	7440-50-8	0.001	mg/L	<0.001	0.2 mg/L	96.0	88	114	
EG020A-F: Lead	7439-92-1	0.001	mg/L	<0.001	0.1 mg/L	91.2	89	110	
EG020A-F: Nickel	7440-02-0	0.001	mg/L	<0.001	0.1 mg/L	99.9	89	113	
EG020A-F: Zinc	7440-66-6	0.005	mg/L	<0.005	0.2 mg/L	97.6	87	113	
EG020A-F: Iron	7439-89-6	0.05	mg/L	<0.05	0.5 mg/L	85.5	82	114	
<b>EG035F: Dissolved Mercury by FIMS (QCLot: 631834)</b>									
EG035F: Mercury	7439-97-6	0.0001	mg/L	<0.0001	0.01 mg/L	96.9	84	118	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504)</b>									



Sub-Matrix: WATER

Method: Compound	CAS Number	LOR	Unit	Method Blank (MB)	Laboratory Control Spike (LCS) Report				
				Report	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)	
				Result		LCS	Low	High	
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504) - continued</b>									
EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.002	µg/L	<0.002	0.05 µg/L	103	60	130	
EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.002	µg/L	<0.002	0.05 µg/L	99.4	60	130	
EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.002	µg/L	<0.002	0.05 µg/L	120	60	130	
EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.002	µg/L	<0.002	0.05 µg/L	121	60	130	
EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.002	µg/L	<0.002	0.05 µg/L	115	60	130	
EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.002	µg/L	<0.002	0.05 µg/L	91.2	60	130	
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504)</b>									
EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.01	µg/L	<0.01	0.05 µg/L	101	60	130	
EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.002	µg/L	<0.002	0.05 µg/L	90.2	60	130	
EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.002	µg/L	<0.002	0.05 µg/L	104	60	130	
EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.002	µg/L	<0.002	0.05 µg/L	104	60	130	
EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.002	µg/L	<0.002	0.05 µg/L	90.2	60	130	
EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.002	µg/L	<0.002	0.05 µg/L	96.0	60	130	
EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.002	µg/L	<0.002	0.05 µg/L	115	60	130	
EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.002	µg/L	<0.002	0.05 µg/L	84.8	60	130	
EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.002	µg/L	<0.002	0.05 µg/L	85.0	60	130	
EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.002	µg/L	<0.002	0.05 µg/L	78.6	60	130	
EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.005	µg/L	<0.005	0.125 µg/L	71.0	60	130	
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 633504)</b>									
EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.002	µg/L	<0.002	0.05 µg/L	120	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.005	µg/L	<0.005	0.125 µg/L	106	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.005	µg/L	<0.005	0.125 µg/L	83.0	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.005	µg/L	<0.005	0.125 µg/L	90.8	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.005	µg/L	<0.005	0.125 µg/L	76.4	60	130	
EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.002	µg/L	<0.002	0.05 µg/L	86.6	60	130	
EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.002	µg/L	<0.002	0.05 µg/L	117	60	130	
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 633504)</b>									
EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.005	µg/L	<0.005	0.05 µg/L	97.8	60	130	
EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.005	µg/L	<0.005	0.05 µg/L	110	60	130	
EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.005	µg/L	<0.005	0.05 µg/L	81.2	60	130	
EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.005	µg/L	<0.005	0.05 µg/L	78.2	60	130	



The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: WATER

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Matrix Spike (MS) Report			
				Spike	Spike Recovery(%)	Recovery Limits (%)	
				Concentration	MS	Low	High
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA (QCLot: 630949)</b>							
EB1625451-001	Anonymous	ED041G: Sulfate as SO4 - Turbidimetric	14808-79-8	20 mg/L	# Not Determined	70	130
<b>ED045G: Chloride by Discrete Analyser (QCLot: 630948)</b>							
EB1625451-001	Anonymous	ED045G: Chloride	16887-00-6	400 mg/L	89.9	70	130
<b>EG020F: Dissolved Metals by ICP-MS (QCLot: 631833)</b>							
EB1625464-007	AM-MW14	EG020A-F: Aluminium	7429-90-5	0.5 mg/L	117	70	130
		EG020A-F: Arsenic	7440-38-2	0.1 mg/L	110	70	130
		EG020A-F: Cadmium	7440-43-9	0.1 mg/L	101	70	130
		EG020A-F: Chromium	7440-47-3	0.1 mg/L	90.5	70	130
		EG020A-F: Copper	7440-50-8	0.2 mg/L	86.0	70	130
		EG020A-F: Lead	7439-92-1	0.1 mg/L	110	70	130
		EG020A-F: Nickel	7440-02-0	0.1 mg/L	88.5	70	130
		EG020A-F: Zinc	7440-66-6	0.2 mg/L	99.6	70	130
<b>EG035F: Dissolved Mercury by FIMS (QCLot: 631834)</b>							
EB1625464-007	AM-MW14	EG035F: Mercury	7439-97-6	0.01 mg/L	71.3	70	130
<b>EP231A: Perfluoroalkyl Sulfonic Acids (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoroheptane sulfonic acid (PFHpS)	375-92-8	0.05 µg/L	94.0	50	130
		EP231X-LL: Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.05 µg/L	# Not Determined	60	130
		EP231X-LL: Perfluorodecane sulfonic acid (PFDS)	67906-42-7	0.05 µg/L	90.8	50	130
		<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504)</b>					
EB1625449-002	Anonymous	EP231X-LL: Perfluorobutanoic acid (PFBA)	375-22-4	0.05 µg/L	55.9	50	130
		EP231X-LL: Perfluoropentanoic acid (PFPeA)	2706-90-3	0.05 µg/L	71.0	50	130
		EP231X-LL: Perfluorohexanoic acid (PFHxA)	307-24-4	0.05 µg/L	# Not Determined	50	130
		EP231X-LL: Perfluoroheptanoic acid (PFHpA)	375-85-9	0.05 µg/L	64.4	61	130
		EP231X-LL: Perfluorooctanoic acid (PFOA)	335-67-1	0.05 µg/L	69.4	60	130
		EP231X-LL: Perfluorononanoic acid (PFNA)	375-95-1	0.05 µg/L	79.8	50	130
		EP231X-LL: Perfluorodecanoic acid (PFDA)	335-76-2	0.05 µg/L	96.0	65	130
		EP231X-LL: Perfluoroundecanoic acid (PFUnDA)	2058-94-8	0.05 µg/L	72.8	50	130





Sub-Matrix: WATER

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Recovery Limits (%)	
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
<b>EP231B: Perfluoroalkyl Carboxylic Acids (QCLot: 633504) - continued</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorododecanoic acid (PFDoDA)	307-55-1	0.05 µg/L	67.0	50	130
		EP231X-LL: Perfluorotridecanoic acid (PFTrDA)	72629-94-8	0.05 µg/L	60.4	30	130
		EP231X-LL: Perfluorotetradecanoic acid (PFTeDA)	376-06-7	0.125 µg/L	47.4	30	130
<b>EP231C: Perfluoroalkyl Sulfonamides (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: Perfluorooctane sulfonamide (FOSA)	754-91-6	0.05 µg/L	103	50	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamide (MeFOSA)	31506-32-8	0.125 µg/L	83.4	50	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamide (EtFOSA)	4151-50-2	0.125 µg/L	70.5	50	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoethanol (MeFOSE)	2448-09-7	0.125 µg/L	63.7	36	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	1691-99-2	0.125 µg/L	60.0	30	130
		EP231X-LL: N-Methyl perfluorooctane sulfonamidoacetic acid (MeFOSAA)	2355-31-9	0.05 µg/L	62.8	50	130
		EP231X-LL: N-Ethyl perfluorooctane sulfonamidoacetic acid (EtFOSAA)	2991-50-6	0.05 µg/L	64.0	50	130
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids (QCLot: 633504)</b>							
EB1625449-002	Anonymous	EP231X-LL: 4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05 µg/L	84.4	50	130
		EP231X-LL: 6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05 µg/L	69.8	60	130
		EP231X-LL: 8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05 µg/L	76.2	60	130
		EP231X-LL: 10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05 µg/L	60.2	50	130

## QA/QC Compliance Assessment to assist with Quality Review

Work Order	: <b>EB1625464</b>	Page	: 1 of 8
Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: K BIRAM	Telephone	: +61 7 3243 7222
Project	: 1538021	Date Samples Received	: 25-Oct-2016
Site	: Brisbane Airport	Issue Date	: 01-Nov-2016
Sampler	: MORGAN MIDGLEY	No. of samples received	: 12
Order number	: 1538021	No. of samples analysed	: 12

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

### Summary of Outliers

#### Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, **NO** surrogate recovery outliers occur.

#### Outliers : Analysis Holding Time Compliance

- Analysis Holding Time Outliers exist - please see following pages for full details.

#### Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



### Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **WATER**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
<b>Matrix Spike (MS) Recoveries</b>							
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA	EB1625451--001	Anonymous	Sulfate as SO4 - Turbidimetric	14808-79-8	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorobutane sulfonic acid (PFBS)	375-73-5	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluoropentane sulfonic acid (PFPeS)	2706-91-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorohexane sulfonic acid (PFHxS)	355-46-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231A: Perfluoroalkyl Sulfonic Acids	EB1625449--002	Anonymous	Perfluorooctane sulfonic acid (PFOS)	1763-23-1	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.
EP231B: Perfluoroalkyl Carboxylic Acids	EB1625449--002	Anonymous	Perfluorohexanoic acid (PFHxA)	307-24-4	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.

### Outliers : Analysis Holding Time Compliance

Matrix: **WATER**

Method	Container / Client Sample ID(s)	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Days overdue	Date analysed	Due for analysis	Days overdue
<b>EA005P: pH by PC Titrator</b>							
<b>Clear Plastic Bottle - Natural</b>							
AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	----	----	----	27-Oct-2016	25-Oct-2016	2

### Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for **VOC in soils** vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.



Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EA005P: pH by PC Titrator</b>								
Clear Plastic Bottle - Natural (EA005-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	25-Oct-2016	*
<b>EA010P: Conductivity by PC Titrator</b>								
Clear Plastic Bottle - Natural (EA010-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✓
<b>ED037P: Alkalinity by PC Titrator</b>								
Clear Plastic Bottle - Natural (ED037-P) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	08-Nov-2016	✓
<b>ED038A: Acidity</b>								
Clear Plastic Bottle - Natural (ED038) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	28-Oct-2016	08-Nov-2016	✓
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>								
Clear Plastic Bottle - Natural (ED041G) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✓
<b>ED045G: Chloride by Discrete Analyser</b>								
Clear Plastic Bottle - Natural (ED045G) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	27-Oct-2016	22-Nov-2016	✓
<b>ED093F: Dissolved Major Cations</b>								
Clear Plastic Bottle - Nitric Acid; Filtered (ED093F) AM-MW31, AM-MW15, AM-MW10	AM-MW14, AM-MW16,	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✓
<b>EG020F: Dissolved Metals by ICP-MS</b>								
Clear Plastic Bottle - Natural (EG020A-F) QAQC300		25-Oct-2016	----	----	----	01-Nov-2016	23-Apr-2017	✓
Clear Plastic Bottle - Nitric Acid; Filtered (EG020A-F) AM-MW31, AM-MW15, AM-MW10,	AM-MW14, AM-MW16, QAQC100	25-Oct-2016	----	----	----	01-Nov-2016	23-Apr-2017	✓



Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis		
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
<b>EG035F: Dissolved Mercury by FIMS</b>							
<b>Clear Plastic Bottle - Natural (EG035F)</b> QAQC300	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✓
<b>Clear Plastic Bottle - Nitric Acid; Filtered (EG035F)</b> AM-MW31, AM-MW15, AM-MW10, AM-MW14, AM-MW16, QAQC100	25-Oct-2016	----	----	----	01-Nov-2016	22-Nov-2016	✓
<b>EP231A: Perfluoroalkyl Sulfonic Acids</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231B: Perfluoroalkyl Carboxylic Acids</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231C: Perfluoroalkyl Sulfonamides</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓
<b>EP231D: (n:2) Fluorotelomer Sulfonic Acids</b>							
<b>HDPE (no PTFE) (EP231X-LL)</b> AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100, AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓

Page : 5 of 8  
 Work Order : EB1625464  
 Client : GOLDER ASSOCIATES  
 Project : 1538021



Matrix: **WATER**

Evaluation: \* = Holding time breach ; ✓ = Within holding time.

Method Container / Client Sample ID(s)	Sample Date	Extraction / Preparation			Analysis			
		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation	
<b>EP231P: PFAS Sums</b>								
<b>HDPE (no PTFE) (EP231X-LL)</b>								
AM-BH08, BIP-MW07, BIP-MW2, AM-MW14, AM-MW16, QAQC100,	AM-BH19, BIP-MW1, AM-MW31, AM-MW15, AM-MW10, QAQC300	25-Oct-2016	28-Oct-2016	23-Apr-2017	✓	28-Oct-2016	23-Apr-2017	✓



## Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **WATER** Evaluation: \* = Quality Control frequency not within specification ; ✓ = Quality Control frequency within specification.

Quality Control Sample Type	Method	Count		Rate (%)			Quality Control Specification
		QC	Reaular	Actual	Expected	Evaluation	
<b>Analytical Methods</b>							
<b>Laboratory Duplicates (DUP)</b>							
Acidity as Calcium Carbonate	ED038	2	16	12.50	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	7	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Major Cations - Dissolved	ED093F	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
pH by PC Titrator	EA005-P	2	17	11.76	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Laboratory Control Samples (LCS)</b>							
Acidity as Calcium Carbonate	ED038	1	16	6.25	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Alkalinity by PC Titrator	ED037-P	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Chloride by Discrete Analyser	ED045G	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
pH by PC Titrator	EA005-P	2	17	11.76	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	2	9	22.22	10.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Method Blanks (MB)</b>							
Chloride by Discrete Analyser	ED045G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Conductivity by PC Titrator	EA010-P	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Major Cations - Dissolved	ED093F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
<b>Matrix Spikes (MS)</b>							
Chloride by Discrete Analyser	ED045G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Mercury by FIMS	EG035F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Dissolved Metals by ICP-MS - Suite A	EG020A-F	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Sulfate (Turbidimetric) as SO4 2- by Discrete Analyser	ED041G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard



## Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
pH by PC Titrator	EA005-P	WATER	In house: Referenced to APHA 4500 H+ B. This procedure determines pH of water samples by automated ISE. This method is compliant with NEPM (2013) Schedule B(3)
Conductivity by PC Titrator	EA010-P	WATER	In house: Referenced to APHA 2510 B. This procedure determines conductivity by automated ISE. This method is compliant with NEPM (2013) Schedule B(3)
Alkalinity by PC Titrator	ED037-P	WATER	In house: Referenced to APHA 2320 B This procedure determines alkalinity by automated measurement (e.g. PC Titrate) using pH 4.5 for indicating the total alkalinity end-point. This method is compliant with NEPM (2013) Schedule B(3)
Acidity as Calcium Carbonate	ED038	WATER	In house: Referenced to APHA 2310 B Acidity is determined by titration with a standardised alkali to an end-point pH of 8.3. This method is compliant with NEPM (2013) Schedule B(3)
Sulfate (Turbidimetric) as SO <sub>4</sub> <sup>2-</sup> by Discrete Analyser	ED041G	WATER	In house: Referenced to APHA 4500-SO <sub>4</sub> . Dissolved sulfate is determined in a 0.45µm filtered sample. Sulfate ions are converted to a barium sulfate suspension in an acetic acid medium with barium chloride. Light absorbance of the BaSO <sub>4</sub> suspension is measured by a photometer and the SO <sub>4</sub> <sup>2-</sup> concentration is determined by comparison of the reading with a standard curve. This method is compliant with NEPM (2013) Schedule B(3)
Chloride by Discrete Analyser	ED045G	WATER	In house: Referenced to APHA 4500 Cl - G. The thiocyanate ion is liberated from mercuric thiocyanate through sequestration of mercury by the chloride ion to form non-ionised mercuric chloride. In the presence of ferric ions the liberated thiocyanate forms highly-coloured ferric thiocyanate which is measured at 480 nm APHA 21st edition seal method 2 017-1-L april 2003
Major Cations - Dissolved	ED093F	WATER	In house: Referenced to APHA 3120 and 3125; USEPA SW 846 - 6010 and 6020; Cations are determined by either ICP-AES or ICP-MS techniques. This method is compliant with NEPM (2013) Schedule B(3)  Sodium Adsorption Ratio is calculated from Ca, Mg and Na which determined by ALS in house method QWI-EN/ED093F. This method is compliant with NEPM (2013) Schedule B(3)  Hardness parameters are calculated based on APHA 2340 B. This method is compliant with NEPM (2013) Schedule B(3)
Dissolved Metals by ICP-MS - Suite A	EG020A-F	WATER	In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. Samples are 0.45µm filtered prior to analysis. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector.
Dissolved Mercury by FIMS	EG035F	WATER	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl <sub>2</sub> )(Cold Vapour generation) AAS) Samples are 0.45µm filtered prior to analysis. FIM-AAS is an automated flameless atomic absorption technique. A bromate/bromide reagent is used to oxidise any organic mercury compounds in the filtered sample. The ionic mercury is reduced online to atomic mercury vapour by SnCl <sub>2</sub> which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM (2013) Schedule B(3)
Ionic Balance by PCT DA and Turbi SO <sub>4</sub> DA	EN055 - PG	WATER	In house: Referenced to APHA 1030F. This method is compliant with NEPM (2013) Schedule B(3)



Page : 8 of 8  
Work Order : EB1625464  
Client : GOLDER ASSOCIATES  
Project : 1538021



<i>Analytical Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
Per- and Polyfluoroalkyl Substances (PFAS by LCMSMS)	EP231X-LL	WATER	In-house: Analysis of fresh and saline waters by solid phase extraction followed by LC-Electrospray-MS-MS, Negative Mode using MRM. PFOS is quantified using a certified, traceable standard consisting of linear and branched PFOS isomers.

<i>Preparation Methods</i>	<i>Method</i>	<i>Matrix</i>	<i>Method Descriptions</i>
SPE preparation for LL and saline PFCs	EP231-SPE	WATER	In house

<b>Project ID:</b> 1538021	<b>Order No:</b> EN/002/15	<b>GOLDER ASSOCIATES PTY LTD</b>	<b>Phone:</b> (07) 3721 5400
<b>Sit Location:</b> Brisbane Airport	<b>Label No:</b> ALS	147 Coronation Drive, Milton Qld 4064	<b>Fax:</b> (07) 3721 5401
<b>Sampled By:</b> Morgan Midgley	<b>BY:</b>	<b>Invoice to be sent to Accounts Aust:</b> auaccounts payable@golder.com.au	
<b>Turnaround (Days):</b> 5 days		<b>Project Manager:</b> K Biram	
<b>Report Format:</b> Please provide data in ESDAT format		<b>Contact Phone:</b> 37215400	<b>Email:</b> scurti@golder.com.au

Comments/Special Instructions:					No. CONTAINERS	POSSIBLE HIGH CONCENTRATION	ANALYSIS REQUIRED										
SAMPLE ID	SAMPLE MATRIX	SAMPLE DATE	SAMPLE TIME	CONTAINER/PRESERVATIVE			PFAS extended suite 28 - ultra trace levels	pH	Major Anions - Cl, So4, alkalinity	Electrical conductivity	Major Cations - Ca, Mg, K, Na	Acidity	W-2 8 metals	Dissolved Al + Fe			
Copy results to: pscells@golder.com.au scurti@golder.com.au																	
AM-BH08	Water	25-10-16	12.06	Ice	2	2	X										
AM-BH19	Water	25-10-16	10.54	Ice	2	2	X										
BIP-MW07	Water	25-10-16	12.32	Ice	2	2	X										
BIP-MW1	Water	25-10-16	13.33	Ice	2	2	X										
BIP-MW2	Water	25-10-16	15.15	Ice	2	2	X										
AM-MW31	Water	25-10-16	13.12	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X
AM-MW14	Water	25-10-16	09.40	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X
AM-MW15	Water	25-10-16	10.32	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X
AM-MW16	Water	25-10-16	9.07	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X
AM-MW10	Water	25-10-16	11.27	Ice	4	2	X	X	X	X	X	X	X	X	X	X	X
QAQC100	Water	25-10-16	9.07	Ice	4	2	X					X					
QAQC300	Water	25-10-16	14.30	Ice	3	2	X					X					
<b>HOLD ALL OTHER BOTTLES NOT SELECTED FOR ANALYSIS</b>																	

Environmental Division  
Brisbane  
Work Order Reference  
**EB1625464**



Telephone: 61-7-3243 7229

SAMPLE MATRIX =Water SAMPLE TYPE = Discrete(DC) POSSIBLE HIGH CONCENTRATION: Tick box and circle expected parameters in analysis list  
 Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid Preserved Vial; BS = Sulphuric Acid Preserved Glass Bottle; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottle; ST = Sterile Bottle; O = Other

SIGNATURE	COMPANY	DATE	TIME	SIGNATURE	COMPANY	DATE	TIME	Method of Shipment
<i>[Signature]</i>	GOLDER	25/10/16	15:15					Shipping Ref.
	ALS							

22 = 200 + 10 + 12 + 3 + 2



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **EB1625464**

Client	: <b>GOLDER ASSOCIATES</b>	Laboratory	: Environmental Division Brisbane
Contact	: K BIRAM	Contact	: Carsten Emrich
Address	: P O BOX 1734 MILTON QLD, AUSTRALIA 4064	Address	: 2 Byth Street Stafford QLD Australia 4053
E-mail	: kbiram@golder.com.au	E-mail	: carsten.emrich@alsenviro.com
Telephone	: +61 07 3721 5400	Telephone	: +61 7 3243 7222
Facsimile	: +61 07 3721 5401	Facsimile	: +61-7-3243 7218
Project	: 1538021	Page	: 1 of 3
Order number	: 1538021	Quote number	: ES2016GOLASS0005 (EN/002/16)
C-O-C number	: ----	QC Level	: NEPM 2013 B3 & ALS QC Standard
Site	: Brisbane Airport		
Sampler	: MORGAN MIDGLEY		

**Dates**

Date Samples Received	: 25-Oct-2016 3:15 PM	Issue Date	: 25-Oct-2016
Client Requested Due Date	: 01-Nov-2016	Scheduled Reporting Date	: <b>01-Nov-2016</b>

**Delivery Details**

Mode of Delivery	: Client Drop Off	Security Seal	: Intact.
No. of coolers/boxes	: 2	Temperature	: 5.4°C, 5.8°C - Ice present
Receipt Detail	: MEDIUM ESKIES	No. of samples received / analysed	: 12 / 12

**General Comments**

- This report contains the following information:
  - Sample Container(s)/Preservation Non-Compliances
  - Summary of Sample(s) and Requested Analysis
  - Proactive Holding Time Report
  - Requested Deliverables
- Discounted Package Prices apply only when specific ALS Group Codes ('W', 'S', 'NT' suites) are referenced on COCs.
- **PFAS analysis will be conducted by ALS Environmental, Sydney, NATA accreditation no. 825, Site No. 10911 (Micro site no. 14913).**
- Please direct any turn around / technical queries to the laboratory contact designated above.
- Sample Disposal - Aqueous (14 days), Solid (60 days) from date of completion of work order.
- Analysis will be conducted by ALS Environmental, Brisbane, NATA accreditation no. 825, Site No. 818 (Micro site no. 18958).
- **Breaches in recommended extraction / analysis holding times (if any) are displayed overleaf in the Proactive Holding Time Report table.**



## Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

Method Client sample ID	Sample Container Received	Preferred Sample Container for Analysis
<b>Dissolved Mercury by FIMS : EG035F</b>		
QAQC300	- Clear Plastic Bottle - Natural	- Clear Plastic Bottle - Nitric Acid; Filtered
<b>Dissolved Metals by ICP-MS - Suite A : EG020A-F</b>		
QAQC300	- Clear Plastic Bottle - Natural	- Clear Plastic Bottle - Nitric Acid; Filtered

## Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default to 15:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory for processing purposes and will be shown bracketed without a time component.

Matrix: **WATER**

Laboratory sample ID	Client sampling date / time	Client sample ID	WATER - EA005P pH (PC)	WATER - EA010P Conductivity (PC)	WATER - ED038 Default Acidity as CaCO3 only	WATER - EG020F Dissolved Metals by ICPMS	WATER - EP231X-LL PFAS - Full Suite Low Level (28 analytes)	WATER - NT-01 & 02 Ca, Mg, Na, K, Cl, SO4, Alkalinity	WATER - W-02 8 Metals
EB1625464-001	25-Oct-2016 12:06	AM-BH08					✓		
EB1625464-002	25-Oct-2016 10:54	AM-BH19					✓		
EB1625464-003	25-Oct-2016 12:32	BIP-MW07					✓		
EB1625464-004	25-Oct-2016 13:33	BIP-MW1					✓		
EB1625464-005	25-Oct-2016 14:15	BIP-MW2					✓		
EB1625464-006	25-Oct-2016 13:12	AM-MW31	✓	✓	✓	✓	✓	✓	✓
EB1625464-007	25-Oct-2016 09:40	AM-MW14	✓	✓	✓	✓	✓	✓	✓
EB1625464-008	25-Oct-2016 10:32	AM-MW15	✓	✓	✓	✓	✓	✓	✓
EB1625464-009	25-Oct-2016 09:07	AM-MW16	✓	✓	✓	✓	✓	✓	✓
EB1625464-010	25-Oct-2016 11:27	AM-MW10	✓	✓	✓	✓	✓	✓	✓
EB1625464-011	25-Oct-2016 09:07	QAQC100					✓		✓
EB1625464-012	25-Oct-2016 14:30	QAQC300					✓		✓

## Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.



## *Requested Deliverables*

### **ACCOUNTS PAYABLE**

- A4 - AU Tax Invoice (INV) Email auaccountspayable@golder.com.au

### **K BIRAM**

- \*AU Certificate of Analysis - NATA (COA) Email kbiram@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email kbiram@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email kbiram@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email kbiram@golder.com.au  
- Chain of Custody (CoC) (COC) Email kbiram@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email kbiram@golder.com.au

### **PAUL SCELLS**

- \*AU Certificate of Analysis - NATA (COA) Email pscells@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email pscells@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email pscells@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email pscells@golder.com.au  
- Chain of Custody (CoC) (COC) Email pscells@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email pscells@golder.com.au

### **SERENA CURTI**

- \*AU Certificate of Analysis - NATA (COA) Email scurti@golder.com.au  
- \*AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI) Email scurti@golder.com.au  
- \*AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC) Email scurti@golder.com.au  
- A4 - AU Sample Receipt Notification - Environmental HT (SRN) Email scurti@golder.com.au  
- Chain of Custody (CoC) (COC) Email scurti@golder.com.au  
- EDI Format - ESDAT (ESDAT) Email scurti@golder.com.au

Golder Associates Pty Ltd  
 147 Coronation Dve  
 Milton  
 QLD 4064



NATA Accredited  
 Accreditation Number 1261  
 Site Number 20794

Accredited for compliance with ISO/IEC 17025 – Testing  
 The results of the tests, calibrations and/or  
 measurements included in this document are traceable  
 to Australian/national standards.

Attention: Serena Curti

Report 521162-W  
 Project name BRISBANE AIRPORT  
 Project ID 1538021  
 Received Date Oct 26, 2016

Client Sample ID			QAQC200
Sample Matrix			Water
Eurofins   mgt Sample No.			B16-Oc24663
Date Sampled			Oct 25, 2016
Test/Reference	LOR	Unit	
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>			
Perfluorobutanesulfonic acid (PFBS)	0.00001	mg/L	0.00002
Perfluorobutanoic acid (PFBA)	0.00005	mg/L	< 0.00005
Perfluorohexanesulfonic acid (PFHxS)	0.00001	mg/L	<sup>NO9</sup> 0.00012
Perfluorooctanesulfonic acid (PFOS)	0.00001	mg/L	<sup>NO9</sup> 0.00004
Perfluorodecanesulfonic acid (PFDS)	0.00001	mg/L	< 0.00001
Perfluoropentanoic acid (PFPeA)	0.00001	mg/L	< 0.00001
Perfluorohexanoic acid (PFHxA)	0.00001	mg/L	<sup>NO9</sup> 0.00005
Perfluoroheptanoic acid (PFHpA)	0.00001	mg/L	< 0.00001
Perfluorooctanoic acid (PFOA)	0.00001	mg/L	<sup>NO9</sup> 0.00002
Perfluorononanoic acid (PFNA)	0.00001	mg/L	< 0.00001
Perfluorodecanoic acid (PFDA)	0.00001	mg/L	< 0.00001
Perfluoroundecanoic acid (PFUnA)	0.00001	mg/L	< 0.00001
Perfluorododecanoic acid (PFDoA)	0.00001	mg/L	< 0.00001
Perfluorotridecanoic acid (PFTriDA)	0.00001	mg/L	< 0.00001
Perfluorotetradecanoic acid (PFTeDA)	0.00001	mg/L	< 0.00001
Perfluorooctanesulfonamide (PFOSA)	0.00005	mg/L	< 0.00005
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	0.00005	mg/L	< 0.00005
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	0.00005	mg/L	< 0.00005
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	0.00001	mg/L	< 0.00001
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	0.00005	mg/L	< 0.00005
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	0.00001	mg/L	< 0.00001
d5-n-EtFOSAA (surr.)	1	%	26
13C-PFHxA (surr.)	1	%	69
13C8-PFOS (surr.)	1	%	49
<b>Heavy Metals</b>			
Arsenic	0.001	mg/L	0.005
Cadmium	0.0002	mg/L	0.0002
Chromium	0.001	mg/L	< 0.001
Copper	0.001	mg/L	< 0.001
Lead	0.001	mg/L	< 0.001
Mercury	0.0001	mg/L	< 0.0001
Nickel	0.001	mg/L	0.031
Zinc	0.005	mg/L	0.12

### Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).  
 If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

### Description

Per- and Polyfluorinated Alkyl Substances (PFASs)  
 - Method: LTM-ORG-2100 Per- and Polyfluorinated Alkyl Substances by LC-MS/MS

Metals M8  
 - Method: LTM-MET-3040 Metals in Waters by ICP-MS

Testing Site	Extracted	Holding Time
Brisbane	Oct 26, 2016	14 Day
Melbourne	Oct 26, 2016	28 Days

<b>Company Name:</b> Golder Associates Pty Ltd (Qld)	<b>Order No.:</b>	<b>Received:</b> Oct 26, 2016 9:00 AM
<b>Address:</b> 147 Coronation Dve Milton QLD 4064	<b>Report #:</b> 521162	<b>Due:</b> Nov 2, 2016
	<b>Phone:</b> (07) 3721 5400	<b>Priority:</b> 5 Day
	<b>Fax:</b> (07) 3721 5401	<b>Contact Name:</b> Krystle-Rae Biram
<b>Project Name:</b> BRISBANE AIRPORT		
<b>Project ID:</b> 1538021		

**Eurofins | mgt Analytical Services Manager : Ryan Gilbert**

<b>Sample Detail</b>						Metals M8	Per- and Polyfluorinated Alkyl Substances (PFASs)
<b>Melbourne Laboratory - NATA Site # 1254 &amp; 14271</b>						X	
<b>Sydney Laboratory - NATA Site # 18217</b>							
<b>Brisbane Laboratory - NATA Site # 20794</b>							X
<b>External Laboratory</b>							
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID		
1	QAQC200	Oct 25, 2016		Water	B16-Oc24663	X	X
<b>Test Counts</b>						1	1



## Internal Quality Control Review and Glossary

### General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
4. Results are uncorrected for matrix spikes or surrogate recoveries.
5. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
6. Samples were analysed on an 'as received' basis. 7. This report replaces any interim results previously issued.

### Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Advice.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

**\*\*NOTE:** pH duplicates are reported as a range NOT as RPD

### Units

**mg/kg:** milligrams per Kilogram

**mg/l:** milligrams per litre

**ug/l:** micrograms per litre

**ppm:** Parts per million

**ppb:** Parts per billion

**%:** Percentage

**org/100ml:** Organisms per 100 millilitres

**NTU:** Nephelometric Turbidity Units

**MPN/100mL:** Most Probable Number of organisms per 100 millilitres

### Terms

<b>Dry</b>	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
<b>LOR</b>	Limit of Reporting.
<b>SPIKE</b>	Addition of the analyte to the sample and reported as percentage recovery.
<b>RPD</b>	Relative Percent Difference between two Duplicate pieces of analysis.
<b>LCS</b>	Laboratory Control Sample - reported as percent recovery
<b>CRM</b>	Certified Reference Material - reported as percent recovery
<b>Method Blank</b>	In the case of solid samples these are performed on laboratory certified clean sands. In the case of water samples these are performed on de-ionised water.
<b>Surr - Surrogate</b>	The addition of a like compound to the analyte target and reported as percentage recovery.
<b>Duplicate</b>	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
<b>Batch Duplicate</b>	A second piece of analysis from a sample outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>Batch SPIKE</b>	Spike recovery reported on a sample from outside of the clients batch of samples but run within the laboratory batch of analysis.
<b>USEPA</b>	United States Environmental Protection Agency
<b>APHA</b>	American Public Health Association
<b>TCLP</b>	Toxicity Characteristic Leaching Procedure
<b>COC</b>	Chain of Custody
<b>SRA</b>	Sample Receipt Advice
<b>CP</b>	Client Parent - QC was performed on samples pertaining to this report
<b>NCP</b>	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within
<b>TEQ</b>	Toxic Equivalency Quotient

### QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 50-150%-Phenols & PFASs 20-130%

### QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

**Quality Control Results**

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Method Blank</b>							
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>							
Perfluorobutanesulfonic acid (PFBS)	mg/L	< 0.00001			0.00001	Pass	
Perfluorobutanoic acid (PFBA)	mg/L	< 0.00005			0.00005	Pass	
Perfluorohexanesulfonic acid (PFHxS)	mg/L	< 0.00001			0.00001	Pass	
Perfluorooctanesulfonic acid (PFOS)	mg/L	< 0.00001			0.00001	Pass	
Perfluorodecanesulfonic acid (PFDS)	mg/L	< 0.00001			0.00001	Pass	
Perfluoropentanoic acid (PFPeA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorohexanoic acid (PFHxA)	mg/L	< 0.00001			0.00001	Pass	
Perfluoroheptanoic acid (PFHpA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorooctanoic acid (PFOA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorononanoic acid (PFNA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorodecanoic acid (PFDA)	mg/L	< 0.00001			0.00001	Pass	
Perfluoroundecanoic acid (PFUnA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorododecanoic acid (PFDoA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorotridecanoic acid (PFTTrDA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorotetradecanoic acid (PFTeDA)	mg/L	< 0.00001			0.00001	Pass	
Perfluorooctanesulfonamide (PFOSA)	mg/L	< 0.00005			0.00005	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	mg/L	< 0.00005			0.00005	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	mg/L	< 0.00005			0.00005	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	mg/L	< 0.00001			0.00001	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	mg/L	< 0.00005			0.00005	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	mg/L	< 0.00001			0.00001	Pass	
<b>Method Blank</b>							
<b>Heavy Metals</b>							
Arsenic	mg/L	< 0.001			0.001	Pass	
Cadmium	mg/L	< 0.0002			0.0002	Pass	
Chromium	mg/L	< 0.001			0.001	Pass	
Copper	mg/L	< 0.001			0.001	Pass	
Lead	mg/L	< 0.001			0.001	Pass	
Mercury	mg/L	< 0.0001			0.0001	Pass	
Nickel	mg/L	< 0.001			0.001	Pass	
Zinc	mg/L	< 0.005			0.005	Pass	
<b>LCS - % Recovery</b>							
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>							
Perfluorobutanesulfonic acid (PFBS)	%	80			50-150	Pass	
Perfluorobutanoic acid (PFBA)	%	86			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	%	82			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	%	83			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	%	52			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	74			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	87			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	79			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	84			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	101			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	97			50-150	Pass	
Perfluoroundecanoic acid (PFUnA)	%	75			50-150	Pass	
Perfluorododecanoic acid (PFDoA)	%	53			50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	54			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	65			50-150	Pass	
Perfluorooctanesulfonamide (PFOSA)	%	70			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	%	58			50-150	Pass	

Test		Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)		%	61			50-150	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)		%	76			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)		%	89			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)		%	81			50-150	Pass	
<b>LCS - % Recovery</b>								
<b>Heavy Metals</b>								
Arsenic		%	89			80-120	Pass	
Cadmium		%	90			80-120	Pass	
Chromium		%	87			80-120	Pass	
Copper		%	86			80-120	Pass	
Lead		%	85			80-120	Pass	
Mercury		%	86			75-125	Pass	
Nickel		%	89			80-120	Pass	
Zinc		%	91			80-120	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1		Acceptance Limits	Pass Limits	Qualifying Code
<b>Spike - % Recovery</b>								
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1				
Perfluorobutanesulfonic acid (PFBS)	M16-Oc24616	NCP	%	81		50-150	Pass	
Perfluorobutanoic acid (PFBA)	M16-Oc24616	NCP	%	94		50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M16-Oc24616	NCP	%	83		50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	M16-Oc24616	NCP	%	91		50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	M16-Oc24616	NCP	%	54		50-150	Pass	
Perfluoropentanoic acid (PFPeA)	M16-Oc24616	NCP	%	76		50-150	Pass	
Perfluorohexanoic acid (PFHxA)	M16-Oc24616	NCP	%	94		50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	M16-Oc24616	NCP	%	80		50-150	Pass	
Perfluorooctanoic acid (PFOA)	M16-Oc24616	NCP	%	92		50-150	Pass	
Perfluorononanoic acid (PFNA)	M16-Oc24616	NCP	%	98		50-150	Pass	
Perfluorodecanoic acid (PFDA)	M16-Oc24616	NCP	%	97		50-150	Pass	
Perfluoroundecanoic acid (PFUnA)	M16-Oc24616	NCP	%	86		50-150	Pass	
Perfluorododecanoic acid (PFDoA)	M16-Oc24616	NCP	%	57		50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	M16-Oc24616	NCP	%	53		50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M16-Oc24616	NCP	%	62		50-150	Pass	
Perfluorooctanesulfonamide (PFOSA)	M16-Oc24616	NCP	%	67		50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	M16-Oc24616	NCP	%	64		50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	M16-Oc24616	NCP	%	68		50-150	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	M16-Oc24616	NCP	%	62		50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	M16-Oc24616	NCP	%	95		50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	M16-Oc24616	NCP	%	76		50-150	Pass	
<b>Spike - % Recovery</b>								
<b>Heavy Metals</b>				Result 1				
Arsenic	B16-Oc24501	NCP	%	92		75-125	Pass	
Cadmium	B16-Oc24501	NCP	%	89		75-125	Pass	
Chromium	B16-Oc24501	NCP	%	87		75-125	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Copper	B16-Oc24501	NCP	%	83			75-125	Pass	
Lead	B16-Oc24501	NCP	%	82			75-125	Pass	
Mercury	B16-Oc24501	NCP	%	86			70-130	Pass	
Nickel	B16-Oc24501	NCP	%	88			75-125	Pass	
Zinc	B16-Oc24501	NCP	%	87			75-125	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
<b>Duplicate</b>									
<b>Per- and Polyfluorinated Alkyl Substances (PFASs)</b>				Result 1	Result 2	RPD			
Perfluorobutanesulfonic acid (PFBS)	M16-Oc24593	NCP	mg/L	0.00011	0.00012	6.0	30%	Pass	
Perfluorobutanoic acid (PFBA)	M16-Oc24615	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
Perfluorohexanesulfonic acid (PFHxS)	M16-Oc24593	NCP	mg/L	0.0017	0.0019	7.0	30%	Pass	
Perfluorooctanesulfonic acid (PFOS)	M16-Oc24593	NCP	mg/L	0.030	0.031	2.0	30%	Pass	
Perfluorodecanesulfonic acid (PFDS)	M16-Oc24593	NCP	mg/L	< 0.00002	< 0.00002	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorododecanoic acid (PFDoA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorotridecanoic acid (PFTTrDA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	M16-Oc24615	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
Perfluorooctanesulfonamide (PFOSA)	M16-Oc24615	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (NETFOSAA)	M16-Oc24615	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	M16-Oc24615	NCP	mg/L	< 0.00005	< 0.00005	<1	30%	Pass	
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTS)	M16-Oc24593	NCP	mg/L	< 0.00002	< 0.00002	<1	30%	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTS)	M16-Oc24593	NCP	mg/L	< 0.00001	< 0.00001	<1	30%	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTS)	M16-Oc24593	NCP	mg/L	< 0.00002	< 0.00002	<1	30%	Pass	
<b>Duplicate</b>									
<b>Heavy Metals</b>				Result 1	Result 2	RPD			
Arsenic	B16-Oc24501	NCP	mg/L	< 0.005	< 0.005	<1	30%	Pass	
Cadmium	B16-Oc24501	NCP	mg/L	< 0.001	< 0.001	<1	30%	Pass	
Chromium	B16-Oc24501	NCP	mg/L	< 0.005	< 0.005	<1	30%	Pass	
Copper	B16-Oc24501	NCP	mg/L	< 0.005	< 0.005	<1	30%	Pass	
Lead	B16-Oc24501	NCP	mg/L	< 0.005	< 0.005	<1	30%	Pass	
Mercury	B16-Oc24501	NCP	mg/L	< 0.0005	< 0.0005	<1	30%	Pass	
Nickel	B16-Oc24501	NCP	mg/L	< 0.005	< 0.005	<1	30%	Pass	
Zinc	B16-Oc24501	NCP	mg/L	0.013	0.010	21	30%	Pass	

## Quality Control Analyte Summary Compliance

The table below is the actual occurrence of QC performed on the batch of samples within this report and as defined below

Analysis	Samples Analysed	Laboratory Duplicates Reported	Laboratory Matrix Spikes Reported	Method Blanks Reported	Laboratory Control Samples Reported
Per- and Polyfluorinated Alkyl Substances	1	1	1	1	1
Heavy Metals	1	1	1	1	1

Quality Control Parameter Frequency Compliance follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure April 2011, Schedule B3, Guideline on Laboratory Analysis of Potentially Contaminated Soils and US EPA SW-846 Chapter 1: 'Quality Control'.

It comprises the following when a laboratory process batch is deemed to consist of up to 20 samples that are similar in terms of matrix and test procedure, and are processed as one unit for QC purposes. If more than 20 samples are being processed, they are considered as more than one batch.

### Method blank

One method blank per process batch.

### Laboratory duplicate

There should be at least one duplicate per process batch, or two duplicates if the process batch exceeds 10 samples.

### Laboratory control sample (LCS)

There should be at least one LCS per process batch.

### Matrix spikes

There should be one matrix spike per matrix type per process batch.

**Comments**

**Sample Integrity**

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	Yes
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

**Qualifier Codes/Comments**

Code	Description
N09	Quantification of linear and branched isomers has been conducted as a single total response using the relative response factor for the corresponding linear/branched standard.

**Authorised By**

Ryan Gilbert	Analytical Services Manager
Alex Petridis	Senior Analyst-Metal (VIC)
Jonathon Angell	Senior Analyst-Organic (QLD)



**Glenn Jackson**

**National Operations Manager**



Final report - this Report replaces any previously issued Report

- Indicates Not Requested

\* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Project ID: 1538021 Site Location: Brisbane Airport Sampled By: Morgan Midgley Turnaround (Days): 5 days Report Format: Please provide data in ESDAT format	Quote/Order No.: EN/002/15 Lab Name: Eurofins BY:	GOLDER ASSOCIATES PTY LTD 147 Coronation Drive, Milton Qld 4064 Invoice to be sent to Accounts Aust: auaccounts payable@golder.com.au Project Manager: K Biram Contact Phone: 37215400 Email: MMidgley@golder.com.au Phone: (07) 3721 5400 Fax: (07) 3721 5401
Comments/Special Instructions: Copy results to: pssells@golder.com.au scurti@golder.com.au		ANALYSIS REQUIRED
SAMPLE ID: QAQC200 ✓ SAMPLE MATRIX: Water SAMPLE DATE: 25.10.16 SAMPLE TIME: 9:07am CONTAINER/PRESERVATIVE: ice No CONTAINERS: 4 POSSIBLE HIGH CONCENTRATION: U	PFAS extended suite 28 parameters X M8 Metals (As,Cd,Cr,Cu,Ni,Pb,Zn,Hg) X	ANALYSIS REQUIRED
SAMPLE MATRIX - Water Container Type and Preservative Codes: P = Natural Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Preserved Vial; VS = Sulphuric Acid Preserved Vial; BS = Sulphuric Acid Preserved Glass Bottle; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottle; ST = Sterile Bottle; O = Other		
SIGNATURE RELEASED BY:  RECEIVED BY:  RELEASED BY: RECEIVED BY: RELEASED BY: RECEIVED BY:	COMPANY GOLDER Eurofins	SIGNATURE RECEIVED BY RECEIVED BY RECEIVED BY RECEIVED BY
DATE 25.10.16 26/10/16	DATE 25.10.16 26/10/16	TIME 3:30pm 10:50am
To Be Filled Out By Analysing Laboratory Security Seal Suitable Containers Cool Box		LAB. BATCH NUMBER Chilled Frozen Ambient
Date: _____ Bill to: _____ Address: _____		DATE: _____ TIME: _____ Method of Shipment: _____ Shipping Ref: _____

## Sample Receipt Advice

Company name: **Golder Associates Pty Ltd (Qld)**  
Contact name: **Krystle-Rae Biram**  
Project name: **BRISBANE AIRPORT**  
Project ID: **1538021**  
COC number: **Not provided**  
Turn around time: **5 Day**  
Date/Time received: **Oct 26, 2016 9:00 AM**  
Eurofins | mgt reference: **521162**

### Sample information

- A detailed list of analytes logged into our LIMS, is included in the attached summary table.
  - Sample Temperature of a random sample selected from the batch as recorded by Eurofins | mgt Sample Receipt : 4.3 degrees Celsius.
  - All samples have been received as described on the above COC.
  - COC has been completed correctly.
  - Attempt to chill was evident.
  - Appropriately preserved sample containers have been used.
  - All samples were received in good condition.
  - Samples have been provided with adequate time to commence analysis in accordance with the relevant holding times.
  - Appropriate sample containers have been used.
  - Sample containers for volatile analysis received with zero headspace.
  - Some samples have been subcontracted.
- N/A Custody Seals intact (if used).

### Contact notes

If you have any questions with respect to these samples please contact:

Ryan Gilbert on Phone : or by e.mail: [RyanGilbert@eurofins.com](mailto:RyanGilbert@eurofins.com)

Results will be delivered electronically via e.mail to Krystle-Rae Biram - [KBiram@golder.com.au](mailto:KBiram@golder.com.au).





# **APPENDIX D**

## **Data Validation**



DATA VALIDATION SUMMARY SHEET

<b>Project Name:</b>	BAC Auto-Mall Precinct		<b>Project Number:</b>	1538021
<b>Primary Laboratory:</b>	ALS		<b>Workorder Number:</b>	EB1625464 (Water) and EB1624693 / EB1624749 (Soil)
<b>Secondary Laboratory:</b>	Eurofins		<b>Workorder Number:</b>	521162 (water) and 521151 (soil)
<b>Date Sampled:</b>	25/ October 2016 & 06-10 October 2016		<b>Sample Medium:</b>	Water and Soil
<b>Sample Information</b>				
<b>Number of Primary Samples:</b>	10 (water) and 133 (soil)	<b>Number of Triplicate Samples:</b>	1 (water) & 2 (Soil)	
<b>Number of Duplicate Samples:</b>	1 (water) and 2 (soil)	<b>Number of Other QAQC Samples:</b>	1 (rinsate)	
<b>Documentation and Sample Handling Information</b>				
		<b>Y/N</b>	<b>Comments</b>	
COC completed properly?		Y		
All requested analysis completed?		Y		
Samples received intact and chilled?		Y		
Samples analysed within appropriate holding times?		N	Holding time exceeded for workorder EB1625464 water quality parameters samples: AM-MW31, AM-MW14, AM-MW15, AM-MW16, AM-MW10	
Sample volumes sufficient for QC analysis?		Y		
Are there non-NATA accredited methods used?		N		
Chromatograms supplied as appropriate?		NA		
Laboratory reports signed by authorised personnel?		Y		
<b>QAQC Sample Information (Method Blank - MB, Rinsate Blank - RB, Field Blank - FB, Trip Blank - TB)</b>				
<b>Type</b>	<b>Sample ID</b>	<b>Comments</b>		
Rinsate		All results below LOR for workorder EB1625464 sample QAQC300		
MB		No value outliers exist for workorder EB1625464, 521162, EB1624749 and EB1624693		
<b>Trip Spike Information</b>				
<b>Analyte</b>	<b>Spike Concentrations</b>	<b>Recovery Concentration</b>	<b>% Recovery</b>	<b>Comments</b>
				No trip spike collected.
<b>Laboratory Control Spike (LCS) Analyses</b>				
<b>Analyte Group</b>	<b>Comments</b>			
Heavy Metals and Per- and Polyfluorinated Alkyl Substances (PFASs)	No outliers exist for workorder EB1625464, 521162 and EB1624693			
Organochlorine Pesticides, Organophosphorus Pesticides, Polynuclear Aromatic Hydrocarbons	Outliers exist for workorder EB1624749 analyte Hexachlorobenzene (HCB), Pirimphos-ethyl, Carbophenothion, Anthracene, Fluoranthene, Chrysene failed QC			
<b>Matrix Spike (MS) Analyses</b>				
<b>Analyte Group</b>	<b>Comments</b>			
Sulfate	Workorder EB1625464 anonymous sample for Sulfate: MS recovery not determined, background level greater than or equal to 4x spike level.			
Perfluoroalkyl Sulfonic Acids	Workorder EB1625464 anonymous sample for Perfluorobutane sulfonic acid (PFBS), Perfluoropentane sulfonic acid (PFPeS), Perfluorohexane sulfonic acid (PFHxS) and Perfluorooctane 1763-23-1 sulfonic acid (PFOS): MS recovery not determined, background level greater than or equal to 4x spike level.			
Perfluoroalkyl Carboxylic Acids	Workorder EB1625464 anonymous sample for Perfluorohexanoic acid (PFHxA): MS recovery not determined, background level greater than or equal to 4x spike level.			
	For all remaining samples for workorder EB1625464 no MS outlier or frequency outliers occurred.			
Total Metals & Organochlorine Pesticides	Workorder EB1624749 anonymous sample for arsenic, chromium and zinc: MS recovery not determined, background level greater than or equal to 4x spike level. Sample AM-BH14 0.25-0.5 analyte 4.4 DDT and sample anonymous, analyte mercury failed QC.			
Heavy Metals and Per- and Polyfluorinated Alkyl Substances (PFASs)	No MS outlier or frequency outliers occurred for workorder 521162 and EB1624693			
<b>Laboratory Duplicates (LD) Analyses</b>				
<b>Analyte Group</b>	<b>Analyte(s)</b>	<b>Sample ID</b>	<b>Comments</b>	
			For workorders EB1625464, EB1624749 and 521162 no LD outlier or frequency outliers occurred.	
Total metals	Chromium	AM-BH26 0.25-0.5	For workorders EB1624693 LD outlier or frequency outliers occurred.	
<b>Field Duplicates (FD) Analyses</b>				
<b>Analyte Group</b>	<b>Primary ID</b>	<b>Duplicate ID</b>	<b>Comments</b>	
Heavy Metals and Perfluorinated Compounds	AM-MW16	QAQC100	No RPD exceedances, where results are below LOR a RPD could not be calculated.	
Heavy Metals and Perfluorinated Compounds	AM-BH16 0.25-0.5	QAQC001	No RPD exceedances, where results are below LOR a RPD could not be calculated.	
Heavy Metals and Perfluorinated Compounds	AM-BH15 0.25-0.5	QAQC005	RPD exceeded for zinc.	
<b>Field Triplicates (FT) Analyses</b>				
<b>Analyte Group</b>	<b>Primary ID</b>	<b>Triplicate ID</b>	<b>Comments</b>	
Perfluorinated Compounds	AM-MW16	QAQC200	RPD exceeded for Perfluorohexanesulfonic acid (PFHxS).	
Heavy Metals	AM-BH16 0.25-0.5	QAQC002	No RPD exceedances, where results are below LOR a RPD could not be calculated.	
	AM-BH15 0.25-0.5	QAQC006	No RPD exceedances, where results are below LOR a RPD could not be calculated.	
<b>Surrogate Compound Monitoring Analyses</b>				
<b>Analyte Group</b>	<b>Analyte(s)</b>	<b>Comments</b>		
		No outliers occurred for surrogate compound monitoring analyses		
<b>Overall Comments</b>				
Minor non-conformances detected in matrix spikes (MS), laboratory control spikes (LCS) and laboratory duplicates (LD) analyses are not considered to limit the use of the laboratory results.				
RPD exceedances were calculated for analysis in triplicate (QAQC200) sample when compared with the primary sample (AM-MW16) and duplicate (QAQC002) sample when compared with the primary sample AM-BH16 0.25-0.5 .				
This batch has been validated and is considered suitable for environmental interpretive use.				

Note: Data validation assesses each analyte in terms of all the data validation variables and only the exceedances and outliers are reported in this form.

\*When concentrations are less than the LOR for both primary and duplicate/triplicate results, no RPDs are calculated

**Performed By:** Bianca Vanzati  
**Date:** 14/11/2016

**Checked By:** Serena Curti  
**Date:** 14/11/2016



Field Duplicates (water) RPDs

Lab Report Number	EB1625464	EB1625464		EB1625464	521162	
Field ID	AM-MW16	QAQC100	RPD	AM-MW16	QAQC200	RPD
Sampled Date	25/10/2016	25/10/2016		25/10/2016	25/10/2016	

Chem_Group	ChemName	Units	EQL						
PFAS	10:2 Fluorotelomer sulfonic acid	µg/L	0.005	<0.005	<0.005	0	<0.005		
	4:2 Fluorotelomer sulfonic acid	µg/L	0.005 : 0.01 (Interlab)	<0.005	<0.005	ND	<0.005	<0.01	ND
	8:2 Fluorotelomer sulfonate	µg/L	0.005 : 0.01 (Interlab)	<0.005	<0.005	ND	<0.005	<0.01	ND
	N-Et-FOSA	µg/L	0.005 : 0.05 (Interlab)	<0.005	<0.005	ND	<0.005	<0.05	ND
	N-Et-FOSE	µg/L	0.005	<0.005	<0.005	ND	<0.005		
	N-Me-FOSA	µg/L	0.005 : 0.05 (Interlab)	<0.005	<0.005	ND	<0.005	<0.05	ND
	N-Me-FOSE	µg/L	0.005	<0.005	<0.005	ND	<0.005		
	Perfluorobutanoic acid (PFBA)	µg/L	0.01 : 0.05 (Interlab)	<0.01	<0.01	ND	<0.01	<0.05	ND
	Perfluoroheptane sulfonic acid	µg/L	0.002	0.002	<0.002	0	0.002		
	Perfluoro-n-pentanoic acid (PFPeA)	µg/L	0.002 : 0.01 (Interlab)	0.005	0.005	0	0.005	<0.01	0
	Perfluoropentane sulfonic acid	µg/L	0.002	0.029	0.029	0	0.029		
	PFAS (Sum of total - Lab Reported)	µg/L	0.002	0.431	0.422	2	0.431		
	PFDCS	µg/L	0.002	<0.002	<0.002	ND	<0.002		
	Sum of PFHxS and PFOS	µg/L	0.002	0.314	0.314	0	0.314		
	N-methyl-perfluorooctanesulfonamidoacetic acid	µg/L	0.002	<0.002	<0.002	ND	<0.002		
	Perfluorobutanesulfonic acid (PFBS)	µg/L	0.002 : 0.01 (Interlab)	0.037	0.036	3	0.037	0.02	60
	Perfluorodecanoic acid (PFDA)	µg/L	0.002 : 0.01 (Interlab)	<0.002	<0.002	ND	<0.002	<0.01	ND
	Perfluorododecanoic acid (PFDoA)	µg/L	0.002 : 0.01 (Interlab)	<0.002	<0.002	ND	<0.002	<0.01	ND
	Perfluoroheptanoic acid (PFHpA)	µg/L	0.002 : 0.01 (Interlab)	0.005	0.005	0	0.005	<0.01	0
	Perfluorooctanesulfonic acid (PFOS)3	µg/L	0.002 : 0.01 (Interlab)	0.021	0.023	9	0.021	0.04	62
	Perfluorooctanoate (PFOA)	µg/L	0.002 : 0.01 (Interlab)	0.016	0.011	37	0.016	0.02	22
	Perfluorohexanesulfonic acid (PFHxS)	µg/L	0.002 : 0.01 (Interlab)	0.293	0.291	1	<b>0.293</b>	<b>0.12</b>	<b>84</b>
	Perfluorononanoic acid (PFNA)	µg/L	0.002 : 0.01 (Interlab)	<0.002	<0.002	ND	<0.002	<0.01	ND
	Perfluorohexanoic acid (PFHxA)	µg/L	0.002 : 0.01 (Interlab)	0.023	0.022	4	0.023	0.05	74
	6:2 Fluorotelomer Sulfonate (6:2 FtS)	µg/L	0.005 : 0.05 (Interlab)	<0.005	<0.005	ND	<0.005	<0.05	ND
	N-ethyl-perfluorooctanesulfonamidoacetic acid	µg/L	0.002	<0.002	<0.002	ND	<0.002		
	Perfluorooctanesulfonamide (PFOSA)	µg/L	0.002 : 0.05 (Interlab)	<0.002	<0.002	ND	<0.002	<0.05	ND
	Perfluorotetradecanoic acid (PFTeDA)	µg/L	0.005 : 0.01 (Interlab)	<0.005	<0.005	ND	<0.005	<0.01	ND
	Perfluorotridecanoic acid (PFTrDA)	µg/L	0.002 : 0.01 (Interlab)	<0.002	<0.002	ND	<0.002	<0.01	ND
	Perfluoroundecanoic acid (PFUnA)	µg/L	0.002 : 0.01 (Interlab)	<0.002	<0.002	ND	<0.002	<0.01	ND
Heavy Metals	Arsenic (Filtered)	mg/l	0.001	0.004	0.004	0	0.004	0.005	0
	Cadmium (Filtered)	mg/l	0.0001	<0.0001	<0.0001	ND	<0.0001	0.0002	0
	Chromium (Filtered)	mg/l	0.001	<0.001	<0.001	ND	<0.001	<0.001	ND
	Copper (Filtered)	mg/l	0.001	<0.001	<0.001	ND	<0.001	<0.001	ND
	Lead (Filtered)	mg/l	0.001	<0.001	<0.001	ND	<0.001	<0.001	ND
	Mercury (Filtered)	mg/l	0.0001	<0.0001	<0.0001	ND	<0.0001	<0.0001	ND
	Nickel (Filtered)	mg/l	0.001	0.032	0.032	0	0.032	0.031	0
	Zinc (Filtered)	mg/l	0.005	0.118	0.12	2	0.118	0.12	2

Legend

ND = Not Detected (RPDs not calculated if both primary and duplicate results are below LOR)

- = Not analysed/calculated

Acceptable RPDs: RPD <= 30%

RPD > 30%, Analysis result < 10 times LOR

RPD <= 50%, Analysis result > 10 times LOR and < 20 times LOR

Field Blanks (water): Rinsate

<b>Lab Report Number</b>	EB1625464
<b>Field ID</b>	QAQC300
<b>Sampled Date</b>	25-Oct-16
<b>Sample Type</b>	Rinsate

Chem Group	Chemical Name	Units	EQL	
Heavy Metals	Aluminium (Filtered)	mg/l	0.01	
	Arsenic (Filtered)	mg/l	0.001	<0.001
	Cadmium (Filtered)	mg/l	0.0001	<0.0001
	Chromium (Filtered)	mg/l	0.001	<0.001
	Copper (Filtered)	mg/L	0.001	<0.001
	Iron (Filtered)	mg/l	0.05	
	Lead (Filtered)	mg/L	0.001	<0.001
	Mercury (Filtered)	mg/l	0.0001	<0.0001
	Nickel (Filtered)	mg/l	0.001	<0.001
	Zinc (Filtered)	mg/l	0.005	<0.005
Perfluorinated Compounds	10:2 Fluorotelomer sulfonic acid	µg/L	0.005	<0.005
	4:2 Fluorotelomer sulfonic acid	µg/L	0.005	<0.005
	8:2 Fluorotelomer sulfonate	µg/L	0.005	<0.005
	N-Et-FOSA	µg/L	0.005	<0.005
	N-Et-FOSE	µg/L	0.005	<0.005
	N-Me-FOSA	µg/L	0.005	<0.005
	N-Me-FOSE	µg/L	0.005	<0.005
	Perfluorobutanoic acid (PFBA)	µg/L	0.01	<0.01
	Perfluoroheptane sulfonic acid	µg/L	0.002	<0.002
	Perfluoro-n-pentanoic acid (PFPeA)	µg/L	0.002	<0.002
	Perfluoropentane sulfonic acid	µg/L	0.002	<0.002
	PFAS (Sum of total - Lab Reported)	µg/L	0.002	<0.002
	PFDCS	µg/L	0.002	<0.002
	Sum of PFHxS and PFOS	µg/L	0.002	<0.002
	N-methyl-perfluorooctanesulfonamidoacetic acid	µg/L	0.002	<0.002
	Perfluorobutanesulfonic acid (PFBS)	µg/L	0.002	<0.002
	Perfluorodecanoic acid (PFDA)	µg/L	0.002	<0.002
	Perfluorododecanoic acid (PFDoA)	µg/L	0.002	<0.002
	Perfluoroheptanoic acid (PFHpA)	µg/L	0.002	<0.002
	Perfluorooctanesulfonic acid (PFOS)3	µg/L	0.002	<0.002
	Perfluorooctanoate (PFOA)	µg/L	0.002	<0.002
	Perfluorohexanesulfonic acid (PFHxS)	µg/L	0.002	<0.002
	Perfluorononanoic acid (PFNA)	µg/L	0.002	<0.002
	Perfluorohexanoic acid (PFHxA)	µg/L	0.002	<0.002
	6:2 Fluorotelomer Sulfonate (6:2 Fts)	µg/L	0.005	<0.005
	N-ethyl-perfluorooctanesulfonamidoacetic acid	µg/L	0.002	<0.002
	Perfluorooctanesulfonamide (PFOSA)	µg/L	0.002	<0.002
	Perfluorotetradecanoic acid (PFTeDA)	µg/L	0.005	<0.005
	Perfluorotridecanoic acid (PFTrDA)	µg/L	0.002	<0.002
	Perfluoroundecanoic acid (PFUnA)	µg/L	0.002	<0.002



# **APPENDIX E**

## **95% UCL calculations**

**BAC Auto Mall Stage 2  
1538021**

**95% Upper Confidence Level <sub>Average</sub> Calculation For Nickel**

<i>Parameter</i>	<i>Normal Distribution</i>	<i>Lognormal Distribution</i>	<i>Recommended Distribution</i>	<i>Units</i>
Analyte threshold	45	45	<b>45</b>	mg/kg
UCL <sub>average</sub>	45.56	52.47	<b>45.56</b>	mg/kg
No. of samples	14	14	<b>14</b>	
Mean	34.64	28.66	<b>34.64</b>	mg/kg
Estimated Mean	34.64	35.37	<b>34.64</b>	mg/kg
Standard deviation	23.07	1.89	<b>23.07</b>	mg/kg
Distribution	-	-	<b>normal</b>	

**Distribution Test Summary Using Coefficient Of Variation**

Distribution test result - normal

The statistical analysis indicates that there is a 95% probability that the arithmetic average concentration of the contamination will not exceed 45.5622 mg/kg

Data Entered By: Serena Curti

Date: 14/11/2016

Checked By: Andrew Howes

Date: 15/11/2016

**References:** VIC EPA, *Industrial Waste Resource Guidelines - Soil Sampling, June 2009*  
 Gilbert, R.O., 1987, *Statistical Methods For Environmental Pollution Monitoring*,  
 Van Nostrand Reinhold, New York

**Note:** Where the laboratory reported a result below the method detection limit, a value equal to half the detection limit was substituted for the purposes of statistical calculation.  
 Gilbert (1987) also indicates that this is common practice on pages 177 to 178 of the text.

**BAC Auto Mall Stage 2  
1538021**

**95% Upper Confidence Level <sub>Average</sub> Calculation For Zinc**

<i>Parameter</i>	<i>Normal Distribution</i>	<i>Lognormal Distribution</i>	<i>Recommended Distribution</i>	<i>Units</i>
Analyte threshold	45	45	<b>45</b>	mg/kg
UCL <sub>average</sub>	87.98	82.66	<b>87.98</b>	mg/kg
No. of samples	14	14	<b>14</b>	
Mean	62.36	52.03	<b>62.36</b>	mg/kg
Estimated Mean	62.36	60.83	<b>62.36</b>	mg/kg
Standard deviation	54.14	1.71	<b>54.14</b>	mg/kg
Distribution	-	-	<b>normal</b>	

**Distribution Test Summary Using Coefficient Of Variation**

Distribution test result - normal

The statistical analysis indicates that there is a 95% probability that the arithmetic average concentration of the contamination will not exceed 87.9825 mg/kg

Data Entered By: Serena Curti

Date: 14/11/2016

Checked By: Andrew Howes

Date: 15/11/2016

**References:** VIC EPA, *Industrial Waste Resource Guidelines - Soil Sampling, June 2009*  
Gilbert, R.O., 1987, *Statistical Methods For Environmental Pollution Monitoring*,  
Van Nostrand Reinhold, New York

**Note:** Where the laboratory reported a result below the method detection limit, a value equal to half the detection limit was substituted for the purposes of statistical calculation.  
Gilbert (1987) also indicates that this is common practice on pages 177 to 178 of the text.





# **APPENDIX F**

## **Important Information Relating to This Report**



## IMPORTANT INFORMATION RELATING TO THIS REPORT

The document (“Report”) to which this page is attached and which this page forms a part of, has been issued by Golder Associates Pty Ltd (“Golder”) subject to the important limitations and other qualifications set out below.

This Report constitutes or is part of services (“Services”) provided by Golder to its client (“Client”) under and subject to a contract between Golder and its Client (“Contract”). The contents of this page are not intended to and do not alter Golder’s obligations (including any limits on those obligations) to its Client under the Contract.

This Report is provided for use solely by Golder’s Client and persons acting on the Client’s behalf, such as its professional advisers. Golder is responsible only to its Client for this Report. Golder has no responsibility to any other person who relies or makes decisions based upon this Report or who makes any other use of this Report. Golder accepts no responsibility for any loss or damage suffered by any person other than its Client as a result of any reliance upon any part of this Report, decisions made based upon this Report or any other use of it.

This Report has been prepared in the context of the circumstances and purposes referred to in, or derived from, the Contract and Golder accepts no responsibility for use of the Report, in whole or in part, in any other context or circumstance or for any other purpose.

The scope of Golder’s Services and the period of time they relate to are determined by the Contract and are subject to restrictions and limitations set out in the Contract. If a service or other work is not expressly referred to in this Report, do not assume that it has been provided or performed. If a matter is not addressed in this Report, do not assume that any determination has been made by Golder in regards to it.

At any location relevant to the Services conditions may exist which were not detected by Golder, in particular due to the specific scope of the investigation Golder has been engaged to undertake. Conditions can only be verified at the exact location of any tests undertaken. Variations in conditions may occur between tested locations and there may be conditions which have not been revealed by the investigation and which have not therefore been taken into account in this Report.

Golder accepts no responsibility for and makes no representation as to the accuracy or completeness of the information provided to it by or on behalf of the Client or sourced from any third party. Golder has assumed that such information is correct unless otherwise stated and no responsibility is accepted by Golder for incomplete or inaccurate data supplied by its Client or any other person for whom Golder is not responsible. Golder has not taken account of matters that may have existed when the Report was prepared but which were only later disclosed to Golder.

Having regard to the matters referred to in the previous paragraphs on this page in particular, carrying out the Services has allowed Golder to form no more than an opinion as to the actual conditions at any relevant location. That opinion is necessarily constrained by the extent of the information collected by Golder or otherwise made available to Golder. Further, the passage of time may affect the accuracy, applicability or usefulness of the opinions, assessments or other information in this Report. This Report is based upon the information and other circumstances that existed and were known to Golder when the Services were performed and this Report was prepared. Golder has not considered the effect of any possible future developments including physical changes to any relevant location or changes to any laws or regulations relevant to such location.

Where permitted by the Contract, Golder may have retained subconsultants affiliated with Golder to provide some or all of the Services. However, it is Golder which remains solely responsible for the Services and there is no legal recourse against any of Golder’s affiliated companies or the employees, officers or directors of any of them.

By date, or revision, the Report supersedes any prior report or other document issued by Golder dealing with any matter that is addressed in the Report.

**Any uncertainty as to the extent to which this Report can be used or relied upon in any respect should be referred to Golder for clarification.**

As a global, employee-owned organisation with over 50 years of experience, Golder Associates is driven by our purpose to engineer earth's development while preserving earth's integrity. We deliver solutions that help our clients achieve their sustainable development goals by providing a wide range of independent consulting, design and construction services in our specialist areas of earth, environment and energy.

For more information, visit [golder.com](http://golder.com)

Africa	+ 27 11 254 4800
Asia	+ 86 21 6258 5522
Australasia	+ 61 3 8862 3500
Europe	+ 44 1628 851851
North America	+ 1 800 275 3281
South America	+ 56 2 2616 2000

[solutions@golder.com](mailto:solutions@golder.com)  
[www.golder.com](http://www.golder.com)

**Golder Associates Pty Ltd**  
**216 Draper Street**  
**Cairns, Queensland 4870**  
**Australia**  
**T: +61 7 4054 8200**



# Appendix F

## Acid Sulfate Soil Management Plan



30 June 2017

PROPOSED AUTO MALL PRECINCT

# Acid Sulfate Soil Management Plan

MANAGEMENT PLAN

**Submitted to:**  
Mr Peter Boyle  
Brisbane Airport Corporation  
PO Box 61  
Hamilton Central Q 4007

**Report Number.** 1664971-001-R-Rev4

**Distribution:**  
1 electronic copy



## Record of Issue

Company	Client Contact	Version	Date Issued	Method of Delivery
Brisbane Airport Corporation	Peter Boyle	Rev.0	6 June 2017	Email
Brisbane Airport Corporation	Peter Boyle	Rev.1	16 June 2017	Email
Brisbane Airport Corporation	Peter Boyle	Rev.2	27 June 2017	Email
Brisbane Airport Corporation	Peter Boyle	Rev.3	30 June 2017	Email
Brisbane Airport Corporation	Peter Boyle	Rev.4	30 June 2017	Email

## Record of Review

Author	Report Reviewer	Project Manager	Revision Version
Hannah Groves/ Serena Curti	Paul Scells	Krystle-Rae Biram	Rev.0
Serena Curti	Paul Scells	Krystle-Rae Biram	Rev.1
Serena Curti	Paul Scells	Krystle-Rae Biram	Rev.2
Serena Curti	Paul Scells	Krystle-Rae Biram	Rev.3
Serena Curti	Paul Scells	Krystle-Rae Biram	Rev.4



## Table of Contents

<b>1.0 INTRODUCTION .....</b>	<b>1</b>
<b>2.0 OBJECTIVES .....</b>	<b>1</b>
<b>3.0 PROJECT OVERVIEW .....</b>	<b>2</b>
<b>4.0 SITE SETTINGS .....</b>	<b>3</b>
4.1 Topography .....	3
4.2 Hydrology .....	3
4.3 Geology .....	3
<b>5.0 OVERVIEW OF EXISTING CONDITIONS .....</b>	<b>4</b>
5.1 Groundwater Quality .....	4
5.2 Ground Conditions .....	4
5.2.1 General .....	4
5.2.2 Subsurface conditions .....	4
5.2.3 Liming Rates .....	5
<b>6.0 POTENTIAL ENVIRONMENTAL IMPACTS .....</b>	<b>7</b>
6.1.1 Summary of ASS Management Requirements .....	8
<b>7.0 MANAGEMENT PROCEDURES .....</b>	<b>9</b>
<b>8.0 RESPONSIBILITIES .....</b>	<b>11</b>
<b>9.0 NON-CONFORMANCE AND CORRECTIVE ACTION .....</b>	<b>11</b>
<b>10.0 ASSMP COMPLIANCE MONITORING .....</b>	<b>11</b>
<b>11.0 COMMUNITY RELATIONS .....</b>	<b>11</b>
<b>12.0 TRAINING .....</b>	<b>11</b>
<b>13.0 IMPORTANT INFORMATION .....</b>	<b>12</b>
<b>14.0 REFERENCES .....</b>	<b>12</b>



**TABLES**

**Table 1: Lime Treatment Rates – Perimeter Drains** ..... 5

**Table 2: Lime Treatment Rates – Flood Storages**..... 5

**Table 3: Potential Environmental Impacts**..... 7

**FIGURE**

Investigation Locations

**APPENDIX A**

Preliminary Design Drawings – Future Auto Mall

**APPENDIX B**

ASS Management Procedures

**APPENDIX C**

Important Information





### 1.0 INTRODUCTION

This Acid Sulfate Soil Management Plan (ASSMP) has been developed by Golder Associates Pty Ltd (Golder) on request by Brisbane Airport Corporation (BAC) for earthworks and future infrastructure works associated with the proposed Auto Mall Precinct at Brisbane Airport.

The proposed Auto Mall Precinct development is situated on an area between Moreton Drive, Nancy Bird Way and Airport Drive at the Brisbane Airport in Queensland (site, **Figure 1**).

Acid Sulfate Soil (ASS) is a general term applying to both a soil horizon that contains sulfides (i.e. Potential Acid Sulfate Soil - PASS) and an acid soil horizon affected by oxidation of sulfides (i.e. Actual Acid Sulfate Soil - AASS). ASS may be peats, silts, clays, or sands.

This ASSMP references the results of ASS testing undertaken by Golder during combined groundwater, contamination and ASS investigations completed at the site in February 2015 (Golder 2015), December 2015 (Golder 2016A) and October 2016 (Golder 2016B and 2016C), which targeted assessment of materials to be excavated as part of the construction of the proposed Auto Mall Precinct development.

The Procedures contained within this ASSMP should be updated and revised to address conditions encountered that vary from those indicated by investigations or where alternative construction methodologies are adopted.

The ASSMP was prepared with consideration of the following documents:

- Office of Legislative Drafting Attorney-General's Department, *Airports (Environment Protection) Regulations 1997* (AEPR 1997 guidelines).
- *Queensland Acid Sulfate Soil Technical Manual: Soil Management Guidelines V4.0*, 2014. Dear, S-E., Ahern, C. R., O'Brien, L. E., Dobos, S. K., McElnea, A. E., Moore, N. G. & Watling, K. M. Department of Science, Information Technology, Innovation and the Arts, Queensland Government;
- *Guidelines for Sampling and Analysis of Lowland Acid Sulfate Soils in Queensland*, 1998; Ahern, CR., Ahern, M.R. and Powell;
- State Planning Policy, April 2016
- State Planning Policy – state interest guideline, Water quality April 2016
- Environmental Protection Act 1994;
- Environmental Protection Policy (Water) 2009; and
- *Queensland Water Quality Guidelines 2009*, as amended in 2013 (QWQG 2009), which provides an overarching framework for the management of waters (including groundwater) under the Environmental Protection Act 1994.

### 2.0 OBJECTIVES

The objective of the ASSMP is to mitigate or control potential impacts relating to the disturbance of acid sulfate soil and groundwater during earthworks.



### 3.0 PROJECT OVERVIEW

The proposed project site covers an area of approximately 51.3 hectares, currently heavily vegetated with casuarina forest and mangroves. The existing surface level is at approximately RL 2.4-2.5 m AD<sup>1</sup>. An unlined drain currently cuts the north-eastern corner of the site. An Energex electrical substation and associated cables easement cuts the site in two, as illustrated in **Figure 1**. The first phase of the project involves vegetation clearing, ground improvement works, filling and surcharge to develop the raw land.

Three land development stages are proposed as illustrated in the Staging Plan in **Appendix A** and described below:

- Development Stage 1: Track, roads and selected development lots; lots north of the Energex easement between the track and Moreton Drive, and the Track and Nancy Bird Way.
- Development Stage 2: development lots south of the Energex easement.
- Development Stage 3: development lots north of the Energex easement between the track and Airport Drive.

Excavations below the existing (predevelopment) ground surface is anticipated to be mainly limited to perimeter drains and flood storages as illustrated in the Excavated Extents Layout Plan showing areas to be excavated below 2.5m AD in **Appendix A**. It is understood the excavation of the perimeter drains and flood storage areas channel will be undertaken in stages. It is understood that tidal waters will be prevented from entering the perimeter drains by temporary bunding during the earthworks construction phase and ultimately by permanent tidal flaps installed during the future infrastructure development.

The construction works with the potential to disturb ASS include the following:

- Excavation of perimeter drains, with invert levels (IL) ranging from 0.2 m AD to 2.4 m AD.
  - Excavated materials will be ASS and will require management/treatment.
  - ASS will be exposed in the walls and base of the drains. This may result in minor flushes of acid into perimeter drain and the subsequent stripping and mobilisation of metals.
  - The drains will intercept the water table, and may result in acid and metals impacted groundwater discharge into the drain and requiring mitigation/management.
- Surcharge with imported material, to an assumed a maximum of 9.5 m AD will consolidate soft soils underlying this site and result in settlement of existing ground surface by up to 1.5 m. Settlement will result in AASS materials being “pushed” below the current water table. This will result in the release of acid to the groundwater and the subsequent stripping and mobilisation of metals.
  - Acid and metals impacted groundwater may migrate offsite and discharge into the perimeter drains (if constructed prior to surcharging) surrounding the site. Mitigation/management of this issue will be required.
  - Acid and metals impacted groundwater is also likely to be extracted from wick drains installed under surcharged areas. Water generated by wick drains is predominantly expected to captured/stored within the overlying drainage blanket and surcharge. Water/seepage from the drainage blanket may need to be managed/treated.

However, the site will be isolated from external drains during construction.

It is understood that the rate placement of fill and surcharge materials is not expected to exceed about 1.5m per month. The groundwater monitoring regime adopted in this ASSMP is based on this expected rate of filling. This should be reviewed in higher rates of fill/surcharge placement are proposed.

---

<sup>1</sup> Aerodrome Datum



Final site levels after settlement will range from about 3.75 to 4.25 m AD.

Ultimately the project involves the construction of a multi-purpose auto hub including retail, a conference centre, hotels and other commercial areas built around a test track. Private roads will be located around the perimeter of the proposed track site.

### 4.0 SITE SETTINGS

#### 4.1 Topography

The proposed site was historically a low lying plain drained by several channels. At the time of the ASS investigations in 2015 and 2016, portions of the site had been filled with dredged sand, though with a limited thickness of 0.05 to 0.7 m. The predevelopment surface levels are in the 2.4-2.5 m AD range.

#### 4.2 Hydrology

An open drain cuts through the north-eastern corner of the site. Offsite, Landers Pocket drain is the closest surface water body feature, located about 100 m west of the project area beyond Moreton Drive.

Surface water in Landers Pocket drain flows north east for about 1 km from the site before discharging into Kedron Brook Floodway Drain, eventually discharging into Kedron Brook. The ultimate receiving environment of surface water from Kedron Brook is Moreton Bay.

Upon completion, the proposed perimeter drains will flow towards either end of the site and will result in discharges into Landers Pocket drain and subsequently Kedron Brook. During construction, these drains will be isolated from external drains.

#### 4.3 Geology

The 1:100,000 scale Brisbane Geological map (1990) indicates that the site contains recent alluvial deposits of Holocene age of 'undifferentiated coastal plains', comprising mud and sand deposits. Local experience indicates that the site is underlain by Upper Holocene-age alluvia overlying Lower Holocene-age alluvia, with a relict Pleistocene alluvial land surface below. Residual soils and rock are present below the alluvia.

Holocene alluvial deposits are typically associated with ASS formation.



### 5.0 OVERVIEW OF EXISTING CONDITIONS

This section provides an overview of the existing acid sulfate soil conditions identified at the site during the investigations. Investigation locations are shown on attached **Figure 1**.

#### 5.1 Groundwater Quality

Groundwater quality sampling has been conducted at fifteen monitoring well locations previously installed across the site (see **Figure 1**) to provide a 'snapshot' of the baseline groundwater conditions.

The following ground water conditions were indicated:

- Stabilised groundwater levels were measured in the completed monitoring wells ranging from 0.87 to 2.13 m AD. Based on the measured groundwater levels across the whole site, the flow direction beneath the site was interpreted to be towards the west.
- The field pH results (pH 4.30 to pH 6.99) indicated that the groundwater was acidic to near neutral. The lowest pH levels occurred in wells along the western site boundary.
- Electrical conductivity (EC) values were recorded ranging from 9 mS/cm to 51 mS/cm indicating brackish to saline water conditions;
- The buffering capacity of the wells varied across the site:
  - The groundwater at the northern end of site had very high alkalinity with a Class 1 buffering capacity (i.e. adequate to maintain acceptable pH level in the future). The central portion of site had a moderate alkalinity with a Class 3 buffering capacity (i.e. inadequate to maintain stable, acceptable pH level in areas vulnerable to acidification) apart from monitoring well BIP/MW1 on the western boundary where acidic groundwater with a Class 5 buffering capacity (i.e. unacceptable pH level under all circumstances) was encountered. The conditions at BIP/MW1 are likely to indicate historical disturbance (ASS dewatering) in this area.
  - Groundwater at the southern end of the site had a very low, Class 4 buffering capacity (i.e. inadequate to maintain stable, acceptable pH level in areas vulnerable to acidification);
- Dissolved aluminium concentrations of greater than about 1 mg/L in groundwater may be an indicator of AASS. Concentrations were above 1 mg/L at AM-MW01 (3.59 mg/L) and BIP/MW1 (8.18 mg/L), indicating active ASS impact in groundwater in those areas. These concentrations were also above the AEPR accepted limits for contamination of fresh water of 0.1 mg/L (no guidelines are available for marine water);
- Dissolved iron concentrations ranged from <0.05 to 294 mg/L;
- The Chloride to Sulfate (Cl<sup>-</sup>: SO<sub>4</sub><sup>++</sup>) ratios generally indicate past oxidation of PASS across the site.

Overall the groundwater results suggest a variable or historically disturbed environment.

#### 5.2 Ground Conditions

##### 5.2.1 General

Golder previously conducted a desktop assessment of ASS, groundwater and contamination for the future Auto Mall Precinct in 2015 (Golder 2015) and acid sulfate soil investigations for Stage 1 and Stage 2 of the future Auto Mall Precinct in 2016 (Golder 2016A, 2016B and 2016C). The findings of the desktop assessments and acid sulfate soil investigations are summarised in the following sections.

##### 5.2.2 Subsurface conditions

Sub-surface conditions typically comprise the following:

- **Fill** – A desiccated layer of fill generally comprising loose silty sand and sandy clay, extending up to 1.0 m bgl (2.1 m AD). This layer is more predominant in the central and northern portions of the site and is absent at the southern end of site. ASS field screening and laboratory test results indicated that the fill materials are AASS.



- **Younger Alluvium (Holocene)** – This alluvium comprises variable light, medium and heavy clays and clayey sands, with some thin layers of peat and ‘clean’ sands. The natural soils were generally grey to dark grey and dark brown, indicative of ASS. ASS field screening and laboratory test results indicated the presence of AASS materials in alluvium from the ground surface to a depths of approximately 0.3 m AD to -0.63 m AD. PASS materials underlie this to at least the maximum depth investigated -0.68 m AD.

### 5.2.3 Liming Rates

Lime treatment rates have been calculated based on the ‘net acidity’ and are presented in **Table 1** below.

Liming rates have been calculated in kg of lime/m<sup>3</sup> using a factor of safety and fineness of 1.5 and an assumed bulk density of 1.8 t/m<sup>3</sup>.

Liming rates are presented in **Table 1** for the perimeter drain alignment, and **Table 2** for the flood storages. The Drain Area naming is as per OPUS Excavated Extents Layout Plan in **Appendix A** and illustrated in Appendix B, Figure A1.

**Table 1: Lime Treatment Rates – Perimeter Drains**

<b>Drain Area</b>	<b>Treatment Rate (Maximum)</b>
Moreton Drive North Channel 1	150 kg lime/m <sup>3</sup>
Moreton Drive North Channel 2	62 kg lime/m <sup>3</sup>
Moreton Drive South Channel	14 kg lime/m <sup>3</sup>
Nancy Bird Channel	50 kg lime/m <sup>3</sup>
Airport Drive North Channel 1	320 kg lime/m <sup>3</sup>
Airport Drive North Channel 2	120 kg lime/m <sup>3</sup>
Airport Drive South Channel	19 kg lime/m <sup>3</sup>

**Table 2: Lime Treatment Rates – Flood Storages**

<b>Flood Storage Area</b>	<b>Treatment Rate (Maximum)</b>
Moreton Drive Basin <sup>2</sup>	14 kg lime/m <sup>3</sup>
Airport Drive Basin <sup>2</sup>	19 kg lime/m <sup>3</sup>
Northern Storage Channel	120 kg lime/m <sup>3</sup>

<sup>2</sup> No ASS investigation are located within the proposed basin footprints, liming rates are derived nearest section of perimeter drain. Liming rates for materials from these areas should be confirmed prior to treatment.



Lime treatment rates have been calculated based on the maximum 'net acidity' rates and include a safety factor of 1.5, these maximum treatment rates can be immediately adopted for neutralisation treatment of the appropriate materials without further laboratory testing. However, due to the significant variation observed in the range of calculated liming rates within the designated materials, further testing and characterisation of 500 m<sup>3</sup> "lots" of excavated material could be undertaken prior to treatment site to determine specific liming rates. This could significantly reduce the quantities of lime required for treatment.



## 6.0 POTENTIAL ENVIRONMENTAL IMPACTS

Potential environmental impacts associated with ASS disturbance during the bulk earthworks and future infrastructure construction phase across Stages 1 to 3 of the future Auto Mall Precinct development are summarised below in **Table 3** along with the environmental risk and management strategies to mitigate the risk.

**Table 3: Potential Environmental Impacts**

Activity	Issue	Risk to the Environment	Mitigation Strategies
Surcharge	Offsite migration of acid and metals impacted groundwater.	<p>Groundwater beneath the site is generally acidic with minimal or no buffering capacity.</p> <p>Surcharging will result in settlement and cause displacement of existing AASS materials below the water table. This will allow additional release of acid to the groundwater.</p> <p>Without management, the acidic groundwater represents a moderate to high level of risk to concrete structures and a high level of risk to surface water systems (where groundwater discharges into such systems).</p>	<p>Staged construction of a lime cut-off trench along the western, southern and eastern boundaries prior to commencement of filling/surcharging within 50 m of the end of the installed trench until fully completed. (Suitable buffering capacity is present in groundwater along the northern boundary).</p> <p>Monitoring of groundwater quality near the site boundaries. Monitoring frequency based on a fill/surcharging rate of up to 1.5m vertical height per month.</p> <p>Isolation of drains from external discharge.</p>
	Extraction of acidic and metals impacted groundwater by wick drains	<p>Water generated by wick drains is predominantly expected to captured/stored within the overlying drainage blanket and surcharge. Small volumes of water may seep from the drainage blanket. Without management acidic seepage could be discharged to surface water drains may result in metals flocculation and low oxygen levels if acid is buffered in the drain.</p> <p>There is potentially a moderate risk to the environment if appropriate management measures are not implemented.</p>	<p>Placement of a 10 m wide strip of surface lime 'guard layer' under the perimeter of each surcharge stage prior to placement of the drainage blanket, where wick drains are installed. This is to neutralise acidic seepage resulting from wick drains.</p> <p>Isolation of drains from external discharge.</p>
Excavation of the perimeter drains and flood storages (post surcharging)	Acid formation and release from excavated AASS and/or PASS	<p>For the volume and acid generating potential of ASS to be excavated, these works fall into the Extra High Level of Treatment Category (Category XH under the Queensland ASS Management Guideline).</p> <p>There is a potentially high risk to the environment if appropriate management measures are not implemented.</p>	<p>Short term stockpiling of excavated materials to be limited outside of treatment locations for each earthworks stage.</p> <p>Excavated ASS materials to be managed by placed across nominated section of fill/surcharge platform and neutralised by lime treatment within 48 hours of excavation. Treatment validation testing and detailed Closure Report to be prepared.</p>



	Discharge of acidic groundwater into constructed perimeter drains.	Release of existing acidic groundwater into excavated drains may result in metals flocculation and low oxygen levels as acid is buffered. Additionally construction of drains below the existing water table may temporarily expose <i>in situ</i> PASS resulting in minor generation of additional acid. There is a high risk to the environment if appropriate management not implemented.	Construction of the drain in stages sections to monitor and treat groundwater discharges. Incorporation of lime into the walls and base of the drain. Higher lime application rates along the western site boundary to buffer acidic groundwater. (Refer Tables 1 & 2)
--	--	--	--

### 6.1.1 Summary of ASS Management Requirements

Provided the proposed ASS management procedures are effectively implemented and monitored throughout the development earthworks, it is considered that there should be limited internal or external ASS environmental impacts attributable to soils with existing or potential acidity or acidic groundwater.

The relevant issues, which are of significance when considering existing and potential acidity management for this development, are:

- Neutralisation of excavated ASS material;
- Mobilisation of acid and/or metals from AASS into groundwater due to surcharge;
- Movement of acidic groundwater into waterways;
- Management of acidic seepage from wick drains.







## 7.0 MANAGEMENT PROCEDURES

The flow chart below summarises the management of materials expected to be encountered at this site. Management Procedures are presented in **APPENDIX B**.

### ASS MANAGEMENT – FLOW CHART, DRAIN AND FLOOD STORAGE EXCAVATION WORKS



### ASS MANAGEMENT – FLOW CHART, SURCHARGE WORKS





The management procedures required to address the potential ASS issues associated with the bulk earthworks and future infrastructure construction works are presented in **APPENDIX B**, and comprise the following:

- **Procedure A:** Handling, treatment and verification of ASS.
- **Procedure B:** Unlined Drain/Flood Storage Area Construction.
- **Procedure C:** Groundwater Monitoring
- **Procedure D:** Fill Placement Works.



## 8.0 RESPONSIBILITIES

This section outlines the responsibilities to manage, document and report on ASS issues for the project.

- The *Site Manager* is responsible for ensuring that all requirements of the ASSMP are met during the project.
- The *Site Supervisor* is responsible for ensuring the strategies and procedures prescribed in the ASSMP are implemented at the site in accordance with the specified performance criteria.
- The BAC *Environmental Coordinator* is responsible for reviewing compliance with the ASSMP, to address non-conformance and approval of mitigation actions.
- All other site personnel are responsible for implementing strategies and procedures prescribed in the ASSMP, as applicable to their work activities.

## 9.0 NON-CONFORMANCE AND CORRECTIVE ACTION

Any non-conformance to the ASSMP must be addressed as soon as is practical. The personnel responsible for the non-conformance must be notified immediately for purposes of issuing rectification instructions.

## 10.0 ASSMP COMPLIANCE MONITORING

The BAC Environmental Coordinator will monitor site activities on a regular basis, as required, and advise non-conformances and approve mitigation actions.

The compliance monitoring shall take the form of visual inspections of the works and treatment locations and associated control measures and a review of monitoring data.

## 11.0 COMMUNITY RELATIONS

Concerns are raised by the community (or other parties) in relation to ASS will be directed to the BAC Environmental Coordinator.

The BAC Environmental Coordinator shall maintain a register recording the following information:

- 1) Details: Name, address and phone number of party raising the concern.
- 2) Nature of concern: Detail of issue, date of incident, people involved, and location.
- 3) Action taken or required if complaint of concern verified: Any action proposed or undertaken to address the concern, including time and date.
- 4) Response to action: Was the complainant satisfied with the outcome of the actions taken, if not, what else needs to be done, or is it outside the scope of the development works.
- 5) Prevention or re-occurrence: What action has been taken by the nominated responsible person to ensure the problem will not re-occur.

## 12.0 TRAINING

All site staff, either for the bulk earthwork phase or the future infrastructure phase, will be required to undergo a site induction covering elements of the ASSMP relevant to their activities. The induction will aim to instil environmental awareness in personnel and:

- Introduce and explain the duty of care required under the *Environmental Protection Act 1994*.
- Introduce the ASSMP and responsibilities it places on all contractors and consultants.
- Explain the various subordinate components of the ASSMP and the reporting and monitoring procedures of the ASSMP and how they work.
- Explain how to use the environmental procedures and plans in the ASSMP.

The content of the induction program will be endorsed and presented by the Site Manager, or delegate.

---



### 13.0 IMPORTANT INFORMATION

Your attention is drawn to the document - "Important Information Relating to this Report", which is in **APPENDIX C** of this report. The statements presented in this document are intended to advise you of what your realistic expectations of this report should be, and to present you with recommendations on how to minimise the risks associated with the services provided for this project. The document is not intended to reduce the level of responsibility accepted by Golder Associates, but rather to ensure that all parties who may rely on this report are aware of the responsibilities each assumes in so doing.

### 14.0 REFERENCES

- Golder 2015A. *Proposed Auto Precinct, Brisbane Airport. ASS and Groundwater Review* (report number 1416490-002-R-Rev0) February 2015
- Golder 2016A. *Proposed Auto Mall Stage 1 ASS Report* (report number 1538021-005-R-RevA), February 2016.
- Golder 2016B. *Proposed Auto Mall Precinct Stage 2 Acid Sulfate Soil Assessment* (report number 1538021-012-R-Rev0), November 2016.
- Golder 2016C. *Proposed Auto Mall Precinct Stage 1 Acid Sulfate Soil Assessment* (report number 1538021-014-R-Rev1), December 2016.



## Report Signature Page

**GOLDER ASSOCIATES PTY LTD**

Serena Curti  
Senior Environmental Engineer

Paul Scells  
Principal Environmental Engineer

SC/PS/rm

A.B.N. 64 006 107 857



Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation.

\\golder.gds\gap\brisbane\jobs\geo\2016\1664791 bac-automall-bne airport\correspondence out\1664791-001-r-rev4 assmp.docx



# **FIGURE**

## **Investigation Locations**



- LEGEND**
- ⊕ Acid Sulfate Soils Borehole
  - ⊕ Monitoring Well / ASS Borehole
  - ⬡ Site Boundary
  - ⬡ BAC Auto Precinct Layout (BRIS0012 SK-026) 24/08/2016
  - ⬡ Indicative Stage 1
  - ⬡ Indicative Stage 2
  - ⬡ Indicative Stage 3

**NOTES**

1. AERIAL PHOTOGRAPHY SUPPLIED BY NEARMAP LTD, DATED OCTOBER 2014
2. DEVELOPMENT YIELD PLAN LAYOUT SUPPLIED BY BAC AS CAD FILE 'BRIS0012 SK-004[E] DEVELOPMENT YIELD PLAN.PDF.DWG'
3. SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, DELORME, USGS, INTERMAP, INCREMENT P CORP, NRCAN, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), ESRI (THAILAND), MAPMYINDIA, © OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY



REFERENCE SCALE: 1:4,500 (AT A3)  
 PROJECTION: GDA 1994 MGA ZONE 56

CLIENT		BRISBANE AIRPORT CORPORATION	
PROJECT		PROPOSED AUTO PRECINCT	
<b>TITLE</b>			
<b>PROPOSED DEVELOPMENT WITH ASS INVESTIGATION LOCATIONS</b>			
CONSULTANT		YYYY-MM-DD	2017-06-26
Golder Associates		PREPARED	HG
		DESIGN	DP
		REVIEW	MS
		APPROVED	MS
PROJECT No.	CONTROL	Rev.	FIGURE
1664791	001	1	1

Path: I:\golder\gds\Brisbane\Jobs\Cad\2016\1664791\_BAC-AutoMain-BNE Airport\GIS\MXD\1664791-F001-Auto Mail Stage 1 ASS Report.mxd




THIS MEASUREMENT DOES NOT MATCH WITH THE SHOWN. THE OTHER SIDE HAS BEEN HOODLED BY THE...



# **APPENDIX A**

## **Preliminary Design Drawings – Future Auto Mall**





TYPICAL DRAINAGE CHANNEL SECTION

OPUS SKETCH FOR AMENDED  
FINISHED SURFACE LEVELS  
12/05/2017

PRELIMINARY

1:2000 @ A1  
1:4000 @ A3

Original Sheet Size A1 [841x594] Plot Date Path G:\Projects - Current\Q-B4176 - Brisbane Airport Corporation Pty Ltd\Q-B4176.00 - BAC Auto Mall\Deliver Civil\Q-B4176.00\_SK08.dwg Layout1


RPEQ Number:

Revision	Amendment	Approved	Revision Date
A	PRELIMINARY ISSUE	SRN	2016-09-02
B	REVISED LAYOUT CHANGES	SRN	2016-09-09





Designed	Approved	Approved Date
J LUTWYCHE	S NOVAK	
Drawn	Scales	
J LUTWYCHE	1:2000 (A1), 1:4000 (A3)	

Project	
BRISBANE AIRPORT CORPORATION AUTO MALL PRECINCT	
Sheet	
FINISHED SITE GRADING AND DRAINAGE LAYOUT PLAN	
Project No.	Sheet No.
Q-B4176.00	SK08
Revision	B



- INDICATIVE STAGE ONE
- INDICATIVE STAGE TWO
- INDICATIVE STAGE THREE






ADDITIONAL SOUTH WEST STORAGE BASIN SITE.  
APPROXIMATELY 6,090 m<sup>2</sup>. INVERT OF BASIN APPROX. RL 2.0 m.  
AT WATER LEVEL RL 3.4 m, THE CAPACITY OF THE BASIN WILL  
BE APPROX. 8,526 m<sup>3</sup>.

THE AREA BELOW 2.5 m AD IN THE ENERGEX EASEMENT  
IS NOT AN EXCAVATED LEVEL. THIS IS THE NATURAL  
SURFACE LEVEL IN THIS AREA.

ADDITIONAL NORTHERN STORAGE CHANNEL , APPROXIMATELY 9,800  
m<sup>2</sup>. AVERAGE INVERT OF CHANNEL APPROX. RL 1.805 m. AT WATER  
LEVEL RL 3.4 m, THE CAPACITY OF THE CHANNEL WILL BE APPROX.  
15,631 m<sup>3</sup>




FOR CONTINUATION REFER BELOW

FOR CONTINUATION REFER ABOVE



ADDITIONAL SOUTH EAST STORAGE BASIN , APPROXIMATELY  
14,350 m<sup>2</sup>. INVERT OF BASIN APPROX. RL 2.0 m. AT WATER  
LEVEL RL 3.4 m, THE CAPACITY OF THE BASIN WILL BE  
APPROX. 20,090 m<sup>3</sup>



**LEGEND**

EXCAVATION EXTENTS BELOW RL 2.5 m AD

PRELIMINARY

Revision	Amendment	Approved	Revision Date
A	PRELIMINARY ISSUE	SRN	2017-06-30




Project  
BRISBANE AIRPORT CORPORATION  
AUTO MALL PRECINCT

Designed	Approved	Approved Date
J LUTWYCHE	S NOVAK	
Drawn	Scales	
J LUTWYCHE	1:2000 (A1), 1:4000 (A3)	

Sheet  
EXCAVATION EXTENTS  
LAYOUT PLAN

Project No.	Sheet No.	Revision
Q-B4176.00	SK13	A





# **APPENDIX B**

## **ASS Management Procedures**



## PROCEDURE A Handling, Treatment and Verification of ASS

### A1. GENERAL

The procedures outlined below are provided for the handling and on-site treatment and verification of excavated ASS materials.

### A2. OBJECTIVES

- Appropriately treat and manage excavated ASS materials so as to minimise adverse effects on the natural and built environment (including infrastructure).
- Comply with conditions of licences, permits or other approvals issued for the project.

### A3. STATUTORY REQUIREMENTS AND GUIDELINES

- 1) *Queensland Acid Sulfate Soil Technical Manual: Soil Management Guidelines V4.0, 2014. Dear, S-E., Ahern, C. R., O'Brien, L. E., Dobos, S. K., McElnea, A. E., Moore, N. G. & Watling, K. M. Department of Science, Information Technology, Innovation and the Arts, Queensland Government;*
- 2) *Guidelines for Sampling and Analysis of Lowland Acid Sulfate Soils in Queensland, 1998; Ahern, CR., Ahern, M.R. and Powell;*
- 3) *Environmental Protection Act 1994;*
- 4) *Environmental Protection Policy (Water) 2009*

### A4. HANDLING AND STORAGE MEASURES

#### A4 (a) Stockpiling of ASS

Stockpiling of excavated and untreated ASS materials outside of managed bunded areas shall not be permitted beyond:

- 18 hours for sands and clayey sands
- 24 hours for clays

Beyond these periods, untreated ASS must be stockpiled within a managed bunded area. Runoff collected in the bunded stockpile areas shall be monitored and treated where required as described as described for impounded waters in Procedure B.

#### A4 (b) Transport of ASS

If ASS materials excavated from below the water table are to be transported on roads external to the site, they shall be drained prior to transportation to treatment locations(s) and/or the tailgates of trucks shall be sealed to prevent spillage and leakage during transportation. The transport route between the excavation and onsite treatment locations shall be inspected on a daily basis and any spillages >0.5 m<sup>3</sup> shall be collected and moved to the treatment locations.

#### A4 (b) Materials Tracking

An ASS tracking strategy shall be developed for each earthworks stage to ensure that the origin (depth and location) of excavated ASS is identifiable at the treatment location. The materials tracking should also extend to treatment and verification requirements described in Section A5.



## A5. TREATMENT MEASURES

### A5 (a) Treatment Locations

Excavated ASS materials are to be treated and reused on the Project site as fill/surcharge. Treatment locations for each earthworks stage shall meet the following requirements:

- A guard layer of fine ground agricultural lime shall be applied to the treatment locations prior to placement of soils at a rate 5 kg/m<sup>2</sup> for each 1 m height of soil to be treated.
- Excavated ASS materials shall be placed in layers at identifiable earthworks “lots” at the treatment location and following the materials tracking plan (developed for Section A4(b)).
- The overall layer thickness shall not exceed 250 mm thickness unless effective treatment over a greater thickness can be demonstrated.
- Fine ground agricultural lime (or other approved neutralising agent) shall be applied to the surface of the placed material at the applicable rate (see Section A5(b)) using a spreader truck or other approved method. Following lime application, the lime shall be mixed into the ASS layer using mechanical methods (disc plough, rotary hoe, etc).
- Given the nature of the proposed works, verification samples shall be collected from each layer of treated material for earthworks lots of up to 500 m<sup>3</sup> in size or part thereof.
- Following collection of verification samples, the layer of treated material will be compacted to form part of the fill/platform. Additional layers of excavated ASS may be progressively placed, treated, verified and compacted over preceding layers.
- Where required, drying shall be enhanced by mechanical methods (rotary hoe, disc plough, etc) to create a relatively homogenous, friable material prior to addition of lime for neutralisation.

Where the planned excavation and treatment of a layer cannot be completed within a 48 hour period, the following additional measures shall apply:

- The treatment locations shall be prepared to ensure that surface runoff from untreated materials is contained on site.
- Runoff collected shall be monitored and treated where required as described for impounded waters in Procedure B.

### A5 (b) Liming Rate

The ASS treatment rates based on the use of fine ground agricultural lime are presented in **Tables A5a** and **A5b** below. These treatment rates are also marked on **Figure A1**.

**Table A5a: Lime Treatment Rates – Perimeter Drains**

Area	Treatment Rate
Moreton Drive North Channel 1	150 kg lime/m <sup>3</sup>
Moreton Drive North Channel 2	62 kg lime/m <sup>3</sup>
Moreton Drive South Channel	14 kg lime/m <sup>3</sup>
Nancy Bird Channel	50 kg lime/m <sup>3</sup>



## PROCEDURE A Handling, Treatment and Verification of ASS

Airport Drive North Channel 1	320 kg lime/m <sup>3</sup>
Airport Drive North Channel 2	120 kg lime/m <sup>3</sup>
Airport Drive South Channel	19 kg lime/m <sup>3</sup>

**Table A5b: Lime Treatment Rates – Flood Storages**

Flood Storage Area	Treatment Rate
Moreton Drive Basin <sup>1</sup>	14 kg lime/m <sup>3</sup>
Airport Drive Basin <sup>1</sup>	19 kg lime/m <sup>3</sup>
Northern Storage Channel	120 kg lime/m <sup>3</sup>

Alternatively, liming rates for each treatment lot may be determined by additional sampling and Chromium Suite analysis. The liming rate required to neutralise the Net Acidity (Existing Acidity + Potential Acidity) shall be calculated by:

- Multiplying Net Acidity (calculated in kg/tonne) by a safety factor of 1.5 to allow for mixing deficiencies and poor reactivity of the lime;
- Multiplying the above result by the bulk density of the soil to arrive at the liming rate (kg/m<sup>3</sup>).
- Multiplying the above result by 1.03 (to account for an agricultural lime neutralising value of 97%).
- Calculating surface application rate (kg/m<sup>2</sup>) by multiplying the above result by the thickness of soil being treated.

Treatment rates for alternative neutralising agents should be determined based on a laboratory derived neutralising value.

### A5 (c) Verification Testing

Verification samples shall be collected for each layer of treated material for earthworks lots of up to 500 m<sup>3</sup> or part thereof in size. The samples shall be formed by compositing materials from three randomly selected locations across the layer of treated soil. Samples shall be collected over the full thickness of the treated soil. Chromium Suite analysis shall be conducted on each sample to confirm net acidity by Acid Base Accounting. The result will provide ultimate confirmation that the adopted measures are satisfactory.

<sup>1</sup> No ASS investigation are located within the proposed basin footprints, liming rates are derived nearest section of perimeter drain. Liming rates for materials from these areas should be confirmed prior to treatment.



## PROCEDURE A Handling, Treatment and Verification of ASS

### A6. PERFORMANCE CRITERIA

To confirm adequate lime treatment, laboratory testing must demonstrate the following:

- A neutralising capacity of more than 1.5 times the sum of existing plus potential acidity, all measured in the same units.

Some individual samples may vary from these criteria, as outlined below:

- No single sample shall exceed a net acidity of 18 mol H+/tonne (0.03% S); **and**
- If any single sample has a net acidity between 0 and 18 mol H+/tonne (0.00 to 0.03% S), then the average of any four spatially adjacent samples (including the exceeding sample) shall have an average net acidity of zero or less.

### A7. CONTINGENCY MEASURES

Additional lime treatment and further verification testing shall be conducted where adequate neutralisation is not initially indicated.

### A8. PERFORMANCE INDICATORS

Item	Performance Indicator
ASS tracking strategy	<ul style="list-style-type: none"> <li>■ An appropriate strategy has been prepared to track the movement and treatment of ASS</li> </ul>
ASS treatment	<ul style="list-style-type: none"> <li>■ Treatment procedure employed is in accordance with Section A5</li> </ul>
Liming rates	<ul style="list-style-type: none"> <li>■ Correct liming rates are applied for each 500 m<sup>3</sup> of excavated materials.</li> </ul>
Treatment verification	<ul style="list-style-type: none"> <li>■ Verification of treatment on each layer for each 500 m<sup>3</sup> "earthworks lot".</li> <li>■ Correct verification laboratory analysis used.</li> <li>■ If verification shows performance criteria in section A6 are not met, additional treatment has been employed.</li> </ul>
Non conformance	<ul style="list-style-type: none"> <li>■ All non-conformances are reported and rectified.</li> </ul>

### A9. MONITORING AND REPORTING

Records shall be kept to track excavated ASS materials, periods of stockpiling, volumes transported and placed in each treated layer and treatment rates applied.



The Site Manager shall be responsible for ensuring lime neutralisation and verification tests are completed for each layer of treated material for earthworks lots of up to 500 m<sup>3</sup> of excavated ASS.

The Site Manager shall maintain a register of testing results and a record of inspections.

A summary report of all test results and inspections shall be compiled by the Site Manager each week and submitted to the BAC Environmental Coordinator.

\\golder.gds\gap\brisbane\jobs\geo\2016\1664791 bac-automall-bne airport\correspondence out\001 attachments - ass mp\rev4\appendix b - procedures\auto mall assmp-procedure a rev4 - ass.docx





**LEGEND**

Site Boundary

Drain Spoil (Indicative)

**Liming Rate**

	14 kg/m <sup>3</sup>
	19 kg/m <sup>3</sup>
	50 kg/m <sup>3</sup>
	62 kg/m <sup>3</sup>
	120 kg/m <sup>3</sup>
	150 kg/m <sup>3</sup>
	320 kg/m <sup>3</sup>


**Flood Storage Basins Spoil (Indicative)**

**Liming Rate (for materials excavated below 2.5m AD)**

	14 kg/m <sup>3</sup>
	19 kg/m <sup>3</sup>
	120 kg/m <sup>3</sup>

**NOTES**

1. AERIAL PHOTOGRAPHY SUPPLIED BY NEARMAP LTD, DATED OCTOBER 2014
2. DEVELOPMENT YIELD PLAN LAYOUT SUPPLIED BY BAC AS CAD FILE 'BRIS0012 SK-004[E] DEVELOPMENT YIELD PLAN.PDF.DWG'
3. SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, DELORME, USGS, INTERMAP, INCREMENT P CORP., NRCAN, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), ESRI (THAILAND), MAPMYINDIA, © OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY



REFERENCE SCALE: 1:4,500 (AT A3)  
 PROJECTION: GDA 1994 MGA ZONE 56

CLIENT  
BRISBANE AIRPORT CORPORATION

PROJECT  
AUTO PRECINCT

TITLE  
**DRAIN AND FLOOD STORAGE SPOIL LIMING RATES FOR EXCAVATED MATERIALS BELOW 2.5m AD**

CONSULTANT

YYYY-MM-DD	2017-06-27
PREPARED	HG
DESIGN	DP
REVIEW	MS
APPROVED	MS

PROJECT No. 1664791 CONTROL 001 Rev. 1

FIGURE **A1**

Path: I:\golder\gds\Brisbane\Jobs\Cad\2016\1664791\_BAC-AutoPrecinct\BNE Airport\GIS\MXD\1664791\_001\_RevB\_F0A1-Proposed-Infrastructure.mxd

THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN ON THE OTHER SIDE HAS BEEN HOODLED FROM



## PROCEDURE B Unlined Drain/Flood Storage Area Construction

### B1. GENERAL

The procedures outlined below are provided to manage and monitor ASS impacts associated with construction of temporary and permanent drain or flood storage areas excavations below the existing water table.

### B2. OBJECTIVES

- Manage excavations to minimise the extent of insitu PASS that may be drained during excavation.
- Provide neutralising source for acidic groundwater discharge into completed drains/flood storage.
- Appropriately monitor and treat water in sections of drains/flood storage constructed below the groundwater level, prior to reconnection to existing waterways.
- Comply with conditions of licences, permits or other approvals issued for the project.

### B3. STATUTORY REQUIREMENTS AND GUIDELINES

- 1) *Queensland Acid Sulfate Soil Technical Manual: Soil Management Guidelines V4.0, 2014. Dear, S-E., Ahern, C. R., O'Brien, L. E., Dobos, S. K., McElnea, A. E., Moore, N. G. & Watling, K. M. Department of Science, Information Technology, Innovation and the Arts, Queensland Government;*
- 2) Environmental Protection Act 1994;
- 3) Environmental Protection Policy (Water) 2009.

### B4. IMPLEMENTATION MEASURES

The following procedures shall apply to permanent excavations (such as unlined drains) constructed below the existing groundwater level:

#### **B4 (a) Drain/Flood Storage Excavations**

- Excavated materials to be managed as per Procedure A.
- Conduct excavations offline of existing creeks and drains.
- For excavations below the groundwater table, limit the period of time that walls and base of excavations are exposed to air to minimize the formation of acid. Given the relatively moderate to high Net Acidity in materials below the water table, where possible program excavations in sections to be open for not more than 5 days (and preferably not more than 2.5 days) prior to allowing groundwater re-enter the completed drain.

#### **B4 (b) Liming**

- Spread fine ground agricultural lime at the following rates and kneaded into the soil surface using a small "sheepsfoot" type roller or other approved methodology:
  - Moreton Bay Drive North Channel 1 and 2
    - Eastern wall of drain from 2.5 m AD to base of drain, application rate minimum 5 kg/m<sup>2</sup>.
    - Remainder of drain (western walls below 2.5 m AD and base), application rate minimum 2 kg/m<sup>2</sup>.
  - Remaining Channels – Walls below 2.5 m AD and bases, application rate minimum 2 kg/m<sup>2</sup>.

The above areas are marked on Figure B1. This should be conducted prior allowing groundwater to re-enter the drain in sections where excavations have been conducted below the groundwater table.

- The Contractor is to provide evidence to BAC Environmental Coordinator of the installation of the minimum liming rates.



## PROCEDURE B Unlined Drain/Flood Storage Area Construction

### ***B4 (c) Groundwater Seepage into Completed Drain Sections***

In drain sections where excavation has been conducted below groundwater table, the following management additional measures shall be adopted on completion of drain construction:

- pH and aluminum levels (as a minimum) are to be monitored once groundwater seepage has resulted in a stable water level in the completed section of drain. Where this impounded water is found to have a pH of less than 6.0, the excavation is to be drained following pH adjustment/treatment of impounded water and additional lime added to base and walls. Water levels in the drain will again be allowed to stabilise and further monitoring is to be conducted. Where pH remains below 6, additional mitigation measures (such as lime trenches) are to be assessed and implemented.
- Any impounded waters to be removed from the completed drain must be disposed of to land surface or soakage area within the proposed Auto Mall precinct.
- Where treatment of water in drains causes metals to flocculate, this precipitate is to be removed from the drain prior to allowing groundwater to re-enter the drain. Precipitated metals must be disposed of at a licensed landfill.
- pH adjustment/treatment of impounded waters must be carried out prior to release/reconnection to existing waterways.

Performance indicators and response actions for groundwater seepage into completed drain sections are listed in Table B5a.

It is noted that the site is to be isolated from external drains during earth works construction.

### ***B4 (d) Rain Event Monitoring During Construction***

Following rain events of more than 20mm, temporary perimeter drains shall be inspected on the next business day. Where surface water is observed, the following management measures will be adopted:

- pH will be measured in each area where surface water is observed. Where this water is found to have a pH of less than 6.0, the pH will be adjusted by addition of hydrated lime, liquid caustic (or other approved neutralizing agent) to achieve a pH of between 6.5 and 8.5.
- pH adjustment/treatment of waters within temporary drains must be carried out prior to release/reconnection to existing waterways.

Performance indicators and response actions where water is observed in temporary perimeter drains are listed in Table B5b. It is noted that temporary perimeter drains are to be isolated from external drains during earth works construction.

Where a rain event causes a breach of site containment bunds, turbidity monitoring of the stormwater discharge is required. Monitoring shall be conducted of water discharging from the breach and in Landers Pocket Drain, downstream of the site, at the location shown on Figure B1. Performance indicators and response actions are listed in Table B5c.



## PROCEDURE B Unlined Drain/Flood Storage Area Construction

### B5. PERFORMANCE INDICATORS

Table B5a: Water Quality in Drains and Storage Basins

	Parameter	Monitoring Frequency	Performance Indicator	Action (after performance indicator exceedance)
Field Measurement	pH	Prior to reconnection to existing drains/waterways	>6 pH units	Treat water and remove (with discharge to land/soakage trench), Re-lime walls and base.
	Aluminium (indicator strip)		<1mg/L	
	total alkalinity		-	

Table B5b: Rain Event - Water Quality in Temporary Perimeter Drains

	Parameter	Monitoring Frequency	Performance Indicator	Action (after performance indicator exceedance)
Field Measurement	pH	When water is observed in drains following a 20mm rain event	>6 pH units	Treat water and allow to soak away or remove and discharge to land.

Table B5c: Rain Event - Water Quality Following Containment Breach

	Parameter	Monitoring Frequency	Performance Indicator	Action (after performance indicator exceedance)
Field Measurement	Turbidity	If a rainfall event causes breach of site containment	<60 NTU Or <10% of receiving environment turbidity	Repair breach and employ additional control measures confirmed by BAC Environmental Coordinator

Table B5d: Other Performance Indicators

Item	Performance Indicator
Liming of Drain Walls and Base	<ul style="list-style-type: none"> <li>■ Correct lime application rates are applied as per Section B4(b)</li> </ul>
Non conformance	<ul style="list-style-type: none"> <li>■ All non-conformances are reported and rectified.</li> </ul>



---

## PROCEDURE B Unlined Drain/Flood Storage Area Construction

---

### **B6. MONITORING & REPORTING**



The Site Manager shall be responsible for ensuring works and monitoring listed in Section B4 is conducted at the required frequency.

The Site Manager shall maintain a register of lime application (including a photographic record), water testing results and a record of inspections.

A summary report of all test results and inspections shall be compiled by the Site Manager each week and submitted to BAC Environmental Coordinator.

The Site Manager shall inform the BAC Environmental Coordinator of non-compliance with Tables B5a to B5d upon detection. The BAC Environmental Coordinator shall instigate an assessment of the impact within 2 days of such detections.


\\golder.gds\gap\brisbane\jobs\geo\2016\1664791 bac-automall-bne airport\correspondence out\001 attachments - ass mp\rev4\appendix b - procedures\auto mall assmp-procedure b rev4 - perimeter drains.docx



- LEGEND**
- Site Boundary
  - Liming Rates for Base of Drains and Flood Storage and Walls Below 2.5mAD**
  - 2 kg/m<sup>3</sup>
  - 5 kg/m<sup>3</sup>
  - 2 kg/m<sup>3</sup>
  - Nominal Surface Water Monitoring Location in Landers Pocket Drain - actual location to be confirmed following site inspection for access.

**NOTES**

1. AERIAL PHOTOGRAPHY SUPPLIED BY NEARMAP LTD, DATED OCTOBER 2014
2. DEVELOPMENT YIELD PLAN LAYOUT SUPPLIED BY BAC AS CAD FILE 'BRIS0012 SK-004[E] DEVELOPMENT YIELD PLAN.PDF.DWG'
3. SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, DELORME, USGS, INTERMAP, INCREMENT P CORP., NRCAN, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), ESRI (THAILAND), MAPMYINDIA, © OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY



REFERENCE SCALE: 1:4,500 (AT A3)  
 PROJECTION: GDA 1994 MGA ZONE 56

CLIENT BRISBANE AIRPORT CORPORATION	
PROJECT AUTO PRECINCT	
TITLE <b>LIMING RATES FOR BASE AND WALLS OF COMPLETED DRAINS/FLOOD STORAGE AREAS</b>	
CONSULTANT	YYYY-MM-DD 2017-06-27
	PREPARED HG
	DESIGN DP
	REVIEW MS
	APPROVED MS
PROJECT No. 1664791	CONTROL 001
Rev. 1	FIGURE <b>B1</b>

Path: J:\Geo\2016\1664791 BAC-AutoPrecinct\BNE Airport\GIS\MXD\1664791\_001-RevA-F0B1-Base-Walls-Liming-Rates.mxd

THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN IN THE OTHER SIDE HAS BEEN HOODED FROM



## PROCEDURE C Groundwater Monitoring

### C1. GENERAL

The procedure outlined below is provided to monitor groundwater quality around each stage of surcharge earthworks.

### C2. OBJECTIVES

- Appropriately monitor groundwater to identify water quality changes that may indicate ASS impact.
- Comply with conditions of licences, permits or other approvals issued for the project.

### C3. STATUTORY REQUIREMENTS AND GUIDELINES

- 1) *Queensland Acid Sulfate Soil Technical Manual: Soil Management Guidelines V4.0*, 2014. Dear, S-E., Ahern, C. R., O'Brien, L. E., Dobos, S. K., McElnea, A. E., Moore, N. G. & Watling, K. M. Department of Science, Information Technology, Innovation and the Arts, Queensland Government;
- 2) Environmental Protection Act 1994;
- 3) Environmental Protection Policy (Water) 2009.

### C4. IMPLEMENTATION MEASURES

#### C4 (a) Location of Monitoring Wells

- A series of monitoring wells shall be installed progressively around each earthworks stage prior to the commencement of any site filling with each stage. For larger stages where filling progresses in sub-stages, wells can be installed progressively as long as baseline monitoring can be completed prior to commencement of sub-stage filling activities.
- Groundwater monitoring wells shall be installed at a distance of not more than 50m from the toe of fill platforms for each stage.
- Wells located along site boundaries shall be installed beyond the outer edge of the proposed perimeter drain or flood storage.
- Internal wells shall be progressively decommissioned as each encroaching earthworks stage progresses.
- Wells must extend at a level of at least -0m AD.
- Nominal groundwater wells locations for each earthworks stage are marked on Figure C1. Actual well locations shall be selected in consultation with BAC Environmental Coordinator.

#### C4 (b) Baseline Monitoring

The following baseline groundwater monitoring program shall be adopted in monitoring wells installed progressively for each earthworks stage:

- One round of baseline groundwater quality data shall be collected from new wells before the commencement of filling. The baseline results will be compared against water quality results from existing wells on site. Baseline groundwater samples will be tested for:
  - Field measurements of pH, redox potential (Eh or ORP), dissolved oxygen, standing water level, EC and total alkalinity.
  - Laboratory measurements of total titratable acidity, total alkalinity, chloride, sulfate, dissolved aluminum (filtered) and dissolved iron (filtered).



---

## PROCEDURE C Groundwater Monitoring

---

### ***C4 (c) Monitoring During Earthworks***

- During filling and surcharge earthworks for each development stage, monitoring at well locations (associated with that stage) shall comprise:
  - Field measurements of water level, pH, EC, total alkalinity and redox potential in the field monthly until completion of surcharge filling.
  - Laboratory measurements of total titratable acidity, total alkalinity, chloride, sulfate, dissolved aluminum (filtered) and dissolved iron (filtered) every 2 months.

Performance indicators and response actions for water quality in groundwater wells during earthworks are listed in Table C5a.

### ***C4 (c) Monitoring During Surcharge Period***

- For the surcharge period (following earthworks) monitoring at well locations (associated with that stage) shall comprise:
  - Monthly water table level, pH, EC, total alkalinity and redox potential for the initial 2 months then every month until it can be shown that groundwater level has stabilized.
  - Laboratory measurements of pH, EC, total titratable acidity, total alkalinity, chloride, sulfate, dissolved aluminum (filtered) and dissolved iron (filtered) every two months for at least 6 months from commencement of the surcharge period or until 4 months of stabilized results it can be demonstrated.
  - Review of stabilized conditions should be conducted in consultation with the BAC Environmental Coordinator.

Performance indicators and response actions for water quality in groundwater wells during the surcharge period are listed in Table C5b.





## PROCEDURE C Groundwater Monitoring

### C5. PERFORMANCE INDICATORS

**Table C5a: Groundwater Monitoring Wells – During Earthworks**

	Parameter	Monitoring Frequency	Performance Indicator	Action (after performance indicator exceedance)
Field Measurement	Water Level	Monthly	Increase < 100mm above baseline	All results to be reviewed by BAC Environmental Coordinator to confirm the level of risk and need for alternative or additional control measures.
	pH		<0.5 pH drop below baseline	
	redox potential		-	
	EC		-	
	DO		-	
	total alkalinity		>60 mg/L	
Laboratory Analysis	pH, EC, total titratable acidity, total alkalinity, chloride, sulfate, dissolved aluminium (filtered) and dissolved iron (filtered).	Every 2 months	Review against preconstruction levels	

**Table C5b: Groundwater Monitoring Wells – During Surcharge Period (post filling)**

	Parameter	Monitoring Frequency	Performance Indicator	Action (after performance indicator exceedance)
Field Measurement	Water Level	Monthly (until water levels stabilise)	Return to preconstruction levels	All results to be reviewed by BAC Environmental Coordinator to confirm the level of risk and need for additional management measures.
	pH		<0.5 pH drop below baseline	
	redox potential		-	
	EC		-	
	total alkalinity		>60 mg/L	
Laboratory Analysis	pH, EC, total titratable acidity, total alkalinity, chloride, sulfate, dissolved aluminium (filtered) and dissolved iron (filtered).	Every 2 months for at least 6 months following commencement of surcharge period (or until 4 months of demonstrated stabilised results)	Review against preconstruction levels	

### C6. MONITORING & REPORTING

The Site Manager shall be responsible for ensuring monitoring listed in Section C5 is conducted at the required frequency.



---

## PROCEDURE C Groundwater Monitoring


---

The Site Manager shall maintain a register of groundwater testing results.

A summary report of all groundwater test results shall be compiled monthly and submitted to the BAC Environmental Coordinator.

The Site Manager shall inform the BAC Environmental Co-ordinator of non-compliance with Tables C5a and C5b upon detection. The BAC Environmental Co-ordinator shall instigate an assessment of the impact within 2 days of such detections.

\\golder.gds\gap\brisbane\jobs\geo\2016\1664791 bac-automall-bne airport\correspondence out\001 attachments - ass mp\rev4\appendix b - procedures\auto mall assmp-procedure c rev4 - gw.docx



**Indicative Monitoring Well Locations Only**  
 (actual locations to be confirmed following site inspection for access and with agreement of BAC Environmental Coordinator)

**Earthworks Stage 1**


MW1A	510603 m E	6969532 m S
MW1B	510514 m E	6969617 m S
MW1C	510393 m E	6969557 m S
MW1D	510264 m E	6969427 m S
MW1E	510134 m E	6969292 m S
MW1F	509981 m E	6969127 m S
MW1G	509850 m E	6968981 m S
MW1H	509731 m E	6968783 m S

**Earthworks Stage 2**

MW2A	509558 m E	6968553 m S
MW2B	509678 m E	6968385 m S
MW2C	509951 m E	6968575 m S

**Earthworks Stage 3**

MW3A	510278 m E	6968808 m S
MW3B	510466 m E	6968987 m S
MW3C	510553 m E	6969145 m S
MW3D	510663 m E	6969377 m S



**LEGEND**

- Site Boundary
  - BAC Auto Precinct Layout (BRIS0012 SK-025) 24/08/2016
  - Indicative Stage 1
  - Indicative Stage 2
  - Indicative Stage 3
  - Indicative Flood Storages
- Monitoring Well Locations**
- Earthworks Stage 1
  - Earthworks Stage 2
  - Earthworks Stage 3

**NOTES**

- AERIAL PHOTOGRAPHY SUPPLIED BY NEARMAP LTD, DATED OCTOBER 2014
- DEVELOPMENT YIELD PLAN LAYOUT SUPPLIED BY BAC AS CAD FILE 'BRIS0012 SK-025[K] INDICATIVE DEALERSHIP LAYOUT PLAN.PDF.DWG'
- SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, DELORME, USGS, INTERMAP, INCREMENT P CORP., NRCAN, ESRI JAPAN, METI, ESRI CHINA (HONG KONG), ESRI (THAILAND), MAPMYINDIA, © OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER © COMMUNITY



REFERENCE SCALE: 1:4,500 (AT A3)  
 PROJECTION: GDA 1994 MGA ZONE 56

CLIENT  
 BRISBANE AIRPORT CORPORATION

PROJECT  
 AUTO PRECINCT

TITLE  
**NOMINAL MONITORING WELL LOCATIONS**

CONSULTANT  
 Golder Associates

YYYY-MM-DD	2017-06-27
PREPARED	HG
DESIGN	DP
REVIEW	MS
APPROVED	MS

PROJECT No. 1664791 CONTROL 001 Rev. 2

FIGURE C1

Path: I:\golder\gds\Brisbane\Jobs\Cad\2016\1664791\_BAC-AutoPrecinct\BAC-AutoPrecinct\GIS\MXD\1664791\_001\_Rev1\_F001-Auto Mail Stage 1 ASS Report.mxd

THIS MEASUREMENT DOES NOT MATCH WITH IS SHOWN. THE OTHER SIDE HAS BEEN MODIFIED FROM 25mm



## PROCEDURE D Fill Placement Works

### D1. GENERAL

The procedures outlined below are provided to mitigate potential seepage of acidic water from surcharged areas.

### D2. OBJECTIVES

- Provide neutralising source for acidic seepages resulting from surcharge activities.
- Comply with conditions of licences, permits or other approvals issued for the project.

### D3. STATUTORY REQUIREMENTS AND GUIDELINES

- 1) *Queensland Acid Sulfate Soil Technical Manual: Soil Management Guidelines V4.0, 2014. Dear, S-E., Ahern, C. R., O'Brien, L. E., Dobos, S. K., McElnea, A. E., Moore, N. G. & Watling, K. M. Department of Science, Information Technology, Innovation and the Arts, Queensland Government;*
- 2) Environmental Protection Act 1994;
- 3) Environmental Protection Policy (Water) 2009.

### D4. IMPLEMENTATION MEASURES

#### **Pre-surcharging Works**

- A lime cutoff trench 0.3 m wide and extending to the water table is required along the boundaries of the site as shown on Figure D1. The trench shall be constructed as close as practical (and within a distance of 5m in from) the proposed toe of the fill embankment, prior to the commencement of filling. The trench is to be filled with 150 kg of fine / coarse aglime mix / linear m. Spoil from construction of the trench should be limed at the rate indicated in Procedure A (Table A5a) and relevant to the adjacent section of drain and used as backfill and the remainder mounded on the surface and lightly compacted.
- A 10 m wide strip of lime 'guard layer' shall be placed along perimeter of each stage of filling – where wick drains are present prior to installation of wick drains and placement of the drainage blanket layer. The guard layer will comprise fine ground agricultural lime applied at a rate of 5 kg/m<sup>2</sup>.

#### **During Surcharging**

- Inspection for seepage from the fill and/or drainage blanket shall be conducted monthly until surcharging earthworks are complete. If seepage is not observed during this period, no further inspections are required.
- Any seepage observed from the fill/surcharge materials should be monitored for pH using a calibrated meter and total titratable acidity (using field strips) daily when seepage is observed.
- Where the seepage water is found to have a pH of less than 6.0 and Total Titratable Acidity >40 mg/L, the water shall be collected, treated to a pH of greater 6.0 and disposed of to land surface or a soakage area within the proposed Auto Mall precinct.



## PROCEDURE D Fill Placement Works

### D5. PERFORMANCE INDICATORS

Item	Performance Indicator
Liming of Guard Layer	■ Correct lime application rates are applied as per Section D4.
Construction of Lime Cutoff Trench	■ Lime Cutoff Trenches installed prior to filling.
Seepage Monitoring	■ Any seepage observed is tested and treated, where required.
Non conformance	■ All non-conformances are reported and rectified.

### D6. MONITORING & REPORTING


The Site Manager shall be responsible for ensuring works and monitoring listed in Section D4 is conducted at the required frequency.

The Site Manager shall maintain a register of lime application and lime cutoff trench construction (including a photographic record), a record of inspections and water testing results.



A summary report of all test results and inspections shall be compiled monthly and submitted to the BAC Environmental Coordinator.

The Site Manager shall inform BAC Environmental Coordinator of non-compliance with Section D5 upon detection. The BAC Environmental Coordinator shall instigate an assessment of the impact within 2 days of such detections.

\\golder.gds\gap\brisbane\jobs\geo\2016\1664791 bac-automall-bne airport\correspondence out\001 attachments - ass mp\rev4\appendix b - procedures\auto mall assmp-procedure d rev4 - fill placment mitigation measures.docx



**INSERT - LIME TRENCH SKETCH DETAIL**



- LEGEND**
- Site Boundary
  - BAC Auto Precinct Layout (BRIS0012 SK-025) 24/08/2016
  - Indicative Stage 1
  - Indicative Stage 2
  - Indicative Stage 3
  - Lime Cut off Trench - 150 kg/lineal metre

**NOTES**

1. AERIAL PHOTOGRAPHY SUPPLIED BY NEARMAP LTD, DATED OCTOBER 2014
2. DEVELOPMENT YIELD PLAN LAYOUT SUPPLIED BY BAC AS CAD FILE 'BRIS0012 SK-025[K] INDICATIVE DEALERSHIP LAYOUT PLAN.PDF.DWG'
3. SERVICE LAYER CREDITS: SOURCES: ESRI, HERE, DELORME, USGS, INTERMAP, INCREMENT P CORP., NRCAN, ESRI, JAPAN, METI, ESRI CHINA (HONG KONG), ESRI (THAILAND), MAPMYINDIA, © OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY



REFERENCE SCALE: 1:4,500 (AT A3)  
PROJECTION: GDA 1994 MGA ZONE 56

CLIENT		BRISBANE AIRPORT CORPORATION	
PROJECT		AUTO PRECINCT	
TITLE		LIME CUTOFF TRENCH LOCATIONS	
CONSULTANT	YYYY-MM-DD	2017-06-27	
	PREPARED	HG	
	DESIGN	DP	
	REVIEW	MS	
	APPROVED	MS	
PROJECT No.	CONTROL	Rev.	FIGURE
1664791	001	2	D1

Path: I:\golder\gds\Brisbane\Jobs\Cad\2016\1664791\_BAC-AutoPrecinct\BNE Airport\GIS\MXD\1664791\_001\_Rev1\_F001-Auto Mail Stage 1 ASS Report.mxd

THIS MEASUREMENT DOES NOT MATCH WITH THE OTHER SIDE HAS BEEN MODIFIED FROM



# **APPENDIX C**

## **Important Information**



## IMPORTANT INFORMATION RELATING TO THIS REPORT

The document (“Report”) to which this page is attached and which this page forms a part of, has been issued by Golder Associates Pty Ltd (“Golder”) subject to the important limitations and other qualifications set out below.

This Report constitutes or is part of services (“Services”) provided by Golder to its client (“Client”) under and subject to a contract between Golder and its Client (“Contract”). The contents of this page are not intended to and do not alter Golder’s obligations (including any limits on those obligations) to its Client under the Contract.

This Report is provided for use solely by Golder’s Client and persons acting on the Client’s behalf, such as its professional advisers. Golder is responsible only to its Client for this Report. Golder has no responsibility to any other person who relies or makes decisions based upon this Report or who makes any other use of this Report. Golder accepts no responsibility for any loss or damage suffered by any person other than its Client as a result of any reliance upon any part of this Report, decisions made based upon this Report or any other use of it.

This Report has been prepared in the context of the circumstances and purposes referred to in, or derived from, the Contract and Golder accepts no responsibility for use of the Report, in whole or in part, in any other context or circumstance or for any other purpose.

The scope of Golder’s Services and the period of time they relate to are determined by the Contract and are subject to restrictions and limitations set out in the Contract. If a service or other work is not expressly referred to in this Report, do not assume that it has been provided or performed. If a matter is not addressed in this Report, do not assume that any determination has been made by Golder in regards to it.

At any location relevant to the Services conditions may exist which were not detected by Golder, in particular due to the specific scope of the investigation Golder has been engaged to undertake. Conditions can only be verified at the exact location of any tests undertaken. Variations in conditions may occur between tested locations and there may be conditions which have not been revealed by the investigation and which have not therefore been taken into account in this Report.

Golder accepts no responsibility for and makes no representation as to the accuracy or completeness of the information provided to it by or on behalf of the Client or sourced from any third party. Golder has assumed that such information is correct unless otherwise stated and no responsibility is accepted by Golder for incomplete or inaccurate data supplied by its Client or any other person for whom Golder is not responsible. Golder has not taken account of matters that may have existed when the Report was prepared but which were only later disclosed to Golder.

Having regard to the matters referred to in the previous paragraphs on this page in particular, carrying out the Services has allowed Golder to form no more than an opinion as to the actual conditions at any relevant location. That opinion is necessarily constrained by the extent of the information collected by Golder or otherwise made available to Golder. Further, the passage of time may affect the accuracy, applicability or usefulness of the opinions, assessments or other information in this Report. This Report is based upon the information and other circumstances that existed and were known to Golder when the Services were performed and this Report was prepared. Golder has not considered the effect of any possible future developments including physical changes to any relevant location or changes to any laws or regulations relevant to such location.

Where permitted by the Contract, Golder may have retained subconsultants affiliated with Golder to provide some or all of the Services. However, it is Golder which remains solely responsible for the Services and there is no legal recourse against any of Golder’s affiliated companies or the employees, officers or directors of any of them.

By date, or revision, the Report supersedes any prior report or other document issued by Golder dealing with any matter that is addressed in the Report.

**Any uncertainty as to the extent to which this Report can be used or relied upon in any respect should be referred to Golder for clarification.**



As a global, employee-owned organisation with over 50 years of experience, Golder Associates is driven by our purpose to engineer earth's development while preserving earth's integrity. We deliver solutions that help our clients achieve their sustainable development goals by providing a wide range of independent consulting, design and construction services in our specialist areas of earth, environment and energy.

For more information, visit [golder.com](http://golder.com)

Africa	+ 27 11 254 4800
Asia	+ 86 21 6258 5522
Australasia	+ 61 3 8862 3500
Europe	+ 44 1628 851851
North America	+ 1 800 275 3281
South America	+ 56 2 2616 2000

[solutions@golder.com](mailto:solutions@golder.com)  
[www.golder.com](http://www.golder.com)

**Golder Associates Pty Ltd**  
**147 Coronation Drive**  
**Milton, Queensland 4064**  
**Australia**  
**T: +61 7 3721 5400**



# Appendix G

## Asbestos Containing Materials Management Plan

# REPORT

**Asbestos Containing Materials Management Plan  
Future Auto Mall Precinct  
Brisbane Airport, QUEENSLAND**



Submitted to:

**Brisbane Airport Corporation  
11 The Circuit,  
Brisbane Airport, Queensland, 4007**

13 June 2017  
Job Number: J0517-005

## TABLE OF CONTENTS

<b>1.0</b>	<b>PART A - INTRODUCTION</b> .....	<b>5</b>
<b>2.0</b>	<b>BACKGROUND</b> .....	<b>5</b>
2.1	SITE DESCRIPTION .....	5
2.2	SITE HISTORY .....	5
2.3	GENERAL INFORMATION ON ASBESTOS .....	6
2.4	BAC ASBESTOS POLICY .....	6
<b>3.0</b>	<b>OBJECTIVES</b> .....	<b>6</b>
<b>4.0</b>	<b>PROPOSED DEVELOPMENT</b> .....	<b>7</b>
<b>5.0</b>	<b>REGULATORY REQUIREMENTS</b> .....	<b>7</b>
<b>6.0</b>	<b>RISK ASSESSMENT</b> .....	<b>8</b>
6.1	RISK MANAGEMENT AND CONTROL .....	8
6.2	TIER OF RISK ASSESSMENT REQUIRED .....	9
6.3	CHARACTERIZATION OF ASBESTOS CONTAMINATION .....	10
6.4	DETERMINING EXPOSURE SCENARIO .....	11
6.5	RISK OUTCOMES .....	11
6.6	INVESTIGATION CRITERIA AND CLEAN-UP GOALS .....	11
<b>7.0</b>	<b>PART B - ACM MANAGEMENT PLAN</b> .....	<b>13</b>
7.1	PROPOSED REMEDIATION METHODS .....	13
7.1.1	<i>General</i> .....	13
7.1.2	<i>Management Aims</i> .....	13
7.2	ONGOING MANAGEMENT REQUIREMENTS .....	13
7.3	ORGANIZATIONAL RESPONSIBILITIES .....	14
7.3.1	<i>Principal Contractor(s)</i> .....	14
7.3.2	<i>Site personnel</i> .....	14
7.3.3	<i>Other Contractors</i> .....	14
7.3.4	<i>Remediation Supervisor</i> .....	15
7.4	HEALTH & SAFETY REQUIREMENTS .....	15
7.4.1	<i>Occupational Health Exposure Standards</i> .....	15
7.4.2	<i>Personal Protective Equipment</i> .....	15
7.4.3	<i>Personnel Hygiene</i> .....	15
7.5	MANAGEMENT OF REMEDIATION WORKS .....	16
7.5.1	<i>Air monitoring</i> .....	16
7.5.2	<i>Implementation of Control Measures</i> .....	16
7.5.3	<i>Support Zones</i> .....	16
7.5.4	<i>Work Zones</i> .....	17
7.5.5	<i>Hand/Emu Pick</i> .....	17
7.5.6	<i>Site Clearing and Grubbing</i> .....	17
7.5.7	<i>Dust Suppression</i> .....	17
7.5.8	<i>Temporary Containment</i> .....	17
7.5.9	<i>Regular Inspection</i> .....	17
7.5.10	<i>Ongoing Management of ACM</i> .....	18
7.5.11	<i>Management of Suspected ACM Outside Delineated Areas</i> .....	18
7.5.12	<i>Sampling, Analysis &amp; Validation</i> .....	18
7.5.13	<i>Capping Works Operations</i> .....	18
7.5.14	<i>Capping Materials</i> .....	18
7.5.15	<i>Inspection of Capping</i> .....	19
7.5.16	<i>Reporting and Documentation</i> .....	19
7.5.17	<i>Offsite Disposal</i> .....	20
7.5.18	<i>Decontamination of Personnel and Equipment</i> .....	20
7.5.19	<i>Decontamination Plant and Equipment</i> .....	20
7.6	MANAGEMENT OF ACM POST WORKS .....	21
7.6.1	<i>Notification of Future Works</i> .....	21
7.6.2	<i>Implementation of Control Measures</i> .....	21

7.6.3	<i>Air monitoring</i> .....	22
7.6.4	<i>Designation of Future Work Zone(s)</i> .....	22
7.6.5	<i>Temporary Containment</i> .....	22
7.6.6	<i>Re-instatement of Capping</i> .....	22
7.6.7	<i>Sampling &amp; Analysis</i> .....	22
7.6.8	<i>Decontamination of Plant and Equipment</i> .....	22
7.7	EMERGENCY RESPONSE PROCEDURES .....	22
<b>8.0</b>	<b>REPORTING</b> .....	<b>22</b>
8.1	SITE REMEDIATION .....	22
8.2	EMERGENCIES .....	23
8.3	COMPLAINTS.....	23
<b>9.0</b>	<b>STUDY LIMITATIONS</b> .....	<b>24</b>
<b>10.0</b>	<b>CLOSURE</b> .....	<b>24</b>
<b>11.0</b>	<b>REFERENCES</b> .....	<b>25</b>

**TABLES**

Table 1: Areas of an ACM Management Plan

Table 2: Minimum Sampling Points for Site Characterisation of ACM

**FIGURES**

Figure 1: Site Plan and Proposed Air Monitoring Locations (if required)

Figure 2: Emergency Response Flow Chart

**APPENDICES**

**APPENDIX A** – EHP Compliance Alert 1/2013

**APPENDIX B** – BAC Work Health and Safety Asbestos Corporate Standard

**APPENDIX C** – Example Forms

**APPENDIX D** - Study Limitations

## GLOSSARY

<b>AIP</b>	Airport Industrial Park.
<b>Airborne Asbestos Fibres</b>	Airborne asbestos fibres are generated by the mechanical disintegration of Asbestos Containing Materials (ACM) and subsequent dispersion of the fibres into the air from activities such as mining and the use, removal and disposal of asbestos and ACM. Dust generated from dry soil containing friable asbestos particles can also carry Airborne asbestos fibres.
<b>ALARP</b>	As low as reasonably possible.
<b>ACM</b>	Asbestos Containing Material - Any material, object, product or debris that contains asbestos.
<b>AD</b>	Aerodrome Datum.
<b>AS/NZS</b>	Australian / New Zealand Standard.
<b>Asbestos</b>	The fibrous form of mineral silicates belonging to the serpentine and amphibole groups of rock-forming minerals, including actinolite, amosite (brown asbestos), anthophyllite, chrysotile (white asbestos), crocidolite (blue asbestos), tremolite, or any mixture containing one or more of the mineral silicates belonging to the serpentine and amphibole groups.
<b>Asbestos-Cement (AC)</b>	Products consisting of sand aggregate and cement reinforced with asbestos fibres (e.g. asbestos cement pipes and flat or corrugated asbestos-cement sheets).
<b>CPA</b>	Central Parking Area
<b>EHP</b>	[Queensland] Department of Environment and Heritage Protection.
<b>EPR</b>	[Queensland] Environmental Protection Regulation.
<b>Friable (Asbestos)</b>	Asbestos-containing material which, when dry, is or may become crumbled, pulverised or reduced to powder by hand pressure. This may include ACM that have been subjected to conditions that leave them in a state where they meet the definition, such as weathering, physical damage, water damage etc.
<b>GIS</b>	Geographical Information System.
<b>HHRA</b>	Human Health Risk Assessment.
<b>NATA</b>	National Association of Testing Authorities.
<b>National Exposure Standard (NES)</b>	An airborne concentration of a particular substance, within the worker's breathing zone, which according to current knowledge, should not cause adverse health effects or undue discomfort to nearly all workers. NES are established, from time to time, by the Safe Work Australia (former NOHSC) and are maintained on the SWA website.
<b>NEPM</b>	National Environment Protection Measures.
<b>NOHSC</b>	[Former] National Occupational Health and Safety Commission (now SWA).
<b>Nominated Person</b>	A person who has undertaken training in accordance with that required under this ACM Management Plan and is assessed as capable by the Site Manager.
<b>Personal Protective Equipment (PPE)</b>	Equipment and clothing that is used or worn by an individual person to protect themselves against, or minimise their exposure to, workplace risks. It includes items such as facemasks and respirators, coveralls, goggles, helmets, gloves and footwear.
<b>Respirable Asbestos Fibre</b>	A fibre of Asbestos small enough to penetrate into the gas exchange regions of the lungs. Respirable asbestos fibres are technically defined as fibres that are less than 3 µm wide, more than 5 µm in length and have a length to width ratio of more than 3 to 1. Airborne dust has the potential to contain respirable asbestos fibres.
<b>SWA</b>	Safe Work Australia (formerly NOHSC)

## 1.0 PART A - INTRODUCTION

Brisbane Airport Corporation (BAC) has commissioned PSK Environmental Pty Ltd (PSK) to prepare this site specific Asbestos Containing Material (ACM) Management Plan for a proposed multi-lot 51 hectare undeveloped site to be filled, surcharged and developed to form a future Auto Mall Precinct. The site is situated between Airport Drive and Moreton Drive, to the south-east of the Central Parking Area (CPA) development, (Figure 1).

PSK has been requested to develop and document an approach for the safe removal and management of any ACM, should any such material be identified on the surface or in soil recovered from the site during clearing, excavation works and subsequent infrastructure construction at the site.

This ACM Management Plan has been completed in accordance with industry best practise, and meets the minimum requirements for management of ACM impacted soil under current Queensland environmental legislation, which defaults to the requirements of the Department of Health (DOH) *Guidelines for Assessment, Remediation and Management of Asbestos Contaminated Sites in Western Australia* [DOH, 2009] (WA Guidelines).

In line with BAC's proactive approach to Health and Safety at Brisbane Airport, the intention is to have this plan ready to be enacted in the event that asbestos is identified during works scheduled for the site.

## 2.0 BACKGROUND

### 2.1 Site Description

The future Auto Mall Precinct comprises an elongated rhomboidal 51 Ha parcel of land, narrowing toward the southern end. The main site is situated between Airport Drive (to the east) and Moreton Drive (to the west) and Nancy Bird Way (to the north), on the western edge of the greater Brisbane Airport. An Energex easement crosses from north east to south west, separating the southern-most third of the site. Additionally three flood storages totalling approximately 3 Ha are to be constructed on land adjoining the main site, across from Airport Drive and Moreton Drive (refer Figure 1).

The current site is, on average, at a surface RL of 2.4 m AD and is currently heavily vegetated with casuarina forest and mangroves. Landers Pocket Drain is the closest surface water body feature, located about 100 m west of the development. Surface water in Landers Pocket Drain flows north-east and south-west before discharging into Kedron Brook Floodway Drain (KBFD) at the northern end, and Kedron Brook at the southern end. The KBFD discharges into Kedron Brook.

### 2.2 Site History

Contamination investigations of the site have previously been undertaken by Golder Associates in 2016 (*Golder Document Ref. 1538021-013 & 1538021-011*). Golder refer to the portion of the site north of the Energex easement as Stage 1, and the portion to the south as Stage 2. Based on these reports, Stage 1 of the development covers an area of approximately 950 m by 450 m and Stage 2 of the development covers an area of approximately 500 m by 300 m.

Soil logs in the Golder reports indicate that Stage 1 and Stage 2 are underlain predominantly by a layer of fill (sands, gravels and clay) to depths ranging from approximately 0.3m to 1.6m which are in turn overlain by natural compressible alluvium.

Brisbane Airport Corporation maintains a Contaminated Sites Register (CSR). [Former] Contaminated Site 28 is located within the Stage 2 development area, on the boundary with the Stage 1 (based on Figure 1 of Golder Document 1538021-011). Site 28 was listed as containing 'black' mineral sands, but was not reported as containing Asbestos. The next closest site, [Former] Contaminated Site 2A, lies 200 m west of the site. Site 2A was listed for tannery wastes, coal tars, heavy metals and petroleum hydrocarbons, investigated in 1993 and 1996, 2005 and 200, and is listed as having been remediated by Coffey in 2008.

There is no record of asbestos on either Site 28 or Site 2A on the CSR. However, asbestos waste has been discovered dumped on the surface and mixed in soil fill in several unlisted locations previously on Brisbane Airport and so its occurrence cannot be disregarded.

## **2.3 General Information on Asbestos**

Asbestos is the generic term for a group of naturally occurring minerals characterised by fibres with high tensile strength, flexibility, and resistance to thermal, chemical and electrical conditions. The most common types of asbestos include chrysotile, crocidolite and amosite (i.e. white, blue and brown/grey asbestos respectively). Asbestos fibres enter the body by the inhalation and/or ingestion of airborne particles that can become embedded in tissues of the respiratory or digestive systems.

World authorities have recognised asbestos to be a human carcinogen for over 20 years, based on observation of an increased incidence of lung cancer, mesothelioma and gastrointestinal cancer in occupationally exposed workers across a range of investigations and study populations. Information from animal studies on the inhalation of fibres support these findings, although evidence for carcinogenicity via ingestion is limited.

Asbestos is a contaminant that differs from most others. In particular, its toxicology is such that it primarily affects humans rather than being a risk to the environment. Inhalation of asbestos fibres can produce a range of lung-associated diseases, including cancers, sometimes resulting from only low levels of exposure. It usually occurs discretely in a given impacted area and will not generally degrade over time to form less harmful materials (i.e. it is very persistent). It can migrate through physical disturbance and dangerous fibres can be released.

Asbestos is not considered to be an environmental contaminant as it occurs naturally (Section 1.2.2 of WA Guidelines). However, serious health concerns are associated with the inhalation of asbestos fibres. Thus a health risk assessment has been undertaken and forms the basis of this management plan. Nothing specified in this plan alters or modifies guidelines as set down within the Safe Work Australia Code of Practice – How to Manage and Control Asbestos in the Workplace (2011), or the Safe Work Australia Code of Practice – How to Safely Remove Asbestos (2011), or the requirements laid down under all relevant Queensland legislation. Information contained in any one section must be read in conjunction with the whole of the ACM Management Plan, including appendices or attachments.

## **2.4 BAC Asbestos Policy**

Brisbane Airport Corporation is striving to have all buildings and sites occupied or controlled by BAC be free of asbestos materials. The purpose of the Policy (and associated Management Plan) is to prevent the exposure of any person to airborne asbestos fibres while ACM remain in the workplace and to ensure compliance with asbestos prohibition regulations.

BAC conducts regular audits of buildings at Brisbane Airport, identifying the presence of asbestos and assessing the risk to the health and safety of persons. Where asbestos is located in leased premises, BAC will work with tenants to ensure that all persons are informed about ACM in their workplace, the risks associated with ACM and the control measures in place.

## **3.0 OBJECTIVES**

This site specific ACM Management Plan is aimed at identifying issues related to handling any soil disturbed that contains ACM (where identified) and related constraints to the future Auto Mall Precinct development and associated works, including:

- Providing an approach through which any ACM identified during construction works at the site can be safely managed;
- Outlining requirements for air monitoring during the excavation works (should friable asbestos be identified) and subsequent remediation of any ACM impacted soil; and
- Outlining requirements for validating excavations following removal of any ACM impacted soil identified, or else containing ACM impacted soil onsite under a soil cap or finished pavement.



The content of an ACM Management Plan may change or undergo revision based upon additional information when made available, or on enacting the plan.

#### **4.0 PROPOSED DEVELOPMENT**

The proposed future Auto Mall is to comprise a 2.5 km test track in the middle of the site surrounded by development lots for future commercial use totalling approx. 38 Ha. Private access roads are situated around the perimeter of the site. An Energex substation and easement is present within the site. Three shallow flood storage areas will also be constructed close to the development site.

The future Auto Mall Precinct is to be filled and developed in three stages as highlighted in Figure 1. Earthworks at the site will include removing trees, slashing, grubbing and raking, or similar preparation, of the surface in areas where wick drains are to be installed representing approx. 6% of the developable area of Stage 1 (Figure 1); however, it is understood that the areas of wick drains may increase as part of the detailed design of the earthworks currently underway. Similar surface preparation will take place prior to the excavation of three flood storage areas outside proposed development site and the perimeter drainage channels. The remainder of the area proposed for filling and surcharge will have the trees removed, but will not be grubbed (i.e. rootballs and stubble will remain in place avoiding unnecessary disturbance). Clearing will be followed by placement and compaction of 2.0 m or more of imported fill material and temporary surcharge to levels ranging from 3.5m AD to 7.0m AD. Finished levels for the proposed track, commercial lots and perimeter roads will range from 3.25 m to 4.25 m AD.

Once Stages 1 and 2 are filled and surcharged, subsequent works will comprise the removal of excess surcharge to design fill levels to complete filling and surcharging of Stage 3. Limited future cuts are expected for service trenching associated with the future Auto Mall underground services. Additionally a small area to the immediate north of the Energex substation will be cleared and filled and set aside for a future transformer.

The drainage channels will be excavated around the site perimeter at grade level with invert levels as low as RL 0.2 m AD in the western portion of the site. The drainage channels will discharge into nearby surface water drains. Of the works proposed, the excavation of these channels and the flood basins are most likely to encounter the former surface (and possibly dumped ACM). It is understood that excavation of the perimeter drainage channels will be undertaken in stages to maintain surcharge fill stability.

PSK understand that the future Auto Mall site is proposed to be developed following the earthworks in stages, namely:

- Stage 1: Track, roads and selected development lots; lots north of the Energex easement between the track and Moreton Drive, and the Track and Nancy Bird Way.
- Stage 2: development lots south of the Energex easement.
- Stage 3 (last stage): development lots north of the Energex easement between the track and Airport Drive.

#### **5.0 REGULATORY REQUIREMENTS**

The ACM Management Plan has been developed in accordance with requirements of the following:

- Airports (Environmental Protection) Regulations, (1997)
- BAC Work Health and Safety Asbestos Corporate Standard (2012)
- Department of Health, Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia, (May 2009)
- Safe Work Australia (SWA) Code of Practice - How To Manage And Control Asbestos In The Workplace (2011a)
- Safe Work Australia (SWA) Code of Practice – How to Safely Remove Asbestos (2011b)
- Department of Health, Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia, (May 2009)

- National Environmental Protection (Assessment of Site Contamination) Measures (NEPM) 1999 - Schedules B1 and B2, (as amended May 2013). Note this now supersedes the original 1999, and Draft 2011 NEPM issues.

An asbestos management plan ‘sets out how asbestos or ACM that is identified at the workplace will be managed, including, what, when and how it is going to be done’ (Safe Work Australia, 2011a). Table 1 indicates areas where an Asbestos Management Plan provides guidance (adapted from Safe Work Australia, 2011a).

**Table 1: Areas of an ACM Management Plan**

<b>KEY AREAS</b>	<b>Applicable Section of Plan</b>
The identification of asbestos and ACM, for example a reference or link to the asbestos register for the workplace, and the locations of signs and labels.	To be included if identified
Decisions, and reasons for the decisions, about the management of asbestos at the workplace, for example safe work procedures and control measures.	Section 7.2
Workers carrying out work involving asbestos, for example consultation, information and training responsibilities.	Section 7.4
Procedures for detailing accidents, incidents or emergencies of asbestos at the workplace.	Section 7.7
<b>OTHER AREAS</b>	
A timetable for managing risks of exposure, for example priorities and dates for any reviews, circumstances and activities that could affect the timing of action.	Section 7.2
Procedures, including a timetable for reviewing and, if necessary, revising the asbestos management plan and asbestos register.	Section 7.2
Identification of each person with responsibilities under the asbestos management plan and the person’s responsibilities.	Section 7.3
Air monitoring procedures at the workplace, if required.	Section 7.5
An outline of how asbestos risks will be controlled, including consideration of appropriate control measures.	Section 7.5

## **6.0 RISK ASSESSMENT**

### **6.1 Risk Management and Control**

For an ACM related risk to eventuate on-site, the following are required:

- A source of asbestos (e.g. ACM present in surface or disturbed subsurface soils).
- A valid receptor (e.g. on-site workers, nearest off-site community, site users/visitors).
- A transport mechanism between the source and receptor (e.g. dust generation, direct contact).

If a source, receptor(s) and a transport mechanism are all present, then an exposure pathway exists. The risk posed by the ACM prior to redevelopment works is considered to be low as ACM has not been identified at [former] Contaminated Site 28 or elsewhere within the development area.

Any identification of suspect ACM is to be reported to BAC immediately, with sampling and analysis undertaken to confirm or otherwise the presence and nature of any asbestos found.

If ACM is confirmed, a suitable Sampling and Analysis Quality Plan (SAQP) is to be prepared and followed, and management measures and protocols specified in this ACM Management Plan adopted and work ceased in the affected area(s) until these measures are in place.

Effective management and control of risks associated with ACM uncovered during excavation require:

1. early **IDENTIFICATION** of ACM through ongoing inspection
2. performing a **RISK ASSESSMENT** for any ACM identified
3. implementing **CONTROL MEASURES** to mitigate the potential for asbestos fibres to be released to air
4. ongoing **ASSESSMENT AND REVIEW**

## 6.2 Tier of Risk Assessment Required

The asbestos risk assessment process involves the identification, evaluation and control / monitoring of all known sources of asbestos at the site. Asbestos represents a health risk to people only when asbestos fibres are airborne and subsequently inhaled. The risk to health increases as the number of fibres inhaled increases where the dose is a function of concentration of airborne asbestos fibres and duration of exposure.

Asbestos that is in a stable matrix (i.e. bound), or is effectively encapsulated or sealed while undisturbed represents a negligible asbestos related health risk, while disturbed friable asbestos represents a high risk. It is thus necessary to differentiate between 'asbestos hazard' and 'asbestos risk'. A hazard indicates potential for harm, while a risk refers to the probability of that harm actually occurring. The presence of asbestos in soil is a hazard, but while any asbestos remains covered or in a bonded state and does not release fibres into the air, the risk is low.

The WA Guidelines indicate that the primary reference in undertaking a Human Health Risk Assessment is the Contaminated Sites Management Series (CSMS), which includes *'The Use of Risk Assessment in Contaminated Site Assessment and Management: Guidance on the Overall Approach (DEC, 2006)'*.

This approach recommends that a Risk Assessment should start early in the investigation and management process in order to guide subsequent actions and to ensure that on-site personnel and the local community are protected during and as a result of any development.

Immediate hazard response actions and contamination control measures and contingencies may sometimes be necessary (as outlined in Appendices C and D of the WA Guidelines).

The WA Guidelines recommend a staged approach for risk assessment, involving:

- Tier 1: screening risk assessment;
- Tier 2: intermediate (simple) risk assessment; and
- Tier 3: detailed (site-specific) risk assessment.

Although complete exposure pathways have not been confirmed at this time (i.e. while the site remains undisturbed), a Tier 1 risk assessment has been developed (refer Section 5. of the WA Guidelines). Tier 1 includes development of a simple conceptual site model capturing information related to the contamination exposure pathway(s) to known receptors and thus helps determine where risk occurs.

If suspected ACM is identified and confirmed by laboratory analysis, a Preliminary Site Investigation (PSI) in accordance with Section 11 of the current NEPM (as of May 2013) will be required, including sampling and analysis of effected areas.

The minimum sampling frequency required to assess asbestos in soil in these areas according to the WA Guidelines is summarised in Table 2 (to reiterate, this is only required where the presence of ACM is confirmed). Note that if ACM is identified in any other areas during development, a similar sampling frequency would need to be adopted.

**Table 2: Minimum Sampling Points for Characterisation of ACM**

Work Area	Type of Disturbance	Disturbance Area	No. of Sampling Points	Equivalent Sampling Density	Diameter of Hotspot Identified (m) (95% Confidence)	Average Grid Size (m)
Flood Storage Areas	Uniform Area (Appendix A of WA Guidelines)	~ 30,240 m <sup>2</sup>	~ 40 in 3 areas	13.3 points/ Ha	~ 32	~27
Estimated Area for Wick Drains	Uniform Area (Appendix A of WA Guidelines)	~ 27,500 m <sup>2</sup>	Up to 40 in 4 areas	13.5 points / Ha	~ 32	~ 25
Perimeter Drains	Linear Disturbance (Adopted)	~ 3,000 m	Up to 40	1 point / 75 m	n/a*	n/a*

Note: \* Hotspot diameters are not particularly relevant for linear disturbances (i.e. aspect ratio of greater than 100:1), however, coverage confirms an adequate theoretical grid size.

The WA Guidelines do not take account the different types of mineral asbestos and fibre dimensions in developing investigation trigger criteria for asbestos in soil. However, such information is useful if site specific clean-up criteria are required to be developed.

### **6.3 Characterization of Asbestos Contamination**

Specific site investigation information on asbestos distribution, concentration and condition (i.e. especially relating to fibre generating potential) is of most importance in characterising asbestos contamination.

While Section 11 of the NEPM provides information on conducting an asbestos risk assessment, it generally defaults to the WA Guidelines and is intended to be used in conjunction with these. Sampling and analysis requirements for risk assessments have been developed for areas where the existing surface will be significantly disturbed and ACM may be detected; particularly the installation of the perimeter drainage channels totalling approx. 3,000 linear metres in length, in areas where wick drains will be installed and the external flood storage areas.

The minimum sampling frequency required to assess asbestos in soil in these areas according to the WA Guidelines is summarised in Table 2. Note that if ACM is identified in any other areas during development, a similar sampling frequency would need to be adopted.

It has been assumed that fill to be imported to site and surcharge material will originate from a ‘clean’ source, and will not contain ACM. Given the site will be covered by imported fill and temporary surcharge, the risk of exposed ACM being present on the site is very low. However, the likelihood that some ACM impacted soil underlies some areas of the future Auto Mall Precinct cannot be disregarded completely. Thus, a low risk remains of ACM being present in areas that will not be permanently covered by ‘new’ fill. Encountering ACM during excavation of the perimeter drainage channels and flood storage areas is more likely and remains a moderate risk.

Given the information available, the proposed development and associated drainage works is considered a Tier 1 risk. This will remain the case unless ACM is specifically identified during clearing operations, drainage earthworks or trenching for any services below current RL. If asbestos is detected, the occurrence of ACM in soil will need to be clearly delineated laterally and vertically and the extent identified on an appropriately scaled Figure (i.e. minimum 1: 1,000 scale) before any further disturbance occurs. ACM need only be identified in areas that are to be disturbed by clearing and grubbing and excavations for drains or in-ground services.

Reference to Table 1 of the WA Guidelines ‘Triggers and Types of Asbestos Investigations’, indicates that the appropriate scenario for this site is ‘Possible’, i.e. uncontrolled fill without mixed building waste and/or an undeveloped site adjacent to urban infill (& possible dumping)

## 6.4 Determining Exposure Scenario

Potential exposure includes all activities associated with the site during its development and for future long-term management of areas not completely covered by recent fill.

**Possible receptors and potentially complete exposure pathways include:**

- Site construction personnel – direct contact and dust during site works;
- The Local community - i.e. nearest tenants including buildings and carparks in the Central Parking Area to the west and the International Terminal and Coles Express fuel depot, which are the receptors most vulnerable to dust emissions;
- Site visitors and final users (i.e. users of the finished future Auto Mall).

For asbestos, the primary exposure concern will be any activities with the potential to generate the release of airborne asbestos fibre from any ACM present, including direct disturbance and associated wind and water derived erosion. The possible release of airborne asbestos fibre is considered to be limited to clearing of the surface in preparation for filling, the exposure of pre-existing subgrade, excavations for services and surface drains and any stockpiled spoil.

Although only ‘possible’ complete exposure pathways during construction have been identified, a Tier 1 risk assessment has nonetheless been undertaken based in general on Schedule B1 of the National Environment Protection (Assessment of Site Contamination) Measure – Guideline on the Investigation Levels for Soil and Groundwater (NEPM Variation 2013) without carrying out soil sampling or analysis.

At this stage, evaluation is theoretical, as there are no specific soil test results or air monitoring data available for the actual site. However, if results of any monitoring conducted during the construction phase or relevant activities on nearby sites are made available, they should be utilised in refining the risk model.

Any wind breaks and air quality sampling sites should be placed downwind of the site on the site boundary. These would only be adopted if friable asbestos (FA) or asbestos fibres (AF) is identified. However, as wind direction is seasonally influenced, their placement will be principally dependent on the time of year when construction is undertaken.

## 6.5 Risk Outcomes

For the Tier 1 assessment, the contamination concentrations (if known) are compared against the soil asbestos investigation criteria levels specified in Section 6.6. In this instance, criterion IV (0.02%) has been adopted as the proposed site use is as ‘public open space’.

If levels of ACM identified on the site do not exceed criterion IV and subsequent investigations undertaken are deemed to be in accordance with the WA Guidelines, then no further specific management actions are required. If exceedences of criterion IV are reported, these criteria are to be used as ‘clean-up’ goals or other appropriate forms of remediation undertaken and a more detailed Tier 2 or Tier 3 assessment completed before works can continue.

## 6.6 Investigation Criteria and Clean-up Goals

Findings of research conducted in the Netherlands by Swartjes and Tromp in 2008 was used in developing the WA Guidelines investigation criteria. In the WA Guidelines, the investigation criteria reported by Swartjes and Tromp are divided by a factor of 10 to take into account the greater dryness and dust-generating potential of many local Australian soils and include naturally occurring asbestos.

The fibrous asbestos criterion applies to both fibrous asbestos (FA), and asbestos fibres (AF) due to their ability to generate asbestos fibre. These criteria mirror the National Environmental Protection Measure (NEPM) site uses and associated default exposure ratios.

The WA Guidelines have adopted the soil asbestos investigation criteria summarised below. For this site, **Criterion IV** is the most appropriate although if fully sealed post development, Criterion V could conceivably be adopted:

- I. 0.001% w/w asbestos for FA and AF – For all site uses.
- II. 0.01% w/w asbestos for ACM – For residential use, day care centres, preschools, etc.
- III. 0.04 % w/w asbestos for ACM – For residential with minimal soil access.
- IV. 0.02% w/w asbestos for ACM – For parks, public open spaces, playing fields, etc.**
- V. 0.05 % w/w asbestos for ACM – For Commercial/Industrial

Note: that the FA and AF criteria of 0.001% w/w remain fixed for all site uses because the means to determine concentration differences at this level of detection is difficult.

These criteria can also be adopted as soil clean-up goals if this is the chosen form of remediation, rather than capping the impacted material with clean, compacted fill. In order for this to be achieved, the top 10 cm of soil must also be made completely free of visible asbestos. This may be achieved by installing, as a minimum, 10 cm of clean, compacted fill as a capping, or in the case of ACM or FA contamination, by several cycles of hand-picking and fine raking taking into account the 'Hand-Picking (Emu-Bob)' procedure outlined in Section 4.1.1 of the WA Guidelines, followed by validation.

## 7.0 PART B - ACM MANAGEMENT PLAN

The following ACM Management Plan is to be implemented immediately if any ACM is confirmed in soils disturbed at the site (including associated service trenching and drainage works).

### 7.1 Proposed Remediation Methods

#### 7.1.1 General

The Draft National Environment Protection (Assessment of Site Contamination) Measure (April 2011) promotes on-site remediation and management as the preferred option for dealing with contaminated soils. In the hierarchy of remedial options, disposal to landfill should be used only when no other method of dealing with the spoil is available and the operator of the landfill agrees to accept the material for disposal.

On-site remediation management, or off-site disposal to landfill, were considered appropriate options to manage the identified ACM impacted soil; however, the preferred remediation method is to manage the identified ACM impacted soil *in situ* by covering the ACM impacted soil with clean fill and/or sealed pavements to provide a barrier between the ACM and potential receptors, except for excess spoil from service trenches and perimeter drains which may need to be relocated and capped or disposed of.

Where ACM is identified, the BAC WHS Asbestos Corporate Standard (see Appendix A) is to be followed including the provision of signage as appropriate.

#### 7.1.2 Management Aims

Where ACM is identified, management goals applicable to this site include the following activities:

- Reduce the risk of generating airborne asbestos fibres by implementing dust control measures to ensure levels are consistent with that of background concentrations – e.g. use of fine water spray
- Undertaking remediation and subsequent validation of all exposed surfaces where ACM has been identified
- Capping so that the asbestos impacted area poses a negligible risk to future site users.

If capping is adopted for management by BAC, a minimum of 0.5 m of clean soil will be placed on the site as a capping layer, in accordance with Section 5.2 of the WA Guidelines. In addition to the minimum 0.5 m capping layer, a geo-fabric layer with a coloured strip for identification will be placed between the impacted material and the capping layer to provide an indication of the presence of underlying ACM in soil contamination to future maintenance and/or construction workers. The proposed works at the site include placement of fill that will generally be thicker than 0.5 m and hence will act as a capping layer. Excess spoil from service trenches and perimeter drains which cannot be replaced in the trench and capped over must be removed offsite or capped elsewhere within the work zone.

### 7.2 Ongoing Management Requirements

To effectively manage integrity of a capping layer, long term management of the site is required including:

- listing the defined Management Area(s) on BACs Contaminated Sites Register (CSR) accompanied by copies of the relevant investigation and site remediation reports and the current revision of this ACM Management Plan;
- approving the future works proposed in the capped area through BAC's development approval process or Permit to Work (PTW) and which will include provisions for asbestos management;
- undertaking annual inspections of the capping layer / pavement to assess the continued integrity;
- employing short-term management requirements during the capping works and ongoing management of the capping layer post capping as detailed in this plan; and
- vegetating (with shallow rooting grasses etc.), or otherwise stabilising any unpaved areas of capping to reduce soil erosion.

### 7.3 Organizational Responsibilities

This ACM Management Plan is to be integrated into current BAC asbestos management procedures and into redevelopment works that will be undertaken on the site. The following key personnel are responsible for the implementation of the control measures discussed in this document.

#### 7.3.1 Principal Contractor(s)

The Principal Contractors' responsibilities include:

1. Ensuring guidelines and recommendations set out in this ACM MP are adhered to.
2. Ensuring asbestos related matters are safely controlled including specific contractor inductions.
3. Implementing appropriate work methods and control measures for all staff and subcontractors working within areas of known ACM impact, in accordance with the conditions and of this plan.
4. Managing of systems to ensure suitable contractors and consultants are engaged to carry out asbestos-related works and to ensure the necessary safety standards are maintained for the works.
5. Obtaining necessary approvals from regulatory authorities prior to starting any removal of soil impacted with ACM, if required (e.g. EHP disposal permit). Lead in time may need to be allowed for.
6. Ensuring site personnel and visitor concerns with asbestos related matters are reported and dealt with in a satisfactory and timely manner.
7. Arranging for assessment and sampling of suspected ACM, if identified.
8. Ensuring all remedial works involving ACM are suitably supervised.
9. Maintaining a register of all relevant asbestos documentation including updating the asbestos register and/or ACM Management Plan.

#### 7.3.2 Site personnel

Site personnel (including subcontractors) responsibilities include:

1. Informing the construction manager of the presence of any unknown asbestos hazard or a suspected asbestos hazard identified on the site.
2. Complying with this ACM Management Plan to ensure all personnel on-site including visitors are not at risk of exposure to airborne asbestos fibres.

#### 7.3.3 Other Contractors

Other Contractor's responsibilities include:

1. Ensuring that work methods and procedures comply with the relevant legislation, codes of practice and industry standards, and undertake work according to the requirements nominated by BAC.
2. Employing suitably trained, skilled and competent staff during encapsulation or excavation of any ACM impacted area.
3. Reporting to BAC and/or its Principal Contractor before undertaking any works on sites identified as possibly containing ACM.
4. Ensuring that their employees are inducted in safe work procedures for asbestos and ACM.
5. Ensuring that all work is conducted in a safe and competent manner.
6. Reporting incidences or potential asbestos hazards to the applicable responsible officer(s) before further works are carried out.



### 7.3.4 Remediation Supervisor

Management and remediation (if required) should be supervised by a suitably qualified person to ensure methods documented in this plan are undertaken correctly. Where ACM has been identified It is prudent to ensure any interim clearing or development be supervised by a suitability qualified person.

## 7.4 Health & Safety Requirements

### 7.4.1 Occupational Heath Exposure Standards

Exposure of site personnel to asbestos is to be limited as much as is reasonably achievable. Where occupational exposure to asbestos or ACM is likely to occur, exposure is not to exceed legislated occupational exposure standards for asbestos published by Safe Work Australia.

Occupational exposure is measured using the Membrane Filter Method, by collecting a sample of air from the breathing zone of a person, over eight hour duration. The current Australian occupational exposure standards for asbestos are:

- Chrysotile (white asbestos) – 1.0 fibres per millilitre;
- Amosite (brown asbestos) – 0.1 fibres per millilitre;
- Crocidolite (blue asbestos) – 0.1 fibres per millilitre;
- other forms of asbestos or a mixture of asbestos types – 0.1 fibres per millilitre.

(Refer: *NOHSC, 1995 - Exposure Standards for Atmospheric Contaminants in the Occupational Environment, Australian Government Publishing Service, Canberra*).

### 7.4.2 Personal Protective Equipment

The principal exposure pathway for asbestos exposure is through inhalation of dust particles. PPE must be used to reduce the potential of exposure. As a minimum, disposable dust masks should be worn by all personnel at all times on-site. The potential to inhale particulate matter can be further reduced by the use of P2 respirators for personnel working on-site.

These respirators must be used if ACM is identified at the site and the following implemented:

- Respiratory protection shall be worn by all persons within Work Zones on-site.
- Persons required to wear respiratory protection shall receive training and instruction on the selection of appropriate equipment, its usage and maintenance.
- Respirators (dust masks) shall be issued on a personal basis. Respirators shall conform to the requirements of Australian Standards AS1715 and AS1716 and must be of a minimum P2 standard.
- Persons required to wear facial fit respirators shall be clean shaven.
- Non-disposable respiratory protection shall be cleaned regularly, at least at the end of every shift.
- Regular cleaning and maintenance of respirators should be carried out in an area free of asbestos contamination using a damp cloth. The potential exposure risk for cleaning respirators is considered negligible. Regular cleaning is essential because dirt can interfere with the operation of valves and seals or the outside of the respirator may become contaminated during normal and fibres may be transferred to the inside of the respirator from where they may be inhaled
- All tools and equipment shall be cleaned and washed with water and wet wiped with a damp cloth prior to leaving the work zone.
- All vehicles shall be washed down with water and the site manager shall inspect all equipment and vehicles for possible asbestos contaminants before they leave the Work Zone.

### 7.4.3 Personnel Hygiene

If ACM is identified at the site disposable coveralls shall also be worn by all persons within the Work Zone until impacted soil is removed or capped. All persons leaving the Work Zone shall thoroughly clean footwear of all adhering materials through the use of water.

Persons shall not eat, drink or smoke within any established Work Zone(s).

All disposable PPE shall be disposed of as contaminated waste once used in appropriately labelled asbestos waste bags and double bagged.

## **7.5 Management of Remediation Works**

Two methods of remediation are available: disposal and encapsulation. Disposal off-site may not be practical and would involve a higher level of supervision, so encapsulation is the preferred remediation option. However, any excess spoil from service trenches or the perimeter drains may need to be removed offsite under an EHP Disposal Permit, or else capped adequately, elsewhere within the defined work zone.

### **7.5.1 Air monitoring**

If ACM is confirmed in the management area, monitoring for airborne asbestos fibres will be required during construction works involving disturbance of soil and established prior to commencing work. Fibre air monitoring must be undertaken by a qualified person during any soil disturbance activities within confirmed ACM impacted area.

Airborne fibre monitors shall be placed within the Work Zone in areas downwind of the site where ACM is detected. Wind direction is predominantly south-easterly for most of the year at Brisbane Airport, but may change seasonally and should be confirmed prior to undertaking any specific monitoring. Assuming the predominant south-easterly wind direction, monitoring stations would be required along the north-western boundary of the future Auto Mall Precinct placed at a minimum of 400 m spacings downwind of areas(s) where ACM is confirmed. Suitable monitoring locations are indicated on Figure 1 (although 8 possible locations are depicted, fewer locations could be utilised depending on where ACM is actually identified).

### **7.5.2 Implementation of Control Measures**

Any exposed ACM is to be capped (or removed and the surface validated). Prior to the commencement of the capping of ACM impacted soil, the following control measures are required to be implemented:

- Establish a support zone and define the extent of work zone.
- Barricade or rope off the area(s) to be capped.
- Erect appropriate signage warning of asbestos hazard.
- Ensure all workers entering the site are wearing respirators that shall conform to the requirements of Australian Standards AS1715 and AS1716 and must be of a minimum P2 standard.
- Engage an environmental consultant to undertake air monitoring and supervision.
- Engage a suitably qualified person to inspect all areas prior to disturbance.
- Provide dust suppression in the form of a light water spray, applied every two hours during dry periods, less often if surface soils remain moist.
- Suspend works in times of high wind during dry periods.
- Machine operators are to remain within the cab of the machine which must have air-conditioning fitted with the appropriate filter or operated with air being recirculated within the cab.

Should monitoring detect airborne fibres at a concentration exceeding the ‘site clearance criterion’ (i.e. 0.01 fibre/ml), then works are to cease until improved management measures are adopted. These can include increased watering frequency and/or installation of hessian wind breaks up wind of the affected areas. Note that this is stricter than the actual health-based limit of 0.1 fibre/ml.

### **7.5.3 Support Zones**

A Support Zone is to be established by BAC’s nominated contractor, based on site conditions. This is considered to be a safe area and can contain temporary buildings, washdown area etc. Site safety briefings would be carried out in the Support Zone at the commencement of each work shift. The Support Zone can be incorporated into the Contractor’s Compound (if not situated within the Work Zone) or in any areas that will not be disturbed. Any vacant area including the designated Energex easement through the site could be utilised for this purpose provided there is sufficient room and it is at least 100m<sup>2</sup> (refer Figure 1).

#### 7.5.4 Work Zones

Temporary activity specific Work Zones will be established by BAC or its nominated contractor in any areas where ACM is positively identified. During any capping works the Work Zone(s) will be barricaded as required. Work Zone(s) are to extend at least 5m beyond all sides of the work area; for this reason the designated site should not extend to within 5m of existing roads.

If ACM impact is limited to only portion(s) of the site then only the affected portions, extending 5m beyond the impacted area in all directions, need be barricaded and designated a Work Zone. The asbestos risk within the Work Zone will dictate fulltime wearing of specified personal protective equipment (PPE) if any ACM has been identified.

#### 7.5.5 Hand/Emu Pick

Prior to continuing works within any confirmed impacted areas, an initial 'emu pick' is to be undertaken to clear the site of any visible fragments of possible ACM. Any fragments should be placed within appropriately designed and labelled asbestos waste bags and disposed of at a licensed facility. The emu pick is to be undertaken by a person qualified in accordance with the strategies outlined in the WA Guidelines.

#### 7.5.6 Site Clearing and Grubbing

As part of development works, some clearing, slashing and/or raking of vegetation will be required. As this may involve the disturbance of soil and therefore the potential disturbance of ACM (where confirmed), management practices outlined in this ACM management plan are to be adhered to during this activity.

Vegetation to be removed will generally not include any roots (i.e. rootballs are to remain insitu). However vegetation stripped for wick drains (Figure 1), drainage channels, flood storage areas and other trenching activities will include roots. Prior to vegetation being mulched, roots should be visually inspected onsite for possible ACM. If ACM is suspected, the roots should be removed and disposed of as asbestos waste. Burning of vegetation should not be undertaken onsite as potential ACM on surface soils may incur some degradation increasing the risk of airborne asbestos fibres.

#### 7.5.7 Dust Suppression

When any soil disturbance activities are to be undertaken, a fine water spray shall be used to suppress the dust at the commencement of the day's construction activities and at regular intervals during the day, i.e. every two hours, or when surface water evaporates or dust is observed. Spraying is to be used during any soil disturbance within the impacted area. Where possible, temporary buildings and plant is to be situated upwind from ACM impacted excavation areas during soil disturbance works.

#### 7.5.8 Temporary Containment

The principle pathway for asbestos exposure is through inhalation of particulate matter (dust). If the remediation of an impacted area is delayed for a period of greater than 1 month and other personnel will be operating on-site, the ACM impacted area(s) are to be covered in the short term with a thin layer of sand or gravel, or minimum 200 µm thick plastic, well secured. This will limit exposure risk to site personnel and the public. For the containment to be effective it must be able to withstand heavy rain and strong winds. No persons are permitted to disturb containment areas unless authorised by BAC.

When the temporary containment is no longer required, decommissioning would involve removing the plastic layer in a manner which minimises disturbance. Sand or gravel would remain and be included in ACM impact materials for disposal or capping. Fibre air monitoring should be continued during setup, containment and decommissioning.

#### 7.5.9 Regular Inspection

To monitor the effectiveness of temporary onsite containment area, the area is to be regularly inspected. Inspections are also to be undertaken immediately after heavy rainfall events. Should areas of exposed ACM impacted soil be identified, these areas should be re-covered immediately.

Where applicable, recently established vegetation or cover layers such as geo-fabric are to be monitored on an ongoing basis.

#### **7.5.10 Ongoing Management of ACM**

Should site personnel observe suspected ACM fragments at the site, these materials should be collected immediately and placed into labelled bags for disposal. The risk to health from handling asbestos cement or sheeting fragments is low as the asbestos fibres are bound into a cement matrix and are unlikely to release respirable fibres unless mechanically abraded.

When the materials are safely contained, a judgement can be made as to whether the materials can be disposed of as asbestos waste, or if procedures to safely return the materials to the site should be developed. If any friable asbestos is detected, the area should be barricaded immediately and a suitably qualified person (i.e. a Class A Asbestos Removalist) be employed to remove the asbestos.

#### **7.5.11 Management of Suspected ACM Outside Delineated Areas**

Should site personnel observe possible ACM on an area not identified as ACM impacted, this material is to be collected immediately by a suitably qualified person and placed into asbestos bags (refer to Section 5.5 of the SWA Code of Practice *How to Manage and Control Asbestos in Workplace* for specifications of asbestos bags) and sealed.

The risk to health from handling asbestos cement fragments is considered negligible as the asbestos fibres are bonded into the cement matrix and are unlikely to generate respirable fibres unless mechanically abraded (i.e. shredded, ground etc.). However, as a precautionary measure, all persons handling asbestos cement fragments should wash their hands immediately after contact. Sealed asbestos bags containing asbestos fragments may be stored on site in a secure area until such time that the bags can be removed by a licensed contractor. If friable asbestos is detected, the area should be barricaded immediately and a suitably qualified person (i.e. a Class A Asbestos Removalist) be employed to dispose of the material.

#### **7.5.12 Sampling, Analysis & Validation**

If suspected ACM is observed during the works and future sampling is required, samples are to be analysed using polarised light microscopy (PLM) or other applicable analysis techniques such as scanning electron microscopy (SEM), and any airborne fibre monitoring undertaken using the membrane filter method. All analysis is to be conducted by a NATA accredited laboratory.

Smaller, isolated areas (if remediated) – spoil is to be sampled for validation at a rate of 1 sample per 50m<sup>2</sup> or per 10 linear m length for predominantly linear excavations.

#### **7.5.13 Capping Works Operations**

Any ACM impacted areas that are to be capped must be clearly delineated and identified on an appropriate figure which shall be appended to a revised ACM Management Plan. Additional activities that may involve soil disturbance within ACM impacted areas after encapsulation should also be undertaken in accordance with these management procedures.

All information and works pertaining to the encapsulation of soil containing ACM is required to be recorded and reported (refer to section 7.5.16 below).

All works at the site involving the removal, encapsulation, transport, disposal or otherwise potential disturbance of ACM impacted soil shall be performed in accordance with all relevant State Acts, Regulations, Codes of Practice, Advisory Standards and industry standards (Section 6.0 of this document).

#### **7.5.14 Capping Materials**

Imported material is to be used for any capping. Such material is required to be verified as 'clean fill' from a confirmed source or Virgin Excavated Natural Material (VENM) which includes manufactured materials.

Capping material shall not consist of actual or potential Acid Sulfate Soils (ASS) unless lime treated and validated.

The following procedures are to be implemented for placement of capping material:

- Practical measures must be undertaken to reduce the risk of erosion of the finished cap. This may include the use of perimeter sediment fences, vegetative cover, geo-fabrics and/or pavements;
- The capping layer must be a minimum thickness of 0.5 m compacted earth (including any bulk fill);
- The horizontal and vertical boundaries of the asbestos impacted layer and completed capping layer must be surveyed to an appropriate height datum and a plan prepared and maintained on record.

Geo-fabric textile layers (where used) are to meet the following requirements:

- be permeable to water;
- have a high visibility (i.e. coloured strips incorporated) and good tensile strength;
- be rot-resistant and chemically inert;
- cover the impacted area approximately 0.5 m beyond the boundary of the impacted area if possible;
- parallel sheets are to be fixed together with at least a 20 cm overlap.

All documentation relating to any onsite encapsulation undertaken, including a plan of the location encapsulated and a 'typical' transverse section, must be provided to BAC on completion of works. Note that a section is not necessary for linear works.

All works will be conducted applying the appropriate control measures and in accordance with all applicable Regulations and Codes of Practice including those listed in Section 6.0 of this document.

#### **7.5.15 Inspection of Capping**

To monitor the effectiveness of the onsite encapsulation, it is essential that capped areas be inspected annually, as per the Code of Practice for the Management and Control of Asbestos in Workplaces (2005), by a responsible officer appointed by BAC, or a suitably qualified person. Should areas of erosion be identified, these areas should be reinstated immediately with clean soil.

Where applicable, any vegetation cover should also be monitored on an ongoing basis. In areas where capping (i.e. fill) is greater than the minimum 0.5 m; inspection is not required unless work involving disturbance of the fill to within 0.5 m of the previous surface level is subsequently undertaken.

All outcomes of inspections are to be documented in Brisbane Airport's asbestos register or otherwise recorded.

#### **7.5.16 Reporting and Documentation**

BAC or the Principal Contractor (TBC) is responsible for maintaining a record of events relating to all asbestos works at the site. Should any asbestos related works be undertaken, these events are to be recorded and maintained for future reference.

The following (as a minimum) requires recording:

- Details of all inspections;
- Details of all remediation works;
- Identification of any ACM impacted areas;
- Any complaints / incidents that occur relating to asbestos;
- Any authorised or unauthorised intrusion of the soil capping layer; and
- Any other asbestos related issues.

### 7.5.17 Offsite Disposal

If excavation of soil containing ACM is undertaken and it is required to be disposed off-site, the material will require further assessment as to whether it can be classified as regulated waste, contaminated soil or uncontaminated soil. Such classification is to be undertaken by an appropriately qualified and experienced person in accordance with Section 381 of the Environmental Protection Act (1994) (subject to revision of that Act).

If ACM or impacted soils are classified as regulated waste, it can be disposed to an approved landfill by vehicles licensed with the EHP for the transport of regulated waste. As the parent Lots that effectively comprise the whole of the Brisbane Airport are listed on the State's Environmental Management Register a Disposal Permit will be required regardless of whether other contamination is identified prior to disposal. Disposal permits, a letter of acceptance from the landfill site and all other disposal documentation must be supplied to BAC and/or the Principal Contractor upon completion of works.

Information related to the transportation of asbestos materials in Queensland is summarised in a 'Compliance Alert' – EHP, June 2013 (Appendix A).

### 7.5.18 Decontamination of Personnel and Equipment

Decontamination is an essential process in preventing the possible distribution of asbestos fibres to other areas on or off the site.

Disposable P2 respirators are to be removed in the following method:

- Spray a light mist of water onto your face and wet wipe. Then remove the respirator by lifting it up, away from the breathing zone.
- Disposable respirators should be discarded into the waste bag.
- The waste bag must then be placed into a second waste bag and sealed gooseneck style.
- Hands and face are to be washed.

Regular cleaning of respirators (non-disposal) is essential because:

- Dirt can interfere with the operation of valves and seals and lead to leaks of contaminated air into the respirator.
- The outside of the respirator may become contaminated during normal use. If contamination is not removed it may be transferred to the inside of the respirator from where it may be inhaled.
- Normal good hygiene practice dictates cleaning and disinfecting of respirators on a regular basis.

All persons leaving a designated Work Zone shall thoroughly clean footwear of all adhering materials through the use of water. All tools and equipment shall also be cleaned and washed with water and wet wiped with a damp cloth before leaving a Work Zone. Prior to leaving the work zone all vehicles shall be washed down with water.

The site manager shall inspect all equipment and vehicles for possible asbestos contaminants before it leaves the Work Zone.

### 7.5.19 Decontamination Plant and Equipment

Plant that remains clean of ACM impacted material at all times will not require specific decontamination. If plant does come into contact with ACM impacted material, decontamination of plant and equipment will occur as follows:

- A designated "wash down" area shall be selected and used consistently throughout the works. The plant and machinery "wash down" area must be situated within a work zone (any Work Zone is suitable).
- All plant and equipment is to be washed thoroughly using a water hose at the conclusion of each day's work and prior to leaving the site.

- The plant and equipment wash down area is to be lined with 200 micron (200 µm) plastic and contoured to catch and channel all wash water through filter medium with a pore size of less than 5 microns (<5 µm). After washing of the plant and equipment is concluded, filter media should be disposed of as ‘asbestos waste’.
- Appropriate disposal will comprise placing the filter media in a clear polyurethane bag, tying the bag ‘gooseneck’ style and then placing the sealed bag into a second polyurethane bag and sealing as before (i.e. double bagging).
- Appropriate PPE shall be worn by all persons during washdown of plant and equipment and bagging of the filter medium.
- At the completion of works the plastic liner is to be disposed of as asbestos waste using the procedures as stated above. If there is any indication that the integrity of the liner has been compromised, the top 0.1 m of soil directly below the break in the liner is to be scraped up and disposed of as per the disposal permit.

## **7.6 Management of ACM Post Works**

On-going management of any soil capping is important to ensure ACM is not uncovered in such a manner that future contractors, BAC staff, visitors and site users are not unnecessarily exposed to airborne asbestos fibres. The coloured strips incorporated into geo-fabric placed on top of the cap will act to alert offenders if capping over any ACM is inadvertently disturbed.

Future excavation of ACM impacted soil and disposal offsite to an approved landfill site may not be the most appropriate control method given the relatively low risk the asbestos cement fragments pose and the cost to undertake such works, so prompt replacement of broken or deteriorated capping is a preferred option.

### **7.6.1 Notification of Future Works**

Any future works proposed on the future Auto Mall Precinct site should be identified in BAC's development approval process or Permit to Work (PTW) process and should consider the requirements for asbestos management. Any contractor and/or person(s) undertaking soil disturbance work within the site must comply with this plan if ACM is subsequently identified and confirmed.

### **7.6.2 Implementation of Control Measures**

Prior to the commencement of future soil intrusion works within any capping area the following control measures are required to be implemented:

- Establish suitable locations for a support zone as per Sections 7.5.3 and 7.5.4 should ACM be confirmed.
- If ACM is confirmed, rope off areas to be capped and establish the extent of the Work Zone.
- Erect appropriate signage warning of asbestos hazard.
- Ensure all workers entering the site are wearing P2 masks.
- Engage an environmental consultant to undertake air monitoring and supervision.
- Engage a suitably qualified person to inspect all areas prior to disturbance.
- Ensure that machine operators remain within the cab of the machine which must have air-conditioning fitted with the appropriate filter or operated with air re-circulated within the cab.
- BAC or its nominated contractor shall establish a Support Zone(s) based on site conditions and nature of works, to be a ‘safe area’ on-site to contain project administration areas.
- Undertake Site Safety briefings at the commencement of each work shift as appropriate.

### **7.6.3 Air monitoring**

Fibre air monitoring must be re-introduced and carried out by a qualified person during any soil disturbance activities within designated capped areas. Airborne fibre monitors shall be placed within the work zone in areas downwind of the site, as well as on the boundary of the nearest occupied areas (receptor), as previously identified.

### **7.6.4 Designation of Future Work Zone(s)**

Temporary activity specific Work Zone(s) will be established by BAC or its nominated contractor. During future soil disturbance works, Work Zone(s) will be barricaded as required. Where practicable, the Work Zone should extend 5m in all directions from the work area. Person entering a Work Zone should be wearing the appropriate PPE.

### **7.6.5 Temporary Containment**

Any future disturbance of soil will require temporary containment measures and these are to be undertaken in accordance with the requirements of Section 7.5.8.

### **7.6.6 Re-instatement of Capping**

Following completion of any future excavation works, a thorough visual inspection of the work area shall be undertaken by a suitably qualified person to ensure all visible signs of ACM have been removed.

On completion of this visual inspection, the complete area shall again be sprayed with water and re-capped in accordance with the requirements of Sections 7.5.13 and 7.5.14

### **7.6.7 Sampling & Analysis**

Any future sampling and analysis for asbestos shall be undertaken in accordance with the requirements of Section 7.5.12, and conducted by a NATA accredited laboratory.

### **7.6.8 Decontamination of Plant and Equipment**

Provided the plant is positioned on clean fill/material at all times decontamination of plant and machinery will not be required; however, if this is not the case, decontamination of plant and machinery will occur in accordance with Section 7.5.19.

## **7.7 Emergency Response Procedures**

An emergency situation would likely entail a scenario where ACM present on site has been inadvertently disturbed or friable asbestos detected (for the first time), which is likely to release respirable fibres on-site and to the immediate receiving environment. Whether through actions of site personnel, contractors, or machinery operating in ACM impacted area, BAC and/or its nominated contractor shall be notified immediately and all work cease until the site has been cleared of ACM and/or remediated by a suitably qualified person. Emergency response procedures are detailed in the flow chart in Figure 2 (attached).

## **8.0 REPORTING**

### **8.1 Site Remediation**

Detailed records of any remediation and validation activities undertaken on the future Auto Mall Precinct or associated works are to be maintained such that all activities relating to asbestos matters, site monitoring and final validation undertaken are recorded.

Reporting and record keeping is to be in accordance with the BAC Corporate Standard for Asbestos (Appendix B).



As a minimum, site records shall include:

- any temporary in-situ asbestos management measures employed;
- extent of site clearing activities and general earthworks;
- records of any/all capping works and inspections;
- all asbestos fibre air quality (dust) monitoring results; and
- records of any asbestos or ACM identified or disposed of off-site.

A report is to be compiled detailing any/all remediation activities and final validation (if undertaken) at the completion of remediation works and submitted to BAC for review.

As a minimum the report shall include the following:

- a brief summary of background information;
- scope of development works;
- remedial methodology adopted;
- records of all site works including photographs;
- results of all asbestos fibre air quality (dust) monitoring and soil validation sampling undertaken;
- final conclusions;
- on-going management requirements (if required); and
- Figure(s) displaying the surveyed boundary of impacted areas and final extent of capping and/or validated areas.

Where ACM is identified this management plan is to be revised outlining specific works that have been conducted and the management strategy to be put in place relating to confirmed ACM remaining on site. The management plan should be made available to all staff and contractors undertaking work within site boundaries as indicated in Figure 1.

In addition all asbestos related works and information is to be documented within BACs Asbestos Register and Management Plan, including but not limited to:

- re-inspections;
- remedial works; and
- identification of ACM.

## **8.2 Emergencies**

All employees are to report the presence of previously unidentified ACM or suspected ACM immediately to their direct manager and BAC as soon as possible, as identified in the Emergency Response Flow Chart (Figure 2). The report form provided (Appendix C) is to be used for reporting exposure to any suspected asbestos hazard on site.

The HSE Coordinator, in consultation with the employee's immediate manager, will determine other internal or external notification required in accordance with the Emergency Response Flow Chart (Figure 2).

An incident report form is used to report all the presences of previously unidentified or suspected asbestos containing material on-site and must be completed by either the employee or Project Manager.

## **8.3 Complaints**

Employees must report any complaints associated with the presence of previously unidentified or suspected ACM to their immediate manager as soon as practical. The Complaint Register form (in Appendix C), should be used for reporting all complaints.

The project manager will determine other internal or external notification and actions if required in accordance with Figure 2 – Emergency Response Flow Chart.

## **9.0 STUDY LIMITATIONS**

This ACM Management Plan has been developed to manage and minimise asbestos related health risks associated with ACM if found to be present in soil disturbed on the future Auto Mall Precinct site at Brisbane Airport during earthworks or future infrastructure construction, and to provide guidance when undertaking the following procedures:

- outlining the extent of any identified ACM contamination in soil;
- providing sufficient information to allow the undertaking of a detailed site specific risk assessment regarding the identified ACM in soil at the site;
- managing the ACM during remediation works; and
- long-term site management with respect to ACM and possible future disturbance.

This plan does not include strategies for the management of any other contaminants that may be present in soils at the site, or asbestos in other areas outside the designated site boundaries (refer Figure 1).

In addition, attention is drawn to the limitations of this report which are outlined in Appendix D. The statements presented in this Limitation document are intended to advise you of what your realistic expectations of this management plan should be, and to present you with recommendations on how to minimise the risks associated with the earthworks and future infrastructure works for this project. The document is not intended to reduce the level of responsibility accepted by PSK Environmental. However, it is important that all parties who rely on this Management Plan are aware of the responsibilities that each party assumes in so doing.

## **10.0 CLOSURE**

To date, the occurrence of ACM fragments on the surface and in soil has not been confirmed at the site.

As such, this ACM Management Plan, which has been developed to manage and minimise asbestos related health risks associated with ACM impacted soil at the future Auto Mall Precinct and any associated works, may not actually need to be implemented unless ACM is confirmed to be present in soil disturbed during excavations at the site. However, if enacted, this plan is to be implemented in full along with the recommended level of soil sampling and analysis and associated site monitoring.



**Henry Parsons**

Principal (CPSS) RPEQ 6411



**Dr Silvana Santomartino**

Principal (CPSS)


**PSK ENVIRONMENTAL PTY LTD**

A.B.N. 87162 860 371

## 11.0 REFERENCES

- AS/NZS 1715:2009 Selection, use and maintenance of respiratory protective equipment.
- AS/NZS 1716:2012 Respiratory protective devices.
- Airports (Environmental Protection) Regulations (1997)
- Brisbane Airport Corporation Work Health and Safety Asbestos Corporate Standard (2012)
- Code of Practice for the Safe Removal of Asbestos (2005)
- Department of Health, Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia (May 2009)
- Department of Environment and Heritage Protection. Compliance Alert 1/2013, June 2013
- Draft National Environmental Protection (Assessment of Site Contamination) Measures (NEPM) (April 2011), Schedules B1 and B2
- [Queensland] Environmental Protection Regulation, 2008
- NOHSC:3008 (1995) Exposure Standards for Atmospheric Contaminants in the Occupational Environment.
- National Environmental Protection (Assessment of Site Contamination) Measures (NEPM), 1999 - Schedules B1 and B2, (as amended May 2013).
- Parsons Brinkerhoff - Remediation and Validation Report – Queensland Recycling, Corner of Sugarmill Road and Lomandra Drive, Pinkenba, Queensland - 2171189A-RPT001-A (August 2011).
- Prensa - Asbestos Materials Assessment Report - B0042PMS & IDP 70820 BAC ACM V3 (October 2013).
- Prensa - Air Born Asbestos Fibre Monitoring Report – P0047 CRP:70972-001 AR1511 2013 (November 2013)
- PSK Environmental - Results of ACM Testing, Sugarmill Road Roundabout - J1013-005-001 Rev0 (Dec 2013)
- Safe Work Australia Code of Practice - How to Manage and Control Asbestos in the Workplace (2011).
- Safe Work Australia Code of Practice – How to Safely Remove Asbestos (2011).
- WA Department of Environment and Conservation (DEC) published Contaminated Sites Management Series.

# FIGURES



**LEGEND**


- Suitable Air Quality Sampling Locations (only if ACM is detected)
- Site Boundary (Work Areas Not to Cross Site Boundary)
- Emergex Easement
- Contaminated Site (Remediated)
- Wick Drains \* (Clearing & Grubbing)
- Flood Storage Areas (Clearing & Grubbing)
- Possible 'Support Zone' locations (if ACM detected)
- Drainage Channel Excavation (Clearing & Grubbing)
- Dominant Wind Directions

Notes:  
 \* Extent subject to change with detailed design  
 - Sampling locations only if ACM is detected.  
 - Baseplan extracted from ImageGlobe 2016. Imagery Date: 23/05/2017  
 - Staging plan extracted from MLDesign, Staging Plan, BAC Driver Experience Center, BRIS0012 SK-017.  
 - Drainage network and flood extent extracted from: OPUS, BAC Auto Mall Precinct, flood water levels layout plan, Q-B4176.00 SK09 B.



Client: Brisbane Airport Corporation		Project: Future BAC Auto Mall Precinct Asbestos Containing Material Management Plan	
Drawn: NK	Date: 08/06/2017	<b>SITE PLAN AND AIR QUALITY SAMPLING LOCATION</b>	
Checked: HP	Date: 08/06/2017		
Scale:		Job No.: J0517-005-001	Fig. No.: 1
		Rev: 1	A3





**Figure 2. Emergency Response Flow Chart**

# **APPENDIX A**

## **EHP Compliance Alert 1/2013**

## Compliance alert 1/2013

The Department of Environment and Heritage Protection (EHP) uses compliance alerts to assist industry improve its compliance practices and better understand its responsibilities in achieving good environmental practices.

This also gives operators an additional opportunity to know what they need to meet their obligations. In some circumstances, taking enforcement action, such as prosecution, is in the public interest.

EHP is committed to an ongoing analysis of its enforcement activity, so that common areas of non-compliance can be identified and highlighted to relevant industry sectors with guidance as to steps they can take to improve performance and avoid enforcement action.

### Functional area:

Environment

### Sector:

Waste

### Topic:

Transport and disposal of asbestos

Asbestos is defined as a regulated waste under the Environmental Protection Regulation 2008 and commercially transporting asbestos is regulated by environmental protection legislation. Any commercial or industrial waste that contains residues of a type of regulated waste, including asbestos is also regulated.

A person must not transport on a commercial basis, any quantity of asbestos in a vehicle unless they hold or are acting under an environmental authority.

In order to regulate the transport of asbestos and other trackable waste it is a requirement of the Environmental Protection (Waste Management) Regulation 2000 (the Regulation) that waste handlers submit waste tracking information to EHP.

The purpose of the waste tracking system is to enable EHP to track waste from its source to the place of storage, recycling, treatment or disposal. Waste tracking ensures all parties involved with managing waste take a responsible attitude towards waste management and that waste is transported and managed in a way to prevent illegal dumping which could cause, or has the potential to cause, environmental harm.

Under the Regulation, a waste transport certificate (WTC) must be completed for each load of trackable waste.

The waste transporter must:

- Carry the WTC (white, green, blue and yellow copies) with parts 1 and 2 completed with the load.
- Give the white and yellow copies of the WTC to the waste receiver.
- Keep records of the waste transport for five years (blue copy of WTC with all parts completed).
- Notify EHP of any discrepancies associated with the transaction.

The transport and disposal of asbestos or asbestos containing material (ACM) must be undertaken very carefully to prevent its exposure to the environment because of its known effect on human health.

If the source of the asbestos or ACM is a site listed either in the Environmental Management Register (EMR) or Contaminated Land Register (CLR), a disposal permit is required. A disposal permit must be obtained prior to starting extraction of materials, including contaminated soils from the site.

### Case study

In June 2013, analysis of EHP waste tracking data found a number of operators had failed to provide details of an authority to transport waste. Subsequent investigations revealed that three operators were not authorised to transport waste and those operators were issued with penalty infringement notices (PIN) relating to transporting asbestos without the required approval.

To ensure operators are lawfully transporting regulated waste and providing complete and accurate tracking information, EHP will continue to undertake random audits to monitor compliance and take appropriate enforcement action when required.

A PIN can be issued to a commercial operator who unlawfully transports regulated waste in the amount of 20 penalty units, totalling \$2200. The maximum penalty for a commercial operator who transports regulated waste, including asbestos without the required approval is 1665 penalty units, totalling \$183,150.

Penalties also apply for failing provide complete and accurate waste tracking information.

### Complying with the legislation

It is important that the waste handlers comply with the requirements of environmental protection legislation



by ensuring:

- Regulated wastes are only transported in a vehicle by a person who holds or is acting under an environmental authority.
- WTCs are completed and EHP is notified of the transport by sending copies of the WTCs to EHP within the specified timeframe.
- Disposal of regulated wastes only occurs to a place/facility with an environmental authority to receive regulated wastes.
- Those involved in the removal of asbestos must also ensure that they comply with additional obligations under the relevant legislation.

professional advisors before embarking on any proposed course of action.

**June 2013**

## **Contact information**

### **For licensing enquiries contact:**

Permits and Licence Management Unit

GPO Box 2454

Brisbane Qld 4001

Email: [palm@ehp.qld.gov.au](mailto:palm@ehp.qld.gov.au)

Phone: 13QGOV (137468)

### **For Waste Tracking enquiries contact:**

Waste Tracking Unit

GPO Box 2454

Brisbane Qld 4001

Email: [waste.track@ehp.qld.gov.au](mailto:waste.track@ehp.qld.gov.au)

Phone: (07) 3330 5677

### **For WHSQ Asbestos Removalist licence:**

Workplace Health and Safety Queensland

Licensing Services

PO Box 820

Lutwyche QLD 4030

Email: [WHSQLicensing@justice.qld.gov.au](mailto:WHSQLicensing@justice.qld.gov.au)

Phone: 1300 655 986

## **Disclaimer**

While this document has been prepared with care it contains general information and does not profess to offer legal, professional or commercial advice. The Queensland Government accepts no liability for any external decisions or actions taken on the basis of this document. Persons external to the Department of Environment and Heritage Protection should satisfy themselves independently and by consulting their own

# APPENDIX B

## BAC Work Health and Safety Asbestos Corporate Standard

	<b>WORK HEALTH &amp; SAFETY CORPORATE STANDARD</b>
<b>Accountability</b>	Head of People and Culture

# Corporate Standard

## Asbestos

Title:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

## DOCUMENT CHANGE RECORD

Issue No:	Date	Who	Reason For Change:
Draft	10/12/12	Kersty Christensen	Initial
	17/6/13	Kersty Christensen	Add PC information
To be removed when document released			

DRAFT

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

**APPENDIX A**

**TABLE OF CONTENTS**

APPENDIX A.....3

1.0 PURPOSE .....4

2.0 SCOPE .....4

3.0 DEFINITIONS.....4

4.0 BACKGROUND .....6

4.1 Risks associated with exposure to airborne asbestos fibres .....6

5.0 SPECIFIC REQUIREMENTS .....7

5.1 Asbestos register and identification.....7

5.2 Labelling and signage .....7

5.2.1 Labels .....8

5.2.2 Warning signs .....8

5.2.3 Examples of labels and warning signs .....8

5.3 Asbestos-contaminated soil .....8

5.4 Controlling asbestos risks .....9

5.4.1 Removal.....9

5.4.2 Enclosure.....9

5.4.3 Encapsulation and Sealing.....9

5.5 Working on or near asbestos .....10

5.5.1 Planning work .....10

5.5.2 Performing work.....10

5.5.2.1. Asbestos Permit to Work .....10

5.5.2.2. Asbestos removal work.....10

Asbestos removal control plan.....10

Notification to the regulator.....10

Access, signage and barricading.....11

Clearance inspection .....11

Air monitoring .....11

5.5.2.3. Asbestos-related work .....12

5.6 Asbestos incident processes.....12

5.6.1 Emergency situations.....12

5.6.2 Discovery of suspected asbestos or ACM not previously identified .....12

5.6.3 Building or work site evacuation during asbestos work.....13

6.0 TRAINING and AWARENESS.....14

7.0 RESPONSIBILITIES.....14

8.0 REVIEW DATE .....14

9.0 REFERENCES .....15

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

## 1.0 PURPOSE

Brisbane Airport Corporation (BAC) aims to provide a work environment without risk to any person.

This includes ensuring that people are not placed at risk from exposure to asbestos in buildings, plant, structures and land controlled by BAC. The ultimate goal of the Corporation is for all of these areas to be free of asbestos materials.

The purpose of this Corporate Standard is to document the processes maintained by BAC to prevent the exposure of any person to airborne asbestos fibres while asbestos-containing materials (ACM) remain in the workplace as well as to ensure compliance with asbestos regulations.

BAC will conduct regular audits of its buildings, structures and known contaminated sites at Brisbane Airport, identifying the presence of asbestos and assessing the risk to the health and safety of people.

Where asbestos is located in leased premises, BAC will work with tenants to ensure that information is provided regarding ACM in the workplace, the risks associated and the control measures in place.

For the purpose of Chapter 8 of the *Work Health and Safety Regulation 2011* (Qld), this Corporate Standard is BAC's asbestos management plan.

## 2.0 SCOPE

This Corporate Standard applies to all areas of Brisbane Airport and to any maintenance or asbestos removal activities undertaken by BAC workers (including contractors).

## 3.0 DEFINITIONS

Term	Definition
Airborne asbestos	Any fibres of asbestos small enough to be made airborne. For the purposes of monitoring airborne asbestos fibres, only respirable fibres (i.e. fibres that are small enough to penetrate the gas exchange regions of the lungs) are counted.
Asbestos	The asbestiform varieties of mineral silicates belonging to the serpentine or amphibole groups of rock-forming minerals, including actinolite asbestos, grunerite (or amosite) asbestos (brown), anthophyllite asbestos, chrysotile asbestos (white), crocidolite asbestos (blue) and tremolite asbestos.
Asbestos-containing material (ACM)	Any material or thing that, as part of its design, contains asbestos.
Asbestos-contaminated dust or debris (ACD)	Dust or debris that has settled within a workplace and is (or assumed to be) contaminated with asbestos.
Asbestos-related work	Work involving asbestos (other than asbestos removal work) that is permitted under the exceptions set out in s419 (3), (4) and (5) of the <i>Work Health and Safety Regulation 2011</i>

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

	(Qld).
Asbestos removalist	A person conducting a business or undertaking who carries out asbestos removal work.
Asbestos removal work	Work involving the removal of asbestos or ACM and Class A asbestos removal work or Class B asbestos removal work as outlined in Part 8.10 of the <i>Work Health and Safety Regulation 2011</i> (Qld).
Competent person	A person who has acquired, through training, qualification or experience, the knowledge and skills to carry out the task. <i>Note: licensing/certification may be required for some of the tasks described in this document as requiring a competent person.</i>
Exposure standard (asbestos)	A respirable fibre level of 0.1 fibres/ml of air measured in a person's breathing zone and expressed as a time weighted average fibre concentration calculated over an eight-hour working day and measured over a minimum period of four hours in accordance with: <ul style="list-style-type: none"> <li>the Membrane Filter Method</li> <li>a method determined by the relevant regulator.</li> </ul>
Friable asbestos	Material that is in a powder form or that can be crumbled, pulverised or reduced to a powder by hand pressure when dry, and contains asbestos.
GHS	The <i>Globally Harmonised System of Classification and Labelling of Chemicals</i> .
In-situ asbestos	Asbestos or ACM fixed or installed in a structure, equipment or plant but does not include naturally occurring asbestos.
NATA-accredited laboratory	A testing laboratory accredited by the National Association of Testing Authorities (NATA), Australia, or recognised by NATA either solely or with someone else.
Naturally occurring asbestos (NOA)	The natural geological occurrence of asbestos minerals found in association with geological deposits including rock, sediment or soil.
Non-friable asbestos	Material containing asbestos that is not friable asbestos, including material containing asbestos fibres reinforced with a bonding compound.
Respirable asbestos	An asbestos fibre that: <ul style="list-style-type: none"> <li>is less than 3 microns (<math>\mu\text{m}</math>) wide</li> <li>is more than 5 <math>\mu\text{m}</math> long</li> <li>has a length to width ration of more than 3:1.</li> </ul>

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

## 4.0 BACKGROUND

Asbestos is a naturally occurring mineral fibre that was widely used in structures such as buildings, processing plants, ships, trains and motor vehicles in the 1950's, 1960's and 1970's. Its extensive use was due to the versatility of the product, which withstands heat, erosion and decay, and has fire and water resistant properties. The most commonly found building materials that contain asbestos are asbestos cement products.

Whilst the use of all forms of asbestos was banned across Australia on 31 December 2003, ACM are still present in a large number of older buildings.

When asbestos is contained in a bonded form, maintained in a good condition and left alone, it presents no health risks. Asbestos is only a health risk if asbestos fibres are released into the air and inhaled. Common work situations in which fibres may be disturbed and released into the air include building and maintenance related activities such as:

- Flooring maintenance and installation;
- Air-conditioning maintenance and installation;
- Electrical, plumbing and hydraulic systems maintenance and installation;
- Building renovation and maintenance work such as replacement or repair of wall and ceiling linings;
- Demolition;
- Painting and coating/sealing of ACM; and
- Removal and disposal of asbestos.

The *Work Health and Safety Regulation 2011* (Qld), *Workplace Health and Safety Queensland (WHSQ) How to Manage and Control Asbestos in the Workplace Code of Practice 2011* and the *WHSQ How to Safely Remove Asbestos Code of Practice 2011* all provide regulated guidance in controlling asbestos-related risks in the workplace. Any works carried out on ACM must adhere to this legislation.

### 4.1 Risks associated with exposure to airborne asbestos fibres

Asbestos is a carcinogen and the inhalation of asbestos fibres is known to cause mesothelioma, lung cancer and asbestosis.

Mesothelioma is a rare type of cancer that forms on the mesothelium, a protective tissue that lines several of the body's internal organs (lungs, abdomen, heart and reproductive organs).

Exposure to asbestos is almost exclusively responsible for the development of mesothelioma. It is caused by the inhalation of asbestos fibres deep into the lungs where they can damage mesothelial cells, potentially resulting in cancer. The latency period is generally between 35 and 40 years, but may be longer, and the disease is very difficult to detect prior to the onset of illness.

Mesothelioma was once rare, but its incidence is increasing throughout the industrial world as a result of past exposures to asbestos. Australia has the highest incidence rate in the world. There is no cure for mesothelioma.

Lung cancer has been shown to be caused by all types of asbestos. The average latency period of the disease, from the first exposure to asbestos, ranges from 20 to 30 years. Lung cancer symptoms are rarely felt until the disease has developed to an advanced stage.

Asbestosis is a form of lung disease (pneumoconiosis) directly caused by inhaling asbestos fibres, causing a scarring (fibrosis) of the lung tissue. The continual creation of scar tissue causes the walls of the lungs' air sacs to thicken, reducing the lungs' capacity to take in oxygen and remove carbon dioxide. The latency period of asbestosis is between 15 and 25 years.

Asbestos poses a risk to health by inhalation whenever asbestos fibres become airborne and people are exposed to these fibres.

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		



ACM can release asbestos fibres into the air whenever they are disturbed, and especially during the following activities:

- Any direct action on ACM, such as drilling, boring, cutting, filing, brushing, grinding, sanding, breaking, smashing or blowing with compressed air;
- The inspection or removal of ACM from workplaces (including vehicles, plant and equipment);
- The maintenance or servicing of materials from vehicles, plant, equipment or workplaces; or
- The renovation or demolition of buildings containing ACM.

Non-friable ACM that has been subjected to extensive weathering or deterioration also has a higher potential to release asbestos fibres into the air.

## 5.0 SPECIFIC REQUIREMENTS

### 5.1 Asbestos register and identification

Identifying asbestos or ACM is the first step in managing exposure to asbestos in the workplace.

Asbestos identification is undertaken by competent persons engaged by BAC. Where there is any uncertainty as to whether asbestos is present in any part of a structure, item of plant or land site, BAC will either arrange sampling and testing or will make an assumption as to the presence of asbestos. Any assumption that asbestos is not present will be made based on a number of factors including, but not limited to:

- Date of construction;
- Building materials; and
- Previous records regarding asbestos removal.

If it is assumed that asbestos is present, all requirements for managing asbestos will be followed, such as inclusion on the Asbestos Register and appropriate treatment actions (e.g. signage).

A competent person may also identify inaccessible areas that are likely to contain asbestos or ACM (e.g. inside fire doors, linings of pressure vessels, enclosed riser shafts, air-conditioning ducts, etc). In this situation, asbestos will be assumed to be present until such time as access to the area allows for sampling and testing to be undertaken (e.g. during maintenance).

BAC has developed an Asbestos Register, which contains information regarding ACM located in BAC buildings and other structures, as well as contaminated land sites where ACM has been identified. This Register is reviewed following any review of this Standard; or where further asbestos or ACM is identified; or where asbestos is removed from, disturbed, sealed, or enclosed at, the workplace; or otherwise at least once every five years. The Register is available on the BAC intranet. Information from this Register must be provided (as appropriate) to any contractors performing works in areas where asbestos or ACM is known to be present. Relevant information from the Register is also to be provided to tenants in BAC controlled buildings.

### 5.2 Labelling and signage

All identified or assumed asbestos, including where the asbestos is inaccessible, must be clearly indicated through labelling or signage.

#### 5.2.1 Labels

If labels can be used, a competent person will determine the number and position of the labels required. The location of labels should be consistent with the location listed in the asbestos register.

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

If a risk assessment suggests asbestos may be disturbed or people are likely to be exposed and it is not reasonably practicable to label asbestos directly, a prominent warning sign must be posted in its immediate vicinity (e.g. if floor tiles have been identified as containing asbestos, an appropriate warning sign may be displayed on an adjacent wall).

**5.2.2 Warning signs**

All warning signs must comply with AS 1319 *Safety Signs for the Occupational Environment*. Any areas of a workplace that contain asbestos, including plant, equipment and components, should have warning signs affixed to ensure the asbestos is not unknowingly disturbed without the correct precautions being taken. Signs will be weatherproof, constructed of light-weight material and adequately secured. Signs should be placed at all the main entrances to the work areas and land where asbestos is present.

**5.2.3 Examples of labels and warning signs**

Examples of warning signs and labels are shown below:



Source: WHSQ *How to Manage and Control Asbestos in the Workplace Code of Practice 2011*

Where direct marking of asbestos is not possible, the presence and location of asbestos must be communicated to workers (such as plumbers, electricians, etc) before commencement of work. BAC’s Permit to Work system facilitates this.

**5.3 Asbestos-contaminated soil**

Under the *Work Health and Safety Regulation 2011 (Qld)* work involving asbestos-contaminated soil is not prohibited where a competent person has determined that asbestos-contaminated soil does not contain any visible ACM or friable asbestos, or if friable asbestos is visible – it does not contain more than trace levels of asbestos determined in accordance with AS 4964:2004 *Method for the qualitative identification of asbestos in bulk samples*.

Where asbestos-contaminated soil contains visible ACM or friable asbestos exceeding trace levels, the work activities associated with sampling, identification, maintenance, management, removal or disposal of the asbestos or ACM are permitted only in accordance with the WHS Regulations and this Corporate Standard.

In addition, where BAC has determined that asbestos or ACM is present or has made an assumption that it is likely to be present, works may only be carried out in accordance with this Corporate Standard.

The management of asbestos-contaminated soil controlled by BAC is undertaken collaboratively by BAC’s WHS and Environment work teams. At present, management of these sites is carried out in accordance with State legislative requirements as well as the

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

“Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia” (version May 2009).

## 5.4 Controlling asbestos risks

BAC adopts the hierarchy of control in managing WHS risks, including those associated with asbestos and ACM. The ultimate goal is to have a workplace free from asbestos, however in choosing the most appropriate control measure, BAC considers a number of factors including:

- The current condition of the asbestos or ACM;
- Current controls in place at the location;
- The likelihood of the asbestos or ACM being disturbed; and
- Current and future uses of the location.

Based on a determination of the risks associated, and in consideration of specific environmental requirements for managing asbestos-contaminated sites, one or more of the controls below may be used by BAC.

### 5.4.1 Removal

BAC will remove asbestos or ACM that has been identified in structures or plant that will be demolished or where there is the potential for the asbestos or ACM to be disturbed by frequent maintenance works. BAC will also ensure, so far as is reasonably practicable, that asbestos or ACM is removed before refurbishment of a structure or plant. In addition, BAC will remove any asbestos or ACM that is weathered, damaged or broken.

*Friable asbestos* – if asbestos is friable and it has been determined that it should be removed, BAC will arrange removal by a Class A licensed removalist as soon as reasonably practicable.

*Non-friable asbestos* – if asbestos is non-friable, is more than 10m<sup>2</sup> and it has been determined that it should be removed, BAC will arrange removal by a licensed asbestos removalist as soon as reasonably practicable. Where it is not reasonably practicable to remove it immediately, control measures will be put in place to eliminate or minimise exposure.

### 5.4.2 Enclosure

If it is not reasonably practicable to remove asbestos, BAC’s preferred alternative control is enclosure. This is the creation of a structure built around the asbestos so that it is completely covered to prevent exposure of the asbestos to air and other substances.

Regular inspections must be undertaken by a competent person to monitor the condition of enclosed asbestos or ACM as well as the efficacy of the control measure.

### 5.4.3 Encapsulation and Sealing

If it is not reasonably practicable to remove or enclose asbestos or ACM, encapsulation or sealing is the next appropriate control measure.

Encapsulation is carried out using a resilient matrix (such as plastic, vinyl, resin, cement, etc.) that seals loose fibres into place. BAC will only use this method of control where the original asbestos bond is still intact and where it would create a greater risk to remove the asbestos.

Encapsulation of asbestos-contaminated soil is undertaken on a case by case basis in consultation with the WHS and Employee Relations Manager and the Environment Manager.

Sealing involves covering the surface of the material with a protective coating to prevent exposure to airborne asbestos. Sealing is the least effective method of control for the release of airborne asbestos and BAC uses this as an interim control until a more effective form of control can be implemented.

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

## 5.5 Working on or near asbestos

The *Work Health and Safety Regulation 2011 (Qld)* and the *WHSQ How to Manage and Control Asbestos in the Workplace Code of Practice 2011* provide detailed information on requirements for people who performing work on asbestos or ACM. Work on ACM includes maintenance, cleaning and repair activities that have the potential to disturb ACM and release fibres into the atmosphere.

### 5.5.1 Planning work

In planning for the conduct of work activities, the BAC Works Manager must identify whether asbestos risks may exist for the particular task by consulting the Asbestos Register. If no ACM has been identified or assumed to be present, the work can continue in accordance with the applicable work procedure.

If ACM has been identified or assumed to be present, the contractor must apply for a high risk activity permit (Asbestos Permit) to carry out the work.

### 5.5.2 Performing work

The BAC Works Manager must ensure that no work is performed on or near ACM without a current and approved Asbestos Permit.

Work performed on or near ACM must be reported to the WHS and Employee Relations Manager to ensure the asbestos register is kept up-to-date.

#### 5.5.2.1. Asbestos Permit to Work

The asbestos permit is designed to ensure appropriate work practices are employed by BAC contractors in the vicinity of ACM. The Permit documents what ACM is to be removed, encapsulated or otherwise protected prior to the works proceeding. The Asbestos Permit also indicates other requirements such as the need for personal protective equipment (PPE), barricading and airborne fibre monitoring.

An Asbestos Permit will only be issued to competent workers.

#### 5.5.2.2. Asbestos removal work

Detailed obligations regarding the removal of asbestos are documented in the *WHSQ How to Safely Remove Asbestos Code of Practice 2011*. Specific requirements of BAC Works Managers in managing this particular work activity are outlined further below.

#### Asbestos removal control plan

The WHS Regulations require licensed asbestos removalists to prepare an asbestos removal control plan for any licensed asbestos removal work they are commissioned to undertake. The asbestos removal control plan should be prepared in consultation with BAC, workers and health and safety representatives.

A copy of the asbestos removal control plan must be provided to the BAC Works Manager and must also be readily available to any workers and other businesses in the vicinity of the works.

The BAC Works Manager must review the asbestos removal control plan in accordance with, and prior to issuing, an Asbestos Permit.

#### Notification to the regulator

A licensed asbestos removalist must notify WHSQ in writing at least five days before commencement of work. WHSQ Form 65 (Notification of licensed asbestos removal work) is used for this purpose.

In limited circumstances removal work may commence immediately. In these situations, the licensed asbestos removalist must notify WHSQ by telephone and follow up in writing within 24 hours.

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

BAC Works Managers must confirm this notification has occurred by ensuring a copy of the notification has been attached to the contractor's application for an Asbestos Permit.

### **Access, signage and barricading**

Where BAC has commissioned asbestos removal work, the BAC Works Manager must ensure that access to the removal area is limited to:

- Workers who are engaged to carry out the removal work;
- Other people associated with the removal work;
- People permitted by law to be in the asbestos removal area (e.g. WHSQ Inspectors, emergency service workers).

A combination of signs and barricades may be necessary to limit access. The person carrying out the removal work must erect signs to indicate where the asbestos removal work is being carried out as well as barricades to delineate the asbestos area.

### **Clearance inspection**

The BAC Works Manager must arrange for a clearance inspection to be carried out after licenced asbestos removal work has been completed. The clearance certificate must be issued before the workplace can be re-occupied. A clearance certificate can only be carried out by:

- An independent licensed asbestos assessor, for work that must be carried out by a Class A licensed asbestos removalist;
- An independent competent person, for asbestos work that is not required to be carried out by a Class A licensed asbestos removalist.

To be "independent", the licensed asbestos assessor or competent person must not be involved in the removal of asbestos for that specific job and must not be involved in a business or undertaking involved in the removal of the asbestos for that specific job.

A copy of the clearance certificate must be obtained and forwarded to the WHS and Employee Relations Manager to allow the Asbestos Register to be reviewed.

### **Air monitoring**

Air monitoring requirements will vary based on the type of asbestos being removed, the location and position (including whether the asbestos is within a building or outside). BAC Works Managers must consider the following requirements in determining the acceptability of an asbestos removal plan and before issuing an Asbestos Permit for asbestos removal works:

<b>Removal work type</b>	<b>Air monitoring requirement</b>
Friable asbestos removal	Mandatory (required by law).
More than 10m <sup>2</sup> of non-friable asbestos removal	Not mandatory, but may be considered to eliminate or minimise exposure to airborne asbestos.
Public location	Air monitoring should be considered where asbestos removal work is being undertaken in or next to a public location.

The BAC Works Manager must ensure any results from air monitoring are given to workers at the workplace, HSR's, other businesses and other persons at the workplace.

#### **5.5.2.3. Asbestos-related work**

Asbestos-related work (including maintenance/service work, management of in-situ asbestos and sampling/identification) may only be carried out if certain requirements are met. Section 3 of the Asbestos Permit outlines the specific requirements for asbestos-related work.

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

The permit application must have a Safe Work Method Statement (SWMS) attached that is specific to the work being undertaken and meets the minimum requirements outlined in Section 3 of the Asbestos Permit.

Where a BAC employee is performing work on or near ACM, the work group supervisor must ensure that a documented SWMS is prepared and approved for the activity and that adherence to the SWMS is monitored.

## 5.6 Asbestos incident processes

Incidents relating to asbestos or ACM are to be recorded, investigated and documented in accordance with BAC's WHS Incident Management and Investigation Procedure.

### 5.6.1 Emergency situations

Where friable ACM is disturbed and creates an immediate risk to the health of workers, visitors and/or members of the public, the following actions are to be taken:

1. First responder/person on site will evacuate all people from the location;
2. First responder/person on site will seal off or otherwise isolate the area;
3. First responder/person on site will advise the WHS and Employee Relations Manager;
4. First responder/person on site will institute access restriction procedures;
5. The WHS and Employee Relations Manager (in consultation with the Building Facilities Manager and, in the case of land contamination, the Environment Manager) will determine "clean-up" or other remedial action, and engage licenced asbestos removalists where required;
6. Engaged competent persons will undertake appropriate remedial action followed by air monitoring to determine no remaining exposure;
7. Workers and other persons will not be permitted to re-enter the work area until a competent person has provided clearance.
8. The WHS and Employee Relations Manager (in consultation with the Building Facilities Manager and/or the Environment Manager) will update the Asbestos Register as appropriate.

### 5.6.2 Discovery of suspected asbestos or ACM not previously identified

Where potential asbestos or ACM is discovered in an area not previously identified as containing these, and where there is no immediate risk to the health and wellbeing of workers or others, the following actions are to be taken:

1. Person discovering the suspected asbestos or ACM must immediately contact the WHS and Employee Relations Manager;
2. The WHS and Employee Relations Manager will notify the Buildings Facilities Manager and, in the event of land contamination, the Environment Manager;
3. The person making the discovery must isolate the area by erecting barriers or otherwise ensuring access to the area is restricted;
4. The WHS and Employee Relations Manager (in consultation with the Buildings Facilities Manager and/or the Environment Manager) will arrange for the material to be sampled and analysed by a NATA-accredited laboratory. (Note: in the case of a Principal Contractor controlled site, this will be arranged by the Principal Contractor in consultation with BAC);
5. Following receipt of the results, the WHS and Employee Relations Manager, Building Facilities Manager and, in the event of land contamination, the Environment Manager will determine appropriate remedial actions and ensure competent persons are engaged (as applicable) to undertake these;

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

6. Following completion of the remedial actions and receipt of any clearance certificates, the WHS and Employee Relations Manager (in consultation with the Building Facilities Manager and/or the Environment Manager) will review and revise the Asbestos Register.

### 5.6.3 Building or work site evacuation during asbestos work

During the course of asbestos work, external events may necessitate a full or partial evacuation of a building or work site. These events may include, but are not limited to:

- Fire evacuation;
- Security breach or threat;
- Aviation safety incident; or
- Chemical spill/contamination.

Decontamination procedures can be temporarily waived in the event of an emergency event requiring evacuation of a building or work site. This should be based on an informal risk assessment conducted at the time by the persons in control of the work activities (generally the specialist contractor). If evacuation is deemed to be required, the following actions must be taken:

1. Workers involved in asbestos work must evacuate to the nominated evacuation assembly point but remain downwind to ensure any fibres remaining on clothes (as a result of not decontaminating completely) do not enter the breathing space of others.
2. On arriving at the assembly point, workers must notify emergency wardens of the status of work and the assessed level of risk associated as well as the level of risk associated with asbestos workers not undergoing the complete decontamination process.

### 5.7 Principal Contractor Works

Due to the nature of the risks involved with asbestos and ACM, the management processes set out in this Corporate Standard apply to all contracted work activities, including where a principal contractor has been engaged to perform the work.

BAC Works Managers must provide relevant extracts from the Asbestos Register to the Principal Contractor, who must ensure that appropriate controls are incorporated into the work health and safety management plan (WHSMP) for the construction project.

In accordance with BAC's Contractor Management Corporate Standard, the WHSMP must be reviewed and accepted by BAC (with involvement from BAC's WHS and Environment teams where known or potential asbestos or ACM contamination has been identified as a risk).

The emergency processes relating to asbestos/ACM outlined in this Corporate Standard must be included in the WHSMP.

Where asbestos/ACM contamination is identified on site during works, control and/or remediation activities are to be undertaken only as approved by BAC as evidenced by the issue of a Permit to Work for the remediation activities.

## 6.0 TRAINING and AWARENESS

BAC workers (in particular Works Managers, operational staff and contractors who may come into contact with ACM or be required to coordinate removal of, or works on or near, asbestos or ACM) will receive general training regarding asbestos and ACM and be informed of the locations where these are known or assumed to present as well as health risks associated with exposure to airborne asbestos fibres. Initial training and ongoing refresher training will also cover hazards associated with asbestos and ACM and BAC's procedures for managing these.

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

All persons engaged by BAC to carry out asbestos removal works, or to conduct work on or near asbestos are required to be trained and competent (e.g. appropriately licenced) to be able to carry out the specific type of asbestos work to be undertaken. BAC Works Managers will require evidence of competency to be provided by contractors before an Asbestos Permit will be issued. In addition, persons carrying out works on or near asbestos or ACM or conducting any earthworks at Brisbane Airport (including Principal Contractors and their workers) must complete the Asbestos module of BAC's contractor induction program.

## 7.0 RESPONSIBILITIES

### BAC Senior Managers

- Ensure adequate resources (time, equipment and personnel) are allocated for the effective implementation of this Corporate Standard.

### BAC WHS and Employee Relations Manager

- Maintain the currency and accuracy of this Corporate Standard, and the associated Asbestos Register, reflective of legislative requirements and BAC needs.
- Liaise with the Buildings Facilities Manager and Environment Manager in relation to management of asbestos and ACM at Brisbane Airport.
- Ensure the audit and review activities specified within this Corporate Standard are undertaken and any identified non-compliances addressed.

### BAC Works Managers

- Ensure asbestos-related works are carried out in accordance with this Corporate Standard.

### BAC Property Managers

- Advise the WHS and Employee Relations Manager or Buildings Facilities Manager on expiry of a tenant's lease, where control of a building or site will revert to BAC.

## 8.0 REVIEW DATE

This Corporate Standard will be reviewed and updated:

- at least every five years; or
- when there is a review of the asbestos register or control measure; or
- asbestos is removed from, or disturbed, sealed or enclosed at, the workplace; or
- the plan is no longer adequate for managing asbestos or ACM at the workplace; or
- if requested by a health and safety representative; or
- where control of a building or site reverts back to BAC (e.g. on expiry of lease); or
- otherwise as required to reflect changes in legislation, BAC's risk profile or operational needs.

## 9.0 REFERENCES

### External

- *Work Health and Safety Act 2011 (Qld)*
- *Work Health and Safety Regulation 2011(Qld)*
- *WHSQ How to Safely Remove Asbestos Code of Practice 2011*
- *WHSQ How to Manage and Control Asbestos in the Workplace Code of Practice 2011*

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		



- Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia (May 2009)

Internal

- Asbestos Permit
- WHS Incident Management and Investigation Procedure
- Asbestos module (contractor induction)
- Contractor Management Corporate Standard

DRAFT

Topic:	Work Health and Safety Asbestos Corporate Standard		
Approval:		Date of Approval:	
Document Location:	Z:\Resources\Asbestos\Asbestos Corporate Standard.docx		

# APPENDIX C

## Example Forms

## Asbestos Identification Report Form

<b>Report No.:</b>		<b>Date &amp; Time:</b>	
<b>Reported by:</b>		<b>Company/ Position:</b>	
<b>Reported to:</b>		<b>Witnesses:</b> (include Company/ position)	
<b>INCIDENT DETAILS</b>			
<b>Incident Type (Circle)</b>	ACM Identification	HSE Incident	Complaint
<b>Description (including Site &amp; location):</b>			
<b>RISK ASSESSMENT (circle or complete as required)</b>			
<b>Type of ACM</b>	Friable	Non Friable	
<b>Quantity</b>	Number of fragments/sheets:		
	Kilograms (approximately)		
<b>Product Stability</b> (i.e. potential for deterioration)	Stable	Unstable	
<b>Potential for Disturbance</b>	Low	High	
<b>Potential for Airborne Fibres</b>	Low	High	
<b>Factors contributing to WH&amp;S incident or Complaint:</b>			
<b>RISK MANAGEMENT</b>			
<b>ACM Management Pathway</b>	Friable ACM		
	Non Friable ACM		
<b>Corrective Actions</b> Actions are to be itemised here and timeline for completion included.			<b>Responsible Person</b>
<b>Sign Off:</b>		<b>Comments:</b>	
Responsible Person (e.g. Nominated Person)			Date:
Site Manager:			Date:

### Complaint Register Form

Date	Issue / Complaint	Reported by	Action Taken	
			Action	Date

Site Manager:

Date:

# APPENDIX D

## Study Limitations

## LIMITATIONS

This Document has been provided by PSK Environmental Pty Ltd (“PSK”) subject to the following limitations:

This Document has been prepared for the particular purpose outlined in our proposal and no responsibility is accepted for the use of this Document, in whole or in part, in any other contexts or for any other purpose. The scope and the period of PSK’s Services are as described in PSK’s proposal, and are subject to restrictions and limitations. PSK did not perform a complete assessment of all possible conditions or circumstances that may exist at the site referenced in the Document. If a service is not expressly indicated, do not assume it has been provided. If a matter is not addressed, do not assume that any determination has been made by PSK in regards to it.

Conditions may exist which were undetectable given the limited nature of the enquiry PSK was retained to undertake with respect to the site. Variations in conditions may occur between investigatory locations, and there may be special conditions pertaining to the site which have not been revealed by the investigation and which have not therefore been taken into account in the Document. Accordingly, additional studies and actions may be required.

In addition, it is recognised that the passage of time and changes to Government regulations may affect the information and assessment provided in this Document. PSK’s opinions are based upon information that existed at the time of the production of the Document. It is understood that the services provided allowed PSK to form no more than an opinion of the actual conditions of the site at the time the site was visited and cannot be used to assess the effect of any subsequent changes in the quality of the site, or its surroundings, or any laws or regulations.

Where data supplied by the client or other external sources, including previous site investigation data, have been used, it has been assumed that the information is correct unless otherwise stated. No responsibility is accepted by PSK for incomplete or inaccurate data supplied by others.

Any assessment(s) made in this Document are based on the conditions indicated from published sources and the investigation described. No warranty is included, either express or implied, that the actual conditions will conform exactly to the assessments contained in this Document.

PSK may have retained sub-consultants affiliated with PSK to provide Services for the benefit of PSK. To the maximum extent allowed by law, the Client acknowledges and agrees it will not have any direct legal recourse to, and waives any claim, demand, or cause of action against, PSK’s affiliated companies, and their employees, officers and directors.

This Document is provided for sole use by the Client and is confidential to it and its professional advisers. No responsibility whatsoever for the contents of this Document will be accepted to any person other than the Client. Any use which a third party makes of this Document, or any reliance on or decisions to be made based on it, is the responsibility of such third parties. PSK accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this Document.



Level 1/16 McDougall Street,  
Milton, Queensland 4064  
(PO Box 1254, Milton LPO, QLD, 4064)  
Tel: +61 7 3198 2418

# Appendix H

## Likelihood of occurrence assessment



## Appendix H

### Assessment of conservation significant species

Table 1 Likelihood of conservation significant flora occurring within the Project site

Scientific name	Common name	Conservation status		Source of record	Likelihood of occurrence
		NC Act	EPBC Act		
<i>Arthraxon hispidus</i>	Hairy-joint Grass	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat in the form of fresh water wetlands is generally absent from this location.
<i>Bosistoa transversa</i>	Three-leaved Bosistoa, Yellow Satinheart	Least concern	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat of rainforest and closed forest is absent from this location.
<i>Cryptocarya foetida</i>	Stinking Cryptocarya, Stinking Laurel	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat of rainforest and closed forest is absent from this location.
<i>Dichanthium setosum</i>	Bluegrass	Least concern	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat in the form of basalt derived fertile "black-soils" is absent from this location
<i>Macadamia integrifolia</i>	Macadamia Nut, Queensland Nut Tree, Smooth-shelled Macadamia, Bush Nut, Nut Oak	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat of rainforest and closed forest is absent from this location.
<i>Macadamia tetraphylla</i>	Rough-shelled Bush Nut, Macadamia Nut, Rough-shelled Macadamia, Rough-leaved Queensland Nut	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat of rainforest and closed forest is absent from this location.
<i>Phaius australis</i>	Lesser swamp-orchid	Endangered	Endangered	EPBC Protected Matters Search	<b>Unlikely.</b> Suitable habitat in the form of freshwater wetlands dominated by <i>Melaleuca quinquenervia</i> is absent from this location.
<i>Samadera bidwillii</i>	Quassia	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat of rainforest and closed forest is absent from this location.

Scientific name	Common name	Conservation status		Source of record	Likelihood of occurrence
		NC Act	EPBC Act		
<i>Thesium australe</i>	Austral Toadflax, Toadflax	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Suitable habitat in the form of basalt derived “black-soils” and suitable host species (ie <i>Dichanthium sericium</i> and <i>Themeda triandra</i> ) are not present in sufficient numbers to provide habitat for this species.

Table 2 Likelihood of conservation significant fauna occurring within the Project site

Scientific name	Common name	Conservation status		Source of record	Likelihood of occurrence
		NC Act	EPBC Act		
<b>Birds</b>					
<i>Anthochaera phrygia</i>	Regent honeyeater	Endangered	Critically endangered	EPBC Protected Matters Search	<b>Unlikely.</b> The preferred habitat and foraging trees are absent from this location. The site is dominated by <i>Casuarina glauca</i> which do not provide habitat for this species.
<i>Botaurus poiciloptilus</i>	Australasian bittern	Least concern	Endangered	EPBC Protected Matters Search	<b>Possible.</b> Areas containing <i>Phragmites</i> and <i>Typha</i> associated with freshwater wetland areas have potential to provide habitat for this species.
<i>Charadrius mongolus</i>	Lesser sand plover	Special least concern	Endangered	Wildlife Online	<b>Unlikely.</b> Preferred habitat of tidal mudflats and sandflats is generally absent from this location.
<i>Calidris ferruginea</i>	Curlew sandpiper	Special least concern	Critically endangered	Wildlife Online, EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat of tidal mudflats and sandflats is generally absent from this location.
<i>Calidris canutus</i>	Red knot	Special least concern	Endangered	Wildlife Online	<b>Possible.</b> Preferred habitat of marine wetlands and salt marsh is present at this location
<i>Dasyornis brachypterus</i>	Eastern bristlebird	Endangered	Endangered	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat of dense heath, woodland or tea-tree is absent from this location
<i>Erythrotriorchis radiatus</i>	Red goshawk	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat of open forest, woodland and rainforest margins is absent from this location.
<i>Geophaps scripta scripta</i>	Squatter Pigeon (southern)	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> The site is located outside of the species known distribution and does not contain grasses that would provide a food source for this species.
<i>Lathamus discolor</i>	Swift parrot	Endangered	Critically endangered	EPBC Protected Matters Search	<b>Unlikely.</b> The site does not contain suitable food species (ie flowering eucalypts) in sufficient densities to act as habitat for this species.
<i>Limosa lapponica baueri</i>	Western Alaskan bar-tailed godwit	Special least concern	Vulnerable	Wildlife Online, EPBC Protected Matters Search	<b>Possible.</b> Preferred habitat of marine wetlands and salt marsh is present at this location.
<i>Numenius madagascariensis</i>	Eastern curlew	Vulnerable	Critically endangered	Wildlife Online, EPBC Protected Matters Search	<b>Possible.</b> Preferred habitat, in the form of mangroves, saltmarshes and estuarine wetlands, is present at this location.
<i>Pachyptila turtur sub-antarctica</i>	Fairy Prion (southern)	Least concern	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> This is a marine species that only returns to land to nest. Suitable nesting sites are not present at this location.

Scientific name	Common name	Conservation status		Source of record	Likelihood of occurrence
		NC Act	EPBC Act		
<i>Poephila cincta cincta</i>	Southern Black-throated Finch	Endangered	Endangered	EPBC Protected Matters Search	<b>Unlikely.</b> Suitable habitat, in the form of grassy scrubland and woodland near fresh water, is absent from this location.
<i>Rostratula australis</i>	Australian painted snipe	Vulnerable	Endangered	EPBC Protected Matters Search	<b>Possible.</b> Preferred habitat, in the form of well vegetated shallows and margins of wetlands, is present at this location.
<i>Turnix melanogaster</i>	Black-breasted Button-quail	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat, in the form of rainforest or vine thickets, is absent from this location.
<b>Reptiles</b>					
<i>Delma torquata</i>	Adorned delma, Collared delma	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat, in the form of areas dominated by broad-leaved ironbark with a native grassy understory with small surface rocks, is absent from this location.
<i>Saiphos reticulatus</i>	Three-toed snake-tooth skink	Least concern	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat of this species consists of rainforest and vine scrub, which is absent from this location.
<b>Mammals</b>					
<i>Chalinolobus dwyeri</i>	Large-eared pied bat, Large pied bat	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat, in the form of sandstone cliffs and fertile woodland valleys, is absent from this location.
<i>Dasyurus hallucatus</i>	Northern Quoll, Digul	Least concern	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat, in the form of rocky areas associated with vine thickets or open forest, was not present within the Project site.
<i>Dasyurus maculatus maculatus</i> (SE mainland population)	Spot-tailed Quoll, Spotted-tail Quoll, Tiger Quoll (south-eastern mainland population)	Vulnerable	Endangered	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat, in the form of rocky areas associated with vine thickets or open forest, was not present within the Project site.
<i>Petauroides volans</i>	Greater glider	Least concern	Vulnerable	EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat trees in the form of <i>Eucalyptus</i> , <i>Lophostemon</i> and <i>Corymbia</i> are relatively rare at this location. In addition, hollows suitable to act as a refuge for this species were not observed at this location.
<i>Phascolarctos cinereus</i>	Koala	Vulnerable	Vulnerable	Wildlife Online, EPBC Protected Matters Search	<b>Unlikely.</b> Preferred habitat trees in the form of <i>Eucalyptus</i> , <i>Lophostemon</i> and <i>Corymbia</i> are relatively rare at this location.
<i>Pteropus poliocephalus</i>	Grey-headed flying-fox	Least concern	Vulnerable	Wildlife Online, EPBC Protected Matters Search	<b>Possible.</b> This species may browse on flowering eucalypts and melaleuca species located within and adjacent to the Project site. No camp of this species were identified the Project site.

Scientific name	Common name	Conservation status		Source of record	Likelihood of occurrence
		NC Act	EPBC Act		
<i>Xeromys myoides</i>	Water mouse, False water rat, Yirrkoo	Vulnerable	Vulnerable	EPBC Protected Matters Search	<b>Possible.</b> Preferred habitat, in the form of extensive areas of mangroves, was present with the Project site. However, freshwater drains leading into large areas of Yellow mangroves, which are the preferred habitat of this species, were not observed. In addition, no evidence of "mounds" of middens of this species were identified onsite.

# Appendix I

## Flora and fauna species list

## Appendix I

### Observed flora and fauna species

Table 1 Flora species identified within the Project site during field investigations

Family	Scientific name	Common name	NC Act status	EPBC status	Comments
Aizoaceae	<i>Tetragonia tetragonoides</i>	New Zealand spinach	Least concern	Not listed	Marine species
Anacardiaceae	<i>Schinus terebinthifolius</i>	Broad-leaved pepper	Not listed	Not listed	Non-native, Schedule 2 plant
Apiaceae	<i>Centella asiatica</i>	Centella	Least concern	Not listed	
Apocynaceae	<i>Parsonsia straminea</i>	Monkey rope	Least concern	Not listed	
Araliaceae	<i>Schefflera actinophylla</i>	Umbrella tree	Least concern	Not listed	
Asparagaceae	<i>Asparagus aethiopicus</i>	Basket asparagus fern	Not listed	Not listed	Non-native, Schedule 2 plant
Asparagaceae	<i>Asparagus plumosus</i>	Feathered asparagus fern	Not listed	Not listed	Non-native, Schedule 2 plant
Asteraceae	<i>Acanthospermum hispidum</i>	Star burr	Not listed	Not listed	Non-native
Asteraceae	<i>Ambrosia artemisiifolia</i>	Annual ragweed	Not listed	Not listed	Non-native, Schedule 2 plant
Asteraceae	<i>Baccharis halimifolia</i>	Groundsel bush	Not listed	Not listed	Non-native, Schedule 2 plant
Asteraceae	<i>Conyza canadensis</i>	Fleabane	Not listed	Not listed	Non-native
Asteraceae	<i>Pseudognaphalium luteoalbum</i>	Jersey cudweed	Least concern	Not listed	
Asteraceae	<i>Sigesbeckia orientalis</i>	Indian weed	Least concern	Not listed	
Avicenniaceae	<i>Avicennia marina</i>	Grey mangrove	Least concern	Not listed	Marine species
Bignoniaceae	<i>Dolichandra unguis-cati</i>	Cat's claw creeper	Not listed	Not listed	Non-native, Schedule 2 plant
Caryophyllaceae	<i>Stellaria media</i>	Chickweed	Not listed	Not listed	Non-native
Casuarinaceae	<i>Casuarina glauca</i>	Swamp she-oak	Least concern	Not listed	Marine species
Chenopodiaceae	<i>Einadia hastata</i>	Berry saltbush	Least concern	Not listed	Marine species
Chenopodiaceae	<i>Enchylaena tomentosa</i>	Ruby saltbush	Least concern	Not listed	Marine species
Chenopodiaceae	<i>Suaeda arbusculoides</i>	Jelly-bean plant	Least concern	Not listed	Marine species
Convolvulaceae	<i>Ipomoea cairica</i>	Mile-a-minute	Not listed	Not listed	Non-native
Cyperaceae	<i>Baumea rubiginosa</i>	Soft twigrush	Least concern	Not listed	

Family	Scientific name	Common name	NC Act status	EPBC status	Comments
<i>Euphorbiaceae</i>	<i>Macaranga tanarius</i>	Macaranga	Least concern	Not listed	
<i>Euphorbiaceae</i>	<i>Ricinus communis</i>	Castor oil bush	Not listed	Not listed	Non-native
<i>Fabaceae</i>	<i>Macroptilium atropurpureum</i>	Siratro	Not listed	Not listed	Non-native
<i>Fabaceae</i>	<i>Macroptilium lathyroides</i>	Phus pea	Not listed	Not listed	Non-native
<i>Fabaceae</i>	<i>Sesbania cannabina</i>	Sesbania pea	Least concern	Not listed	
<i>Hemerocallidaceae</i>	<i>Dianella caerulea</i>	Blue flax lily	Least concern	Not listed	
<i>Malvaceae</i>	<i>Hibiscus tiliaceus</i>	Cotton tree	Least concern	Not listed	
<i>Malvaceae</i>	<i>Sida cordifolia</i>	Flannel weed	Not listed	Not listed	Non-native
<i>Malvaceae</i>	<i>Sida hackettiana</i>	Sida	Least concern	Not listed	
<i>Malvaceae</i>	<i>Sida rhombifolia</i>	Paddy's Lucerne	Not listed	Not listed	Non-native
<i>Mimosaceae</i>	<i>Acacia leiocalyx</i>	Black wattle	Least concern	Not listed	
<i>Mimosaceae</i>	<i>Acacia maidenii</i>	Maiden's wattle	Least concern	Not listed	
<i>Mimosaceae</i>	<i>Leucaena leucocephala</i>	Leucaena	Not listed	Not listed	Non-native
<i>Moraceae</i>	<i>Maclura cochinchinensis</i>	Cockspur thorn	Least concern	Not listed	
<i>Myrtaceae</i>	<i>Corymbia tessellaris</i>	Moreton Bay ash	Least concern	Not listed	
<i>Myrtaceae</i>	<i>Corymbia torelliana</i>	Cadaghi	Least concern	Not listed	
<i>Myrtaceae</i>	<i>Eucalyptus tereticornis</i>	Queensland blue gum	Least concern	Not listed	
<i>Myrtaceae</i>	<i>Melaleuca leucadendra</i>	Broad-leaved tea-tree	Least concern	Not listed	
<i>Myrtaceae</i>	<i>Melaleuca quinquenervia</i>	Swamp paperbark	Least concern	Not listed	
<i>Myrtaceae</i>	<i>Melaleuca saligna</i>	Bottlebrush	Least concern	Not listed	
<i>Passifloraceae</i>	<i>Passiflora foetida</i>	Stinking passion-flower	Not listed	Not listed	Non-native
<i>Petiveriaceae</i>	<i>Rivina humilis</i>	Little pepper	Not listed	Not listed	Non-native
<i>Phyllanthaceae</i>	<i>Glochidion sumatranum</i>	Umbrella cheese tree	Least concern	Not listed	
<i>Poaceae</i>	<i>Chloris gayana</i>	Rhodes grass	Not listed	Not listed	Non-native
<i>Poaceae</i>	<i>Cynodon dactylon</i>	Couch grass	Not listed	Not listed	Non-native
<i>Poaceae</i>	<i>Eragrostis tenuifolia</i>	Elastic grass	Not listed	Not listed	Non-native
<i>Poaceae</i>	<i>Megathyrsus maximus</i>	Green panic	Not listed	Not listed	Non-native



Family	Scientific name	Common name	NC Act status	EPBC status	Comments
Poaceae	<i>Melinis repens</i>	Red natal grass	Not listed	Not listed	Non-native
Poaceae	<i>Paspalum vaginatum</i>	Saltwater couch	Least concern	Not listed	Marine species
Poaceae	<i>Phragmites australis</i>	Common reed	Least concern	Not listed	Marine species
Poaceae	<i>Setaria verticillata</i>	Whorled pigeon grass	Not listed	Not listed	
Poaceae	<i>Urochloa decumbens</i>	Signal grass	Not listed	Not listed	Non-native
Poaceae	<i>Urochloa mutica</i>	Para grass	Not listed	Not listed	Non-native
Polygonaceae	<i>Persicaria decipiens</i>	Slender knotweed	Least concern	Not listed	
Rhamnaceae	<i>Alphitonia excelsa</i>	Soap tree	Least concern	Not listed	
Rhizophoraceae	<i>Ceriops tagal</i>	Yellow mangrove	Least concern	Not listed	Marine species
Sapindaceae	<i>Cupaniopsis anacardioides</i>	Tuckeroo	Least concern	Not listed	
Solanaceae	<i>Solanum americanum</i>	Nightshade	Least concern	Not listed	
Solanaceae	<i>Solanum mauritianum</i>	Wild tobacco	Not listed	Not listed	Non-native
Solanaceae	<i>Solanum seaforthianum</i>	Brazilian nightshade	Not listed	Not listed	Non-native
Typhaceae	<i>Typha orientalis</i>	Broad-leaved cumbungi	Least concern	Not listed	
Ulmaceae	<i>Celtis sinensis</i>	Chinese elm	Not listed	Not listed	Non-native, Schedule 2 plant
Verbenaceae	<i>Lantana camara</i>	Lantana	Not listed	Not listed	Non-native, Schedule 2 plant
Verbenaceae	<i>Verbena litoralis</i>	Verbena	Not listed	Not listed	Non-native
Verbenaceae	<i>Verbena rigida</i>	Verbena	Not listed	Not listed	Non-native

Table 2 Fauna species identified within the Project site during field investigations

Family	Scientific name	Common name	NCA status	EPBC status	Comments
<b>Birds</b>					
Acanthizidae	<i>Smicrornis brevirostris</i>	Weebill	Least concern	Not listed	
Anatidae	<i>Anas castanea</i>	Chestnut teal	Least concern	Not listed	
Anatidae	<i>Anas gracilis</i>	Grey teal	Least concern	Not listed	
Anatidae	<i>Anas superciliosa</i>	Pacific black duck	Least concern	Not listed	
Ardeidae	<i>Egretta novaehollandiae</i>	White-faced heron	Least concern	Not listed	
Columbidae	<i>Phaps chalcoptera</i>	Common bronzewing	Least concern	Not listed	
Estrildidae	<i>Taeniopygia bichenovii</i>	Double-barred finch	Least concern	Not listed	
Meliphagidae	<i>Lichmera indistincta</i>	Brown honeyeater	Least concern	Not listed	
Meropidae	<i>Merops ornatus</i>	Rainbow bee-eater	Special least concern	Marine	Marine species
Oriolidae	<i>Sphecotheres vieilloti</i>	Australasian fig bird	Least concern	Not listed	
Phalacrocoracidae	<i>Microcarbo melanoleucos</i>	Little pied cormorant	Least concern	Not listed	
Rhipiduridae	<i>Rhipidura leucophrys</i>	Willie wagtail	Least concern	Not listed	
Threskiornithidae	<i>Threskiornis molucca</i>	Australian white ibis	Least concern	Not listed	
Timaliidae	<i>Zosterops lateralis</i>	Silvereye	Least concern	Not listed	
<b>Reptiles</b>					
Scincidae	<i>Cryptoblepherus virgatus</i>	Striped snake-eyed skink	Least concern	Not listed	

# Appendix J

## Brisbane Airport Auto Mall


### Heritage Report

# Brisbane Airport Auto Mall

Brisbane Airport Corporation

Report for Aurecon

June, 2017



Converge Heritage + Community

Contact details are:

Simon Gall

Converge Heritage + Community

ABN: 71 366 535 889

GPO Box 1700, Brisbane, 4001

Tel: (07) 3211 9522

Email: [sgall@convergehc.com.au](mailto:sgall@convergehc.com.au)

Copyright © 2017

**Document Verification**

Project	Brisbane Airport Auto Mall
Project Number	17083
Document Title	BAC Auto Mall Heritage Report
File Location	Shared Data
Client	Aurecon

**Version history**

Revision	Date	Nature of revision	Prepared by	Authorised by
0	06/04/17	Draft report	SW	PH
1	21/06/17	Final report	SW	-
2				

## Executive Summary

The historic heritage report assesses the nature and significance of the historic heritage resource for the Auto Mall Project (the Project) at the Brisbane Airport. Recommendations for management of known and potential sites are provided. This report includes:

- A review of historic heritage databases and registers, existing studies, publications and reports with relevance to the project area.
- The nature of cultural heritage significance of the whole proposed development area and the sites noted during the abovementioned assessment.
- Specific management and mitigation recommendations for the identified historic heritage in the project area.
- Specific management recommendations for additional historic heritage sites and places which potentially exist within the project area and which have not, to date, been assessed and/or identified as requiring assessment.

### Identified Historic Heritage Places

Searches of the relevant databases and registers revealed that the project area does not contain any registered historic heritage sites. No sites were identified by the assessment within the project area. Refer to Section 2.2 Heritage Searches for details of sites located near the project area.

The only site, though not heritage listed that will require historic heritage management throughout the project is the Kingsford Smith Memorial.

### Significance Assessment for the Project Area

The historic heritage significance of the entire project area was evaluated using recognised benchmarks such as the *Burra Charter* and *Queensland Heritage Act 1992*. Results are provided in Section 3.

### Impact Assessment and Mitigation Measures

The impact assessment for historic heritage in the project area concluded that no significant historic heritage sites will be impacted by the project. There is, however, a low potential for further historic sites/items to exist within the project area.

The historic heritage management recommendations will be implemented and incorporated into the project's Environmental Management Plan (EMP) to mitigate project impacts on unidentified historic heritage material/sites found during the development of the project.

## Contents

Executive Summary.....	ii
Identified Historic Heritage Places.....	ii
Significance Assessment for the Project Area.....	ii
Impact Assessment and Mitigation Measures.....	ii
List of Figures .....	iv
List of Tables .....	iv
Glossary of Terms.....	iv
<b>1 Introduction .....</b>	<b>1</b>
1.1 Project Overview.....	1
1.2 Methodology.....	1
1.3 Legislative Framework .....	3
<b>2 Existing Conditions .....</b>	<b>6</b>
2.1 The Project Area.....	6
2.2 Heritage Searches .....	7
2.3 Previous Reports .....	7
2.4 Historical Background .....	8
2.5 Results of Desktop Assessment .....	11
2.6 Further Potential within the Project Area.....	11
<b>3 Significance Assessment .....</b>	<b>12</b>
3.1 Significance Assessment .....	12
3.2 Summary .....	13
<b>4 Impact Assessment.....</b>	<b>14</b>
4.1 Types of Potential Impacts.....	14
4.2 Project Impacts on Identified Historic Heritage.....	14
4.3 Project Impact on Potential Historic Heritage .....	14
<b>5 Management Measures .....</b>	<b>15</b>
5.1 Management of the KSM .....	15
5.2 Application of Historic Heritage Management Across the Project Area.....	16
5.3 Archaeologist On-Call.....	16
5.4 Unexpected Finds.....	16
References Cited .....	18
Appendix A – Procedure for Incidental Finds .....	19

## List of Figures

Figure 1: Location of project (Google Earth Pro 2017). .....	1
Figure 2: Mangrove wetlands (Aurecon 2017). .....	6
Figure 3: Mangrove creek (Aurecon 2017). .....	6
Figure 4: Modified wetland on roadside (Aurecon 2017). .....	6
Figure 5: Kingsford Smith Memorial (Aurecon 2017). .....	6
Figure 6: The location of the former women’s prison in relation to the airport boundary (Converge 2016: 16). .....	9
Figure 7: Landing the ‘Southern Cross’ in 1928 (JOL ID# 139254). .....	10
Figure 8: Charles Kingsford Smith at Eagle Farm (NAA ID# 11353043). .....	10
Figure 9: Eagle Farm during World War Two (JOL ID# 165563). .....	10
Figure 10: Military Camp at Eagle Farm Racecourse, 1944 (BCC Library ID# BCC-B120-80913A). .....	10

## List of Tables

Table 1: Hierarchy of Significance. ....	2
Table 2: Register searches. ....	7
Table 3: Previous Reports. ....	7
Table 4: Significance of the Project area. ....	12
Table 5: Potential impacts on identified heritage. ....	14

## Glossary of Terms

Acronym	Meaning
AHPI	Australian Heritage Places Inventory
BAC	Brisbane Airport Corporation
CHL	Commonwealth Heritage List
DEHP	Department of Environment and Heritage Protection
DSEWPaC	Department of Sustainability, Environment, Water, Population and Communities
EMP	Environmental Management Plan
EPBC Act	<i>Environment Protection Biodiversity and Conservation Act 1999</i>
ICOMOS	International Council on Monuments and Sites
NHL	National Heritage List
OUV	Outstanding Universal Value
RNE	(former) Register of the National Estate
QH Act	<i>Queensland Heritage Act 1992</i>
QHC	Queensland Heritage Council
QHR	Queensland Heritage Register
QNT	Queensland National Trust
UNESCO	United Nations Educational, Scientific and Cultural Organisation
WHL	World Heritage List



# 1 Introduction

## 1.1 Project Overview

The Project involves the development of a multi-purpose automotive precinct accommodating a range of facilities situated around a centrally located 2.5 km test track within the 51 ha International Precinct site which is currently vacant land. The project includes the design and construction of bulk earthworks, roads and services and the test track. The physical works of the Project includes land clearing, bulk earthworks, ground improvement and site preparation in readiness for infrastructure works including roads and services and test track (BAC 2017: 3).

The site is a 51-ha parcel of undeveloped low lying bushland enclosed by Moreton Drive, Airport Drive and Nancy Bird Way and located near the Brisbane International Terminal (Airport Central Precinct). The proposed land parcel nominated excludes the Kingsford Smith Memorial and surrounding area reserved for a future realignment of Airport Drive. The Project will involve upgrading of drainage through the Banksia Place precinct and modification to several existing drainage structures under the surrounding roadways, including Moreton Drive, Airport Drive and Nancy Bird Way (BAC 2017: 4).




Figure 1: Location of project (Google Earth Pro 2017).

## 1.2 Methodology

The following methodology was employed to follow best practice and legislative framework for historic heritage management in Queensland.

### 1.2.1 Desktop Assessment

A desktop assessment was undertaken to determine the existence, extent and probable levels of significance of any places likely to be located within the project area. This assessment comprised searches of statutory and non-statutory registers and databases, and a review of existing published and unpublished reports, surveys and assessments of the project area and its immediate surroundings (refer to Section 2, Existing Conditions). The results of this desktop assessment informed the assessment provided in this report.

### 1.2.2 Significance Criteria

Determining the significance of a heritage place, item or site requires research to enable an understanding of its value or level of importance. Assessments of heritage significance for this assessment were based on an understanding of the place's history together with the physical analysis (field survey) and an appreciation of the comparative level of rarity or representativeness that the site possesses. In Queensland, heritage practitioners rely on two key documents to undertake significance assessments: *The Burra Charter of Australia International Council on Monuments and Sites* (Australia ICOMOS) and the *Queensland Heritage Act 1992*.

The *Queensland Heritage Act 1992* (QH Act) outlines the following criteria for assessing cultural significance of heritage places. Under Section 35 (1) of the QH Act, a place may be entered into the register if it satisfies one or more of the following criteria:

- A. If the place is important in demonstrating the evolution or pattern of Queensland's history;
- B. If the place demonstrates rare, uncommon or endangered aspects of Queensland's cultural heritage;
- C. If the place has potential to yield information that will contribute to an understanding of Queensland's history;
- D. If the place is important in demonstrating the principal characteristics of a particular class of cultural places;
- E. If the place is important because of its aesthetic significance;
- F. If the place is important in demonstrating a high degree of creative or technical achievement at a particular period;
- G. If the place has a strong or special association with a particular community or cultural group for social, cultural or spiritual reasons;
- H. If the place has a special association with the life or work of a particular person, group or organisation of importance in Queensland's history.

The criteria used for assessing places of local heritage significance under the *Brisbane City Plan 2014* mirrors the criteria developed under the QH Act, except that a site's significance relates to the shire or locality rather than the state. Once a site has been assessed using the above-listed QHA criteria, the following thresholds are applied to determine the level (i.e. local, state or national) at which the place or element is considered significant:

Table 1: Hierarchy of Significance.

Definition	Threshold
Element of <u>exceptional</u> significance or heritage value - embodies national or state heritage significance and makes an irreplaceable contribution to the significance/heritage value of the place.	Likely to fulfil national heritage entry criteria.
Element of <u>high significance</u> or heritage value - embodies state heritage significance and makes an irreplaceable contribution to the significance/heritage value of the place.	Likely to fulfil state heritage entry criteria.
Element of <u>moderate significance</u> or heritage value - embodies state or local heritage values and makes an irreplaceable contribution to the values of the place.	Likely to fulfil state and/or local heritage entry criteria
Element of <u>some significance</u> or heritage value - embodies local heritage values and makes a significant contribution to the significance/heritage value of the place.	Likely to fulfil local heritage entry criteria

Definition	Threshold
Element has <u>low heritage</u> value but may contribute to other elements of heritage value.	Unlikely to fulfil local heritage entry criteria.
<u>Intrusive</u> element which detracts, or has the potential to detract, from the significance of the place.	Does not have heritage value.

Section 3, Significance Assessment, presents the results of the significance assessment of the project area. The results from the significance assessment informed the impact assessment (refer to Section 4, Impact Assessment), recommendations and management strategies for management of identified and potential historic heritage in the project area (refer to Section 5, Management Measures).

### 1.3 Legislative Framework

Knowledge of cultural heritage legislation is essential when assessing sites, places or items of cultural heritage significance. The project area is affected by several statutory controls which must be considered prior to site development. Searches of relevant statutory registers associated with national, state and local legislation were undertaken as part of this study. Places included on these registers possess an established level of significance. It is important to note, however, that the absence of a place on these registers does not mean it has no heritage significance. Not all places of heritage significance in Australia have been identified and/or listed yet, particularly places of archaeological significance. Moreover, values can change and evolve, and places may take on new or different heritage significance according to these values, or the passage of time.

#### 1.3.1 Statutory Legislation

##### National Legislation

The EPBC Act is the key national heritage legislation and is administered by the Commonwealth Department of Environment (DoE). The EPBC Act provides a number of statutory controls for heritage places. Places of national heritage value and those owned or managed by the Commonwealth are located on the National Heritage List (NHL) and Commonwealth Heritage List (CHL) respectively. In addition, the following national legislation is relevant to heritage:

- *The Protection of Moveable Cultural Heritage Act, 1986* regulates the export of Australia's significant cultural heritage objects. The Act does not restrict normal and legitimate trade in cultural property and does not affect an individual's right to own or sell within Australia; and
- *The Australian Heritage Council Act, 2003* provides for the establishment of the Australian Heritage Council, which is the principal advisory group to the Australian Government on heritage matters. This Act also provided for registration of places considered of national significance on the (former) Register of the National Estate (RNE) or the Australian Heritage Places Inventory (AHPI).

The Australian Heritage Council manages the (former) RNE. This register was frozen in 2007, meaning no new items could be added to it. It remained a statutory register until February 2012 – it is now a non-statutory archive of heritage places. Sites and places entered on the NHL, the CHL and the (former) RNE are located on the AHPI.

### State Legislation

Places of state heritage significance in Queensland are managed under the *Queensland Heritage Act 1992* (QH Act). The Act provides for the establishment of the Queensland Heritage Council (QHC) and the Queensland Heritage Register (QHR), which lists places of cultural heritage significance to Queensland, and regulates development of registered places. Under the provisions of the QH Act, any development of a place listed on the QHR must be carried out in accordance with the QH Act. A place may also be entered in the register if it satisfies one or more of the assessment criteria under Section 35 (1) of the QH Act (see Section 1.2.2, Significance Criteria). The QH Act also applies to potential archaeological places.

### Local Legislation

Local heritage places are managed under local planning schemes and the *Sustainable Planning Act 2009*. The project area falls within the boundaries of Brisbane City Council. Local heritage places are managed under the *Brisbane City Plan 2014*.

#### 1.3.2 Non-statutory Framework

There are other sources for heritage places or historic sites that are not listed on statutory registers. Places identified during these searches contribute to a better understanding of the project area and often identify places that require further investigation under the QH Act.

### Queensland National Trust Register

The Queensland National Trust (QNT) is a membership-based community organisation that promotes natural, Indigenous and cultural heritage places and items of Queensland. The focus of the Trust's activities is heritage and environmental education. Through its properties, advocacy and research, the Trust encourages the community to understand and care for our significant places, wildlife, and stories. The Trust maintains the Queensland National Trust Register (QNTR) which was consulted for this report. The QNTR contains individual buildings, precincts, natural environment places and culturally significant artefacts. While these listings do not attract any legal protection for a place, nor do they put the owner of a listed place under any legal obligation, they do have moral and advocacy value (QNT 2004).

### Monument Australia

The Monument Australia website is a historical and educational research site which records the public monuments and memorials in all Australian States and Territories under various themes. These public monuments and memorials were erected by a public desire to commemorate people or events.

#### 1.3.3 Guidelines and Charters for Heritage Practice

##### The Burra Charter

The *Burra Charter* of Australia ICOMOS is the leading guideline for heritage practitioners and provides guidance for the conservation and management of significant places. It defines cultural significance as “aesthetic, historic, scientific or social value for past, present and future generations” and goes on to state “cultural significance is embodied in the *place* itself, its *fabric*, *setting*, *use*, *associations*, *meanings*, *records*, *related places* and *related objects*” (Australia ICOMOS 2013). It outlines a specific methodology/ process for assessing sites.

##### Queensland Heritage Council Guidelines

The Queensland Heritage Council provides guidelines to assist in assessing which level of cultural heritage significance is applicable to a site.

These guidelines provide the following definitions:

*A place is of local cultural heritage significance if its heritage values are of a purely localised nature and do not contribute significantly to our understanding of the wider pattern and evolution of Queensland's history and heritage...*

*A place is of state cultural heritage significance if its heritage values contribute to our understanding of the wider pattern and evolution of Queensland's history and heritage. This includes places that contribute significantly to our understanding of the regional pattern and development of Queensland (2006: 5).*

## 2 Existing Conditions

This section details the existing conditions of the project area, including a brief description of the project area, contextual historical background and results from the desktop assessment. This assists the understanding of the project area's historical phases. The results from this assessment inform the discussion in Section 3, Significance Assessment.

### 2.1 The Project Area

The project area is predominantly vegetated with casuarinas and areas of mangrove wetlands. The Kingsford Smith Memorial is not within the area proposed for development, but has been included in this assessment due to its proximity (within 100m of the project area).



Figure 2: Mangrove wetlands (Aurecon 2017).



Figure 3: Mangrove creek (Aurecon 2017).



Figure 4: Modified wetland on roadside (Aurecon 2017).



Figure 5: Kingsford Smith Memorial (Aurecon 2017).

The project area is located within the Brisbane Airport site. Since European settlement the site of Brisbane Airport was used largely for agricultural purposes and residential land until it was resumed by the Government in the early 1970s for use as an airport. Today, in addition to the airport itself, there are 420 businesses located at Brisbane Airport including freight and aircraft handling, warehouses, transport and communications, research, property and infrastructure development, education and training, recreation, tourism leisure and retail businesses (BAC 2015).

## 2.2 Heritage Searches

Searches of the various heritage register and databases for historic heritage near the project area were undertaken. Results are provided below.

Table 2: Register searches.

Places Identified	Heritage Registers	Comments
Eagle Farm Women's Prison and Factory Site	Queensland Heritage Register (ID 600186); Register of the National Estate (ID 16490); Commonwealth Heritage List (ID 105478); National Trust of Queensland Register (ID BNE 1/134).	Located 2km from project area.
Allison Testing Stands (former)	Queensland Heritage Register (ID 602329)	Located 2km from project area.
Second World War Hangar No. 7	Queensland Heritage Register (ID 601007); Register of the National Estate (ID 18174); Commonwealth Heritage List (ID 105407); National Trust of Queensland Register (ID BNE 1/805).	Located 2.5km from project area.
Brisbane Domestic Air Terminal (former)	National Trust of Queensland Register (ID BNE 1/916).	Demolished? Non-statutory register.
Australian Airlines Baggage Collection (former)	National Trust of Queensland Register (ID BNE 1/917).	Demolished? Non-statutory register.
Aircraft Hangar 2 (former)	National Trust of Queensland Register (ID BNE 1/918).	Demolished? Non-statutory register.
Aircraft Hangar 1 (former)	National Trust of Queensland Register (ID BNE 1/919).	Demolished? Non-statutory register.
Sir Charles Kingsford Smith Memorial	Monument Australia	Located just outside the boundary of the project area. Non-statutory register.
460 Squadron Memorial	Monument Australia	Located just outside the boundary of the project area. Non-statutory register.

## 2.3 Previous Reports

The following reports are relevant to historic heritage assessment of the study area.

Table 3: Previous Reports.

Report	Description
ARCHAEO 2007, New Parallel Runway Project, Brisbane Airport Corporation.	This study was undertaken for the New Parallel Runway Project and included an assessment of the site's Aboriginal and historic heritage significance including a detailed historical account. A range of sites were identified by the study including Aboriginal stone artefacts and historical remnants at Cribb Island.
Converge, 2014, Airport Environment Strategy 2014 – Cultural Heritage Chapter, Brisbane Airport Corporation.	Desktop study undertaken to assist BAC to implement strategies to identify, protect and conserve known and potential cultural heritage sites and places.  The study included Aboriginal and historic cultural heritage places known to exist within the airport boundaries, including (Aboriginal sites) a burial, camp sites and possible Bora Ring; and (historic sites) jetty and plaques at Cribb Island, former school site and the Kingsford Smith Memorial.

Report	Description
Converge, 2015, Brisbane Airport Heritage Management Plan, Brisbane Airport Corporation.	<p>The Heritage Management Plan (HMP) considers the Aboriginal cultural heritage (ACH) and historic heritage of Brisbane Airport excluding the New Parallel Runway project site. The HMP provides direction for future development to occur at Brisbane Airport whilst best conserving the site's heritage values. The HMP includes detailed information about the Aboriginal and historic heritage values of the airport site including an historical and biogeographical overview. Recommendations and management strategies are provided for the management of the site's significant cultural heritage values.</p> <p>The historical background from the HMP has been utilised for this assessment.</p>
Leighton Contractors, 2008, Kingsford Smith Memorial – Brisbane. Artefact Condition Report.	<p>The condition report was undertaken to ascertain the condition of the Southern Cross Airplane and associated artefacts prior to the NARP construction phases occurring. The results of the study determined that the plane and artefacts were in sound condition with no significant damage. It stated that increased dust deposition was highly likely, but could be monitored and managed and was considered unlikely to risk the site. A low-level risk of the plane toppling was identified so recommendations for monitoring were provided to manage this risk.</p> <p>The report provided a significance of the assessment and determined that much of the external fabric of the plane was not original and some was unsympathetic to the original design. It rated original fabric as nationally significant.</p>
Leighton Contractors, 2009, Kingsford Smith Memorial – Brisbane. Post NARP Artefact Condition Report.	<p>A second condition report was prepared following completion of NARP and found that the plane and associated artefacts had not deteriorated due to the project activities.</p> <p>The report provided comment that all mitigation measures and recommendations from the initial condition report were implemented during the project, including ongoing monitoring.</p>

## 2.4 Historical Background

The following historical background is summarised from Section 2.4 of the HMP. Aboriginal history of the project area is not included in this assessment. Refer to Section 2.4.1 of the HMP for further details.

### Convict era

- The Eagle Farm Agricultural Reserve was established near the current study area in 1829. The farm was created to supply the fledgling Moreton Bay penal colony, which was established in 1824.
- The Eagle Farm Agricultural Reserve soon became the location of the main penal establishment for female convicts, who are recorded as being there since 1830. (This was located approximately 2.3km from the current project area).
- The farm, which was referred to as a 'female factory' contained a stockyard, separate compound for the female convicts, and a superintendent's compound. The female convicts were housed in a four-roomed building. The complex also included a two-roomed building for male convicts, a storeroom, matron's quarters, hospital and workhouse and a block of six cells (QHR ID 600186).






Figure 6: The location of the former women’s prison in relation to the airport boundary (Converge 2016: 16).

### Free Settlement

- Following free settlement in 1842, Eagle Farm was among the first places to be subdivided into lots for agriculture.
- The construction of the Brisbane to Sandgate railway line (opened May 1882) encouraged an influx of people to the north and along the railway route and the extension of the railway line to Pinkenba (1897) further stimulated industrial and agricultural growth in the area around Eagle Farm.

### Early Aviation

- Some reports state that civil aviation activities had occurred at Eagle Farm racecourse in the current suburb of Ascot as early as 1912.
- On 29 June 1922, notification to acquire land at Eagle Farm for development of an aerodrome was given in the Commonwealth of Australia Gazette. The aerodrome began with several companies formed by military-trained pilots establishing themselves at Eagle Farm.
- The Eagle Farm Aerodrome witnessed the arrival of Charles Kingsford Smith and co-pilot Charles Ulm in the Southern Cross in June 1928.
- In September 1928, Kingsford Smith and Ulm made another record-breaking flight when they became the first to fly non-stop across the Tasman from Australia to New Zealand and back in the Southern Cross aircraft.
- Shortly before his death in 1935, Sir Charles Kingsford Smith donated the Southern Cross aircraft to the Commonwealth of Australia.
- A memorial was built to house the plane at Eagle Farm 30 years after his epic flight, in 1958. It was a glass and aluminium structure designed by architects Guy Crick Lewis & Williams and it was located opposite the old international terminal.
- The current memorial was built in the 1980s, and is located on Correa Street near the Airport Drive and Nancy Bird Way intersection.



Figure 7: Landing the 'Southern Cross' in 1928 (JOL ID# 139254).




Figure 8: Charles Kingsford Smith at Eagle Farm (NAA ID# 11353043).

### World War Two

- Eagle Farm was then used by the Royal Australian Air Force (RAAF) for training purposes until early 1942. With the advent of World War Two in the Pacific, the suburb of Eagle Farm became a hub of military activity.
- Several terminal buildings and facilities were built during this period.
- Remnant sites from World War Two still present in near the project area include Hangar No. 7 and the former Allison Testing Stands. Hangar No. 7 and the former Allison Testing Stands are now state heritage listed for their historic value. These sites are between 2 and 2.5km southwest of the current project area.



Figure 9: Eagle Farm during World War Two (JOL ID# 165563).



Figure 10: Military Camp at Eagle Farm Racecourse, 1944 (BCC Library ID# BCC-B120-80913A).

### Post-World War Two Developments

- From the 1950s-1980s Brisbane Airport retained the igloos that were vestiges of its World War Two operations. Two terminal buildings housed the domestic carriers Ansett and Trans Australia Airlines, while a third catered for all international services. All three of these terminal buildings were wartime igloos erected to house military aircraft assembly and testing plants.
- The increasing number of both domestic and international passengers departing from Brisbane necessitated several investigations into the construction of a new airport in Brisbane from the early 1970s.
- A new site was chosen by state and local governments, 5 kilometres north of the former site, which necessitated the resumption of 60 houses in Lander's Pocket and Lower Nudgee, some land from the Nudgee Golf Course and virtually all the residential settlement at Cribb Island.

- A new International Terminal Building was approved for construction in April 1974, replacing a World War Two igloo.

### Recent History of Brisbane Airport

- In 1988, Prime Minister Bob Hawke opened the runway and control tower for the new Domestic Terminal, in time for Expo '88. The new International Terminal was opened in 1995, and it was built with a modular design to allow for expansion.

## 2.5 Results of Desktop Assessment

Field work was not undertaken by Converge during the current assessment, however, Converge have previously undertaken fieldwork at the airport site for the preparation of the HMP. Aurecon provided results/photographs of their fieldwork for Converge to review for the current assessment. Aurecon consultants did not identify any historic features or items of potential interest in the project area.

The desktop assessment found that there are no heritage listed items or sites within the project area, however, there are two historic heritage sites within the immediate vicinity - the Kingsford Smith Memorial and the 460 Squadron Memorial – which are both listed in a non-statutory register (Monument Australia).

Previous studies and the historical background of the project area identified the types of activities that historically occurred in the project area, including convict settlement, farming/agriculture, early aviation (including WWII) activities and the development of the airport. Although no historic sites have been identified in the project area, the desktop assessment has informed the following consideration of potential for historical sites/items to be identified within the project area during construction activities.

## 2.6 Further Potential within the Project Area

The potential for historic features to be extant within the project area is considered below. If any features of potential interest are located during construction works, the 'Procedure for Incidental Finds' should be enacted (Appendix A).

**Convict era** – highly unlikely to find convict era remnants in the current project area as the female prison/factory was located approximately 2.3 km to the south west.

**Agricultural/farming** – it is possible to find remnant agricultural/farming features in the project area such as former fences, footings of previous buildings, drains and culverts from former roads/tracks.

**Early aviation** – aside from the Kingsford Smith Memorial, which houses the Southern Cross plane, it is unlikely that other evidence of historic aviation will be identified in the current project area during construction as the former airport was in a different location to the southwest.

**World War Two** – aside from the Squadron 460 Memorial, which is located next to the Kingsford Smith memorial, it is unlikely that other evidence of WWII aviation (RAAF) will be identified in the current project area during construction as the former airport was in a different location to the southwest.

### 3 Significance Assessment

The methodology adopted to assess significance of the historic heritage of the project area and individual sites within the project area is set out in Section 1.2. This section assesses the historic heritage values and significance of the project area at many levels to establish a baseline for the project to manage those values. The first step in the assessment process is to assess the heritage values of the site and then individual sites are assessed.

#### 3.1 Significance Assessment

This section sets out an assessment of the heritage significance of the project area and individual sites (where relevant) in accordance with the standard criteria identified in the *Queensland Heritage Act 1992* and Queensland Heritage Council Guidelines (refer to Section 1.4).

Table 4: Significance of the Project area.

Criteria	Grading	Statement
A. History.	Low (project area)	The project area has had various historical developments since the 1820s, when it was a penal settlement. Although sites of state significance, especially relating to its convict and wartime developments, are located nearby (within 2km), there are no historical sites within the footprint of the project that have been identified.
	Exceptional (KSM)	The Kingsford Smith Memorial (which houses the Southern Cross Plane) has historical significance and, although it is not listed on any statutory heritage registers, it is likely to threshold at state or national level for its historical significance.
B. Rarity.	Low (project area)	The project area does not demonstrate any known rare features of significance at local or state levels.
	Exceptional (KSM)	The Southern Cross Plane (at the KSM), is a rare example of a plane flown by Sir Charles Kingsford Smith, internationally renowned aviator. The Eagle Farm Aerodrome witnessed the arrival of Charles Kingsford Smith and co-pilot Charles Ulm in the Southern Cross in June 1928. Over 15,000 people waited at Eagle Farm to see Kingsford Smith complete this epic journey, as the first trans-pacific flight from the United States to Australia. Another plane flown by Kingsford Smith (Southern Cross Minor) is on display at the Queensland Museum.
C. Scientific/ archaeological.	Low (project area)	The project area has low potential to reveal any archaeological remnants or previously unknown historical features that would contribute to an understanding of the local area or state.
D. Representative.	Low (project area)	The project area does not demonstrate principal characteristics of a particular type of place that would be significant at the local or state levels.
E. Aesthetics.	Low (project area)	The project area does not feature aesthetic significance.
	Some (KSM)	The KSM has some aesthetic significance, including views and vistas to and from the memorial.

Criteria	Grading	Statement
F. Creativity/ technical.	Low (project area)	The project area does not feature a high degree of technical achievements or creativity from a particular period.
	Exceptional (KSM)	The Southern Cross Plane (at the KSM) demonstrates exceptional technical achievements for having been flown by Sir Charles Kingsford Smith in June 1928, for the first trans-pacific flight from the United States to Australia.
G. Social.	Low (project area)	The project area does not demonstrate any special social or cultural associations.
H. Associative.	Some (project area)	The project area features a memorial for Squadron 460 which is significant at the local level for its association with RAAF personnel during WWII.
	Exceptional (KSM)	The Southern Cross Plane (at the KSM) is significant for its association with Sir Charles Kingsford Smith, internationally renowned aviator.

### 3.2 Summary

The project site itself has little to no heritage value. It has potential to reveal items or sites (not currently known) during construction, but this can be managed with the procedure for incidental finds (Appendix A).

The Kingsford Smith Memorial (specially the Southern Cross Plane) is potentially significant at a national or state level for its historic significance, its rarity, aesthetics, technical achievements and associative values. It is not currently listed on any statutory heritage register.

The Squadron 460 Memorial has some local heritage value, but is not listed on any statutory heritage register.

## 4 Impact Assessment

### 4.1 Types of Potential Impacts

Potential impact on identified and potential historic heritage by the project will generally be vegetation clearance and removal of the ground surface and sub-surface disturbance related to the development of auto mall infrastructure. This report has considered the impact on identified and potential heritage values of all development activities relating to the development and operation of the auto mall.

### 4.2 Project Impacts on Identified Historic Heritage

Table 5: Potential impacts on identified heritage.

Place	Potential Impacts
KSM	Vibration and dust associated with the adjacent development is identified as a low risk, but a risk nonetheless which should be managed.
Squadron 460 Memorial	No potential impacts identified.

Previous projects have been undertaken near the KSM, including NARP, which did not result in any damage to the site as all recommendations and mitigations measures were followed (see Section 2.3). The recommendations/mitigation measures provided by the previous assessments have therefore been used to inform the recommendation/mitigation measures for this assessment (see Section 5).

### 4.3 Project Impact on Potential Historic Heritage

It is concluded that there is low potential for further historic places/items to exist within the project area. If extant within the project area, potential historic heritage sites are likely to relate to early agricultural activities such as blazed (survey) trees, remnant boundary fence lines, as well as historic drains and culverts relating to redevelopment as an airport. Recommendations and mitigation measures to manage project impact on unexpected finds are provided in Section 5.

## 5 Management Measures

This assessment has identified two NICH sites within the direct vicinity of the project area, of which, only one has potential to be impacted by the project's development – the KSM, although the impacts would be indirect and likely associated with either dust or vibration from the adjacent works.

It should be noted that potential sites of historic heritage significance may be extant within the project area – these could be subsurface (i.e. archaeological sites) or other currently unidentified sites. This section provides site specific recommendations in relation to identified and potential historic heritage sites, as well as general mitigation recommendations to manage potential impacts on unknown/unexpected historic heritage sites extant within the project area.

Assuming the management measures below are suitably implemented, this assessment concludes that the nature and level of impact on historic heritage by the project is manageable.

### 5.1 Management of the KSM

Undertake dust monitoring during all construction activities near the KSM. As per NARP, the building (KSM) is to be assessed and all door seals and building joints to be repaired/replaced as necessary prior to construction commencing, to ensure the building is weathertight. For reference, the previous measures were undertaken for NARP:

- In consultation with BAC, coordinate Heating Ventilation and Air Conditioning (HVAC) activity.
- HVAC personnel to monitor HVAC system efficiency to ensure minimum 50% contaminant removal (using ASHRAE Dust Spot Efficiency Test, or equivalent) throughout construction period.
- Install high-efficiency HVAC filters and pre-filters.
- Inspect, clean and/or replace HVAC filters as required throughout construction period (Leighton Contractors 2008).

Do not clean dust from historic artefacts or the plane without consultation, advice or supervision of a conservation expert.

#### 5.1.1 Southern Cross Plane

Vibration and dust from the adjacent development may have indirect impacts on the Southern Cross Plane. To manage these potential risks the following should be undertaken.

- Undertake vibration monitoring during all vibration inducing construction works near the KSM. For reference the previous limits established were:
  - No vibrations exceeding 5 mm/s shall be produced at the KSM building base.
  - No vibrating machinery shall be used within proximity to the structure
  - No piles driven within 100m of the structure.
  - No preloading shall be placed near the building to cause settlement from the preloading deflection zone.
  - Limit all machinery operating within proximity of KSM to 15 kph and display advisory signage (Leighton Contractors 2008).

#### 5.1.2 Moveable Heritage

- During NARP, the removable heritage items (such as the KS bust and plinth mounted chronometer) were removed from the KSM during the construction due to the risk of toppling from vibration. The engineer should provide advice as to whether this action is required for the current project based on estimated vibration. If required, the moveable heritage items

should be stored safely on BAC land until the completion of the project and then returned to the KSM.

## **5.2 Application of Historic Heritage Management Across the Project Area**

The historic heritage management recommendations should be implemented and incorporated into the project's Environmental Management Plan (EMP) to mitigate project impacts on both identified historic heritage sites and unidentified historic heritage material/sites found during the development of the project.

This should be applied across the entire project area and should provide information and processes to enable identification and protection of historic heritage sites, both known and unknown. The policies and procedures for management of historic heritage sites or archaeological material uncovered during the project, as outlined in Appendix A (Incidental Finds Procedure), should be implemented.

Additionally, it is recommended that diligence be practiced during works conducted within the project area, particularly during any clearing or construction phases associated with initial preparation of the area. To facilitate this diligence, it is recommended that a historic heritage induction be developed once all approvals for the project are in place but prior to ground disturbing activities, which can be incorporated into the General Site Induction. The historic heritage induction should be prepared by a qualified heritage specialist and include the following:

- Specific instructions for crews regarding their obligations to look for and avoid impacting on historic heritage material until it has been properly assessed;
- Presentation of familiarisation material for work crews so that they are aware of what constitutes a historic heritage find;
- Provision of educational material to personnel informing them what archaeological material may look like, and provide clear instructions on what to do should any such material be found; and,
- A process for the collection, transport and storage of any historic heritage items.

## **5.3 Archaeologist On-Call**

Whilst the potential is low due to the nature of the airport's construction, historic archaeological material may exist across the project area. It is recommended that a historical archaeologist be appointed 'on call' during construction phases of the project, so that a call-out can be made should unexpected archaeological material be located.

## **5.4 Unexpected Finds**

The assessment has found that the project area has potential, albeit low, to contain unidentified historic heritage. Accordingly, the EMP developed for the project should include a procedure for managing unexpected cultural heritage material or sites that may be encountered. This should include:

- All work at the location of the potential historic heritage material/site must cease and reasonable efforts to secure the site should be made – a buffer zone of 20 metres around the find is suitable;
- Work can continue at 20 meters from a find area. Note that the material or site should not be removed or disturbed any further (barriers or temporary fences may be erected as a buffer around the find if required);



- The Site Manager should be notified. They will then notify the Archaeologist appointed 'on call' to the project; and
- The Archaeologist will provide management recommendations to the Site Manager and will liaise with EHP to ensure that the archaeological provisions of the *Queensland Heritage Act 1992* are followed.

A 'Procedure for Incidental Finds' is attached to Appendix A.

## References Cited

ARCHAEO 2007, New Parallel Runway Project, Brisbane Airport Corporation.

Converge, 2014, Airport Environment Strategy 2014 – Cultural Heritage Chapter, Brisbane Airport Corporation.

Converge, 2015, Brisbane Airport Heritage Management Plan, Brisbane Airport Corporation.

Leighton Contractors, 2008, Kingsford Smith Memorial – Brisbane. Artefact Condition Report.

Leighton Contractors, 2009, Kingsford Smith Memorial – Brisbane. Post NARP Artefact Condition Report.

## Appendix A – Procedure for Incidental Finds

**Procedure for discovery of an historical item of potential cultural heritage significance**

**STOP WORK**

If potential item/s of cultural heritage is located during works: stop work, mark and protect the site. Work can continue elsewhere if it will not affect the item.



**INITIAL CONTACT**

Contact the Site Manager immediately and notify them of the item description and location.



**NOTIFICATION TO PROJECT ARCHAEOLOGIST**

The Site Manager to contact the Project Archaeologist, including details of the nature of the item.



**ASSESS SIGNIFICANCE**

The Archaeologist will attend the site as soon as possible to assess significance of item and recommend a course of action. These may include:

- i) protect and avoid;
- ii) excavate, record and remove;
- iii) investigate and preserve, or
- iv) no action if the item is deemed to have no significance.

Recommendation i), ii) and iii) will require preparation of a work method statement in consultation with EHP Cultural Heritage Branch prior to any action commencing.

**IS ITEM DISCOVERED SIGNIFICANT?**

Yes ↓

No ↓

**REPORT FIND TO EHP CULTURAL HERITAGE BRANCH**

Reporting of archaeological find to EHP Cultural Heritage Branch is required by law. Depending on the nature of the find, the Project Archaeologist and EHP will negotiate requirements of find.



**COMPLETE RECORDING/FIELD WORK**

Complete the archaeological or remedial works in accordance with the consent permit or agreed course of action. Advise Site Manager when assessment is complete.



**WORK RECOMMENCES**

Site Manager to advise when works can re-commence in the original or changed form. A Work Method Statement may be devised to ensure suitable management is in place by the project (if required).



**SUBMIT FINAL REPORT**

Archaeologist completes reporting in accordance with the appropriate guidelines and conditions. A copy of the report to go to relevant Government Authorities and Project Manager.

**RECORDING**

Items deemed to have no significance will require recording as evidence. A photograph of the item, including a description of why it is not of significance, should be completed by the Project Archaeologist and forwarded to the Project Manager.



**ADVICE**

Advise Site Manager when assessment is complete. Confirm advice with EHP Cultural Heritage Branch if required.



(Converge 2017)

**aurecon**

*Bringing ideas  
to life*

**Aurecon Australasia Pty Ltd**

ABN 54 005 139 873

Level 14, 32 Turbot Street  
Brisbane QLD 4000

Locked Bag 331  
Brisbane QLD 4001  
Australia

**T** +61 7 3173 8000

**F** +61 7 3173 8001

**E** [brisbane@aurecongroup.com](mailto:brisbane@aurecongroup.com)

**W** [aurecongroup.com](http://aurecongroup.com)

**Aurecon offices are located in:**

Angola, Australia, Botswana, China,  
Ghana, Hong Kong, Indonesia, Kenya,  
Lesotho, Macau, Mozambique,  
Namibia, New Zealand, Nigeria,  
Philippines, Qatar, Singapore, South Africa,  
Swaziland, Tanzania, Thailand, Uganda,  
United Arab Emirates, Vietnam.